Amendment to the Agreement Between Starlink Telecom, Corp. and BellSouth Telecommunications, Inc. Dated June 20, 2003

Pursuant to this Amendment, (the "Amendment"), Starlink Telecom, Corp. (Starlink), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 20, 2003 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the amendment.

WHEREAS, BellSouth and Starlink entered into the Agreement on June 20, 2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated June 20, 2003, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Triennial Order Amendment Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Name: Patrick C. Finlen

Title: Asst. Director

Date: 12-15-03

Ву:

Starlink Telecom, Corp.

Name: (> R

Title: Vica Pres, dent

Date: 12 - 8 - 65

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

Ra	tesExhibit	t A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	. 59
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	. 59
12	CALLING NAME (CNAM) DATABASE SERVICE	. 58
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	. 57
10	SIGNALING	. 51
9	LINE INFORMATION DATABASE (LIDB)	. 49
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN SERVICE	
7	DATABASES	. 48
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	. 43
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 40
4	LOCAL SWITCHING	. 32
3	LINE SHARING	. 25
2	UNBUNDLED LOOPS	5
1	INTRODUCTION	3

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Starlink in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Starlink (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Starlink to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Starlink used in the provision of a qualifying service, as defined by the FCC. Starlink may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Starlink, and to the extent technically feasible, provide to Starlink access to its Network Elements for the provision of Starlink's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Starlink may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to Starlink under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Starlink and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Starlink will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Starlink will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Starlink may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Starlink may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Starlink, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Starlink has obtained at wholesale from BellSouth, or the

combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCIs) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Starlink reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Starlink for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Starlink shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Starlink purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Starlink modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Starlink in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premise, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Starlink shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Starlink on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Starlink. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Starlink seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Starlink with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 Starlink may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.

- 2.1.2 The provisioning of a Loop to Starlink's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Starlink in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Starlink wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Starlink may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Starlink (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Starlink for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 **Loop Testing/Trouble Reporting**

2.1.6.1 Starlink will be responsible for testing and isolating troubles on the Loops.

Starlink must test and isolate trouble to the BellSouth portion of a designed/nondesigned unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.)
before reporting repair to the UNE Customer Wholesale Interconnection Network
Services (CWINS) Center. Upon request from BellSouth at the time of the trouble

report, Starlink will be required to provide the results of the Starlink tests which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once Starlink has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Starlink reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Starlink for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Starlink (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Starlink for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 Order Coordination (OC) allows BellSouth and Starlink to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Starlink's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 Order Coordination Time Specific (OC-TS) allows Starlink to order a specific time for OC to take place. BellSouth will make every effort to accommodate Starlink's specific conversion time request. However, BellSouth reserves the right to negotiate with Starlink a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Starlink may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Starlink specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for

an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Starlink when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Starlink's Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Starlink pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

Version 3Q03: 11/12/2003

For UVL-SL1 and UCLs, Starlink must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Starlink requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, Starlink must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Starlink should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Starlink will be able to continue to provide any advanced services over the new

facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.2.1 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Starlink. Starlink may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.2.2 For an additional charge BellSouth will make available Loop Testing so that Starlink may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.3 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Starlink. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Starlink to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Starlink will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Starlink or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Starlink may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of Starlink in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-

four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.8.1 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.8.2 Starlink may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Starlink for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Starlink may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Starlink, BellSouth shall perform the routine network modifications.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Starlink.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Starlink to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Starlink or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Starlink can request LMU for which additional charges would apply.

- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Starlink may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Starlink to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Starlink may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by Starlink which has over 6kft of combined bridged tap will be modified, upon request from Starlink, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to Starlink. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 Starlink may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Starlink requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Starlink will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Starlink shall request Loop make up information pursuant to this Attachment prior to submitting a SI and/or a LSR for the Loop type that Starlink desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Starlink, Starlink will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Starlink is available at the location for which the ULM was requested, Starlink will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Starlink will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Starlink has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Starlink. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Starlink (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from Starlink, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Starlink will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

- 2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Starlink to connect Starlink's Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Starlink may access the End User's premise wiring by any of the following means and Starlink shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Starlink to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the premise wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the premise wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Starlink may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Starlink's responsibility to ensure there is no safety hazard, and Starlink will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Starlink shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Starlink shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Starlink to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Starlink's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Starlink may request BellSouth to do additional work to the NID on a time and material basis. When Starlink deploys its own local Loops in a multiple-line termination device, Starlink shall specify the quantity of NID connections that it requires within such device.
- 2.8 **Sub-loop Elements**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Starlink requests a UCSL and it is not available, Starlink may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Starlink, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Starlink's use on this cross-connect panel. Starlink will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Starlink shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process.

Starlink's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Starlink is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Starlink's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Starlink can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Starlink's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Starlink will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Starlink requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Starlink for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Starlink will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Starlink for each pair activated commensurate to the price specified in Starlink's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 2.8.3.3.5 UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Starlink will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based rates have not been negotiated and Starlink has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Starlink any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Starlink, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Starlink to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Starlink may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Starlink, BellSouth shall perform the routine network modifications.

2.8.6.3 <u>Requirements</u>

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Starlink is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Starlink information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Starlink.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Starlink within twenty (20) business days after Starlink submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Starlink to connect Starlink provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to Starlink LMU information so that Starlink can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Starlink intends to install and the services Starlink wishes to provide. This section addresses LMU as a preordering transaction, distinct from Starlink ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Starlink LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Starlink as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Starlink may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Starlink and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Starlink's ability to provide advanced data services over the ordered Loop type. Further, if Starlink orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Starlink is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Starlink may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Starlink needs further Loop information in order to determine Loop service capability, Starlink may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMU, Starlink may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Starlink may reserve up to three (3) Loop facilities.
- 2.9.3.2 Starlink may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Starlink. During and prior to Starlink placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Starlink does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Starlink will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Starlink does not reserve facilities upon an initial LMUSI, Starlink's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Starlink has reserved multiple Loop facilities on a single reservation, Starlink may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Starlink, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Starlink.

3 <u>Line Sharing</u>

3.1 General

- 3.1.1 Line Sharing is defined as the process by which Starlink provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Starlink using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Starlink. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Starlink may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Starlink may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Starlink, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Starlink the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Starlink shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Starlink on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice

service. If Starlink requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Starlink shall pay for the Loop to be restored to its original state.

- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Starlink desires to continue providing xDSL service on such Loop, Starlink shall be required to purchase a full standalone Loop UNE. To the extent commercially practicable, BellSouth shall give Starlink notice in a reasonable time prior to disconnect, which notice shall give Starlink an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Starlink purchases the full stand-alone Loop, Starlink may elect the type of Loop it will purchase. Starlink will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event Starlink purchases a voice grade Loop, Starlink acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Starlink reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Starlink for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Starlink with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Starlink must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.
- 3.2.1.2 Starlink may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of Starlink's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group (CRSG).
- 3.2.1.3 Once a splitter is installed on behalf of Starlink in a CO in which Starlink is located, Starlink shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and Starlink shall pay the electronic or

manual ordering charges as applicable when Starlink orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Starlink's data.

3.3 <u>BellSouth Provided Splitter – Line Sharing</u>

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Starlink access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Starlink's xDSL equipment in Starlink's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Starlink with a carrier notification letter, informing Starlink of change. Starlink shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Starlink shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Starlink's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Starlink's DS0 termination point as possible. Starlink shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Starlink on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross connect the splitter data ports to a specified Starlink DS0 at such time that a Starlink End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Starlink may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Starlink may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Starlink in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Starlink may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Starlink shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Starlink the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Starlink access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Starlink shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Starlink shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Starlink is using a BellSouth owned splitter, Starlink may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Starlink provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Starlink will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Starlink shall inform its End Users to direct data problems to Starlink, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Starlink, BellSouth will notify Starlink. Starlink will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Starlink will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Starlink's access to the High

Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 <u>Line Splitting</u>

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Starlink provides its own switching or obtains switching from a third party, Starlink may engage in line splitting arrangements with another CLEC using a splitter, provided by Starlink, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Starlink is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Starlink shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Starlink will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Starlink or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Starlink for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Starlink or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Starlink or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Starlink or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Starlink or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation

space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Starlink shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Starlink the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Starlink access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Starlink shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Starlink on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Starlink will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Starlink shall inform its End Users to direct all problems to Starlink or its authorized agent.
- 3.10.3 If Starlink is not the data provider, Starlink shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Starlink for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Starlink when Starlink: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Starlink is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Starlink or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Starlink's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Starlink purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Starlink local End User, or originated by a BellSouth local End User and terminated to a Starlink local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Starlink the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Starlink shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where Starlink purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Starlink End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Starlink the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Starlink shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Starlink the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Starlink selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Starlink will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to Starlink an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Starlink will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Starlink the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Starlink all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Starlink.

4.2.13 <u>Local Switching Interfaces.</u>

- 4.2.13.1 Starlink shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Starlink who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Starlink shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Starlink shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Starlink will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Starlink utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and

incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Starlink and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Starlink.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Starlink's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Starlink's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Starlink's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to Starlink, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Starlink. AIN SCR will provide Starlink with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Starlink shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Starlink, the routing of Starlink's End User calls shall be pursuant to information provided by Starlink and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Starlink shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each Starlink End User activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. Starlink shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Starlink's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Starlink, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.
- 4.4.7 The NRC End Office Establishment Charge will be billed to Starlink following BellSouth's normal monthly billing cycle for this type of order.

- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End User Establishment Charges will be billed to Starlink following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Starlink following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 <u>Selective Call Routing Using Line Class Codes</u>

- 4.5.1 Where Starlink purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Starlink's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Starlink to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Starlink specific and unique LCCs are programmed in each BellSouth end office switch where Starlink intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Starlink's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Starlink intends to provide Starlink-branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Starlink to order dedicated trunking from each BellSouth end office identified by Starlink, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Starlink Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Starlink to the BellSouth TOPS.

4.5.7 The rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth CO. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Starlink are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Starlink are not already combined by BellSouth in the location requested by Starlink but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Starlink are not elements that BellSouth combines for its use in its network.
- Upon request, BellSouth shall perform the functions necessary to combine UNEs in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to UNEs or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links

- 5.2.1 Enhanced Extended Links (EELs) are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Starlink with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Starlink thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Starlink's high-capacity EELs as specified below.

5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Starlink may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Starlink, BellSouth shall perform the routine network modifications.

5.2.5 <u>Service Eligibility Criteria</u>

- 5.2.5.1 Starlink must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Starlink has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which Starlink will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Starlink will have at least one (1) active DS1 local service interconnection trunk over which Starlink will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Starlink's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in

accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Starlink failed to comply with the service eligibility criteria, Starlink must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Starlink did not comply in any material respect with the service eligibility criteria, Starlink shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Starlink did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Starlink for its reasonable and demonstrable costs associated with the audit. Starlink will maintain appropriate documentation to support its certifications.

5.2.7 In the event Starlink converts special access services to UNEs, Starlink shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.
- BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Starlink if Starlink's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Starlink is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Starlink or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the

applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Starlink's UNE port/Loop combinations. BellSouth will not bill Starlink for 911 surcharges. Starlink is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Starlink in addition to those specifically referenced in this Section 5 above, where available. To the extent Starlink requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Starlink for the provision of a qualifying service, as set forth herein.

- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Starlink uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport is defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport is defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Starlink.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Starlink exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Starlink to connect such interoffice facilities to equipment designated by Starlink, including but not limited to, Starlink's collocated facilities; and
- Permit, to the extent technically feasible, Starlink to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Starlink.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Starlink may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Starlink may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Starlink, BellSouth shall perform the routine network modifications.

6.2.6 <u>Technical Requirements</u>

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Starlink designated traffic.
- For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Starlink shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 <u>BellSouth Technical References</u>:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Starlink may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCIs are available: Voice Grade, Digital Data and ISDN.

- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 <u>Technical Requirements</u>

- 6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, Starlink's channelization equipment must adhere strictly to form and protocol standards. Starlink must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Starlink to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Starlink may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Starlink, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.3.2 Starlink is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Starlink information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Starlink. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Starlink within twenty (20) business days after Starlink submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Starlink to connect Starlink provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Starlink.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and/or CNAM at market based rates pursuant to a separate agreement or tariff.

8. <u>BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service</u>

8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem.

The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Starlink's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Starlink.

8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Starlink must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to Starlink any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Starlink's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Starlink what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Starlink, BellSouth shall provide Starlink with a list of the customer data items, which Starlink would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.

- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Starlink data to the LIDB shall be solely at the direction of Starlink. Such direction from Starlink will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Starlink data upon Starlink's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Starlink customer records will be missing from LIDB, as measured by Starlink audits. BellSouth will audit Starlink records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Starlink contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Starlink within one (1) business day of audit. Once reconciled records are received back from Starlink, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Starlink to negotiate a time frame for the updates, not to exceed three (3) business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Starlink's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Starlink with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Starlink and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Starlink data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Starlink in writing.
- 9.2.13 BellSouth shall provide Starlink performance of the LIDB Data Screening function, which allows LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Starlink at least at parity with BellSouth Customer Data. BellSouth shall obtain from Starlink the screening information associated with LIDB Data Screening of

Starlink data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Starlink under the BFR/NBR process.

- 9.2.14 BellSouth shall accept queries to LIDB associated with Starlink customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Starlink shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Starlink shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2	Signaling Link Transport
10.2.1	Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Starlink designated Signaling Points of Interconnection that provide appropriate physical diversity.
10.2.2	Technical Requirements
10.2.2.1	Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
10.2.2.1.1	As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
10.2.2.1.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
10.2.2.2	Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
10.2.2.2.1 10.2.2.2.2	An A-link layer shall consist of two (2) links. A B-link layer shall consist of four (4) links.
10.2.2.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
10.2.2.3.1	No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
10.2.2.3.2	No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
10.2.3	Interface Requirements
10.2.3.1	There shall be a DS1 (1.544 Mbps) interface at Starlink's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
10.3	Signaling Transfer Points
10.3.1	A Signaling Transfer Point (STP) is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and STPSs.
10.3.2	Technical Requirements

- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Starlink local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Starlink local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Starlink or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Starlink database, then Starlink agrees to provide BellSouth with the Destination Point Code for Starlink database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Starlink or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the

specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7 AIN Access</u>

- When technically feasible and upon request by Starlink, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Starlink's SS7 network to exchange TCAP queries and responses with a Starlink SCP.
- 10.4.2 SS7 AIN Access shall provide Starlink SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Starlink SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Starlink SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 Interface Requirements

- 10.4.3.1 BellSouth shall provide the following STP options to connect Starlink or Starlink-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Starlink local switching systems; and,
- 10.4.3.1.2 A B-link interface from Starlink local STPs.
- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4 Message Screening

10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Starlink local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Starlink switching system has a valid signaling relationship.

- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Starlink local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Starlink switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Starlink from any signaling point or network interconnected through BellSouth's SS7 network where the Starlink SCP has a valid signaling relationship.

10.5 Service Control Points/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and DA.
- A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 Technical Requirements for SCPs/Databases
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Starlink local signaling transfer point switches or Starlink local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Starlink local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Starlink or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Starlink local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Starlink local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Starlink local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Starlink local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Starlink or Starlink-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Starlink local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Starlink STPs.
- The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the SPOI and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Starlink local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Starlink switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System</u>

- The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Starlink will be required to provide BellSouth daily updates to E911 database. Starlink shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.
- 11.2 <u>Technical Requirements</u>
- BellSouth shall provide Starlink the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS

database to Starlink after Starlink provides End User information for input into the ALI/DMS database.

11.2.2 Starlink shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Starlink the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Starlink shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Starlink's access to BellSouth's CNAM Database Services and shall be addressed to Starlink's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Starlink requires interconnection from Starlink to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Starlink shall provide its own CNAM SSP. Starlink's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Starlink elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Starlink desires to query.
- 12.6 If Starlink queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- 12.7 The mechanism to be used by Starlink for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Starlink in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Starlink to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Starlink CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System Advanced</u> <u>Intelligent Network Access</u>

- BellSouth's SCE/SMS AIN Access shall provide Starlink the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Starlink. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Starlink service logic and data from unauthorized access.
- When Starlink selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Starlink to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Starlink access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Starlink to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

14.1 BellSouth has developed and made available electronic interfaces by which Starlink may submit LSRs electronically.

- 14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 Denial/Restoral OSS Charge
- 14.3.1 In the event Starlink provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Starlink will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive NRC charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

CATEGORY RATE PLANEITS Insul Some BCS USC RATE																		
ATTECHNISH PLANE THE PLANE	UNBU	JNDLE	NETWORK ELEMENTS - Alabama															
PATE CAPTOON PATE LEMENTS Under 2006 USO PATE CAPTOON																		
ATECOPY RATE ELEMENTS IN Zone BCS USDC PRATES (I) USDC PRATES (I) USDC PRATES (I) USDC PRATES (I) USDC PRATES (II) USDC PRATES (III) USDC																		
The Zone* shown in the sections for stand-after loops or loops as part of scendistic networks to exceed the section of the sections for stand-after loops or loops as part of scendistic networks to exceed the section of the sections for stand-after loops or loops as part of scendistic networks to exceed the section of the sections for stand-after loops or loops as part of scendistic networks to exceed the section of the section of the sections for stand-after loops or loops as part of scendistic networks. According to the section of the sect	CATE	SORV	DATE ELEMENTO	Interi	7	DCC	11000			DATES (A)				-				
The Yann's shown in the sections for stand-alrente loops or loops as part of scorebination refers to Securphicity Developed UNIX Developed UNIX Section Sectio	CATE	JURT	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR				
Process of the proces																		
The "Show" shown in the sections for stand-slone loops or loops as part of a combination refers to decographically between growth stand-slone loops or loops as part of a combination refers to decographically between growth stand-slone loops or loops as part of a combination refers to decographically between growth stand-slone loops or loops as part of a combination refers to decographically between growth stand-slone loops or loops as part of a combination refers to decographically between growth stands and the little will "report section of the part o															1st	Add'l	Disc 1st	Disc Add'l
The "Zons" shown in the sections for stand-allone topic or focips as part of a combination refers to Segrephically Deservaged URE Zone. To view Cooppositionally Severaged URE Zone. To view Cooppositionally Severage Correct Society Sever								D	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	l.	
PREADONLY SUPPLY STEEMS (DSS)— PERSONNAL ARIZE— STEEMS (DSS)								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PREADONLY SUPPLY STEEMS (DSS)— PERSONNAL ARIZE— STEEMS (DSS)				L.,	l .		L	L		L		L	L	L		L	<u> </u>	
PREADMAN SUPPORT SYSTEMS (OSS) - RECIDIAL RATES* NOTE of 1000 to decrease in a processor of product or the "area specific" OSS charge as ordered by the State Commissions. The OSS charges currently contained in this rate enables are the Bell South "regions" service colering charges. CLEC may show the region of the State Commissions. The OSS charges currently contained in this rate enables are the bell South "regions" service colering charges. CLEC may show the region of the State Commissions. The OSS charges currently contained in this rate enables are the bell South "regions" service colering charges. CLEC may show the region of the State Commissions. The OSS charges currently contained in this rate enables are the transport of the State Commissions. The OSS charges currently contained in this rate enables are children and the transport of the State Commissions. The OSS charges currently contained in this rate enables are children and the transport of the State Commissions. The OSS charges currently contained in this rate enables are children and the transport of the State Commissions. The OSS charges currently contained in this rate enables are children and the state of the State Commissions. The OSS charges currently contained in this rate enables are children and the transport of the State Commissions. The OSS charges currently contained in the transport of the State Commissions. The OSS charges currently contained and charge are children and the state of the State Commissions. The OSS charges currently contained and charge are children and charges are children and							ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ons by Centi	ral Office, refe	er to internet \	Website:	
WITE CITY CLUST Annual Control control responsive formation or reserved setting sequence of the mean state specific Commission. The State Commission. The City Can an obligation in this state driving or responsive Statistics and interconnection control assistance of the responsive Statistics and interconnection control assistance on the control assistance of the responsive Statistics and statistics of the responsive Statistics of the responsive Statistics and statistics of the responsive Statistics of th	OPER			connec	tion.nt	m	I					1				I	I	
elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, novewer, CLEC can not obtain a mixture of the two regardless of CLEC has a interconnection contract established in about 1 of 10 mixture of 10 mixture 1 mixtu	OI LIK			e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
Section the 9 states. NOTE: (1) Any element that can be ordered electronically will be billed according to the 50MEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to elemental product can be ordered electronically at present per the LON, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on him for that element. Otherwise, the manual ordering charge. SOMEC 3.50 0.00 3.50 0.0																		
that cannot be ordered deterronically at present per the LOH, the littled SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the nanual ordering charge, SOME, VIII to provide the period of the common control of the period of the period of the common control of the period					•			-						·				
SOMAN, will be applied to a CLECs till when it submits an LSR to BellSouth.																		
OSS - Electronic Sovice Order Charge, Per Local Service SOMEC SOMEC SOME SOMEC SOME SO						in this category ref	lects the cha	arge that would	be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	anual ordering	g charge,
Request (SSP) - UNR Only SOMEC 3.00 0.00 3.50 0.00	<u> </u>	SOMAN		ellSout	h.		1	1			1	T	1			ı	ı	
OSS - Manual Service Order Charge, Per Lord Service Request SOMAN 15.66 0.00 1.97 0.00							SOMEC		2 50	0.00	2 50	0.00						
(LSR) - UNE Coly SOUNDAY 15.66 0.00 1.97 0.00							OUNEO		3.30	0.00	3.30	0.00						
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.							SOMAN		15.66	0.00	1.97	0.00						
UNB Expedite Charge per Circuit or Line Assignable USOC, per Day UNBURDLED EXCHANGE ACCESS LOOP JUNION LINES, UNDY, UNCOX, UNC	UNE S																	
URE, UDF, UEC, UD, UDA, UDA, UDA, UTTO, UDA, UDD, UDD, UDD, UDD, UDD, UDD, UDD		NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
URE, UDF, UEC, UD, UDA, UDA, UDA, UTTO, UDA, UDD, UDD, UDD, UDD, UDD, UDD, UDD																		
UDL, UNIN, UNIN, UNIN, UNIN, UTTA, U																		
URBUNDLED E PARMIGE Charge per Circuit or Line Assignable USOC, per LURBUNDLED E PARMIGE ACCESS LOOP URBUNDLED E PARMIGE ACCESS LOOP 2.WITE ANALOG VIDEG Grade Loop - Service Level 1-Zone 1 URBNIL UEALS 2 12.58 37.81 17.56 23.49 5.30																		
USEL UTTE, UTTBS, UTTDS, UTTCS, UCITEL, UCITEC, UCITEC, UCITEC, UCITEC, UCITEC, UCITEC, UCITEC, UC																		
UNTEX, UTTOX, UT																		
UTSI, UTIX, UCIGE, UCIGE, UCICE, UCIC																		
UNE Expedite Charge per Circuit or Line Assignable USCC, per UTUB, UNION, UNION																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE WINE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 3-WIRE ANALOG VOICE																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3-UEANL. UEASL 4-WANL UEETL 4-WANL																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per UNITED, UNIT																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC Per Day UNE Expedite Charge per Circuit or Line Day UNE Expedite Cha																		
UCHIC, UCHIL, UDILS, UDILS, UDILS, UDILS, UDILS, UDILS, UDILS, ULDIP, UNCX,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per UNTUR, UNCXX, UNCXX																		
UDLG3, UDLD5, UDDLS, UD																		
URE Expedite Charge per Circuit or Line Assignable USOC, per Day UTITUC, UTITUD, ULDDS, ULDTUD, UTITUD, UTITUD																		
ULDAR, ULDDX, ULDX, ULDX, ULDX, ULDX, ULDX, ULDX, UNCX, UN																		
ULDO3, ULDS1, ULDVX, UNC1X, UNC5X, UNCX, U																		
ULDVX, UNC1X, UNCX, UN						ULDD3, ULDDX,												
UNGJX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCYX, UNLD1, UNLD3, UXTD1, UXTD1, UXTD1, UXTD3, UXTS1, UXTD1, UXTD3, UXTS1, UTTUC, U1TUD, UTUB, U1TUA SDASP UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.05 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEALS 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 3-4.34 3-7.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 3-4.34 3-7.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 3-7.81 17.56 23.49 5.30 1 UEANL 4-7.56 23.49 5.30 4-7.56 23.49 5.30 5.30 5.30 6-7.56 6-7.																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DUTTUB, UTTUB, UTT																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEDINDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.58 37.81 17.56 23.49 5.30																		
Day																		
Service Serv			UNE Expedite Charge per Circuit or Line Assignable USOC, per															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	LINID	IDI ED T	Day		-	U1 IUB, U1TUA	SDASP		200.00									
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ONBU											1						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.05 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.05 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level	-				1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30					2													
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.05 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 UEANL URETL 8.34 34.16 34.16 34.16																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30	<u> </u>																	
Unbundled Miscellaneous Rate Element, Tag Loop at End User	-																	
Premise UEANL URETL 8.33 0.83 <	-				3	UEAINL	UEASL	34.34	37.81	17.56	23.49	5.30				-	-	
Loop Testing - Basic 1st Half Hour UEANL URET1 34.16 34.16	1					UEANL	URET∟		8.33	0.83								
Loop Testing - Basic Additional Half Hour UEANL URETA 19.85 19.85																		
			Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								

	IDI F	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fvhi	bit: A
		7 RET WORK LEEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc			Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			l												
		providing make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		13.44									
<u> </u>		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		40.00									
<u></u>	WIDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		18.09									
	-WIKE			1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+ +		UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15	1			1		
+		Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	- 3	U-W	JLQZA	13.07	34.14	13.10	21.23	4.15		 		 	 	
		Premise			UEQ	URETL	l	8.33	0.83				1			1	1
\vdash		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	!		3		0.00	0.00			<u> </u>	 		1	 	
		Non-Designed (per loop)			UEQ	USBMC	l	8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for	1				İ	2.10							†	İ	İ
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU	l	13.44									
		Loop Testing - Basic 1st Half Hour	1	1	UEQ	URET1		34.16	34.16						1		1
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
2.	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					40.50										
<u> </u>		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		UEFSK UEFSB	UEADS	21.05	37.01	17.30	23.49	5.30	1			1		
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	OLI OIL OLI OB	OLINEO	04.04	07.01	17.00	20.40	0.00						
		Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
UNBUND		XCHANGE ACCESS LOOP	1	Ť		3230	04.04	07.01	17.50	20.70	0.30				1	1	1
		ANALOG VOICE GRADE LOOP			İ	1				1					1	İ	
F		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			İ	1				1					1	İ	
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44		1			1	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					Ì										
oxdot		Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44				<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or]]	
\bot		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
$oxed{oxed}$		Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL	Ţ	18.09									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l	1	l						1			1	1
$\vdash \vdash$		Battery Signaling - Zone 1	1	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	l.,_,	LIEAGO							1			1	1
\vdash		Battery Signaling - Zone 2	-	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	LIEADO	20.44	00.00	FF 00	47.04	7.44						
\vdash		Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSP)	1	3	-	UEAR2 OCOSL	36.14	88.00 18.09	55.00	47.24	7.44		 		1	-	-
\vdash		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1	1	UEA UEA	UREWO	+	18.09 87.72	36.36						 		
\vdash		Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL	+	11.21	1.10						 		
1	-WIRF	ANALOG VOICE GRADE LOOP			OLA .	OKLIL	ł	11.21	1.10						 	1	1
 	******	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		 		 	 	
\vdash		4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50	<u> </u>	 		1	 	
		4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	60.02	131.97	94.51	59.14	14.50				1	1	1
-		Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL	00.02	18.09	551	334	50				1	1	1
1 T					UEA	UREWO		87.72	36.36						i .		

UNRI	JNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
5.400	,11VLL	HET WORK ELEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch	L		UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	1141 01/	44.04	440.00	00.00	47.04	7.44						
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44				1		
	1	2 Wire Unbundled ADSL Loop including manual service inquiry	 		UAL	UALZA	12./3	110.00	00.80	47.24	7.44			-	-		
		& facility reservation - Zone 3	1	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
-	1	Order Coordination for Specified Conversion Time (per LSR)	1	3	UAL	OCOSL	14.30	18.09	00.00	41.24	7.44	1	1				
—	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	 		J, €	OCCOL		10.09		t				1	1		
		facility reservaton - Zone 1	1	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44				1		
-	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	<u> </u>	J, IL	JALZVV	11.01	30.00	57.00	71.24	7.44						
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		_	O/ IL	OALLEVV	12.70	50.00	07.00	77.27	7						
		facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UAL	OCOSL	1 11.00	18.09	07.00								
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry		_													
	<u> </u>	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry		3			44.44	00.00	F7 00	47.04	7.44						
\vdash	+	and facility reservation - Zone 3	 	3	UHL UHL	UHL2W OCOSL	11.44	90.00 18.09	57.00	47.24	7.44				-		
\vdash	+	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO		18.09 86.14	40.40	 					-		
 	4-WIPF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OI IL	OKEWO		00.14	40.40	 		-		1	1		
\vdash	7	4 Wire Unbundled HDSL Loop including manual service inquiry	1			+				t					 		
1		and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73				1		
	1	4-Wire Unbundled HDSL Loop including manual service inquiry	1	<u> </u>	J	STILTA	10.90	1-10.00	55.00	51.70	5.75				1		
		and facility reservation - Zone 2	1	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73				1		
	1	4-Wire Unbundled HDSL Loop including manual service inquiry	†						22.30	1	50				1		
1		and facility reservation - Zone 3	1	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73				1		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
L	<u> </u>	and facility reservation - Zone 1	<u> </u>	_1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
		4-Wire Unbundled HDSL Loop without manual service inquiry															
	<u> </u>	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3]	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	1	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UHL	UREWO		86.14	40.40	ļ					ļ		
	4-WIRE	DS1 DIGITAL LOOP	ļ	L.		1101.107		0=0 :-									
	 	4-Wire DS1 Digital Loop - Zone 1	<u> </u>		USL	USLXX	82.55	252.47	157.54	44.70	11.71			ļ	 		
	 	4-Wire DS1 Digital Loop - Zone 2	<u> </u>		USL	USLXX	154.18	252.47	157.54	44.70	11.71			ļ	 		
<u> </u>	 	4-Wire DS1 Digital Loop - Zone 3	!	3	USL	USLXX	314.52	252.47 18.09	157.54	44.70	11.71			1			
<u> </u>	1	Order Coordination for Specified Conversion Time (per LSR)	1	<u> </u>	USL	OCOSL		18.09		l		1	<u> </u>	L	L		

UNRI	JNDLF	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
CITE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO TRABAINA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			١									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								
	4-WIRE	19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		97.23	42.48								
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry							-								
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
1		4-Wire Copper Loop-Designed including manual service inquiry												1		I	
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		4-Wire Copper Loop-Designed without manual service inquiry											<u> </u>	<u> </u>	_		
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73			ļ			
		4-Wire Copper Loop-Designed without manual service inquiry													1		
		and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
1		4-Wire Copper Loop-Designed without manual service inquiry											<u> </u>	<u> </u>	_		
		and facility reservation - Zone 3	I	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73				1		
<u> </u>		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15						ļ		
L	<u> </u>	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48						ļ		
LOOP	MODIFIC	CATION			L										ļ		
					UAL, UHL, UCL,									Ì	I		
					UEQ, ULS, UEA,										1		
1		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l .		UEANL, UEPSR,									Ì	I		
	1	pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00					ļ	.		
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	l .											Ì	I		
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
					UAL, UHL, UCL,										1		
1					UEQ,ULS,UEA,									Ì	I		
1		Unbundled Loop Modification Removal of Bridged Tap Removal,	l .		UEANL, UEPSR,									Ì	I		
OUD :	0000	per unbundled loop			UEPSB	ULMBT		32.41	32.41								
SUB-L	UUPS				l							<u> </u>		<u> </u>		l	L

UNBL	UNDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
<u> </u>		7.000										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrec			Disconnect				Rates (\$)		
<u> </u>	_	B1 - 11 - d						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			LIFANII	LICECA		044.40									
	-	<u>Up</u>	- 1		UEANL	USBSA		244.42									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
-		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		ULANL	USBSB	-	22.04									
		Facility Set-Up	1		UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			027.812	00200											
		Set-Up	- 1		UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						=									
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2		LIODNIA	40.07	70.00	44.40	40.74	0.07						
-	-	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07	-					
		Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
		Zone 3		3	OLANL	USBIN4	32.37	79.03	44.13	45.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		Cab 2006 2 17110 Intrabanding Frontierin Cabre (1110)			027.112	002.12	2.2.	00.01		10.20	0.10						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
<u> </u>	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15						1		
—	+	4 Wire Copper Unbundled Sub-Loops, per sub-loop pair		1	UEF	UCS4X	6.11	79.03	8.15 44.19	49.71	9.07	-			 		
-	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X UCS4X	12.61	79.03	44.19	49.71	9.07	-			1		
-	+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	15.36	79.03	44.19	49.71	9.07				 		
 	1	Suppor Cribanaica Sub Loop Distribution - Zorie 3		3	<u></u>	2007A	15.50	13.03	44.13	43.71	3.07	<u> </u>			 		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEF	URET1	İ	34.16	34.16						1		
		Loop Testing - Basic Additional Half Hour			UEF	URETA	1	19.85	19.85								
		lled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01									
	Network	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
	1	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87						 		
LINE		Network Interface Device Cross Connect - 4W			UENTW	UNDC4	ļ	5.87	5.87						 		
UNE C		ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							 		
-	+	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				-			 		
-	+	UNITY Circuit id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00							1		
UNF O	THER. P	ROVISIONING ONLY - NO RATE				014E014	0.00	0.00							 		
							l l								1		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Electronic- 1st Add'I OSS Rates (\$)	Fubility A	Fubility (Fubible A	
CATEGORY RATE ELEMENTS Under Date BCS USOC RATES (8) Submitted Catagory Charges Port Like Catagory Catagor	Exhibit: A			: A crement
ATECORY PATE ELEMENTS Interior of the part List Figure 1 and 1 a				
### ATTE FLEMENTS ### 2009 BCS USDC ### ATTE FLEMENTS ### 2009 Code vs. Bectronic Electronic	•			Charge -
Non-control Non-control Non-control Non-control Section Non-control Section Non-control Section Non-control Section Non-control No				lanual S
Second Control Name Providering Only - no rate Second Control Name Providering Only - no rate Second Control Name Providering Only - no rate Second Control Name Providering Only - no rate Second Control Name Providering Only - no rate Second Control Name Providering Only - no rate Second Control Name Providering Only - no rate Second Control Name Second Control				Order vs
No. No.				lectronic
Unburned Curiast Name, Proisioning Only - no rate	Disc 1st Disc	Disc 1st Dis	c 1st Disc	Disc Add
Unbounded Cortiact Name, Provisioning Only - no rate				
Unburded Start Darker Winter Cross Dark Jumper - no UNIVERSITY U	SOMAN SO	SOMAN S	MAN SO	SOMAN
Unburded Start Darker Winter Cross Dark Jumper - no UNIVERSITY U				
Unbundled Sul-Lop Feeder 4 Wire Closs Box Jumper - no UEA_UDNIEC, LIDC LISEFQ				
Description Description				
Substanded Set Loop - Superharmer Format Option - no rate				
Intellegence URAUSELUCLUDE USBERR 0.00 0.				
Unburneled S11.cog - Superfame Format Option - no rate USL CCOSF 0.00 0.00				
Unburneled DST Loop - Expanded Superframe Format option - USL				
ISL CCOEF CO.00				
Hight Capacity Unbrundled Local Loop - DS3 - Per Mile per month UE3				
High Capacity Unburded Local Loop - DS3 - Per Mile per morth UE3 ILEND 8.38			\longrightarrow	
Month UES LEND			\longrightarrow	
High Capadity Unburided Local Loop - SS3 - Facility Termination per month UE3 UE3PX 306.98 451.52 263.94 119.49 83.58				
Termination per month UE3 UE3PX 308.98 451.52 263.94 119.49 83.58			+	
High Capacity Unburidided Local Loop - STS-1 - Per Mile per month month High Capacity Unburidided Loop - STS-1 - Facility UULSX LLSND 8.38				
Month Mont			-+	
High Capacity Unbundled Load Loop - STS-1 - Facility UDLSX UDLS1 319.83 451.52 263.94 119.49 83.58				
LOP MAKE_UP Preordering Without Reservation, per working or Lop Make_UP - Preordering Without Reservation, per working or Spare facility queried (Manual) Lop Make_UP - Preordering With Reservation, per working or Lop Make_UP - Preordering With With Reservation, per working or Lop Make_UP - Preordering With With Reservation, per working or Lop Make_UP - Preordering With With Reservation, per working or Lop Make_UP - Preordering With With R				
LiDOP MAKE-UP Spare facility queried (Manual).				
Spare facility queried (Manual).		-	_	
Loop Makeup - Preordering With Reservation, per spare facility UMK				
Queried (Manual). UMK				
Line Sharing Splitter, per System 96 Line Capacity U.S. U.S.DA 155.97 188.79 0.00 177.98 0.00 177.98 0.00 187.98 188.79 0.00 177.98 0.00 187.98 188.79 0.00 187.75 188.79 0.00 188				
Sparie Racility queried (Mechanized)				
INTESTARING AND LINE SPLITTING NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:				
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:				
NOTE 1: 100/22003 - 10/01/22005: 5% of the rate for an unbundled copper loop non-designed ("UCLND")				
NOTE 1: 100/2/2004 - 10/01/2005: 59% of the rate for UCLND				
NOTE 1: 100/22005 - 10/01/2006: 75% of the rate for UCLND NOTE 1: Above will apply to USCS: ULSDT and ULSCT "NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 Line Sharing Splitter, per System 96 Line Capacity ULS ULSDB 38.99 188.79 0.00 177.98 0.00 Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSDB 38.99 188.79 0.00 177.98 0.00 Line Sharing-DIEC Owned Splitter in Co-CFA activation deactivation (per LSOD) ULS ULSDB 12.73 377.58 0.00 355.96 0.00 ULS ULSDB 12.73 377.58 0.00 355.96 0.00 ULS ULSDB 12.73 377.58 0.00 49.84 0.00 ULS ULSDG 86.47 0.00 49.84 0.00 ULS ULSDG UL				
NOTE 1: Above will apply to USOCS: ULSDT and ULSCT				
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003 LINE SHARING SPLITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 Line Sharing Splitter, per System 24 Line Capacity ULS ULSDB 38.99 188.79 0.00 177.98 0.00 Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSDB 12.73 377.58 0.00 355.96 0.00 Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSDB 12.73 377.58 0.00 355.96 0.00 Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSDB 12.73 377.58 0.00 355.96 0.00 END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned Splitter) OBSOLETE see "NOTE 2 Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line ULS ULSDT 8.40 18.51 10.60 10.01 4.92 Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharing - per Subsequent Activity per Line	$\longrightarrow \longleftarrow$		+-	
LINE SHARING SPLITTERS-CENTRAL OFFICE BASED ULS ULSDA 155.97 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 177.98 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 0.00 ULS ULSDB 38.99 188.79 0.00 ULS ULSDB 38.99 0.00 ULS ULSDB 38.99 0.00 ULS ULSDB 377.58 0.00 ULS UL			\longrightarrow	
SPLITTERS-CENTRAL OFFICE BASED			-+	
Line Sharing Splitter, per System 96 Line Capacity ULS ULSDA 155.97 188.79 0.00 177.98 0.00 0.00 177.98 0.00 0			-+	
Line Sharing Splitter, per System 24 Line Capacity ULS ULSDB 38.99 188.79 0.00 177.98 0.00	+		-+	
Line Sharing Splitter, Per System, 8 Line Capacity ULS ULSD8 12.73 377.58 0.00 355.96 0.00				
Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)				
Description Description				
Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2				
OBSOLETE see **NOTE 2				
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line ULS ULSDT 5.60 18.51 10.60 10.01 4.92 ULS ULSDT 8.40 18.51 10.60 10.01 4.92				
Central Office Located (25% of UCLND) - please see NOTE 1				
CE:10/2/2003 ULS ULSDT 2.80 18.51 10.60 10.01 4.92 ULSDT 2.80 18.51 ULSDT 2.80 18.51 ULSDT 2.80 18.51 ULSDT 2.80 ULSDT 2.8	-		-	
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line ULS ULSDT 5.60 18.51 10.60 10.01 4.92 ULSDT 8.40 18.51 10.60 10.01 4.92	1		1	
Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)	\longrightarrow		\longrightarrow	
CE:10/2/2004)	1		1	
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line	1		1	
Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)	\longrightarrow	\longrightarrow	\longrightarrow	
(E:10/2/2005) ULS ULSDT 8.40 18.51 10.60 10.01 4.92 Line Sharing - per Subsequent Activity per Line				
Line Sharing - per Subsequent Activity per Line				
	+	+	-+	
	1		1	
Line Sharing - per Subsequent Activity per Line	+		-+	
Rearrangement(DLEC Owned Splitter ULS ULSCS 16.39 8.19				
Line Sharing - per Line Activation (DLEC owned Splitter) -				
OBSOLETE see *NOTE 2				

UNRU	NDI F	D NETWORK ELEMENTS - Alabama												Δttach	ment: 2	Fyhi	bit: A
ONDO	NDLL	Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
								Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING	ļ														
-	END U	SER ORDERING-CENTRAL OFFICE BASED	 		HEDOD HEDOD	LIDECO	0.01			1		}		 	 	1	
<u> </u>	 	Line Splitting - per line activation DLEC owned splitter	 		UEPSR UEPSB	UREOS UREBP	0.61 0.61	27.04	04.40	00.00	0.00	}		 	 	1	
-	 	Line Splitting - per line activation BST owned - physical	1	-	UEPSR UEPSB UEPSR UEPSB	UREBV		37.01	21.19	20.02	9.83	1		-	-		
-	NA A IN'T	Line Splitting - per line activation BST owned - virtual ENANCE	-	-	UEFOR UEFOR	UKEBV	0.61	37.01	21.19	20.02	9.83						
	WAINI	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			1					
		No Trouble Found - per 1/2 hour increments - Dasic No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50			1					
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			1					
UNBUN	IDI FD I	DEDICATED TRANSPORT				+		100.00	110.00								
0.120.		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	ł														
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1														
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	10.73	40.54	27.41	10.74	6.90						
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIDA	TESAX	0.000030										
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile									5.00			İ	İ		
1	1	per month	l		U1TDX	1L5XX	0.008838							1	1		
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	l	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l														
	ļ	month	ļ		U1TD1	1L5XX	0.18							ļ	ļ		
	l	Interoffice Channel - Dedicated Tranport - DS1 - Facility	l		LIATOA	LIATE4	00.40	00.0-	04.61	10.0-							
-	 	Termination	l		U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44			 	ļ		
1	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	l		U1TD3	1L5XX	4.09							1	1		
\vdash	 	Interoffice Channel - Dedicated Transport - DS3 - Facility	 		טווט	ILUAA	4.09			1		1		1	1	1	
	l	Termination per month	l		U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
	1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1			30	7.00.02	2,0.70	102.70	00.20	20.40	1		 	 		
	l	month	l		U1TS1	1L5XX	4.09										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			-												
1	1	Termination	l		U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			1	1		
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction]		
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	ļ	NRC Dark Fiber - Interoffice Channel	ļ		UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66			ļ	ļ		
1	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l		LIDE LIDESY	41.50/								1	1		
-	ļ	Thereof per month - Local Loop			UDF, UDFCX UDF, UDFCX	1L5DL UDFL4	60.32	639.09	137.87	317.06	197.66						
		NRC Dark Fiber - Local Loop	l	l	UDF, UDFGX	UDFL4		039.09	137.87	317.06	197.66	l					

CATEGORY RATE ELEMENTS Inter Some BCS USCC RATE (d) Secretary Charges Charge	Exhibit: A	Evhi	ment: 2	Attach												D NETWORK ELEMENTS - Alabama	NRUNDI ED	UNR
CATEGORY RATE ELEMENTS Interior Name SCS Name					Svc Order	Svc Order												0,40
ATT SUMMERS Marie Base Base USOC BATES (5) Part SIX Marie Soc Manual Soc Man		Charge -																
CATEGORY RATE ELEMENTS Image Cappa C															Intori			
## ACCESS TEN BORT SCREENING Discovering Part City									RATES (\$)			USOC	BCS	Zone		RATE ELEMENTS	ATEGORY	CATE
Test Add Dispersion Procession Pro		Electronic-			per Lore	per Lore									m			
Part Part																		
MAC ACCESS TENDERSONS SOME DESCRIPTION SOME	ist Disc Add i	D130 131																
December December											Por							
SXX.Access Tan Dipt Scenaring, Reversion Charge For SXX OHD DEDOTE	AN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	1100							
BXX secres fro trop's General Personnel Charge Per BXX OHD NREX 2.50 0.44																		8XX A
Number Reservoir SOX Access for Dig Scienting, Per BXX No. Established WID SOX Access for Dig Scienting, Per BXX No. Established Wide POTT Immulations SOX Access for Dig Scienting, Per BXX No. Established Wide SOX Access for Dig Scienting, Mildle Blank AF CVR SOX Access for Dig Scienting, Mildle Blank AF CVR SOX Access for Dig Scienting, Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR Routing for CVR Microsoft Per BXX Mildle Blank AF CVR ROUTING for CVR Mildle Blank AF CVR											0.00056		OHD					
SXX. Access Ten Digit Sciencering, Per DXX. No. Established WIND OPID NSFTX 5.94 0.81 4.57 0.54 0.55 0.81 0.75 0.54 0.55 0.81 0.75 0.55 0.81 0.75 0.55 0.81 0.75 0.55 0.81 0.75 0.													0.15					
POTS Translations Dist A		.	↓						0.44	2.58		N8R1X	OHD					
OXX Access for Dig Screening, Per Early No. Established With POTE Translations OHD NSFTX S.94							0.54	4.57	0.04	5.04			OUD					
POTS Translations			├				0.54	4.57	0.81	5.94		-	ОНО					
DOC Access Tem Dig Streening, Contractant Africa Control							0.54	4.57	0.91	5.04		NIOETY	OHD					
Per 80X Number		 	++				0.54	4.57	0.01	5.94		INOF I A	ОПО					
SXX Access Ten Digit Sovereing, Multiples Histor ATA CXR No. Proceedings of Designation of Personal Process of Personal Pr									1 20	2.50		NIGECY	OHD					
Routing Per CDR Requested Per BX No. OHD NSFAX 3.02 0.44		 	+						1.23	2.50		INOI CX	OTID					
BXX. Access Tan Digit Screening, Call Facility and Selection OHD NeFAX 3.02 0.44					1	1			1.73	3.02		N8FMX	OHD			Routing Per CXR Requested Per 8XX No.		
BXX Access Ten Digit Screening, Call Handling and Destination OHIO NBFDX 2.56			 															
Finaluses DATE Content Top Screening, wt 8FL No. Deliberry DHID D. 0.000565 DELIBERT CONTENT	1		†					1	2.7.				İ			8XX Access Ten Digit Screening, Call Handling and Destination	1 8	
BXX Access Ten Digit Screening, w PETS No. Delivery OHD 0.0000565					1	1				2.58		N8FDX	OHD					
BOX Access Fan Digit Screening, wit POTS No. Delivery OHD 0.000565											0.000565					8XX Access Ten Digit Screening, w/ 8FL No. Delivery	8	
LINE NORMATION DATA BASE ACCESS (LIDB)																8XX Access Ten Digit Screening, w/ POTS No. Delivery	8	
LIDB Validation Per Cuery																ATION DATA BASE ACCESS (LIDB)	NE INFORMAT	LINE
SIGNALING (CCS7) SIGNALING (0.00002		OQT			LIDB Common Transport Per Query	L	
SIGNALNG (CCS7) Signaling Connection, Per 58(Ops Facility UBB PTBSX 130,83 16,44 16,44 16,44 16,24											0.012002							
CCSF Signaling Connection, Per 66ktops Facility								42.08		34.32		NRBPX	OQT, OQU					
CCS7 Synaling Termination, Per STP Port																		SIGN
CCSF Signaling Usage, Per TCAP Message		<u> </u>					16.44	16.44	35.53	35.53								
CCS7 Signaling Usage, Per TCAP Message												PT8SX	UDB					
CCS7 Signaling Connection, Per link (A link) (B link) (also known as D link) UDB TPP++ 15.46 35.53 35.53 16.44 16.44			ļ															
CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TPP++ 15.46 35.53 35.53 16.44 16.44			-				40.44	10.11	05.50	05.50		TDD						
Ink			-				16.44	16.44	35.53	35.53	15.46	TPP++	UDB					
C.GST Signaling Usage Per ISUP Message UDB 0.0000142							16 11	16.44	25.52	25 52	15 46	TDD.	LIDB					
CCS7 Signaling Usage Surrogate, per link per LATA		 	++				10.44	10.44	33.33	33.33		IFF++				,		
CCS7 Signaling Point Code, per Originating Point Code UDB CCAPO 29.01 29.01 35.57 35.57		-	 									STI IEE						
Establishment or Change, per STP affected			+					1			030.33	31030	ODB					
E911 SERVICE							35 57	35 57	29.01	29.01		CCAPO	LIDB					
Local Channel - Dedicated - 2-wir Voice Grade 13.97 193.10 33.17 36.64 3.20		 	+				00.07	00.07	20.01	20.01		00/11/0	ODD			Establishment of Orlange, per off allested		F911
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.00838 1 16.74 6.90 1 16.74 16.75 16.74 16.74 16.74 16.74 16.74 16.74 16.74 16.74 16.74 16.74 16.75 16.74 16.75 16.74 16.75 16.74 16.75 16.74 16.75 16.74 16.75 16.74 16.75 16.74 16.75 16.75 16.74 16.75 16.		 	 				3 20	36 64	33 17	193 10	13.97					Local Channel - Dedicated - 2-wr Voice Grade		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination			1				0.20	00.01	00.11	100.10								
Termination	1		†					1										
Local Channel - Dedicated - DS1 - Zone 1 35.76 177.47 153.72 22.19 15.26							6.90	16.74	27.41	40.54	21.13		ĺ					
Local Channel - Dedicated - DS1 - Zone 3				l														
Local Channel - Dedicated - DS1 - Zone 3							15.26	22.19	153.72		49.98					Local Channel - Dedicated - DS1 - Zone 2		
Interoffice Transport - Dedicated - DS1 Per Facility Termination										177.47	107.63					Local Channel - Dedicated - DS1 - Zone 3	L	
CALLING NAME (CNAM) SERVICE OQV 22.95 21.11 OXAM For DB Owners - Service Establishment OQV 22.95 21.11 OXAM For DB Owners - Service Establishment OQV 22.95 21.11 OXAM For DB Owners - Service Provisioning With Point Code Establishment OQV 990.88 732.84 268.93 197.74 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 342.33 245.14 275.25 197.74 CNAM for DB Owners, Per Query OQV 0.000902 0.000902 0.000902 CNAM for Non DB Owners, Per Query OQV 0.000902 0.000902 0.000902 SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch 84.70 84.70 14.11 14.11 VIRTUAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line Virtual Collocation-2 Wire Cross Connects (Loop) for Line Virtual Collocation-2 Wire Cross Connects (Loop) for Line											0.18					Interoffice Transport - Dedicated - DS1 Per Mile	l l	
CALLING NAME (CNAM) SERVICE OQV 22.95 21.11 0 CNAM For DB Owners - Service Establishment OQV 22.95 21.11 0 CNAM For DB Owners - Service Provisioning With Point Code Establishment OQV 990.88 732.84 268.93 197.74 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 342.33 245.14 275.25 197.74 CNAM for DB Owners, Per Query OQV 0.000902 0.000902 0.000902 CNAM for Non DB Owners, Per Query OQV 0.000902 0.000902 0.000902 SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch 84.70 84.70 14.11 14.11 VIRTUAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line Virtual Collocation-2 Wire Cross Connects (Loop) for Line Virtual Collocation-2 Wire Cross Connects (Loop) for Line]					1
CNAM For DB Owners - Service Establishment			$oxed{oxed}$				14.44	16.35	81.81	89.27	60.16		ļ					
CNAM For Non DB Owners - Service Establishment			oxdot															CALL
CNAM For DB Owners - Service Provisioning With Point Code Establishment			 									4		\sqcup				
Establishment			 					21.11		22.95		4	υαν	\sqcup				
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 342.33 245.14 275.25 197.74							407.74	200 20	700.04	000.00			001/					
Code Establishment		 	↓ 				197.74	268.93	/32.84	990.88		1	υψν					
CNAM for DB Owners, Per Query					1	1	107.74	275 25	045 44	242.22			loov					
CNAM for Non DB Owners, Per Query		 	+	-			197.74	215.25	245.14	342.33	0.000003	+						
SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch Switch VIRTUAL COLLOCATION VIRTUAL Collocation-2 Wire Cross Connects (Loop) for Line	-	 	+					+ +				+						-
Selective Routing Per Unique Line Class Code Per Request Per Switch 84.70 84.70 14.11 14.11 SWIRTUAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line Switch 84.70 Switch 84	+	 	+	-				 			0.000902	+	000	 				SELF
Switch 84.70 84.70 14.11 14.11	+		+		 	 		 				+	 		-			JELL
VIRTUAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line					1	1	14.11	14.11	84.70	84.70			1					
Virtual Collocation-2 Wire Cross Connects (Loop) for Line			 				17.11	1-7.11	04.70	54.70		1	i e					VIRT
			 									1	i e					
							5.44	6.03	11.80	12.30	0.03	VE1LS	UEPSR UEPSB			Splitting		

UNBUNDLE	D NETWORK ELEMENTS - Alabama				1	1						-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	E CARRIER ROUTING			UEPSK UEPSB	PEILS	0.03	12.30	11.80	6.03	5.44						
AIN OLLLOTT	Regional Service Establishment			SRC	SRCEC		101.098.91		8.590.70							
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749										
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE															
i	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
i	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.00	7.83	9.09	0.00						
 	AIN SMS Access Service - Port Connection - Dial/Snared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83 7.83	7.83	9.09	9.09						
	AIN SMS Access Service - Port Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		7.03	7.03	9.09	9.09						
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN SMS Access Service - Security Card, Per User ID Code,						00.00									
	Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service - Session, Per Minute					0.59										
Ĭ l	AIN SMS Access Service - Company Performed Session, Per					0.70										
AIN DELL CO	Minute JTH AIN TOOLKIT SERVICE					0.73										
AIN - BELLSO	AIN Toolkit Service - Service Establishment Charge, Per State,															
Ĭ l	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer			0, 111	BAPVX		4.202.17	4.202.17	10.00	.0.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,,	.,								
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTM		7.00	7.00	0.00	0.00						
-	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.83	7.83	9.09	9.09						
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 10		04.47	04.47	14.00	14.00						
	DN, CDP				BAPTC		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query					0.05									ļ	ļ
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	l				0.00582										
	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access	-			-	0.00582										
	Account. Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		l		1	0.03					 					
1 1	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.87	8.66	8.66								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	l		CAM	DADEO	2.42	2.22	0.00								
ENHANCED EV	Service Subscription (TENDED LINK (EELs)	 		CAM	BAPES	0.10	8.66	8.66			-					
	The monthly recurring and non-recurring charges below will:	l anniv a	nd the	L Switch-∆s-Is Chara	e will not ann	ly for LINE con	nhinations pro	visioned as ' C	ordinarily Comb	nined' Network	Flements				1	
NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	he non-	recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT								T		T					
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1	LINIOAN	41.5007										1	
	per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.18									l	

1/0 Channelization System in combination Per Month		Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Nonrecurring Nonr	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic-
Nonrecurring Nonr	Elec per LSR mect I'I SOMEC 14.44 9.79 7.44 7.44	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic-
RATE ELEMENTS M 20ne BUS USOC RATES (\$)	per LSR mect I'I SOMEC 14.44 9.79 7.44 7.44	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic-
Rec Nonrecurring Nonrecurring Discome Rec Nonrecurring Nonrecurring Discome N	nect SOMEC 14.44 9.79 7.44 7.44		Electronic- 1st	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic-
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X	11.44 9.79 7.44	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X	11.44 9.79 7.44	SOMAN	OSS	Rates (\$)		Disc Add'l
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X	11.44 9.79 7.44	SOMAN				
Interoffice Transport - Dedicated - DS1 combination - Facility UNC1X	7.44 7.44	SOMAN	SOMAN	SOMAN		
Termination per month	9.79 7.44 7.44				SOMAN	SOMAN
1/0 Channelization System in combination Per Month	9.79 7.44 7.44					
Voice Grade COCI - Per Month	7.44					l '
Voice Grade COCI - Per Month	7.44					
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	7.44				l l	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	7.44				1	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 36.14 88.00 55.00 47.24						<u> </u>
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 36.14 88.00 55.00 47.24					1	[
Voice Grade COCI - Per Month	7.44					<u> </u>
Voice Grade COCI - Per Month	7.44				l l	
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X						<u> </u>
Is Charge						
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	6.98					L
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 1/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14						L
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 1/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14					'	1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14	14.50	1			<u> </u>	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14	1	I				1
Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X	14.50					<u> </u>
Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X					'	1
Per Month	14.50				ļ!	L
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 1/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 10.54 10.54 10.55 10.54 10.55 10						1
Month						<u> </u>
1/0 Channel System in combination Per Month						1
Voice Grade COCI in combination - per month	14.44				ļ!	L
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 Additional 4-Wire Analog Voice Grade Loop in same DS1	9.79					 '
Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 Additional 4-Wire Analog Voice Grade Loop in same DS1						
Additional 4-Wire Analog Voice Grade Loop in same DS1					'	1
	14.50					
						1
	14.50					
Additional 4-Wire Analog Voice Grade Loop in same DS1	=0					1
	14.50					
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72					ļ	
Nonrecurring Currently Combined Network Elements Switch -As-	0.00					i .
UNCCC 5.59 5.59 6.98	6.98	1	 	1	ļ	
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		1	 	1		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 26.09 126.27 88.80 59.14	14.50					1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	14.00	+	 	-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 35.95 126.27 88.80 59.14	14.50					1
1 inst = verific sortups digital Graue Loop in Commitmation - Zone Z Z ONODA UDL30 33.93 120.21 88.80 59.14	17.00	+	l .	1	 	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14	14.50	1				1
Interoffice Transport - Dedicated - DSI combination 1 - Zone 3 SUNCEA DDL250 S1.60 120.27 06.60 39.14	14.50	+	l .	1	+	
Per Month UNC1X 1L5XX 0.18		1			'	1 '
Interoffice Transport - Dedicated - DS1 - combination Facility	- 	†	 	1	 	
	14.44	1				1 '
1/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54	9.79	†	l .		\vdash	1
OCU-DP COCI (data) per month (2.4-64kbs)		†	l .		—	1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<u> </u>	†	l .		—	1
	l l	1			'	1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	14.50	1	<u> </u>		 	
	14.50	1			'	1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	14.50 14.50	İ	İ		1	ſ
		1				1
Additional OCU-DP COCI (data) - in combination per month (2.4-				1		ſ
64kbs) UNCDX 1D1DD 1.12 6.58 4.72	14.50		1		1 '	1
Nonrecurring Currently Combined Network Elements Switch -As-	14.50				1 .	
Is Charge	14.50					
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	14.50					

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
350,10					1	1					Svc Order	Svc Order	Incremental		Incremental	
						ĺ					Submitted	Submitted		Charge -	Charge -	Charge -
		Inter.				I					Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
			_				400.00		=0.44							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDX	UDL64	37.88	120.27	88.80	59.14	14.50						-
	Per Month			UNC1X	1L5XX	0.18										
—	interoffice Transport - Dedicated - DS1 combination - Facility	1		UNCIX	ILSAA	0.16										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
h +	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		1		I		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		<u> </u>		<u> </u>		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1												_			
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EX	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1	ļ	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
—	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
-	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
-	Interoffice Transport - Dedicated - DS1 combination - Facility	-		UNCIA	ILSAA	0.16										-
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Nonrecurring Currently Combined Network Elements Switch -As-	_		ONOTA	01111	00.10	03.21	01.01	10.55	14.44						
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EX	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.00	0.00	0.00	0.00						
	First DS1Loop in Combination - Zone 1	<u> </u>	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.09								<u> </u>	<u> </u>	<u> </u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															1
	month	1		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46				1		1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month	1		UNC1X	UC1D1	12.70	6.58	4.72	ļ							├
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINICAY	LICLYS!	20.5-	050 45	457.51	44 ===			1		I		1
	Zone 1	1	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				!	1	├
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	LINICAV	USLXX	454.40	050.47	457.54	44.70	44 74		1		I		1
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -	1	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		 		 		
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		1		I		1
H	Additoinal DS1 COCI in combination per month	1	3	UNC1X	UC1D1	12.70	6.58	4.72	44.70	11.71	1			1		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		5.101/	30101	12.70	0.50	7.72	1			 		t		
	Is Charge			UNC3X	UNCCC]	5.59	5.59	6.98	6.98		1		I		1
EX	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE			†	2.00	2.00	5.00	2.00						
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.008838								<u></u>		<u></u>
	Interoffice Transport - 2-wire VG - Dedicated - Facility												_			
	Termination per month		<u> </u>	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						<u> </u>

UNBUNDI	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
3.1201101	LE RELITORIX ELEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-							7144	101	71441	0020					
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE				0.00	0.00	0.00	0.00						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		Ť	O. CO VA	02/12/	00.02	.0	0 1.0 1	00.11	1 1.00						
	Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-		1		3	10.73	70.04	2111	10.74	3.30				†	†	
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
FXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE		3550		0.00	0.00	0.50	3.30		l		 	 	
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	8.38			 			l		 	 	
	200 2000. 200p in combination per mile per month	 	1	C.130/1	.20112	0.00			-					-	-	
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	401.02	200.04	113.43	00.00						
-	Interoffice Transport - Dedicated - DS3 - 1 et Mile per Horitin			014037	TESTON	4.03										
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
-	Nonrecurring Currently Combined Network Elements Switch -As-			014037	01113	703.32	210.13	102.70	00.20	30.40						
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
EVT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INIT	EDOEE		UNCCC		3.39	3.35	0.90	0.90						
LAI	STS-1 Local Lolp in combination - per mile per month	3-1 1141	LKOFF	UNCSX	1L5ND	8.38								-	-	
-	STS-1 Local Loop in combination - Facility Termination per			UNCOX	ILJIND	0.30								-	-	
	month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
-	Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCOA	UDLST	319.03	451.52	203.94	119.49	03.30				-	-	
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		-	UNCOA	ILSAA	4.09										
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
-			-	UNCOA	UTIFS	701.37	210.13	102.70	60.20	36.40						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EVT	IN CHAIGE ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	CDODT	UNCOA	UNCCC		5.59	5.59	0.90	0.90				-	-	
EAI		IKAN	1	LINICNIV	U1L2X	21.88	117.24	79.77	52.88	10.54						
\vdash	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
\vdash			3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
-	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCINA	UILZA	40.55	117.24	19.11	32.00	10.54				-	-	
1 1	Interoffice Transport - Dedicated - DS1 combination - per mile per month	1		UNC1X	1L5XX	0.18			I			1		I	I	
\vdash	Interoffice Transport - Dedicated - DS1 combination - Facility	 	1	ONCIA	ILOAA	0.18			 					 	 	
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				1	1	
\vdash	1/0 Channel System in combination - per month	 	-	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
\vdash	2-wire ISDN COCI (BRITE) - in combination - per month	 	-	UNCIX	UC1CA	2.41	6.58	4.72	10.54	9.79						
\vdash	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	OINCINA	UCICA	2.41	0.38	4.72	1		1			1	1	
1 1	Combination - Zone 1	1	4	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		1		I	I	
\vdash	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	+ '-	OINOINA	UILZA	∠1.00	117.24	13.11	32.00	10.54	-	-		-	-	
1 1		1	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		1		I	I	
\vdash	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		ONCINA	UILZX	3∠.85	117.24	19.77	5∠.88	10.54						
	Combination - Zone 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1		I	I	
\vdash	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1	1 3	OINCINA	UILZA	40.33	117.24	19.77	32.88	10.54		-		-	-	
	month	1		UNCNX	UC1CA	2.41	6.58	4.72	I			1		I	I	
\vdash		 	-	CIACIAV	JUICA	2.41	0.08	4.72	 							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98	1					
EVT	IS Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	L INT			1	5.59	5.59	0.98	0.98	1	-		 	 	
EXI	First DS1 Loop Combination - Zone 1	LU 313		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		-		-	-	
\vdash		 			USLXX				44.70					 	 	
\vdash	First DS1 Loop Combination - Zone 2	 		UNC1X UNC1X		154.18 314.52	252.47	157.54		11.71				 	 	
	First DS1 Loop Combination - Zone 3	1	3	UNCTX	USLXX	314.52	252.47	157.54	44.70	11.71	 	-		1	1	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1		LINCSY	11.577	4.00			I			1		I	I	
 	Per Month	1	1	UNCSX	1L5XX	4.09			 	-		ļ		 	 	
	Interoffice Transport - Dedicated - STS-1 combination - Facility	l	1	LINCCV	U1TFS	704.07	070.75	400.70	00.00	50.40	İ	1				
	Termination per month	<u> </u>		UNCSX	UTIFS	701.37	278.75	162.76	60.20	58.46	l .	l		1	1	

UNBUN	IDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
2201												Svc Order	Svc Order	Incremental		Incremental	Incremental
				1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Manually	Manual Svc			
CAILGO	'K I	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															- (4)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
 		DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72	77.70	11.71						
		Nonrecurring Currently Combined Network Elements Switch -As-		_	ONOTA	COIDI	12.70	0.00	7.72								
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
 	VTC	is charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DDC INT	EDOC		UNCCC		5.59	5.59	0.98	0.98	-	-		 		
- <u>-</u>			oro INT			LIDLE?	00.00	400.07	00.00	50.44	4450	 	 		 	-	
\vdash		4-wire 56 kbps Local Loop in combination - Zone 1	-	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	1	1	1	1		
\vdash		4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	ļ	ļ				
\vdash		4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	ļ	ļ				
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1								l	l		I		İ
		Per Mile per month	1	1	UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
F	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1 1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
h +		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
-		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	37.00	120.27	00.00	39.14	14.50						
					UNCDX	1L5XX	0.008838										
		Per Mile per month	ļ	1	UNCDX	ILOXX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	LIATEDO	45.40	40.54	07.44	40.74	0.00						
		Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		ls Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
E	XTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile		1	UNC1X	1L5XX	0.18					İ	İ		I		İ
		First Interoffice Transport - Dedicated - DS1 combination -										İ	İ				
		Facility Termination per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	l	l		I		İ
\vdash		Per each DS1 Channelization System Per Month		1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	i	i		1		1
\vdash		Per each Voice Grade COCI - Per Month per month		1	UNCVX	1D1VG	0.53	6.58	4.72		50	i	i		1		1
+		3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	 	 		†		†
+		Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72	55.20	31.03	1	1	1	t	1	1
+		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1	014017	ועוטט	12.10	0.56	4.12	1	-	 	 	1	 	-	
				_	LINCVY	LIEALO	44.00	00.00	FF 00	47.04	7.44	l	l		I		İ
\vdash		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	1	1		-		!
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			1,10,0,0		00.0=	00.00	FF 00	47.01	.						1
\vdash		Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		1 -							_	l	l		I		İ
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				ļ		
												1	1		1		
		Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month		1	UNC1X	1L5XX	0.18					l	l		I		İ
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	l	l		I		İ
\vdash		Each Additional DS1 COCI combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72	10.00	1-1-1-1	 	 		†		†
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	1	 	J. 10 1/	30101	12.10	0.50	7.12	1		 	 		t		
1 1			1	1	UNC1X	UNCCC		5.59	5.59	6.98	6.98	ĺ	ĺ	l		l	1
		Is Charge															

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_													
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	-					
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	TEO/O	0.10										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1]		
\vdash	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				ļ		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l		,									
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
+-	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		UNCIX	ILJAA	0.16					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72	10.00							
	Nonrecurring Currently Combined Network Elements Switch -As-					2.00	2.22									
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													
	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		3	LINCDY	LIDLEC	27.00	400.07	00.00	50.44	44.50						
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	-					
1 1	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1	UNC1X	1L5XX	0.18			1			1		1		
\vdash	First Interoffice Transport - Dedicated - DS1 - combination	1	<u> </u>	014017	ILOAA	0.10			t			 		 		
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month	1	<u> </u>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72								
L	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
\vdash	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				ļ		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		١.				400		I			1		1		
\vdash	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		1		1		
\vdash	OCU-DP COCI (data) COCI in combination per month (2.4-	1	_ <u>3</u>	OINODA	UDLOG	31.88	120.27	00.80	J9.14	14.50						-
	64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72	1			1		1		
 	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	5.13BX	.5155	1.12	0.00	7.12	1							
	Channel System per month		1	UNC1X	1L5XX	0.18			1			1		1		
	Each Additional DS1 Interoffice Channel Facility Termination in				1	50			1					Ì		
1 1	same 3/1 Channel System per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		1		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	1	<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72	ļ					ļ		
-	INION COURTING CURRENTLY COMMISSED MATERIAL Florents Curitals As	1	1	l	1				1	ĺ	1	l			l	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	hit: A
CHECHEL	THE THORIT LEEMENTO TRADAMIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1
	Per each Channel System 1/0 in combination Per Month	Ì		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) in combination - per month (2.4-	Ì														
	64kbs)	1	1	UNCDX	1D1DD	1.12	6.58	4.72	I			1		I		i
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1													
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										1
	Each Additional DS1 Interoffice Channel Facility Termination in															i
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						i
	Each Additional DS1 COCI in the same 3/1 channel system															i
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						<u>. </u>
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						ı
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						!
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1						_		<u> </u>	1		_		<u></u>
	Transport - Zone 3	ļ	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						!
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1						I			1		I		i
	Mile per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.18			ļ					ļ		1
	First Interoffice Transport - Dedicated - DS1 combination -	1			1				1					1		1
\vdash	Facility Termination per month	ļ		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				.		
	Per each Channel System 1/0 in combination - per month	ļ	 	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				.		
		1		l .	1				1					1		1
\vdash	Per each 2-wire ISDN COCI (BRITE) in combination - per month	ļ	 	UNCNX	UC1CA	2.41	6.58	4.72	.					.		
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINGNIY	1141.037			===						1		1
\vdash	Combination - Zone 1	!	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54				-		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINGNIY	1141.037			===				1		I		i
	Combination - Zone 2	!	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54				!		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINIONIV	LIALOY	40.55	447.01	70	50.00	10.51				1		1
	Combination - Zone 3	!	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINGNIY	11046				1					1		1
\vdash	system combination- per month	!	<u> </u>	UNCNX	UC1CA	2.41	6.58	4.72	.					-		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	LINGAY	41.577	0.40			I			1		I		i
	Channel System per month	!	<u> </u>	UNC1X	1L5XX	0.18			!					!		
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		I		i
	same 3/1 Channel System per month	1	<u> </u>	UNUTX	UTIFT	60.16	89.27	81.81	10.35	14.44	1	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -		Charge -	Charge -
														Charge -		
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7144	2.00 .01	2.007.444.
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system							71441		71441	0020	00		00		00
				LINIOAY	110454	12.70	0.50	4.70								
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
			3	UNCIA	USLAA	314.32	232.41	137.34	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -			1							1					
	Facility Termination Per Month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	I]		1]
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				İ		İ
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			CITO IX	00.5.	12.70	0.00									
			1	LINICAY	1L5XX	0.18					I]		1]
	Channel System per month	1	-	UNC1X	ILOXX	0.18					1			1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		4	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional A Wiss DC4 Digital Level Level in Combination 7			UNCIA	USLAA	02.33	232.41	137.34	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
LX I L	First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.008838										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility														-	
	Termination per month		1	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	I]		1]
- 1	Nonrecurring Currently Combined Network Elements Switch -As-			1	1	.02	.0.04	2		3.30	i	i		1		1
	Is Charge		1	UNCDX	UNCCC		5.59	5.59	6.98	6.98	I]		1]
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERR	EEICE :		DINCCC		5.59	5.59	0.98	0.98	-	 		 		-
EXIE		NIEKO				00	100		=0		.			ļ		
	First 4-wire 64 kbps Local Loop in combination - Zone 1	ļ		UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	1			<u> </u>		1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month		1	UNCDX	1L5XX	0.008838					I]		1]
- 	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1		+						1			1		l
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1					
		1	-	OINCDV	סטווט	15.12	40.54	21.41	10.74	0.90	-	 		 		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	Linioni							I]		1]
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1]
	NETWORK ELEMENTS															L
When	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is c	harge does app	ly.									
	used as ordinarily combined network elements in All States, t															
	curring Currently Combined Network Elements "Switch As Is"															ĺ
1.01110	Nonrecurring Currently Combined Network Elements Switch -As-	.	, 55													
	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		5.59	5.59	6.98	6.98	I]		1]
		1	-	0140 4V	DINCCC		5.59	5.59	0.98	0.98	-	 		 		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l	1		_				I]		1]
																i
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUND	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
ONDOND	TED HETWORK ELEMENTO Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurrin	Disconnect			oss	Rates (\$)	ı	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-	_														
	Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Ont	onal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OI	OI	OI	01						
				U1TD1,			-		-							
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			-		-							
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						
	ricanny por por	 		U1TD3, ULDD3,			10 11000	20.010	1.000	0						
	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3]	219.13S	7.67S	0.7355S	0S		1		I		
МП	TIPLEXERS		1	220, 0.100/								l		 		
100	DS1 to DS0 Channel System per month	1	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				-		
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONCIA	IVIQI	101.00	31.04	02.01	10.54	5.15						
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	1.12	0.00	7.72	0.00	0.00						
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UTTOD	וטוטו	1.12	0.30	4.72	0.00	0.00						
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDIN	UCTCA	2.41	0.36	4.72	0.00	0.00						
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
-		-		UTTUB	UCTCA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	0.55	0.36	4.72	0.00	0.00						
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				-		
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83				-		
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	12.70	0.36	4.72	0.00	0.00						
				U1TUA	UC1D1	12.70	0.50	4.70	0.00	0.00						
\vdash	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month	1	 	U1TD1	UC1D1	12.70	6.58 6.58	4.72 4.72	0.00	0.00					-	-
\vdash	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1	 	וטווטו	OCIDI	12.70	86.0	4.72	0.00	0.00					-	-
1 1	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00		1		I		
IINDIINDI E	D LOCAL EXCHANGE SWITCHING(PORTS)	1	1	OLDDI	OCIDI	12.70	0.58	4.72	0.00	0.00		-		-		
	nange Ports	1	 		+	 			-	-					-	-
	nange Ports E: Although the Port Rate includes all available features in GA,	KV I A	P TNI 4	he desired features	will pood to b	o ordered	l na rotail HECC		-	-					-	-
	RE VOICE GRADE LINE PORT RATES (RES)	I, LA	ον την, τ Ι	le desired realures	will need to t	l ordered usir	ig retail 0300	s I			1			1		
Z-W	Exchange Ports - 2-Wire Analog Line Port- Res.	1	 	UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33					-	-
\vdash	LAGIANGE FORS - 2-WITE ANALOG LINE FOR- RES.	1	1	ULFOR	UEPKL	1.38	2.38	2.21	1.42	1.33					-	-
	Evenanda Porte 2 Wire Apolea Line Port with Coller ID Dec			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		1		I		
 	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	1	1	ULFOR	DEPRO	1.38	2.38	2.21	1.42	1.33	-	-		-	-	-
1 1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33	İ	1				
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled AL extended local	1	1	ULFOR	UEPRU	1.38	2.38	2.21	1.42	1.33		-		-		
1 1	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		1		I		
 	Exchange Ports - 2-Wire VG unbundled res, low usage line port	1	 	OLFOR	ULFAR	1.38	2.38	2.21	1.42	1.33					-	-
	with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33	1					
\vdash	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan	1	1	OLFOR	ULFAF	1.38	2.38	2.21	1.42	1.33	1	-		 	1	1
1 1	without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33	1					
 	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	1	ULFOR	JEPWA	1.38	∠.38	2.21	1.42	1.33				 		
				LIEDOD	LIEDRT	4.00	0.00	0.07	4 40	4.00		1		I		
 	Capability	1		UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33	 	-		1		
 	Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00						 		
IFEA	TURES All Available Vertical Features	1	1	UEPSR	UEPVF	1.98	0.00	0.00	1	1		ļ		 	-	-
		-	<u> </u>	UEPSK	UEPVF	1.98	0.00	0.00			1	ļ		-		
2-W	RE VOICE GRADE LINE PORT RATES (BUS)	1	1		1	L	L	L	L	L	<u> </u>	l		1	l	l

UNRU	INDI F	D NETWORK ELEMENTS - Alabama												Δttach	ment: 2	Fyhi	bit: A
ONDO	HULL	NETWORK ELLMENTO Alabama	1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled AL extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
1		Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan	l												1		
L	<u> </u>	without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33				1		
1	1	2-Wire voice unbundled Incoming Only Port without Caller ID	1			1		_	_	I .				Ì	I	Ì	Ì
L		Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33			ļ	.		
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
	=>/-	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
	EXCHA	NGE PORT RATES (DID & PBX)			LIEBOE	LIEBBB	4.00			10.01							
	<u> </u>	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPLD UEPA2	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90	1					
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.00	01.27	14.00	10.04	0.00						
		Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.00	01.27	14.00	10.04	0.00						
		Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	OL: AL		01.2.	1 1.00	10.01	0.00						
		Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		0.	32. 70VI	1.50	01.27	14.00	10.04	0.90			1	1	1	1
1		Discount Room Calling Port	l		UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90				1		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90			İ	1	1	1
	l	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00		1			İ	İ	İ	İ
	FEATU																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00	1							
		NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port				1	1.38	2.38	2.27								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels associ	iated with 2	wire ISDN	oorts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBUN	NDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES															
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effecti								iscretion.					
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76						
1		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1										<u> </u>	<u> </u>	_]]
		capability (E:4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46						
L	<u> </u>	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74				1		
	ļ	All Features Offered	ļ		UEPTX, UEPSX	UEPVF	1.98	0.00	0.00	ļ	ļ			ļ	ļ	ļ	
	L	Exchange Ports - 2-Wire ISDN Port Channel Profiles	L		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		<u> </u>	L	L	<u> </u>	.	ļ	<u> </u>
		Transmission/usage charges associated with POTS circuit sy													<u> </u>	l	<u> </u>
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capab	ilities will be de	etermined via t	ne Bona Fid	e Request/	New Busines	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
Ì		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						_	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Detai	led E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1											
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						1,001100									
	Locator Capability - Subsequent Profile Changes, Additions,													1		
]]	Deletions			UEPEX	UEP1B	0.00	175.14							I	Ì	
New	or Additional PRI Telephone Numbers	 	+	01. LX	021 10	0.00	170.14					 		 	-	
14644	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	 	+		 							 		 	-	
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			ULFLX	OLFIC	0.0097	0.49				-			-		
	Locator Capability - Outdial Telephone Numbers, per number in															
				UEPEX	UEP1D	0.0007	11.51									
	E911 profile [New or Additional]	ļ	-	UEPEX	UEPID	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or			LIEDDY	LIED4E	0.00	0.040									
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOCA	AL NUMBER PORTABILITY			HEREY HERRY	LUBOU											
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			LIEBEV	00701											
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
L	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel			LIEBEV	DD#D\/											
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
 	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BS	0.00	14.53		ļ	ļ		ļ			ļ	
igwdow	New or Additional Useage Sensitive Digital Data "B" Channel	1	ļ	UEPEX	PR7BU	0.00	14.53							.	ļ	
	New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	14.53									
CALL	TYPES	1	1	uenev ··	2220				ļ							
	Inward	1	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
igwdow	Outward	1	ļ	UEPEX	PR7CO	0.00	0.00	0.00						.	ļ	
<u> </u>	Two-way		<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00		ļ	1			ļ	ļ	
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		ļ		ļ									.	ļ	
UNBU	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	<u> </u>	<u> </u>							ļ	1			ļ	ļ	
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<u> </u>	UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33				1		
]]														I	Ì	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		ļ				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
Non-	Recurring															
I I -	Unbundled Remote Call Forwarding Service - Conversion -											<u> </u>		_]	
	Switch-as-is		<u>L</u>	UEPVR	USAC2		0.10	0.10		L						
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)	<u> </u>	<u>L</u>	UEPVR	USACC		0.10	0.10		L			<u></u>	<u></u>	L	<u></u>
UNBU	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33				1		
		1							1							
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33						

LINDII	NIDI EI	D NETWORK ELEMENTS - Alabama												A441-		Exhil	.:4. A
UNBU	NDLE		1	1		ı	1					Svc Order	Svc Order	Incremental	ment: 2	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	urring	Monrocurrin	g Disconnect			088	Rates (\$)		
-			-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Habitandlad Damata Call Familiandia a Camina Interl ATA Disa	-		UEPVB	UERTE	1.38					SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
-		Unbundled Remote Call Forwarding Service, InterLATA - Bus	-		UEPVB	UERTR	1.38	2.38 2.38	2.27 2.27	1.42 1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERIR	1.38	2.38	2.21	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
	Non De	Exception Local Calling	-		UEFVB	UERVJ	1.30	2.30	2.21	1.42	1.33						
	Non-Re	ecurring				1											
		Unbundled Remote Call Forwarding Service - Conversion -			UEPVB	USAC2		0.40	0.10								
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with			LIED/D	110400		0.40	0.40								
LINIBLIN	DI ED 1	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
		OCAL SWITCHING, PORT USAGE	1	-	 	+				 	 	 	 				
\vdash	⊑nd Of	fice Switching (Port Usage)	1	1	—	+	0.0007005			 	 						
<u> </u>		End Office Switching Function, Per MOU	1	1	 	-	0.0007025			 	 			-			
\vdash	Ton-I-	End Office Trunk Port - Shared, Per MOU	1	1	 	+	0.0001638			1	 						
<u> </u>	ı anden	n Switching (Port Usage) (Local or Access Tandem)	1	1	 	-	0.00000=			 	 			-			
		Tandem Switching Function Per MOU	1	1	 	-	0.000095 0.0002015			 	 			-			
-		Tandem Trunk Port - Shared, Per MOU				1											
		Tandem Switching Function Per MOU (Melded)					0.000040993										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
		Melded Factor: 43.15% of the Tandem Rate															
	Commo	on Transport Common Transport - Per Mile, Per MOU					0.0000000										
							0.0000023										
			+														
		Common Transport - Facilities Termination Per MOU					0.0003224										
	DLED P	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES		1-1- 0-		and de Hubana		tabina an Conite	ah Danta								
	DLED F	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a					dled Local Swi										
	DLED F Cost Ba	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos	st Base	d Rate	section in the same	manner as th	dled Local Swi ey are applied	to the Stand-A	one Unbundle								
	DLED F Cost Ba Feature End Of	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U	st Based sage ra	d Rate s tes in tl	section in the same he Port section of the	manner as th	dled Local Swite ey are applied it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur	st Based sage ra	d Rate s tes in tl	section in the same he Port section of the	manner as th	dled Local Swite ey are applied it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st Based sage ra	d Rate s tes in tl	section in the same he Port section of the	manner as th	dled Local Swite ey are applied it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curi EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	st Based sage ra	d Rate stes in the combine	section in the same he Port section of the	manner as th	dled Local Swirey are applied it shall apply to ned Combos the	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	st Based sage ra	d Rate stes in the combine of the co	section in the same he Port section of the	manner as th	dled Local Swirey are applied it shall apply to ned Combos the	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U- st and additional Port nonrecurring charges apply to Not Cure VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage ra	tes in the combine of	section in the same he Port section of the	manner as th	dled Local Swite ey are applied to the shall apply to ned Combos the shall apply to 12.70 21.19	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3	st Based sage ra	d Rate stes in the combine of the co	section in the same he Port section of the	manner as th	dled Local Swirey are applied it shall apply to ned Combos the	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORTILOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curic VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates	st Based sage ra	d Rate stes in the combine of the co	section in the same he Port section of the ed Combos. For Cui	manner as th nis rate exhib rrently Comb	dled Local Swii ey are applied it shall apply to ned Combos th 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Cure VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage ra	d Rate stes in the combined of	section in the same the Port section of the ed Combos. For Cul	manner as the sis rate exhibits rate exhibits reently Combination of the sister of the	dled Local Swirey are applied it shall apply to ned Combos the 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORTAL OOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	section in the same he Port section of the ed Combos. For Cur UEPRX UEPRX	manner as the sis rate exhibits rate exhibits rate exhibits rently Combined to the sister of the sis	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curl EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 op Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3	st Based sage ra	d Rate stes in the combined of	section in the same the Port section of the ed Combos. For Cul	manner as the sis rate exhibits rate exhibits reently Combination of the sister of the	dled Local Swirey are applied it shall apply to ned Combos the 12.70 21.19 34.80	to the Stand-A	one Unbundle	rt network ele	ments except 1	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curic VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) prt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	Section in the same the Port section of the ded Combos. For Cu UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibit rently Combination of the combination of t	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/po g charges sha	ort network elei	ments except (ntified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curr **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	manner as this rate exhibit rently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei II be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Cur EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	dled Local Swii ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei ii be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curl EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 PORT STATE OF TRANSPORT STATE OF TRANSPORT STATE 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx Ueprx	manner as this rate exhibit rently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei II be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Curi **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibiterently Combination (Combination of the Com	dled Local Swi ey are applied tt shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	19.83 19.83	et network elei il be those ide be those ide 24.91 24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORTAL COP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **sop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	dled Local Swii ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/po g charges sha	ort network elei ii be those ide	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport U st and additional Port nonrecurring charges apply to Not Curl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled port outgoing only - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12.70 21.19 34.80 1.15 2.0.04 33.65 1.15 1.15 1.15	40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Curi **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibiterently Combination (Combination of the Com	dled Local Swi ey are applied tt shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	19.83 19.83	et network elei il be those ide be those ide 24.91 24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID [LUM] 2-Wire Voice Unbundled Alabama Residence Dialing Plan	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Wanner as the is rate exhibited exhi	died Local Swii died Local Swii died Local Swii applied it shall apply to ned Combos the combos th	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except 1 ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) DOT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port suith Caller ID - res 2-Wire voice unbundled port suith Caller port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as the is rate exhib reently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	12.70 21.19 34.80 1.15 2.0.04 33.65 1.15 1.15 1.15	40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	24.91 24.91	ments except intified in the N	for UNE Coi					
	DLED F Cost Ba Feature End Off The firs 2-WIRE UNE Po	Common Transport - Facilities Termination Per MOU **PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Cure **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **TVLOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **Sop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Base Feature Featu	Common Transport - Facilities Termination Per MOU **PORTAL COP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curr **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundles res, low usage line port with Caller ID **2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Wire voice unbundled Low Usage Line Port without Caller ID **2-Port Residence See See See See See See See See See S	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Wanner as the is rate exhibited exhi	died Local Swii died Local Swii died Local Swii applied it shall apply to ned Combos the combos th	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	ments except 1 ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Feature P Cost Bis Features Fe	Common Transport - Facilities Termination Per MOU **PORTAL COP** COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **por Rates 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	Wanner as the is rate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit exhi	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bit Feature Featur	Common Transport - Facilities Termination Per MOU **PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us at and additional Port nonrecurring charges apply to Not Cure **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **Sop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice Unbundled Port with Caller ID - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	WEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bit Feature Featur	Common Transport - Facilities Termination Per MOU **ORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Curl **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID **curling voice unbundled Alabama Residence Dialing Plan without Caller ID **Curling Voice unbundled Low Usage Line Port without Caller ID **Curling Voice unbundled Low Usage Line Port without Caller ID **Curling Voice Unbundled Low Usage Line Port without Caller ID **Capability** RES **All Features Offered **NUMBER PORTABILITY	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPKT	12.70 21.19 34.80 11.55 20.04 1.15 1.	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **por Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Port Voice Unbundled Port Voice Voice Unbundled Port Voice V	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	Wanner as the is rate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit recently Combinate exhibit exhi	12.70 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PORT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port Ores 2-Wire voice unbundled Rabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPKT	12.70 21.19 34.80 11.55 20.04 1.15 1.	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a set shall apply to the Unbundled Port/Loop Combination - Coeffice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curl **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) 5-CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 1.15 1.	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wi	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPKT	12.70 21.19 34.80 11.55 20.04 1.15 1.	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Bis Features End Office Individual Control of Cost Bis Features End Office Individual Cost Individ	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC a se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **por Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Orabe Sity (NCS) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	Wanner as the is rate exhibit rate exhibit remains a tree exhibit re	12.70 21.19 34.80 11.55 20.04 1.15 1.	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					
	DLED P Cost Base Features Feature Local Nonre	Common Transport - Facilities Termination Per MOU **PORTALOOP COMBINATIONS - COST BASED RATES assed Rates are applied where BellSouth is required by FCC a ses shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us ts and additional Port nonrecurring charges apply to Not Cur **VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) **ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 **oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **Voice Grade Loop (SL1) - Zone 3 **2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wi	st Based sage ra	d Rate stes in the combined of the steep in the combined of the steep in the combined of the steep in the ste	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA UEPWA UEPVF	12.70 21.19 34.80 11.55 20.04 1.15 1.	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	ments except (ntified in the N 6.63 6.63 6.63 6.63	for UNE Coi					

UNBU	NDLE	D NETWORK ELEMENTS - Alabama						_						Attach	ment: 2	Exhi	ibit: A
		**** **										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OA!LO		NATE ELEMENTO	m	20110	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1		+		Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)		
				1		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2 Wire Voice Crade Lean/Line Bort Combination - Subsequent				+		riist	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>	UEPRA	U3A32	0.00	0.00	0.00								
					UEPRX	URETL		8.33	0.83								
	055/01	Premise		-	UEPRX	UREIL		8.33	0.83								
-	OFF/OR	N PREMISES EXTENSION CHANNELS		_	LIEDDY	LIEAENI	10.50	07.04	47.50	00.40	5.00						
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
	INTER	DFFICE TRANSPORT															
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	1					_						
		Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	UNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										1
	2-Wire	Voice Grade Line Port (Bus)															1
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						1
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without			02. 5%	02. 5.	0	10.10	10.00	2	0.00						
		Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled Incoming Only Port without Caller ID			02. 5%	02. 112	0	10.10	10.00	2	0.00						
		Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
	LOCAL	NUMBER PORTABILITY			OLI DX	OLI DL	1.10	40.13	19.00	24.31	0.03						
	LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU		-	 	OLI DA	2111 0/	0.55								 		
—		All Features Offered	-	 	UEPBX	UEPVF	1.98	0.00	0.00						 		
	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI DA	OLF VI	1.90	0.00	0.00			1			1		
-	HONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 		+						1					
	l	Switch-as-is			UEPBX	USAC2		0.10	0.10								
-	-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	OLFDA	USAUZ		0.10	0.10	 					 		
					LIEDDY	110400		0.40	0.40								
-	ADDIT	Switch with change		-	UEPBX	USACC		0.10	0.10								
	ADDLL	ONAL NRCs		1		+							ļ		1		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400		0.00	0.00								
	<u> </u>	Activity		<u> </u>	UEPBX	USAS2		0.00	0.00			ļ	ļ		ļ		
ı	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	1								I	1		Ì		
		Premise			UEPBX	URETL		8.33	0.83								
L	OFF/O	PREMISES EXTENSION CHANNELS		<u> </u>		 						ļ					
	ļ	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATE	SODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																	<u> </u>
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
	0.12.	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.70										
	+	2-Wire VG Loop/Port Combo - Zone 2	 	2		+	21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
			1	3			34.00										
	UNE LO	pop Rates		<u> </u>													
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	11.55			1	1		ļ		1		├
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65						<u> </u>				
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU		1														
		All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI KO	OLI VI	1.30	0.00	0.00								
-	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-													
					LIEDDO	110400		7.04	4.00								
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS			OL: NO	ONLINE		0.00	0.00								
	011701	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
						P2JHX											
<u> </u>	+	Local Channel Voice grade, per termination	 	3	UEPRG		22.85	88.00	55.00	47.24	7.44		-		 		
	1	Local Channel Voice grade, per termination	-	_	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44	1	 		1	1	
	1	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
.	1	Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40						
<u> </u>	1	Non-Wire Direct Serve Channel Voice Grade	<u> </u>	3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40		ļ		ļ		1
	INTER	OFFICE TRANSPORT											<u> </u>				
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1 -					1	1]			1	1
		Termination			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90		l				1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	1	or Fraction Mile	1	1	UEPRG	U1TVM	0.008838	0.00	0.00	Ì		1	1		I	Ì	1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											i				
		ort/Loop Combination Rates		1						1		1	1		1	1	
-	J.1.	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.70										<u> </u>
 	1	2-Wire VG Loop/Port Combo - Zone 2	 	2		1	21.19			1	1	1	l		1	1	
 	1	2-Wire VG Loop/Port Combo - Zone 3	 	3		+	34.80			1	1		1		 	 	
 	LIME		 	3		+	34.00						-		 		
-	UNE LO	pop Rates	1	-	LIEDDY	LIEDLY	44								1		
<u> </u>	 	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPPX	UEPLX	11.55										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEPPX	UEPLX	20.04			ļ			ļ		ļ		1
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	1			1		1					1		1	-			1
l	1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20	1]		1	1	1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20						
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20	İ				İ	

UNRU	NDI FI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
314801	1066	HEI HORR ELLINERTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAILO	JIK 1	KATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l	
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
-		2-Wire Voice Unbundled 2-Way Combination PBX Alabama						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20				-		
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20				-		
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20				-		
-		2-Wire Voice Unbundled PBX LD DDD Terminal Poter Ports			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20				-		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<u> </u>		UEFFA	UEFAD	1.15	09.06	32.41	37.43	6.20						
		Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFX	ULFAL	1.13	09.00	32.41	37.43	0.20						
		Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		ULFFA	UEFAL	1.15	09.08	32.41	31.43	6.20		-		-	-	
		Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20						
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	-	ULFFA	UEFAIVI	1.15	80.69	32.41	31.43	6.20				 		
					HEDDY	LIEDVO	4.45	00.00	00.44	07.40	0.00						
\vdash		Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		-		1		
⊢		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 		UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20	ļ	ļ		 	-	
<u> </u>		NUMBER PORTABILITY			LIEDDY	LNDOD	0.45	0.00	0.00								
<u> </u>		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
<u> </u>	FEATU				LIEBBY .												
L .		All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
!	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
	ADDIII	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/ON	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination	ļ	2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
\vdash		Local Channel Voice grade, per termination	ļ	3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Non-Wire Direct Serve Channel Voice Grade	ļ		UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40				.		
		Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40				.		
igwdow		Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40				.		
\vdash	INTERC	OFFICE TRANSPORT				1											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1									1	1		I		
		Termination	ļ		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90				.		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1									1	1		I		
		or Fraction Mile	<u> </u>		UEPPX	U1TVM	0.008838	0.00	0.00	ļ					.		
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T			ļ				ļ					.		
	UNE Po	ort/Loop Combination Rates	ļ			ļ				ļ					.		
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70			ļ					.		
		2-Wire VG Coin Port/Loop Combo – Zone 2	ļ	2		ļ	21.19			ļ					.		
igwdow		2-Wire VG Coin Port/Loop Combo – Zone 3	ļ	3		ļ	34.80			ļ					.		
\sqcup		pop Rates	ļ			<u> </u>				ļ					.		
		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPCO	UEPLX	20.04								ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPCO	UEPLX	33.65								ļ		
	2-Wire	Voice Grade Line Ports (COIN)								ļ					.		
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63				ļ		
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1			1						1	1		I		
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		l		l .		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.120			1			1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OA.LO	O	NATE ELEMENTO	m	20110	500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonred	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking				+		11100	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						ł '
		2-Wire Coin 2-Way with Operator Screening & Blocking:			OLI CO	OLITE	1.10	70.10	10.00	24.01	0.00						
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI CO	OLI OD	1.10	70.10	10.00	24.01	0.00						
		(AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						í
		2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLI KK	1.10	40.13	13.03	24.31	0.03						
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI CO	OLI IVII	1.10	70.10	10.00	24.01	0.00						
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Smartline with 900/976 (all states except			OLI CO	OLI OK	1.10	40.13	13.03	24.31	0.03						
		LA)	l	1	UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		1		Ì		1
	ADDIT	ONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFCK	1.13	40.19	19.00	24.51	0.03	1					
\vdash	ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	1.56	0.00	0.00	0.00	0.00	 	-		1		1
	LOCAL	. NUMBER PORTABILITY			UEFCU	UKECU	1.30	0.00	0.00	0.00	0.00	-					
	LUCAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					1					
-	NONDE	ECURRING CHARGES - CURRENTLY COMBINED			UEFCU	LINECX	0.33										
-	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10								ł
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCU	USAC2		0.10	0.10								
		Switch with change			UEPCO	USACC		0.10	0.10								ł
	ADDIT	ONAL NRCs			UEFCU	USACC		0.10	0.10								
	ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								í
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USA52		0.00	0.00								
		Premise			UEPCO	URETL		8.33	0.83								í
-	2 WIDE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INE	ODT (UKEIL		0.33	0.03								
		ort/Loop Combination Rates	LINE	OKT (NLO)	+						-					
	ONL F	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.76					-					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	24.23					-					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
	LINE L	pop Rates		3		+	31.32					-					
	ONL L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38					-					
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85					-					
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14					-					
	2 14/: 20	Voice Grade Line Port Rates (Res)		3	UEFFK	UECFZ	30.14					-					
\vdash	~-vviie	2-Wire voice unbundled port - residence	-	 	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77				 		
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77	-					
\vdash		2-Wire voice unbundled port outgoing only - res	1	1	UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77	1					
\vdash		2-Wire voice Grade unbundled Alabama extended local dialing	1	1	ULFFR	UEPRU	1.38	90.38	51.21	40.00	0.77	1					
		parity port with Caller ID - res	l	1	UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		1		Ì		1
\vdash		2-Wire voice unbundles res, low usage line port with Caller ID	-	 	OLFIN	OLFAR	1.38	90.38	51.21	40.00	0.77				 		
		(LUM)	l	1	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		1		Ì		1
\vdash		2-Wire Voice Unbundled Alabama Residence Dialing Plan	-	 	OLFIN	ULFAF	1.38	90.38	51.21	40.00	0.77				 		
		without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						ł
\vdash	INTER	OFFICE TRANSPORT	1	1	OLFIN	OLF WA	1.38	90.38	51.21	40.00	0.77	 			1		1
\vdash	v. ER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	 		1	-								 		
		Termination	l		UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						1
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	OLITIK	31172	۷۱.۱۵	40.54	21.41	10.74	0.90	+	1		 		
		or Fraction Mile	l	1	UEPFR	1L5XX	0.008838						1		Ì		1
\vdash	FEATU		1	1	OLFIN	ILUAA	0.000038			1		 			1		1
\vdash	LAIU	All Features Offered	-	 	UEPFR	UEPVF	1.98	0.00	0.00						 		
\vdash	LOCAL	NUMBER PORTABILITY	-	 	OLFIN	OLF VF	1.98	0.00	0.00						 		
\vdash	LOCAL	Local Number Portability (1 per port)	-	 	UEPFR	LNPCX	0.35								 		
\vdash	NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	 	OLPFR	LINECX	0.35								 		
\vdash	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	 		1	-								 		
		Combination - Conversion - Switch-as-is	l		UEPFR	USAC2		8.48	1.87								1
		Combination - Conversion - Switch-as-is	<u> </u>	<u> </u>	ULFFR	USAUZ	l	0.48	1.87	l	l	1	l				

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
																Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)	l .	<u> </u>
 						Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITIK	OOACC		0.40	1.07								
	End User Premise			UEPFR	URETN		11.21	1.10								
2-WID	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	OPT (ORLIN		11.21	1.10								+
	ort/Loop Combination Rates	I	- OKT (1												
ONLF	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			24.23					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52					1					1
LINE	pop Rates		3			37.32					1					1
UNEL	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	14.38					1	-	1	 	1	1
-	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFB	UECF2	22.85					1	-	1	 	1	1
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 		UEPFB	UECF2	36.14					-		-		-	
2-14/:	Voice Grade Line Port (Bus)	 	J	OLPED	UEUFZ	30.14							-	-	-	
z-wire	2-Wire voice unbundled port without Caller ID - bus	1	 	UEPFB	UEPBL	1.00	90.38	57.27	40.00	0 77	-	 		-		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPFB UEPFB	UEPBC	1.38	90.38		48.66	8.77 8.77	1			 		
			-	UEPFB	UEPBO	1.38		57.27	48.66							
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBU	1.38	90.38	57.27	48.66	8.77						ļ
	2-Wire voice Grade unbundled Alabama extended local dialing			LIEDED	LIEDAW.	4.00	00.00	F7 07	40.00	0.77						
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						ļ
	2-Wire Voice Unbundled Alabama Business Dialing Plan without			LIEDED	LIEDWD	4.00	00.00	F7.07	40.00	0.77						
1.004	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOCAL	NUMBER PORTABILITY			LIEDED	LNDOV	0.05										
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.00	04.40	40.54	07.44	40.74	0.00						
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	1L5XX	0.000000										
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FEATU				HEDED	LIEDVE	4.00	0.00	0.00								
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEPVF	1.98	0.00	0.00								ļ
NONK																
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		44.04	1.10								
O WID	End Oser Premise E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ODT /		UREIN		11.21	1.10								ļ
		LINE	ORI (PBA)												
UNE P	ort/Loop Combination Rates		4			45.70					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
I I I I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE L	oop Rates	1	-	LIEDED	LIEGES	1100					1	-	-	 	-	
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	14.38					1	-	-	 	-	
	2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFP UEPFP	UECF2 UECF2	22.85					1			 		
0.14/	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	36.14					1	-	-	 	-	
∠-wire	Voice Grade Line Port Rates (BUS - PBX)	!	-	 	-						1	1	-	1	-	<u> </u>
	Line Side Unbundled Combination C. Way DDV Tavali Day	1		UEPFP	LIEDDO	4.00	119.27	00.05	04.40	0.04				I		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	 		UEPFP	UEPPC UEPPO	1.38 1.38	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34	1			 		
		1	 	UEPFP	UEPPO UEPP1						-	 		-		
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama	1		UEPFP	UEPPI	1.38	119.27	69.85	61.18	8.34	1	-	-	 	-	
	Calling Port	1		UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34				I		
		1	 	UEPFP	UEPLD						-	 		-		
	2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPFP	UEPLD	1.38	119.27	69.85 69.85	61.18	8.34 8.34	1			 		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 				1.38	119.27		61.18					 		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	!		UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34	1			1		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	!		UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34			1	-	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34	1			1		<u> </u>

UNRU	NDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
ONDO	NULL	NETWORK ELLMENTS - Alabama				1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	Disc Add I
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				l											ļ '
		Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						İ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEFFF	UEPAIVI	1.30	119.27	09.00	01.10	0.34	1					-
		Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34	1					
	LOCAL	NUMBER PORTABILITY			OLITT	OLI AO	1.00	110.21	00.00	01.10	0.04						
	LOOKE	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTER	OFFICE TRANSPORT					0.10		0.00								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.008838										
	FEATU																
		All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
LINIDLIN	DI ED I	End User Premise PORT/LOOP COMBINATIONS - COST BASED RATES			UEPFP	URETN		11.21	1.10	-		ļ					
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT			-											-
		ort/Loop Combination Rates	PORT							-			-		-		
	OI4L I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	22.40			†		1					
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.88										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44.17										
	UNE L	pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										
	UNE P	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -								1					1		1
		Switch-as-is			UEPPX	USAC1		7.31	1.87			ļ					
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			HEDDY]	7.0.	4	I					I		1
<u> </u>	ADD:-	with BellSouth Allowable Changes			UEPPX	USA1C		7.31	1.87	-		<u> </u>		ļ	-	ļ	
<u> </u>	AUUIII	ONAL NRCs		1	UEPPX	USAS1		26.78	26.78	 		1			1		
<u> </u>	-	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	 	ULFFA	USASI	 	∠0.78	∠0.78	 		 					
		End User Premise			UEPPX	URETN]	11.21	1.10	I					I		1
-	Telenh	one Number/Trunk Group Establisment Charges		1	OLI FA	OKLIN		11.21	1.10	 		 			 		
-	, ciebii	DID Trunk Termination (One Per Port)	-		UEPPX	NDT	0.00	0.00	0.00	t		 			t		
—		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	†					<u> </u>		†
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00	1					1		
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00	1				İ	1	İ	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY					<u> </u>										
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT													
	UNE P	ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1							_					_		1 7
		UNE Zone 1		1	UEPPB UEPPF	₹	27.28			I					I.		1

UNBUND	LED NETWORK ELEMENTS - Alabama													Attach	ment: 2	Fyhi	ibit: A
J.123112			1									Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
		lutani										Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										por Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_														
	UNE Zone 2		2	UEPPB	UEPPR		37.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	HEDDD	HEDDD		50.04										
	UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNI	E Loop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB	UEPPR	LICLOV	19.03										-
	2-Wife ISDN Digital Grade Loop - ONE Zorie I	1		UEFFB	UEPPK	USLZA	19.03										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
 	2-Wire ISDN Digital Grade Loop - UNE Zone 2			UEPPB	UEPPR		45.60										
UNI	E Port Rate			02	OLITIN	COLLA	10.00										•
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
NO	NRECURRING CHARGES - CURRENTLY COMBINED	1	i –	1		<u> </u>								İ	1	İ	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1														
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02								
ADI	DITIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LO	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	HANNEL USER PROFILE ACCESS:			HEDDD	LIEDDD	1141104	0.00	0.00	0.00								ļ
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR UEPPR	U1UCA U1UCB	0.00	0.00	0.00								
	CVS (EWSD) CSD			UEPPB UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B.C	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C M S 8	TNI	UEFFB	UEPPR	01000	0.00	0.00	0.00								
B-0	CVS/CSD (DMS/5ESS)	C, IVI G, 6	1111)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								+
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								•
USI	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VEF	RTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
INT	EROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage each, additional mile	<u> </u>	<u> </u>	UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00								
	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI			CDN DO:	Distinct T	als Bast 's t'			baddad to 1		0/0/00	104 477	1/4/04 (1:				
	UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loo	p with 4	-vvire i	13ט אטפ	וים gıtal Iru	iik Port in th	is rate exhibit a	pply to the em	neaded base i	iii piace as of 1	u/2/U3 UNTII 4/1	704. Atter 4	# 1/U4 these	rates snall re	vert to tariff ra	nes or a sepa	ıate
	eement. uests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Frunk D.	ort ofto	r the offo	ctive date o	of this among	lmont chall be n	rovided pure	ant to a core	ate agreement	or tariff at Dall	South's at	ecration	I	1	I	1
	E Port/Loop Combination Rates	Tunk P	on ane	i ine ene	cuve date 0	ans ameno	ment snan be p	ovided purst	iaiii io a separ	are agreement	or tarm at Bel	Journ's al	outuuli.	1	 	1	1
JOINI	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	†			<u> </u>	 								 		
	Zone 1		1	UEPPP			166.87								I		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>			1	.00.07								<u> </u>		†
	Zone 2		2	UEPPP			238.50								I		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			398.85								I		
UNI	Loop Rates						ĺ										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	314.52										
UNI	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	<u> </u>	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77						1
NO	NRECURRING CHARGES - CURRENTLY COMBINED		<u> </u>														
1	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port								=0						1		
<u> </u>	Combination - Conversion -Switch-as-is (E:4/1/2004)	1	<u> </u>	UEPPP		USACP	0.00	119.07	78.56		-			1	!	1	
ADI	DITIONAL NRCs	1	l			<u> </u>				L	l	<u> </u>	<u> </u>	L	l	l	<u> </u>

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
OA!L	00	NATE ELEMENTO	m	20110	500	0000			πατεσ (φ)			per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				+		11130	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPART
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									i
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLI I I	110/11		0.40									
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									i
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			02			11.01				1					
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									i
	LOCAL	NUMBER PORTABILITY			OLITI	11(72)		25.02									
	LOUAL	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										t
	INTER	FACE (Provsioning Only)			ULFFF	LINFOIN	1.73					1					
	INTER	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			1					
	1	Digital Data	 	1	UEPPP	PR71D	0.00	0.00	0.00	1		 			1		
	1	Inward Data	 	1	UEPPP	PR71E	0.00	0.00	0.00	1		 			1		
	Now or	ninward Data Additional "B" Channel	-	-	OLFFF	FIVIE	0.00	0.00	0.00	 					 		
	New Or	New or Additional - Voice/Data B Channel	 	 	UEPPP	PR7BV	0.00	14.53				-	-				
	+		 	 	UEPPP	PR7BF	0.00	14.53									
	+	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	 	 	UEPPP	PR7BD	0.00	14.53									
	CALL		<u> </u>		UEPPP	PR/BD	0.00	14.53									
	CALL				LIEDDD	DD704	0.00	0.00	0.00								
		Inward			UEPPP UEPPP	PR7C1	0.00	0.00	0.00								
		Outward				PR7CO	0.00	0.00	0.00								
	ļ., ,	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage							21.21	40.05							
		Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	<u> </u>		1		<u> </u>	L			*****	<u> </u>				
	The UN	IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire L	DDITS Trunk Port in	this rate exh	ibit apply to the	e embedded b	ase in place as	of 10/2/03 unti	1 4/1/04. After	4/1/04 these	rates shall	revert to tarif	rates or a se	parate agreer	nent.
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	late of	this amendment sh	all be provide	ed pursuant to	a separate agr	ement or tarif	at BellSouth's	discretion.						
	UNE P	ort/Loop Combination Rates		<u> </u>	LIEDDO		440.04										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		142.64										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.26										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61										
	UNE L	pop Rates		<u> </u>	UEDDO.												
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	154.18										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52										
		ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															1
	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1									1		Ì		1
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															i
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.49	67.02								1
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															i .
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		129.49	67.02								1
	ADDIT	ONAL NRCs															1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															i
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.48	14.48								1
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1	1									1]		1
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48								1
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1	1		1							1				1
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1				<u> </u>	<u> </u>								1
		Activation Per Chan - Inward Trunk with DID	<u> </u>	<u></u>	UEPDC	UDTTD		14.48	14.48		<u></u>				L		L
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan												_			
		Activation / Chan - 2-Way DID w User Trans	<u>L_</u>	<u>L</u>	UEPDC	UDTTE	<u> </u>	14.48	14.48	<u> </u>	<u></u>	<u></u>	<u></u>		<u> </u>		<u> </u>
	BIPOL	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s					_			
		ite Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
_			_	_				_	_	_				_		_	

ATTEMPT ACT CAPPED Part List Capped	UNRUM	DI F	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit· Δ
ATE ELEMENTS Intel	21450141		ALL TOTAL ELEMENTO AIGUAINA										Svc Order	Svc Order				Incremental
ATT ELEMENTS Part December																		Charge -
### CAPE CLEMENTS ### DCS USOC RATE (LEMENTS per LSR Corder vs. Order vs																		Manual Svc
Bear Research Re	CATEGOR	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				-				Order vs.
Section Sect	== 2.			m						(7)			hei rok	hei rok				Electronic-
Part																		Disc Add'l
March Sout				<u> </u>													ואני ואני	DISC AUU I
Mart Perfected Support Forms Forms								Per										
Temptone Number Group Equalification Changes								Nec			First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Templane Number for 2 Vivoy Trans Coop.						UEPDC	MCOPO		0.00	0.00								
Trapiscon Number for 1-Way Diseased Transf Group (Monat DID) MPPDC 10750 0.00	Te																	
Response Number for this year ADD Trustment Company																		
DP Numbers Not crossion (1997) Per Number UEPPC ND 0.00 0																		
Distriction Distriction									0.00		-							
Reserve Non-Conscioled Did Note:									0.00		-		-					
Reserve DD Numbers Device DD Numbers Device DD Number Device D									0.00	0.00	-		-					
Decidated Diff Interoffice Channel Mileage - Food risk O = Food risk O	-										1							
Internation Internation	De			1 Digita	Loop			0.00	0.00	0.00								
Termination				Jugita														
Interoffice Charmed Mileage - Additional rate per mile - 0.8 miles UEPDC 1.NOA 0.18 0.00						UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44						
Interoffice Channel Miseage - Additional rate per mise 9-25 UEPDC 11NO2 0.00 0.00 0.00			,								1							
Terminators Lipsch Lipsc			Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u> </u>	L	UEPDC	1LNOA	0.18	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
Interoffice Chained Mileage - Additional rate per mile - 925 UEPDC 1LNOB 0.18 0.00 0.00 0.00																		
Interestic Channel Minage - Fixed rate 25+ miles UEPDC 1LNO3 0.00 0.0						UEPDC	1LNO2	0.00	0.00	0.00								
Interdifice Channel Minage - Fixed rate 25+ miles (Facilities UEPDC 1LNO3 0.00]]		
Interdifice Channel Mileage - Additional rate per mile - 25+ miles UEPPC 1LNOC 0.18 0.00						UEPDC	1LNOB	0.18	0.00	0.00								
Interoffice Charmet Mileage - Additional rate per mile - 25+ miles UEPDC 1LNDC 0.18 0.00																		
Local Number Portability, per DSD Activated USEPDC LINEPC 3.15 0.00 0.0			Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
Local Number Portability, per DSD Activated USPPC LINPCP 3.15 0.00 0.00 0.00 0.00 Lincard Office Terminalizing Points USPPC CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard Office Terminalization of CTC 0.00 Lincard 0.00																		
Central Office Terminalizing Point																		
#WRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 10St Loop, 10 Channel Bank and up to 24 combinations of rates depending on type and number of ports used Each System can have up to 24 combinations of rates depending on type and number of ports used The UNEP DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 102/03 until 4/104. After 4/104 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. WE DS1 Loop - UNE Zone 1 1 UEPMG US.LDC 82.55 0.00 0.00 14-Wire DS1 Loop - UNE Zone 2 2 UEPMG US.LDC 82.55 0.00 0.00 14-Wire DS1 Loop - UNE Zone 2 3 UEPMG US.LDC 82.55 0.00 0.00 14-Wire DS1 Loop - UNE Zone 2 3 UEPMG US.LDC 3/4.52 0.00 14-Wire DS1 Loop - UNE Zone 2 3 UEPMG US.LDC 3/4.52 0.00 15-WIRE DS1 Connect Capacity - Ipe DS1 UEPMG US.LDC 3/4.52 0.00 16-WIRE DS1 Connect Capacity - Ipe DS1 UEPMG US.LDC 3/4.52 0.00 17-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS1 Loop - UNE Zone 2 1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS2 Channel Capacity - Ipe F DS1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS2 Channel Capacity - Ipe F DS1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS2 Channel Capacity - Ipe F DS1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS2 Channel Capacity - Ipe F DS1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS3 Channel Capacity - Ipe F DS1 UEPMG US.LDC 3/4.52 0.00 18-WIRE DS3 Channel Capacity - Ipe F DS1 US.LDC 3/4.52 0.00 18-WIRE DS3 Channel Capacity - Ipe F DS1 US.LDC 3/4.52 0.00 18									0.00	0.00	0.00							
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combination of rates depending on type and number of ports used The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 102/03 until 4/104. After 4/104 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.	—					UEPDC	CIG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used The UNEP DSI combination rates below for 4-Wire DSI Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/203 until 41/04. After 41/04 these rates shall rever to tariff rates or a separate agreement. Requests for 4-Wire DSI Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/203 until 41/04. After 41/04 these rates shall rever to tariff rates or a separate agreement. The control of the provided pursuant to a separate agreement or tariff at BellSouth's discretion.				ivetions														
The UNEP DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate shall be provided pursuant to a separate agreement. Requests for 4-Wire DS1 Loop in Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. WINE DS1 Loop						har of norte used					†							
Requests for 4-Wire DS1 Loop - UNE Zone 1							e exhibit apr	ly to the embe	dded base in r	lace as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement.	
WKE DS1 Loop - UNE Zone 1														1		l coparate	ug. 000	
4-Wire DS1 Loop - UNE Zone 2								1										
A-Wire DS1 Loop - UNE Zone 2					1	UEPMG	USLDC	82.55	0.00	0.00								
UNE DSC Channel Capacity - 1 per DST UEPMG					2	UEPMG	USLDC	154.18	0.00	0.00								
24 DSC Channel Capacity - 1 per 2 DS1s			4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
A8 DSO Channel Capacity -1 per 2 DS1s	UN	NE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
B6 DSO Channel Capacity -1 per 4 DS1s																		
144 DS0 Channel Capacity -1 per 8 DS1s	$oxed{oxed}$			<u> </u>							ļ							
192 DS0 Channel Capacity -1 per 8 DS1s	\vdash				<u> </u>						1							
240 DS0 Channel Capacity -1 per 10 DS1s	oxdot			ļ							ļ				ļ	ļ		
288 DS0 Channel Capacity - 1 per 12 DS1s	\vdash			<u> </u>							.				 	 		
384 DS0 Channel Capacity - 1 per 16 DS1s	\vdash			 	<u> </u>						!				 	 		
A80 DS0 Channel Capacity - 1 per 20 DS1s	\vdash			├	 						 				-	-		
S76 DS0 Channel Capacity -1 per 24 DS1s	\vdash			 	-						 				-	-		
G72 DS0 Channel Capacity - 1 per 28 DS1s UEPMG VUM67 2,839.20 0.00 0.00	 			1	1						1		1	1				
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System A Minimum System configuration is One (1) DS1, One (1) DS1, One (1) DS1 Channel Bank, and Up To 24 DSO Ports with Feature Activations. Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. NRC - Conversion (Currently Combined) with or without UEPMG USAC4 0.00 150.48 8.36	\vdash			 							t				 	 		
A Minimum System configuration is One (1) DS1, One (1) DS	No			h Chani	neliztio					0.00	I		<u> </u>		 	 		
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted. NRC - Conversion (Currently Combined) with or without UEPMG USAC4 0.00 150.48 8.36											1							
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe -											İ				İ	İ		
BellSouth Allowed Changes		- 1				•												
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) UEPMG			BellSouth Allowed Changes	<u> </u>						8.36	<u> </u>			<u> </u>	<u> </u>			
1 DS1/D4 Channel Bank - Additionally Add NRC for each Port							ination Curre	ently Exists and	ŀ									
and Assoc Fea Activation (E:4/1/2004) UEPMG VUMD4 0.00 716.11 468.04 148.75 17.65	Ne	ew (No		of Top	8 MSA	's												
Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only UEPMG CCOSF 0.00 0.00i 600.00s Clear Channel Capability Format - Extended Superframe - Company]]		
Clear Channel Capability Format, superframe - Subsequent Activity Only UEPMG CCOSF 0.00 0.00i 600.00s Clear Channel Capability Format - Extended Superframe -	$oxed{oxed}$			<u> </u>		UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
Activity Only UEPMG CCOSF 0.00 0.00i 600.00s Clear Channel Capability Format - Extended Superframe -	Bi	ipolar																
Clear Channel Capability Format - Extended Superframe -				1		LIEDMO	00005	0.00	0.00:	000 00	I				1	1		
				 	<u> </u>	UEPING	CCOSF	0.00	0.001	SUU.UUS	!				 	 		
1 INDECOMPORT OFFINITY CODE 1 INDEDITE 1 1 1 1 1 1 1 1 1			Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only	1	1	UEPMG	CCOEF	0.00	0.00i	600.00s	I				Ì	Ì		

LINBLINDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit. A
UNBUNDLI	I NETWORK ELEMENTS - Alabama		ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	-	BCS				DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Alterr	nate Mark Inversion (AMI)															<u></u>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								l
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								i
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													í
Excha	ange Ports															í
	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						ł
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						í
	Line Side Inward Only Channelized PBX Trunk Port without DID			OL: 17	02.07	0	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						i
-	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEFFA	UEPIX	1.15	0.00	0.00	0.00	0.00						
				LIEDDY	LIEDDM	0.05	0.00	0.00	0.00	0.00						í
	(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															í
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															í
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															ł
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															ł
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										ł
	2-Wire Channelized PBX Area Calling Service Combination Port															1
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								ł
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								ł
Featu	re Activations - Unbundled Loop Concentration			OLITA	OLI 710	1.10	0.00	0.00								
1 Gatu	Feature (Service) Activation for each Line Port Terminated in D4				+									-		
	Bank			UEPPX	1PQWM	0.56	54.55									ł
				UEPPX	IPQWW	0.56	54.55									
	Feature (Service) Activation for each Trunk Port Terminated in															í
L	D4 Bank			UEPPX	1PQWU	0.56	77.03									
I elep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								ı
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								ı
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								i
FEAT	URES - Vertical and Optional															1
	Switching Features Offered with Line Side Ports Only					i i						l				1
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00	İ		1	İ		1		
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	Š			1	1			1							i
	st Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports	<u> </u>		1	1		1		(
	atures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Pate	Exhibit			1		ſ
	d Office and Tandem Switching Usage and Common Transport											oin Port/I o	on Combinat	ione		
	e first and additional Port nonrecurring charges apply to Not Ci														Additional NB	Ce may
		urrennly	Combi	mea Combos. For	Currently CO	mismed Combo	o, ale nomect	ming charges	andii be iii05e	identined III t	ne Nomecu	iiiig - curre	and Combin	eu sections. /	additional NR	OS IIIay
	also and are categorized accordingly.		41-7-		D'-	4!I formally				1		1	1			
	arket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an individual C	ase Basis, un	tii turtner notice	₽.		1		1			1		
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		 		_											
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•	1		1				_			1				1
L	Non-Design	<u></u>	1	UEP91	1	12.70			<u> </u>		<u> </u>	<u> </u>		<u> </u>		i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		2	UEP91		21.19			1			l				ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											i				
	Non-Design		3	UEP91	1	34.80			I			1				1
LINE	Port/Loop Combination Rates (Design)		Ť		+	04.00			t		1			1		$\overline{}$
- CAL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>		+	1			 		 	 		1		
	Design		1	UEP91	1	15.53			I			1				1
	pesign	L		טבראו	1	15.53			1		1	l		1		

UNBUND	LED NETWORK ELEMENTS - Alabama										-	-	Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK	THATE ELEMENTO	m	20.10	500	0000			πΑΙ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire VC Lean/2 Wire Voice Crade Bort (Centrey) Bort Comba						riist	Add I	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	LIEDOA		24.00										
	Design		2	UEP91		24.00										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Design		3	UEP91		37.29										
UNE	E Loop Rate															L
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										
UNE	E Ports															
	States (Except North Carolina and Sout Carolina)															
7	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 31	OLITA	1.15	40.13	13.03	24.31	0.03						
				UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
-	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	0.03						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic							40.00								
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						L
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t														
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
ΔI	, KY, LA, MS, & TN Only		1	OLI 01	OLI 12	1.10	40.10	10.00	24.01	0.00						
AL,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
-																
-	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						Ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						L
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t		UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loc	cal Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488								İ		
Loc	cal Number Portability											l				
	Local Number Portability (1 per port)	1	i –	UEP91	LNPCC	0.35					İ	İ		İ	İ	
Fea	atures	1	1			0.00					i	1		1		
1 54	All Standard Features Offered, per port	 	!	UEP91	UEPVF	1.98					 			 		
	All Select Features Offered, per port	1	 	UEP91	UEPVS	0.00	405.52				1	l		1	1	
	All Centrex Control Features Offered, per port	1	<u> </u>	UEP91	UEPVC	1.98	400.02				-	 		-	-	├
A147		 	1	OLFSI	UEFVU	1.98					-	-				₩
NAF			1	LIEDO4	LIADOV	0.00	0.00	0.00	0.00	0.00	1			 		
	Unbundled Network Access Register - Combination	 	1	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	ļ	ļ		ļ		
	Unbundled Network Access Register - Indial	ļ	ļ	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ					
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	scellaneous Terminations	<u> </u>									ļ	<u> </u>				
2-W	Vire Trunk Side															<u> </u>
	Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
Inte	eroffice Channel Mileage - 2-Wire															
1	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP91	M1GBM	0.008838						i				
Fea	ature Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce	1			2.200000					i	1		1		1
	Channel Bank Feature Activations	1	1	1	1						i	1		1	1	1

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			l									Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1	m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									,,,,,,		7.44						
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21									
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP91	URETN		11.21	1.10								
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
		Non-Design		1	UEP95		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		34.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP95		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		2	UEP95		24.00										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP95		37.29										
	UNE L	oop Rate		1	LIEDOE	115004	44.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP95	UECS1	11.55										
-	_	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP95 UEP95	UECS1	20.04 33.65										
-	_		-	3		UECS1											
	-	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP95 UEP95	UECS2 UECS2	14.38 22.85			-					-	-	
	+	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	36.14					1			1		
	LINE D	ort Rate	1	3	OL1 30	ULUUZ	30.14					1			1		
-	All Sta		 	1		+	1			1		 	-		 	1	
	All Old	2-Wire Voice Grade Port (Centrex) Basic Local Area	 		UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63				t	1	
 		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63				 	 	
-	-	2-Wire Voice Grade Port (Centrex and termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	l	OL1 33	JEI 1D	1.13	70.13	19.03	24.51	0.03				-		—
		Area	1	1	UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		1		I	Ì	1
 		2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	 	021 00	OL: 111	1.13	70.13	13.03	24.31	0.03				 	 	
		Center)2,3 Basic Local Area		1	UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77				1		1
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	02. 00	JEI IIII	1.10	55.56	01.21	40.00	5.77				<u> </u>	1	—
1		Service Term - Basic Local Area	1	1	UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		1		I	Ì	1
 	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 	1		102.12	1.13	55.55	01.21	40.00	5.77		l		 		—
		- Basic Local Area	1	1	UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		1		I	Ì	1
							0				0.00					1	

Svc Order Svc Order Submitted Submitted Charge -	UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	oit: A
RATE CLEMENTS INTO A PROPERTY OF THE PROPERTY	011201		7.4.2.4.1.4										Svc Order	Svc Order				Incremental
ATTEMPS OF THE PLANE NAME AND A STATE ALBERTS																		
CATEORY RATE CLEMENTS				Intori									Elec	Manually		Manual Svc		Manual Svc
Part Part	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part Part				m									po. 2011	po. 2011				
Part																		
March Marc																	D130 131	DISC Add I
Average Aver								Por										
Base Loop Area								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ALL NY, LA, May, C. A, This Cody 1.15																		1
P-View Loves Counting Perf (Contents)						UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						1
2/We Vivos Goale Prof. Centros 600 amministant)		AL, KY																1
2-View trace Clander Prof. Centers with Caster Shrift View Clander Prof. Centers and Green View View Clander Prof. Centers Shrift View Cland																		.
2-Wive Visco Grade Part, Certification of Serving Wire UEPGS UEP																		-
Content/23						UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						-
2-Wee Vexes Grade Part. ERI Serving Wise Center + 000 Service UEP96																		ı
Tem 2.3						UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
2-Wive Votor Grade Port terminated in on Megalink or equivalent UEP96														1		Ì		i
2-Wire Voca Grade Port Terminated on 800 Sente Term UEPS UEPG U.10	\vdash		1erm 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						
2-Wire Voca Grade Port Terminated on 800 Sente Term UEPS UEPG U.10			OME Velo On to Book to the Live of March			LIEBOE	LIEBOO		40.10	10.00		0.00		1		Ì		i
Content intercon Functionality, per port VEP95 VRES 0.5488																		
Ceal Number Protability per port UEPS URCCS 0.548	-	1 00-1 1				UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63	-			-		
Coal Number Portability per port UP95 UNPCC 0.35	\vdash	Local S			1	LIEDOE	LIBECC	0.5400			 		-			 		
Coal Number Privability (1 per port)	_	l acal N				UEP95	URECS	0.5488										
Feature		LUCALI				LIEDOS	LNDCC	0.25										
All Slandard Features Offered, per port UEP96 UEPV6 UE		Fasture				ULF 93	LINECC	0.33					1					
All Select Features Offered, per port		Cuture				LIEP95	IIEP\/E	1 98										
All Centres Control Features Offered, per port UEP95 UEPC 1.98	-								405.52				1					
NARS									100.02									
Unbundled Network Access Register - Indial UEP95 UARIX 0.00 0.		NARS																
Unbundled Network Access Register - Indial UEP95 UARIX 0.00 0.			Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations						UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
Affire Trunk Side			Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Trunk Side Terminations, each		Miscell	aneous Terminations															I
A-Wiro Digital (1.544 Megabits)		2-Wire																1
DSI Circuit Ferninations, each UEPPS MHDD 0.00 14.48						UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
DSQ Channels Activated, each UEP95 MIHDO 0.00 14.48		4-Wire																
Interoffice Channel Racilities Fermination UEP95 MiGBM 0.008338 0.54 27.41 16.74 6.90										95.69	72.59	2.46						-
Interoffice Channel Flacilities Termination UEP95 MTGBC 21.13 40.54 27.41 16.74 6.90						UEP95	M1HDO	0.00	14.48									
Interoffice Channel mileage, per mile or fraction of mile UEP95 M16BM 0.008838	-	Interon				LIEDOE	MACDO	04.40	40.54	07.44	40.74	0.00						
Feature Activations (DSI) Centrex Loops on Channelized DSI Service D4 Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank PX Trunk Side Loop UEP95 1PQW7 0.56 Feature Activation on D-4 Channel Bank PX Trunk Side Loop UEP95 1PQWP 0.56 Feature Activation on D-4 Channel Bank PX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank PX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank PX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank PX Trunk Side Loop Slot UEP95 1PQWV 0.56 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWV 0.56 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWV 0.56 Non-Recurring Charges (NRC) Associated with UNE-P Centrex New Centrex Standard Common Block UEP95 USAC2 0.00 0.00 0.00 100 100 100 100	-								40.54	27.41	16.74	6.90						
D4 Channel Bank Feature Activation on D4 Channel Bank Centrex Loop Slot UEP95 1PQW6 0.56	_	Footure				UEF93	IVITGDIVI	0.000030										
Feature Activation on D-4 Channel Bank Centrex Loop Slot				,6			+				†							
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	D+ Cila				LIEP95	1POWS	0.56										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center LEP95 LPQWP D.56 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 LPQWP D.56 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 LPQWQ D.56 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 LPQWQ D.56 Non-Recurring Charges (NRC) Non-Recurring Charges (NRC) New Centrex Standard Common Block UEP95 MTACS NACC D.00 NAC	+		1 catalo / cavation on b 4 onarmor bank control 200p crot			OL1 00	11 Q110	0.00										<u> </u>
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center LEP95 LPQWP D.56 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 LPQWP D.56 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 LPQWQ D.56 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 LPQWQ D.56 Non-Recurring Charges (NRC) Non-Recurring Charges (NRC) New Centrex Standard Common Block UEP95 MTACS NACC D.00 NAC			Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										i
Slot																		
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each UEP95 New Centrex Standard Common Block UEP95 NARC Sources Standard Common Block UEP95 M1ACS New Centrex Customized Common Block UEP95 M1ACS NARC Sources Standard Common Block UEP95 M1ACS NARC Sources Standard Common Block UEP95 M1ACS NAR Establishment Charge, Per Occasion UEP95 USACA NAR Establishment Charge, Per Occasion UEP95 USACA NAR Establishment Charge, Per Occasion UEP95 UNBOOD Unbundled Miscellaneous Rate Element, Tag Loop at End Use						UEP95	1PQW7	0.56			I			1		1		1
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95 1PQWV 0.56																		i
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Weeps 1PQWA 0.56 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block UEP95 USAC2 0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.1			Different Wire Center			UEP95	1PQWP	0.56										ı
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Weeps 1PQWA 0.56 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block UEP95 USAC2 0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.1]		
Slot						UEP95	1PQWV	0.56										!
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1PQWA 0.56							1				I			1		1		1
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP95											.							1
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port	\vdash	New 5				UEP95	1PQWA	0.56			.					 		
Changes, per port		Non-Re			ļ		+				!					 		
Conversion of Existing Centrex Common Block, each UEP95 USACN 37.75 16.58						LIEDOE	LIEACO		0.40	0.40	1							1
New Centrex Standard Common Block	\vdash			-	1						 		-	 		1		
New Centrex Customized Common Block	\vdash			-	1			0.00		86.01	 		-	 		1		
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 72.73 UEP95 URECA 0.00 VEP					1						 					 		
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1							I		<u> </u>	 		 		
Unbundled Miscellaneous Rate Element, Tag Loop at End Use							5.1.25/1	0.00	12.10		1					1		
																		 I
						UEP95	URETL		8.33	0.83	I			1		1		1

ONRONDI	ED NETWORK ELEMENTS - Alabama			•										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						_ 1	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE	-P CENTREX - DMS100 (Valid in All States)															
2-Wi	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
	Port Rate															
ALL	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDOD	LIEDYO	4.45	10.10	40.00	04.04	0.00						
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIEDVE	4.45	40.40	40.00	04.04	0.00						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	-		UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						ļ
	Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						
_	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	1		OLF3D	OLFIO	1.13	40.13	19.03	24.51	0.03	1					
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLF 9D	OLFIV	1.13	40.13	19.03	24.51	0.03						
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI 3D	OLI 13	1.13	40.13	19.00	24.31	0.03						
	Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63					1	
-	2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp	t	 	021 00	02. 111	1.13	40.13	13.03	27.01	0.03					 	
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63				l	I	
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	t	 		52. 111	1.10	70.10	10.00	27.01	0.00					 	
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63				l	I	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		!		32	0	.0.10		201	2.00					<u> </u>	†
1	2,3-Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77					1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		t	1	1	0	22.30	J/	.0.00	0.77				1	t	1
	Basic Local Area	1	1	UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77				ĺ		I

HINRHIND	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
UNBUND	LED NETWORK ELEMENTS - Alabama	1	1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	ВСО	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
H					-		Nonred	urring	Nonrecurring	Disconnect	-	l	220	Rates (\$)		
-			1		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Miro Voice Crade Port (Centroy/differ SWC /EBS ME000)2 3.4				-		FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYP	1 15	90.38	57.27	48.66	8.77						ł
	Basic Local Area			UEF9D	UEFTF	1.15	90.36	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEF9D	UEFTQ	1.10	90.36	31.21	40.00	0.11						
				UEP9D	UEPYR	1 15	00.30	E7 07	48.66	8.77						ł
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPTK	1.15	90.38	57.27	40.00	0.11	-					
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEF9D	UEFTS	1.10	90.36	31.21	40.00	0.11						
	Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEP14	1.15	90.36	31.21	40.00	0.11	-					
	, ,			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						í
	Basic Local Area			UEF9D	UEPTO	1.10	90.36	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			LIEDOD	UEPY6	1 15	00.30	57.27	48.66	8.77						í
				UEP9D	UEPTO	1.15	90.38	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDOD	LIEDVZ	4.45	00.00	57.07	40.00	0.77						í
	Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.45	00.00	57.07	40.00	0.77						ł
	Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															ł
	Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															ł
—	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL,	KY, LA, MS, SC, & TN Only			LIEDAD	LIEBO A		10.10	10.00	0.1.0.1							
—	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIEBO							1				1
\vdash	Indication)4	!	<u> </u>	UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDOD	LIEDC:											i
\vdash	2,3	!		UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	0 M/2 - Maio - O - I - D - 1 (O - 1) 1/4 - 0 M O /FEC 50 FT 0 0 1	1		LIEDOD	LIEBOO		00.00	F7 0-	40.00	0						1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	<u> </u>		UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	O Miles Visias Orada Dart (Oantes 1877 - OMO (EDO MESSOS)	1		LIEDOD	LIEDOS		20.00	F7.0-	40.00	o						í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
																ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						
	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1								40.00							í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
		1										1				1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	!	<u> </u>	UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
		1		l	1					_						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	<u> </u>		UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						
		1							40							1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	ļ		UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						
		1		l	1					_						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	!	<u> </u>	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						
		1														1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						

UNRUND)I FI	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhil	bit: A
CINDOIND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	O NETWORK ELEMENTO - Alabama		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
G/1120011			m		200	3333			== (+)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							71441		71441	0020				00	
		Term 2.3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						ł '
											•						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loc		witching									0.00						
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										i
Loc		lumber Portability					0.0.00										
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Fea	ature																
		All Standard Features Offered, per port			UEP9D	UEPVF	1.98										i
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port		İ	UEP9D	UEPVC	1.98			1					İ		i Total
NA		s solts to a		İ						1					İ		i Total
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						í
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						i
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Mis		aneous Terminations															i
		Trunk Side															i
		Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						í
4-W	Vire I	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48									
Inte	eroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						1
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838										í T
Fea	ature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														í T
D4	Cha	nnel Bank Feature Activations															í T
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										1
																	i
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										<u> </u>
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															ĺ
		Slot			UEP9D	1PQW7	0.56										l
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															ĺ
		Different Wire Center			UEP9D	1PQWP	0.56										l
																	ĺ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										1
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															ĺ
		Slot			UEP9D	1PQWQ	0.56										l .
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
No		curring Charges (NRC) Associated with UNE-P Centrex				1											
		NRC Conversion Currently Combined Switch-As-Is with allowed				1						1	1		Ì		1
		changes, per port			UEP9D	USAC2		0.10	0.10								i
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21									
		New Centrex Customized Common Block		ļ	UEP9D	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion		ļ	UEP9D	URECA	0.00	72.73									
Add	ditio	nal Non-Recurring Charges (NRC)		ļ													
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use										1	1		Ì		1
\vdash		Premise		<u> </u>	UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOD	LIDETN		44.01	4.0			1	1		Ì		1
L		End Use Premise		<u> </u>	UEP9D	URETN		11.21	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		1		+									 		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+				1					 		
UN	E Po	ort/Loop Combination Rates (Non-Design)		1		1									ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	_	LIEDOE		40.70										i
		Non-Design	-	1	UEP9E	+	12.70			1			ļ		 		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21.19					İ					1
oxdot		ווסוים מון			OLFBE	ı	21.19					l .	l		l .		1

UNBUNI	DLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
J.12011		TEEMENTO / NOVONING										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										T 51	. B'						
\vdash				<u> </u>		1	Rec	Nonrec		Nonrecurring		COMEO	COMAS		Rates (\$)	COM AN:	COMAN:
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire vg Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		34.80			I			1		I		
H-111	NE Po	non-Design ort/Loop Combination Rates (Design)		3	OLF 3L	1	34.00			 		1	-		 	1	1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
		Design		1	UEP9E		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			<u> </u>												
		Design		2	UEP9E		24.00			I			1		I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		37.29								<u> </u>	<u> </u>	<u> </u>
UI		op Rate						_	•		•						
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04								1		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85			.					1	-	-
 		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14			 		1			1		
UI	NE PO	rt Rate				1				1							
AI	_, rl,	KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63				+		
—		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI BL	OLFIA	1.15	40.19	19.03	24.91	0.03				 	-	-
		Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		1		I		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OL. 0L	02110	1.10	40.19	10.00	2-7.01	0.00				1		
		Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		1		I		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					17			1							
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		1		I		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63				1		
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	LIEDVC									1		
		Basic Local Area		<u> </u>	UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63				!	1	1
AI		LA, MS, & TN Only		-	LIEDOE	LIEDO A	1.15	40.19	19.83	24.04	6.60	-			 		
\vdash		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	 	UEP9E UEP9E	UEPQA UEPQB	1.15	40.19	19.83	24.91 24.91	6.63 6.63		 		 		
 		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63				 	-	-
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI OL	טבו עוו	1.13	40.19	19.03	24.31	0.03		 		t		
		Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		1		I		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				, <u>,</u>	5	55.56	027	.5.50	0				1		
		Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77				1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Lo		witching				ļ				ļ							
\vdash		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488			ļ					1		
Lo		umber Portability			LIEBAE	LUBGO											
		Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.35			1					1		
Fe	ature	S All Standard Features Offered, per port			UEP9E	UEPVF	1.98			 		1			1		
\vdash		All Select Features Offered, per port		<u> </u>	UEP9E UEP9E	UEPVF	0.00	405.52		-					-	-	
\vdash		All Centrex Control Features Offered, per port	-		UEP9E UEP9E	UEPVS	1.98	+05.52		 		-	 		+	1	1
NI.	ARS	7 an Control Control i Gatares Cherea, per port			OLI OL	JLI VO	1.30			t			 		t		
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	<u> </u>	 		I		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	<u> </u>	 		I		
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00				1		
М		aneous Terminations													1	İ	İ
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4-		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.1.20.1												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Order vs.
OAT LOO		KATE EEEMENTO	m	20.10	200	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
Ir	teroff	fice Channel Mileage - 2-Wire			OLI OL	WITIBO	0.00	14.40				1					
	110.011	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
h +		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838	10.01		10.7 1	0.00						
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	-		02. 02		0.000000					1					
		nnel Bank Feature Activations	Ĭ														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										ĺ
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02	4.1.0	0.00					1					1
		Slot			UEP9E	1PQW7	0.56										ł
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 02		0.00										
		Different Wire Center			UEP9E	1PQWP	0.56										ł
\vdash			1			~,,,	0.00						l				<u> </u>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										1
\vdash		Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	1		J_1 J_	11 04 77 7	0.30						l				<u> </u>
		Slot			UEP9E	1PQWQ	0.56										ł
-		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
N	lon-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI OL	11 001171	0.00										
	011 110	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.10	0.10								ł
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58			1					
-		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21	10.00								
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Δ		onal Non-Recurring Charges (NRC)			02. 02	OTTEOT	0.00										
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9E	URETL		8.33	0.83								ł
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								ł
u	NE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.70										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		2	UEP93		21.19										ĺ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ
		Non-Design	1	3	UEP93		34.80						1		Ì		i
U	NE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						_									1
		Design		1	UEP93		15.53										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		2	UEP93		24.00										l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		3	UEP93		37.29										<u> </u>
U	NE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55	, and the second									
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
$oxed{oxed}$		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP93	UECS1	33.65										
igsquare		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38								ļ		
igspace		2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP93	UECS2	22.85										
igspace		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP93	UECS2	36.14										
		ort Rate	ļ			1											
L A	L, KY	, LA, MS, & TN only	ļ			1											
igsquare		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63				ļ		
1 1		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l	1	L	1				l	_		1		l		i
1 1		Area			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	1]		<u> </u>

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	ibit: A
CITE	JINDEL											Cua Ordar	Cua Ordar	Incremental			
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Addi	Disc 1st	Disc Add I
							_	Nonred	urrina	Nonrecurring	g Disconnect			OSS	Rates (\$)		-
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				+		11131	Auu i	11130	Addi	JOINEC	JONAN	JOHIAN	JONAN	JOHAN	JOINAIN
					UEP93	UEPYH	4.45	40.40	40.00	24.91	0.00						
	<u> </u>	Area			UEP93	UEPTH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			OL1 30	OLI 10	1.10	40.10	10.00	24.01	0.00						
					LIEDOO	LIEDVO	4.45	40.40	40.00	04.04	0.00						
	<u> </u>	Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
	1	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63	ļ					ļ
	<u> </u>	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63	<u> </u>					<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63					1	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		t	S-1 00	2 L 1 W W W	1.13	30.30	51.21	70.00	0.77	1	 	 	1	 	
		Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	<u> </u>	Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.00	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
	I ocal I	lumber Portability															
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
	Fastur				OLI 33	LIVI CC	0.55					ļ					-
	Feature																
		All Standard Features Offered, per port			UEP93	UEPVF	1.98										ļ
		All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	aneous Terminations															1
		Trunk Side				+											
	Z-VVIIC	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76	ļ					-
					UEF93	CENDO	6.03	119.31	10.74	59.90	3.76						ļ
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48									
	Interof	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838							İ			
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e								İ	1			1		
		nnel Bank Feature Activations	Ī	1		1						1	 			1	†
	D- 0116	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP93	1PQWS	0.56					1	 	1	1		+
	+	i eature Activation on D-4 Chamilet Dank Centrex Loop 510t	-	 	OLF 33	IFWVVO	0.00					1	-	 	-	-	
	1										1		I	1	1]	
	1	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		<u> </u>	UEP93	1PQW6	0.56										
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1					1		I	1	1]	
	<u> </u>	Slot		<u> </u>	UEP93	1PQW7	0.56			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -														1	
		Different Wire Center			UEP93	1PQWP	0.56										
	1					1					İ	1			1		
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56				1		I	1	1]	
	+	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	-	t	S-1 00	11 04 77 7	0.50			 		1	 	 	1	 	+
	1				UEP93	1PQWQ	0.50				1		I	1	1]	
	1	Slot		ļ			0.56										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										ļ
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex						_									
		NRC Conversion Currently Combined Switch-As-Is with allowed															
	1	changes, per port			UEP93	USAC2		0.10	0.10		1		I	1	1]	
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58							ĺ	
	1	New Centrex Standard Common Block		1	UEP93	M1ACS	0.00	667.21		†	1	1	1	†	1	1	1
		James Garage Common Brook		1			0.00	301.21		1			L	1	1	1	1

UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									1 '		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	l	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
		- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
		 Installation is combination of Installation charge for SL2 Loc 	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	e-up as set forth in	ns.													

														T			
UNBL	INDLE	NETWORK ELEMENTS - Florida			T										ment: 2		bit: A
												1			Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc		Manual Svc	
CAILC	JONI	RATE ELEMENTS	m	ZUITE	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
														1st	Add I	DISC 1St	DISC Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "70	one" shown in the sections for stand-alone loops or loops as	nart of	a comi	nination refers to Ge	ngranhically	Deaveraged II	NF Zones To	view Geogran	 hically Deaver:	aged LINE Zon	- Designation	ns by Cent	ral Office refe	er to internet \	Nehsite:	l
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpinoany	Deaveragea o	TTE LONGS. TO	view Geograp	induity Deaver	aged ONE LON	o Designatio	no by ocn	rai Omoc, reio	or to interriet t	reporte.	
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	narges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states. (2) Any element that can be ordered electronically will be bille	od acco	rding	to the SOMEC rate lie	tod in this	natogory Plane	so refer to Ball	South's Local	Ordering Hand	book (I OH) to	dotormino i	f a product	can be order	nd alactronica	Illy For thes	o olomonte
		nnot be ordered electronically at present per the LOH, the liste															
		I, will be applied to a CLECs bill when it submits an LSR to B			oo ou.ogo., .o.		a. go a.a. a. a. a.		0110 000 0		g capas				J. 11.00, 11.0 11.0		g 0.1.u. g0,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNF S	FRVICE	DATE ADVANCEMENT CHARGE				SOWAN		11.90	0.00	1.03	0.00						
OITE O		The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX, UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
HMDI	IDI ED 5	Day XCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00				1					
ONDUI		ANALOG VOICE GRADE LOOP										-					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57	1					
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL UEANL	UEASL UEASL	10.69 15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57	 					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			20.07			20.02	5.51						
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	23.95	23.95	l	l .		<u> </u>	l	l .		<u> </u>

CATEGORY RATE ELEMENTS Morrison December Dece	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATE CLEMENS RATE ELEMENS RAT												Svc Order	Svc Order				
ACTION RATE ELEMENTS March Mar																	Charge -
## ANTE FLEMENTS ## Down 9CS USO Flements Part P																	Manual Svc
Best	CATEGORY	PATE ELEMENTS	Interi	Zone	RCS	LISOC			PATES (\$)								
Second Color Seco	CATEGORI	KATE EEEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR				Order vs.
CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC to CEC Conversion Charge Without Dusside Reports CLEC CONVERSION CHARGE REPORT CLEC																	Electronic-
SECON FILE Convenion Charge Wifeou Custade Departs SEANAL UNISSON SEANAL SOMEON SEANAL SOMEON SEANAL SOMEON SEANAL SOMEON SEANAL SOMEON SEANAL SEANAL UNISSON SEANAL S														1st	Add'l	Disc 1st	Disc Add'l
SECON FILE Convenion Charge Wifeou Custade Departs SEANAL UNISSON SEANAL SOMEON SEANAL SOMEON SEANAL SOMEON SEANAL SOMEON SEANAL SOMEON SEANAL SEANAL UNISSON SEANAL S	- I						-	Nonroc	urrina	Monrocurring	Disconnect	-	l	088	Pates (\$)	l	
CLES D. CLES CONVENSES CRISING WAS LODGED (CLES DEPORT VAN LODGED CONTROL OF CLES DEPORT VAN LODGED CONTRO							Rec					COMEC	COMAN			COMAN	SOMAN
U.YS.1.5 U.YS.1.5 U.P. S.1.5		CLEC to CLEC Conversion Charge Without Outside Dispetch						FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
Unbounded Vacor Loop, Non-Design Vacor Loop, Dilling for WST VEAR. UDANG 13.40 13.40 15.40					LIEANII	LIBEWO		15 70	9.04								
DEADL URANU					UEAINL	UKEWU		15.76	0.94								
Manual Oxele Confidence for UN_S-S1 (per loss)					LIEANII	LIEANIM		12.40									
Order Coordination for Specialised Convenience Trans for UNI-SE.1 UEANL. COOSE. 23:00									0.00								-
Committed Comm					UEAINL	UEAIVIC		9.00	9.00			-			-		
2					LIEANII	000001		22.02									
2-Wine Unburned Copper Loop - Non-Designed Zene 1 1 UES UEQX	2 WID				UEAINL	UCUSL		23.02									-
2 Wite Unbundled Copper Loop - Non-Designed - Zone 2	Z-VVIKI		-	1	LIEO	LIEO2V	7.60	44.00	20.00	24 99	6.45						-
2 Witer Unburneled Cooper Loop - Non-Designed - Zone 3												-			-		
Districted Missellaneous Rale Element, Tag Loop at End User UEO URETL 8.33 0.83												-			-		
Premise			-	3	ULQ	ULQZX	19.30	44.30	20.90	24.00	0.43						
Minima Criter Constriation 2 Wire Unfunded Copper Loop - Non-Design Conger Loop - Non-Design C				1	LIEO	LIBETI		8 22	0.63				1		I		1
Non-Designed (per foop) UEO USBMC 9.00	 			 	OLQ.	UNLIL		0.33	0.63							-	
Unburneded Copper Loop, Non-Design Cooper Loop, Non-					LIEO	LICDMC		0.00									
SST providing make-up (Enginemation - EL1)	 			-	ULW	USDIVIC		9.00				1			1		
Loop Testing - Basic fist Holf Hour UEG					LIEO	LIEOMII		12.40									
Loop Testing - Bases Additional Holl Hour URETA 23.55 23.85									19 GE			-			-		
CLEC to CLEC Conversion Charge Without Outside Depatch (UCLN) URBNOLDE EXCHANGE ACCESS LOOP URBNOLDE EXCHANGE ACCESS LOO												1					-
UEO URENO 14.27 7.43					ULQ	UNLIA		23.93	23.93			1					-
UNBINUNCED EXCHANGE ACCESS LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting 2					LIEO	LIDEWO		14 27	7.42								
A WIRE ANALO & VOICE GRADE LOOP	IINDIINDI ED				ULQ	UKLVVO		14.27	7.40								
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 UEPSR UEPSB UEALS 10.69 49.57 22.83 25.62 6.57												-			-		
Zone 1	2-1111																
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 2 Wire Analog Voice Grade Loop-Service Level 2 Wilcop or Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Service Level 2 Wilcop or Grade Loop-Service Level 2 Wilcop or Service Level 2 Wilcop				1	HEDSD HEDSB	LIEALS	10.60	49.57	22.83	25.62	6 57						
Zone 1	 			- ' -	OLFSK OLFSB	ULALS	10.09	45.51	22.03	25.02	0.57						
ZWire Analog Voice Grade Loop- Service Level 1-Line Splitting- ZulePSR UEPSR UEALS 15.20 49.57 22.83 25.62 6.57				1	HEDSD HEDSB	LIEARS	10.60	19.57	22.83	25.62	6 57						
Zone 2	 	==		- ' -	OLI OK OLI OD	OLADO	10.03	43.37	22.00	25.02	0.57						
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 2 UEPSR UEPSB UEABS 15.20 49.57 22.83 25.62 6.57				2	LIEPSR LIEPSR	LIFALS	15 20	49 57	22.83	25.62	6 57						
Zone 2				-	OLI OR OLI OD	OLALO	10.20	40.07	22.00	20.02	0.01						
ZWIRE Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3				2	LIEPSR LIEPSR	LIFARS	15 20	49 57	22.83	25.62	6 57						
Zone 3					OLI OK OLI OD	OLABO	10.20	40.07	22.00	20.02	0.01	1					
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3				3	LIEPSR LIEPSR	LIFALS	26 97	49 57	22.83	25.62	6 57						
DIRBUNDLE SKCHANGE ACCESS LOOP					OLI OK OLI OD	OLALO	20.01	40.07	22.00	20.02	0.01						
UNBUNDLED EXCHANGE ACCESS LOOP				3	LIEPSR LIEPSR	LIFARS	26 97	49 57	22.83	25.62	6 57						
2-WIRE ANALOG VOICE GRADE LOOP	UNBUNDI ED			-	OLI OK OLI OD	OLABO	20.01	40.07	22.00	20.02	0.01	1					
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1																	
Ground Start Signaling - Zone 1						+											
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 UEA UEAL2 17.40 135.75 82.47 63.53 12.01				1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01				1		1
Ground Start Signaling - Zone 2					1					22.00	:=:01				t		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 UEA UEAL2 30.87 135.75 82.47 63.53 12.01				2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		1		I		1
Ground Start Signaling - Zone 3 3 UEA UEAL2 30.87 135.75 82.47 63.53 12.01																	
Order Coordination for Specified Conversion Time (per LSR)				3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 1					UEA	OCOSL			-								
Battery Signaling - Zone 1																	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 2 UEA UEAR2 17.40 135.75 82.47 63.53 12.01				1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
Battery Signaling - Zone 2					İ	T				22.30	,				İ	İ	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 3				2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
Battery Signalling - Zone 3 3 UEA UEAR2 30.87 135.75 82.47 63.53 12.01																	
Order Coordination for Specified Conversion Time (per LSR)				3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01				1		1
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 87.71 36.35																	
Loop Tagging - Service Level 2 (SL2)									36.35								
4-Wire Analog Voice Grade Loop - Zone 1								11.21									
4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEAL4 26.84 167.86 115.15 67.08 15.56 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 47.62 167.86 115.15 67.08 15.56 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.02 23.02	4-WIR																
4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEAL4 26.84 167.86 115.15 67.08 15.56 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 47.62 167.86 115.15 67.08 15.56 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.02 23.02				1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 47.62 167.86 115.15 67.08 15.56 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.02 15.56				2													
Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.02				3	UEA	UEAL4			115.15	67.08	15.56						
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 87.71 36.35		CLEC to CLEC Conversion Charge without outside dispatch				UREWO		87.71	36.35								

UNBUNDL	ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: A
			1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone		BCS	USOC			RATES (\$)					Order vs.		Order vs.	Order vs.
GATEGORI	NATE ELEMENTO	m	20110		200	0000			ππι ΔΟ (ψ)			per LSR	per LSR		Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Monrocurring	Disconnect		l .	088	Rates (\$)		
						+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0.14//	I RE ISDN DIGITAL GRADE LOOP			-				FIIST	Add I	FIRST	Addi	SUMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
2-771			1	UDN		U1L2X	19.28	4.47.00	94.41	00.00	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2			UDN		U1L2X		147.69 147.69	94.41	62.23	10.71						
							27.40 48.62			62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN		U1L2X	48.62	147.69	94.41	62.23	10.71						
	Order Coordination For Specified Conversion Time (per LSR)			UDN		OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO		91.61	44.15								
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UAL		UAL2X	8.30	149.53	103.85	75.05	15.63						
l l	2 Wire Unbundled ADSL Loop including manual service inquiry		1			1						1	1				1
	& facility reservation - Zone 2		2	UAL		UAL2X	11.80	149.53	103.85	75.05	15.63						1
l l	2 Wire Unbundled ADSL Loop including manual service inquiry		1	1		I						1	1				1
	& facility reservation - Zone 3		3	UAL		UAL2X	20.94	149.53	103.85	75.05	15.63						
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23.02									
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 1		1	UAL		UAL2W	8.30	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 2		2	UAL		UAL2W	11.80	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 3		3	UAL		UAL2W	20.94	124.83	71.12	60.64	9.12						
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86.19	40.39								
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UHL		UHL2X	7.22	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 2		2	UHL		UHL2X	10.26	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 3		3	UHL		UHL2X	18.21	159.09	113.41	75.05	15.63						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23.02									
	2 Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 1		1	UHL		UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry		1								****						
	and facility reservation - Zone 2		2	UHL		UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry			O		0	10.20	.00	00.00	00.01	0.12	1					
	and facility reservation - Zone 3		3	UHL		UHL2W	18.21	134.40	80.69	60.64	9.12						
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL		OCOSL	10.21	23.02	00.03	00.04	3.12						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86.12	40.39								
4-10/1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB	OFIL		OKLVVO		00.12	40.55								
4-441	4 Wire Unbundled HDSL Loop including manual service inquiry	IIDLL	LOOF			+						-					
	and facility reservation - Zone 1		4	UHL		UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry			UHL		UHL4A	10.00	193.31	130.90	77.13	12.01						
	and facility reservation - Zone 2		2	UHL		UHL4X	15.44	193.31	138.98	77.15	12.61						
				UHL		UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry		_														
	and facility reservation - Zone 3		3	UHL		UHL4X	27.39	193.31	138.98	77.15	12.61						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry						40.00	400.00	445.47	00.74	44.00						
	and facility reservation - Zone 1		1	UHL		UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry		1 _										1				I
$\vdash \vdash$	and facility reservation - Zone 2		2	UHL		UHL4W	15.44	168.62	115.47	62.74	11.22				1		├
	4-Wire Unbundled HDSL Loop without manual service inquiry		_			l											
	and facility reservation - Zone 3		3	UHL		UHL4W	27.39	168.62	115.47	62.74	11.22						
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL		OCOSL		23.02	10.0-								
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL		UREWO		86.12	40.39								
4-WI	RE DS1 DIGITAL LOOP		<u> </u>														
$\vdash \vdash \vdash$	4-Wire DS1 Digital Loop - Zone 1			USL		USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2			USL		USLXX	100.54	313.75	181.48	61.22	13.53	1	ļ				
	4-Wire DS1 Digital Loop - Zone 3		3	USL		USLXX	178.39	313.75	181.48	61.22	13.53	1	ļ				
1 1	Order Coordination for Specified Conversion Time (per LSR)			USL		OCOSL		23.02				1	l				

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
ONDONDE	LED HETWORK ELEMENTO TIONAG				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	NATE ELEMENTO	m	20116	БОО	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı	Nonrec	urring	Nonrecurring	Disconnect		l	066	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
4 10/1	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWU		101.07	43.04						-		
4-991	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
-	4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	31.56	161.56	108.85	67.08	15.56						
-				UDL	UDL19	55.99										
-	4 Wire Unbundled Digital 19.2 Kbps						161.56	108.85	67.08	15.56						
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	!	1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56				-		
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<u> </u>		UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ	3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL -Des)			UCL	UREWO		97.21	42.47								
4-WI	RE COPPER LOOP			001	CITETIO		07.121									
1	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
-	4-Wire Copper Loop-Designed including manual service inquiry			OOL	OCL40	11.03	177.07	132.70	77.13	17.75						
1 1	and facility reservation - Zone 2	1	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
 	4-Wire Copper Loop-Designed including manual service inquiry	1		UUL	UCL40	10.01	1//.0/	132.70	11.15	11.13	-	-		 		
1 1	and facility reservation - Zone 3	1	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
\vdash		 	3		UCL4S UCLMC	29.82			11.15	17.73				 		
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	1	!	UCL	UCLIVIC	 	9.00	9.00				 		1		
1 1	4-Wire Copper Loop-Designed without manual service inquiry	1	1	UCL	LICLAW	44.00	450.40	400.00	00.74	44.00	1	1		I		
\vdash	and facility reservation - Zone 1	 	7	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		-		1		
1 1	4-Wire Copper Loop-Designed without manual service inquiry	1	_	LICI	1101 414	40.04	450.40	400.00	00.74	44.00		1				
\vdash	and facility reservation - Zone 2	!	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22				1		
1 1	4-Wire Copper Loop-Designed without manual service inquiry	1	_				,=				1	1		I		
\vdash	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	!		UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UCL	UREWO		97.21	42.47								
LOOP MODI	FICATION	ļ			ļ									.		
				UAL, UHL, UCL,												
1 1		1	1	UEQ, ULS, UEA,]						1				
1 1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop	<u></u>		UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1														
	less than or equal to 18K ft, per Unbundled Loop	<u></u>		UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,												
		1		UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,												
	per unbundled loop	<u></u>	L	UEPSB	ULMBT	<u> </u>	10.52	10.52			L	<u> </u>		<u> </u>	<u> </u>	
SUB-LOOPS																

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						== (+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)	I.	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Cub I a	op Distribution						riist	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
-	Sub-Lo			-													
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.		LIFANII	USBSA		487.23									
		о р			UEANL	USBSA		487.23					ļ				
			١.														
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	l l		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	I		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										1					
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1							1			I		I	
		Zone 2	1	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						l
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	1	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						l
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLITAL	OODIV	10.47	00.00	00.42	40.71	0.00		1				
		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
		2016 3		3	OLANE	OODIV	10.50	00.03	30.42	43.71	0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
		Sub-Loop 2-Wile intrabuliding Network Cable (INC)			UEAINL	USBRZ	3.90	31.04	13.44	47.50	5.26		-		-		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60	1					
		Sub-Loop 4-Wile intrabuliding Network Cable (INC)	- '		UEAINL	USBR4	9.37	55.91	17.51	49.71	0.00	1					
		0-10				1100110		0.00	0.00								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00				ļ				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour	ļ		UEANL	URETA		23.95	23.95								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26		ļ		1		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
			1	1													l
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEF	URET1	i i	48.65	48.65			1					
		Loop Testing - Basic Additional Half Hour			UEF	URETA	i i	23.95	23.95			1					
	Unbund	dled Network Terminating Wire (UNTW)				1	i i					1					
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
	Networ	k Interface Device (NID)	1	<u> </u>		İ						Ì	1		1		1
		Network Interface Device (NID) - 1-2 lines	1	<u> </u>	UENTW	UND12	1	71.49	48.87			Ì	1		1		1
		Network Interface Device (NID) - 1-6 lines	1	<u> </u>	UENTW	UND16	1	113.89	89.07			Ì	1		1		1
\vdash		Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC2		7.63	7.63		1	1		1	t	1	1
		Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4	 	7.63	7.63			1	i				
LINE OT	HFR P	ROVISIONING ONLY - NO RATE	 	 	0211111	311237	1	7.00	7.03			1	1	1	1	1	1
3142 01	···LIX, F	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0.00	0.00				t	1		1		1
\vdash		UNTW Circuit Id Establishment, Provisioning Only - No Rate	 	1	UENTW	UENCE	0.00	0.00		-	1	}	 	1	 	1	
\vdash		ON TWO GIRCUIT IN ESTADIISTITIETT, PROVISIONING ONLY - INO RATE	-	-	UEANL,UEF,UEQ,U	DEINCE	0.00	0.00		-		-		-		-	
		Hohundlad Contract Name Browinianian Only No Batt	1	1		UNECN	0.00	0.00									Ì
LINE C	IIIEE -	Unbundled Contract Name, Provisioning Only - No Rate	-	!	ENTW	UNEUN	0.00	0.00			1	1	1	1	-	1	1
UNE OT	п∟к, Р	ROVISIONING ONLY - NO RATE		1		1						1			1		

LIMBI	INDI E	D NETWORK ELEMENTS. Florido												A 1		F. 1.11	
UNBU	JNDLE	D NETWORK ELEMENTS - Florida	1	1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	2007	DATE ELEMENTS	Interi	7	BCS	11000			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	,						1										
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,												ı l
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı l
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									1
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															ı l
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															i l
		no rate			USL	CCOEF	0.00	0.00									
HIGH (CAPACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															i l
		month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility															1
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						ı
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															1
		month			UDLSX	1L5ND	10.92										ı l
		High Capacity Unbundled Local Loop - STS-1 - Facility															1
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						ı l
LOOP	MAKE-U	JP															1
		Loop Makeup - Preordering Without Reservation, per working or															1
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								ı l
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		55.07	55.07								ı l
		Loop MakeupWith or Without Reservation, per working or															
		spare facility gueried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								ı l
LINE S	SHARING	S AND LINE SPLITTING															
	NOTE '	1: The Line Sharing monthly recurring rates for all installation	is com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 sha	I be billed as f	ollows:							
	NOTE '	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
	NOTE '	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1													
	NOTE '	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															1
	NOTE '	1: Above will apply to USOCS: ULSDT and ULSCT															1
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLIT1	FERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						1
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						1
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						1
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															1
1	1	deactivation (per LSOD)	l	1	ULS	ULSDG		173.66	0.00	97.42	0.00		1		Ì		i
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															1
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						i l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						ı l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															i l
1	1	(E:10/2/2004)	l	1	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61		1		Ì		i
		Line Share Service, TRO per line activation, BST owned splitter -				_						İ			İ		$\overline{}$
1		Central Office Located (75% of UCLND) - please see NOTE 1	l									1					₁ 1
1	1	(E:10/2/2005)	l	1	ULS	ULSDT	5.97	29.68	21.28	19.57	9.61		1		Ì		i
	1	Line Sharing - per Subsequent Activity per Line Rearrangement	1	1		l ·	5.57	20.00	220	.0.07	5.51				1		
1	1	- (BST Owned Splitter)	l	1	ULS	ULSDS		21.68	16.44				1		Ì		i l
	1	Line Sharing - per Subsequent Activity per Line Rearrangement	1	1				250							1		
	1	- (DLEC Owned Splitter)	l	1	ULS	ULSCS		21.68	16.44				1		Ì		i l
		Line Sharing - per Line Activation (DLEC owned Splitter) -										İ			İ		
1		OBSOLETE see **NOTE 2	l	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	l	1		l		ı l
	1		L	<u> </u>		,	3.01		.0.01		,-	L	L		1		

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			lust a ut									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
	<u> </u>	NOTE 1 (E:10/2/2003)		<u> </u>	ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	3.90	47.44	19.51	20.67	12.74						1
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	LINE S	PLITTING			020	02001	0.01			20.01							
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBU		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>													
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			11477.07	41.500/	0.0004										
	-	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0091			1							
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	1	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	01172	25.52	47.33	31.70	10.31	7.03	1					
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTTVX	120/01	0.0001										
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
	-	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDX	01106	18.44	47.35	31.78	18.31	7.03						
		month			U1TD1	1L5XX	0.1856										
-	+	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	TESTA	0.1000			†		1					
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0.1.2.		33.11		00	2	10.00						
		month			U1TD3	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - DS3 - Facility				1-41-1	0.00										
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	3.87										
1		Interoffice Channel - Dedicated Transport - STS-1 - Facility]]		
		Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						<u> </u>
DARK	FIBER		<u> </u>							ļ							ļ
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1							I				1	1		
<u> </u>	<u> </u>	Thereof per month - Interoffice Channel	<u> </u>		UDF, UDFCX	1L5DF	26.85	==	100 5			<u> </u>		 	 		
-	 	NRC Dark Fiber - Interoffice Channel	 	<u> </u>	UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11	}		 	 		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DL	55.04										
-	+	Thereof per month - Local Loop NRC Dark Fiber - Local Loop	 	<u> </u>	UDF, UDFCX	UDFL4	55.04	751.34	193.88	356.21	230.11	 					
	1	LALLO DOLY LIDEL - FOCOL FOOD	1	1	ODE, ODECA	ODI L4		101.04	193.68	330.21	230.11	1					L

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES (\$)		Pi		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING				+		FIISL	Auu i	Filat	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		4.15	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70						
1	8XX Access Ten Digit Screening, Per 8XX No. Established With			OND			0.70	1.10	5.77	0.70						+
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.15	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								1
	8XX Access Ten Digit Screening, Call Handling and Destination			OLID	1401700		4.00	0.70								
	Features			OHD	N8FDX		4.15	4.15								
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006252										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															ļ
	LIDB Common Transport Per Query			OQT		0.0000203										
	LIDB Validation Per Query			OQU	NDDDV	0.0136959	55.40	55.40	55.40	55.40						ļ
SIGNALING (LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.13	55.13	55.13	55.13						
JOHALINO (CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1.100%	0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message			UDB	071150	0.0000152										
 	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
E911 SERVIC				000	00/11/0		40.00	40.00	40.00	40.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					05.00	47.05	04.70	40.04	7.00						
-	Termination Local Channel - Dedicated - DS1 - Zone 1					25.32 35.28	47.35 216.65	31.78 183.54	18.31 21.47	7.03 19.05						
	Local Channel - Dedicated - DS1 - Zone 1					47.63	216.65	183.54	21.47	19.05						
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
	·															
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05						
CALLING NA	ME (CNAM) SERVICE															ļ
	CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01						ļ
 	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	 		OQV	+	-	25.35	25.35	19.01	19.01	-				1	
	Establishment			OQV			1,592.00	1,177.00	352.36	259.09						
	CNAM For Non DB Owners - Service Provisioning With Point	1							I T							
	Code Establishment			OQV		0.00100	546.51	393.82	358.06	259.09						.
 	CNAM for DB Owners, Per Query	 	-	OQV	1	0.001024			1					1	1	
SELECTIVE F	CNAM for Non DB Owners, Per Query	-		OQV	-	0.001024			 						-	
JELEGIIVE	Selective Routing Per Unique Line Class Code Per Request Per	-							 							
1 I	Switch	l					93.55	93.55	12.71	12.71						
VIRTUAL CO					1										1	1

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR Per LSR Per LSR Per LSR Electronic- Elect	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ART E LEIDENTS PART E LEIDE									· · · · · · · · · · · · · · · · · · ·	<u> </u>	· · · · · · · · · · · · · · · · · · ·	Svc Order			Incremental		Incremental
CATEGORY SATE ELEMENTS												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Record R	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Present Control Present Co			""											Electronic-	Electronic-	Electronic-	Electronic-
March Marc														1st	Add'l	Disc 1st	Disc Add'l
March Marc								Name		Name a comin	Dianamant			220	Datas (ft)		
Vival Collection Vive Cross Contracts (Lossy) for Lane Ill. ImpSix (Lap Visal Collection Vive Cross Contracts (Lossy) for Lane Ill. ImpSix (Lap Visal Collection Vive Cross Contracts (Lossy) for Lane Ill. ImpSix (Lap Visal Collection Vive Cross Contracts (Lossy) for Lane Ill. ImpSix (Lap Visal Collection Vive Cross Contracts (Lossy) for Lane Ill. ImpSix (Lap Visal Collection Vive Cross Contracts (Lossy) for Lane Ill. ImpSix (Lap Visal Collection Vive Collection						+	Rec					COMEC	COMAN			COMAN	COMAN
Scalemen	h	Virtual Collocation 2 Wire Cross Connects (Loop) for Line	1					FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
PRIVATE COLOCATION Propried Collocations 2 View Cross Connotes (Loop) for Line Propried Collocations 2 View Connotes Connotes Connotes Connotes Connotes Connotes Connotes Connotes Connot					HEDGD HEDGR	\/E1 S	0.0502	11 57	11 57	0.00	0.00						
Projunit Collections - Wine Cross Corrected Loopy for Line	PHYSICAL CO				OLI OK OLI OB	VETES	0.0302	11.57	11.57	0.00	0.00						
Selling Sell	1																
AM SELECTIVE CARRIER ROUTING Second District Calculation of the real Evaluation of the Property of the Prop					UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
End Office Enablathement	AIN SELECTIV						0.00.0	•									
Set Office Final International Colors Set Office Se		Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
AIN SELECTION AND SIGN ACCESS SERVICE AN NOSE Access Service - Service Establishment, Per State, white Strip, AN NOSE Access Service - Fort Connection - Delis Stand Access AN NO CAMPP AN NOSE Access Service - Fort Connection - Rev Lore On Content Service - Service - Fort Connection - Rev Lore On Content Service - Service - Fort Connection - Rev Lore AN NOSE Access Service - Service - Fort Connection - Rev Lore On Content Service - Service - Fort Connection - Rev Lore AN NOSE Access Service - Service - Fort Connection - Rev Lore AN NOSE Access Service - Service - Fort Connection - Rev Lore AN NOSE Access Service - Service - Fort Connection - Rev Lore AN NOSE Access Service - Service - Fort Connection - Rev Lore AN NOSE Access Service - Service - Fort Minde AN NOSE Access Service - Service - Fort Minde AN NOSE Access Service - Service - Fort Minde AN NOSE Access Service - Service - Fort Minde AN NOSE Access Service - Service - Fort Minde AN NOSE Access Service - Service - Fort Minde AN NOSE Access Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Service - Fort Minde AN NOSE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Access Charge - Per Trigger, Per BAPTT BASE Service - Trigger Acce						SRCEO		187.36	187.36	0.69	0.69						
AN SMS Access Service - Florid Common - Per State, Inhibit Sharp - Per Common - State		Query NRC, per query			SRC		0.0031868										
Initial Solup	AIN - BELLSO																
AN SMS Access Service - Port Commercion - DisiShared Access AN SMS Access Service - Port Commercion - SCRI Access AN SMS Access Service - Port Commercion - SCRI Access AN SMS Access Service - Port Commercion - SCRI Access AN SMS Access Service - Scripting - Port Commercion - SCRI Access AN SMS Access Service - Scripting - Port Commercion - SCRI Access AN SMS Access Service - Scripting - Scripting - Port Commercial - An SMS Access Service - Scripting - Scripting - Port Commercial - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Million - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Service - Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Scripting - Port Tigger, Port - An SMS Access Script																	
AN SAR Access Service - Por Connection - ISSN Access Service - Under Perfection Code - Per User (10 Kidolyce)		Initial Setup	<u></u>		A1N	CAMSE		43.56	43.56	44.93	44.93						
AN SAR Access Service - Por Connection - ISSN Access Service - Under Perfection Code - Per User (10 Kidolyce)																	
AN SEA Access Service - User Identification Codes - Per User ID Code AIN CAMAU 36.66 38.66 29.88 29.88			;														
Display			ļ	ļ	A1N	CAM1P		8.64	8.64	10.03	10.03					ļ	
ANS SKS Access Service - Security Card, Per User ID Code																1	
Initial of Regulacement					A1N	CAMAU		38.66	38.66	29.88	29.88						
AN SNA Access Service - Session, Per Minute 0.00028										40.00							
ANY SUS Access Service - Company Performal Season, Per Munitary Suspension ANY SUS Access Service - Company Performal Season, Per Munitary Suspension ANY Tools Service - Trainge Season, Per State, Initial Setul. ANY Tools Service - Trainge Season, Per Customer ANY Tools Service - Trainge Season, Per Customer ANY Tools Service - Trainge Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.64 8.64 10.03 10.03 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.64 8.64 10.03 10.03 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.64 8.64 10.03 10.03 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.64 8.64 10.03 10.03 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.64 8.64 10.03 10.03 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.67 8.67 8.68 9.68 9.68 9.68 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.68 8.69 15.86 ANY Tools Service - Trainger Access Charge, Per Trigger, Per BAPTI 8.69 8.60 8.60 8.60 8.60 8.60 8.60 8.60 8.60					A1N	CAMRC		75.10	75.10	12.93	12.93						
AN SUS Access Service - Company Performed Session, Per Multitude National Service N																	
Minute							0.7809										
AIN - BELLISOUTH AIN TOOLKIT SERVICE CAMI BAPSC 43.56 43.56 44.93 44.93 44.93							0.4000										
AN Toolks Service - Service Establishment Charge, Per State, Initial Setup AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Service - Training Session, Per Customer AN Toolks Service - Training Session, Per Customer AN Toolks Service - Training Service - Training Service - Training Service - Training Service - Training Service - Training Service - Training Service - Training Service -	AIN BELLEO					+	0.4609				-						
Initial Setup	AIN - BELLOO		1														
AN Toolki Sender - Trianing Session, Per Customer					CAM	BARSC		13.56	13 56	1/1 03	11 03						
AN Toolki Service - Trigger Access Charge, Per Trigger, Per BAPTT 8.64 8.64 10.03					O/ UVI					44.00	44.00						
DN, Term, Attempt						27.11 17.1		0, 100.00	0,100.00								
ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 10.03 10.03 10.03 No.01						BAPTT		8.64	8.64	10.03	10.03						
BAPTD 8.64 8.64 1.0.03 1.0.03																	
DN, Off-Hook Immediate						BAPTD		8.64	8.64	10.03	10.03						
DN, Off-Hook Immediate		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
DN, 10-Digit PODP						BAPTM		8.64	8.64	10.03	10.03						
ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTC 38.06 38.06 15.86 15.86		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
DN. CDP						BAPTO		38.06	38.06	15.86	15.86						
AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTF 38.06 38.06 15.86 15.86																	
DN, Feature Code						BAPTC		38.06	38.06	15.86	15.86						
AIN Toolkit Service - Query Charge, Per Query																	
AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit S						BAPTF		38.06	38.06	15.86	15.86						
Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes O.06 AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 8.34 8.64 8.64 6.08 6.08 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit CAM BAPDS 4.73 8.64 8.64 6.08 6.08 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81							0.0535927										
All Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes All Toolkit Service - Monthly report - Per Aln Toolkit Service Subscription CAM BAPMS 8.34 8.64 8.64 6.08 6.08 Aln Toolkit Service - Special Study - Per Aln Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 Aln Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 Aln Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 CAM BAPES 0.12 9.56 9.56 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81 EVALUATION TOOL KILD STORE AND AS A SCHOOL AS A SCHOO																	
Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 8.34 8.64 8.64 8.64 8.64 8.60 8 8.37 8.64 8.64 8.64 8.64 8.64 8.64 8.64 8.64							0.0063698										
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 8.34 8.64 8.64 6.08 6.08 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Currently Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81							0.00										
Subscription							0.06										
AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.73 9.56 9.56 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 BAPES 0.12 9.56 9.56 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81					CAM	DADMO	0.24	0.04	0.04	0.00	0.00						
Subscription					CAIVI	BAPIVIS	8.34	8.04	8.64	6.08	6.08						
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS A.73 B.64 BAPDS BAPES B					CAM	D V DI C	2 72	0.56	0.56								
Subscription CAM BAPDS 4.73 8.64 8.64 6.08 6.08 6.08 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.12 9.56 9.56 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81			1		CAIVI	DAFLO	3.73	9.50	9.50								
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81			1		CAM	RAPDS	172	8 64	8 64	6.09	6.00					I	
Service Subscription CAM BAPES 0.12 9.56 9.56 9.56 9.56			 	!	C, uvi	טתו טט	4.13	0.04	0.04	0.00	0.06	 				t	
ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81			1		CAM	BAPES	0.12	9.56	9 56		I					I	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81	ENHANCED F		 	!	C, HVI	5, 11 20	0.12	3.30	3.30	1	 	 				t	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1			apply a	nd the	Switch-As-Is Chard	e will not an	oly for UNE con	nbinations pro	visioned as ' (Ordinarily Com	bined' Networ	Elements.			1	I	
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 12.24 127.59 60.54 42.79 2.81																1	
First 2-Wire VG Loop (SL2) in Combination - Zone 1								p									
First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.40 127.59 60.54 42.79 2.81						UEAL2	12.24	127.59	60.54	42.79	2.81						
				2	UNCVX	UEAL2		127.59	60.54	42.79							
				3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

LINDLINDI	ED NETWORK ELEMENTS - Florida												A44b	ment: 2	Ful:	bit: A
UNBUNDLE	D NETWORK ELEMENTS - FIORIDA	1			1						Cua Ordar	Sua Ordar	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	-	BCS				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	per month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ľ
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146,77	101.42	71.62								1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
										0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						l
	Each / Additional 2 Wile ve Eoop (GE 2) in Combination 2016 1	 		ONOVA	OLITE	12.27	127.00	00.04	72.70	2.01						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						ĺ
 	Lacri Additional 2-Wile vo Loop (SL 2) III Combination - Zone 2	 		OINOVA	ULALZ	17.40	127.59	60.54	42.19	2.01	+	 		 		
	Fach Additional 2 Wise VC Land (CL 2) in Combination 7 2		3	LINOV	LIEALO	20.07	407.50	CO 54	40.70	0.04		1				i
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		ļ				 '
	Voice Grade COCI - Per Month	ļ	 	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00		ļ				
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1								1	I		İ		i
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											1
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						l
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						l
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		J	ONOVA	OLAL	47.02	127.55	00.54	42.73	2.01						
	Per Month			UNC1X	1L5XX	0.1856										l
-	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIA	ILJAA	0.1050					-					
				UNC1X	U1TF1	00.44	174.46	400.40	45.04	17.95						l
	Month					88.44		122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ł
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ĺ
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98	1	I		İ		i
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN									İ		İ		
			1								1	i		1		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		1				i
 			_		55250	22.20	127.00	00.04	72.13	2.01	t	 		 		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1	I		İ		i
 	I not - Trie Solvopo Digital Grade Loop III Combination - Zone Z	 		CHODA	ODLJO	31.30	121.59	00.54	42.19	2.01	+	 		 		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1	I		İ		i
		 	3	OINCDV	UDLOO	55.99	127.59	00.54	42.79	2.81	1	 		 		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.500/	0.40=0						1				i '
	Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1856					.					
	Interoffice Transport - Dedicated - DS1 - combination Facility	1	1								1	I		İ		i
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62				<u> </u>				
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															i ———
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	1	I		İ		i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1	I		İ		i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															ſ
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1	I		l		i
	Additional OCU-DP COCI (data) - in combination per month (2.4-		Ŭ			55.55	.200	33.04	.2.70	2.01	1	1		1		
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1				i
	O-TROOJ	L	<u> </u>	011007	טטוטו	2.10	10.07	1.00	0.00	0.00	1	1		1		

UNBUNDL	ED NETWORK ELEMENTS - Florida					•							Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1					+	I	Nonrec	urring	Nonrecurring	Disconnect	1	I	220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrequiring Currently Combined Naturals Flomenta Switch As				+		FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	LINICOC		0.00	0.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	D51 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	l	1	UNC1X	1L5XX	0.1856								l		
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	İ	1		İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1	=:10			2,00	2.00	İ			İ		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	OHODA	ODLOT	22.20	127.00	00.04	72.70	2.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	ODL04	31.30	127.59	00.54	42.13	2.01		-				
			3	LINCDY	UDL64	55.99	407.50	CO 54	40.70	2.04						
\vdash	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month			LINODY	10100	0.40	40.07	7.00	0.00	0.00						
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	l	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98				l		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				2.20	2.20	2.30	2.30				İ		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				İ		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	İ			İ		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	İ			İ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	T -	-	1					10	Ì	1		1		
	Per Month	l		UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1			0.07					1	1		 		
	month	l		UNC3X	U1TF3	1.071.00	314.45	130.88	38.60	18.23						
	3/1Channel System in combination per month	1	-	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	}	 		 		
	DS1 COCI in combination per month	1	-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	}	 		 		
\vdash		1	1	ONCIA	OCIDI	13.76	10.07	1.08	0.00	0.00	 	 		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	١,	LINGAY	LICLYY	70.74	047.75	404.00	54.44	44.45				l		
\vdash	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1	1				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINGAY	LIGINA	400 = 1	047	404.00	-,	44				l		
\vdash	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	ļ	ļ				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	1		1									l		
	Zone 3	<u> </u>	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		ļ				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	l			1											
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						-
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	1		Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	GON	KATE EEEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nicon			. D'			200	D-1 (A)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		T		1						İ	1		1		İ
		Month		1	UNCVX	1L5XX	0.0091								I		
	+	Interoffice Transport - 4-wire VG - Dedicated - Facility		 			3.0001					†	1		1		
		Termination per month		1	UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	+	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01174	22.50	34.70	32.33	30.43	21.00	1	1				
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	CVTCA	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FEIGE		UNCCC		8.98	8.98	8.98	8.98						
	EXIEN		INTERC	FFICE		41 END	40.00						ļ				
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-			0.100/1	0	1,000.00	010	100.00	00.00	10.20		1				
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	EVTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	EDODT	ONCOX	ONCCC		0.30	0.30	0.30	0.30	1					
	LAILI	First 2-Wire ISDN Loop in Combination - Zone 1	111/7/14	1 1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	1					
	-	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		-		-		
	-	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		-		-		
				3	UNCINA	UTLZX	40.02	127.39	00.00	42.13	2.01						
		Interoffice Transport - Dedicated - DS1 combination - per mile per month		1	UNC1X	1L5XX	0.1856										
	_				UNCIX	ILSXX	0.1856					1					
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY	U1TF1	00.44	474 40	400.40	45.04	47.05	1					
	-	Termination per month		1	UNC1X		88.44	174.46	122.46	45.61	17.95	1	1		-		1
	-	1/0 Channel System in combination - per month		1	UNC1X	MQ1	146.77	101.42	71.62			1	1		-		1
	-	2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	1	1		1		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1 .		l				40 ==							
	_	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		ļ				
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		l -													
		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		ļ		1		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1]										
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		1				
		Additional 2-wire ISDN COCI (BRITE) - in combination- per		1		1]										1
		month	<u></u>	<u>L</u>	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	<u> </u>	<u> </u>		<u> </u>		<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-												_		_	
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO												
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	İ	1		1		
											10				i		

ALTERIOR RATE LEMENTS Market Zone BOS USO RATE S) Sometime Sometime Congress Co	UNBI	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
ATT BLEMENTS Part Company Part	CIAD	JINDEL		1	1		1						Svc Order	Svc Order				
## PATE FLEMENTS PATE PAT																		
AFFECRIVE BATE ELEMENTS IN CORP. 1 Sept. 1 Sept. 1 Sept. 2 Sep																		
No.	CATE	CODV	DATE ELEMENTS	Interi	Zono	DC6	HEOC			DATES (\$)								
Part Part	CAIL	GONT	KATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (4)			per LSR	per LSR				
Note																		
Proceedings															1st	Add'l	Disc 1st	Disc Add'l
Proceedings	-	1					+	ı	Nonroc	urring	Monrocurring	Disconnect		l	066	Pates (\$)		
Part Part								Rec					SOMEC	SOMAN			ROMAN	SOMAN
Pire Asson			Intereffice Transport Dedicated STS 1 combination Per Mile						riist	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
Interoline Transport - Decisional - ST-Set Controllation - Facility Name						LINICSY	11.577	2 97										
Terrelation per memb						ONOOX	TESTON	3.07										
ST Channel States to Acceptance per combined DACKS MOST M						LINICSY	LITES	1.056.00	31/ /5	130.88	38.60	18 23						
Selection Sele																		
Additional Distriction in the same SIS-1 intendified Transport 1 NOTIX USLXX 10.04 217.75 121.05 51.44 14.45																		
Continuent Total 1 MICK USLAX 70.74 217.75 121.62 51.44 14.45						ONOTA	OOIDI	10.70	10.07	7.00	0.00	0.00		1				
Additional DSTLoop in the same STS-1 Interoffice Transport Combination: Zone 2 Additional CSC Loop is the same STS-1 Interoffice Transport Additional CSC Loop is the same STS-1 Interoffice Transport STS-1 Loop is the same STS-1 Interoffice Transport STS-1 Loop is the same STS-1 Interoffice Transport STS-1 Loop is the same STS-1 Interoffice Transport STS-1 Loop is the same STS-1 Interoffice Transport Nonrecouring Correlation Comments Studio. 199 Notice STS-1 Loop in Comments Studio. 199 N					1	LINC1X	LISL XX	70 74	217 75	121 62	51 44	14 45						
Combination 2 m 2					<u> </u>	ONOTA	COLFOR	70.14	217.70	121.02	01.44	14.40						
Additional Districtors in the same of ST-1 Interoffice Transport 1					2	LINC1X	LISL XX	100 54	217 75	121 62	51 44	14 45						
Combination 2 20m3 3 UNCIX USUXC 173:0 217:75 171:62 51:44 14:45 14:45 14:45 15:45 15:45 15:45 15:45 14:45 14:45 15:45 1						ONOTA	OOLYON	100.04	217.70	121.02	01.44	14.40		1				
DST OCC in continuance per month Description Descrip					3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
Noncouring Currenty Combined Newson Elements Switch / As- No.																		
Inchest Inch		1		-	l	0.101/	20101	10.70	10.07	7.00	5.00	0.00				-		
EFTENDED -WINE 58 MERS LIGHT LE EXTENDED LOOP WITH 58 KIRPS INTEROFFEE TRANSPORT 1 NINCOX U.D.56 22.20 17.759 0.05.4 42.77 2.81			,			LINCSX	LINCCC		8 98	8 98	8 98	8 98						
4-wire 66 kbps Local Loop in combination - Zone 1		FXTEN		PS INT	FROFE		011000		0.50	0.00	0.00	0.00		1				
4-wire 68 kbps Local Local pic northeristen - Zone 3		LX L		, O			UDI 56	22 20	127 59	60.54	42 79	2 81						
Awire 68 kbps Local Loop in combination - Zone 3 3 UNCOX UNCOX 11,5XX 0,0091 1,0000 1,00	-																	
Interoffice Transport - Dedicated - 4-wire 68 kbps combination - Device September - Dev														1				
Per Mile per month UNCDX 1,5XX 0,0091					_	O. TOBA	02200	00.00	127.00	00.01	12.70	2.01		1				
Interoffice Transport - Decicated - 4-wire 64 kbps combination - Part Mile per month UNCDX UTDS 18.44 94.70 52.59 50.49 21.53						LINCDX	11 5XX	0.0091										
Facility Termination per month Noncorrum Currently Combined Network Elements Switch - As- UNCDX UTIDS 18.44 94.70 52.59 50.49 21.53						O. CODA	120701	0.0001										
Nonrecurring Currently Combinated Network Elements Switch -As- EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERCEPTCE TRANSPORT						UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53						
S. Charge						O. TOBA	01120	10.11	00	02.00	00.10	21.00		1				
EXTENDED 4-WIRE 64 KBS DIGITAL EXTENDED LOOP WITH 64 KEPS INTEROFFICE TRANSPORT 1 NICOX UDL64 22.20 127.59 60.54 42.79 2.81						UNCDX	UNCCC		8 98	8 98	8 98	8 98						
4-wire 64 kbps Local Loop in Combination - Zone 1		FXTFN		PS INT	FROFE		011000		0.00	0.00	0.00	0.00						
4-wire 64 kbps Local Loop in Combination - Zone 2 2 UNCDX UDL64 315.6 127.59 60.54 42.79 2.81							UDI 64	22 20	127 59	60.54	42 79	2 81						
4-wie 64 kbps Local Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81					2													
Interoffice Transport - Dedicated - A-wire 64 kbps combination -																		
Per Mile per month																		
Interoffice Transport - Deciciated -4-wire 64 klops combination - Facility Termination per month UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53						UNCDX	1L5XX	0.0091										
Facility Termination per month UNCIX UTD6 18.44 94.70 52.59 50.49 21.53																		
S. Charge UNCDX UNCCC 8.98 2.98 1.90 2.98						UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
S. Charge UNCDX UNCCC 8.98 2.98 1.90 2.98			Nonrecurring Currently Combined Network Elements Switch -As-															
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DSI INTEROFFICE TRANSPORT W 3/1 MUX First 2-wire VG Loop (SL2) in Combination - Zone 1						UNCDX	UNCCC		8.98	8.98	8.98	8.98						
First 2-wire VG Loop (SL2) in Combination - Zone 2		EXTEN		RANSP	ORT w													
First 2-wire VG Loop (SL2) in Combination - Zone 3							UEAL2	12.24	127.59	60.54	42.79	2.81						
First Interoffice Transport - Dedicated - DS1 combination - Per UNC1X			First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
Mile			First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			First Interoffice Transport - Dedicated - DS1 combination - Per															
Facility Termination per month				l	1	UNC1X	1L5XX	0.1856								I		1
Per each DS1 Channelization System Per Month			First Interoffice Transport - Dedicated - DS1 combination -					j										
Per each DS1 Channelization System Per Month				l	1		U1TF1				45.61	17.95				I		1
3/1 Channel System in combination per month			Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	101.42	71.62								
Per each DS1 COCI in combination per month			Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
Each Additional 2-Wire VG Loop(SL 2) in the same DS1			3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
Interoffice Transport Combination - Zone 1						UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
Each Additional 2-Wire VG Loop(SL2) in the same DS1																		
Interoffice Transport Combination - Zone 2					1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81				<u> </u>		<u> </u>
Each Additional 2-Wire VG Loop(SL2) in the same DS1 3 UNCVX UEAL2 30.87 127.59 60.54 42.79 2.81										<u> </u>								1
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 30.87 127.59 60.54 42.79 2.81					2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
Each Additional Voice Grade COCI in combination - per month										<u> </u>								1
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X 1L5XX 0.1856 UNC1X 11.5XX 0.1856 17.95	L	1	Interoffice Transport Combination - Zone 3	<u></u>	3					60.54			<u> </u>	<u></u>		<u> </u>		1
Channel System per month						UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95																		1
same 3/1 Channel System per month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95						UNC1X	1L5XX	0.1856								<u> </u>		<u> </u>
				l	1													1
Each Additional DS1 COCI combination per month UNC1X UC1D1 13.76 10.07 7.08 0.00 0.00																		
			Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			lust a ut									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac 1at	Disc Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		_													
		Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		_			4= 00			40.00							
		Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAY	1L5XX	0.4050										
-		Mile Per Month First Interoffice Transport - Dedicated - DS1 - Facility	 	-	UNC1X	ILDAA	0.1856			 					-		-
		Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	45.01	17.93	1					
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	101.42	7.08	0.00	0.00	1					
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOTA	00101	10.70	10.07	7.00	0.00	0.00						
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1									_						
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
	CVTCN	Is Charge DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITED	FEIGE	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	EXIEN	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	FFICE	TRANSPORT W/ 3/	I WIUX				-		-			-		
		Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		 '	ONODA	ODLOG	22.20	127.00	00.54	42.73	2.01						
		Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			ONODA	ODLOO	01.00	127.00	00.04	42.70	2.01						
		Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month	1		UNC1X	1L5XX	0.1856			I			1		I		
		First Interoffice Transport - Dedicated - DS1 - combination															
		Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								40.00							
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2 01						
—		Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 		OIACDV	ODLOB	31.00	127.59	00.54	42.79	2.81	-	-				-
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		OCU-DP COCI (data) COCI in combination per month (2.4-		3	ONODA	ODLOG	33.99	127.00	00.54	42.13	2.01						
		64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1	†			1.2.22	2.10	10.01	7.50	0.00	0.00	<u> </u>	 		I		1
		Channel System per month	1		UNC1X	1L5XX	0.1856			I			1		I		
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		
	-	Each Additional DS1 COCI in the same 3/1 channel system														_	
		combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00]		I .		

LINBUNDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
CIADOIADE		I				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
						D	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -				=											
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
-	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINICDY	1D1DD	2.10	10.07	7.00	0.00	0.00						
	64kbs) 3/1 Channel System in combination per month			UNCDX UNC3X	MQ3	211.19	199.28	7.08 118.64	40.34	39.07						
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	199.28	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCIX	OCIDI	13.76	10.07	7.06	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	UNCDX	UDL04	22.20	127.39	00.54	42.13	2.01	1					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_	ONODA	ODLOT	01.00	127.00	00.04	72.10	2.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		_													
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1												1		
	Transport - Zone 1	ļ	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	ļ					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	_	LINONY	1141.027	07.40	407.50	00.00	40.70	0.00				1		
—	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1			-		
	Transport - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	OINCINA	UILZX	48.62	127.59	00.00	42.79	∠.81	}			1		1
	Mile per month			UNC1X	1L5XX	0.1856										
 	First Interoffice Transport - Dedicated - DS1 combination -	 		501/	120707	0.1000					 			 		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month	1		UNC1X	MQ1	146.77	101.42	71.62	40.01	17.95				1		
				- +			2	52						1		
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00				1		
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1]		
	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1					40							Ì		
	system combination- per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	1	1				

MAINTER MATERIANNES March Marc	LINRI	INDI E	D NETWORK ELEMENTS - Florida												Attach	mont: 2	Exhi	hit: A
ATE BLEMENTS Provided Provide	CIAD	,,,DLE		1		I	1	1					Svc Order	Svc Order				
ATE BLANDYS Interest																		
## CATECOPY RATE ELEMENTS Find Code																		
Becoming Becoming	CATE	CODY	DATE ELEMENTS	Interi	Zono	BC6	LISOC			DATES (\$)				,				
Part Part	CAIL	JONI	KATE ELEMENTS	m	20116	BC3	0300			KAILS (\$)			per LSR	per LSR				
Rec															Electronic-			
Comparison Com															1st	Add'l	Disc 1st	Disc Add'l
Comparison Com	-	1							None			B'		l .	000	D-1 (A)		
Pack Additional Dist Planter Description of Training Description of Training Description of Training Description of Training Description Descrip								Rec										
Charmed Systems per around Charmed System									First	Add'I	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sext Auditional DS Interface Control Epidem branch UNC1X UTF1 88.44 174.6 122.46 48.66 17.56																		
Series 21 Clasinate System per moth						UNC1X	1L5XX	0.1856										
Such Additional Dist COCI in the Summ 81 channel system																		
Contribution per month MINCIC MINCIP MIN						UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
Notice			Each Additional DS1 COCI in the same 3/1 channel system															
Schedule 1.00			combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
Extractor			Nonrecurring Currently Combined Network Elements Switch -As-															
First Aven CST Stiguted Local Loop in Combination - Zene 1			Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
First Aven CST Stiguted Local Loop in Combination - Zene 1		EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
Piret 4-wise DST Digital Local Loop in Combination - Zena 2 2 LNCTX USUX 100.94 277.75 171.62 51.44 14.45							USLXX	70.74	217.75	121.62	51.44	14.45	İ	İ		1		
First New DBT Digital Local Loop in Combination - Zero 3 3 UNCIX USUX 178-39 217.75 121.62 51.44 11.45				1									1					
First Interdition Transport - Dedicated - DST combination - PEP INCIDIT ILDXX		t		l									 	 				
Mile Per Macrin Mile Per M		 		1		011017	COLAX	170.39	211.13	121.02	31.44	17.43	 			1		
First InterOffice Transport - Dedicated - DST contribution - DNCTX	1			l		LINC1X	11.5	0.1056										
Facility Termination Fee Month	-	1		 	1	UNC IA	ILOAA	ს. 1806					 	 		1		
Sit Channel System in combination per month	1			l		INIOAY						.=	l	1				
Per each DST COCI combination per month UNC1X UC1D1 13.76 10.07 7.08 0.00 0.00		1		<u> </u>	1								ļ	ļ				
Each Additional SSI Interoffice Channel Families in semi-31																		
Channel System per month						UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
Each Additional SSI Interoffice Channel Facility Termination in same 31 Channel System per month UNC1X U1TF1			Each Additional DS1 Interoffice Channel per mile in same 3/1															
Same 3/1 Channel System per month			Channel System per month			UNC1X	1L5XX	0.1856										
Each Additional DST COCI in the same 3f channel system combination per morth UNC1X			Each Additional DS1 Interoffice Channel Facility Termination in															
Combination per menth			same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
Combination per menth			Each Additional DS1 COCI in the same 3/1 channel system															
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1 UNC1X USLXX 70.74 217.75 121.82 51.44 14.45 1						UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
1																		
Additional 4-Wire DST Digital Local Loop in Combination - Zone 2 UNC1X USLXX 100.54 217.75 121.62 51.44 14.45			1		1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
2 UNC1X USLXX 10.54 217.75 12.162 51.44 14.45 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 10.054 217.75 12.162 51.44 14.45 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge EXEMBED 4-WIRE SK RBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 96 kbps Local Loop in combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 2 UNCDX UDL56 12.75 90.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 2 UNCDX UDL56 12.75 90.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 2 UNCDX UDL56 12.75 90.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Feality UNCDX UDL56 50.59 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 1 UNCDX UDL64 22.20 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 1 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Local Loop in combination - Zone 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 First 4-wire 96 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UDL64 55.99 127.59 60.54			Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	0.10.17	002,01	70.71	211110	121102	0							
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 178.39 217.75 121.62 51.44 14.45 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERFFICE TRANSPORT First 4-wire 56 Kbps Local Loop in combination - Zone 1 UNC0X UDL56 22.20 127.59 60.54 42.79 2.81 First 4-wire 56 Kbps Local Loop in combination - Zone 2 2 UNC0X UDL56 31.56 127.59 60.54 42.79 2.81 First 4-wire 56 Kbps Local Loop in combination - Zone 3 UNC0X UDL56 55.99 127.59 60.54 42.79 2.81 First 4-wire 66 Kbps Interoffice Transport - Dedicated - Fer Mile per month First 4-wire 56 Kbps Interoffice Transport - Dedicated - Fer Mile per month First 4-wire 66 Kbps Interoffice Transport - Dedicated - Fer Mile per month Nonrecurring Currently Combined Network Elements Switch -As- UNC0X UTDS 18.44 94.70 52.59 50.49 21.53 WNCDX UTDS 18.44 94.70 52.59 50.49 21.53 WNCDX UNCDX UNCCC 8.98 8.98 8.98 8.98 SAB B.98 SAB			2		2	LINC1X	LISLXX	100 54	217 75	121 62	51 44	14 45						
3 UNCTX			Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OOLOO	100.04	217.70	121.02	01.44	14.40						
Nonrecurring Currently Combined Network Elements Switch -As UNC1X			2016		2	LINICAV	LIELVV	170 20	217.75	101.60	E1 11	11 15						
S Charge S Charge S CHARGE 5 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	-		Newscaring Comments Combined Naturals Flagrants Codeb. As		3	UNCIA	USLAA	170.39	217.73	121.02	31.44	14.45						
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT						LINIOAY			0.00	0.00	0.00	0.00						
First 4-wire 56 kbps Local Loop in combination - Zone 1							UNCCC		8.98	8.98	8.98	8.98						
First 4-wire 56 kbps Local Loop in combination - Zone 2		EXIEN		NIERO			1101 50		407.50		40.70							
First 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81																		
First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile UNCDX		1		 									ļ					
per month	<u> </u>	<u> </u>		<u> </u>	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		ļ		1		
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH D80 INTEROFFICE TRANSPORT First 4-wire 64 kbps Local Loop in combination - Zone 1 1 UNCDX UDL64 22.20 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 35.99 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 35.99 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 35.99 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 35.99 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 35.99 127.59 60.54 42.79 2.81 First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UDL64 35.99 127.59 60.54 42.79 2.81 VNCDX UDL64 35.99 127.59 50.49 21.53 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements Switch As Is Charge does not.	1			l									İ	1				
Termination per month						UNCDX	1L5XX	0.0091										
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX			First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	l									l	1				
S Charge UNCDX UNCCC 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO INTEROFFICE TRANSPORT	L		Termination per month	<u> </u>		UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53	<u> </u>	<u> </u>		<u> </u>		
S Charge UNCDX UNCCC 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 8.98 EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO INTEROFFICE TRANSPORT			Nonrecurring Currently Combined Network Elements Switch -As-															
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT				İ		UNCDX	UNCCC		8.98	8.98	8.98	8.98		l				
First 4-wire 64 kbps Local Loop in combination - Zone 1		EXTEN		NTERO	FFICE								İ	l				
First 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0.0091 First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53 Nonrecurring Currently Combined Network Elements Switch -As- IS Charge UNCDX UNCCC 8.98 8.98 8.98 8.98 ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- IS Charge (One applies to each combination)							UDL64	22.20	127.59	60.54	42.79	2.81	İ					
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53 Nonrecurring Currently Combined Network Elements Switch -As-ls Charge ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-		1		1	2								1	1		1		
First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Nonrecurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-		1											1	1		1		
Der month	—	 		-		5.10DA	JDL04	55.55	121.03	00.04	72.13	2.01	 			1		
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is "Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-	1			l		LINCDX	11 5XY	0.0001					1					
Termination per month UNCDX U1TD6 18.44 94.70 52.59 50.49 21.53 Nonrecurring Currently Combined Network Elements Switch -As- s Charge UNCDX UNCCC 8.98 8.98 8.98 ADDITIONAL NETWORK ELEMENTS UNCDX UNCCC 8.98 8.98 8.98 When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)	-	1		1	1	014007	ILUAA	0.0081			-		 	1		 		
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 8.98				İ		LINCDY	LIATOR	10 44	04.70	E0 50	EO 40	24.52		l				
Is Charge	—	 		 	1	OINCDA	סטווט	18.44	94.70	5∠.59	50.49	∠1.53	-	-		 		
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-				l		LINCDY	LINICCO		0.00	0.00	2.00	0.00	1					
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-						UNCDX	UNCCC		8.98	8.98	8.98	8.98						
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-	ADDIT			<u> </u>		L.,,							ļ					
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-														ļ		1		
Nonrecurring Currently Combined Network Elements Switch -As-								As Is Charge of	does not.							1		
		Nonrec		Charge	(One a	pplies to each com	ibination)						ļ	<u> </u>				
				l									İ	1				
	L	<u> </u>	Is Charge - 2 wire/4-Wire VG	<u> </u>		UNCVX	UNCCC		8.98	8.98	8.98	8.98	<u> </u>	<u> </u>		<u> </u>	<u></u>	

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	UNCCC		0.90	0.90	0.90	0.90						
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-															
Ontin	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Option	al Features & Functions:			U1TD1,	-											
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		οı	οι	οι	οı						
	Oreal Orialine Capability Extended Frame Option per Bot			U1TD1,	CCCLI		01	01	OI .	01						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.92S	23.82S	2.07S	0.8S						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	ı		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
MULI	PLEXERS DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIX	IVIQT	140.77	101.42	71.02							1	
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
-	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3.66	10.07	7.08							-	
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			01102	00.07.	0.00	10.01	1.00	0.00	0.00						
	used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG MQ3	1.38	10.07	7.08	0.00	0.00						
	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UNC3X UNXCS	MQ3	211.19 211.19	199.28 199.28	118.64 118.64	40.34 40.34	39.07 39.07						
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08	40.34	39.07						
	DS1 COCI (used for connection to a channelized DS1 Local			002	00151	10.70	10.01	7.00								
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	LOCAL EXCHANGE SWITCHING(PORTS) nge Ports				1											
	Although the Port Rate includes all available features in GA, I	(VIA	2. TNI +	he desired features	will need to b	a ordered usi	na retail IISAC	<u> </u>								
	E VOICE GRADE LINE PORT RATES (RES)	II, LA	1111, 1	lie desired realures	Will fleed to i	l ordered dan	lg retail 0000	Ì								
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						
	Ţ.															
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80				 	1	1
	Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80						
 	Exchange Ports - 2-Wire VG unbundled Florida Residence Area			OLI ON	OLFAI	1.40	3.74	3.63	1.00	1.60				1	 	
	Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80					1	
	Exchange Ports - 2-Wire VG unbundled Florida extended															
	dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida extended			l	L											
	dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
CHECHEL	NETWORK ELEMENTO TIONA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU						0.00										
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with	1					2.7.1	2.00						İ		
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80						
		1		-	1			2.30	50	30				1		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1			1	0	54	0.00		50				1		1
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI OD	OLI DI	1.40	0.74	0.00	1.00	1.00						
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00						
FEATU				OLI OD	00/100	0.00	0.00	0.00								
ILAIO	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCHA	NGE PORT RATES (DID & PBX)			OLI OD	OLI VI	2.20	0.00	0.00								
LACITA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Vo Line Side Oribunded incoming 1 BX Hunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-DX LD Ferminal 1 ons 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.40	33.00	10.10	12.55	0.7107						
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.40	33.00	10.10	12.55	0.7107						
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLI OF	OLFAL	1.40	39.00	10.10	12.33	0.7107				1		
	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187	İ					
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		0L1 01	OLI AIVI	1.40	33.00	10.10	12.33	0.7 107	1			1		1
	Discount Room Calling Port	1		UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187	1	1		Ì		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187	1			1		1
	Subsequent Activity	1		UEPSP	USASC	0.00	0.00	0.00	12.33	0.7107				1		
FEATU		1		OLI OF	USAGO	0.00	0.00	0.00	1		1					
	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	2.26	0.00	0.00	 		1			1		1
	NGE PORT RATES (COIN)	1		OLI OI OLFOL	OLI VI	2.20	0.00	0.00	 		1			1		1
EXCHA	Exchange Ports - Coin Port	1			1	1.40	3.74	3.63	1.88	1.80				1		
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	IISSOC	will also apply to o	ircuit switchs						ated with 2	wire ISDN -	norts	 		
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	CASS	1
	LOCAL EXCHANGE SWITCHING (PORTS)	a vana	J.E OIII)	ough DEN/NEW	Luaniesa Ke	44691 1 100699.	nates for title	Packer cahani	I WE WILL DE UE	Actionicu via l	ina bolla r'il	i request/	TOW DUSINES	l request P10		1
	NGE PORT RATES	1			1				 					1		
	The Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit annly t	o the embed	led hase in nin	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 +h	ese rates shall	revert to to	riff rates or	a senarate an	reement		
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											rates of	a separate dy	i coment.		
Neque	Exchange Ports - 2-Wire DID Port	T THE	. GIICULI	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26	Joseph Grant III.			1		1
	Exchange Ports - 2-Wife DID Fort Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1			02112	0.73	70.41	10.02	71.34	7.20				1		
	capability (E:4/1/2004)	I		UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10	1	1		Ì		
 	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1		UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93				1		
 	All Features Offered	1		UEPTX, UEPSX	UEPVF	2.26	0.00	0.00	21.04	11.93				1		
 	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	 			1		 		
NOTE	Access to B Channel or D Channel Packet capabilities will be	a availa	ale cal·						litios will bo de	termined vie 4	he Bons Fir	le Beaucet	New Rusines	Paguact Pra	ress	1
NOTE:	Access to a channel of a channel racket capabilities will be	t availa	ne only	miougii brk/New	DuSIIIESS RE	quest Frocess.	Nates for the	раскет сарарі	iiries wiii ne de	termineu via t	ne buna Fi	ie Request/	NEW DUSINES	s nequest Pro	してるる。	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	_	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OATEOORT	NATE ELEMENTO	m	20.10	200	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1							Nonred	rurring	Nonrecurring	g Disconnect		l .	220	Rates (\$)		!
						Rec	First	Add'l	First	Add'l	COMEC	COMAN	SOMAN		SOMAN	SOMAN
NOTE	: Access to B Channel or D Channel Packet capabilities will be	. ovoilek	lo only	through DED/Now	Business Be	augot Bragge										JOWAN
	ANGE PORT RATES (continued)	availai	le only	tillough Britinew	l Busiliess Re	quest Flocess.	Nates for the	раскет сараы	ilities will be ut	l	ne Bona Fit	le Requesi/	New Dusilies	Nequest Fit	Juess.	
EXCIT	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
				UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
	Locator Capability (E:4/1/2004)			UEPDX	UEPDX		174.61	95.17	49.80							
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-				82.74				18.23						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77						
	Virtual collocation - Special Access & UNE, cross-connect per				0110414											
	DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Detaile	ed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1										1		I	I	
	Locator Capability - Initial Profile Establishment per CLEC per	l			L									1	1	
	State	ļ		UEPEX	UEP1A	0.00	1,809.00		151.12					ļ	ļ	1
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	l												1	1	
	Locator Capability - Subsequent Profile Changes, Additions,	l												1	1	
	Deletions			UEPEX	UEP1B	0.00	175.66									ļ
New o	r Additional PRI Telephone Numbers]											1
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															ĺ
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															1
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.5412									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTER	FACE (Provsioning Only)					-										
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								1
New o	r Additional Channel			02. 5/1		0.00	0.00	0.00			1					
11011 0	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48				1					
	New or Additional - Digital Data "B" Channel	1		UEPEX	PR7BF	0.00	15.48					l		 	 	
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48		1	 	1			t	t	
- 	New or Additional Useage Sensitive Voice Data "B" Channel	 		UEPEX	PR7BS	0.00	13.40		1		1			 	 	
	New or Additional Useage Sensitive Voice Data "B" Channel	 		UEPEX	PR7BU	0.00			1	1	1	l		t	t	
- 	New or Additional PRI "D" Channel	 		UEPEX	PR7EX	0.00	15.48		1		1			 	 	
CALL	TYPES	 		OLI LA	. IV/LA	0.00	13.40		1	1	1	l		t	t	
CALL	Inward	 		UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1		1			 	 	
	Outward	-		UEPEX UEPDX	PR7CO	0.00	0.00	0.00	1	-						
	Two-way	 	1	UEPEX	PR7CC	0.00	0.00	0.00	-		 	-		 	 	
LIMBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	 		OLFLA	I KICC	0.00	0.00	0.00	1	-						
	NDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1		1				-		 	-		 	 	
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res	-		UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80						
	onbunuled Remote Call Folwarding Service, Area Calling, Res	 	\vdash	ULFVK	UERAU	1.40	3.14	3.03	1.88	1.80	1			 	 	
	Unbundled Remote Cell Forwarding Coning Land Calling Day	l		UEPVR	LIEBLO	4.40	274	2.00	4.00	4.00				1	1	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	1			UERLC	1.40	3.74	3.63	1.88	1.80	1	ļ		 	 	
	Unbundled Remote Call Forwarding Service, InterLATA - Res	.		UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	-	ļ		1	1	
- In -	Unbundled Remote Call Forwarding Service, IntraLATA - Res	ļ		UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	1			1	1	
Non-R	Recurring	 			ļ				ļ							
	Unbundled Remote Call Forwarding Service - Conversion -	1								Ì	1	1		I	I	
	Switch-as-is			UEPVR	USAC2		0.102	0.102								<u> </u>
	Unbundled Remote Call Forwarding Service - Conversion with	1			l							1		I	I	
	allowed change (PIC and LPIC)	<u> </u>		UEPVR	USACC		0.102	0.102		ļ	1	ļ		ļ	ļ	
UNBU	NDLED REMOTE CALL FORWARDING - Bus	ļ			ļ									ļ	ļ	
		1			l					Ì	1	1		I	I	
1	Unbundled Remote Call Forwarding Service, Area Calling - Bus	l		UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80	1	l		1	1	1

LINDII	NDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit. A
UNDU	NDLE	J NETWORK ELEMENTS - FIORIDA	1	1	I	1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted				
														Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	20116	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred		Monroourring	Disconnect		l	000	Rates (\$)		
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIRSt	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Habita diad Barrata Call Farmadia a Cardaa I aad Callina - Boo			UEPVB	UERLC	4.40	0.74	2.02	4.00	4.00						
-		Unbundled Remote Call Forwarding Service, Local Calling - Bus	1				1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with			l	1	I					1	1				
		allowed change (PIC and LPIC)			UEPVB	USACC	ļ	0.102	0.102				ļ				
UNBUN		OCAL SWITCHING, PORT USAGE				1							<u> </u>				
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0007662										
		End Office Trunk Port - Shared, Per MOU					0.000164										
	Tander	n Switching (Port Usage) (Local or Access Tandem)												-			-
		Tandem Switching Function Per MOU					0.0001319										
		Tandem Trunk Port - Shared, Per MOU					0.000235										
		Tandem Switching Function Per MOU (Melded)					0.000027185										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
		Melded Factor: 20.61% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUN	DLED F	ORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ıs.		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1						1	<u> </u>				
		ort/Loop Combination Rates															
	U.V.	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNFI	pop Rates					20.00										
-	311L L	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRX	UEPLX	9.77										
—		2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	24.63			1		-			1		
-	2-Wire	Voice Grade Line Port Rates (Res)	1	-	OLI IVA	JLI LA	24.03			1		-			1		
-		2-Wire voice unbundled port - residence	1	1	UEPRX	UEPRL	1,17	53.31	26.46	27.50	8.37		1		-		
			1	 	UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port with Caller ID - res	1	1		UEPRO							-				
<u> </u>		2-Wire voice unbundled port outgoing only - res	-	<u> </u>	UEPRX	UEPKU	1.17	53.31	26.46	27.50	8.37		ļ				
1					UEPRX	HEDAE		50.01	00.40	07.50	0.07						
1		O Miles reside and the district Acres Collins and Collins				UEPAF	1.17	53.31	26.46	27.50	8.37				1		
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			ULFIX												
		2-Wire voice unbundles res, low usage line port with Caller ID			-	-											
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
		Wire voice unbundles res, low usage line port with Caller ID (LUM) Wire voice unbundled Florida extended dialing with Caller ID.			-	-		53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPAP	1.17										
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	FEATU	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
UA.L	00	NATE ELEMENTO	m		200	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						11130	Auu i	THOU	Addi	JOHILO	JONAN	JOHIAN	JOHAN	JOHIAN	JOINAIN
		Switch-as-is			UEPRX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITIX	00/102		0.102	0.102								
		Switch with change			UEPRX	USACC		0.102	0.102								
	ADDIT	IONAL NRCs			OLITIX	OOACC		0.102	0.102								
	ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User			ULFKX	U3A32	0.00	0.00	0.00								
		Premise			UEPRX	URETL		8.33	0.83								
	OEE/O	N PREMISES EXTENSION CHANNELS			ULFKX	UKLIL	-	0.33	0.03								
-	077/0	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57	-		-	 		
-	+	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design	1	2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57	 	-	-	-		
<u> </u>	+		 		UEPRX	UEAEN	15.20 26.97	49.57	22.83	25.62	6.57	1					
	-	2 Wire Analog Voice Grade Extension Loop – Non-Design	l	3								1	 	 	 		
<u> </u>	+	2 Wire Analog Voice Grade Extension Loop – Design	1	1	UEPRX UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01 12.01	1		1	 		
	-	2 Wire Analog Voice Grade Extension Loop – Design		2		UEAED	17.40	135.75	82.47	63.53							
	INITED	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
<u> </u>	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.102	0.102								
	ADDIT	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
L		Activity	<u> </u>	<u></u>	UEPBX	USAS2	<u> </u>	0.00	0.00					L	L		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				1											
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop - Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
	INTER	OFFICE TRANSPORT											İ				

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORT	RATE ELEMENTS	m	Zone	BUS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100 101	
							Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.75%	01112	20.02	11.00	010								
		or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
\vdash	0 M/IDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			ULFBA	OTTVIVI	0.0091	0.00	0.00								
			-														
	UNE PO	ort/Loop Combination Rates															ļ
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88						ĺ				
		2-Wire Voice Grade Loop (SL 1) - Zone 3	l		UEPRG	UEPLX	24.63					i	1				—
 	2-Wire	Voice Grade Line Port Rates (RES - PBX)	 	۱Ť		J	2-1.00			-		l .	 		1	 	
\vdash		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	-	-	+	-			-	1		1		 	 	
		Res	l		LIEDDO	LIEDES		474.01	100.0=	75.00	10 =0		l				1
		1.00			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI KO	OOAOZ		0.40	1.51								
					LIEDDO	110400		0.45	4.04								
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
	OEE/O	N PREMISES EXTENSION CHANNELS			OLI KO	OKLIL		0.55	0.00								
	OF F/OI			1	UEPRG	P2JHX	12.24	135.75	82.47	CO FO	12.01						
		Local Channel Voice grade, per termination		<u> </u>						63.53							
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT														İ	
	,,	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			İ		İ				İ				1		
		Termination	l	1	UEPRG	U1TV2	25.32	47.35	31.78		1	1	l		1	1	1
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	l	1	OLI NO	31172	20.02	77.33	31.70			 			1	1	
		or Fraction Mile	l		UEPRG	U1TVM	0.0091	0.00	0.00				l				1
			<u> </u>	_	UEPKG	UTIVM	0.0091	0.00	0.00	ļ	ļ	.	 			ļ	└
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>	_	ļ					ļ	ļ	.	 			ļ	└
	UNE P	ort/Loop Combination Rates											ļ				
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94	_									
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88			İ	İ		İ		1	İ	
		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	24.63										<u> </u>
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	 		02117	UL. LX	27.03			1	1	1	l		1	1	
	Z-44116	FOICE Grade Line FOIL Nates (DUS - FDA)	 	 		-							-		-		
		12 - 0 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	l		LIEDDY	LIEDES							l				1
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	 		UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		ļ				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73						
. —		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73						1

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA.L		TATE ELEMENTO	m	20110	500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	l
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.7.2			100.00	70.00	12.10	1					
		Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.17	174.01	100.00	70.00	12.70						
		Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02	02.7.2			100.00	70.00	12.10	1					
		Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLI I X	OLI XIVI	1.17	174.01	100.00	70.00	12.70	1					
	1	Discount Room Calling Port		1	UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73				1		
<u> </u>	 	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73				 		
	LOCAL	NUMBER PORTABILITY	1	l	02.1 A	351 70	1.17	17 7.01	100.00	70.00	12.70				-		
	LOUAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU				OLI I X	LIVI OI	0.10	0.00	0.00			1					
	LAIC	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00			1					
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI I X	OLI VI	2.20	0.00	0.00								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI I X	OOAOZ		0.40	1.31								
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
	ADDIT	IONAL NRCs			OLITA	ООЛОС		0.43	1.31								
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
-		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	OOAOZ	0.00	0.00	0.00								
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		7.00	7.00								
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS			02	0.1.2.12		0.00	0.00			1					
	0 , 0	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01	1					
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01	1					
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54	1					
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT		Ť	02.17	OBBEA	02.00	120.00	10.00	00.00	10.01						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	1	Termination	1	1	UEPPX	U1TV2	25.32	47.35	31.78				1		I		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	†	t		1		50							t		
	1	or Fraction Mile		1	UEPPX	U1TVM	0.0091	0.00	0.00						1		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT	1		1		5.50	2.30	İ					İ	İ	İ
		ort/Loop Combination Rates		t		1									t		
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
	1	2-Wire VG Coin Port/Loop Combo – Zone 2	†	2		1	15.05								t		
	1	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	25.80								İ		
	UNE L	pop Rates	1			İ				İ					İ	İ	İ
	1 -	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	9.77			İ					İ	İ	İ
	1	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	13.88			İ					İ	İ	İ
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	24.63										
	2-Wire	Voice Grade Line Ports (COIN)															
	1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	1	900/976, 1+DDD (FL)		1	UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37				1		
	1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1		İ									İ	İ	İ
	1	(FL)		1	UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37				1		
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37						
		A	•	•	•											•	

	UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATE SERBOTTS RATE SE													Svc Order	Svc Order				Incremental
ARTE LLEMENTS Manual Brown Section Manual Brown Manual Bro																		
CATEGOPY RATE ELEMENTS Rate Supplementary Control of the control of the																		
Name	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Page Page				m						- (1)			per LSK	per LSK				
Recommend Reco																		
Month Mont															1St	Addi	DISC 1St	DISC Add I
Month Mont								_	Nonrec	currina	Nonrecurring	Disconnect			oss	Rates (\$)		
SWING COR Coursed with Coptions Coverning and Stocking SWING CORRESPONDED SWING CORRESP								Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DOCKTR LODO DUTY FILE DOCK DESCRIPTION DO			2-Wire Coin Outward with Operator Screening and Blocking:															
SWANG CON CONCRETE VIOLO (114)						UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
MONOPORT, 1-DOD, OHTH, and Local (FL, CA) LOPCO																		
2-Year 2-Year 2-Year 2-Year 2-Year 2-Year 2-Year 2-Year 2-Year						UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
Division Care Chairman Securities with 800/070 (PCS) DEPCO								1.17	53.31		27.50	8.37						
ADDITIONAL UNE COST PORTICOPE (PIET RIDIN)																		
ADDITIONAL UNE COST PORTICOPE (PIET RIDIN)			LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
UNEFOCK UNIF		ADDIT	ONAL UNE COIN PORT/LOOP (RC)															
Coord Number Protection OperOD MPCX 9.35						UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
NONECURRING CHARGES - CURRENTLY COMEINED		LOCAL	NUMBER PORTABILITY															
NONECURRING CHARGES - CURRENTLY COMEINED			Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35										
2-Wire Voca Grade Log / Line Port Combination - Conversion UEPCO USACC 0.102		NONR	CURRING CHARGES - CURRENTLY COMBINED															
Switch wish Switch wish Switch wish Switch wish change Switch																		
2-Wire Votes Grade Loop / Line Prior Combination - Conversion-	1			l	1	UEPCO	USAC2		0.102	0.102	Ì			1		Ì		
Seatch with change DEPCO USACC 0.102			2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDITIONAL NRCs Survivo Grafe Loop Line Port Combination - Subsequent UEPCO USASS 0.00 0						UEPCO	USACC		0.102	0.102								
Activity		ADDIT																
Description Content																		
Premise Prem						UEPCO	USAS2		0.00	0.00								
Premise Prem			Unbundled Miscellaneous Rate Element, Tag Loop at End User															
2-WIRE VOICE LOOP ZWIRE VOICE GRADE IO TRANSPORTY Z-WIRE LINE FORT (RES)						UEPCO	URETL		8.33	0.83								
Wife Port/Log Combination Rates		2-WIRE		LINE	PORT (
2-Wire VGLOop/ID Tamport/Port Combo - Zone 2 2 18.80					, ·													
2.Wire Voto Grade Loop (SL2) - Zone 1			2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
2.Wire Voto Grade Loop (SL2) - Zone 1			2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
2-Wire Voice Grade Loop (SL2) - Zone 1					3			32.27										
2-Wire Voice Grade Loop (SL2) - Zone 2		UNE L	pop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFR UEFZ 30.87			2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
2-Wire voice Grade Line Port Rates (Res)			2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
2-Wire voice Grade Line Port Rates (Res)			2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wire voice unbundled port with Caller ID - res		2-Wire	Voice Grade Line Port Rates (Res)															
2-Wire voice unbundled port outgoing only - res			2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
2-Wire voice unbundled Florida Area Calling with Caller ID - res UEPFR UEPAF 1.40 174.81 100.65 75.88 12.73			2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
2-Wire voice unbundles res, low usage line port with Caller ID UEPFR			2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
2-Wire voice unbundles res, low usage line port with Caller ID UEPFR																		
ILUM UEPFR UEPAP 1.40 174.81 100.65 75.88 12.73		<u> </u>			<u></u>	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
Interoffice TRANSPORT																		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile IUEPFR ILSXX IUEPFR ILSXX IUEPFR IUSPFR IUSPFR IUEPVF IUEVF IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII						UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
Termination		INTER	OFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile of Fraction Mile			Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
Or Fraction Mile UEPFR 1L5XX 0.0091		<u> </u>			<u></u>	UEPFR	U1TV2	25.32	47.35	31.78								
FEATURES			Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
All Features Offered	L	<u> </u>		<u></u>	<u> </u>	UEPFR	1L5XX	0.0091			<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFR USAC2 16.97 3.73 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change UEPFR USACC 16.97 3.73 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFR URETN 11.21 1.10 2-WIRE VOICE LOOP / 2WIRE VOICE GRADE IO TRANSPORT / 2-WIRE LINE PORT (BUS) UNE Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 1 1 13.64 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 18.80		FEATU	RES															
Local Number Portability (1 per port)						UEPFR	UEPVF	2.26	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		LOCAL																
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFR						UEPFR	LNPCX	0.35										
Combination - Conversion - Switch-as-is		NONR																
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change UEPFR USACC 16.97 3.73																		
Combination - Conversion - Switch-With-Change		1				UEPFR	USAC2		16.97	3.73								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at UEPFR				l	1													-
End User Premise		<u> </u>			<u></u>	UEPFR	USACC		16.97	3.73								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)			Unbundled Miscellaneous Rate Element, Tag Designed Loop at			_									_			
UNE Port/Loop Combination Rates		<u> </u>			<u></u>		URETN		11.21	1.10								
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				LINE	PORT (I	BUS)												
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 18.80		UNE P																
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 32.27			2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2													
			2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										

CATEGORY RATE ELEMENTS Index Zone RCS USOC RCS Section Companies Compa	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATTECHNIS Inter Zone BCS USOC RATE (1) EMPT Submit												Svc Order	Svc Order				
CATEGORY RATE R.EMENTS Inter 200 ROS USO RATE (R) Pack RATE (R) Pack ROS Pack Pack ROS Pack																	Charge -
CATEGORY RATE ELEMENTS May Zone BCS USOC RATES (3) prt 1,58 prt 1,58 prt 1,58 color vs. Co	1		Intor:														Manual Svc
Bestroads Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				-				Order vs.
Text			m									po. 20.1	po. 2011				Electronic-
March Marc																	Disc Add'l
MRC MRC																D130 131	DISC Add I
Piet Loop Rises							Por		urring	Nonrecurring	Disconnect						
2-West Votos Clarks Long (EL) - Zene 1							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wine Vision Entails Local (SLD - Zone 2 2 0,6775 0,6572 17,60 1,60 1,60 1,70 1,60 1,60 1,70 1,60 1,70 1,60 1,70 1,60 1,70 1,60 1,70 1,60 1,7	UNE L																
2-Wife Victor Glane Loop (SLG) - Zone 3 0,000																	
2-Wire Vote Gride Line Prof (Elas)																	
2-YMW voice unusurable pot unit Caller & Call & D-Usal UEPPB UEP				3	UEPFB	UECF2	30.87										
2-West vaca unuturalided port with Cultime 1-654-01 - buts	2-Wire		ļ			I											
2-Wire vote unknowled port outgoing only or Will Galer D - Bos UEPPB UEPBC 1.40 77.481 100.955 75.88 12.75				<u> </u>													
2-Wine votes unfounded incoming using port with Callium Dr. Bus. UEPFB UEPST 1,40 774.81 100.65 75.88 12.73			ļ														
COCAL NUMBER PROTEABILITY				<u> </u>													
Intercent Characteristics Intercent Characteristics	1.004				UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
Intercorper Transport - Ordicated - 2 Wire Voce Grade - Facility UEPFB	LOCA				LIEDED	LNDOV	0.05										
Intendifice Transport - Decidated - 2 Wire Votes Grade - Pacility Termination Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Pac Mile Intendificated - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Decidated - Decidated - 2 Wire Votes Grade - Decidated -	INITED		1	 	UEPFB	LINPUX	0.35										
Termination UPPB UTPZ 25.32 47.36 31.78	INTER		1	 													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile UEPFB U.S.XX	1 1				LIEDER	LI1T\/2	25.22	47 2F	21 70]				1	1		1
PEATURES USAN USEPS USEPS USAN USEPS USAN USEPS USAN USEPS USAN USEPS USAN USEPS USAN USEPS USAN USEPS USAN USEPS USAN USEPS USAN USAN USEPS USAN USEPS USAN USEPS USAN			-		UEFFB	01172	25.32	47.33	31.70								-
REATURES Mil Features Offered UEPFB UEPFF 2.26 0.00 0.00					LIEDED	11 5 7 7	0.0001										
A Features Offered Dept	CEATI		1		UEFFB	ILSAA	0.0091					1					-
NONRECURRING CHARGES (NRICG) - CURRENTLY COMBINED	FEAT		-		LIEDED	LIEDVE	2.26	0.00	0.00								-
2-Wire Loop / Desicated IO Transport / 2 Wire Line Port UEPFB USAC2 16.97 3.73	NONE		1		OLFIB	OLF VI	2.20	0.00	0.00			1					-
Combination - Convention - Switch-as-is 2 Wire Loop / Declarating Designed Loop at UEPFB USAC2 16.97 3.73	HOMK			1			1										
2.Wire Loop / Dedicated IO Transport / 2.Wire Line Port ULEPFB USACC 16,97 3,73					LIEDER	LISAC2		16 97	3 73								
Combination - Convestion - Switch with change					OLITO	UUAUZ		10.37	5.75								
Unburdied Miscellaneous Rate Element, Tag Designed Loop at UEPFB URETN 11.21 1.10					LIEPER	LISACC		16 97	3 73								
End User Permise					02.1.5	00,100		10.01	00			1					
2-WiRe VOICE LOOP/ ZWIRE VOICE GRADE (O TRANSPORT/ 2-WIRE LINE PORT (*PBX)					LIEPER	URETN		11 21	1 10								
UNE Port/Loop Combination Rates	2-WIR		E LINE I	PORT (O.K.Z.IIV											
2-Wire VG Loop/10 Trapport/Port Combo - Zone 1			Ī														
2-Wire VI Loop/IO Transprit/Port Combo - Zone 2 2 18.80				1			13.64										
UNE Loop Rates				2			18.80										
2-Wire Voice Grade Long (SL2) - Zone 1		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPP UECF2 17.40	UNE L	oop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFP UECF2 30.87		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
2-Wire Voice Grade Line Port Rates (BUS - PBX)		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPFD UEPF		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPPO 1.40 174.81 100.65 75.88 12.73	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPPO 1.40 174.81 100.65 75.88 12.73																	
Line Side Unbundled Incoming PBX Trunk Port - Bus																	
2-Wire Voice Unbundled PBX LD Terminal Ports UEPFP UEPX																	
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPFP UEPXC 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPFP UEPXC 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73				1										ļ	ļ		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPFP UEPXE 1.40 174.81 100.65 75.88 12.73														ļ	ļ		I
Capable Port	\vdash		1		UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 1.40 174.81 100.65 75.88 12.73	1 1													1	1		1
Administrative Calling Port	\vdash		-	<u> </u>	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						├
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 1.40 174.81 100.65 75.88 12.73					HEDED	LIEDY"		474.01	400.0=	75.00	10 =0			1	1		1
Room Calling Port	 		1		UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73			 	 		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXO 1.40 174.81 100.65 75.88 12.73	1 1				HEDED	LIEDVAA		474.01	400.0=	75.00	10 =0			1	1		1
Discount Room Calling Port			1	1	UEPFP	UEPXM	1.40	1/4.81	100.65	/5.88	12.73	1		1	1		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.40 174.81 100.65 75.88 12.73				1	HEDED	LIEDYO	1 440	474.04	100.05	75.00	40.70			Ì	Ì		1
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPFP LNPCP 3.15 0.00 0.00 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	\vdash		-	<u> </u>													├
Local Number Portability (1 per port)	1.004		1	1	UEPFP	UEPXS	1.40	174.81	100.65	/5.88	12.73	-		-	-		
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	LOCA		1	-	LIEDED	LNDCD	0.45	0.00	0.00			-		 	 		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	INITED		1	 	UEPFP	LINPUP	3.15	0.00	0.00	 				-	-		
	INTER		!	 		+	 			 				-	 		
	1 1	Termination		1	UEPFP	U1TV2	25.32	47.35	31.78]				Ì	Ì		1

UNBUN	IDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LON	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurrin	g Disconnect		1	OSS	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							71441		7144						00
		or Fraction Mile			UEPFP	1L5XX	0.0091										
-	EATU			 	OLITT	TEO/O	0.0001					1					
H 1		All Features Offered		 	UEPFP	UEPVF	2.26	0.00	0.00			1					
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLITT	OLI VI	2.20	0.00	0.00			1					
	ONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	OLFIF	USACZ		10.97	3.73								
		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
					UEFFF	USACC		10.97	3.73								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	LIDETN		44.04	1.10								
LINIDUNG	1 = -			 	UEPPP	URETN		11.21	1.10		-	-	 		-		
		ORT/LOOP COMBINATIONS - COST BASED RATES	DOD-	1		1					1	1	1	1	-	1	1
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PURI	<u> </u>		1								1	-	1	1
	INE PO	ort/Loop Combination Rates															
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		_	20.95				ļ	ļ	ļ				
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2		_	26.11				ļ	1					
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			39.58										
L	JNE Lo	op Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
l	JNE Po	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
l N	IONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1		7.85	1.87								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
4	DDITI	ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPPX	URETN		11.21	1.10								
T	eleph	one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00			1					
		DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX	ND5	0.00	0.00	0.00	İ	Ì	İ	1	İ	1	İ	İ
		Reserve Non-Consecutive DID numbers		1	UEPPX	ND6	0.00	0.00	0.00	İ	Ì	İ	1	İ	1	İ	İ
		Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00	İ	1			İ	İ	İ	İ
L	OCAL	NUMBER PORTABILITY		1	İ	İ		5.50	2.30	İ	1			İ	İ	İ	İ
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	İ		İ					İ
12		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT		1	50	2.00	2.00	1		İ	1				1
		ort/Loop Combination Rates		1		1	1			1		1		1	†	1	1
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1		1	1			1		1		1	†	1	1
		UNE Zone 1		1	UEPPB UEPPF	al.	22.63								I		Ì
 		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	JELIE GEITI	`	22.00			 		1	i				
		UNE Zone 2		2	UEPPB UEPPR	1	29.05			Ì							l
\vdash		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		 	CENTE OFFICE	+	23.00			 	1	1	-		 		
		UNE Zone 3		3	UEPPB UEPPR	1	45.84			Ì							l
 	INFI	op Rates			OLIPE OLPER	+	40.04			 	1	1	-		 		
\vdash	,.4L L(2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25			 	1	1	-		 		
-		2 TYTIC IODIN DIGITAL OTAGE LOOP - OINE ZOITE I		- '-	OLID OLFFK	JULZA	10.20			 	}	}	 	1	 	1	
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67			Ì							l
\vdash		2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X USL2X	38.46			-	1	-		-		-	
 	INE D-	ort Rate		3	ULTED UEPPK	USLZA	38.46			-	1	-		-		-	
H-			-	├	UEPPB UEPPR	UEPPB	7.00	104.50	145.00		 	-	 		-		
		Exchange Port - 2-Wire ISDN Line Side Port		1	UEPPB UEPPR	UEPPB	7.38	194.52	145.09		1	1	1	-	1	-	
	IONKE	CURRING CHARGES - CURRENTLY COMBINED		1		1					1	1			1		<u> </u>

UNBL	JNDLE	D NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	ibit: A
													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	l P	cs	USOC			RATES (\$)								
OA.L.		TATE ELEMENTO	m	20110	_		0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	1								Nonrec	urring	Nonrecurring	g Disconnect		l	OSS	Rates (\$)		<u> </u>
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port							11130	Auu i	11130	Auu i	JOHILO	JONAN	JONAN	JONAN	JOHAN	JOHAN
		Combination - Conversion			LIEDDR	UEPPR	USACB	0.00	25.22	17.00								
	ADDIT	ONAL NRCs			OLITB	OLITIK	OOACD	0.00	25.22	17.00								
	ADDIII	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLFFB	ULFFR	UKLIN		11.21	1.10								
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	LOCAL	. NUMBER PORTABILITY			OLFFB	ULFFR	UKLIL		0.33	0.03			1					-
-	LOCAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCY	0.35	0.00	0.00			1					
-	B-CHA	NNEL USER PROFILE ACCESS:			OLFFB	ULFFR	LINECX	0.33	0.00	0.00			1					
	D-CITA	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								-
-	+	CVS (EWSD)		1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	t	 	1			1		
	+	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			-			 		
<u> </u>	B-CUA	ICSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	C MS o	TN\	UEPPB	UEFFR	01000	0.00	0.00	0.00	-	-				-		
-		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS 5) TERMINAL PROFILE	u,ivio, &	IIN)			<u> </u>				 	 	1					
-	USER				UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 	 	1					
	VEDTI	User Terminal Profile (EWSD only)			OEPPB	UEPPR	UTUMA	0.00	0.00	0.00								
<u> </u>	VERTIC	CAL FEATURES			LIEDDD	LIEDDD	LIED) /E	0.00	0.00	0.00								
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and			l													
		facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								<u> </u>
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																<u> </u>
		IE-P DS1 combination rates below for in this rate exhibit appl													nt.			ļ
		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effec	tive date o	of this amend	ment shall be	provided pursu	ıant to a separ	ate agreement	or tariff at Bel	South's di	scretion.				ļ
	UNE P	ort/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			l													
		Zone 1		1	UEPPP			153.48										ļ
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			183.28										<u> </u>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			261.12										
	UNE L	pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100.54										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38										
	UNE P	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	82.74	488.36	276.65								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38								
	ADDIT	ONAL NRCs															_	
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	1	Inward/two way Tel Nos. (except NC)		1	UEPPP		PR7TF		0.5412		1	1	I	1		Ì		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -					1											
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71	I	I		1		Ì		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -					1											
	1	Subsequent Inward Tel Numbers		1	UEPPP		PR7ZT		25.42	25.42	1	1	I	1		Ì		
	LOCAL	NUMBER PORTABILITY											İ					
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75			İ	1				İ		
	INTERI	FACE (Provsioning Only)					1				İ	İ	İ	İ		İ		
	1	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00	1	1	İ			İ		
	1	Digital Data			UEPPP		PR71D	0.00	0.00	0.00	t	t				1		1
-	 	Inward Data			UEPPP		PR71E	0.00	0.00	0.00	 	 	1	l				
	New or	Additional "B" Channel		t			1	3.00	3.00	0.00	-	—	1	1		 		†
-	14044 01	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48		 	 	1	l				
-	 	New or Additional - Voice/Data B Channel			UEPPP		PR7BF	0.00	15.48		 	 	1	l				
-	+	New or Additional Inward Data B Channel		1	UEPPP		PR7BD	0.00	15.48		t	 	1					
				-	JLI FF		יונייייי י	0.00	10.40				 	.				
	CALL	TVDES																

UNBUNDL	.ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ı											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ı		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ı		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
1													150	Addi	D130 131	Disc Add I
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	UNE-P DS1 combination rates below for in this rate exhibit app										te commerc	al agreeme	nt.			
	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef	fective of	late of t	this amendment sha	all be provide	d pursuant to	a separate agre	ement or tarif	at BellSouth's	s discretion.						ļ
UNE	Port/Loop Combination Rates				1					ļ						<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	125.69				.						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	155.49				ļ						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	1	233.33	ļ			.				ļ	ļ	<u> </u>
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	70.74										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38										
UNE	Port Rate					= =	101.00	000.00								
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								ļ
NON	RECURRING CHARGES - CURRENTLY COMBINED															
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)	1		UEPDC	USAC4		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4		95.31	46.71								
1	- Conversion with DS1 Changes (E:4/1/2004)	'		UEPDC	USAWA		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLFDC	USAWA		33.31	40.71		-	-					
1	- Conversion with Change - Trunk (E:4/1/2004)	'		UEPDC	USAWB		95.31	46.71								
ADD	ITIONAL NRCs			OLFDC	USAWB		93.31	40.71								
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	+								1						
1	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODTIA		10.00	10.00								
1	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 50	02112		10.00	10.00								
1	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
1	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		-			12.30	.5.50		1						
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69		I		1		Ì	Ì	
BIPO	DLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	655.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s								
Alter	nate Mark Inversion															
, <u> </u>	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teler	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										<u> </u>
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00		ļ						
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00				.						
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00				.						
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00		.						<u> </u>
	Reserve DID Numbers	1		UEPDC	NDV	0.00	0.00	0.00								_
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	With 4-Wire DDITS	runk Port					-						
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	41 N/C4	20.44	105.54	20.7=	21.47	19.05		1		1	1	
,				IOEPDC	1LNO1	88.44	105.54	98.47	ı 21.47	19.05	i	ī			1	1
1	Termination)	+		02. 20	+		100.01		2	10.00						

UNBUND	LEC	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.120112	==1											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATEGORY	γ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.			
OAT LOOK	.	NATE ELEMENTO	m	20.10	500	0000			πατεσ (ψ)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect		1	OSS	Rates (\$)	l	
h							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
h		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities						11130	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TENOZ	0.00	0.00	0.00								
		miles			UEPDC	1LNOB	0.1856	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
4-W	/IRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
Sys	stem	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	5													
		stem can have up to 24 combinations of rates depending on			ber of ports used												
The	UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	hannel	ization	with Port in this ra	te exhibit app	oly to the embe	edded base in I	place as of 10/2	/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
Rec	ques	ts for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ive dat	e of this amendmer	nt shall be pro	ovided pursual	nt to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNI	E DS	1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
UNI	E DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						ystem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
Mul		es of this configuration functioning as one are considered Ac	ld'I afte	r the m	ninimum system co	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24								
		Additions at End User Locations Where 4-Wire DS1 Loop with				oination Curre	ently Exists an	d									
Nev	v (No	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24						
Bip		8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s								
Alte		e Mark Inversion (AMI)			LIEDMO	140005	0.00	0.00	0.00								
		Superframe Format	<u> </u>	<u> </u>	UEPMG UEPMG	MCOSF	0.00		0.00						-		├
- I		Extended Superframe Format	nn 10.124	Do-t	UEPMG	MCOPO	0.00	0.00	0.00	ļ		1		-	1	-	
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port											 		
EXC	man	ge Ports Line Side Combination Channelized PBX Trunk Port - Business	-	<u> </u>		+	 	 	-	-				-	-	-	
		Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)	l		UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00			Ì	I	Ì	1
	_	(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	 	 	ULFFA	UEPUA	1.40	0.00	0.00	0.00	0.00	1			 		
		Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)	l		UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00			Ì	I	Ì	1
	_	(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID	-	 	OLFFA	OLFUA	1.40	0.00	0.00	0.00	0.00	-		-		-	
		(E:4/1/2004)	l	1	UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00			1	I	1	1
	-	(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	1	ULFFA	UEFIA	1.40	0.00	0.00	0.00	0.00	1	-		1		
		(E:4/1/2004)	l		UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00			Ì	I	Ì	1
Ena	turc	Activations - Unbundled Loop Concentration	-	 	OLFFA	OLFDIVI	0.71	0.00	0.00	0.00	0.00	-		-		-	
rea	uure	Activations - officialities Loop Concentration		1													1

LINIBI		D NETWORK ELEMENTO, EL. : L															
UNBU	INDLE	D NETWORK ELEMENTS - Florida				1									ment: 2		bit: A
														Incremental		Incremental	
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATE	OBV	RATE ELEMENTS	Interi	Zana	BCS	usoc			DATES (\$)			Elec	-	Manual Svc			Manual Svc
CATE	JUKT	RATE ELEMENTS	m	Zone	всэ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4						1 1130	Addi	11130	Addi	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAN
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						1
		Feature (Service) Activation for each Trunk Port Terminated in									0.00						
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						1
	Teleph	one Number/ Group Establishment Charges for DID Service															
	i .	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.26	0.00	0.00								
UNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S														
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State C	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	ed to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Combi	ined Combos. For	Currently Co	mbined Combo	os, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														1
		Non-Design		1	UEP91		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design		2	UEP91		15.05										L
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design		3	UEP91		25.80										.
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
		Design		1	UEP91		13.41										.
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	ļ	Design		2	UEP91		18.57			.				ļ	.	.	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_						1					1	1	1
<u> </u>	 	Design	ļ	3	UEP91	1	32.04			.				ļ	.	.	
	UNE L	pop Rate															
	 	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
<u> </u>	!	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP91	UECS1	13.88										
<u> </u>	!	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP91	UECS1	24.63										
	ļ	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP91	UECS2	12.24			.				ļ	.	.	<u> </u>
	ļ	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP91	UECS2	17.40			.				ļ	.	.	<u> </u>
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP91	UECS2	30.87										
<u> </u>	UNE Po		<u> </u>	<u> </u>		1	.			.					-	-	⊢——
<u> </u>	All Sta	tes (Except North Carolina and Sout Carolina)	<u> </u>	<u> </u>	LIEDO4	LIEDY		====			2.5-				-	-	⊢——
<u> </u>	!	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ	<u> </u>	UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						
1	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1											Ì	I	I	1
	<u> </u>	Area		1	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37						
1	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic						=0 - :				1	1		1		1
<u> </u>	!	Local Area	ļ	<u> </u>	UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						
1	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1											Ì	I	I	1
L	ļ	Note 2, 3 Basic Local Area		ļ	UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81			ļ	.	.	
1	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l	1]					1	1		1		1
L	ļ	Term - Basic Local Area	ļ	ļ	UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		l	1				I				Ì	I	I	1
		- Basic Local Area	1		UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						1

LINIDI	INDI EI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
ONDO	NULLI	NETWORK ELEMENTS - Florida				1	1					Svc Order	Svc Order	Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc	Manual Svc		Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							None			. D'			000	D-1 (A)		
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Georgia	a and Florida Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	02. 0.	02		100.10	00.10	00.11	10.01						
		Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
—	1	OCIVICE LEITH		-	OFLAI	UEPHZ	1.17	139.49	00.10	65.41	13.81	1	-	-	-		
I		O Miles Vision Creade Book torreinets 115 Marcellot 115	l	1	LIEDO4	LIEDUO		50.01	00.40	07.50	0.00						1
	ļ	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local S	witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	2.26										
		All Select Features Offered, per port		1	UEP91	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2.26	070.70									
	NARS	All Certifex Control Features Offered, per port		1	OLF91	OLFVC	2.20					1	1				
	INAKS	Habita diad Nationals Assess Desistes Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Combination					0.00		0.00				ļ				<u> </u>
		Unbundled Network Access Register - Indial			UEP91	UAR1X		0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.73										
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		nnel Bank Feature Activations		†													
	2 . 0	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0.66										
		T catalo 7 bit validit on B 4 chamier bank centrex 200p clot		 	OLI 01	11 00110	0.00					1					
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
				1	UEF91	IPQVV6	0.00					ļ					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center		<u> </u>	UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed		1		1	İ			İ	İ	İ	1	İ	1		
1		changes, per port	l	1	UEP91	USAC2		21.50	8.42		1	Ì		1	1		1
\vdash	1	Conversion of Existing Centrex Common Block		 	UEP91	USACN		5.17	8.32			 	 		1		
-	1	New Centrex Standard Common Block		 	UEP91	M1ACS	0.00	618.82	0.32			1	1	1	1		
├	 			 	UEP91	M1ACC	0.00	618.82		-	-	}	 	 	-		
	1	New Centrex Customized Common Block		-								 	 		-		
	1	Secondary Block, per Block		<u> </u>	UEP91	M2CC1	0.00	71.31				1	ļ				
L		NAR Establishment Charge, Per Occasion		 	UEP91	URECA	0.00	66.48									
		CENTREX - 5ESS (Valid in All States)				1]	1]			
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<u> </u>
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
1		Non-Design	l	1	UEP95	1	10.94				1	Ì		1	1		1

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_			4= 0=										
		Non-Design		2	UEP95		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_			0= 00										
<u> </u>		Non-Design		3	UEP95		25.80										
-	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOE		10.44										
-	-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP95		13.41										
				2	UEP95		18.57										
		Design	<u> </u>		UEF93		10.07										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	1	3	UEP95		32.04						1		I		
-	LINE !	oop Rate	 	3	OLF 30	+	32.04					 	-		 		
-	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP95	UECS1	9.77					 	-		 		
	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP95	UECS1	13.88								t		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
—		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP95	UECS2	12.24								 		
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	30.87										
	LINE P	ort Rate			OLI 30	OLOGE	00.07										
	All Sta					+											
	All Old	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	02	,	00.01	20.10	21.00	0.07						
		Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
	AL, KY	/, LA, MS, SC, & TN Only															
	FL & G	GA Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l										1		
		Term 2,3		<u> </u>	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81						
1		OMF Wile On In Bustinesian in the state of t			LIEBOE	LIEDUS		== = :							1		
<u> </u>		2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ	<u> </u>	UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37						
	 	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	<u> </u>	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37				-		
<u> </u>	Local	Switching	 	 	LIEDOS	LIDECO	0.700:					-			1		
<u> </u>	Lasci	Centrex Intercom Funtionality, per port	 	!	UEP95	URECS	0.7384					1	ļ		 		
<u> </u>	Local	Number Portability II acal Number Portability (1 per port)	 	 	LIEDOS	LNDCC	0.35				-	-			 		
	Featur	Local Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0.35								 		
-	reatur		 	 	UEP95	UEPVF	2.26										
-	+	All Standard Features Offered, per port All Select Features Offered, per port	1	1	UEP95 UEP95	UEPVS	0.00	370.70				1			1		
—		All Centrex Control Features Offered, per port	1	 	UEP95	UEPVC	2.26	310.70							 		
	NARS	7 at Control Control Features Offered, per port	 	!	OLI 33	JL1 VC	2.20								t		
-	11/11/0	Unbundled Network Access Register - Combination	 	†	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		 		t		
 	-	Unbundled Network Access Register - Indial	 	 	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		l		 		
		Unbundled Network Access Register - Outdial		t	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00				†		
	Miscel	Ianeous Terminations	†	t			3.00	2.00	5.00	5.00	3.00				t		
		Trunk Side	†	t											t		
	1	Trunk Side Terminations, each			UEP95	CEND6	8.73								İ		
_						-											

UNBUND	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	ng Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-W	/ire D	Digital (1.544 Megabits)									1						
		DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Inte		ce Channel Mileage - 2-Wire															
	- li	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
		interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
Fea		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 (Chan	nnel Bank Feature Activations															
	F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
		·															1
	F	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	F	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	5	Slot			UEP95	1PQW7	0.66										
	F	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	[Different Wire Center			UEP95	1PQWP	0.66										
	F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	F	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	5	Slot			UEP95	1PQWQ	0.66										
	F	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non	n-Rec	curring Charges (NRC) Associated with UNE-P Centrex															
	1	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	(Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82]
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82]
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Add	dition	nal Non-Recurring Charges (NRC)]
	ι	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE		rt/Loop Combination Rates (Non-Design)															ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design	ļ	1	UEP9D		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		45.05			1							
		Non-Design	-	2	UEP9D	+	15.05			-	-						↓
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D	1	25.00			I			1		Ì		
LINIT		Non-Design		3	UEP9D		25.80										
UNE		rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	-		+				 	+	-			 		
		2-wire vG Loop/2-wire voice Grade Port (Centrex) Port Combo - Desian	1	1	UEP9D	1	13.41			I			1		Ì		
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	!	- '-	OFLan	+	13.41			 	+				 		┼──
		2-Wire vG Loop/2-Wire voice Grade Port (Centrex)Port Combo - Design		2	UEP9D	1	18.57			I			1		Ì		
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLFBD	+	10.07			t	1				1		+
		Design		3	UEP9D	1	32.04			I			1		Ì		
LIME		op Rate	1	-	021 00	+	32.04			 	+	-			 		
- John		2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	9.77			-	 						
		2-Wire Voice Grade Loop (SL 1) - Zone 1	t	2	UEP9D	UECS1	13.88			 	1		l				1
		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	24.63			I	1	<u> </u>	 		 		†
		2-Wire Voice Grade Loop (SL 2) - Zone 3	t		UEP9D	UECS2	12.24			 	1		l				
		2-Wire Voice Grade Loop (SL 2) - Zone 1	t	2	UEP9D	UECS2	17.40			 	1		l				
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	30.87			†	1				1		†
UNF		rt Rate		Ť		32002	55.07			t	1				1		
		ATES		†		1				t	1				1		
					UEP9D		1.17								•		·

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
	1										Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11200111		m		200				== (+)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
h + + + + + + + + + + + + + + + + + + +					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						101	71441	101	7.44.1	0020		•••••		00	
	Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				l											
	Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDAD			=0.04									
	Indication))4 Basic Local Area		<u> </u>	UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			LIEDOD	LIEDV I	4.47	50.04	00.40	07.50	0.07						
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						——
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEF9D	UEPTIVI	1.17	55.51	20.40	27.50	0.37						-
	Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLF 9D	OLFIO	1.17	33.31	20.40	27.50	0.37						
	Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI OD	OLI II	1.17	00.01	20.40	27.00	0.07						
	Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				I											
-	Term 2,3		<u> </u>	UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						=0.04									
\vdash	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic	1	-	UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
	Local Area			UEP9D	UEPY2	4 47	50.04	00.40	27.50	0.07						
EI 0 /	Local Area GA Only	 	 	OFLAD	UEF12	1.17	53.31	26.46	27.50	8.37		 				
FL & C	2-Wire Voice Grade Port (Centrex)	1		UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		-		1		
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37				1		
 	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	 		UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		 				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	1		UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		 				—
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	1		UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		 				—
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	1	1	UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37				1		t
	1= ::::: ::::: ::::::::::::::::::::::::	<u> </u>	1	00	1		55.01	_5.∓0		0.01	1			ı		1

UNBUN	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted					
													Submitted		Charge -	Charge -	Charge -
CATEGO	nv.	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	Kī	RATE ELEMENTS	m	Zone	ВСЭ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37	0020	00	00	00		
-				1													
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						ĺ
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						ĺ
																	+
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l									1	1	1	1		1
		2,3		<u> </u>	UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
																-	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	l		UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81	I	I	1	1		1
\vdash						1	,		30.10	551.11	10.01	l .	l .	 			
		2 Mine Vaine Cond - Bort (Control/differ CMC /EBC ME000)2 2 4			LIEDOD	LIEDLID	4.47	420.40	00.40	CF 44	40.04						ĺ
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		1	UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81	1	1	1	1		
																	ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						<u> </u>
																	ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						ĺ
		, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						ĺ
		2-vviile voice Grade Fort (Certite/Vullier SVVC/LBS-IVISS12)2, 3,4		1	ULF3D	ULFIIO	1.17	133.43	00.10	05.41	13.01						
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
																	í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						1
-		2 Wile Voice Grade Fort (Gentlewanier GWG/EBG M6216)2,6,4			OLI OD	OLITIO	1.17	100.40	00.10	00.41	10.01						
		0.14/5 1/1-1-1 O 1- Po-1/O1/1/4 014/0/EPO ME040)0 0.4			LIEDOD	LIEDLIZ.	4.47	400.40	00.40	05.44	40.04						ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ĺ
		Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						<u> </u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						ĺ
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
<u> </u>	0001 0	Switching			J. JD	CLITIZ	1.17	55.51	20.40	27.50	0.07						
 	ocai 3			-	LIEDOD	LIDECO	0.7001										
- -		Centrex Intercom Funtionality, per port		—	UEP9D	URECS	0.7384					-	-				
L	ocal N	lumber Portability															!
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										L
F	eature	es															1
		All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									f
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26	5. 5 0				i	i	1	1		
NI.	ARS	an Someon Control Foundation Official, per port		 	021 00	JL. 70	2.20					 	 	1	1		
I N	ANO.	Habita dia di Nationale Assassa Degistas Comphination		1	LIEDOD	LIADOV	0.00	0.00	0.00	0.00	0.00	-	-	-	-		
		Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						└
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	1	1				
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00			L	L		L
M	iscell	aneous Terminations															1
2-	Wire	Trunk Side												İ	İ		[
t t		Trunk Side Terminations, each			UEP9D	CEND6	8.73										
1	Wire	Digital (1.544 Megabits)					00					l .	l .	 			
4				 	UEP9D	M1HD1	54.95					 	 	1	1		
\vdash		DS1 Circuit Terminations, each		1								1	1	1	1		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69									!
In	teroff	ice Channel Mileage - 2-Wire															
ıT		Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32										1
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0091							İ	İ		[
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1											
		nnel Bank Feature Activations	Ī									 	 				
H-10	- Ulla			-	LIEDOD	100000	0.00										
ــــــــــــــــــــــــــــــــــــــ		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										1

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
l	1	changes, per port	1	1	UEP9D	USAC2		21.50	8.42	Ì			1		I	Ì	1
		Conversion of existing Centrex Common Block, each		1	UEP9D	USACN		5.17	8.32	İ	İ				İ	İ	
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at						0.00									
		End Use Premise			UEP9D	URETN		11.21	1.10								
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		25.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		13.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		18.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	1	Design	1	3	UEP9E	1	32.04						1		I	Ì	1
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
	UNE P	ort Rate															
		, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
1	1	Area	1	1	UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		1		I	Ì	1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	1	Area	l		UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						1
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	t		1					2.3,				t	1	
	1	Center)2,3 Basic Local Area	1	1	UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81		1		I	Ì	1
	1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1	1			,	.00.40	33.10	55.71	.5.01					1	
ĺ	1	Service Term - Basic Local Area	1	1	UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		1		I	Ì	1
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1		 	,		330	55.11	.5.51				†	1	
	1	- Basic Local Area	l		UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37						1
		240.0 2004.7.00		1	J J .	JE1 10	1.17	00.01	20.70	27.50	5.57	1			1	1	

UNB	INDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1			1	1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add I
							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Florida																
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	<u></u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u></u>	<u></u>	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37	<u></u>	<u></u>		<u> </u>		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side			115545	051150											
		Trunk Side Terminations, each		<u> </u>	UEP9E	CEND6	8.73										ļ
-	4-wire	Digital (1.544 Megabits)			LIEDOE	MALIDA	54.05										
-		DS1 Circuit Terminations, each DS0 Channel Activated Per Channel		-	UEP9E UEP9E	M1HD1 M1HDO	54.95 0.00	15.69									
	Interest				UEP9E	MIHDO	0.00	15.69									
	interon	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBC	0.0091										-
	Footure	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLFBL	IVITGBIVI	0.0091					-					
		innel Bank Feature Activations															
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E	1PQWS	0.66										
		realure Activation on 5-4 Chairner Bank Centrex Loop Siot			OLF9L	IFQW3	0.00					1					
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	l		UEP9E	1PQW6	0.66						1		1		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OL	11 00110	0.00										
		Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.00										
		Slot			UEP9E	1PQWQ	0.66										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66				l						
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				1											
		NRC Conversion Currently Combined Switch-As-Is with allowed															
L	<u></u>	changes, per port	<u> </u>	<u>L</u>	UEP9E	USAC2	<u> </u>	21.50	8.42	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>		
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82									
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48									
	Additio	nal Non-Recurring Charges (NRC)															
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1									1]		
	1	Premise	<u> </u>		UEP9E	URETL		8.33	0.83								

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
	Note 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3 -	Installation is combination of Installation charge for SL2 Lo	op and	Port													
	Note 4 -	Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																

																ı	
UNBU	NDLE	NETWORK ELEMENTS - Georgia	1			ı	1					I 0 5 ·	I 0 0 .		ment: 2	Exhi	
						1								Incremental		Incremental	
1						1							Submitted		Charge -	Charge -	Charge -
CATEG	OBV.	RATE ELEMENTS	Interi	70	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	JRT	RATE ELEMENTS	m	Zone	всъ	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Monrocurrin	g Disconnect			066	Rates (\$)		
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	The "70	one" shown in the sections for stand-alone loops or loops as	nart of	a comb	nination refers to Ge	ographically	Deaveraged U	NF Zones. To	view Geograp	hically Deaver	aged UNF Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	
		ww.interconnection.bellsouth.com/become a clec/html/inter				- g. up	zouro.ugou o		Goog.up		.go 0o	2 200.ga	, , , , , , , , , , , , , , , , , , ,	. u. Ooo, . o			
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.		•			•	3	, , .								
		(2) Any element that can be ordered electronically will be bill	ed acco	rdina t	o the SOMEC rate li	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	IIv. For those	e elements
		nnot be ordered electronically at present per the LOH, the list															
		I, will be applied to a CLECs bill when it submits an LSR to B					•				3						3 3 . ,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00				I		
		OSS - Manual Service Order Charge, Per Local Service Request		1													
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
UNE SE	RVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC, UC1GL. UC1HC.												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,					1	1				1		
				1	ULDS1, ULDVX,					1	I				I		
					UNC1X, UNC3X,	1				I	I				I		
					UNCDX, UNCNX,	1				I	I				I		
					UNCSX, UNCVX,					1	1				1		
					UNLD1, UNLD3,	1				I	I				I		
					UXTD1, UXTD3,					1	1				1		
					UXTS1, U1TUC,	1				I	I				I		
		UNE Expedite Charge per Circuit or Line Assignable USOC, per		1	U1TUD, U1TUB,					1	I				I		
		Day		<u> </u>	U1TUA	SDASP		200.00		1	1				1		
		XCHANGE ACCESS LOOP								ļ	ļ				1		
	2-WIRE	ANALOG VOICE GRADE LOOP		L						<u> </u>	_				.		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72				-	ļ	
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72				-	1	
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72				-	ļ	
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.85	40.02	9.99	5.61	1.72				!	1	
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72				!	1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEANL	URETL		8.33	0.00	I	I				I		
\vdash		Premise Loop Testing - Basic 1st Half Hour	-	 	UEANL UEANL	URETL URET1			0.83	 	-						
\vdash		Loop Testing - Basic 1st Haif Hour Loop Testing - Basic Additional Half Hour		 	UEANL	URETA		25.12 13.62	25.12 13.62	 	 				 		
		LOOP TESTING - DASIC MUDICIDITAL MAIL MOUL	L	l	OLANL	ONLIA	l	13.02	13.02	1	1	1	1		1	l	

UNBI	JNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	JOINT	KATE EEEMENTO	m	20116	500	0000			KATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					+		Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates (\$)		
				-			Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	OLEO to OLEO Communica Observa Without Outside Dispetch	<u> </u>					FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92								
			-	-	UEANL	UKEWU		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			LIFANII	UEANM		7.00	7.00								
		providing make-up (Engineering Information - E.I.) Manual Order Coordiantion for UVL-SL1s (per loop)	-	-	UEANL UEANL	UEAMC		7.30 18.92	7.30 18.92								
					UEANL	UEAMC		18.92	18.92								
		Order Coordination for Specified Conversion Time for UVL-SL1			LIFANI	00001		57.70									
	O MUDE	(per LSR)			UEANL	OCOSL		57.79									
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED		-	LIEO	LIEGOV	44.00	44.00	00.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
-	1	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	 	2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00		ļ		 		
<u> </u>	<u> </u>	2 Wire Unbundled Copper Loop Non-Designed-Zone 3	<u> </u>	3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00				1		-
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		LIBETI		0.00	0.00								1
		Premise			UEQ	URETL		8.33	0.83						ļ		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	1									1				I
		Non-Designed (per loop)	ļ	<u> </u>	UEQ	USBMC		18.92	18.92						ļ		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
UNBU		EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
	UNE Lo	pop Rates for Line Splitting (In Ga. PSC ordered the line spli	tting lo														
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- 1	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- 1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36						1		
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10						İ		İ
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12				İ		İ
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12				1		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79				İ			i e		1
		CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO		87.72	36.36						1		t
	2-WIRE	ISDN DIGITAL GRADE LOOP			İ							İ			i e		1
	1	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97				İ		İ
		2-Wire ISDN Digital Grade Loop - Zone 2	t	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				1		1
		2-Wire ISDN Digital Grade Loop - Zone Z															
		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				1		

ALTEGORY RATE LEMENTS INDEX PARTS (P) RATE LEMENTS INDEX RATES (P) RATE LEMENTS INDEX RATES (P) RATE LEMENTS INDEX RATES (P) RATES	UNB	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATTOON BATE REMENTS Dec De		-											Svc Order	Svc Order				
CATE CLAY PATE & LEMENTS Part																		
ATTECHN BATE ELEMENTS																		
Best	CATE	CORV	PATE ELEMENTS	Interi	Zone	BC6	usoc			PATES (\$)								
Part	OAIL	JOIN	KATE ELEMENTO	m	Lone	B00	0000			KATES (\$)			per LSR	per LSR				
Description Description																		
TEXTLO DE CONSIDERATION CONTROL CONTROL CONTROL 1 0 0 0 0 0 0 0 0 0															1st	Add'l	Disc 1st	Disc Add'l
TEXTLO DE CONSIDERATION CONTROL CONTROL CONTROL 1 0 0 0 0 0 0 0 0 0		1							Monroe		Monroourring	Disconnoct			000	Dotos (f)		
DEFCIE CLAST COmment Charge without sinter degrees 1008 0989071 1009 1009								Rec					COMEC	COMAN			COMAN	COMAN
2-Wise Legislate Francisco 1-Wise Company and a stroke requiry 1 2 304. 30.2 1.5 1.5 0.00 0.00 1.5			OLEO to OLEO Commence Channel with a standard dispetal			LIDNI	LIDEWO				FIRST	Addi	SUMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
SWee Unknowned ADSL Loop including manual service requiry 1 1 1 1 1 1 1 1 1		2 WIDE		ATIDI	1.00		UKEWU		120.96	33.04			-					
Startiny reservation - Zener 1		Z-VVIKE		ATIBLE	LOUI	1	-						-					
Wite Unituralized ASS, Logo Including named service inquiry 1 2 UM.				١.,	1	LIAI	11/1 27	11 22	44.60	21.55	0.00	0.00						
R. Enrilly preservation 2 January 1		+		<u> </u>	-	UAL	UALZA	11.23	44.03	31.33	0.00	0.00	1					
2 Vivis Listandined ADE Long including manual amount annual process program 1				١.,	2	LIAI	1141.27	12.07	44.60	21.55	0.00	0.00						
Statisty reservation - Zoon 3				<u> </u>		UAL	UALZA	12.51	44.09	31.33	0.00	0.00						
Outst Coordination for Specified Convenient Time (per LSR)				١.,	3	ΠΔΙ	11AL2Y	20.62	11 60	31.55	0.00	0.00						
2 View Linksonded ASSL Loop without manual service requiry & 1 1 UAL				<u>'</u>	3			20.02		31.33	0.00	0.00						
Scality reservation - Zeros 1						UAL	OCCOL		31.13									
2 West Unbounded ADSL Loop without manual service inquiry & 1 2 U.H. U.H.2V 12.97 44.69 31.55 0.00 0.00		1		l ,	1	шы	1141 21//	11 22	44.60	21 55	0.00	0.00			Ì	Ì		l
Builty reservation - Zone 2 2 Will. UNL UNL 12 0 44.69 31.55 0.00 0.00		1		- '-	+-	U/ 1L	JALZVV	11.23	44.03	31.33	0.00	0.00						
2 Wite Unburdled PSS. Loop without manual service inquiry & facility reservation - Zone 2		1		l ,	2	шы	11AL 2W	12 07	44 60	31 55	0.00	0.00			Ì	Ì		l
Facility respiration - Zone 3 1 3 VAL VALZW 20 (5 5779 20 50 50 50 50 50 50 50		1				U/1L	UALZVV	12.31	44.09	31.35	0.00	0.00	 	1	1	1		1
Order Continuation for Specified Convention Time (per LSR)				١.,	2	LIAI	1101 200	20.62	44.60	21.55	0.00	0.00						
CLEC to CLEC Conversion Charge without outside dispatch 1 UAL UREWO		+		-	3			20.02		31.33	0.00	0.00	1					
2 Wire Unbundled HDS. Loop including manual service inquiry 1 1 1 1 1 2 1 1 1 1										20.20								
2 Wire Unbundled HDSL Loop including manual service inquiry 1 1 UHL		2-WIDE		TIRI F	LOOP	UAL	UKLVVO		44.03	25.25			1					
Stability reservation - Zone 1		Z-VVIIXL		I	1													
2 Wire Unburidied HDSL Loop including manual service inquiry 1 2 UHL				١.,	1	пы	LIHL2X	7 88	11 60	31.55	0.00	0.00						
Stacility reservation - Zone 2				<u> </u>	-	OFIL	UTILZX	7.00	44.09	31.33	0.00	0.00						
2 Wire Unbundled PIGSL Loop including manual service inquiry 1 3 UHL				١.,	2	l III	LILI OV	0.00	44.60	21.55	0.00	0.00						
Stacilly reservation - Zone 3				<u>'</u>		OFIL	OFFICEX	3.03	44.03	31.33	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR) 2 View Unbundled HDISL Loop without manual service inquiry 1 1 UHL UHL2W 7.88 44.69 31.55 0.00 0.00				١.,	3	пы	LIHL2X	1/ /8	11 60	31.55	0.00	0.00						
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1				<u> </u>				14.40		01.00	0.00	0.00						
and facility reservation - Zone 1						OFIL	OCCOL		31.13									
2 Wire Unbrudled HOSL Loop without manual service inquiry and facility reservation - Zone 2 1 2 UHL UHL2W 9.09 44.69 31.55 0.00				1 .	1	пы	LIHL2W	7 88	44 69	31 55	0.00	0.00						
and facility reservation - Zone 2				<u> </u>		OTIL	CTILLEVV	7.00	11.00	01.00	0.00	0.00						
2 Wire Inbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 1 3 UHL UHLZW 14.48 44.69 31.55 0.00 0.00 0.00				l ,	2	UHI	UHI 2W	9.09	44 69	31.55	0.00	0.00						
and facility reservation - Zone 3					_	0.1.2	O. ILL.	0.00		01.00	0.00	0.00	1					
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 57.79				l ,	3	пы	LIHL2W	14 48	44 69	31 55	0.00	0.00						
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 44.69 31.55										01.00	0.00	0.00						
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP										31.55								
A Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 1 2 UHL UHL4X 10.39 44.69 31.55 0.00		4-WIRE		TIBLE	LOOP	0.12	O. N.Z. V. O		11.00	01.00								
Additive reservation - Zone 1					1													
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2				1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
Additional transfer of the content		1		<u> </u>	† ·				55	350	5.50	0.30			1	1		İ
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3				1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
and facility reservation - Zone 3											3.22				İ	İ		İ
Order Coordination for Specified Conversion Time (per LSR)		1		1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00			Ì	Ì		l
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1			<u> </u>					230	2.30	2.30			İ	İ		İ
and facility reservation - Zone 1																		
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2				1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
and facility reservation - Zone 2		1				İ									İ	İ		İ
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3				- 1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
and facility reservation - Zone 3																		
Order Coordination for Specified Conversion Time (per LSR) UHL UREWO 44.69 31.55 UHL UREWO 44.69 31.55 UHL UREWO 44.69 31.55 UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UREWO UHL UHL UREWO UHL UHL UREWO UHL U		1		1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00			Ì	Ì		l
4-Wire DS1 Digital Loop - Zone 1						UHL	OCOSL		57.79									
4-Wire DS1 Digital Loop - Zone 1			CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
4-Wire DS1 Digital Loop - Zone 1		4-WIRE																
4-Wire DS1 Digital Loop - Zone 3 3 USL			4-Wire DS1 Digital Loop - Zone 1		_1	USL		41.02	211.93		38.24	7.20						
Order Coordination for Specified Conversion Time (per LSR)					2	USL												
Order Coordination for Specified Conversion Time (per LSR)			4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						
CLEC to CLEC Conversion Charge without outside dispatch						USL			57.79									
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP UDL UDL19 21.86 196.66 37.00 18.82 7.20 4 Wire Unbundled Digital 19.2 Kbps 1 UDL UDL19 28.36 196.66 37.00 18.82 7.20 4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20			CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97								
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20		4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 38.22 196.66 37.00 18.82 7.20																		
			4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20						

UNRI	INDI F	D NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Exhi	hit: A
O.V.D.	J.10 L.L.	NETWORK ELEMENTO Coorgia										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
UA.L.		KATE EEEMENTO	m	20.10	500	0000			ιται 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-	1	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop-Designed including manual															ſ
		service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						1
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						<u> </u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								[
		2-Wire Unbundled Copper Loop-Designed without manual															1
		service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						<u> </u>
		2-Wire Unbundled Copper Loop-Designed without manual															1
		service inquiry and facility reservation - Zone 2	ı	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															i .
		service inquiry and facility reservation - Zone 3	ı	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
<u> </u>		Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		44.69	04.55								i .
	4 WIDE	COPPER LOOP	- 1	-	UCL	UKEWU		44.69	31.55								
-	4-WINL	4-Wire Copper Loop-Designed including manual service inquiry				+											
		and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						i .
		4-Wire Copper Loop-Designed including manual service inquiry		<u> </u>	OOL	OOL40	10.03	44.03	31.33	0.00	0.00						—
		and facility reservation - Zone 2	1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						i .
		4-Wire Copper Loop-Designed including manual service inquiry		_	COL	OOL-10	10.22	44.00	01.00	0.00	0.00						—
		and facility reservation - Zone 3	1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						i .
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						i .
		4-Wire Copper Loop-Designed without manual service inquiry															ſ
	<u> </u>	and facility reservation - Zone 2	- 1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						<u> </u>
		4-Wire Copper Loop-Designed without manual service inquiry															1
		and facility reservation - Zone 3	ı	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
1.655	1	CLEC to CLEC conversion Charge without outside dispatch	ı	<u> </u>	UCL	UREWO		44.69	31.55								├
LOOP	MODIFIC	CATION		<u> </u>													
					UAL, UHL, UCL,												ı
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL, UEPSR,												1
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								i .
-	+	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-		021 00	JLIVIZL		0.00	0.00								
	1	less than or equal to 18K ft, per Unbundled Loop	1	1	UHL, UCL, UEA	ULM4L		0.00	0.00				1				1
	1	rece than or equal to forcit, per oribunded boop	<u> </u>		UAL, UHL, UCL,	CLIVITE		0.00	3.00								
					UEQ, ULS, UEA,												i
	1	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,	I							1				1
	1	per Unbundled Loop		1	UEPSB	ULMBT		17.91					1				1
SUB-L	OOPS	,															ſ
	Sub-Lo	op Distribution															
1	1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-											1				1
		Up			UEANL	USBSA		255.76									L

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			LIFANII	HODOD		F4 C4									
	Set-Up Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working			UEANL	USBSD		51.61									
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			ULANL	USBRC	3.01	20.40	3.00	2.20	0.01	1					
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANL	CODIND	7.07	31.07	4.73	2.21	0.01						
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1			202.42	0.02	20.70	0.00	2.20	0.01	1		1	I	1	I
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								_							
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
				LIFANII	1100140		40.00	40.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	7.07	18.92	18.92	0.07	0.01						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	'		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
-	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12			1					
	Loop Testing - Basic 1st Hair Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	Ĺ	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
											Ì					
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		18.92	18.92						I		I
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
_		1	1											_		_
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		18.92	18.92			<u> </u>			1		
\vdash	Loop Testing - Basic 1st Half Hour		<u> </u>	UEF	URET1		25.12	25.12	ļ					ļ		ļ
 	Loop Testing - Basic Additional Half Hour		<u> </u>	UEF	URETA		13.62	13.62			<u> </u>		ļ	-	ļ	-
Unbu	Indled Network Terminating Wire (UNTW)		 	UENTW	UENPP	0.533	05.40	12.28						 		
Not	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)	-	 	UEINIVV	UENPP	0.533	25.12	12.28			 			 		
NetW	Network Interface Device (NID) - 1-2 lines		 	UENTW	UND12	 	32.86	20.69			 			 		
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	l i	1	UENTW	UND12		56.03	43.86			1	1		1		1
 	Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W	l i		UENTW	UNDC2		2.45	2.45	 					 		
 	Network Interface Device Cross Connect - 4W	- '-	†	UENTW	UNDC4		2.45	2.45			 			t		t
UNE OTHER	PROVISIONING ONLY - NO RATE	1	!	0=111111	511057	-	2.73	2.40			1		1	I	1	I
J J	NID - Dispatch and Service Order for NID installation	1	!	UENTW	UNDBX	0.00	0.00				1		1	I	1	I
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		†	UENTW	UENCE	0.00	0.00							1		1
	, , , , , , , , , , , , , , , , , , , ,	1	i –	UEANL,UEF,UEQ,U									İ	1	İ	1
	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00							I		I
	PROVISIONING ONLY - NO RATE															

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.		Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						l	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							101	7.00.		71441	0020	00				
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			, , , , , , , , , , , , , , , , , , , ,												
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	41.5110	40.07										İ
	month			UE3	1L5ND	10.97										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97										
	High Capacity Unbundled Local Loop - STS-1 - Facility				l											
	Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or			1.15.41.4	1 15 41 21 1 47		45.40	45.40								
	spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								-
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
	IG AND LINE SPLITTING		<u> </u>		<u> </u>	<u> </u>			l							
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as t	ollows:							-
	: 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co : 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper io	op nor	1-designed (UCLND	,											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															-
	: 1: 10/02/2005 - 10/01/2006: 75% of the rate for OCEND															
	TE 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	1111 50	C annlies only to cit	cuite inetall	ed and inservic	e on or before	October 1 20	U3							
	SHARING	DC and	I OLOC	c applies only to ch	Cuito instan	L and miservic	e on or belore	October 1, 20	1							
	TTERS-CENTRAL OFFICE BASED															
0. 2	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter -						-									
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						1
1	Line Sharing - per Subsequent Activity per Line					5.27		0		20				1	1	t
	Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		36.23	13.23	16.94	1.69						
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						<u> </u>
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						1

UNRI	INDI F	D NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Fyhi	bit: A
3.450												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC ISL	DISC Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		U
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
	LINE S	PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBU		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	ł														
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
<u> </u>		Termination		<u> </u>	U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00	<u> </u>		ļ	ļ		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	l	1										I		Ì	
<u> </u>		per month		<u> </u>	U1TDX	1L5XX	0.0057					<u> </u>		ļ	ļ		
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	l	1	l <u></u>	I	_			1	_			I		Ì	
		Termination	ļ	ļ	U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00				ļ		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l	1										1			
		month	 	<u> </u>	U1TD1	1L5XX	0.1154					1			ļ		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	l	1	114704	LIATE4	04.10	444.00	00.00	04.00	04 =0			I		Ì	
<u> </u>		Termination	<u> </u>	<u> </u>	U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73			-	1		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l	1	LIATEO	41.5307								I		Ì	
<u> </u>		month	<u> </u>	<u> </u>	U1TD3	1L5XX	2.53			ļ				-	1		
		Interoffice Channel - Dedicated Transport - DS3 - Facility	l	1	LIATED	LIATES	0.40.00	000 4=	00.00	20	50.01			1			
		Termination per month		<u> </u>	U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	l	1	114704	41.5307	0.50							I		Ì	
-		month	1	1	U1TS1	1L5XX	2.53			ļ		1		1	 	-	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	l	1	LIATOA	LIATEO	050.05	000 4=	00.00	20	50.01			I		Ì	
DADY	LIDER	Termination	<u> </u>	<u> </u>	U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81			-	.		
DARK	FIBEK	Dork Fibor, Four Fibor Strands, Bar Bouta Mila or Fraction	 	-		1				 		1		 	 	 	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l	1	LIDE LIDEON	1L5DF	00.00							1			
—		Thereof per month - Interoffice Channel	 	-	UDF, UDFCX		23.29	1,776.53	00.75	73.64	40.70	1		 	 	 	
-		NRC Dark Fiber - Interoffice Channel	-	 	UDF, UDFCX	UDF14		1,776.53	89.75	/3.64	18.70			 	 		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	l	1	UDF. UDFCX	1L5DL	46.84							1			
-		NRC Dark Fiber - Local Loop	-	 	UDF, UDFCX	UDFL4	40.04	1,745.99	87.54	73.64	18.70	-			 	 	
		INITO DAIN FIDEL - LOCAL LOOP	l	1	סטר, טטויטא	JUI L4		1,740.99	01.04	13.04	10.70	<u> </u>	1	L	1	1	

UNBUN	DLF	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	ibit: A
3.1001		ALL HORR ELEMENTO Georgia		l								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec			Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc			
CAILOO	111	NATE ELEMENTO	m	20116	B00	0000			IAILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SXX ACC	ESS T	EN DIGIT SCREENING						11100	Addi	11100	Auu	COMILO	COMPAR	COMPAR	COMPAN	COMPAN	COMPAN
OKK AGG		8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.1.5		0.00000 10					1					
		Number Reserved			OHD	N8R1X		2.50	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.50	1.25								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.	<u></u>	L	OHD	N8FMX	<u> </u>	2.93	1.68	<u> </u>		<u> </u>			<u> </u>		<u> </u>
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43								
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.50									
		8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.0008543										
		8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0008543										
LINE INF		TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000682										
		LIDB Validation Per Query			OQU		0.0266962										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.24	33.24	39.35	39.35						
SIGNALI	NG (C																
		CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
		CCS7 Signaling Usage, Per Call Setup Message			UDB		0.0000132										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000527			10.01	10.01						
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D			LIDD	TDD	0.70	04.77	04.77	40.04	40.04						
		link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB UDB	STU56	0.0000132 907.44										
		CCS7 Signaling Usage Surrogate, per link			UDB	51056	907.44										
		CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 SEI	NICE	anected			UDB	CCAPO		20.10	20.13	33.32	33.32						
L911 SLI	VICE	Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37	1					
-		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057	121.07	33.30	40.40	13.37						
-		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.0037										
		Termination					12.87	48.46	19.48	16.58	5.00						
		Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 2					56.30	149.46	111.20	40.36	26.12						1
		Local Channel - Dedicated - DS1 - Zone 3					164.70	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile		İ		1	0.1154		20	12,00					İ		
		F		İ		1									İ		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			34.19	111.03	80.28	31.36	21.73				1		1
CALLING	NAM	E (CNAM) SERVICE		i –				-									
		CNAM For DB Owners - Service Establishment		i –	OQV		i i	22.90		20.32							
		CNAM For Non DB Owners - Service Establishment			OQV			22.90		20.32							
		CNAM For DB Owners - Service Provisioning With Point Code					İ										
		Establishment			OQV			959.77	709.83	251.47	184.91						
		CNAM For Non DB Owners - Service Provisioning With Point							<u> </u>								
		Code Establishment			OQV			331.89	237.45	257.65	184.91						
		CNAM for DB Owners, Per Query			OQV		0.0009924										
		CNAM for Non DB Owners, Per Query			OQV		0.0009924										
		CNAM (Non-Databs Owner), NRC, applies when using the		1]		
		Character Based User Interface (CHUI)		<u> </u>	OQV	CDDCH	ļ	595.00	595.00	ļ					ļ		
SELECTI	VE RC			<u> </u>		_											_
		Selective Routing Per Unique Line Class Code Per Request Per						400 10	04 :=	40.00					Ì		
MDTHE	001	Switch		<u> </u>		-	ļ	102.19	61.15	12.68	6.34				 		
VIKTUAL	. COLL	OCATION										1					

UNBUNDLE	D NETWORK ELEMENTS - Georgia								· <u></u>				Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre			g Disconnect				Rates (\$)		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						1
PHYSICAL CO				02. 0 02. 02	12.20	0.0100	0.00	0.00	0.00	0.00						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	E CARRIER ROUTING			CDC	SRCEC		101,311.67	404 044 07	7 000 05	7 000 05						
	Regional Service Establishment End Office Establishment		<u> </u>	SRC SRC	SRCEO		158.92	101,311.67 158.92	7,833.25 1.64	7,833.25 1.64						
+	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06		1.04				1		
	Query NRC, per query			SRC	0.102.	0.0020368	2.00	2.00								
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	ļ		A1N	CAMSE		41.41	41.41	41.63	41.63						
																ĺ
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		8.15 8.15	8.15 8.15		9.16 9.16						
	AIN SMS Access Service - Port Conflection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		0.15	0.13	9.10	9.10				1		
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						ĺ
	AIN SMS Access Service - Security Card, Per User ID Code,													İ		
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						İ
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038										
	AIN SMS Access Service - Session, Per Minute					1.81										
	AIN SMS Access Service - Company Performed Session, Per					0.0000										ĺ
AIN DELLEO	Minute UTH AIN TOOLKIT SERVICE					0.8323								-		
AIN - BELLSO	AIN Toolkit Service - Service Establishment Charge, Per State,													1		
	Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						i
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,236.62	4,236.62	1					İ		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						·									
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						<u> </u>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															ĺ
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						ĺ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPTIVI		0.15	0.13	9.10	9.10						
	DN, 10-Digit PODP				ВАРТО		33.98	33.98	14.09	14.09						i
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						00.00									
	DN, CDP				BAPTC		33.98	33.98	14.09	14.09						İ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															ĺ
	DN, Feature Code				BAPTF	0.00=1.100	33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0271438								-		
	Subscription, Per Node, Per Query					0.0059195										ĺ
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0055155										
	Account, Per 100 Kilobytes					0.04										ĺ
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															ĺ
	Subscription			CAM	BAPLS	6.46	8.98	8.98								├
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71						1
 	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1	1	O/LIVI	DAFDS	0.54	0.15	0.15	5.71	3.71				 		
	Service Subscription			CAM	BAPES	0.22	8.98	8.98								1
ENHANCED E	(TENDED LINK (EELs)				1		2.30	2.30		İ						
NOTE:	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provision	ed as ' Current	tly Combined' I	Network Eleme	ents.					
EXTEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS					105 -				ļ		ļ	1	ļ	
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 1	 		UNCVX	UEAL2 UEAL2	11.57	195.94	36.38		6.86			 	1	 	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						1

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add 1
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.1154										i .
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10									
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						l
																	i .
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						L
1	1					1				I			1		1		1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						.
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						.
		Nonrecurring Currently Combined Network Elements Switch -As-															i .
		ls Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRT											
		First A Wire Assistance October Control of C			111000		47.00	405.04	00.00	40.40	0.00						i .
-		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						+
		First A Mire Analysis Conduction Conduction 7		2	1110101	UEAL4	04.00	405.04	00.00	40.40	0.00						1
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						ı
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	UEAL4	30.23	195.94	30.30	10.42	0.00						
		Per Month			UNC1X	1L5XX	0.1154										i .
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIX	ILSAA	0.1134			†							
		Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i .
		1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10	10.70	10.00	21.01						
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						i .
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						i .
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						i .
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											L
						l											ı
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		First A Wiss FOlders Pictual Constitution in Constitution 7		_	LINODY	1101.50	00.00	405.04	00.00	40.40	0.00						ı
-		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						+
		First 4 Wire FCKhan Binital Conds Lann in Combination 7 and 2		3	LINCDV	UDL56	38.22	405.04	36.38	18.42	6.86						i .
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	38.22	195.94	30.38	18.42	0.80						
		Per Month			UNC1X	1L5XX	0.1154										i .
-	1	Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIX	ILSAX	0.1134					1					
		Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i .
-		1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10	40.70	40.00	21.01						—
	1	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04				1		
—	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1.2.22	3.3300	200	2.00	. 5.00	04				1		
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						i
	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ė	-	1				1	5.30				1		
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															ſ
	1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1		1		1
		Additional OCU-DP COCI (data) - in combination per month (2.4-															ſ
		64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						1
			_		_												

UNBUNDL	ED NETWORK ELEMENTS - Georgia						-		•				Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1				I					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11_GG111	10112 =======	m		200	0000			101120 (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	ı	Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Nonrequiring Currently Combined Network Flomenta Switch As	-				-	FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAV	LINICOC		F 70	F 70	0.04	0.04						1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						├
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D51 IN	TEROFFICE TRANS	SPORT											├
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						L
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															ſ
	Per Month	l		UNC1X	1L5XX	0.1154					İ	1		l		1
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1					1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	İ	İ		İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			CHODA	ODLOT	21.00	100.04	00.00	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						1
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDA	UDL04	20.30	193.94	30.30	10.42	0.00						
			3	LINODY	UDL64	38.22	405.04	00.00	40.40	0.00						i
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination - per month															i
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						├
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						L
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															[
	Per Month			UNC1X	1L5XX	0.1154										i
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			†	20		2.31	2.31	İ	İ		İ		
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				İ		ſ
	First DS1Loop in Combination - Zone 2	1		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				1		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	İ			İ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1		-					231	2.30	i	1		1		
1 1	Per Month	l		UNC3X	1L5XX	2.53										1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1		2.7007		2.00					 	1		 		f
1 1	month	l		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1					1
\vdash	3/1Channel System in combination per month	1		UNC3X	MQ3	121.90	323.31	11.01	49.30	32.00	 	1		 		
\vdash	DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	 	1		 		
\vdash		1		UNUIA	וטוטט	1.35	21.33	2.90	10.86	1.04	-	-		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINICAY	LICLYY	44.00	200 45	70.44	27.04	0.00	l	1		İ		1
\vdash	Zone 1	.	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1	ļ		1		
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINIOAY	1101.307		coo				İ	1		İ		1
\vdash	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l									İ	1		İ		1
L	Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		ļ				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	l									1					1
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					-	1
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						1

UNBUN	NDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
3.1201						1						Svc Order	Svc Order	Incremental		Incremental	
1			l									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		Manual Svc
CATEGO	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc			
CATEGO	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>										- N	. B'			000	D-1 (A)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0057										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	FXTFN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE					****		0.0.						
H 1		4-WireVG Loop in combination - Zone 1		1 1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
 		4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
-		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						-
				3	UNCVA	UEAL4	30.23	195.94	30.30	10.42	0.00						+
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	l		LINCVY	11.577	0.0057			I			1		I	Ì	
\vdash		Mortus	<u> </u>	<u> </u>	UNCVX	1L5XX	0.0057						ļ			ļ	_
		Interoffice Transport - 4-wire VG - Dedicated - Facility	l		l	1				1			l				
		Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
1		Nonrecurring Currently Combined Network Elements Switch -As-	l										1				
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
		, , ,															
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
h +		Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	2.53	1,200.47	020.04	41.00	20.70						†
 		Interoffice Transport - Dedicated - DS3 - 1 et Mille per Month			ONOON	TESTON	2.55										
		Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
					UNCSA	UTIF3	342.02	323.91	11.01	49.36	32.00						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.70	5.70	0.04	0.04						
├		is Charge	<u> </u>		UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		I											
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	FXTFN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		3.1000		5.70	5.70	0.01	0.01	t	1		†	 	†
 	-AILIN	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	 	 		1	 	
\vdash		First 2-Wire ISDN Loop in Combination - Zone 1	-	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	 	 		-	-	
\vdash			-									1			-	 	
-		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	1			1		
		Interoffice Transport - Dedicated - DS1 combination - per mile	İ							1			l				
		per month		ļ	UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility	İ							1			l				
		Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1	l	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86		1		I	Ì	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		i –		1				<u> </u>		1	İ		İ	İ	
		Combination - Zone 2	l	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1		I	Ì	
\vdash		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-			J	20.20	100.04	00.00	10.72	0.00	1			t	 	+
		Combination - Zone 3	l	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86		1		I	Ì	
\vdash			1	3	OIVOIVA	UILZA	42.17	195.94	30.38	10.42	0.00	+	1		 	 	1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per	İ		LINIONIV	110404	4.00	07.00	0.00	40.00	4.04		l				
\longmapsto		month	<u> </u>	<u> </u>	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		ļ			ļ	_
		Nonrecurring Currently Combined Network Elements Switch -As-	l		l .	1				I			1		I	Ì	
igsquare		Is Charge	<u> </u>		UNC1X	UNCCC		5.70	5.70	6.61	6.61	1	ļ		ļ	ļ	ļ
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
\Box		First DS1 Loop Combination - Zone 1	\Box		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86		<u> </u>				
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Elec Manually per LSR P	UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
ACTEONY BATE REMATIS BATE RE	0.15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1				1					Svc Order	Svc Order				Incremental
RATE ELEMENTS Door BCS USCC RATES (B) RATE REMARKS (B) Door Doo																		Charge -
## COMPECON RATE ELEMENTS ## Zone BCS USOC RATES (I) ope 1.58 Order vs. Order																		Manual Svc
Record Part	CATE	CORV	PATE ELEMENTS	Interi	Zone	BCS.	usoc			DATES (\$)								
Text	CAIL	JOIN	KATE EEEMENTO	m	20116	ВСО	0000			IXATEO (ψ)			per LSR	per LSR				Order vs.
Proceedings																		Electronic-
Part Part April Prince April Prince April Prince April Prince April SOMEC SOMAN SO															1st	Add'l	Disc 1st	Disc Add'l
New York Part Address State Communication State	-								Nonrec	urring	Nonrecurring	Disconnect		l .	220	Pates (\$)		
Number								Rec					SOMEC	SOMAN			SOMAN	SOMAN
Par Month	-		Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1		11130	Auu	11130	Auu	JOINEC	JONAN	JONAN	JOHAN	JOHIAN	JOHAN
Internative Temporary Conference - Stock or combination - Social Section Stock of the Conference - Social Section - Soci						LINCSX	11 5XX	2 53										i .
Terreinton per rench						011007	TEO/O	2.00										
31 Clarum Spream to contribution per month MACSX MOS 121 90						LINCSX	LIITES	358 67	325 91	77.07	49 56	32.88						ĺ
BST COCK Combination per mouth MACKY M									020.01	77.07	10.00	02.00	1					
Additional USE Logo in the same SIS-1 Intendifice Transport Combination - Zono 2 Combination - Zono 2 Combination - Zono 2 Combination - Zono 2 Combination - Zono 2 Combination - Zono 2 Combination - Zono 3 Combination									27 33	2 90	16.86	1 04	1					
Construction						ONOTA	COIDI	7.00	27.00	2.00	10.00	1.04						
Additional DS LLOp in the same S15-1 interortice Transport Combination - Zone 2 Additional DS LLop and same S15-1 interortice Transport Additional DS Llop and same S15-1 interortice Transport 3 LNC1X USLXX 46.44 209.45 79.04 37.91 6.86 DS LLOC in combination per month Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Combined Network Elements Switch - As Noncounting Currently Curr					1	UNC1X	USLXX	41 02	209 45	70 44	37 91	6.86						i .
Combination - Zone 2						0.10.17	002.01	02	200.10	70.11	01.01	0.00	1					
Addisonar DS Llags in the same STS - Interestinal Temporal Combination - Zone 3 UNCIX USUX 02:03 209-46 70-44 37.91 6.86 1 USUS COCI in Combination per minist in the Combination - Control of					2	LINC1X	LISL XX	46 41	209.45	70 44	37 91	6.86						1
Combination 7,20m 3						O. CO. IX	COLU	10.11	200.10	70.11	01.01	0.00						
OST COCI in combination per morith Nicht X UCIDIT 7-35 27-33 2.80 16.86 1.04 Nicht X					3	UNC1X	USLXX	62.03	209 45	70 44	37 91	6.86						ĺ
Nonexarring Currently Combined Newton Elements Switch Ave INCCS		1		1	Ť													
Change		1		1	1		1		200	2.50		54				1		<u> </u>
EXTENDED 4-WIRE SE KRPS DIGITAL EXTENDED LOOP WITH 56 KRPS NITEORFICE TRANSPORT 1 UNCOX UDLS6 23.38 16.24 6.86						UNCSX	UNCCC		5.70	5.70	6.61	6.61						ĺ
Sevine 68 Althou Local Loop in combination - Zone 1		FXTFN		PS INT	FROFE		0.1000		0.70	00	0.01	0.01						
4-wire 68 bitspic Local Loop in combination - Zone 2 2 UNCDX UDL.56 38.28 196.94 36.38 18.42 6.86							UDI 56	21.86	195 94	36.38	18 42	6.86						
Herroric Transport - Opticated - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Decided - 4 wire 56 kbps Contribution - Zona 2 Decided - 4 wire 56 kbps Local Loop in Combination - Zona 1 1 UNCOX UDL64 21.86 195.94 36.38 18.42 6.86 1																		
Intereffice Transport - Dedicated - 4-wire 6 kbps combination Dedicated - 4-wire 6 kbps combination Dedicated - 4-wire 6 kbps combination Dedicated - 4-wire 6 kbps combination Dedicated - 4-wire 6 kbps Local Loop in Combination - Zone 2 1 LINCOX DILGE																		
Per Mile per morth																		
Interdirec Transport - Dedicated -4-were 58 kbps combination -						UNCDX	11.5XX	0.0057										1
Facility Termination per month							1-0											
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX						UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						1
Scharge																		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT 1 INNCX UDLB4 21.86 195.94 36.38 18.42 6.86						UNCDX	UNCCC		5.70	5.70	6.61	6.61						ı
4-wire 64 kbps Local Loop in Combination - Zone 2		EXTEN		PS INT	EROFF		1											
A-wire 64 ktyps Local Loop in Combination - Zone 2							UDL64	21.86	195.94	36.38	18,42	6.86						
Interoffice Transport - Declicated - 4-wire 64 kbps combination - UNCDX					2		UDL64	28.36	195.94									
Interoffice Transport - Declicated - 4-wire 64 kbps combination - Per Mile per month UNCDX 1L5XX 0.0067																		
Per Mile per month																		
Facility Termination per month						UNCDX	1L5XX	0.0057										i .
Nonrecurring Currently Combined Network Elements Switch -As- IUNCIX UNCCC 5.70 5.70 6.61 6.61			Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
Scharge UNCDX UNCCC 5.70 5.70 6.61 6.61			Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						ĺ
Scharge UNCDX UNCCC 5.70 5.70 6.61 6.61			Nonrecurring Currently Combined Network Elements Switch -As-															
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3 MUX First 2-wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 11.57 195.94 36.38 18.42 6.86						UNCDX	UNCCC		5.70	5.70	6.61	6.61						i
First 2-wire VG Loop (SL2) in Combination - Zone 2		EXTEN		RANSP	ORT w	3/1 MUX												
First 2-wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86			First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
First Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X 1L5XX 0.1154			First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
Mile			First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			First Interoffice Transport - Dedicated - DS1 combination - Per															
Facility Termination per month	L	<u></u>		<u> </u>	<u>L_</u>	UNC1X	1L5XX	0.1154			<u> </u>	<u></u>	<u></u>	<u></u>		<u> </u>		<u> </u>
Per each DS1 Channelization System Per Month			First Interoffice Transport - Dedicated - DS1 combination -															
Per each Voice Grade COCI - Per Month per month	L	<u> </u>		<u></u>	<u></u>		-			45.73	43.80	27.97	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
3/1 Channel System in combination per month			Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10									
Per each DS1 COCI in combination per month			Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
Each Additional 2-Wire VG Loop(SL 2) in the same DS1																		[
Interoffice Transport Combination - Zone 1						UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
Each Additional 2-Wire VG Loop(SL2) in the same DS1																		[
Interoffice Transport Combination - Zone 2					1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						 _
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86	1	1		l														1
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL2 33.08 195.94 36.38 18.42 6.86					2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						!
Each Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04		1		l														1
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.1154 Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97					3													
Channel System per month						UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97	1	1		l														1
						UNC1X	1L5XX	0.1154										!
		1		1										1]		1
Each Additional DS1 COCI combination per month UNC1X UC1D1 7.35 27.33 2.90 16.86 1.04																		<u></u>
			Each Additional DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0.120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		ls Charge	<u> </u>		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
-	EXIEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Local Loop in Combination -	EROFF	ICE IR	ANSPORT W/ 3/1 M	UX											
		Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OL/1L4	17.00	100.04	00.00	10.42	0.00						
		Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
<u> </u>		Zone 3	ļ	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										
\vdash		First Interoffice Transport - Dedicated - DS1 - Facility			OIVO IA	ILUAA	0.1154			 							
		Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90	07.00	0.00	40.00	4.04						
_		Per each DS1 COCI in combination per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1				_											
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
-		Interoffice Transport Combination - Zone 3 Each Additional DS1 Interoffice Channel per mile in same 3/1		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TEOTOR	0.1104										
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
-	FXTFN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	FROFF				5.70	3.70	0.01	0.01						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1			7 67 1 111 621											
		Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													
-		Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per					55.22		33.30	.5. 72	3.30						
		Mile Per Month			UNC1X	1L5XX	0.1154										
		First Interoffice Transport - Dedicated - DS1 - combination			LINGAV	LIATE 4	04.45	07.70	45.70	40.00	07.0-						
\vdash		Facility Termination Per Month Per each 1/0 Channel System in combination Per Month	-		UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97						
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90	00		12.00							
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDLE?	04.00	405.01	00.00	40.00	0.00						
-		Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.00	1.04						
\vdash		Each Additional DS1 Interoffice Channel per mile in same 3/1			DINCDA	טטוטו	0.8863	21.33	2.90	16.86	1.04						
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		combination per month			ONOIA	OCIDI	1.35	21.33	2.90	10.80	1.04	1	l		l .		

UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
3.123112E											Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	1.00 / 1.00 /
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
EVEE	Is Charge	INTER	FFIOR	UNC1X	UNCCC		5.70	5.70	6.61	6.61						├
EXIE	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT W/ 3/1	I WUX											
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	UNCDA	UDL04	21.00	195.94	30.30	10.42	0.00						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						ĺ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	ONODA	ODLOT	20.00	100.04	00.00	10.42	0.00						—
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															
1 1	Mile Per Month			UNC1X	1L5XX	0.1154										1
	First Interoffice Transport - Dedicated - DS1 combination -															ſ
LI	Facility Termination Per Month	<u>L</u>		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	<u></u>	<u></u>	<u> </u>	<u></u>		1
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-															1
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						<u> </u>
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										<u> </u>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				l											i .
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINICDY	LIDI C4	20.20	405.04	20.20	40.40	0.00						ĺ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						+
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						i
+	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1	3	UNCDX	UDL04	30.22	193.94	30.30	10.42	0.00	1	1				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						i
+	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	0.0000	27.00	2.00	10.00	1.04						
	Channel System per month			UNC1X	1L5XX	0.1154										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i .
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						i .
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						l
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX											ļ		
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1												1		1
	Transport - Zone 1	ļ	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	ļ					├
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						1
\vdash	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 		UNUNA	UILZX	26.26	195.94	36.38	18.42	6.86	1	-	-	 		
1 1	Transport - Zone 3	1	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86				1		1
 	First Interoffice Transport - Dedicated - DS1 combination - Per	 	J	OIAOIAV	UILZA	42.17	190.94	30.38	10.42	0.86	1	-		 		
1 1	Mile per month	1		UNC1X	1L5XX	0.1154								1		1
	First Interoffice Transport - Dedicated - DS1 combination -	1			.20,51	0.1104					1	<u> </u>		 		<u> </u>
1 1	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10									ſ
																ſ
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04			<u></u>			<u> </u>
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 1	ļ	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86				ļ		
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINONIV	LIALOV	20.00	405.04	20.00	40.40	0.00				1		1
	Combination - Zone 2	1	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	1	1		 		
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3	1	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86				1		1
\vdash	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	3	OINCINA	UILZX	42.17	195.94	30.38	18.42	0.86	}		1	1		
1 1	system combination- per month	1		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04				1		1
	logotom combination- per month	1		CHONA	JUTUA	1.00	21.33	2.30	10.00	1.04	l		L			

LINBLIND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
CINDOIND	LED NETWORK ELEMENTS - Georgia	1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CATEGOR	NATE ELEMENTS	m	20116	500	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-			1	Nonrec		Nonrecurring	Disconnect		l	000	Rates (\$)		
-			-			Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Each Additional DS1 Interoffice Channel per mile in same 3/1		-				FIISL	Add I	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
				LINICAV	41.577	0.4454										1
	Channel System per month			UNC1X	1L5XX	0.1154										l
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN		04.40	07.70	45.70	40.00	07.07						ł
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system								40.00							ł
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ł
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EX1	TENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
\vdash	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	<u> </u>		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per		1		1											i
	Mile Per Month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.1154								<u> </u>		<u>i</u>
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						l
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						l
-	Each Additional DS1 COCI in the same 3/1 channel system			0110171		00	01.110	10.70	10.00	27.07						
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						ł
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	00101	7.00	27.00	2.00	10.00	1.04						
	1		4	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						l
 	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	 	 '	ONOTA	OOLAA	41.02	203.43	70.44	37.31	0.00						
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						ł
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	USLAA	40.41	209.43	70.44	37.91	0.00						-
	Additional 4-Wife DST Digital Local Loop in Combination - Zone		3	LINIOAV	1101.307	00.00	200.45	70.44	07.04	0.00						1
-	None of the Continue of the Co	-	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	ls Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EX	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
\vdash	First 4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
1 1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	1	1	l .	1							1				i
	per month			UNCDX	1L5XX	0.0057										ļ
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1											i
	Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1						<u> </u>	1				i
	Is Charge	<u> </u>	<u>L</u>	UNCDX	UNCCC		5.70	5.70	6.61	6.61				<u> </u>		<u> </u>
EXT	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0057					1					i '
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility										İ	l				ſ
1 1	Termination per month	1	1	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		1				i '
	Nonrecurring Currently Combined Network Elements Switch -As-				1		22.00	22.01		00	İ					
	Is Charge	1	1	UNCDX	UNCCC		5.70	5.70	6.61	6.61	İ	1				i
ADDITIONA	AL NETWORK ELEMENTS		1			H	3.70	5.10	3.01	3.01	 	1				
	en used as a part of a currently combined facility, the non-recurr	rna cha	raes do	not apply, but a S	Switch As Is o	harge does ann	ilv.				 					
	en used as a part of a currently combined facility, the non-recurr															
	nrecurring Currently Combined Network Elements "Switch As Is"					As is cliarge t	ioes not.				1					
ION	Nonrecurring Currently Combined Network Elements Switch As is Nonrecurring Currently Combined Network Elements Switch -As-		Cone a	ppires to each com	ibiliauoli)						1	-				——
1 1	Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.70	5.70	6.61	6.61	1					i '
	is Charge - 2 Wile/4-Wile VG	1	1	OINCAV	UNCCC		5.70	5.70	0.01	10.0	1	l				ı

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		Disconnect	201150	0014411		Rates (\$)	001111	0011411
	Nonrecurring Currently Combined Network Elements Switch -As-				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	0.1000		0.70	0.70	0.01	0.01						
	Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-															
Ontio	Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
Optio	nal Features & Functions:			U1TD1,	-											
	Clear Channel Capability Extended Frame Option - per DS1	١,		ULDD1,UNC1X	CCOEF		OI	OI	οı	οι						
	Great Grianner Gapability Extended Frame Option - per Bot	<u> </u>		U1TD1,	CCCLI		OI .	OI .	OI .	OI .						
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			-	-	-	-						
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
MUL	TIPLEXERS			LINIOAY	1404	00.75	00.40									
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	69.75	86.10									
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	IDIDD	0.9903	11.30	11.55	0.01	0.01						
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel			LIATUD	110404	4.00	45.04	44.00	0.04	0.04						
	in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61					-	
	used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVO	0.4003	11.30	11.55	0.01	0.01						
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
	DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
	DS1 COCI (used for connection to a channelized DS1 Local			LIATUA	UC1D1	7.05	45.04	44.20	0.04	0.04						
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1	7.35 7.35	15.81 15.81	11.39 11.39	6.61 6.61	6.61 6.61						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			וטווטו	OCIDI	7.35	15.61	11.39	0.01	0.01						
	month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)			0200.	00.5.	7.00	10.01	11.00	0.01	0.01						
Exch	ange Ports															
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	oe ordered usi	ng retail USOC	s								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28						
	Fush on an Bosto O Wise Applea Line Destroith Colleg ID Des			UEPSR	UEPRC	1.00	0.40	0.04	4.07	4.00						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28					1	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port	l	l -	OLI OIL	JLI IVO	1.09	2.42	2.31	1.37	1.20					†	
	with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28					1	
	Exchange Ports - 2-Wire Voice Georgia basic dialing port					İ	İ	1	İ	<u> </u>						
	without Caller ID		<u> </u>	UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res		<u> </u>	UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28						<u> </u>
	2-Wire voice unbundled Georgia basic dialing port - outgoing	ĺ		LIEDOD	LIEDWD	4.00	0.40	0.04	4.07	4.00					1	
	only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28					1	l

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
	Ŧ											Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK I	.	NATE ELEMENTO	m	20.10	500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-		 					Nonrec	rurring	Nonrecurring	Disconnect	1	I	220	Rates (\$)		
	-+					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	2-Wire voice unbundled Low Usage Line Port without Caller ID				+		FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
		Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
		2-Wire Voice Grade Unbundled Port without Caller ID capability,	1		UEPSK	UEPKI	1.09	2.42	2.31	1.37	1.20						
		2-vvire voice Grade Oriburidied Fort without Carier ib capability, Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
		2-Wire Voice Grade Unbundled Port with Caller ID capability,	1		UEPSK	UEPKV	1.09	2.42	2.31	1.37	1.20						
		2-vvire voice Grade Oribundied Port with Caller ID capability, Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.37	1.20		-		-		
EEA	ATUR		1		UEPSK	USASC	0.00	0.00	0.00								
FEA		All Available Vertical Features	1		UEPSR	UEPVF	0.775	0.00	0.00								
0.144			1		UEPSK	UEFVF	0.775	0.00	0.00								
2-77		VOICE GRADE LINE PORT RATES (BUS)	1														
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28				1		1
					UEFOB	UEPBL	1.09	2.42	2.31	1.37	1.28	1	1	-	1	 	
		Exchange Ports - 2-Wire VG unbundled Line Port with	1		LIEDED	LIEDBO	4.00	0.40	0.04	4.07	4.00				I	Ì	1
		unbundled port with Caller+E484 ID - Bus.	 	1	UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28	1	-	-	 	1	
		Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
		Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
	١.																
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan															
		without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	ATUR																
		All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EXC		IGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy									<u> </u>			I			1
		Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
I		Room Calling Port	<u>L_</u>		UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83	<u></u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u>1</u>
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Jt	Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83						1
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83						
	2	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
		Oudial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83						1
	2	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
		Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						1
	2	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
		Trunk	1		UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83				I	Ì	1
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEA	ATUR									İ	İ			İ	İ	İ	
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00	İ	İ			İ	İ	İ	
EXC		IGE PORT RATES (COIN)					210	2.00	2.00	İ		İ				İ	
		Exchange Ports - Coin Port	1				1.09	2.42	2.31	1.37	1.28	İ	1			1	
		Fransmission/usage charges associated with POTS circuit st	witched	HESON	will also annly to o	ircuit switche							-wire ISDN r	oorts.		 	—

CATEGORY RATE REMENTS Mind Zone BCS UBOO RATE (8) Section Section Congres	NBUNDLE	D NETWORK ELEMENTS - Georgia							<u> </u>					Attach	ment: 2	Exhi	bit: A
ATT ELEMENTS Inter Zees BCS USO PATE (6) BATE (7) Security Se												Svc Order	Svc Order			Incremental	Incrementa
## PATE ELEMENTS ## PATE BOTH Annual Process Angular Both																	Charge -
### ATECHNIC RATE ELEMENTS																	
NOTE Access to 8 Channel of D Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel of D Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel of D Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apabilities will be available only through IFFSNer Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First Access to 8 Channel Poole (apability Indiana Process.) First First Access to 8 Channel Poole (apability Indiana Process.) First	ATEGORY	DATE ELEMENTS	Interi	Zone	BC6	LISOC			PATES (\$)								
Insert	AILGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR				Order vs.
Note														Electronic-	Electronic-	Electronic-	Electronic-
Company Comp														1st	Add'l	Disc 1st	Disc Add'l
Company Comp															- (4)		
Note Access to 8 Dunnary or 10 Channel Process copposition will be available only (hough BPRNew Burless Reposed Process. First. First. Address 500,000 SOUND							Rec										
																	SOMAN
			e availat	ble only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fic	le Request/	New Busines	s Request Pro	cess.	
The SEP Fort rates below or 4-Wine DDTS Trans Not with AVEN SDIN Port in this rate exhibit people of the embedded base in piece as of 1920th until 4/164. After 4/104 bear rates shall revert to to surfrates or a superior surfrate and the surfrate of the 18 bear for the 18 bear of 18 bea																	
Request for 4-Wing DDTT Frame Forts with 4-Wins ISBN DBT Petrs after the effective date of this amendment shall be provided pursant to segment or print at Bellistum's direction.	EXCHA	ANGE PORT RATES															
Exchange Points - 2Ving EDP Point - AVing EDP Point - AVING EST Port with DID USPPA USPP	The DS	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	t in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to tar	iff rates or	a separate ag	reement.		
Exchange Points - 2Ving EDP Point - AVing EDP Point - AVING EST Port with DID USPPA USPP	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this amer	ndment shall	l be provided p	ursuant to a se	parate agreen	ent or tariff at	BellSouth's d	iscretion.					
Servings Posts - DDTS Port - AVVING DIST Port - AVVING DIST Port - AVVING DIST Port - AVVING DIST Port - AVVING DIST Port - AVVING DIST Port - DUTY																	
Equipment of the Control of the Co								_									
Schange From 2-Wire SDN For (Store Note below.)					LIEPDD	LIEPDD	41 20	200.96	93.00	65.81	2 33						
All Fedures Officed																	
Earthropp Posts - 27/80 (SDI Post - Characel Profes UEPK, LEPSK ULBAN 0.00 0.00 0.00 0.00										40.07	10.50	-					ļ
NOTE: Transmission/usage charges associated with Ports Circuit switched usage will also apply to Circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only intrough BFRNew Business Request Process.																	
Exchange Pots - Affire (St. DST Port with Detailed EP11 Leanter Cepatibility Leanter															L		
Exchange Ports - 4-Wise ISDN ÖST Port with Detailed E911 Learn Capability (E4-1009) UEPEX UEPD			e availat	ple only	through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be d	etermined via	ne Bona Fic	e Request/	New Busines	s Request Pro	cess.	ļ
Liceator Capability (E-41/2004) UEPEX UE	EXCHA																
Exchange Potrs - 4-Wire ISDN 0ST Port (E-41/2001)														<u> </u>			
Physical Collection - SIX Cross-Connects UEPEX UEPDX PETPT 0.3726			<u> </u>	L								<u> </u>		<u> </u>	<u> </u>	<u>l</u>	<u> </u>
Virtual califocation - Special Access & UNE, cross-connect part DS1		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
Virtual califocation - Special Access & UNE, cross-connect part DS1					UEPEX UEPDX	PE1P1	0.3726										
Destaled E911 with Locator Capability (required with UEPEX port) Disbundled Exchange Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Intelligence Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Intelligence Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Intelligence Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Intelligence Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Intelligence Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Subsequent Portion Changes, Additions, Deletions Locator Capability - Subsequent Portion Changes, Additions, Deletions Locator Capability - Subsequent Portion Changes, Additions, Deletions Locator Capability - Subsequent Portion Changes, Additional Portion Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Subsequent Portion Changes Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Subsequent Portion Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Capability - Subsequent Portion Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN DST Port - Issn's Locator Changes Ports, 4-Wire ISDN																	
Detaile Est with Locator Capability (required with UEPEX port) Unbrundle Exchange Ports, 4Wire (SIN) SST Port - E911 Locator Capability - Initial Profile Extablishment per CLEC per State ULPEX ULP					LIEPEX LIEPDX	CNC1X	0.3726										
Unbundled Exhange Ports, 4-Wire ISBN DST Port - E911 Locator Capability - Initiation Profile Exhalment per CLEC per State UEPEX UEPIA 0.00 1.818.00	Detaile			1	OLI LX OLI DX	ONOTA	0.0720										
Locator Capability - Initial Profile Establishment per CLEC per State UEPEX UEP1A 0.00 1,818.00	Detaile																
State																	
Unbundled Exhange Ports, 4-Wire ISDN DS1 Port - E911 UEPEX UEP1B UEPEX UEP1B UEPEX UEP1B UEPEX UEP1B UEPEX UEP1B UEPEX UEP1B UEPEX UEP1B UEPEX UEP1B UEPEX UEP1C																	
Locator Capability - Subsequent Profile Changes, Additions UEPEX UEP1B 0.00 176.57					UEPEX	UEPTA	0.00	1,818.00									
Deletions USPEX USP18 0.00 176.57																	
New or Additional PRI Telephone Numbers UPPIC UP																	
Unbundled Exchange Ports. 4-Wire ISDN DST Port. E911 UEPEX UEP1C 0.0703 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEPEX UEP1C 0.00 0.50 UEP1C 0.50 UEP1C 0.50 C 0.50 0.50 0.50 UEP1C 0.50 0.50 0.50 UEP1C 0.50 0.50 0.50 UEP1C 0.50 0.50 0.50 UEP1C 0.50 0.50 0.50 UEP1C 0.50 0.50 0.50 U		Deletions			UEPEX	UEP1B	0.00	176.57									
Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1C 0.0703 0.50	New or	r Additional PRI Telephone Numbers															
Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1C 0.0703 0.50		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
E911 profile [New or Additional]																	
Unbundled Exchange Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Outfail Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEPID 0.0703 10.72 10.72 10					LIEPEX	UFP1C	0.0703	0.50									
Locator Capability - Outdial Telephone Numbers, per number in E911 profile Revor Additional UEPEX UEP1D 0.0703 10.72 10.72 September 10.72 Septemb					02. 2%	020	0.07.00	0.00									
E911 profile [New or Additional]																	
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional Very Number Ver					HEDEV	LIED1D	0.0702	10.72	10.72								
Telephone Numbers - Inward Data Only Option [New or Additional UEPDX UEPIE 0.00 0.50					UEPEX	UEPID	0.0703	10.72	10.72								
Additional UEPDX																	
Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]					l												
Inward Tel Numbers (Customer Testing Purposes)					UEPDX	UEP1E	0.00	0.50									
LOCAL NUMBER PORTABILITY			1											1		1	
Local Number Portability (1 per port)					UEPEX	PR7ZT	0.00	21.43	21.43			L					
INTERFACE (Provisioning Only)	LOCAL																
Voice/Data		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
Voice/Data	INTER	FACE (Provsioning Only)															
Digital Data					UEPEX	PR71V	0.00	0.00	0.00								
Inward Data						PR71D						1			1		1
New or Additional Channel			1							1		1		1	1	1	1
New or Additional - Voice/Data "B" Channel	New o		1	1		· · · · · -	0.00	0.00	0.00		1	1			1		1
New or Additional - Digital Data "B" Channel UEPEX PR7BF 0.00 28.71	MEW O		 	 	HEDEY	DD7P\/	0.00	20 74		1	1	1		1	t	1	1
New or Additional Inward Data "B" Channel			 	1							 	 			 		
New or Additional Useage Sensitive Voice Data "B" Channel UEPEX PR7BS 0.00			 	1						 	1	1		 	 	 	1
New or Additional Useage Sensitive Digital Data "B" Channel UEPEX PR7BU 0.00			-	<u> </u>				28.71			1	1			-		
New or Additional PRI "D" Channel			ļ	ļ													
CALL TYPES																	
Inward			<u> </u>		UEPEX	PR7EX	0.00	28.71									<u> </u>
Outward	CALL	TYPES															
Two-way UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
Two-way UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		Outward			UEPEX	PR7CO	0.00	0.00	0.00	İ				İ		İ	
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1													
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	UNRU		,	1	T	1 30	3.50	0.00	5.50	1	1	1		1	1	1	1
				 		1	<u> </u>			1	1	1		1	t	1	
	UNBUI	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	<u> </u>	UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28	-		-	-	-	1

LINIDLINI	NI EI	NETWORK ELEMENTS - Georgia												A44b		Ful:	bit: A
UNDUN	VLEI	O NET WORK ELEMENTS - Georgia	1			1	ı					Cua Ordar	Cvo Ordor	Incremental	ment: 2 Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	ov	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGO	X I	RATE ELEWIENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
 				-				Mana		Managarania.	- Di			000	D-4 (A)		
				-			Rec	Nonrec			Disconnect	001150	001111		Rates (\$)	001441	0011411
				-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		H-1 II1 D O-II E I' O' 11 O-II' D			LIEDVO	LIEDI O	4.00	0.40	0.04	4.07	4.00						
<u> </u>		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
⊢		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
N	on-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -			LIEDVO	110400		0.04	0.04								
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with			LIEDVO	110400		0.04	0.04								
L		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
U	NBUN	DLED REMOTE CALL FORWARDING - Bus															
		Habitandlad Damata Call Faminasi'i ii Oori'i ii Arii Ooli'i			LIEDVD	LIEDAG	4.00	0.40	0.01	1.0=	4.00				1		1
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28						
		Halandia I Baranta Onli France III. Onli 1. 1. 1. 2. III.		1	LIEDVD	LIEDI O							1		I		1
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28						
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus		 	UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28				.		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
No.	on-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
		OCAL SWITCHING, PORT USAGE															
Eı	nd Of	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0006153										
		End Office Trunk Port - Shared, Per MOU					0.0001226										
Ta	anden	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972										
		Tandem Trunk Port - Shared, Per MOU					0.0001557										
		Tandem Switching Function Per MOU (Melded)					0.000017904										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
		Melded Factor: 18.42% of the Tandem Rate															
C	ommo	on Transport															
		Common Transport - Per Mile, Per MOU		<u> </u>		1	0.0000027								ļ		1
		Common Transport - Facilities Termination Per MOU		<u> </u>		1	0.0001914								ļ		1
		ORT/LOOP COMBINATIONS - COST BASED RATES				1											
		ased Rates are applied where BellSouth is required by FCC ar								L	L	L			ļ		1
		s shall apply to the Unbundled Port/Loop Combination - Cos											L		1		
		ice and Tandem Switching Usage and Common Transport Us															
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos ti	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>		1											
U		ort/Loop Combination Rates				1											
igsquare		2-Wire VG Loop/Port Combo - Zone 1		1		 	10.46								.		
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2		 	15.76								.		
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3		 	32.56								.		
U	NE Lo	op Rates		<u> </u>		ļ									ļ		1
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56								ļ		1
igsquare		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86								.		
igsquare		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66								.		
2-	Wire	Voice Grade Line Port Rates (Res)		 		 									.		
		2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28				ļ		1
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundles res, low usage line port with Caller ID		1		1				Ì			1		I		1
\perp		(LUM)		<u> </u>	UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28				ļ		
		2-Wire voice unbundled Georgia basic dialing port without Caller															1
		ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28	l .	l		l .		1

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
		1									Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK!	NATE ELEMENTO	m	20.10	500	0000			πΑΙ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates (\$)	l	ــــــــــــــــــــــــــــــــــــــ
+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with						11131	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing			OLITOX	OLI WQ	0.0010	10.00	7.00	1.07	1.20						
	only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
-	2-Wire voice unbundled Low Usage Line Port without Caller ID			02.700	02	0.00.0	10.00	7.00	1.07	1.20	1					
	Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
-	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28	1					
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
FEAT				OLITOX	OLI IXO	0.0010	10.00	7.00	1.07	1.20						
I LA	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
I OCA	L NUMBER PORTABILITY	1	1	OLI IVA	OLI VI	0.773	0.00	0.00	-					†		
LOCA	Local Number Portability (1 per port)	1	 	UEPRX	LNPCX	0.35			 					 		
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	OLI IXX	LIVI OA	0.35			 		 	-		l .	1	+
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1				1		1			1		+
	Switch-as-is	l		UEPRX	USAC2		0.10	0.10	1							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		UEFRA	USACZ		0.10	0.10			-					
				UEPRX	USACC		0.10	0.10								
ADDIT	Switch with change			UEPRA	USACC		0.10	0.10								
ADDII																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400	0.00	0.00	0.00								
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDETI		0.00	0.00								
055/6	Premise Premis			UEPRX	URETL		8.33	0.83								<u> </u>
OFF/C	ON PREMISES EXTENSION CHANNELS			LIEDDY	LIEVEN	10.51	40.00	0.00	5.04	4.70						<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2	ļ	2		ļ	15.76			ļ							<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3		ļ	32.56			ļ							<u> </u>
UNE L	oop Rates	ļ							ļ							
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	9.56			1					ļ		
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPBX	UEPLX	14.86			ļ							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66						<u> </u>		ļ		
2-Wire	e Voice Grade Line Port (Bus)	ļ							ļ							
	2-Wire voice unbundled port without Caller ID - bus	ļ		UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ		UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire voice unbundled Georgia basic dialing port, without	l							1							
	Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28		<u> </u>		ļ		
	2-Wire voice unbundled Georgia basic dialing port for use with	l							1							
	Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2-Wire voice unbundled Incoming Only Port without Caller ID	l]			I	1
	Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT																
	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00								
	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>	02. 5%	OLI VI	0.770	0.00		<u> </u>					<u> </u>		

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Indani									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Auu i	DISC ISI	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.10	0.10								1
	ADDIT	IONAL NRCs															L
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
		Activity			UEPBX	USAS2		0.00	0.00								L
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															i
		Premise			UEPBX	URETL		8.33	0.83								1
	OFF/O	N PREMISES EXTENSION CHANNELS															L
	ļ	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72			ļ			
	ļ	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72			ļ	ļ		
<u> </u>	 	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72	ļ					├
	 	2 Wire Analog Voice Grade Extension Loop – Design	ļ	1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	40.07	40.40	40.40	40.50	F 00						i
-		Termination		-	UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						+
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								i
	2 WIDE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-	UEPBX	UTTVM	0.0057	0.00	0.00								
		ort/Loop Combination Rates		-													
	ONL	2-Wire VG Loop/Port Combo - Zone 1	1	1			10.46					1	1				-
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										—
		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
	UNF	oop Rates		Ŭ			02.00										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															1
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															ĺ
		Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						i
	LOCAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU			1													
		All Features Offered		1	UEPRG	UEPVF	0.775	0.00	0.00								
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			LIEDDO	110,400		0.40	0.40								i
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-	UEPRG	USAC2		0.10	0.10								
		Conversion - Switch with Change			UEPRG	USACC		0.10	0.10								i
	ADDIT	IONAL NRCs		_	OLI NO	UUACC		0.10	0.10			1					
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															—
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								i
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			02.110	00/102	0.00	0.00	0.00								
	1	Group						6.70	6.70								1
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															ſ
	1	Premise			UEPRG	URETL		8.33	0.83								1
	OFF/O	N PREMISES EXTENSION CHANNELS					<u> </u>										
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87						1
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	OFFICE TRANSPORT															
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		l	I								1]		1
1		Termination		1	UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00	1	1	ĺ	ĺ		1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0.1.2011222											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		١									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
o,200		m						= (4)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect		1	220	Rates (\$)		ь
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	or Fraction Mile			UEPRG	LIATORA	0.0057	0.00	0.00								
2 14/10				UEPRG	U1TVM	0.0057	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates					10.10										ļ
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										ļ
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28	1	l		Ì		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	0.0010	10.00	7.00	1.07	1.20	1					
	Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	0.3013	10.03	7.50	1.57	1.20						-
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFFA	UEFAL	0.9019	10.05	7.30	1.37	1.20	-					ļ
	Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXIVI	0.9019	10.05	7.30	1.37	1.28						
				LIEDDY	LIEDVO	0.0040	40.05	7.36	1.37	1.28						
	Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05									
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way						40.00	=								
	Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way				1											
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l		l										Ì		
	Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll	l										1				
	Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l									1	l		Ì		
	DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l							<u> </u>				I			
	Terminal Switchboard Port		<u></u>	UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard DDD Capable Port	<u> </u>	<u>L</u>	UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way															
	Trunk	l		UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY						-									
	Local Number Portability (1 per port)		i –	UEPPX	LNPCP	3.15	0.00	0.00	İ		1	İ	İ	İ		
FEAT			İ					2.30	İ				İ	İ		
	All Features Offered		İ	UEPPX	UEPVF	0.775	0.00	0.00	İ				İ	İ		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1		1			2.30			1	i		1		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		Ì	1					1	1		1		1
	Conversion - Switch-As-Is	l		UEPPX	USAC2		0.10	0.10						Ì		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	i e	:			3.10	5.10				1		1		
	Conversion - Switch with Change	l		UEPPX	USACC		0.10	0.10				l		Ì		
ADDIT	TONAL NRCs	l		OLI I A	33,00		0.10	0.10			1	1		1		
MUUII	IOITAL III.U0			l .	1						<u> </u>	1	l	l .		L

UNBUI	NDLF	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	ibit: A
3.1201		Contraction of the second secon				T I						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							7144	101	71441	0020					
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
-		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	02.17	007.02	0.00	0.00	0.00								
		Group						6.70	6.70								
+		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		00	0.10			1					
		Premise			UEPPX	URETL		8.33	0.83								
-	OFF/ON	I PREMISES EXTENSION CHANNELS			OLI I X	ORLIL		0.00	0.00			1					
 	0 , 0.	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
-		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
-		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
\vdash		Non-Wire Direct Serve Channel Voice Grade	 	1	UEPPX	SDD2X	12.74	79.65 56.92	7.70	4.40	0.02	1	l		t	1	
\vdash		Non-Wire Direct Serve Channel Voice Grade	 	2	UEPPX	SDD2X SDD2X	19.76	56.92	7.70	4.40	0.02				 	 	
\vdash		Non-Wire Direct Serve Channel Voice Grade	1	3	UEPPX	SDD2X SDD2X	37.18	56.92	7.70	4.40	0.02	 			 	1	
\vdash		OFFICE TRANSPORT	 	3	OLFFA	SDDZA	31.18	30.92	1.70	4.40	0.02					 	┼──
⊢—-	vieku		 	-		+				1						 	┼──
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1	1	UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00		1		I	Ì	
\vdash		Interrination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	 	UEPPA	UTIVZ	12.87	48.46	19.48	10.58	5.00	-	-		-		
					LIEDDY	LIATVAA	0.0057	0.00	0.00								
\vdash	0.14/105	or Fraction Mile	_		UEPPX	U1TVM	0.0057	0.00	0.00								ļ
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	K I														
<u> </u>	UNE Po	rt/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.76										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.56										
L!		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 900/976															
		Blocking (GA)	<u> </u>	<u> </u>	UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28		<u> </u>		<u> </u>		<u></u>
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (GA)	<u>L</u>	<u>L</u>	UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
L_		(GA, KY, MS)	<u>L</u>	<u>L</u>	UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (FL, GA)	<u>L</u>	<u>L</u>	UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)	1	1	UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28		1		I	Ì	
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						1
		NUMBER PORTABILITY				1											1
		Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35										1
1		CURRING CHARGES - CURRENTLY COMBINED															1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -											l				1
		Switch-as-is	1		UEPCO	USAC2		0.10	0.10						1		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		 		21.10	2.70		İ				İ	İ	1
		Switch with change	1	1	UEPCO	USACC		0.10	0.10				1		I	Ì	
		ONAL NRCs	1	1		1		2.10	20						1	1	
H	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	†		1 1									t	1	
		Activity	1		UEPCO	USAS2		0.00	0.00						1		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	†		1		0.00	0.00						t	1	
		Premise		1	UEPCO	URETL		8.33	0.83		1		l			ĺ	

UNBUNDL	ED NETWORK ELEMENTS - Georgia				-								Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
_															2.00 .01	2.007.444
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						nco	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates		1	UEPFR	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFR	UECF2	33.08										
2-Wir	re Voice Grade Line Port Rates (Res)		_ J	OLITIK	OLOI Z	33.00										
F	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEAT	TURES		<u> </u>													
1.00	All Features Offered		<u> </u>	UEPFR	UEPVF	0.775	0.00	0.00								
LUCA	AL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFR	LINFUX	0.33										
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	OOAOZ		7.00	1.00								
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02	00/100		7.00									
	End User Premise			UEPFR	URETN		11.19	1.10								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	ORT (
	Port/Loop Combination Rates		,	1												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08										
2-Wir	re Voice Grade Line Port (Bus)	ļ		uenen			100	10	44							
\vdash	2-Wire voice unbundled port without Caller ID - bus	ļ		UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						
\vdash	2-Wire voice unbundled port with Caller + E484 ID - bus	!	 	UEPFB UEPFB	UEPBC UEPBO	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44				1	1	1
\vdash	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	 	 	UEPFB	UEPBO UEPB1	1.09	166.05	43.66	41.89	15.44 15.44		 				-
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Georgia basic dialing port, without	1	-	UEFFB	UEFBI	1.09	č0.dd1	43.00	41.89	15.44		 		1	1	1
	Caller ID capability - bus	1	1	UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44		1				1
\vdash	2-Wire voice unbundled Georgia basic dialing port for use with	1	-	OLFID	OLF WD	1.09	60.001	43.00	41.09	15.44		 		1	1	
	Caller ID - bus	1	1	UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44		1				
1.004	AL NUMBER PORTABILITY	1	<u> </u>		J ***	1.00	100.00	-10.00	71.00	1014		 			1	
	Local Number Portability (1 per port)	1		UEPFB	LNPCX	0.35										1
INTE	ROFFICE TRANSPORT	†		1		0.00										İ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1							l				
	interoffice transport - Dedicated - 2 wife voice Grade - I acity															

UNBLINDL	ED NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Fyhi	bit: A
SITESITEE	LE ITET TOTAL ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEDED	41.5007	0.0057	0.00	0.00								
FEAT	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FEAT	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		UEPFB	UEFVF	0.775	0.00	0.00								
NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			CLITB	00/102		7.00	1.00								
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.19	1.10								
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (PBX)												
	Port/Loop Combination Rates		,		1				j							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53			<u> </u>							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92			<u> </u>							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPLD UEPXA	1.09 1.09	166.05	43.66 43.66	41.89 41.89	15.44 15.44						
	2-Wire Voice Unbundled 2-Way Combination PBX Osage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXA	1.09	166.05 166.05	43.66	41.89	15.44						
	2-Wire Voice Unburidled PBX LD DDD Terminals Port	-		UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unburidled PBX LD Terminal Switchboard IDD			OLFIF	OLFAD	1.09	100.03	43.00	41.09	13.44						
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.03	100.05	43.00	41.03	10.44						
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1					.00.00	.0.50	55					1		
	Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44		1		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1			1			.5.50								İ
	Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44		1		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way						_									
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way									·						
$\sqcup \sqcup \sqcup$	Trunk	1		UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOCA	L NUMBER PORTABILITY		<u> </u>													
	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00								
INTER	ROFFICE TRANSPORT	1			1									 		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDED	11471/0	40.07	40.40	40.40	40.50	F 00		1		1		
\vdash	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00]			1		1		
EEAT	URES	1	1	ULFFF	ILOAA	0.0057	0.00	0.00			1					
FEAT	All Features Offered	1	 	UEPFP	UEPVF	0.775	0.00	0.00	 					 		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		02111	OLI VI	0.775	0.00	0.00	 					1		1
NOAK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+ +							 		 		
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 		- 57.102		00							1		
	Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86]			1		1		
		+	1													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															

UNB	UNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	ibit: A
													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
			Intori										Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										po. 20.1	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								Rec	Nonrec			Disconnect				Rates (\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT															
		ort/Loop Combination Rates	PURI		1													
	UNEF	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				17.05										-
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				22.44										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38.56										+
	UNE L	pop Rates						00.00										
	0.1.2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08										
	UNE P	ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27						
	NONR	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -							_									
		Switch-as-is			UEPPX		USAC1		6.66	1.86								<u> </u>
1		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1	1									1		_		
		with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								
	ADDIT	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	T.11	End User Premise			UEPPX		URETN		11.19	1.10								
-	leleph	one Number/Trunk Group Establisment Charges			LIEDDY		NDT	0.00	0.00	0.00								
		DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			UEPPX		NDT	0.00	0.00	0.00								
		lof 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
-		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00			1					
		DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		19.44										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1	1									1		_		
		UNE Zone 2	ļ	2	UEPPB	UEPPR	1	24.45								ļ		<u> </u>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_										1		I		
	118	UNE Zone 3	<u> </u>	3	UEPPB	UEPPR		38.09								-		↓
-	UNE L	Dop Rates	1	1	HEDDD	HEDDE	LICL OV	44.05					1			1		1
	+	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	14.25					-			 		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26						1				
-	-	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	 	3	UEPPB	UEPPR	USL2X USL2X	32.90						-		+	1	1
	UNF P	prince is the bigital Grade Loop - tine 2 tine 3	 	3	SEIFB	OLFFR	JULZA	32.30								t	1	1
	0.1.2	Exchange Port - 2-Wire ISDN Line Side Port	 		UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37				-		
—	NONRE	ECURRING CHARGES - CURRENTLY COMBINED			SELLID	JEITIN	5211.5	0.19	101.00	141.00	70.00	5.57				1		
	1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			†		Ì									1		
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	42.52	26.99						1		
	ADDIT	ONAL NRCs	1															
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		0.00									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	1													
		End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	l		l		_					1		I		
<u> </u>		Premise	ļ		UEPPB	UEPPR	URETL		8.33	0.83								_
<u> </u>	LOCAL	NUMBER PORTABILITY	 	 	HEDDO	LIEDDE	LNDCY	0.0-	2.00	0.00		-				!	1	
<u> </u>	D 0114	Local Number Portability (1 per port)	 	 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		-				!	1	
-	в-СНА	NNEL USER PROFILE ACCESS:	 	-	UEPPB	UEPPR	LIALICA	0.00	0.00	0.00		-	-			 	-	1
		CVS/CSD (DMS/5ESS)	1		DELLR	UEPPR	UTUCA	0.00	0.00	0.00			<u> </u>					L

UNB	UNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	oit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
			1										Elec	Manually			Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	E	3CS	USOC			RATES (\$)				per LSR				
0, 1, 1		10112 22211121110	m		_		5555			= (4)			per LSR	per LSK	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
			-						Nonre		Monroourrin	g Disconnect	1		000	Rates (\$)		
			-				-	Rec					001450	SOMAN			0011411	001111
-		love (Even)							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN														ı
	USER	TERMINAL PROFILE																i
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								í
	VERTIC	CAL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE		1	02	OL. TIX	02	0.170	0.00	0.00			-					
-	INTERN	Interoffice Channel mileage each, including first mile and		1			-											·
						HEDDD	1440110	40.0757	40.40	40.40	40.50	5.00						i
<u> </u>	-	facilities termination	1	1		UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00	1	1	1	1		
	1	Interoffice Channel mileage each, additional mile	1	1	UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00	ļ		1	ļ				
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			<u> </u>		1	L	l]	l	<u> </u>	l	1		1
		IE-P DS1 combination rates below for in this rate exhibit appl													nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk P	ort afte	r the effe	ctive date of	of this amend	lment shall be	provided pursu	uant to a separ	rate agreement	or tariff at Bel	South's di	scretion.				
	UNE P	ort/Loop Combination Rates																,
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																í
		Zone 1		1	UEPPP			106.15										i
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			111.54										í
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		-	111.54										·
				_														i
		Zone 3		3	UEPPP			127.15										
	UNE L	pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02										ı
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	46.41										l
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	62.03										í
	UNE P	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						·
	NONRE	CURRING CHARGES - CURRENTLY COMBINED			02		02	00.10	0000	101112	70.11	21.00						
-	HOME	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	_				+						<u> </u>					
					UEPPP		USACP	0.00	100 56	77.07								í
	ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)	-		UEPPP		USACP	0.00	122.56	77.97			ļ					
	ADDITI	ONAL NRCs																
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																ł
		Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																ł
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		10.72									l
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																i
		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43									i
	LOCAL	NUMBER PORTABILITY					İ	İ				İ	İ	İ	İ	1		
	1	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75	1		1	1	1	i	1	1		(
—	INTER	FACE (Provsioning Only)	1	1			 	0					1	 				$\overline{}$
-	EN	Voice/Data	+	1	UEPPP		PR71V	0.00	0.00	0.00	1	 	 	 	 	1		
-	-	Digital Data	1	1	UEPPP		PR71D			0.00	-	 	1	 	 	 		
	-		1					0.00	0.00		-		1	1		1		
<u> </u>	4	Inward Data	1	!	UEPPP		PR71E	0.00	0.00	0.00			 					
	New or	Additional "B" Channel					1]	1				1
		New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	13.59									
		New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	13.59				<u></u>					
		New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	13.59									,
	CALL																	i
		Inward			UEPPP		PR7C1	0.00	0.00	0.00			Ì					i
	1	Outward	1	1	UEPPP		PR7CO	0.00	0.00	0.00	1	1	1	i	1	1		(
	1	Two-way	1	1	UEPPP		PR7CC	0.00	0.00	0.00	<u> </u>		1					
_	Intorce	fice Channel Mileage	1	1	OLFFF		1 1/1/00	0.00	0.00	0.00	1	1	1	 	1	1		
<u> </u>	meror		1	1	UEPPP		di Nid A	24.24	444.00	00.00	24.00	04.70	1	1	1	1		
<u> </u>		Fixed Each Including First Mile	1	1			1LN1A	34.31	111.03	80.28	31.36	21.73	1	.	ļ			
<u> </u>		Each Airline-Fractional Additional Mile	1	!	UEPPP		1LN1B	0.1154					 					
L		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT					1	1]	l]			
		IE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.			
	Reques	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective o	late of	this amer	ndment sha	all be provide	ed pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.					-	i
		ort/Loop Combination Rates																i
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		İ	82.22	İ				İ			1		í
																i		

UNRUN	NDI FI	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit· Δ
314001	1DEE	7 RET WORK ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
			m			5555			= 0 (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
U	JNE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46.41										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03										
U		ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								1							
$\vdash \bot$		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79	ļ				ļ	ļ		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				l				I				1	1		
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79	.				ļ	ļ		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l	1				I				Ì	Ì		
<u> </u>		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
	ADDITI	ONAL NRCs				1				-							
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO	110404		0.00	0.00								
		Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
-		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO	LIDTTD		40.05	40.05								
-		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	UDTTC		13.95	13.95								
		Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDITO		13.95	13.95	-							
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		13.93	13.93			1					
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
-	RIPOL A	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		15.55	13.33	<u> </u>							
-	J., OL,	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	392.25s			1					
		te Mark Inversion			02. 50	0002.		0.001	002.200								
i i		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
—		one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1							
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			1							
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers	<u></u>		UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	Dedica	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digital	Loop	with 4-Wire DDITS T	runk Port				ļ				ļ	ļ		
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1				I				1	1		
\vdash		Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73						
		Interesting Observation Additional Additiona			LIEDDO	4, 5,0				I				1	1		
\vdash		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00	.				 	 		
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41 NO2	0.00	0.00	2.00	1							
\vdash		Termination)	-		UEPDC	1LNO2	0.00	0.00	0.00	 		1		1	1		
		Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDC	11 NOD	0.4454	0.00	0.00	I				1	1		
\vdash		miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.1154	0.00	0.00	 		-		 	 		
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	I				1	1		
\vdash		remination)	-		OLPDO	ILINU3	0.00	0.00	0.00	 				1	1		
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00	I				1	1		
+		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	1		1	1				
 		Central Office Termininating Point			UEPDC	CTG	0.00			 				 	 		
-		Some Shoo formining Fort			10-1 00	0.0	0.00		l	1		<u> </u>	1	1	l		

UNBI	JNDLF	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Int									Elec			Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		U
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
	Each S	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this rat	e exhibit app	ly to the embe	dded base in r	place as of 10/2	2/03 until 4/1/04	. After 4/1/04 t	these rates	shall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after the															
		S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46,41	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00								
	UNE D	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	86.06	0.00	0.00	İ	İ			İ	İ	İ	
	1	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00	İ					İ		
	1	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00	İ					İ		
—		192 DS0 Channel Capacity -1 per 8 DS1s		t	UEPMG	VUM19	344.32	0.00	0.00	t					t		
		240 DS0 Channel Capacity - 1 per 10 DS1s		t	UEPMG	VUM2O	430.40	0.00	0.00	t					t		
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1.032.96	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00								
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio					0.00								
		num System configuration is One (1) DS1, One (1) D4 Channe						0.0				1					
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without		1													
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					0.07			1					
		ot Currently Combined) in all states, except in Density Zone 1				1											
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	J. 10p														
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
	Binolar	8 Zero Substitution			02: 11:0		0.00	0.0.0.	200.01	00.10	0.00						
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0 00i	392.25s								
		Clear Channel Capability Format - Extended Superframe -			OLI INO	00001	0.00	0.001	002.200								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
	Δiterna	te Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.001	002.200			1					
—	ALGINA	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00	 			l		 		
-	1	Extended Superframe Format		l	UEPMG	MCOPO	0.00	0.00	0.00	-					-		
	Exchar	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port			5.00	0.00	3.00	†					<u> </u>		
		ge Ports	1			1	1		1	t	1			1	†	1	
	_xonai	Line Side Combination Channelized PBX Trunk Port - Business				1				†					<u> </u>		
1		(E:4/1/2004)		1	UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00		1		I		
	1	Line Side Outward Channelized PBX Trunk Port - Business		 	J_1 1 /	JLI JA	1.09	0.00	0.00	0.00	0.00				 		
		(E:4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00				1		
-	1	Line Side Inward Only Channelized PBX Trunk Port without DID		1	OLI I X	JLI JA	1.09	0.00	0.00	0.00	0.00	 	-	1	 	1	
		(E:4/1/2004)		1	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00		1		I		
-	1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	OLFFA	OLF IA	1.09	0.00	0.00	0.00	0.00	 	-	1	 	1	
1		(E:4/1/2004)		1	UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00		1		I		
-	Feature	Activations - Unbundled Loop Concentration		1	OLIFA	OLFDIVI	5.50	0.00	0.00	0.00	0.00	-	-	-	-	-	
-	- eature	Feature (Service) Activation for each Line Port Terminated in D4		1		1				1		1			1		
1		Bank		1	UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95		1		I		
	1	Feature (Service) Activation for each Trunk Port Terminated in		 	OLI FX	II Q VVIVI	0.4009	12.90	0.00	1.90	1.95	1			1		
1		D4 Bank		1	UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34		1		I		
-	Telenh	one Number/ Group Establishment Charges for DID Service		1	OLIFA	11.0000	0.4009	30.09	5.10	20.77	5.34	-	-	-	-	-	
	retehn	DID Trunk Termination (1 per Port)		-	UEPPX	NDT	0.00	0.00	0.00	 				-		-	
	+	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		-	UEPPX		0.00	0.00	0.00	 				-		-	
<u> </u>	+	DID Numbers - groups of 20 - Valid all States		-	UEPPX	NDZ ND4	0.00	0.00	0.00	 				-		-	
<u> </u>	1	Non-Consecutive DID Numbers - per number		 	UEPPX	ND5	0.00	0.00	0.00	-		-	-		-		
\vdash	1	Reserve Non-Consecutive DID Numbers - per number		 	UEPPX	ND5 ND6	0.00	0.00	0.00	 					 		
	1	Leselve MOH-COHSecutive DID MUTIDEIS	l	1	ULFFA	מחמו	0.00	0.00	0.00	1	l	<u> </u>	l	l	1	l	

HINDIII	IDI EI	D NETWORK ELEMENTS - Goorgia												Attach	monti 2	Evhi	hit. A
UNDUI	ADLE	D NETWORK ELEMENTS - Georgia	1	1	I		1					Svc Order	Svc Order	Incremental	ment: 2	Exhi Incremental	Incremental
															Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CAILO	J.()	KATE ELEMENTO	m	20116	B00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES - Vertical and Optional															
i i	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.775	0.00	0.00								
		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC															
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport														L	
		first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		Iso and are categorized accordingly.								1	1		1			1	
		ket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual Ca	se Basis, uni	til further notice	9.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
- '	UNE PO	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDO4		10.40										
		Non-Design			UEP91		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		15.76										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF91		15.76										
		Non-Design		3	UEP91		32.56										
-	INE D	ort/Loop Combination Rates (Design)		3	UEF91		32.30										
	ONL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI OI		12.47										
		Design		2	UEP91		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.		11.00										
		Design		3	UEP91		33.98										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.66										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.95										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08										
	UNE Po																
	All Stat	es (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						40.05	=								
		Area		<u> </u>	UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			LIEDO4	LIEDVII.	0.0040	40.05	7.00	4.07	4.00						
		Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	LIEDVAA	0.0040	00.07	20.00	20.20	0.45						
		Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						
		Term - Basic Local Area		1	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15	1				1	
\vdash		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF31	OLF IZ	0.9019	02.21	20.90	20.29	9.15				1	1	
		- Basic Local Area		1	UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28	1				1	
\vdash		2-Wire Voice Grade Port Terminated on 800 Service Term -		-	02.01	021 10	0.0018	10.00	7.50	1.07	1.20						
		Basic Local Area		l	UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						
<u> </u>	Georgi	a and Florida Only					2.22.0				20					1	
	· g.	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						
l T		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15				<u> </u>		

IINRI	INDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
ONDO	JNDLL					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	JOICI	KATE EEEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+	1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						+		11100	Auu	11100	Auu	COMILO	COMPAN	COMPAR	COMPAN	COMPAR	COMPAR
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated in 800 Service Term		 	UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local S	Switching			OLI 01	OLITIZ	0.0010	10.00	7.00	1.07	1.20						
	Looui	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
	Local N	Number Portability			OLI 31	OILLOO	0.4257										
	Looui i	Local Number Portability (1 per port)			UEP91	LNPCC	0.35					1					
	Feature				OLI 01	LIVI CC	0.00										
		All Standard Features Offered, per port			UEP91	UEPVF	0.775										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	0.00									
	NARS	r in control r outures entered, per per		1	02. 01	JE: 10	0.00			—		-	 	 	 		
-		Unbundled Network Access Register - Combination		 	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		 		-		
	1	Unbundled Network Access Register - Indial		l	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
-	1	Unbundled Network Access Register - Outdial		 	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		 		-		
	Miscell	aneous Terminations			OLI 31	OAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side				+											
-	2-11116	Trunk Side Terminations, each		1	UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
	Interef	fice Channel Mileage - 2-Wire			OLI 31	CLIVAO	3.30	122.20	10.03	34.02	3.43						
	interon	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057	40.40	13.40	10.50	3.00						
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 31	IVITODIVI	0.0057										
		innel Bank Feature Activations	,,,,														
	D4 Cité	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
		reature Activation on B-4 Charmer Bank Centrex Loop Slot			OLI 31	II QWO	0.4003										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 31	II QWO	0.4003										
		Slot			UEP91	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	II QW/	0.4003										
		Different Wire Center			UEP91	1PQWP	0.4689										
		Different Wife Genter			OLI 31	II QWI	0.4003										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
-	1	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLF91	IFQVVV	0.4009					-					
		Slot			UEP91	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
—	Non-Pr	ecurring Charges (NRC) Associated with UNE-P Centrex		1	OLF31	IF QVVA	0.4009			 		 	1	1	1		
-	NOII-RE	Conversion - Currently Combined Switch-As-Is with allowed		1		+						-	-	-	-		
1	1	changes, per port		1	UEP91	USAC2		0.10	0.10	I				Ì	Ì		
-	+	New Centrex Standard Common Block		 	UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92			 	 		
-	1	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92	1	1				
—	1	Secondary Block, per Block		1	UEP91	M2CC1	0.00	77.10	31.39	40.99	5.92	 	1	1	1		
-	1	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0.00	0.00		1		1	1				
-		onal Non-Recurring Charges (NRC)		 	OLF31	UNLUA	0.00	0.00		 				-	 		
-	Auditio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 		+				 				-	 		
		Premise		1	UEP91	URETL		8.33	0.83	1							
—	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	OLF31	UNLIL		0.33	0.63	 		 	1	1	1		
1		End Use Premise			UEP91	URETN		11.19	1.10	1			1				
-	LINE.D	CENTREX - 5ESS (Valid in All States)		1	021 31	SIVETIM		11.19	1.10	 		+	 	 	 		
—		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+				 		 	1	1	1		
-		ort/Loop Combination Rates (Non-Design)		 		1				t		1	1				
-	OIAE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+				 				 	 		
1	1	Non-Design		1	UEP95		10.46			I				Ì	Ì		
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '-	OLI 30	+	10.40			 		 	1	1	1		
		Non-Design		2	UEP95	1	15.76			1							
-	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OFL 20	+	15.76			 				-	 		
1	1			3	UEP95		32.56			I				Ì	Ì		
-	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	OLF90	+	32.00			 				-	 		
	JINE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+	-			-		-					
1		Design	1	1	UEP95		12.47			I			l	Ì	Ì		
	1	Dealgit	L	<u> </u>	055	1	12.4/			1		L	l	1	1		

UNBUN	IDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
		3		l								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATEGO	n.	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	r i	RATE ELEMENTS	m	Zone	BCS	USUC			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- -	02.00	_	11.00										
		Design		3	UEP95		33.98										
	INIT I -	op Rate		3	ULF 93		33.90										-
	INE LO				LIEDOE	115004	0.50										<u> </u>
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										
- 1		ort Rate															
	II Stat		 	 	 	+						1	 		1	 	+
	Jidi	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	 	UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28	1	 		-	 	+
+			 	1								1	 		-	-	
		2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28	-	ļ		-	1	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	02. 00	022	0.0010	02.27	20.00	20.20	0.10						
		- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
-		2-Wire Voice Grade Port Terminated on 800 Service Term -		1	ULF 93	OLFIS	0.5015	10.03	7.30	1.37	1.20						
		Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
F	L & G	A Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
		Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 30	OLI I IIVI	0.0010	OZ.ZI	20.00	20.20	0.10						
		Term 2.3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		Term 2,3			UEP95	UEPHZ	0.9019	82.21	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
L	ocal S	witching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										
L	ocal N	lumber Portability											ĺ				
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	eature			1	00	00	5.00					1	1		1		†
- i		All Standard Features Offered, per port			UEP95	UEPVF	0.775										
 		All Select Features Offered, per port		-	UEP95	UEPVS	0.00	0.00									-
				<u> </u>				0.00									
 		All Centrex Control Features Offered, per port	<u> </u>	<u> </u>	UEP95	UEPVC	0.00					.					.
l N	IARS			<u> </u>								ļ	ļ				ļ
		Unbundled Network Access Register - Combination]]	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	1					
L T		Unbundled Network Access Register - Indial	L	L_ ⁻	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					l	
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
N	liscell	aneous Terminations															
		Trunk Side											ĺ			ĺ	
		Trunk Side Terminations, each	1	t	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45	1	1		1		1
1		Digital (1.544 Megabits)	1	1	J 00	SEINDO	3.50	122.20	10.00	J-1.02	3.43	 					†
4		DS1 Circuit Terminations, each	-	 	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33	1	 		-	 	+
			 	1		M1HD0			93.00	18.60	∠.33	1	 		1	 	
		DS0 Channels Activated, each	<u> </u>	<u> </u>	UEP95	MIHDO	0.00	13.95				.					↓
lı lı	nteroff	ice Channel Mileage - 2-Wire		<u> </u>								ļ	ļ				ļ
		Interoffice Channel Facilities Termination	<u> </u>	<u> </u>	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00		<u> </u>				
ш Т		Interoffice Channel mileage, per mile or fraction of mile	L	L_ ⁻	UEP95	M1GBM	0.0057									l	
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														
		nnel Bank Feature Activations															

UNRI	UNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
3.45												Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		. Names accombine	. Diazana ast				Detec (ft)		
-	1			-		1	Rec	First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689	11131	Auu	11130	Addi	JOINLO	JOHAN	JONAN	JONIAN	JONIAN	JOWAN
		Podatio Field and St. P. Charmon Bank Control 2005 City			02. 00		0.1000			İ					İ		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.4689										
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	1		UEP95	1PQWP	0.4689			1						1	
		Different Wire Center			UEP95	TPQWP	0.4689										
1	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689			1							
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop								İ					İ		
		Slot			UEP95	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689		•								
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex					ļ										
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110400		0.40	0.40								
-	-	changes, per port New Centrex Standard Common Block	-	-	UEP95 UEP95	USAC2 M1ACS	0.00	0.10 317.90	0.10 37.59	48.99	5.92			-	-	-	-
	+-	New Centrex Standard Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92	 			 		
	1	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	0.00	07.00	40.00	0.32	1			†	1	1
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
-	LINE D	End Use Premise CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.19	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo					1			†					1		
		ort/Loop Combination Rates (Non-Design)				1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9D		32.56										
	LINE P	ort/Loop Combination Rates (Design)		3	UEF9D		32.36										
	O.V.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		Design		1	UEP9D		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ĺ	İ									
	1	Design		2	UEP9D		17.85										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		00.00			1							
	LINE :	Design oop Rate		3	UEP9D	1	33.98			 		 			-		
	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56			 		+					
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66			1							
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95										
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP9D	UECS2	33.08										
-		ort Rate TATES	1	-		-	 			 					1	-	
-	ALL S	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	 	UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28				+		
	1	2-Wire Voice Grade Port (Centrex 900 termination)Basic Local	1		C2. 0D	SEI 171	0.0019	10.00	7.50	1.57	1.20				—		
		Area	l		UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28				1		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	1	Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					I T										
	-	Area		-	UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
-	1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		-	OFLAD	UEFIE	0.9019	10.05	7.36	1.37	1.28	-			-		
	1	Area	1		UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28					1	
	1	r				12=: 11	3.0010	10.00	7.50	1.07	1.20	1	1	l	l	ı	

LINBUNDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONBONDEE	D NETWORK ELEMENTS - Georgia										Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	LIED/II	0.0040	40.05	7.00	4.07	4.00						
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 3D	OLITY	0.3013	10.03	7.50	1.07	1.20						
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					0.00.0										
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDYO	0.0040	00.07	00.00	00.00	0.45						
	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEFTF	0.9019	02.21	20.90	20.29	9.15	-					
	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLI OD	OLI I Q	0.5015	02.27	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	0.0040	00.07	20.00	20.20	0.45						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15	-					
	Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 9D	OLF 17	0.9019	02.21	20.90	20.29	9.13						
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15		1		1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			-	1				,							
	Basic Local Area	<u></u>		UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28	<u> </u>	<u> </u>		<u></u>		<u></u>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & G	A Only			LIEBAR	LIEBUT				ļ	ļ				ļ		ļ
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28				ļ		ļ
 	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB UEPHC	0.9019	10.05	7.36	1.37 1.37	1.28 1.28	1			 		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPHC	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28	-	-		-		-
 	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		\vdash	UEP9D UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28	1	-		1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28			_		_	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28				ļ		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEBLINA	0.00:0	40.00	7.00	4	4.00		1		1		1
	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28				 		
<u> </u>	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28	<u> </u>	l		l		

UNBI	INDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
3,450		STEETHOM CEELINEITO GEORGIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
		OME Visit On It But (On the first I'' On it will be on the						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2,3		1	UEP9D	UEPHIVI	0.9019	82.21	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
		2 VIII VOIDO GIAGO I GIT (GENTION GIII GI GIVO / EBO I GE 1/2,0,4			OLI OD	OLI 110	0.0010	02.27	20.00	20.20	0.10						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
		, , , , , , , , , , , , , , , , , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
L	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2 Mire Voice Crade Port (Centre::/J:# CMC /EDC MESSON 6.4	1		LIEDOD	LIEDUA	0.0040	00.07	20.00	20.00	0.45		1		1		
-	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	 	1	UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15				 		
1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	1		UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15		1		1		
-	1	2-vviie voice Grade For (Centrex/differ 5000 /EB5-ivi5208)2,3,4	1		OLFAD	UEFRID	0.9019	82.27	∠0.96	20.29	9.15	1	-		1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2 1110 10100 01440 1 011 (001110) 4110 0110 1220 1102 10/2/01			02.03	02.1.0	0.0010	02.27	20.00	20.20	0.10						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local S	Switching			LIEDOD	LIDEOO	0.4007										
-	I cool N	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
-	Local	lumber Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	/ \ \ \ /			OLI 3D	LIVI CC	0.33										
	routure	All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
<u></u>		aneous Terminations	 			+				1	1				 		
<u> </u>	∠-vvire	Trunk Side Trunk Side Terminations, each	 		UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
-	4-Wire	Digital (1.544 Megabits)	 		OLFBD	CENDO	5.50	122.20	10.03	54.82	3.45						
	7	DS1 Circuit Terminations, each	1		UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33				1		
		DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	13.95	33.30	33.51	2.30				1		
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057		•								
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
<u> </u>	D4 Cha	nnel Bank Feature Activations	<u> </u>	 	LIEDOD	400000	0.4000			ļ					ļ		
-	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
1		Footure Activation on D. A. Channel Book EV line Side I Cl-	1		UEP9D	1PQW6	0.4689						1		1		
-	}	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLFAD	IFUVVO	0.4689				1		 		1		
1		Slot	1		UEP9D	1PQW7	0.4689						1		1		
—	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		 	OL1 3D	11 Q VV /	0.4009			1					 		
1		Different Wire Center	1		UEP9D	1PQWP	0.4689						1		1		
							2200										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9D	1PQWV	0.4689										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.4689										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port					-								
Note 4	- Requires Specific Customer Premises Equipment							•								
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Conditio	ns.	•								

Version 3Q03: 11/12/2003 Page 115 of 348

														T			
UNBU	JNDLE	NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
													1		Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CAIL	JON	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
														1st	Addi	DISC 1St	DISC Add I
							Rec	Nonre			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "70	one" shown in the sections for stand-alone loops or loops as	nart of	a comi	nination refers to Ge	ngranhically	Deaveraged II	NF Zones To	view Geogran	hically Deaver:	aged LINE Zon	- Designation	ons by Cent	ral Office refe	er to internet \	Nehsite:	l
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpinoany	Deaveragea o	NE EUNCS. 10	view Geograp	mouny Deaven	igea one zon	Designation	ono by oom	rai Omoc, reio	or to internet t	reporte.	
OPER/		. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states. (2) Any element that can be ordered electronically will be bille	nd acco	rding	o the SOMEC rate lie	tod in this	atogory Place	o refer to Ball	South's Local	Ordoring Hand	hook (I OH) to	dotormino	if a product	can be order	nd alactronica	Illy For thes	o olomonte
		nnot be ordered electronically at present per the LOH, the liste															
		I, will be applied to a CLECs bill when it submits an LSR to B			o ano catogory ron		goaoa.a	. 20 204 10 4	0110 000 0		g capas				,oo,o		g 0.1.a. g0,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNF S	FRVICE	DATE ADVANCEMENT CHARGE				SOWAN		7.00	0.00	0.99	0.00						
OILE O		The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX, UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
HIMBIT	IIII ED E	Day EXCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00				1	1				
ONBU		ANALOG VOICE GRADE LOOP		<u> </u>								 	 				
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65		1				
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL UEANL	UEASL UEASL	10.56 15.34	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65	 	 				
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			51	.5.50		20.00	7.50						
		Premise			UEANL	URETL		8.33	0.83								
-		Loop Testing - Basic 1st Half Hour		ļ	UEANL	URET1		46.88	46.88								
<u> </u>		Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA	l .	24.16	24.16					l			<u> </u>

UNRU	NDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
314100	HULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
					ĺ							Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)	<u> </u>		UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		00.04	00.04								
	2 WIDE	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01								
	Z-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	+		UEQ	UEQ2X UEQ2X	13.19	44.97	20.89	25.64	6.65			1	t	1	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	- '-			JEGEN	13.13	77.37	20.09	20.04	0.03	<u> </u>		 	I	 	1
		Premise			UEQ	URETL		8.33	0.83					1	I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -						3.55	0.00					1	1	1	
1		Non-Designed (per loop)			UEQ	USBMC		9.00	9.00					1	I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for						5.55	2.30						1		İ
1		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49					1	I	1	
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			l	1]	_			1	I	1	
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65				-		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEADO	10.50	40.00	22.57	20.05	7.05			1	I	1	
-		Zone 1	 	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65			 	!	 	1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65			1	I	1	
-	-	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 		ULFOR UEPOB	UEALO	15.34	40.00	22.57	∠0.05	7.05			-		-	
		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65			1	I	1	
	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 		OLI OK OLFOD	JEADO	10.04	40.00	22.31	20.03	7.05			 	t	 	
		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65			1	I	1	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť			311	.5.50	22.07	20.00					1		
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65				1		
UNBUN	DLED E	EXCHANGE ACCESS LOOP		Ť			•	.5.50			.100						
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l											1		1	
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88			<u> </u>	<u></u>	<u> </u>	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							-]	
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		I									1	_]	
		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				ļ		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		23.01									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEADO	10.0-	404.00	04.6=	70.00	44.00				1		
-		Battery Signaling - Zone 1	-	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88			 	 	 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				1		
—	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	├		OĽA	JEAKZ	17.45	134.89	81.87	73.05	14.88			-	 	-	
1		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88			1	I	1	
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	33.22	23.01	01.07	13.05	14.00			 	t	 	
-		CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO	-	87.72	36.36			<u> </u>		 	I	 	
-		Loop Tagging - Service Level 2 (SL2)	†		UEA	URETL	-	11.21	1.10			<u> </u>		 	I	 	
	4-WIRE	E ANALOG VOICE GRADE LOOP						1	0					1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNB	JNDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
F		,										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CODV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GURT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
	+	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
			1	3	UDN		42.07		93.02	11.30	13.03						
		Order Coordination For Specified Conversion Time (per LSR)		<u> </u>		OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP)												
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
1		& facility reservation - Zone 2	1	2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47	I]		1		
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	- -	T -					55.52		i	1		1		
		& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		l				
—	+	Order Coordination for Specified Conversion Time (per LSR)	-	-	UAL	OCOSL	12.07	23.01	19.13	09.02	11.47	 	 		-		
<u> </u>	1	Order Coordination for Specified Conversion fifthe (per LSR)	-	1	UAL	UCUSL		23.01		ļ	-	1	 		1		
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
		Order Coordination for Specified Conversion Time (per LSR)	1	ľ	UAL	OCOSL	12.07	23.01	00.00	00.00	11.01						
-	+	CLEC to CLEC Conversion Charge without outside dispatch	 	 	UAL	UREWO		86.20	40.40								
	O MAIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	000	UAL	UKLVVO		00.20	40.40								
	Z-WIKE		IIBLE	LUUP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	COCOL		20.01									
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
-					UNL	UHLZVV	0.73	130.74	76.30	69.09	11.34						
		2 Wire Unbundled HDSL Loop without manual service inquiry			l												
		and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
	<u></u>	and facility reservation - Zone 3	<u></u>	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54		<u> </u>				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				ĺ				
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	İ						İ				1		
	T	4 Wire Unbundled HDSL Loop including manual service inquiry		1	†	1				1	1	i	1		1		
1		and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69	I]		1		
—	+	4-Wire Unbundled HDSL Loop including manual service inquiry	-	+	OI IL	UI IL4A	13.95	100.75	123.30	74.95	14.09	 	 		-		
				_	l	1,111,457	45.00	405 77	100 50	74.0-	44.00		l				
<u> </u>		and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		ļ				
1		4-Wire Unbundled HDSL Loop including manual service inquiry	1	1	İ	1					1	I]		1		
		and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
1		and facility reservation - Zone 1	1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80	I]		1		
		4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	†						12.30	i	1		1		
1		and facility reservation - Zone 2	1	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	I]		1		
—	1	4-Wire Unbundled HDSL Loop without manual service inquiry	 		O. IL	OI IL4VV	13.00	104.33	114.04	11.32	13.00	 	l		+		
				_	l III	LILL AVA	40.00	404.05	444.04	77.00	45.00		l				
<u> </u>	1	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		23.01					ļ				
		CLEC to CLEC Conversion Charge without outside dispatch]	UHL	UREWO		86.14	40.40								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55						
		4-Wire DS1 Digital Loop - Zone 3		3		USLXX	297.76	306.69	174.44	65.83	14.55	i	1		1		
-	1	Order Coordination for Specified Conversion Time (per LSR)	 		USL	OCOSL	231.10	23.01	177.44	00.03	17.55	 	l		+		
	1	Craci Coolaination for Openied Conversion fille (pel LOR)	1	1	JJL	COOSE	1	23.01		1	1	1	i	ı	1		1

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
<u> </u>											Svc Order	Svc Order	Incremental			
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66			İ	İ	İ	İ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66			İ	İ	İ	İ
	Order Coordination for Specified Conversion Time (per LSR)	1		UDL	OCOSL		23.01			1			İ	İ	İ	İ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-WI	RE Unbundled COPPER LOOP													İ	İ	İ
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed including manual	1														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual	1	T -	002	002. 2				00.00							
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	12.01	9.00	9.00	00.00	11.01						
h	2-Wire Unbundled Copper Loop-Designed without manual	1		002	0020		0.00	0.00			1					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual	1														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual	1	<u> </u>	002	002		120.10	01.01	00.00	11.01						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		9.00	9.00								
h	CLEC to CLEC Conversion Charge without outside dispatch	1		002	0020		0.00	0.00			1					
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WI	RE COPPER LOOP	1		002	U.V.E.V.O		01.20	12.10								
 	4-Wire Copper Loop-Designed including manual service inquiry	1			+						1					
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>	002	002.0	10.02		100.00	7 1.00	1 1.00						
	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69				1		1
	4-Wire Copper Loop-Designed including manual service inquiry	1			552.70	17.50	170.01	100.00	74.55	14.00			1	t	1	t
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69				I	Ì	I
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	23.10	9.00	9.00	50	00				<u> </u>		<u> </u>
	4-Wire Copper Loop-Designed without manual service inquiry	1		 			3.30	0.00		1			1	t	1	t
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69				I	Ì	I
	4-Wire Copper Loop-Designed without manual service inquiry	 	Ė	1		.0.02	2	200	50	00				1	1	1
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69				I	Ì	I
	4-Wire Copper Loop-Designed without manual service inquiry	1	 	1		00	2	000	50	00				<u> </u>		<u> </u>
	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69				1		1
	Order Coordination for Unbundled Copper Loops (per loop)	†	Ť	UCL	UCLMC	200	9.00	9.00		55				t	1	t
	CLEC to CLEC Conversion Charge without outside dispatch	†		T	1		3.30	0.00						t	1	t
	(UCL-Des)			UCL	UREWO		97.23	42.48						1		1
LOOP MODIF		†			1		220	0						t	1	t
		†		UAL, UHL, UCL,										t	1	t
				UEQ, ULS, UEA,										1		1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,										I	Ì	I
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		9.24	9.24						1		1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	†												t	1	t
	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		9.24	9.24						I	Ì	I
				UAL, UHL, UCL,			7.21							İ	İ	İ
1 1				UEQ, ULS, UEA,										1		1
	Habitandard Lana Madification Descript of Dridged Ten Descript	1	1	UEANL, UEPSR,	1				1	i	1	1	I	l .	1	1
1 1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEAINL, UEPOK,												

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonred	rrina	Nonrecurring	Dissennest			220	Rates (\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L	OOPS							FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
SOD-L		op Distribution	1														
	Oub Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1														
		Up	- 1		UEANL	USBSA		207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		12.50	12.50								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	I		UEANL	USBSC		80.87	80.87								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up			UEANL	USBSD		45.04	45.04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90				1		
<u> </u>	 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- ' -	-	OLAINL	UODINZ	0.34	85.03	39.05	59.81	7.90			-		1	1
	1	Zone 2	1 1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90			1			
-	 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			O-/ 11 1L	30D14Z	3.00	00.03	33.03	33.01	7.30				t		
1	1	Zone 3	1 1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90			1			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_					=								
		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
		Order Coordination for Unbundled Cub Leans, nor out lean noir			UEANL	USBMC		9.00	9.00								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
		Sub-Loop 2-Wile Intrabuliding Network Cable (INC)	- ' -		OLANL	USBRZ	2.51	00.33	22.30	39.01	7.50						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88				1		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I.	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
-	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	3	UEF	UCS2X	7.06	85.03 85.03	39.05	59.81	7.90			 	1		
<u> </u>	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90			 	 		-
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00	1				1			
-	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88				-		
—	†	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2		UCS4X	8.66	102.31	56.32	65.24	10.88			1	1		
	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	19.40	102.31	56.32	65.24	10.88				1	İ	İ
							_							1			
	<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEF	USBMC		9.00	9.00							<u> </u>	<u> </u>
		Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	46.88								
	ļ	Loop Testing - Basic Additional Half Hour	ļ		UEF	URETA		24.16	24.16	ļ				ļ	ļ		
	Unbun	dled Network Terminating Wire (UNTW)	ļ		LIENTA/	LIENDS											
<u> </u>	Notice	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)	1		UENTW	UENPP	0.53	23.51	23.51	 				 	1		
<u> </u>	Networ	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		73.53	49.47	-					-	-	-
-	 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	 		UENTW	UND12 UND16		115.96	91.91	t				1	t	1	1
-	1	Network Interface Device (NB) - 1-0 lines Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		8.56	8.56	-					-		
—	1	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		8.56	8.56	†		1		1	†	1	1
UNE O	THER, P	ROVISIONING ONLY - NO RATE	1					2.20	2.30	1				İ	1		
	T	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
L	<u> </u>	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE O	THER, P	ROVISIONING ONLY - NO RATE	<u> </u>							l				Ì	l		

LINIDIIN	IDI E	NETWORK ELEMENTS - Kanturalar												A 1		F. 1. 1	
UNBUN	NDLE	NETWORK ELEMENTS - Kentucky	1			1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	DDV.	DATE ELEMENTO	Interi	7	BCS	11000			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	JKY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,	l <u></u>											
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	APACII	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	1L5ND	0.05										
-		month			UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility			LIFO	LIEODY	000.04	554.00	000.00	470.00	400.40						
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLOV	1L5ND	0.05										
-		month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility			LIDI OV	LIDI 04	000 54	554.00	000.00	470.00	400.40						
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP M	AKE-U		-														
		Loop Makeup - Preordering Without Reservation, per working or			1.15.41.2			00.40	00.40								
-		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.05								
-			-		UIVIK	UWKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINECH	ADINO	AND LINE SPLITTING			UIVIK	UIVIKIVIQ		0.67	0.67								
		: The Line Sharing monthly recurring rates for all installation	l com	loted f	rom Octobor 02, 200	2 through m	idnight Octobo	r 01 2004 chal	l ha hillad as f	ollowe:							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lunight octobe	01, 2004 Silai	i be billed as i	oliows.							
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper io	OP HOL	I-designed (OOLIND	· ·											
		: 10/02/2004 - 10/01/2005: 30 % of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	LULSC	C annlies only to cit	rcuite inetall	ed and inservic	e on or hefore	October 1 20	03							
		HARING	l and	0200	o applies only to on	l listan	l liberario	C OII OI BCIOIC	COLOBER 1, 20	I							
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity	l		ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
		Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDB	49.71	379.05	0.00	358.55	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)	l		ULS	ULSDG		173.62	0.00	100.40	0.00						
E	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING					İ										
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2	l		ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1	1										1				
		(E:10/2/2003)	<u> </u>	<u> </u>	ULS	ULSDT	2.65	37.16	21.28	20.17	9.90				<u></u>		
		Line Share Service, TRO per line activation, BST owned splitter -							<u> </u>								
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -							<u> </u>								
		Central Office Located (75% of UCLND) - please see NOTE 1	l														
		(E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
		Line Sharing - per Subsequent Activity per Line						_									
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43								
1 T		Line Sharing - per Subsequent Activity per Line				<u> </u>			·								
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43								
		Line Sharing - per Line Activation (DLEC owned Splitter) -	1		l <u>.</u>	l							1				
		OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBU	INDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted		_	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEG	JOKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	L	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
		NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	5.29	47.44	19.51	20.07	12.74						
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						ļ '
	LINE S	PLITTING					-										
	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61		<u> </u>								
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
		Line Splitting - per line activation BST owned - virtual		 	UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87	<u> </u>		ļ	ļ		 '
-	WAINT	ENANCE	1			1		80.00	FF 00			1		 			
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime				-		120.00	55.00 82.50								\vdash
-		No Trouble Found - per 1/2 hour increments - Overtime						160.00	110.00								$\vdash \vdash \vdash$
UNBUN	IDLED D	DEDICATED TRANSPORT						100.00	110.00								
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						<u> </u>
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			11477.07	41.5307	0.04										
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			U1TVX	1L5XX	0.01										
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			01117	011112	20		00		00						
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															ļ '
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						j '
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			UTIDA	UTIDS	20.97	47.33	31.70	22.11	6.75						
		per month			U1TDX	1L5XX	0.0115										ļ '
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
<u></u>		Termination	<u> </u>		U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75	<u> </u>	<u> </u>	<u> </u>			1
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															[
		month			U1TD1	1L5XX	0.23										 '
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATOA	LIATE4	20.01	405 50	00.40	20.00	00 :0						1 '
		Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						\vdash
		Interoffice Channel - Dedicated Transport - D53 - Per Mile per Imonth			U1TD3	1L5XX	4.97										1 '
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	TLOAK	4.51										
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					·										
		month			U1TS1	1L5XX	4.97										<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Facility												1			1
DARK	L	Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						 '
DARK	LIREK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1			1						1		 			
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	30.74							1			1
-		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	30.74	732.53	192.67	377.27	241.67						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			55. , 65i 6X	551 17		702.00	102.07	011.21	2-11.07			1			
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01										1
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67						

LIND	IINDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit. A
OND	UNDLL	NETWORK ELEMENTS - Rentucky	1			1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -		Charge -
												Elec	Manually		Manual Svc	Charge - Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
-	••••	10002 ==================================	m		200	0000			= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		4.14	0.70								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			8.78	1.18	7.08	0.86						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
		8XX Access Ten Digit Screening, Customized Area of Service															
	_	Per 8XX Number			OHD	N8FCX		4.14	2.07								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	_	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								
<u> </u>	-	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	 	<u> </u>	OHD	N8FAX		4.85	0.70	1				1	 		
					OHD	N8FDX		4.44	4.44								
-		Features 8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD	N8FDX	0.0006478	4.14	4.14								
-	+	8XX Access Ten Digit Screening w/ 6FL No. Delivery,			OHD		0.0006478					1					
LINE	INFORM	ATION DATA BASE ACCESS (LIDB)			OLID		0.0000478					1					
	T CITAL	LIDB Common Transport Per Query			OQT		0.000023										
		LIDB Validation Per Query			OQU		0.0137322										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0101022	55.12		67.59							
SIGN	ALING (C									01.100							
		CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
	_	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
		CCS7 Signaling Point Code, per Originating Point Code						40.00		== 40	=0.40						
		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
		CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPD		40.00	46.02	56.43	56.43						
E011	SERVICE	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	40.02	30.43	36.43						
E911	SERVICE	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98	1					
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115	203.70	40.30	40.73	4.30						
1	+	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	†		1	3.0113					<u> </u>			 		
1		Termination	l	1			29.11	47.34	31.78	22.77	8.75				1		
	1	Local Channel - Dedicated - DS1 - Zone 1		İ		1	40.46	209.60	176.51	30.21	21.07				İ		
		Local Channel - Dedicated - DS1 - Zone 2					43.39	209.60	176.51	30.21	21.07						
		Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.23										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>			96.04	105.52	98.46	23.09	20.49						
CALL	ING NAM	IE (CNAM) SERVICE	ļ	<u> </u>	001/	.											
<u> </u>	-	CNAM For DB Owners - Service Establishment	<u> </u>	<u> </u>	OQV	1		25.34	25.34	23.30	23.30			ļ	 		
 	-	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	 	<u> </u>	OQV	1		25.34	25.34	23.30	23.30			1	 		
1		Establishment	l	1	oqv]	1,591.54	1,177.08	431.95	317.61				1		
-	+	CNAM For Non DB Owners - Service Provisioning With Point	 	!	OUV	1	1	1,391.34	1,177.08	431.95	317.01			1	1		
1		Code Establishment	l		oqv			546.40	393.74	438.93	317.61						
-	+	CNAM for DB Owners, Per Query		<u> </u>	OQV	1	0.0010348	370.70	333.14	450.95	317.01				 		
		CNAM for Non DB Owners, Per Query	1	†	OQV	1	0.0010348								1		
	1	CNAM (Non-Databs Owner), NRC, applies when using the		1		1											
1		Character Based User Interface (CHUI)	l	1	OQV	CDDCH]	595.00	595.00						1		
SELE	CTIVE R	OUTING					i										
		Selective Routing Per Unique Line Class Code Per Request Per															
1		Switch						93.53	93.53	15.58	15.58		1				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1				1	Nonrec	rrina	Monroourring	Disconnect			220	Rates (\$)		
		<u> </u>				Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL	LOCATION						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
VIIKTOAL GOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO	LLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP	0.0007500	2.06	2.06								
AIN DELLEO	Query NRC, per query UTH AIN SMS ACCESS SERVICE	<u> </u>		SRC		0.0037502										
AIN - BELLSO	AIN SMS Access Service - Service Establishment, Per State,	1														
	Initial Setup	1		A1N	CAMSE		43.55	43.55	44.93	44.93						
		1		•	JJL		70.00	-10.00	44.00	77.55				1		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4608										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE	1				0.4606										
AIN - BELLOO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer			-	BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								40.00							
-	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP	1			BAPTO		51.01	51.01	18.50	18.50	1	1		1		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			BAFTO		31.01	31.01	10.50	10.50						
	DN, CDP	1			BAPTC		51.01	51.01	18.50	18.50	1	1		1		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	†					001	331	.5.50	.0.50				1		
	DN, Feature Code	1			BAPTF		51.01	51.01	18.50	18.50	1	1		1		
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit						_						_		_	
	Subscription, Per Node, Per Query	<u> </u>			ļ	0.0066492								ļ		
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes		-		ļ	0.07								 		
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1		CAIVI	DAFIVIO	1.87	0.04	0.04	6.08	6.08						
	Subscription	1		CAM	BAPLS	3.26	9.56	9.56			1	1		1		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	†				5.20	5.50	5.50						1		
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1														
	Service Subscription	<u> </u>		CAM	BAPES	0.11	9.56	9.56								
	KTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combination	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.			ļ		
EXIEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED First 2-Wire VG Loop (SL2) in Combination - Zone 1	טע עבו		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				-		
	i iisi z-vviie vo Loop (SLz) iii Combination - Zone i	1		UINCVA	UEAL2	12.07	125.22	bU.48	90.66	7.84	l	L		<u> </u>		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.2011.22	learning terms.										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK!	NATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	COMILO	COMPAN	JOINIAN	COMPAR	OOMAN	JOHIAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONOVA	OLALZ	33.22	125.22	00.40	33.03	7.04						
	per month			UNC1X	1L5XX	0.19										1
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TEOTO	0.10										
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1 '
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
 	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						
 	Voice Grade COOT-1 et WORLT			ONCVX	IDIVO	0.02	0.71	4.04								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						1
	Lacit Additional 2-Wile VO Loop (OL 2) in Combination - Zone 1	 	- '-	0110 1/	ULALL	12.07	120.22	00.40	33.03	7.04		 		 		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						1 '
 	Lacti Additional 2-Wife VO Loop (OL 2) in Combination - Zone 2			ONCVX	OLALZ	17.43	120.22	00.40	33.03	7.04						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						1
-	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.62	6.71	4.84	33.03	7.04						
-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.02	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1 '
EVTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DO	1 INTE				0.90	0.30	11.17	11.17	-					
LAIL	I	I ED D3	INTE	OFFICE TRANSFO	1						-					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		4	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1 '
-	First 4-Wire Arialog Voice Grade Loop in Combination - Zone 1		-	UNCVA	UEAL4	29.20	123.22	00.40	39.09	7.04	-					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						l '
	First 4-Wire Arialog Voice Grade Loop in Combination - Zone 2	<u> </u>		UNCVA	UEAL4	34.23	123.22	00.40	39.09	7.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1 '
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	ULAL4	65.00	123.22	00.40	39.09	7.04	-					
	Per Month			UNC1X	1L5XX	0.19										1
-	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIA	ILSAA	0.19					-					
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1 '
	1/0 Channel System in combination Per Month	<u> </u>	-	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
-	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07	-					
-	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	0.02	0.71	4.04			-					
	Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1	<u> </u>	-	UNCVA	UEAL4	29.20	123.22	00.40	39.09	7.04						\vdash
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
-	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	34.23	123.22	00.40	39.09	7.04	-					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.62	6.71	4.84	39.09	7.04						
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-	 	1	DINOVA	פאומו	0.02	0.71	4.04		-	-	-	-	-		
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
EVTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				0.30	0.30	11.17	11.17						
EVIE	TOTAL THIRE SO REFS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	אוופע	LINDEFICE I KANS	JONI						 	1	1	1		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			Ì	Ì		1 '
\vdash	i not 4-vvine outubes digital Grade Loop in Combination - Zone i	1	-	OINODA	ODESO	21.59	120.22	00.40	39.69	1.04	-	-	-	-		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
	I list 4-Wile Sortops Digital Grade Loop III Combination - Zone 2			ONODA	ODESO	32.40	123.22	00.40	33.03	7.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84			Ì	Ì		1
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	3	אַנואַנוּט	JDLJO	30.37	123.22	00.48	59.69	1.84	 	1	1	1		 '
	Per Month	1		UNC1X	1L5XX	0.19							Ì	Ì		1 '
\vdash	Interoffice Transport - Dedicated - DS1 - combination Facility	1	1	DINOIA	ILUAA	0.19				-	-	-	-	-		
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1				1
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	1	1	1	1		
\vdash	OCU-DP COCI (data) per month (2.4-64kbs)	 		UNCDX	1D1DD	1.32	6.71	4.84	1.00	1.07	 	1	1	1		
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-		OINCDA	טטוטו	1.32	0.71	4.04	-				 	 		
	Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			Ì	Ì		1
\vdash		 		UNUDA	ODESO	21.59	123.22	00.48	59.69	1.84	-					——
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		1				1
\vdash	Interoffice Transport Combination - Zone 2	 		UNCDX	UDLS6	32.48	125.22	bU.48	59.69	7.84	-					——
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	LINICDY	LIDL CC	20.07	405.00	00.40	50.00	7.4	1	l	Ì	l		1
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	1	1				j

UNB	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
<u> </u>												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA!L		TATE ELEMENTO	m		500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonred	urring	Nonrecurring	n Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional OCU-DP COCI (data) - in combination per month (2.4-						11130	Auu	11130	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAN
		64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
		Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	.5.55		0									
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
	EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN													
			Ī			1											
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						i
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						i
		, , , , , , , , , , , , , , , , , , ,									_						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84				Ì		1
	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	l		-	1			22.10	22.30				İ	İ		ſ
		Per Month			UNC1X	1L5XX	0.19										i
	1	interoffice Transport - Dedicated - DS1 combination - Facility			-		20								1		
		Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i .
		1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						• • • • • • • • • • • • • • • • • • • •									
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						ı
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						i
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					00										
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						i
		Additional OCU-DP COCI (data) - in combination - per month		Ť													
		(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
		Nonrecurring Currently Combined Network Elements Switch -As-						• • • • • • • • • • • • • • • • • • • •									
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR												
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.19										i
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						ı
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						i
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR	T											
		First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						1
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						1
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	1	Per Month	<u></u>	<u> </u>	UNC3X	1L5XX	4.09					<u></u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															1
		month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						i .
		3/1Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						[
		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional DS1Loop in DS3 Interoffice Transport Combination -															1
		Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						 _
		Additional DS1Loop in DS3 Interoffice Transport Combination -												I			1
		Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						 _
		Additional DS1Loop in DS3 Interoffice Transport Combination -												I			1
		Zone 3	<u> </u>	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		<u> </u>	<u> </u>		<u> </u>	<u> </u>
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														1
		Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						L
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						

CATEGORY RATE ELEMENTS Interi m	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
RATE ELEMENTS												Svc Order	Svc Order				
RATE GLANNIS RATE G																	Charge -
CATEGORY RATE ELEMENTS Mail Zone BCS USOC RATES (B) Part Ext Contex vs. Cont																	Manual Svc
Reservoir	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
1			m						== (+)			per LSK	per LSK				Electronic-
Description Description																	
No. Piret Add First Add First Add First Add First Add First Add SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN Soman So														1st	Add'I	Disc 1st	Disc Add'l
No. Piret Add First Add First Add First Add First Add First Add SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN Soman So								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
2-Verein/C Loss in combination 2 - Zero 3 3 UNCOV 155X 50.01			1	1			Rec					SOMEC	SOMAN			SOMAN	SOMAN
Interestive Transport - Journ 10 Conditionate Per Mei Per March 100 Conditionate Per Mei Per March 100 Conditionate Per Mei Per March 100 Conditionate Per Mei	+	2-WireVG Loop in combination - Zone 3		3	LINCVX	LIEAL 2	33.22					COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
Month Mont	+			-	ONOVA	OLALE	00.22	120.22	00.40	00.00	7.04		1				
Interface Transport - Server VG - Debtaced - Facility Interface Interfac					LINCVY	11 5YY	0.01										
Temperary per month					ONOVA	TESTON	0.01										
Name					LINCVY	11471/2	22.05	00.00	52.67	56 21	22.42						
Street S			 	 	ONOVA	011172	25.55	30.03	33.07	30.31	22.72	1					
EMERCING CANADE VOICE GRADE EXTENDED LOOP A WINE VOICE GRADE INTEROFFICE TRANSPORT 1 10 NS/CVX UERL4 39.26 155.22 60.48 59.09 7.54					LINCVY	LINICCC		9.09	9.09	11 17	11 17						
4-Wint VC Loop in combination - Zone 1	EVTEN		CDAD	E INITE				0.90	0.90	11.17	11.17		-		-		
A-WeeVid Loop on confidention - Zone 2 2 UNCVX UEPLAL 34.55 155.22 50.68 59.99 7.64	LATEN		GRAD	1 1			20.26	125.22	60.49	50.60	7 9/		-		-		
A-Weel/Coop in combination - Zone 3 3 UK/CVX UE/AL 55.06 15.22 50.40 59.06 7.64																	
Mentifice Trainglor - Acide To - Decicional - Park Mile Per No.CVX 1.5XX 0.01																	
Month Nember New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Facility New Yor - Dedicated - Sale - New Yor - New			1	3	OINCVA	UEAL4	00.06	123.22	00.48	59.69	1.84	 	-	-		-	
Intentifice Transport - 4-wer VS - Decidands - Facility UNICY UTITY 21.28 98.09 55.67 56.31 22.42	1		1	1	LINCVY	11.577	0.04							Ì	I	Ì	1
Termination per month			 	 	OINCAV	ILOAA	0.01			-		1			 		
Namescurring Currently Combined Network Elements Switch - As-					LINIOVA	LIATV/A	04.00	00.00	F0.07	50.04	00.40				1		1
SCHANGE STANDED STORTIAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT UNCXX USXX			 	1	UNCVX	U11V4	21.28	98.09	53.67	56.31	22.42	1	1	1	 	1	
Control Cont	1		1	1	LINOVA	LINICCO]	0.00	0.00					Ì	I	Ì	1
DSS Local Loop in combination - per male per month UNGSX USBY 9.25						UNCCC		8.98	8.98	11.17	11.17						
DISS Local Loop in combination - Facility Termination per month DINC3X UE3PX 308.31 237.38 147.69 83.43 32.67	EXIEN		INTERC	PFFICE		41 = 115	0.05										
Interdiffice Transport - Dedicated - DS3 - Per Mile per month UNC3X 1,15XX 4,09		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
Interdiffice Transport - Dedicated - DS3 - Per Mile per month UNC3X 1,15XX 4,09																	
Interdifice Transport - Pedicated - US3 combination - Facility UNC3X								237.36	147.69	83.43	32.67						
Termination per month					UNC3X	1L5XX	4.09										
Nonrecurring Currently Combined Network Elements Switch -As- UNCSX UNCSX UNCSX UDLS1 320.51 237.36 147.69 83.43 32.67																	
Scharge UNCSX UNCCC 8.98 8.98 11.17 11.17					UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - per mile per month UNCSX UDLS1 320.51 237.36 147.69 83.43 32.67			1														
STS-1 Local Lop in combination - Per mile per month						UNCCC		8.98	8.98	11.17	11.17						
STS+1 Local Loop in combination - Facility Termination per month UNCSX UDLS1 320.51 237.36 147.69 83.43 32.67	EXTEN		S-1 INT	EROFF													
month					UNCSX	1L5ND	9.25										
Interoffice Transport - Dedicated - STS-1 combination - per mile UNCSX		STS-1 Local Loop in combination - Facility Termination per															
Def month UNCSX 1.5XX 4.09		montal			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
Interoffice Transport - Dedicated - STS-1 combination - Facility UNCSX		Interoffice Transport - Dedicated - STS-1 combination - per mile															
Termination per month		per month			UNCSX	1L5XX	4.09										
Nonrecurring Currently Combined Network Elements Switch -As Is Charge UNCSX UNCCC 8.98 8.98 11.17 11.17		Interoffice Transport - Dedicated - STS-1 combination - Facility															
S Charge UNCSX UNCCC 8.98 8.98 11.17 11.17		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
Is Charge UNCSX UNCCC 8.98 8.98 11.17 11.17		Nonrecurring Currently Combined Network Elements Switch -As-															
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DSI INTEROFFICE TRANSPORT	1		1	1	UNCSX	UNCCC]	8.98	8.98	11.17	11.17		1	Ì	I	Ì	1
First 2-Wire ISDN Loop in Combination - Zone 1	EXTEN		TRAN	SPORT													
First 2-Wire ISDN Loop in Combination - Zone 2				1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
First 2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84				2													
Interoffice Transport - Dedicated - DS1 combination - per mile per month UNC1X												1					
Der month Der																	
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	1		1	1	UNC1X	1L5XX	0.19							Ì	I	Ì	1
Termination per month			1	1		1						Ì	1	1	1	1	
1/0 Channel System in combination - per month					UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32				1		1
2-wire ISDN COCI (BRITE) - in combination - per month	- 1			1								1		1	t	1	t
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 UNCNX U1L2X 18.44 125.22 60.48 59.69 7.84 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 UNCNX U1L2X 25.08 125.22 60.48 59.69 7.84 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84 Additional 2-wire ISDN COCI (BRITE) - in combination- per month UNCNX UC1CA 2.84 6.71 4.84 Nonrecurring Currently Combined Network Elements Switch -As- UNCCX UNCX UNCX UNCX UNCX UNCX UNCCC 8.98 8.98 11.17 11.17	1		1	1						00		İ		1	1	1	
Combination - Zone 1			1	1		1	2.04	J 1				Ì	1	1	1	1	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84				1		1
Combination - Zone 2			 		2	3	10.77	120.22	00.40	55.55	7.04	1			 		—
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per month UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84 Additional 2-wire ISDN COCI (BRITE) - in combination- per month UNCNX UNCLA Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17	1		1	2	LINCNX	1111 2X	25.08	125 22	60.48	59.60	7 9/1		1	Ì	I	Ì	1
Combination - Zone 3			 		5.1011/1	JILEK	25.00	120.22	00.40	55.05	7.04	1			 		—
Additional 2-wire ISDN COCI (BRITE) - in combination- per month Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCCC 8.98 8.98 11.17 11.17 EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT	1		1	3	LINCNX	1111 2X	42 97	125 22	60.48	59.60	7 9/1		1	Ì	I	Ì	1
Month UNCNX UC1CA 2.84 6.71 4.84 S S S S S S S S S	 			3	011011/	UTLEX	72.01	120.22	00.40	55.05	7.04	†	1		 	1	
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17 11.17 11.17	1		1	1	LINCNX	LIC1CA	284	6 71	4 84				1	Ì	I	Ì	1
Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17 11.17 STATE OF THE EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STATE OF THE PROPERTY STATE				 	011011/	50104	2.04	0.71	7.04			†	1		 	1	
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			1		LINC1V	LINCCC		9.00	9.00	11 17	11 17				1		1
	EVTEN		ED STS	-1 INTE			1	0.98	0.98	11.17	11.17	1	 	1	 	1	
	EATEN						06 17	210.70	111 60	63.06	17.07	-		-		 	
First DS1 Loop Combination - Zone 2 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97			 									-	 		 		

UNRII	INDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit· Δ
SINBU	HULE	NETWORK ELEMENTS - Remucky				1						Svc Order	Svc Order	Incremental			Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILSAA	4.09			-							
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	2	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport						-									
		Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	1	Additional DS1Loop in the same STS-1 Interoffice Transport	1				\Box			_				1]		
	ļ	Combination - Zone 3	ļ	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			ļ	ļ		
	<u> </u>	DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	11.80	6.71	4.84					ļ	ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
-	EVTEN	Is Charge	DO INT		UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE 4-wire 56 kbps Local Loop in combination - Zone 1	SPS INT		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	ONODA	ODESO	30.37	125.22	00.40	33.03	7.04						
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.01										
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEG	17.20	30.03	33.07	30.31	22.72						
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		1		3.50	3.30	1				İ	İ		
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		l <u>-</u>	I	\neg			_				1	1		
<u> </u>	ļ	Mile	ļ		UNC1X	1L5XX	0.19			ļ				ļ	ļ		
		First Interoffice Transport - Dedicated - DS1 combination -			LINICAY	LIATE 4	70.00	404.01	100 50	50.70	00.00						
<u> </u>	 	Facility Termination per month	 		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	<u> </u>	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month	<u> </u>		UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67						
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30			1	1		
-	 	Per each DS1 COCI in combination per month	 		UNC1X	UC1D1	11.80	6.71	4.84	10.12	5.50			 	 		
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1					50	5.71		1							
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			1	1		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	<u> </u>	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84			<u> </u>	L		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1							-								
	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	ļ	Each Additional Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.62	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINIOAN	41.5307				I				1	1		
<u> </u>	 	Channel System per month	 		UNC1X	1L5XX	0.19			1							
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1	Jame or i Onannei Oystein per month	<u> </u>	1	014017	UTILL	19.02	101.24	123.33	30.72	22.32	l	l	1	1		

UNRUN	DI FI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	ibit: A
CINDOIN	DEE.	THE TWO TREATMENT OF TREATMENT OF										Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OA! LOO!	٠	KATE EEEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		L
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84	11130	Auu i	JONEC	JONAN	JOHAN	JOHAN	JOHAN	JOHAN
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	11.00	0.71	4.04								
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
F	XTFN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR				0.30	0.30	11.17	11.17						
F-F	X 1 E 14	First 4-Wire Analog Voice Grade Local Loop in Combination -		T	ANOI OILI W/ O/ I III	1											
		Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
-		First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	ONOVA	OL/1L-	20.20	120.22	00.40	00.00	7.04						
		Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
-		First 4-Wire Analog Voice Grade Local Loop in Combination -			0.10171	02/12:	0 1120	120.22	00.10	00.00							
		Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	0.10171	02/12	00.00	120.22	00.10	00.00	7.01						
		Mile Per Month		1	UNC1X	1L5XX	0.19						1				
		First Interoffice Transport - Dedicated - DS1 - Facility				. 20,01	5.10										†
		Termination Per Month		1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1				
-		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		Per each Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0.62	6.71	4.84	1.50	1.07				1		1
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	10.12	0.00						
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10.17	00.5.	11.00	0									
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	0.10171	02/12	20.20	120.22	00.10	00.00	7.01						
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10 171	02/12:	0 1120	120.22	00.10	00.00							
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
E	XTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00									
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1													
		Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		1				
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.19										
		First Interoffice Transport - Dedicated - DS1 - combination					j										
		Facility Termination Per Month		1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1				
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	_	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							<u> </u>								
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)		<u></u>	UNCDX	1D1DD	1.32	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1							<u> </u>								
		Channel System per month			UNC1X	1L5XX	0.19										
	Ī	Each Additional DS1 Interoffice Channel Facility Termination in		1]					<u> </u>	1				
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
CADOMBLE	TETTORIC ELEMENTO Rentaday										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:									Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
						Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	001141	001111
-	Each Additional DS1 COCI in the same 3/1 channel system						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIX	OCIDI	11.80	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00	0.00								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
\vdash	Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			ļ		ļ	ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINC4V	11.577	0.19			1			1		1		
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	<u> </u>		UNC1X	1L5XX	0.19			_					 		
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
 	Per each Channel System 1/0 in combination Per Month	 		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67				 		
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1		501/	.7104 1	110.00	51.20	17.74	1.00	1.07			1	†	1	1
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
-	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	טטוטו	1.32	0.71	4.04	-					-		
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	120/01	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		 								ļ		ļ	ļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIV	LIALOV	40.44	405.00	CO 10	50.00	7.04				1		
\vdash	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<u> </u>	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				 		
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84				1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 		011011/	JILZA	20.00	120.22	00.40	39.09	7.04				 		
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		-				22.70	1					1		
	Mile per month			UNC1X	1L5XX	0.19			I			1		I		
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	December 2 with ICDN COOL (DDITE) is a self-institution			LINONY	110404		0.71	4.5.	1			1				
 	Per each 2-wire ISDN COCI (BRITE) in combination - per month	 		UNCNX	UC1CA	2.84	6.71	4.84	45.10	F 00				1		
\vdash	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3 UC1D1	158.20 11.80	115.48	56.53	15.12	5.30				 		
	Per each DS1 COCI in combination per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		UNC1X	ומוטט	11.80	6.71	4.84	 		1	-	1	 	1	1
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		0017/	JILEA	10.74	120.22	00.40	33.03	7.04				 		
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			-				22.70	1				1		1	1
	Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84								

UNBUN	IDLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1							7.44.		71441	0020	00				
		Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	00.5.	11.00	0									
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
E	XTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										,
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
E	XTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :	FRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						.
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						— —
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42					-	
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDITIO	NAL N	ETWORK ELEMENTS			-	1		2.20	2.30	1							
		used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is cl	harge does app	oly.		1							
		ised as ordinarily combined network elements in All States, the													İ		·
		urring Currently Combined Network Elements "Switch As Is"															
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
			·			3550		0.00	0.00	/	11.17	1	1		·		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		g Disconnect	001150	0011411		Rates (\$)	001111	0011411
	Nonrecurring Currently Combined Network Elements Switch -As-				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	0.1000		0.50	0.50								
	ls Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGOV			0.00	0.00	44.47	44.47						
Ontio	Is Charge - STS1 nal Features & Functions:		1	UNCSX	UNCCC		8.98	8.98	11.17	11.17						
Орио	nai reatures a runctions.			U1TD1,	+					-	-				-	
	Clear Channel Capability Extended Frame Option - per DS1	١,		ULDD1,UNC1X	CCOEF		OI	OI	OI	OI						
	Occur offermer depasting Extended Frame Option per 201	<u> </u>		U1TD1,	CCCLI		O.	01	OI .	01						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	I		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
MUL	DS1 to DS0 Channel System per month		1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIA	IVIQT	113.33	57.20	14.74	1.00	1.07	-				-	
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			052	15.55		10.01	7.00							1	
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								
-	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	2.04	10.07	7.00		-	-				-	
	used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			027.	12.10	0.0220	10.01	7.00		İ					İ	
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	UC1D1	11.80	10.07	7.08								
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			01151	00.5.	11.00	10.01	7.00							1	
	month			ULDD1	UC1D1	11.80	10.07	7.08								
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usi	ng retail USOC	s								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)		1	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPKL	1.49	3.74	3.03	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
				5 5.1		40	5.14	5.00	2.20	2.10					1	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			l	L											
\vdash	with Caller ID (LUM)		1	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13						<u> </u>
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13					1	
 	2-Wire voice unbundled Low Usage Line Port without Caller ID		<u> </u>	ULFOR	UEFWE	1.49	3.74	3.03	2.23	∠.13				-		
	Capability	l		UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13					1	
	[·	1	1	1	0	J.17	0.00		10	1			ı	L	L

UNBU	JNDLEI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	SOBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATE	JUKT	RATE ELEMENTS	m	Zone	ВСЭ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU				UEPSR	UEPVF	0.00	0.00	0.00								
-		All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)			UEPSK	UEFVF	0.00	0.00	0.00			-					
	Z-VVIIXL	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				+											
		Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
1		Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.	1		UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		1				1
-	1	Exhange Ports - 2-Wire VG unbundled incoming only port with	1		ULFUD	OFL DIAI	1.49	3.14	3.03	2.23	2.13	1	-		1		1
1		Caller ID - Bus	1		UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		1				1
		Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan															
L	<u> </u>	without Caller ID	<u>L</u>		UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13	<u> </u>	<u> </u>		<u> </u>		<u> </u>
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
-	FEATU				LIEDOD	UEPVF	0.00	0.00	0.00								
		All Available Vertical Features NGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00								
	EXCHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89 0.89	-					
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AB	1.40	00.00	10.17	10.00	0.00						
		Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
		Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		ULFOF	UEFAJ	1.49	აყ.05	10.17	15.38	0.89						1
1		Administrative Calling Port	1		UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		1				1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		-	1		22.20		12.30	5.30						İ
L	<u> </u>	Room Calling Port	<u></u>		UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89	<u> </u>	<u> </u>				<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital							-								
L	1	Discount Room Calling Port	<u> </u>		UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						
<u> </u>	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>		UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89				ļ		ļ
-	FEATU	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	1		1					
-		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00	1		+					
		NGE PORT RATES (COIN)	†		011 01 0L1 0L	JE1 VI	0.00	0.00	0.00	1		1			1		1
	1	Exchange Ports - Coin Port					1.49	3.74	3.63	2.23	2.13				1		
		witching Features offered with Port															
		Transmission/usage charges associated with POTS circuit s															
<u> </u>	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
		Exchange port - 4-wire ISDN trunk port -all available features				LIEDEY	404.00	400.00	05.45	04.00	00.07						
UNBU	NDI ED I	included OCAL EXCHANGE SWITCHING(PORTS)	<u> </u>			UEPEX	101.60	188.36	95.15	61.92	22.67	-					
SINDU		NGE PORT RATES	1			1											1
			1								·	1	·		l		ı

JNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
JE											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m						== (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The I	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla										
	lests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
- 1	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	E: Transmission/usage charges associated with POTS circuit s	witched			ircuit switche	d voice and/or		ed data transm	ission by B-Cl	nannels associ	iated with 2-	wire ISDN	ports.			
	E: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	HANGE PORT RATES (continued)			<u> </u>	1											
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67			1		1	
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67			İ	İ	İ	i e
	Physical Collocation - DS1 Cross-Connects		†	UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57			t	1	t	1
	Virtual collocation - Special Access & UNE, cross-connect per		†		1	0	20	050	.2.51				t	1	t	1
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
Detai	iled E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			02. 27	02	0.00	1,011.00		100.00							
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
New	or Additional PRI Telephone Numbers					0.00										
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			02. 27.	020	0.07	0.01				1					1
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			02. 27	025	0.07	.2	.2								
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			02. 2%	022	0.00	0.01									
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								
LOCA	AL NUMBER PORTABILITY			02. 27		0.00	20.11	20.11								
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)		†		1	0							t	1	t	1
	Voice/Data		†	UEPEX	PR71V	0.00	0.00	0.00					t	1	t	1
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					İ	İ	İ	İ
	Inward Data		†	UEPDX	PR71E	0.00	0.00	0.00					t	1	t	1
New	or Additional Channel	†	 		1	2.00	2,00	2,00					t	1	1	1
1	New or Additional - Voice/Data "B" Channel		†	UEPEX	PR7BV	0.00	15.48						t	1	t	1
	New or Additional - Digital Data "B" Channel		†	UEPEX	PR7BF	0.00	15.48						t	1	t	1
	New or Additional Inward Data "B" Channel	l	1	UEPDX	PR7BD	0.00	15.48			İ			İ	İ	İ	İ
	New or Additional Useage Sensitive Voice Data "B" Channel	l	1	UEPEX	PR7BS	0.00	15.48			İ			İ	İ	İ	İ
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	15.48							İ	1	İ
	New or Additional PRI "D" Channel	l	1	UEPEX	PR7EX	0.00	15.48			İ			İ	İ	İ	İ
CALL	L TYPES				1									İ	1	İ
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00					İ	İ	İ	İ
	Outward	l	1	UEPEX	PR7CO	0.00	0.00	0.00		İ			İ	İ	İ	İ
1	Two-way		†	UEPEX	PR7CC	0.00	0.00	0.00					t	1	t	1
UNBI	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	/	†		1	2.20	2.30	2.30					t	1	t	
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		†		1								t	1	t	1
J	Unbundled Remote Call Forwarding Service, Area Calling, Res		†	UEPVR	UERAC	1.49	3.74	3.63					t	1	t	1
						10		2.00						İ	1	i e
	Unbundled Remote Call Forwarding Service, Local Calling - Res	1	1	UEPVR	UERLC	1.49	3.74	3.63						İ	I	
	Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.49	3.74	3.63			 		l		 	

UNBUND	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.20.1.2												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N 1		T 81	. D'			000	D-1 (A)		
-							Rec	Nonrec			Disconnect	001450	001111		Rates (\$)	001141	001111
-		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	First 3.74	Add'I 3.63	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
No		curring			UEFVK	UEKIK	1.49	3.74	3.03								
INC	JII-Ke	Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UN	NBUN	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Ţ]					1		
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63								
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB	UERTR	1.49	3.74	3.63	 	 				 		
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
No		exception Local Calling curring			ULF VD	DERVJ	1.49	3.74	3.03								
- INC		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDL		OCAL SWITCHING, PORT USAGE															
En		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0011971										
		End Office Trunk Port - Shared, Per MOU					0.0002112										
Та		Switching (Port Usage) (Local or Access Tandem)															
-		Tandem Switching Function Per MOU					0.000194										
		Tandem Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU (Melded)					0.0002416 0.000094381										
H		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000094381										
 		Melded Factor: 48.65% of the Tandem Rate					0.000117330										
Co		n Transport															
		Common Transport - Per Mile, Per MOU					0.000003										
		Common Transport - Facilities Termination Per MOU					0.0007466										
UNBUNDL	ED P	ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
		ice and Tandem Switching Usage and Common Transport Us															
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos tl	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates				1									-		
UN		2-Wire VG Loop/Port Combo - Zone 1	-	1			10.79			1	1				1		
+		2-Wire VG Loop/Port Combo - Zone 1		2		1	15.52								 		
 		2-Wire VG Loop/Port Combo - Zone 3		3		1	31.74								 		
UN		op Rates		_			54			1	1				1		
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			İ	İ				İ		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37			<u> </u>	<u> </u>				İ		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-\		/oice Grade Line Port Rates (Res)															
\vdash		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67				ļ		
\vdash		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
		2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67				 		
	ľ	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67				1		
+-+		parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			ULPRA	UEPKIVI	1.15	21.29	15.49	∠.85	2.07				-		
	ľ	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan	1		OLI IVA	JE171	1.13	21.23	13.73	2.00	2.07	1			1		
	ļ	without Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
		2-Wire voice unbundled Low Usage Line Port without Caller ID								1	İ						
		Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67				Ì		

LINBUNDU	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ONBONDLI											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Manual Svc	Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		Mana		Name and a committee of	. Diaaaaaa			000	Data= (#)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
LOCA	IL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		1	UEPRX	USAS2	0.00	0.00	0.00				I		Ì		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65	1					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Besign		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88	1					
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88	1					
-			3	UEPRX	UEAED	33.22	134.89			14.88	-					
INITE	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRA	UEAED	33.22	134.89	81.87	73.65	14.88						
INTE	ROFFICE TRANSPORT										ļ					<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	00.05	00.00	50.07	50.04	00.40						
	Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				l											
	or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
2-Wire	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - bus		1	UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		I		Ì		1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled Kentucky Business Dialing Plan				1							İ		İ		
	without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67						1
	2-Wire voice unbundled Incoming Only Port without Caller ID				1							İ		İ		
	Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						1
LOCA	L NUMBER PORTABILITY				1	0	220	.0.70	2.30	2.57	1	i		1		
-307	Local Number Portability (1 per port)		t	UEPBX	LNPCX	0.35					†	-		 		—
FFAT	URES		t			3.00					†	-		 		—
	All Features Offered		t	UEPBX	UEPVF	0.00	0.00	0.00			†	-		 		—
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	021 DA	JL: VI	0.00	0.00	0.00			1	ł – – –		 		
INON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 		+						1	 		-		
	Switch-as-is		1	UEPBX	USAC2		0.10	0.10				I		Ì		1
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI DA	JUNUZ	-	0.10	0.10	-		 	 		 		
				UEPBX	USACC		0.40	0.10						Ì		1
ADDI	Switch with change FIONAL NRCs	-	 	ULPDA	USACC		0.10	0.10			 	-				
ADDI		-	 		+						 	-				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	LICACO		0.00	0.00				1				1 '
	Activity			UEPBX	USAS2		0.00	0.00]		1					

UNRII	NDI F	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
5.400		5 HE I HORR ELEMENTO - Nemucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS		L .	LIEBBY		10.50	10.00		20.05							
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX UEPBX	UEAEN	31.11 12.67	46.66 134.89	22.57 81.87	26.65	7.65 14.88						
		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65 73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INTER			3	UEPBX	UEAED	33.22	134.89	81.87	73.00	14.88						
\vdash	INIEK	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 			+				1		-	 		 	1	1
		Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42				1		
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		OLI DA	01172	23.93	90.09	55.67	30.31	22.42	1			1		
		or Fraction Mile	1		UEPBX	U1TVM	0.0095	0.00	0.00				1		I	1	
	2 WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBA	OTTVIVI	0.0093	0.00	0.00			-			-		
		ort/Loop Combination Rates	 			+				1					t	1	1
\vdash	JINE P	2-Wire VG Loop/Port Combo - Zone 1	 	1		+	10.79			1					 	 	
\vdash		2-Wire VG Loop/Port Combo - Zone 2	 	2		+	15.52			1					t	1	1
		2-Wire VG Loop/Port Combo - Zone 3		3		+	31.74										
-	LINE L	pop Rates		3		+	31.74										
	OIVE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)		Ŭ	OLI IKO	OLI LX	00.00										
	2 11110	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+											
		Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
	LOCAL	NUMBER PORTABILITY			OLI IKO	OLITO	1.10	21.20	10.40	2.00	2.07						
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU						0.10										
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED						0.00									
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00				1		I	1	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					-									1
		Group	<u> </u>			<u> </u>	<u> </u>	7.86	7.86	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	1		UEPRG	URETL		8.33	0.83				1		I	Ì	
	OFF/O	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
		Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42				<u> </u>		<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.0095	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										

UNRU	NDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit· Δ
CIADO	1DLL	NETWORK ELEMENTO Remadky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling Port	1		UEPPX	UEPOA								1	I		
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPPX	UEPUA	1.15	21.29	15.49	2.85	2.67			 		-	-
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 		UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67			-	-	-	-
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67	1	1		1		
\vdash		2-Wire Voice Unbundled PBX 10ii Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 		UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67			1	t	1	1
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						
 		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 		OLI I A	טבו אט	1.13	21.29	15.49	2.05	2.07			 	t		
		Capable Port	1		UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67			1	I		
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			02.17	02.7.2	0	220	10.10	2.00	2.01	1					
		Calling Port without LUD			UEPPX	UEPXF	1.15	21,29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling															
		Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
<u> </u>		NUMBER PORTABILITY					0.45										
L .		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	0.00	0.00	0.00								
$\vdash \vdash \vdash$	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			+				1		-		1	+	1	1
		Conversion - Switch-As-Is	1		UEPPX	USAC2		8.45	1.91					1	I		
\vdash		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 		OLI I A	COAOZ		0.40	1.31						-		
		Conversion - Switch with Change	1		UEPPX	USACC		8.45	1.91						1		
	ADDITI	ONAL NRCs	1			-57.00		3.40						1	<u> </u>		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	†			† 1								İ	1		
		Subsequent Activity	1		UEPPX	USAS2	0.00	0.00	0.00					1	I		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1											
		Group	1					7.86	7.86					1	I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEPPX	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS															
$oxed{oxed}$		Local Channel Voice grade, per termination	<u> </u>	1	UEPPX	P2JHX	12.67	134.89	81.87		14.88						
		Local Channel Voice grade, per termination	<u> </u>	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination	ļ	3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88			ļ	ļ		
\longmapsto		Non-Wire Direct Serve Channel Voice Grade	ļ	1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
\vdash		Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80				1		
 		Non-Wire Direct Serve Channel Voice Grade	l	3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00			 	 		
 	INIEK	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l			+				1				 	 		
		Termination	1		UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42				1		
oxdot		TOTTIITIAUUTT	1	<u> </u>	OLFFA	UTIVZ	23.93	90.09	55.67	30.31	22.42	L	l	1	L	l	l

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nicon			. D'		l .	200	D-((A)		<u> </u>
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
LINE	oop Rates		<u> </u>		-	01.74										
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
			2	UEPCO	_	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 2				UEPLX											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59					1					
2-Wire	Voice Grade Line Ports (COIN)	 	1													
	2-Wire Coin 2-Way without Operator Screening and without	l	1	l	1						1	1		l		1
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67						l
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															1
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						1
-	2-Wire Coin 2-Way with Operator Screening & Blocking:		 	021 00	OLITOT	1.10	21.20	10.40	2.00	2.01						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						ĺ
-				UEPCU	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward without Blocking and without Operator															1
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						1
	2-Wire Coin Outward with Operator Screening and 011 Blocking															1
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						l
	2-Wire Coin Outward with Operator Screening and Blocking:															1
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						1
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						1
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward Smartline with 900/976 (all states except			021 00	OLI OIX	1.10	21.20	10.40	2.00	2.01						—
	LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						1
ADDIT	IONAL UNE COIN PORT/LOOP (RC)		-	ULFCO	ULFCK	1.13	21.29	13.49	2.03	2.07						
ADDII				LIEDOO	LIDEOLI	0.57	0.00	0.00	0.00	0.00						+
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										1
NONR	ECURRING CHARGES - CURRENTLY COMBINED															l
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
L	Switch-as-is	<u> </u>	<u>L</u>	UEPCO	USAC2		0.10	0.10	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change	İ		UEPCO	USACC		0.10	0.10				l				1
ADDIT	TONAL NRCs		1		1		20	20	İ		1	İ		İ		
1.2311	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		1						I	1		 		f
	Activity	l	1	UEPCO	USAS2		0.00	0.00			1	1		İ		1
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	 	02, 00	50A02		0.00	0.00			1			1		
		İ		LIEBCO	LIDET		0.00	0.00				l				1
0.1477	Premise	<u> </u> -	JOST 1	UEPCO	URETL		8.33	0.83			<u> </u>			-		
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	-UKI (KES)	1							ļ				
UNE P	Port/Loop Combination Rates	 	!													└─
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										<u> </u>
UNE L	oop Rates															1
i i	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.45						l				
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.22										
2.Wire	e Voice Grade Line Port Rates (Res)	1	Ť	J. 110	520.2	00.22					 					t
2-44116	2-Wire voice unbundled port - residence	 	 	UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97	1	l		1		
\vdash		 	 		UEPRC	1.23		64.11		9.97	 	-				
 	2-Wire voice unbundled port with Caller ID - res		1	UEPFR			128.96		61.92		1					
	2-Wire voice unbundled port outgoing only - res		1	UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97	1	l		l		1

UNB	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
<u> </u>		I I I I I I I I I I I I I I I I I I I										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)	l	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Kentucky extended local dialing							7144		71441						
		parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundles res, low usage line port with Caller ID			OLITIK	OLI IXIVI	1.20	120.00	04.11	01.02	0.01						
		(LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan			02	02.74	20	120.00	0	01.02	0.01		1				
		without Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
	INTER	OFFICE TRANSPORT			OLITIK	OLI VVL	1.25	120.30	04.11	01.32	3.31						
	IIVIEN	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	OTTVZ	25.55	30.03	33.07	30.31	22.42						
		or Fraction Mile			UEPFR	1L5XX	0.0095										1
	FEATU			1	OLFIN	ILOAA	0.0095			1		1	-	1	 	1	
	FEATU	All Features Offered		-	UEPFR	UEPVF	0.00	0.00	0.00	 		-		-		-	
	LOCAL	NUMBER PORTABILITY		 	ULFFR	UEFVF	0.00	0.00	0.00			-	 		-		
-	LUCAL			 	LIEDED	LNDCV	0.05					1			 		
-	NONE	Local Number Portability (1 per port)		 	UEPFR	LNPCX	0.35					1			 		
	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-													
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.00	4.07								
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice Grade unbundled Kentucky extended local dialing															1
		parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
	1	2-Wire Voice Unbundled Kentucky Business Dialing Plan		1													1
		without Caller ID		<u> </u>	UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						<u> </u>
	LOCAL	NUMBER PORTABILITY							-								
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
l		Termination	l	1	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42			Ì		Ì	1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
l		or Fraction Mile	l	1	UEPFB	1L5XX	0.0095			Ì				Ì		Ì	1
	FEATU	RES															
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87								1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1		_				1					
		Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87								1
	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1		1	İ			İ				İ	İ	İ	
	1	End User Premise	1	1	UEPFB	URETN		11.21	1.10]				Ì	I	Ì	1
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (1				İ		İ		İ		İ	
		ort/Loop Combination Rates		(-,	1				1		1		1	†	1	t
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.90			 		1	1	†	t	†	<u> </u>
		= :t : t = t = prio rianportri on combo = como r		<u> </u>		1	.0.00			I.		1	1	I.		1	1

ATECOPY RATE ELEMENTS USE BCS USOC RATES (B) RATE SCHMINTS RATE ELEMENTS	UNBLINDI	ED NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
ATE DEMONS RATE REMENTS RATE	CABOADE											Svc Order	Svc Order				
## CAPE OF THE PLANT OF THE PLA			1														
## ATE 6 LEMENTS ## 700 BCS 190C FATE 61.0 Free Cotton to the control of																	
No. No. No. No. No. Security S	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
18			m						(7)			per LOR	hei rok				
Note Note																	
Mile First Add SOMAN			<u> </u>													ואני ואני	וסנ Auu T
2006 N. 16.00 10							Boo	Nonred	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
2-View Vol. Loung/D F Tempor/Part Control - 20m2 3 3								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
District Contention of the Content																	
2				3			34.45										
2-70 2-70	UNE																
2-WW vas for face Lore (Pat Fig. 2) - 200 - 20																	
2 A WAY WORD EMPARTMENT OF THE PRINT OF TH																	
Line Side Unbundled Committed 2 Way PBX Trust Pert - Blus UEPPP UEPPR 1.22 146.27 73.05 8.73 1.20	0.140			3	UEPFP	UECF2	33.22										
Une Side Unbursted Column (PSX Trunk Port - Sus UEFFP UEFFX 122 164.27 78.05 78.05 8.73	2-Wir	e voice Grade Line Port Rates (BUS - PBX)				1											
Une Side Unbursted Column (PSX Trunk Port - Sus UEFFP UEFFX 122 164.27 78.05 78.05 8.73		Line Cide Unbundled Combination 2 Way DBY Trunk Bort - Bug			LIEDED	LIEDDO	1 22	164.07	70.65	75.05	0.72						
Use Side Unbroaded Incomoral PEX Trank Port - Seal	-																
Service Voice Unbounded PSX LD Terminal Pot Stage Port UPPPP UPPA 1.23 164.27 78.65 75.06 6.73	—																
S.Wine Voice Unbunded Z-Way Combination PSIX Usage Port UEPPA 1.22 164.27 76.65 75.05 8.73			1											 	 		
2-Wire Voter Unbunded PSX Toll Terminal South Ports UEPPP UEPNS 123 164.27 78.65 75.05 8.73			1											 	 		
2-Wire Vace Unbundled PRX LD TOOL Termonals Fort UEPPP UEPPQ 1.23 164.27 78.65 75.05 8.73	 		 											t	 		
S-Wire Vaser Unbundled PRX. DT arminal Switchboard PDI			1											I	1		
2-Wire Votes Unbundled PRXL ID remnal Switchboard IDC UEPFP UEPXE 1.23 164.27 78.65 75.05 8.73			1											1	1		
Capitable Port Capi			†			1	20		. 0.30	. 5.50	5.76			1	1		
2-Vifer Votos Urburded 2-Way PEX Kontucky Room Area UEPFP UEPX 1.23 164.27 78.65 75.05 8.73			1		UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73			I			
Calling Port without LUD UPPP UPPA 1.23 164.27 78.65 75.05 8.73			1											1	İ	l	l
2-Wire Voice Unbundled PBX Kentucky Premium Calling Port UEPPP UEPX 1.23 164.27 78.65 75.05 8.73					UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
2-Wire Votor Unbundled 2-Way PKX Hotolky Area Calling Port UEPFP UEPXU 1.23 164.27 78.65 75.05 8.73		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
Without LUD					UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 2-Wig PBX Hotel-Hospital Economy Administrative Califor PbX 1.23 164.27 78.65 76.05 8.73		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
Administrative Calling Port Call					UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 2-Way PBX Hote/Hospital Concerny Room Calling Port UEPPR UEPWM 1.23 164.27 78.65 75.05 8.73																	
Room Calling Port UEPPM 1.23 164.27 78.65 75.05 8.73					UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
2-Wire Notice Unbundled 1-Way Outgoing PSX Hotel/Hospital UEPFP UEPX0																	
Discount Room Calling Port					UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled A-Way Outgoing PBX Measured Port UEPFP UEPXS 1.23 164.27 78.65 75.05 8.73																	
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB																	
Local Number Portability (1 per port)	1.00/				UEPFP	UEPAS	1.23	164.27	78.00	75.05	8.73						
INTEROFFICE TRANSPORT	LUCA				LIEDED	LNDCD	2 15	0.00	0.00								
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPPP U1TV2 23.95 98.09 53.67 56.31 22.42	INTE				OLFIF	LINFOR	3.13	0.00	0.00								
Termination	1111					+											
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1		UEPFP	U1TV2	23 95	98.09	53.67	56.31	22 42			I			
Or Fraction Mile			1			J	20.00	55.55	55.57	33.31	22.42			1	1		
FEATURES All Features Offered UEPFP UEPVF 0.00			1		UEPFP	1L5XX	0.0095							I			
All Features Offered UEPFP UEPVF 0.00 0.00 0.00 0.00	FEAT		†				,				1			1	1		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			1		UEPFP	UEPVF	0.00	0.00	0.00		İ			1	İ	l	l
Combination - Conversion - Switch-as-is	NONE		<u> </u>														
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 9.03 1.87																	
Combination - Conversion - Switch with change					UEPFP	USAC2		9.03	1.87								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise																	
End User Premise					UEPFP	USACC		9.03	1.87								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	1 1		1											1			
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 UEPPX UECD1 17.45 UNE Port Rate			ļ		UEPFP	URETN		11.21	1.10					1			
UNE Port/Loop Combination Rates			1			ļ				ļ					ļ		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1			PORT			1								-	ļ	ļ	ļ
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 26.08 2 - Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85	UNE		1	4		+	04.00			1	ļ			 	 		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85			 			+				1					1		
UNE Loop Rates			1			+				1	ļ			 	 		-
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	LIME		 	3		+	41.85			1					1		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	UNE		 	1	LIEPPX	LIECD1	12.67			1	1			t	1	1	1
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 		 							1	1			t	1	1	1
UNE Port Rate			1							1				I	1		
	UNF		1	Ŭ		32001	00.22			1				I	1		
	I	Exchange Ports - 2-Wire DID Port	1		UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31			<u> </u>	†		

UNBL	JNDLEI	NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	1						-	l 1	Nonrec	urring	Nonrecurring	n Disconnect		l	088	Rates (\$)		L
-							-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONDE	CURRING CHARGES - CURRENTLY COMBINED					1		LIISI	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOMAN	SOWAN	SOWAN	SOWAN
-	NONKE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion					1						1					
		with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								
	ADDITI	ONAL NRCs			OLITA		00/110		7.00	1.01								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OL: IX		00/10/		02.20	02.20								
		End User Premise			UEPPX		URETN		11.21	1.10								
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
	UNE Po	rt/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		25.69										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		31.92										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		50.21										
		op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
		ANT 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		_														
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		22.33										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USLZX	40.63										
	UNE PO	ort Rate Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56	1					
	NONRE	CURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPK	UEPPB	9.59	320.53	209.13	92.19	17.56						
	NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
	ADDITI	ONAL NRCs			02	02	00/102	0.00										
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	1	End User Premise			UEPPB	UEPPR	URETN]	11.21	1.10					1	I		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			l		1	†			İ	l				1	İ	
1	1	Premise			UEPPB	UEPPR	URETL]	8.33	0.83					1	I		1
	LOCAL	NUMBER PORTABILITY					1	†			İ	l				1	İ	
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
		NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)		-			, and the second									
	<u> </u>	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
<u> </u>		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	ļ				ļ	1		↓
L		ERMINAL PROFILE				=	1						ļ					├
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								├
<u> </u>		CAL FEATURES			LIEBBB	LIEBBE	LIED) =	2.0-					<u> </u>		 	-	ļ	├
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								├
<u> </u>	INTERC	OFFICE CHANNEL MILEAGE			ļ		1	ļ					1					├
		Interoffice Channel mileage each, including first mile and			LIEDDE	LIEDDD		00.10	47.01	04 =0	00					1		1
-	 	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75	1		-	1		
		Interoffice Channel mileage each, additional mile	DODE		UEPPB	UEPPR	INTGNIN	0.01	0.00	0.00						 		
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			ldad bess	in place -	1 of 10/2/02 :	until 4/4/04 Aft	or 4/1/04 th	rotoo obali	ort to toriff	00.01.0.001	to comm	iol ograema	<u> </u>	1		
<u> </u>		E-P DS1 combination rates below for in this rate exhibit apply ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T													fit.	 	-	
	Reques	to for 4-write Dot Digital Loop with 4-write found Dot Digital 1	I WIIK PO	ort arte	title effec	LIVE UALE C	n uns ameno	mient snan de p	novided purst	iani io a sepai	are agreement	OI TAITII AL BEI	isoutii s ai	sciellon.		L	l .	1

HINDHINDI	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit. A
ONBONDE	LED NETWORK ELEMENTS - Remucky		1		1	I					Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						= (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2	ļ	2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 3		3	UEPPP		381.35										
UNE			1	UEPPP	USL4P	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPPP	USL4P USL4P	114.10										
-	4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPPP	USL4P	297.76					1	1				
LINE	E Port Rate	1		OLI FF	USL4F	231.10			 				 	 		
JIVE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	 	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82			 	 		
NON	IRECURRING CHARGES - CURRENTLY COMBINED	1		02111	J	00.09	730.10	302.74	133.40	70.02			 	 		
1131	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1	l		 						<u> </u>	<u> </u>	 	 		
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
ADD	DITIONAL NRCs			02	00,101	0.00	010	01.01								
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				+											
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	ERFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel	ļ			L											
ļ	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
CAL	New or Additional Inward Data B Channel		-	UEPPP	PR7BD	0.00	15.48									
CAL	L TYPES			UEPPP	PR7C1	0.00	0.00	0.00								
	Inward Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way	1	-	UEPPP	PR7CC	0.00	0.00	0.00			1	1				
Inter	roffice Channel Mileage			OLI FF	1 17700	0.00	0.00	0.00					1			-
linter	Fixed Each Including First Mile	1		UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49			 	 		
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.23	.00.02	33.40	23.00	20.40			1			
4-WI	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1			1	0.20			1				1	1		
	UNE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base in place a	is of 10/2/03 i	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	İ		
	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef													1		
	Port/Loop Combination Rates				1											
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPDC	USLDC	114.10										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76			ļ				ļ	ļ		
UNE	Port Rate				1											
<u> </u>	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98			ļ	ļ		
NON	IRECURRING CHARGES - CURRENTLY COMBINED	1	<u> </u>		ļ											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								

UNBUN	DLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
		,										Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			١									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
A	DDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l	1		İ									I		
		Activation Per Chan - Inward Trunk with DID		 	UEPDC	UDTTD		15.09	15.09						.		<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	l			l									1		
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09						.		ļ
В	IPOL/	AR 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format	ļ	ļ	UEPDC	CCOSF		0.00i	730.00s								_
		B8ZS - Extended Superframe Format	 	<u> </u>	UEPDC	CCOEF		0.00i	730.00s	ļ		1					_
Α		te Mark Inversion			LIEBBO												
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format		<u> </u>	UEPDC	МСОРО		0.00	0.00								
1		one Number/Trunk Group Establisment Charges		<u> </u>													
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00	0.00	0.00								
		Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	UDTGZ ND4	0.00	0.00	0.00								
-				-	UEPDC	ND5	0.00	0.00	0.00								-
		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.		<u> </u>	UEPDC	ND6	0.00	0.00	0.00								
-		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				-		-		-
-	odica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loon			0.00	0.00	0.00				-		-		-
	cuica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	With 4-Wile DDITO	Trunk r ort						1					
		Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
		Tommadon)			OLI DO	TENOT	30.04	100.02	30.40	20.00	20.40		1				†
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			02. 00		0.20	0.00	0.00								
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.45	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
		,										İ					
ı l		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	l		UEPDC	1LNOC	0.45	0.00	0.00						1		
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
		ystem can have up to 24 combinations of rates depending on															
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	1
		ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive date	e of this amendmer	nt shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discreti	on.					ļ
U	INE DS	61 Loop		<u> </u>		1									1		1
		4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	86.47	0.00	0.00						.		ļ
		4-Wire DS1 Loop - UNE Zone 2	ļ		UEPMG	USLDC	114.10	0.00	0.00								_
	NIE	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	297.76	0.00	0.00						-		
U		60 Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>	LIEDMO	V/I IN 40.4	111 10	0.00	0.00						-		
		24 DSO Channel Capacity - 1 per DS1	<u> </u>	<u> </u>	UEPMG	VUM24 VUM48	111.16	0.00	0.00		 				-		1
		48 DSO Channel Capacity - 1 per 2 DS1s	 	<u> </u>	UEPMG		222.32	0.00	0.00	1	 	}			!		
		96 DSO Channel Capacity -1per 4 DS1s	 	-	UEPMG UEPMG	VUM96 VUM14	444.64	0.00	0.00	1	 	1	-		 		
\vdash		144 DS0 Channel Capacity - 1 per 6 DS1s	-	-			666.96								 		
$\vdash \!$		192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s	1	1	UEPMG UEPMG	VUM19 VUM2O	889.28	0.00	0.00	1	 	1	-		 		
\vdash		288 DS0 Channel Capacity - 1 per 10 DS1s	 	 	UEPMG	VUM20 VUM28	1,111.60	0.00	0.00	-		1			 		
		200 DOU CHAITHEI Capacity - 1 per 12 DO 18			OLFIVIG	V ∪ IVIZŏ	1,333.92	0.00	0.00	1		1	1		1		L

UNBUNE	ΣLΕΓ	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
330,112		Tomany										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually			Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	,	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						ļ	Rec		curring	Nonrecurring					Rates (\$)		
		201 200 01 10 11 10 201						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00								
-		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG	VUM4O VUM57	2,223.20	0.00	0.00								
-		576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,667.84 3,112.48	0.00	0.00	-							
N.		curring Charges (NRC) Associated with 4-Wire DS1 Loop with	- Chann	-1:-4:-					0.00	-							
		num System configuration is One (1) DS1, One (1) D4 Channel						Steili				1					
		es of this configuration functioning as one are considered Ad															
-	ancipie	NRC - Conversion (Currently Combined) with or without	l are		minum system con	I	I										
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
Sv		Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat													
		ot Currently Combined) in all states, except in Density Zone 1				1											
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
Bij		8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
Alt		te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
L		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
EX	cnan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	LIEDOV	4.45	0.00	0.00	0.00	0.00						
		(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00	-					
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
 		Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.15	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
—		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			02.17.	02	0	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
	Ţ	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –				I	_							1			
$oxed{oxed}$		Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00			ļ			
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			LIEDDY	LIEBC:::											
- -		Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00			 	1	1	1
Fe		Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4	1			1	 			 		1		 			
		Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15			1			
\vdash		Feature (Service) Activation for each Trunk Port Terminated in	-	 	ULFFA	I F Q VVIVI	0.02	25.40	13.41	4.17	4.15	-		1		1	1
		D4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54			1			
Te		one Number/ Group Establishment Charges for DID Service			J A		0.02	70.10	10.00	55.05	11.04			1			
<u> </u>		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	t				1			
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00	1				1			
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	1						İ	l
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lo		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
Lo		witching Features Offered with Line Side Ports Only				 	ļ			ļ							
LL		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00	1							ļ
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		L_		1	L	L	L	ļ				ļ			
<u>[1. (</u>	Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State C	ommission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.	1							l

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
			1	1	1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
I		Interi	1	1]					Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	1	1]						, 	Electronic-	Electronic-	Electronic-	
			1	1	1								1st	Add'l	Disc 1st	Disc Add'l
						Rec		urring	Nonrecurring					Rates (\$)		
		<u> </u>	L				First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2. Fea	tures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.			<u> </u>		
	d Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu														Additional NE	BCo may
	also and are categorized accordingly.	urrentiy	Comb	illea Collibos. Foi	Currently Co	mbinea Comb	os, the nomect	irring charges	Silali be tilose	identined in t	ne Nomecu	ring - Curi	entry Combine	au sections.	Additional Nr	KCS IIIay
	rket Rates for Unbundled Centrex Port/Loop Combination will	he near	otistad	on an Individual Ca	eo Racie unt	til further notic	•				1		1		1	1
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		Tialeu	I ali iliulviduai Ca	lse basis, uiii	lii iurtiiei iiotic	е.							-		1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														+
	Port/Loop Combination Rates (Non-Design)				+									 		
OIVE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo													 		
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
] [Non-Design		2	UEP91		15.52							1		I	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1													1
[]	Non-Design	<u></u>	3	UEP91	1	31.74			<u> </u>		<u> </u>		<u></u>		<u> </u>	<u> </u>
UNE I	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-				1										
	Design		1	UEP91		13.82								<u> </u>		1
] [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	l]							1		I	1
igwdows	Design	ļ	2	UEP91	1	18.60							ļ	<u> </u>	ļ	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDO4		04.07									1	
<u> </u>	Design	<u> </u>	3	UEP91	+	34.37							 		-	_
UNE I	Loop Rate	-	4	LIEDO1	LIECC4	0.01							-		 	+
$\vdash \vdash \vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	1	UEP91 UEP91	UECS1 UECS1	9.64 14.37							-	├ ──		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 		UEP91	UECS1	30.59								 	+	+
 	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	12.67							1	 	 	1
 	2-Wire Voice Grade Loop (SL 2) - Zone 1	 	2	UEP91	UECS2	17.45							 	 	 	+
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 		UEP91	UECS2	33.22								 	-	1
UNE F			Ť		32002	55.22							1		1	1
	ates (Except North Carolina and Sout Carolina)		1	İ		1							1		1	1
	2-Wire Voice Grade Port (Centrex) Basic Local Area		i –	UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67			İ		1	1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1													1
<u> </u>	Area	<u></u>	L	UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67	<u> </u>		<u></u>		<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area	<u> </u>	<u></u>	UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67			L		<u></u>	<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)]										
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67]	<u> </u>		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	I]]		_	
	Term - Basic Local Area	<u> </u>	<u> </u>	UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1										1		I	1
 	- Basic Local Area	ļ	<u> </u>	UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	LIEBOA	LIEDY CO								1		I	1
H	Basic Local Area	 	<u> </u>	UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67			 	├	!	
AL, K	Y, LA, MS, & TN Only	 	<u> </u>	LIEDO1	UEPQA	1 45	21.29	15.49	2.85	2.67			 	├	!	
 	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP91 UEP91	UEPQA	1.15 1.15	21.29	15.49 15.49	2.85	2.67	-		 	 	 	
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	 	 	UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67			-	├ ──		
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	 	OFFAI	UEFUH	1.15	21.29	15.49	∠.ŏ5	2.07			1	 	 	+
] [Center)2,3		1	UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67			1		I	1
 	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	 	!	OL1 01	OLI GIVI	1.15	21.29	15.49	2.00	2.07			1	 	t	1
	Service Term		1	UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67			1		I	1
\vdash	00.100 10	 		02. 01	021 WZ	1.10	21.23	10.40	2.00	2.07				 	-	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67					1	
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67			1		1	1
Local	Switching		1	i .	1		0		_::50	,			1		1	1
1	Centrex Intercom Funtionality, per port		i –	UEP91	URECS	0.8873							İ		1	1
Local	Number Portability	1	1													1
			+		1						1			1	1	
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35					<u> </u>				<u></u>	<u> </u>

ACTOORY RATE ELEMENTS Initial Zoon BCS USOC RATES (B) Section Company Compan	UNBUNDI FI	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
ATE ELEMENTS RATE ELEMENTS RATE SID RATE SI	CHECHELL	NETWORK ELEMENTO Remacky	1									Svc Order	Svc Order				Incremental
ATE ELEMENTS Date D																	Charge -
CATEGORY RAYE ELEMENTS To good Code			l														Manual Svc
Note	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
No. No.		····	m									per LSK	per LSK				Electronic-
All Standard Finance Offices, per port																	
No. Special College Colleg														1st	Addi	Disc 1st	Disc Add'l
No.							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	ı
All Secretar Features Olivers (age and the control C							Rec					SOMEC	SOMAN			SOMAN	SOMAN
All Select Features Cheeses per part UCP91 UCP92 0.00 0		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
All Control Control Postulars Officed, per port DEPS1 DEPS2 DOS								405.66									
NASS Natural National Access Register - Commissions UEPP1 NASC 0.00																	
Unbounded Nationar Accord Register - Continuation United National According Septem - Continuation United National According Septem - Continuation United National According Septem - Continuation United National According Septem - Continuation United National According Septem - Continuation United National According Septem - Continuation United National According Septem - United National Septem - United	NARS																
Unbounded National Account Register - (Notabil USP91 USP01 USP01 USP02 USP02 USP03 USP		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
Wincellanders Across Register - Cultidary Wincellanders Reministers Wincellanders Reministers Wincellanders Wincella					UEP91		0.00	0.00			0.00						
Miscrelineous Terminations																	
Trans Size Terminations, seat	Miscell																
Trans Size Terminations, seat																	
Interesting Channel Millege - 24/fre					UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interestrice Character Facilities Termination - Voice Grade UEP91 MIGGE 29.11					*												
					UEP91	M1GBC	29.11										
Feature Activations (SSS) Centrals Loops on Channellated DSI Service					UEP91										İ	İ	İ
O Channel Bank Feature Activations UEP91 IPOWS 0.62	Feature		e														
Feature Activation of De Charmel Bank Centres Log Sid UEP91 IPQWS 0.62						İ	i								İ	İ	İ
Feature Activation on D-4 Channel Bank FX line Side Loop Stot Peature Activation on D-4 Channel Bank FX Trunk Seds Loop UEP91 IPOW7 0.62					UEP91	1PQWS	0.62										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1POW7 0.62																	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1POW7 0.62		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
Stot																	
Feature Architection on D-4 Channel Bank Centries Loop Std					UEP91	1PQW7	0.62										
Different Wise Center		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Bank Private Line Loop Sict UEP91 1PQWV 0.62					UEP91	1PQWP	0.62										
Feature Activation on D-4 Channel Bank Tijle Line/Turk Loop Sid UEP91 1PQWQ 0.62																	
Feature Activation on D-4 Channel Bank Tijle Line/Turk Loop Sid UEP91 1PQWQ 0.62		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
Stot																	
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPOWA 0.62					UEP91	1PQWQ	0.62										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex USAC2 USAC2 USAC2 USAC2 USAC2 USACN		Feature Activation on D-4 Channel Bank WATS Loop Slot															
Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 0.102																	
Conversion of Existing Centrex Common Block																	
Conversion of Esisting Centrex Common Block					UEP91	USAC2		0.102	0.102								
New Centrex Standard Common Block					UEP91												
New Centrex Customized Common Block					UEP91		0.00			111.05	13.27						
Secondary Block, per Block DEP91					UEP91												
NAR Establishment Charge, Per Occasion																	
Additional Non-Recurring Charges (NRC)																	
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise					-	1	3.20	0							İ	İ	İ
Premise						İ	i - 1								İ	İ	İ
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91			1		UEP91	URETL]	8.33	0.83				1		I		
End Use Premise						1									İ		
UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 1 UEP95 10.79			1		UEP91	URETN]	11.21	1.10				1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Design) 1 UEP95 13.82 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 3 UEP95 34.37	UNE-P				-	1	i		0						İ	İ	İ
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP95 10.79 10																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 10.79 10.7						İ	i - 1								İ	İ	İ
Non-Design						İ	i								İ	İ	İ
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP95 15.52			l	1	UEP95		10.79								1		
Non-Design 2 UEP95 15.52						1											
2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design			l	2	UEP95		15.52										
Non-Design 3 UEP95 31.74						1											
UNE Port/Loop Combination Rates (Design)			1	3	UEP95		31.74						1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82	UNE Po	ort/Loop Combination Rates (Design)				1											
Design																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			1	1	UEP95		13.82						1		I		
Design 2 UEP95 18.60						İ									İ	İ	İ
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 3 UEP95 34.37			l	2	UEP95		18.60										
Design 3 UEP95 34.37						1											
UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UECS1 9.64			1	3	UEP95		34.37						1		I		
2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP95 UECS1 9.64	UNE Lo																
				1	UEP95	UECS1	9.64								İ	İ	İ
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2		UECS1	14.37					1	İ		1	İ	İ

ATTECHNIS Martin Company Com	UNBUNDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	hit· Δ
ACTEORY RATE ELEMENTS RATE SELECTION RATE CLEMENTS RATE CLEMEN	ONBONDEE		I									Svc Order	Svc Order				Incremental
## RATE EL MENTS ## RES ## RATE S. PRINTER ## RATE S. PRINTER ## RATE S. PRINTER ## RATE S. PRINTER ## RATE S. PRINTER ## RATE S. PRINTER ## PRINTER ## RATE S. PRI																	
## Zone BCS USD BRATE (F) Description Descriptio																	
Bill	CATEGORY	PATE ELEMENTS	Interi	Zone	RCS	LISOC			PATES (\$)								
Section Sect	CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR				Order vs.
Non-company Non-company																	Electronic-
Section Sect														1st	Add'l	Disc 1st	Disc Add'l
Section Sect								Nonroc	urrina	Monrocurring	Disconnoct	-	l	088	Pates (\$)		
2-Vinit Value Clark Loss (26.1 1-Zenz 3				-			Rec					COMEC	COMAN			COMAN	COMAN
SWIN Vision Close Long (Cl.) - Zener 1		O Wire Veies Conda Lana (CLA) - Zana O	1	2	LIEDOE	LIECC4	20.50	FIIST	Addi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
2-Wei Voto Claste Part 2-Zero 3 0.00%			1														
2-Wee Votes Conduct Long (ES, 97 - Zeno 3)																	
UPF For Rate																	
A State	L			3	UEP95	UECS2	33.22										
2-Wee Vest Grafe Pert Contrex (1) Secretary (1) Secretar																	
2-Wive Vices Grants Part Curries with Caller Dijlback Local UEP96 UEP79 1.15 21.20 15.40 2.85 2.67	All Sta																
2-We Vice Grafe Part (Centre with Capital D) (September 1) 15 21 20 15 40 2.85 2.67																	
Asset Asse					UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
2-WW Vood Grade Prof Centrac Not and Serving Wile		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Central/2 Statis Local Area VEPPG UEPYM 1.15 21.29 15.40 2.65 2.67					UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		ļ				
2-Wire Votos Grade Port LDRT Sevring Wire Center 23 - 200 UEP96 UEP97 1.15 21.20 15.49 2.85 2.67			1										<u> </u>	<u> </u>	_	<u> </u>	
Service Term - Resist Local Area			<u> </u>	<u></u>	UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67				<u> </u>		
2-Wire Voice Grade Port terminated in on Magalinic or squivalent UEP95 UEPV9 1.15 21.29 15.49 2.85 2.67		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
Beas Local Area UEP95 UEP99 1.15 21.29 15.49 2.85 2.67		Service Term - Basic Local Area	1	1	UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67	1	İ	Ì		Ì	
Beas Local Area UEP95 UEP99 1.15 21.29 15.49 2.85 2.67		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
2-Vitre Voce Grade Port Terminated on 800 Service Term					UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		1				
Basic Local Area							-						İ				
AL, KY, LA, MS, SC, & TN Only LEPOS UEPOA 1.15 21.29 15.40 2.85 2.67					UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		1				
EVIVEN Votor Grade Port (Centrex 8)	AL. KY																
2-Wire Votoe Grade Port (Centre with Capter) UEP95 UEP08 1.16 2.29 15.49 2.85 2.67			1		HEP95	ΠΕΡΩΔ	1 15	21 29	15.49	2.85	2.67						
2-Wire Voice Grade Port (Centres with Caller (D)1												1					
2.Wire Voice Grade Port (Centers from diff Serving Wire UEP95 UEP04 1.15 21.29 15.49 2.85 2.67												1					
Center/p2,3			 	-	OLI 00	OLI QII	1.10	21.20	10.40	2.00	2.01						
2-Wire Voice Grade Port, Driff Serving Wire Center - 800 Service UEP95 UEP02 1.15 21.29 15.49 2.85 2.67					HED05	HEDOM	1 15	21 20	15.40	2.85	2.67						
Term 2.3					OLI 33	OLI QIVI	1.15	21.23	10.40	2.00	2.01						
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95					LIEDOE	LIEDO7	1 15	21.20	15 40	2.05	2.67						
Local Switching		16111 2,3			UEF93	UEFQZ	1.15	21.29	15.49	2.00	2.07	-			-		
Local Switching		2 Mira Vaira Canda Bast tarrainatad in an Manalini, an anui relant			LIEDOE	LIEDOO	4.45	04.00	45.40	2.05	0.07						
Local Switching			-														
Centrex Intercom Funtionality, per port					UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.07						
Local Number Portability (1 per port)	Local																
Local Number Portability (1 per port)					UEP95	URECS	0.8873										
Features	Local																
All Selent Features Offered, per port					UEP95	LNPCC	0.35										
All Select Features Offered, per port	Featur																
All Centrex Control Features Offered, per port																	
NARS			<u> </u>					405.66							ļ		
Unbundled Network Access Register - Combination		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
Unbundled Network Access Register - Indial	NARS								-								
Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0																	
Miscellaneous Terminations 2-Wire Trunk Side 10.51 92.18 15.82 52.16 5.30		Unbundled Network Access Register - Indial															
2-Wire Trunk Side		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
2-Wire Trunk Side	Miscel	laneous Terminations															_
4-Wire Digital (1.544 Megabits)		Trunk Side															
4-Wire Digital (1.544 Megabits)		Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
DS1 Circuit Terminations, each	4-Wire												İ				
DS0 Channels Activated, each UEP95 M1HDO 0.00 15.09					UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 M1GBM 0.01 UEP95 M1GBM 0										1							
Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.01 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62	Interof												İ	İ		İ	
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			†		UEP95	M1GBC	29.11							1	t	1	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations D4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 D4 Channel Bank FX line Side Loop Slot UEP95 1PQWS 0.62 D5 Channel Bank FX Trunk Side Loop Slot UEP95 1PQWF 0.62 D5 Channel Bank FX Trunk Side Loop Slot UEP95 1PQWF 0.62 D5 Channel Bank FX Trunk Side Loop Slot UEP95 1PQWF 0.62 D5 Channel Bank Centrex Loop Slot UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 D5 Channel Bank Centrex Loop Slot UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1			1									1	i	1	1	1	
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95 1PQW7 0.62	Featur		e	1			5.51						1	1		1	
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62			Ť –											1	t	1	
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank Centrex Loop Slot				t	UEP95	1PQWS	0.62					-	 	 		 	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	- 13.3.1 Stration on 5 1 Granner Bank Control Loop Glot	 				0.02								 		
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		Feature Activation on D-4 Channel Bank EX line Side Loop Slot	1	1	LIEP95	1POW6	0.62					1	İ	Ì		Ì	
Slot UEP95			 	1	OE1 30	11 04 11 10	0.02			1		1	1	1	1	1	
Feature Activation on D-4 Channel Bank Centrex Loop Slot -			1		LIEP95	1POW7	0.62							Ì	I	Ì	
	\vdash	6.60	1	1	OL1 30	11-001	0.02				-	-	-	-	-	-	
		Different Wire Center			UEP95	1PQWP	0.62										

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		,										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l		Disc Add'l
														1st	Add I	Disc 1st	DISC Add I
							_	Nonrec	currina	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
		New Centrex Customized Common Block	<u> </u>		UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27				ļ		1
		NAR Establishment Charge, Per Occasion	ļ		UEP95	URECA	0.00	72.75							1		
	Additio	onal Non-Recurring Charges (NRC)	ļ											ļ	ļ	ļ	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1			l								1	I	1	1
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOD		40.70										
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 1	UEP9D		10.79										
		Non-Design		2	UEP9D		15.52										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFBD	+	13.32					-			-		
		Non-Design		3	UEP9D		31.74										
	LINE D	ort/Loop Combination Rates (Design)		3	OLF3D		31.74										
	OI4L I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Design		1	UEP9D		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 02		10.02										
		Design		2	UEP9D		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		34.37										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.22										
		ort Rate															
	ALL ST																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area (FRO MESSON)	ļ		UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67			ļ	ļ	ļ	1
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						24.22									
		Area	<u> </u>		UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67			 	-	 	
1	1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1		LIEDOD	LIEDVE		04.00	45.00	0.00	0.00			Ì	I	Ì	1
		Area	1		UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67	1		1	 	1	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1		LIEDOD	LIEDVE	4.45	04.00	45.40	0.05	0.07			1	I	1	1
		Area	1		UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67	-		 	 	 	
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1		LIEDOD	LIEDYO	4.45	04.00	45.40	0.05	0.07				1		1
		Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	 		UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67			-	-	-	
		Area	1		UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67				1		1
-		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1		טבו שט	ULFII	1.15	21.29	15.49	2.00	2.07	1	1		1		
		Area	1		UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		1				1
		/ 110a	1		051 30	01110	1.10	21.29	15.49	2.00	2.07	<u> </u>			l		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	_00	200				1011 = 0 (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	rurring	Nonrecurring	Disconnect		I	oss	Rates (\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local						11100	Addi	11100	Addi	COMILO	COMPAR	OOMAN	COMPAN	COMPAR	COMPAR
	Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 3D	OLITV	1.10	21.23	13.43	2.00	2.07	1					
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI 3D	OLI 13	1.13	21.23	13.43	2.00	2.07						
	Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLFBD	OLFIII	1.13	21.23	13.48	2.03	2.07						
				UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEF9D	UEPTVV	1.15	21.29	15.49	2.00	2.07						
	Basic Local Area			UEP9D	UEPYJ	4.45	24.20	45.40	2.85	2.67						
				UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.07						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDVA	4.45	04.00	45.40	0.05	0.07						
	2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDVO	4.15	24.00	45.40	0.05	0.07						
	Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	(Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67				İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67				İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67				İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			-		0	0		_:30		1	1				1
]	Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		1				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67				1	1	1
	2-Wire Voice Grade Port (Centrex/ring Vitg Earlip Indication)					0	220		2.30	2.57				1	1	1
]]	2.3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		1				
					7=:	0	220	.0.70	2.30	2.57				1	1	1
]]	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		1				
	(So				J 40	1.10	21.23	10.70	2.00	2.57	1	1				t
	1	i l	1	UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67	ĺ.	i		I	l	1

HNRII	NDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit: A
UNDU	NDLE	NETWORK ELEMENTS - Relitucky		1								Cus Onder	Cur Ouder				
														Incremental			
												Submitted			Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									71441		7.44	0020	00			00	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
		()					-	-			-						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
	1									_							1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
1	1	O. W			LIEBOD	LIEBC-											1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEBO7	4.45	04.00	45.40	0.05	0.07						
		Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						——
		2 Wire Voice Crade Bort terminated in an Magalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						——
	Local	Switching			UEP9D	UEFQZ	1.15	21.29	15.49	2.00	2.07						-
	Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873					1					-
	Local N	Number Portability			OLF 9D	UNLUG	0.0073			†							
	Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			†							
	Feature				OLI OD	LIVI OO	0.00										
		All Standard Features Offered, per port			LIFP9D	UEPVF	0.00										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
	ļ	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09		1							
	Interof	fice Channel Mileage - 2-Wire			LIEBAR	111000				.							
<u></u>	!	Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11			-					ļ		
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е							-							
-	ט4 Cha	Innel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0.62			 		-					
	<u> </u>	realure Activation on D-4 Channel Bank Centrex Loop Slot			UEF9D	IPUWS	0.62			 							
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62			I							1
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 9D	IFQWO	0.02			†							
		Slot			UEP9D	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.62										
L	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u></u>		UEP9D	1PQWV	0.62			<u> </u>	<u></u>	<u> </u>			<u> </u>		1
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
L	<u> </u>	Slot	<u></u>		UEP9D	1PQWQ	0.62			<u> </u>	<u></u>	<u> </u>			<u> </u>		1
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	1	NRC Conversion Currently Combined Switch-As-Is with allowed				I											1
		changes, per port			UEP9D	USAC2		0.102	0.102								
L	ļ	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						

CATEGORY	Exhibit: A
## RATE ELEMENTS Interf in Done BCS USOC RATES (8) Elements Ele	
ATTERIORY RATE REMEMBER BECS BECS BECS RATE (B) REC. R	
CATEGORY RATE ELEMENTS The Date Date	
Perfect Company Perfect Co	
No. Pace No. Pace No. Pace Pace No. Pace	
Pace	
New Contract Customized Common Blaces	
New Countree Contentines Common Blocks	
Mark Carestalanter Charge Fee Consisted MPPO	N SOMAN
Additional Non-Recurring Charges (RMC)	
Unburded Michaelmoste Rate Element, Tog Design Loop of Part Duto Principle	-
Information University Un	
United Microslaneous Pres Element, Tap Design Loop at UPPSD UREIN 11.21 1.10	
UNEP PICE CONTREX : ENERGY (VISIA IN A. E. R. Y. L.A. MS & TN)	
2.Wire VG Loop/2-Wire Voice Grade Port (Centreal Port Combo 1	
We Fort Coop Combination Rates (Non-Design) 1	
2-Wire Vol. Coop/2-Wire Voltor Grade Port (Centros) Port Combo-National Port Volto Grade Port (Centros) Port Combo-National Port Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Port (Centros) Port Combo-Nation Rates (Design) 2-Wire Volto Grade Loop (St. 1) - Zone 2 2-Wire Volto Grade Loop (St. 1) - Zone 2 2-Wire Volto Grade Loop (St. 1) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Loop (St. 2) - Zone 2 2-Wire Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (Centros Volto Grade Port (
Non-Design	
All All	
Non-Design	
Average Aver	
Non-Chesign 3 LEPGE 31.74	-
UNF PortLoop Combination Rates (Design)	
Devision	
Design 1 UEP9E	
2.Wife VGL Capt2-Wire Voice Grade Port (Centrex)Port Combo-	
Design D	
Design 3 UEP9E 34.37	
NRE Loop Rate	
E-Wire Voice Grade Loop (St. 1) - Zone 1	
2-Wire Voice Grade Loop (St. 1) - Zone 2	
2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS2 12.67	
2-Wire vioce Grade Loop (SL 2) - Zone 1	_
2-Wire Voice Grade Loop (St. 2) - Zone 2	+
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEPSE UECS2 33.22	
UNE Port Rate AL, F.K, YL, AM, 8, \$ TN only 2.4Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.15 21.29 15.49 2.85 2.67 2.67 2.67 2.67 2.67 2.67 2.67 2.67 2.67 2.67 2.67 2.67 2.67	<u> </u>
AL, FL, KY, LA, MS, & TN only	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	
Area	
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP9E UEPYH 1.15 21.29 15.49 2.85 2.67	
Area	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800 UEP9E UEPYM 1.15 21.29 15.49 2.85 2.67	
Center)2,3 Basic Local Area	
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area UEP9E UEPYZ 1.15 21.29 15.49 2.85 2.67	
Service Term - Basic Local Area	+
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP9E UEPY9 1.15 21.29 15.49 2.85 2.67 LEPY2 1.15 21.29 15.49 2.85 2.67 AL, KY, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex 800 termination) UEP9E UEPQA 1.15 21.29 15.49 2.85 2.67 LEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 2.Wire Voice Grade Port (Centrex 800 termination) UEP9E UEPQB 1.15 21.29 15.49 2.85 2.67 DEPQA 2.Wire Voice Grade Port (Centrex with Caller ID)1 UEP9E UEPQH 1.15 21.29 15.49 2.85 2.67 DEPQA 2.Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 UEP9E UEPQM 1.15 21.29 15.49 2.85 2.67 DEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 2.Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 2.Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPQA 1.15 21.29 15.49 2.85 2.67 DEPQA 2.Wire Voice Grade Port terminated on 800 Service Term UEP9E UEPQA 1.15 21.29 15.49 2.85 2.67	
Basic Local Area	<u> </u>
2-Wire Voice Grade Port Terminated on 800 Service Term -	
AL, KY, LA, MS, & TN Only UEP9E UEPQA 1.15 21.29 15.49 2.85 2.67 UEP9E UEPQB 1.15 21.29 15.49 2.85 2.67 UEP9E UEPQB 1.15 21.29 15.49 2.85 2.67 UEP9E UEPQB UEP	
AL, KY, LA, MS, & TN Only UEP9E UEPQA 1.15 21.29 15.49 2.85 2.67 UEP9E UEPQB 1.15 21.29 15.49 2.85 2.67 UEP9E UEPQB 1.15 21.29 15.49 2.85 2.67 UEP9E UEPQB UEP	
2-Wire Voice Grade Port (Centrex 800 termination)	
2-Wire Voice Grade Port (Centrex with Caller ID)1	
2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP9E UEPQM 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 UEP9E UEPQZ 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPQZ 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9E UEPQ2 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9E UEPQ2 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9E UEPQ2 1.15 21.29 15.49 2.85 2.67 2.85 2.67	
Center)2,3	
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 UEP9E	
Service Term	_
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPQ9 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9E UEPQ2 1.15 21.29 15.49 2.85 2.67	
2-Wire Voice Grade Port Terminated on 800 Service Term	
2-Wire Voice Grade Port Terminated on 800 Service Term	
Local Switching	<u> </u>
Centrex Intercom Funtionality, per port UEP9E URECS 0.8873	
Local Number Portability	

	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		1	1			De :	Nonrec	urring	Nonrecurring	g Disconnect	 	I	OSS	Rates (\$)	l	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										├
Featur	All Standard Features Offered, per port	1		UEP9E	UEPVF	0.00										
	All Select Features Offered, per port	1		UEP9E	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port	1		UEP9E	UEPVC	0.00	100.00									
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial	ļ		UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						├
Missol	Unbundled Network Access Register - Outdial laneous Terminations	 		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						\vdash
	Trunk Side	1			-											
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						.
	DS0 Channel Activated Per Channel	<u> </u>		UEP9E	M1HDO	0.00	15.09									
Interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1		UEP9E	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBM	0.01										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		02. 02		0.01										
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															ı
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0.62										-
	Different Wire Center			UEP9E	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.62										
	Slot			UEP9E	1PQWQ	0.62										ĺ
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWA	0.62										——
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block	1		UEP9E UEP9E	USACN M1ACS	0.00	18.95 669.80	8.32 78.32	111.05	13.27						
 	New Centrex Standard Common Block	1		UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion	1		UEP9E	URECA	0.00	72.75	70.02		10.27						
Addition	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														<u> </u>
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	-		1				1		-					
	Non-Design	7	1	UEP93		10.79										İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP93		31.74										
LINE P	ort/Loop Combination Rates (Design)	1	3	OLF 33	+	31.74			+							
J. T.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	-	1	UEP93	1	13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	1	2	UEP93		18.60										

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
CHECHEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										i
UNE	Loop Rate		Ŭ	OLI GO		04.07										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										—
h	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37					1					
h	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59					1					
h	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP93	UECS2	33.22										t
LINE	Port Rate		3	OLI 93	02002	33.22										t
	Y, LA, MS, & TN only	 			+ -				1				 	 	 	
Λ£, Γ	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		 		 	-	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-	OL: 30	JLI IA	1.13	21.23	15.45	2.00	2.07	1	1		 	1	
1	Area	1		UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67			Ì	I	Ì	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 		OL1 30	OL: 1D	1.13	21.29	10.49	2.05	2.07	 	1	1	 	1	
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67						i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLF 33	OLFIR	1.10	21.29	15.49	2.65	2.07	 	1	1	 	1	
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	<u> </u>	-	UEF93	UEPTIVI	1.15	21.29	15.49	2.00	2.07						
				LIEDOS	LIEDVZ	4.45	04.00	45.40	2.05	0.07						i
	Service Term - Basic Local Area	<u> </u>	-	UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	UEPY9	4.45	04.00	45.40	2.05	0.07						i
	- Basic Local Area	-		UEP93	UEPT9	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	LIEDVO	4.45	04.00	45.40	2.05	0.07						i
	Basic Local Area	-		UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex)	-		UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOO	LIEDOM	4.45	04.00	45.40	0.05	0.07						i
L	Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															i
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	L															i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Loca	Switching															
	Centrex Intercom Funtionality, per port	ļ		UEP93	URECS	0.8873										
Loca	Number Portability															
	Local Number Portability (1 per port)	ļ		UEP93	LNPCC	0.35										
Featu		ļ		115500												├
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port	ļ		UEP93	UEPVC	0.00							ļ	.	ļ	
NARS		<u> </u>	<u> </u>	ļ. <u></u>	1	_	_		ļ		1			ļ	ļ	
	Unbundled Network Access Register - Combination	ļ		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00			ļ	.	ļ	
	Unbundled Network Access Register - Indial	ļ		UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00			ļ	.	ļ	
	Unbundled Network Access Register - Outdial		<u> </u>	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00				1		
	ellaneous Terminations	ļ											ļ	.	ļ	
2-Wir	e Trunk Side	<u> </u>		L	1									ļ		
	Trunk Side Terminations, each		<u> </u>	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30				1		
4-Wir	e Digital (1.544 Megabits)	ļ			<u> </u>								ļ	.	ļ	
	DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86				1		
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	15.09						ļ	.	ļ	
Interd	ffice Channel Mileage - 2-Wire	<u> </u>		L										ļ		
	Interoffice Channel Facilities Termination	<u> </u>		UEP93	M1GBC	29.11								ļ		
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e												1		
D4 CI	nannel Bank Feature Activations	<u> </u>												ļ		
<u> </u>	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62										
i l		1	1									l	Ì	I	Ì	1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62										L

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	ibit: A
CHECHEL	HETWORK ELEMENTO Remadky					1					Svc Order	Svc Order				Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec					Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	всэ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	I	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								1
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additio	nal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage															
Note 3	 Installation is combination of Installation charge for SL2 Lo 	op and	Port													
	- Requires Specific Customer Premises Equipment						_									
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

MARCHOLED NETWORK ELEMENTS - Louisians Linear Linea															•		•	
ATECHNICAL PROPERTY OF PATER LEMENTS PARTE SELECTION Part of the part of	UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana															
## ACT BLEMENTS Manual Property Manual Prope														1				
ATTEMPT RATE ELEMENTS IN BOLD STATE STATES COMPANY TO THE SECOND COMPANY AND ADMINISTRATION OF THE SECOND COMPANY AND A																		
Bestorous Discretoning Checomons of Discretoning Checomons (Discretoning Checomons) Discretoning Checomons Discreton	CATE	NORY.	DATE ELEMENTO	Interi	7	DCC	11000			DATES (A)				_				
The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents on the section of stand-stores togographic contents. The "Cons" shown in the sections for stand-stores togographic contents on the section of stand-stores togographic contents on the section of stand-stores togographic contents on the section of stand-stores togographic contents on the section of stand-stores or stand-stores togographic contents on the section of stand-stores or stand-stores togographic contents on the section of stand-stores or	CATE	OKT	RATE ELEMENTS	m	Zone	всэ	USUC			KAIES (\$)			per LSR	per LSR				
The second control of the second second control of the second control of the second second																		
The Table Notwer in the accions for stand-dison topic or loops as part of a combination refers to degraphically Deliveraged IVM Zenes. To few the degraphical Deliveraged IVM Zenes. The lower degraphic Deliveraged IVM Zenes. The lower degr															1st	Add'I	Disc 1st	Disc Add'I
The "Zona" shown in the sections for stand-allone loops or loops as part of a continuation refers to descripability Desiveraged URZ core. To view descripabi								Do-	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
DEC. TOW. SUPER CONTROL DESIGNATION CONTROL DE								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DEC. TOW. SUPER CONTROL DESIGNATION CONTROL DE		71 - 17							T.			11005	D			,	Ar - 1	
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"							ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
NOTE: (1) CLEC should contact in contract registation of its prefers the "state specific Collection ordered desire collection ordered destronication ordered rises to the surface ordering charges. or LLEC may set the regional service ordering charge. Set LLEC may contained in this rate enhalts or the two registration ordered destronication. Clear the national setting registration ordered destronication ordered destronication. Set LLEC can not be than a training or the two registrations. Clear the nation of the setting ordered destronication. For these elements in the came to ordered destronication. For these elements in the came to ordered destronication. For these elements of the supplied or a CLEC for ordered destronication. For these elements of the supplied or a CLEC for ordered destronication. For these elements ordered destronication. For these elements or a product or an activation of the supplied or a CLEC for ordered elements of the submits an LSR to fellow. **Recommendation of the supplied or a CLEC for ordered elements of the submits and LSR to fellow. **Recommendation ordered elements ordered elements ordered elements ordered elements ordered elements or a product or the element. Otherwise, the manual ordering charges. **SOUNDAM will be applied to a CLEC for ordered elements or a product or the element. Otherwise, the manual ordering charges. **SOUNDAM will be applied to a CLEC for order elements or a product or the element. Otherwise, the manual ordering charges. **SOUNDAM will be applied to a CLEC for order elements or a product or the element. Otherwise, the manual ordering charges. **SOUNDAM will be applied to a CLEC for order elements or a CLEC for order elements or a product or a product or a clear element. Otherwise, the manual ordering charges or a clear element or a clear element. Otherwise, the elements or a clear element or a clear element or a clear element. Otherwise, the elements or a clear element or a clear element or a clear element or a clear element or a clear element. Otherw	OPER			connec	tion.nt	III .					l	1				I	1	I
electrother the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain arizons of the two regardless if CLEC has a interconnection contact established in soft of the service ordering plants in the charge of the commission ordering or the CLEC has a interconnection contact established in soft of the service ordering plants. The charge of the charge flat would be billed to a CLEC once electronic ordering capabilities come on time for that element. Otherwise, the manual ordering charge, 100 cm and	0			e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
NOTE: The Expedite charge will be maintained commensurate with DetBourt's LOCAL COMMENSURATE LOCAL COMMENSUR																		
SOMAN, will be applied to a CLEC but when is submit an LSF to Belliow and LSF to Bellio		each of	the 9 states.		-			-						•				
SOME Control Service Office Charge Picture Some Control Charge Some Charge Some Ch																		
OSS - Electronic Service Order Charge, Per Local Service SOMEC 3.50 0.00 3.50 0.00						in this category ref	lects the ch	arge that would	be billed to a	CLEC once ele	ectronic order	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	anual ordering	g charge,
Request (SR) INE Coly OS- Minus Sonoto Order Charge, Per Local Sonoto Request OS- Minus Sonoto Order Charge, Per Local Sonoto Request OS- Minus Sonoto Order Charge, Per Local Sonoto Request OS- Minus Sonoto Order Charge, Per Local Sonoto Request OS- Minus Sonoto Order Charge will be maintained commensurate with BellSouth's FCE No.1 Tariff, Section 5 as applicable. UNE SERVICE DATE ADVANCE/MENT CHARGE NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCE No.1 Tariff, Section 5 as applicable. UNE LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUC, LUCKAL LUCK	<u> </u>	SOMAN		ellSout	h.			1			ı	1	1			1		1
OSS: Natural Service Charge Per Local Service Request SOMAN 15.20 0.00 15.20 0.00	1						SOMEC		3 50	0.00	3 50	0.00						
ILSRIUNE CON_		1			-		JOIVILO		3.30	0.00	3.30	0.00		 				
NOTE: The Expedite charge will be maintained commensurate with 8el/South's PCC No.1 Tariff, Section 5 as applicable. DA							SOMAN		15.20	0.00	15.20	0.00						
UAL UEANL, UCI, UEF, UDF, UCO, UCL, UEFF, UCO, UCL, UEFF, UCO, UCL, UEFF, UCO, UCL, UCITAL, UTTO	UNE S																	
USF, USF, UEG., UDL, UEG., UDL, UERTY, UDN., UEA, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, USF, USF, USF, USF, USF, USF, USF, USF		NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
USF, USF, UEG., UDL, UEG., UDL, UERTY, UDN., UEA, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, UFL, UC., USE, USF, USF, USF, USF, USF, USF, USF, USF																		
UDL, UENTW, UDN, UEA, UHL, ULC, USL, UIT12, UT148, UTDI, UIT103, UTSI, UTTVA, UC16C, UC16L, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, UC16C, U																		
URE Charge per Circuit or Line Assignable USOC, per UNIDAD, UN																		
USE. UTTS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTTGS, UTGS, UCGS, U																		
UTIDX UTIDX, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIL, UCHIC, UCHIC, UCHIC, UCHIL, UCHIC, UCH																		
UTST, UTINX, UC18C, UC19L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DITUR, UNCOX, UNCO																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNITOR,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day UNE Assignable USOC, per Day																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or Line Assignable USOC, per Day: UNE Expedite Charge per Circuit or L																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUB, UTUB, UNCOX,																		
UC1HC, UC1HL, UD12, UD148, UD101, UD152, UD148, UD103, UD15X, UE3, UD172, UD148, UD101, UD103, UD105X, UD103, UD105X, UD103, UD105, UD103, UD105, UD103, UD105, UD103, UD105, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per UNIDA, UNCYX																		
UDLO3, UDLO3, UDLO3, UDLO3, UDLO3, UDLO3, UDLO3, UDLO3, UDD04, UDD03, UDD04, UDD03, UDD04, UDD03, UD																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNLD 3, ULD 3, UNCHX, UNCHX, UNCHX, UNCHX, UNCHX, UNCHX, UNCHX, UNCHY, UNC																		
ULDA, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNC																		
ULDO3, ULDS1, ULDV3, UNC1X, UNC1X, ULDV3, UNC1X, UNC1X, UNC3X, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UX																		
ULDVX, UNC1X, UNC3X, UNCDX, UNCX, UNCDX, UNCNX, UNCSX, UNCX, UNCDX, UNCNX, UNCSX, UNCX, UNLD1, UNL						ULDD3, ULDDX,												
UNC3X, UNCDX, UNCDX, UNCDX, UNCX, UNCDX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UTTUC, U1TUD, UTT	1																	
UNCNX, UNCX, UNCX, UNLD1, UNCX, UNLD1, UNCX, UNLD1, UNTD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNE Expedite Charge per Circuit or Line Assignable USOC, per U1TUG, U1TUD, U1TUC, U1TUD, U1TUB,	1																	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEDINDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 12.90 3 0.54 16.87 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 23.33 36.54 16.87 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 48.43 36.54 16.87 4 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 Loop Testing - Basic 1st Half Hour UEANL URETL 33.17 33.17																		
Day																		
UNBUNDLED EXCHANGE ACCESS LOOP			UNE Expedite Charge per Circuit or Line Assignable USOC, per															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	LIND	IDI ED 5	Day		-	U1 IUB, U1TUA	SDASP		200.00									
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	UNBU										1	1						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 23.33 36.54 16.87					1	UEANL	UEAL2	12.90	36.54	16.87								
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 48.43 36.54 16.87					2													
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 23.33 36.54 16.87																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 48.43 36.54 16.87	<u> </u>	 																
Unbundled Miscellaneous Rate Element, Tag Loop at End User	—	1										1						
Premise UEANL URETL 8.33 0.83 <	-	1			3	OLAINL	UEAOL	48.43	30.54	16.87		1		-				
Loop Testing - Basic 1st Half Hour UEANL URET1 33.17 33.17	1					UEANL	URETL		8.33	0.83								
Loop Testing - Basic Additional Half Hour UEANL URETA 19.28 19.28																		
			Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								

UNRU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
214100	HULL	NET WORK ELLWILLING - Louisiana										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
'		Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL		47.50	47.50								
	2 MIDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
\vdash	2-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ	UEQ2X	12.40	35.27	15.60	-							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	14.32	35.27	15.60								
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	16.87	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	«	JEGEN	10.07	55.21	13.00	I		<u> </u>		 	I	 	1
1		Premise	1		UEQ	URETL	l	8.33	0.83	I				1	I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	†		1		İ	2.50	2.00	1					1		
1		Non-Designed (per loop)	1		UEQ	USBMC	l	7.92	7.92	I				1	I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
1 '		BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU	l	13.04	13.04	I				1	I	1	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.,	LIEDOD LIEDOD	115 450	40.00	00.54	40.07	0.00	0.00						
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	10.07	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	25.55	30.34	10.07	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0. 02. 02	027120	10.10	00.01		0.00	0.00						
'		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	14.93	102.10	65.72						<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							<u> </u>								
<u> </u>		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	25.35	102.10	65.72						1		
'		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_	L	1				1					1		
<u> </u>		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	50.46	102.10	65.72								
└		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL		17.56						ļ		ļ	ļ
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	44.00	400.40	05 =0						1		
$\vdash \vdash \vdash$		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.93	102.10	65.72	 				 	 	ļ	
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	100 10	65.72						1		
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		ULA	UEAKZ	∠5.35	102.10	05.72	 				-		-	
1		Battery Signaling - Zone 3	1	3	UEA	UEAR2	50.46	102.10	65.72	I				1	I	1	
\vdash		Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	30.40	17.56	05.72	t				 	t	 	
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.59	36.30	I		<u> </u>		 	I	 	
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.20	1.10	I		<u> </u>		 	I	 	1
\vdash	4-WIRE	E ANALOG VOICE GRADE LOOP	1		1			5	0	t				1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 1	†	1	UEA	UEAL4	30.81	127.40	91.02	1				İ	1	1	
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.32	127.40	91.02	1	l				1		İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

UNRII	NDI FI	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
5.400		JAN ELEMENTO Eduloidia		1								Svc Order	Svc Order	Incremental		Incremental	
			1									Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter.	1		1 1						Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22.09	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 2		_	UDN	U1L2X	35.28	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
-		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	l	UDN	UREWO		91.49	44.09								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
-		2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	12.29	117.00	00.30								
		2 wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2X	14.09	117.08	68.36	I				1	I		
+		2 Wire Unbundled ADSL Loop including manual service inquiry	 		UAL	UALZA	14.09	117.08	00.30	t	1			1	t	1	
		& facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36	I				1	I		
+		Order Coordination for Specified Conversion Time (per LSR)	!	٦	UAL	OCOSL	15.75	17.56	00.30	t				 	t		
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	l		00000		17.00		I		<u> </u>		 	I		
		facility reservaton - Zone 1	1	1	UAL	UAL2W	12.29	92.83	56.02	I				1	I		
		2 Wire Unbundled ADSL Loop without manual service inquiry &						0-100									
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &			-												
		facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	_OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry		_													
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	12.74	125.50	76.77								
		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	12.74	17.56	76.77	-							
		2 Wire Unbundled HDSL Loop without manual service inquiry		-	UNL	UCUSL		17.30				1					
		and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	5.15	101.24	04.40								
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34		<u> </u>			İ			
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	-00P													
		4 Wire Unbundled HDSL Loop including manual service inquiry	1			1]			
		and facility reservation - Zone 1	ļ	1	UHL	UHL4X	16.24	153.26	104.54	1					1		
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	_	l	[]				I				1	I		
\vdash		and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	16.65	153.26	104.54	-				 	-	ļ	
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	_		1,11,11,452	47.01	450.00	10151	I				1	I		
\vdash		and facility reservation - Zone 3	1	3	UHL UHL	UHL4X	17.34	153.26	104.54	 	ļ	-		 	 		
\vdash		Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry	 	<u> </u>	UTL	OCOSL		17.56		 				-			
		and facility reservation - Zone 1	1	1	UHL	UHL4W	16.24	129.00	92.20						1		
+		4-Wire Unbundled HDSL Loop without manual service inquiry	 	<u> </u>	O. IL	OI IL-IV	10.24	129.00	32.20	t	1			1	t	1	
		and facility reservation - Zone 2	1	2	UHL	UHL4W	16.65	129.00	92.20	I				1	I		
		4-Wire Unbundled HDSL Loop without manual service inquiry	†	_		3	. 0.00	.20.00	32.20	t	1			1	t		
		and facility reservation - Zone 3	1	3	UHL	UHL4W	17.34	129.00	92.20	I				1	I		
		Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		17.56		1	İ				1	İ	
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								
		Order Coordination for Specified Conversion Time (per LSR)	1	l	USL	OCOSL		17.56		1			İ		1		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		_	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL	UDL56	38.92	121.86	85.48								
-	Order Coordination for Specified Conversion Time (per LSR)	1		UDL	OCOSL	00.00	17.56	05.40								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	7	UDL UDL	UDL64 UDL64	30.99 36.78	121.86 121.86	85.48 85.48	 					 		
 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	+	3	UDL	UDL64 UDL64	36.78 38.92	121.86 121.86		-	1	 		-			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	38.92	121.86	85.48	 					 		
 	CLEC to CLEC Conversion Charge without outside dispatch	+	-	UDL	UREWO		17.56	49.67	-	1	 		-			
2 14/1	RE Unbundled COPPER LOOP	<u> </u>		UDL	UKEWU		101.97	49.07								
2-991	2-Wire Unbundled Copper Loop-Designed including manual	1			+						1					
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual	+	- '-	OOL	OCLI D	12.23	110.10	07.40	1		1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
	2 Wire Unbundled Copper Loop-Designed including manual		-	OOL	OOLI D	14.00	110.10	07.40								
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	10.70	7.92	7.92								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry		_			40.00										
	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	10.99	139.69	90.96								
-	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		7.92	7.92								
	4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	22.27	115.43	78.63								
 	and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>		UCL	UCL4VV	22.21	115.43	78.63								
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry	+		OOL	OCLAVV	10.55	110.40	70.03	1		1					
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								
 	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.55	7.92	7.92								
—	CLEC to CLEC Conversion Charge without outside dispatch	1		002	COLIVIO		7.02	7.02								
	(UCL-Des)			UCL	UREWO		91.92	42.47	1					1		
LOOP MODI		1			1				1				1	1		
		1		UAL, UHL, UCL,	1				1					1		
				UEQ, ULS, UEA,	1				1					1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	İ				I				Ì	I		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00	1					1		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire					İ										
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,]			
1 1				UEQ, ULS, UEA,	1				I				1	I		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	l				I				1	I		
	per unbundled loop	1		UEPSB	ULMBT		12.15	12.15	1					L		

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	JONI	RATE ELEMENTS	m	ZUITE	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic- 1st	Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred		Nonrecurring D					Rates (\$)		
OUD I	0000		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L		l pop Distribution															
	Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								+							
		Up	- 1		UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		10.99	10.99								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.			LIODOO		00.40	00.40								
		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		UEANL	USBSC		86.16	86.16	-							
		Set-Up	1 .		UEANL	USBSD		27.13	27.13								
	1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>					27.10	27.10	 							
		Zone 1	1	1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -							· · · · · · · · · · · · · · · · · · ·								
		Zone 2	I	2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	Ι,	3	UEANL	USBN2	21.45	63.89	30.06								
\vdash	 	ZONG 3	+-	3	OLAINL	OODINZ	21.40	03.09	30.06	 							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						-	-								
		Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
<u> </u>		Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		2010 0		Ü	OL/ WIL	COBIN	10.27	70.70	72.02								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48	17.65								
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL UEANL	USBMC USBR4	6.58	7.92 57.54	7.92 23.71	-							
		Sub-Loop 4-wire intrabuliding Network Cable (INC)	<u>'</u>		UEANL	USBR4	0.58	57.54	23.71	+							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06	+							
-	1	2 vviile Sopper Oribunialed Sub-Loop Distribution - 2018 3	- ' -	3	OLI	0032A	12.70	03.09	30.06	 							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS4X	8.03	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	10.71	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.08	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	1	Loop Testing - Basic 1st Half Hour	 		UEF	URET1		33.17	33.17	 							
	1	Loop Testing - Basic Additional Half Hour	1		UEF	URETA		19.28	19.28	1							
	Unbun	dled Network Terminating Wire (UNTW)															
	L	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
	Networ	rk Interface Device (NID)	ļ		LIENTA/	LINDAO		40.00	07.00	 							
-	1	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	1		UENTW UENTW	UND12 UND16		42.26 62.86	27.83 48.43	+							
<u> </u>		Network Interface Device (NB) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73	1							
UNE O	THER, P	ROVISIONING ONLY - NO RATE															
	1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		$oxed{oxed}$							
<u> </u>	1	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		 							
1		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE O	THER. P	PROVISIONING ONLY - NO RATE			L141 VV	CINEOIN	0.00	0.00		 							
3.12	, 1	OHE! HO WILL	1			l							l	l	l		

LINDLI	NDI E	D NETWORK ELEMENTS Lauriniona												A 11 1		F.1.1	
UNBU	NDLE	D NETWORK ELEMENTS - Louisiana		1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhil	
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,	l <u></u>											
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				l											
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ļ
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP		<u> </u>													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				l											
		month			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility															l l
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per				l											
		month			UDLSX	1L5ND	10.04										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP N	/IAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															, ,
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
		AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	<u>") </u>											
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
\vdash	SPLITT	TERS-CENTRAL OFFICE BASED		<u> </u>		05 .					ļ						
\vdash		Line Sharing Splitter, per System 96 Line Capacity		<u> </u>	ULS	ULSDA	187.17	183.33	0.00		1				1		
\vdash		Line Sharing Splitter, per System 24 Line Capacity		<u> </u>	ULS	ULSDB	46.79	183.33	0.00		ļ						<u> </u>
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity		<u> </u>	ULS	ULSD8	15.59	183.33	0.00		ļ						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1		000		00.00	0.00				1		Ì		
\vdash	END :::	deactivation (per LSOD)		1	ULS	ULSDG		83.98	0.00	1	 		ļ		 		
\vdash	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		 							 						
		Line Sharing - per Line Activation (BST Owned splitter) -		1	111.6	III epo	0.04	47.07	40.00				1		Ì		
\vdash		OBSOLETE see **NOTE 2		1	ULS	ULSDC	0.61	17.97	10.29	1	 		ļ		 		
		Line Share Service, TRO per line activation, BST owned splitter -		1									1		Ì		
		Central Office Located (25% of UCLND) - please see NOTE 1		1		LII CDT	0.40	47.0-	10.00				1		Ì		
\vdash		(E:10/2/2003)		1	ULS	ULSDT	3.10	17.97	10.29	1	 		ļ		 		
		Line Share Service, TRO per line activation, BST owned splitter -															l l
		Central Office Located (50% of UCLND) - please see NOTE 1			0	LUODT	0.00	47.07	40.00								l l
\vdash		(E:10/2/2004)		<u> </u>	ULS	ULSDT	6.20	17.97	10.29		1				1		
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1				LII ODT	0.00	47.00	40.00			1					
 		(E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29		ļ						
		Line Sharing - per Subsequent Activity per Line				LII CDC		45.01	7.5-								I
\vdash		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		15.91	7.95		ļ						-
		Line Sharing - per Subsequent Activity per Line				000											, I
\vdash		Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS		15.91	7.95	-	ļ				ļ		
		Line Sharing - per Line Activation (DLEC owned Splitter) -		1			0.04	47.44	40.04				1		Ì		
		OBSOLETE see **NOTE 2	l	<u> </u>	ULS	ULSCC	0.61	47.44	19.31		l		l				

UNBU	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
5.450	. 12 LL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									ļ	
		Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	17.97	10.29						1		
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
ļ	MAINT	ENANCE				1								ļ	ļ	ļ	
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				41 =>04											
		Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination		<u> </u>	U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			11477.07	1L5XX	0.040										
-		Rev Bat Per Mile per month		-	U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			U1TVX	U1TR2	22.60	39.36	26.62								
		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTIKZ	22.60	39.30	20.02			1					
		Per Mile per month			U1TVX	1L5XX	0.040										
-		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.013										
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
-		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	19.01	39.30	20.02								
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIDA	TESTA	0.013					1					
		Termination			U1TDX	U1TD5	15.61	39.37	26.62					1	I	1	
—		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	5.1DA	51155	10.01	55.51	20.02	1		1			 		
		per month			U1TDX	1L5XX	0.013							1	I	1	
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility					0.0.0							1	1	1	
		Termination			U1TDX	U1TD6	15.61	39.37	26.62					1	I	1	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				20	.0.01	55.51	20.02					İ	1	1	
		month			U1TD1	1L5XX	0.2652								1		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility												İ	İ	İ	
		Termination			U1TD1	U1TF1	70.47	86.69	79.44					1	I	1	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						-									
		month			U1TD3	1L5XX	6.04								1		
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
	1	Termination per month		1	U1TD3	U1TF3	850.45	270.69	158.05					Ì	I	Ì	
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	6.04				<u></u>			<u> </u>	<u></u>	<u> </u>	<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Facility						_									
		Termination		<u></u>	U1TS1	U1TFS	830.19	270.69	158.05					<u> </u>			
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1													1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	25.28										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		620.60	133.88								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1									<u> </u>	<u> </u>	_]	
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	52.23							ļ		ļ	
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		620.60	133.88						l		

LIMBI	INDIE	D NETWORK ELEMENTS I auticiona												A l			
UNB	UNDLE	D NETWORK ELEMENTS - Louisiana				1	1					C Onder	Cura Oudan		ment: 2		bit: A
												Svc Order Submitted		Incremental		Incremental	Incremental Charge -
												Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1	m			1000			== (+)			per LSK	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonre			ng Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	TEN DIGIT SCREENING			OLID		0.0000007										
-	-	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0006387										
		Number Reserved			OHD	N8R1X		2.51	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID	NONTA		2.31	0.43								
		POTS Translations			OHD			5.77	0.78								
		8XX Access Ten Digit Screening, Per 8XX No. Established With			01.15			0	00								
		POTS Translations			OHD	N8FTX		5.77	0.78								
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.51	1.26								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43								
	1	8XX Access Ten Digit Screening, Call Handling and Destination			CLID	NOESY				1						1	
<u> </u>	1	Features	1		OHD	N8FDX	1	2.51		 	1	<u> </u>			 	 	
	1	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387			1						1	
	-	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006367				-	1					
		query			OHD		0.0006387										
LINE	NEORM	ATION DATA BASE ACCESS (LIDB)			OTID		0.0000001				1						
	1	LIDB Common Transport Per Query			OQT		0.0000221										
		LIDB Validation Per Query			OQU		0.0135077										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.33									
SIGNA	ALING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per link (B link) (also known as D			LIDD	TDD	45.77	04.50	04.50								
	-	link) CCS7 Signaling Usage, Per ISUP Message			UDB UDB	TPP++	15.77 0.000016	34.50	34.50								
-	-	CCS7 Signaling Usage, Per ISOP Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10				+	1					
	+	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			ODB	31030	732.10										
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911 S	SERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21								
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21								
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21								
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013			 	1	<u> </u>			1	 	
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.60	39.36	26.62]					1	1	
	+	Local Channel - Dedicated - DS1 - Zone 1				+	39.18	172.34	149.27	1	+	 			-	1	
—	+	Local Channel - Dedicated - DS1 - Zone 1	1			+	121.58	172.34	149.27	1	+	 			1	 	
		Local Channel - Dedicated - DS1 - Zone 3					70.02	172.34	149.27								
	1	Interoffice Transport - Dedicated - DS1 Per Mile					0.2652			Ì					Ì	Ì	
	1														1	1	
L	<u> </u>	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>
CALLI	ING NAM	ME (CNAM) SERVICE															
		CNAM For DB Owners - Service Establishment			OQV			22.29									
	1	CNAM For Non DB Owners - Service Establishment			OQV			22.29				ļ					
		CNAM For DB Owners - Service Provisioning With Point Code			001/												
<u> </u>	-	Establishment CNAM For Non DB Owners - Service Provisioning With Point			OQV	_	1	962.22	711.64		1						
	1	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			332.43	238.05]					1	1	
-	+	CNAM for DB Owners, Per Query	-	1	OQV	+	0.0010217	332.43	238.05	1	1	 			1	1	
\vdash	+	CNAM for Non DB Owners, Per Query	-		OQV	+	0.0010217			 	+	 			 	 	
SELF	CTIVE R	OUTING				_	0.0010217				1						
	IX						1			l	1	1			l	l	

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
UNDO		NETWORK ELEMENTO Logiciana										Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T 51	. B'						
							Rec	Nonrec		Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Selective Routing Per Unique Line Class Code Per Request Per				1		First	Add'l	FIRST	Add'l	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
		Switch						82.25	82.25								
VIRTU	AL COL	LOCATION						02.23	02.20								
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSIC	CAL CO	LLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SE	LECTIV	E CARRIER ROUTING			LUEDID	00000		100 000 00									ļ
		Regional Service Establishment			UEBIB	SRCEC		100,209.33	164.29	1							-
		End Office Establishment Query NRC, per query			UEBIB UEBIB	SRCEO	0.0030293	164.29	164.29								+
ΔIN - F	FLLSO	UTH AIN SMS ACCESS SERVICE			OLDID		0.0030293										
	<u></u>	AIN SMS Access Service - Service Establishment, Per State,		†		1				†					1		
		Initial Setup		1	A1N	CAMSE		38.30	38.30	1			1				1
	1	· ·															
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		33.99	33.99								ļ
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39								
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0022	41.39	41.39	-							-
		AIN SMS Access Service - Session, Per Minute					0.5795										
		AIN SMS Access Service - Company Performed Session, Per					0.0100										
		Minute					0.8104										
AIN - B	ELLSO	UTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		38.30	38.30								
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.60	7.60								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPTI		7.60	7.00								
		DN, Off-Hook Delay				BAPTD		7.60	7.60								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								İ							
		DN, Off-Hook Immediate				BAPTM		7.60	7.60								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		33.47	33.47								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L				_]				1 7
		DN, CDP		<u> </u>		BAPTC		33.47	33.47	.					-		\vdash
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code		1		BAPTF		33.47	33.47	1			1				1
-	1	AIN Toolkit Service - Query Charge, Per Query		 		DAFIF	0.0536446	აა.47	33.47	 		1	-		1		\vdash
	1	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		†		1	3.3300440			†					1		
		Subscription, Per Node, Per Query		1			0.006569			1			1				1
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			0.114	D 4 D4 **											1
<u> </u>		Subscription		<u> </u>	CAM	BAPMS	10.90	7.60	7.60	-							
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		1	CAM	BAPLS	2.80	8.41	8.41	1			1				1
-		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		1	O, 4VI	שלו בט	2.00	0.41	0.41	+							
		Subscription		1	CAM	BAPDS	8.20	7.60	7.60	1			1				1
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit					50			1							
	<u> </u>	Service Subscription		<u> </u>	CAM	BAPES	0.09	8.41	8.41	<u> </u>		<u> </u>	<u> </u>				<u> </u>
ENHAN		(TENDED LINK (EELs)							•								
		The monthly recurring and non-recurring charges below will															
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ne non-	recurri	ng charges below w	ill apply for	UNE combinati	ons provisione	ea as ' Current	iy Combined' N	vetwork Eleme	nts.			-		
	EXIEN	ITED 2-WIKE VOICE GRADE EXTENDED LOOP WITH DEDICAT	בט חצי	INIE	KUFFICE TRANSPO	K I							l		l		<u>i </u>

UNBUN	IDLF	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CITECIT	DEL	THE TWORK ELEMENTO LOGISTATIO		l								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
1			1	l -						1 1		1	<u> </u>	<u> </u>	_		1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
			l									1]			1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26	1					1		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
E	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	INTE	ROFFICE TRANSPO	DRT											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
				_													
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
				_					4= 00								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5307	0.0050										
-		Per Month		-	UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
-		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97		-							
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	59.97	12.96 4.26	-							-
		Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	IDIVG	0.0497	5.91	4.20	+							-
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONCVX	OLAL	30.01	34.21	45.05								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLAL	30.32	34.21	45.03								
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
 		Additional Voice Grade COCI in combination - per month	1	Ť	UNCVX	1D1VG	0.6497	5.91	4.26	+				1	†		†
		Nonrecurring Currently Combined Network Elements Switch -As-	l				2.2.0	2.01	20	1				1	t		
		Is Charge	l		UNC1X	UNCCC		5.43	5.43	1					1		1
E	XTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			İ										
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09	1		1		1	I		1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09	<u>1 </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09					<u> </u>			<u> </u>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile									<u> </u>						1
		Per Month			UNC1X	1L5XX	0.2652										<u> </u>
	Ī	Interoffice Transport - Dedicated - DS1 - combination Facility	1	l -			Π			1 1		1	<u> </u>	<u> </u>	_		1
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								1
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								1
		OCU-DP COCI (data) per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.38	5.91	4.26	1				ļ	ļ		I
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l			1	Į Į			1					1		1
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09	1				ļ	.		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	١.						1		1		Ì	I		1
—		Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	36.78	94.21	45.09								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l		LINODY	LIDI 50	00.00	04.01	45.00				1				1
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09								1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK!	NATE ELEMENTO	m		500	0000			πατ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	urring	Nonrecurrin	g Disconnect	1	I	220	Rates (\$)	l .	<u> </u>
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-						FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	64kbs)	1		UNCDX	1D1DD	1.38	5.91	4.26								
		<u> </u>	-	UNCDA	טטוטו	1.30	5.91	4.20								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43								
EVTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN				3.43	3.43								+
EXIE	TOTAL LOOP WITH DEDING THE LOOP WITH DEDING	CATED	DOTIN	TEROFFICE TRANS	PURI				-			-		-		-
	First 4 Wire 64Khas Digital Crade Lean in Combination 7 and 1		4	UNCDX	UDL64	30.99	04.24	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4 Mins CAMbas Digital Conda Languis Combination 7-2-2		2	LINCDY	LIDL C4	20.70	04.04	45.00								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
			_					4= 00								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	-	3	UNCDX	UDL64	38.92	94.21	45.09	1	1	1			1		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	LINIOAN	41.500				1					I		
	Per Month	ļ		UNC1X	1L5XX	0.2652				ļ						
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	T											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.10	0.10								†
	First DS1Loop in Combination - Zone 1	1	1	UNC1X	USLXX	85.70	169.22	100.89								
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								†
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	491.94	169.22	100.89	†	1	1	1		t		†
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť	0.1017	002,01	101.01	100.22	100.00								
	Per Month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			ONOOX	TEOXX	0.04										
	month			UNC3X	U1TF3	850.45	296.68	121.16								
	3/1Channel System in combination per month	 	1	UNC3X	MQ3	201.48	107.05	91.25	t	1	1	1		1	1	
-	DS1 COCI in combination per month		-	UNC1X	UC1D1	11.78	5.91	4.26	t	 	t	1		1		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	-		OIVO IA	ועוסט	11.78	0.81	4.20		 	-				-	
	Zone 1	1	1	UNC1X	USLXX	85.70	169.22	100.89	1							
	Additional DS1Loop in DS3 Interoffice Transport Combination -	 		OINGIA	USLAA	00.70	109.22	100.89	-	 	-	 		-		
	Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89	1							
		 		UNCIX	USLAA	194.96	169.22	100.89	-	 	-	 		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	3	UNC1X	USLXX	404.04	400.00	400.00	1					I		
	Zone 3	-	3		UC1D1	491.94	169.22	100.89	-	1	1	1		-	1	
	Additional DS1 COCI in combination per month	 	-	UNC1X	OCIDI	11.78	5.91	4.26	 	 	1	-		 	-	
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINICAV	LINICOO]	F 40	F 40	1					I		
-v	Is Charge	0045		UNC3X	UNCCC		5.43	5.43	1	1	1			1		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	_							ļ	1					_
 	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09		ļ	1					_
	2-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL2	25.35	94.21	45.09			1					1

UNBUNE	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
		, =================================										Svc Order	Svc Order	Incremental		Incremental	
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svo
CATEGOR	RΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>								First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			LINOVY	41.577	0.042										
		Month Interoffice Transport - 2-wire VG - Dedicated - Facility		1	UNCVX	1L5XX	0.013								-		
		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
+		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNCVA	UTIVZ	22.00	72.00	41.75	+							
		Is Charge	1		UNCVX	UNCCC		5.43	5.43								
FX	TENI	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				3.43	3.43								
<u> </u>		4-WireVG Loop in combination - Zone 1	I	1 1	UNCVX	UEAL4	30.81	94.21	45.09								
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per						V 1									
		Month	1		UNCVX	1L5XX	0.013					1			I	1	
		Interoffice Transport - 4-wire VG - Dedicated - Facility	1			1				† †				İ	1		
		Termination per month	1		UNCVX	U1TV4	19.81	72.60	41.75			1			I	1	
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge	<u>L</u>	1	UNCVX	UNCCC		5.43	5.43	<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
EX	TENE	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.04										
oxdot		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
oxdot		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month		ļ	UNC3X	U1TF3	850.45	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
EV	/TENI	Is Charge	0.4 1517	FDOFF	UNC3X	UNCCC		5.43	5.43								
EX	TENL	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	5-1 IN I	EKOFF		1L5ND	40.04										
\vdash		STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per			UNCSX	ILOND	10.04			-							
		month			UNCSX	UDLS1	374.56	188.45	125.51								
+		Interoffice Transport - Dedicated - STS-1 combination - per mile	1	1	UNCOX	UDLST	374.56	100.40	125.51	+							
		per month			UNCSX	1L5XX	6.04										
+		Interoffice Transport - Dedicated - STS-1 combination - Facility	1	1	UNCOX	ILJAA	0.04			+							
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-			0.100/1	00	000.10	200.00	.20								
		Is Charge			UNCSX	UNCCC		5.43	5.43						1		
EX		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		2000		5.40	0.40	† †					1		
	Ī	First 2-Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	22.09	94.21	45.09	1					1	1	Ì
	T	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - per mile						_			-]	
		per month	<u></u>	<u> </u>	UNC1X	1L5XX	0.2652							<u></u>	<u></u>	<u> </u>	
		Interoffice Transport - Dedicated - DS1 combination - Facility	1									1]	
oxdot		Termination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	70.47	143.58	103.88								ļ
$\vdash \!$		1/0 Channel System in combination - per month	ļ	ļ	UNC1X	MQ1	105.09	59.97	12.96	.					ļ	ļ	
$\vdash \vdash$		2-wire ISDN COCI (BRITE) - in combination - per month	ļ	1	UNCNX	UC1CA	2.96	5.91	4.26	 							
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 .	LINIONIN	1141.037						1			I	1	
$\vdash \!$		Combination - Zone 1	1	1	UNCNX	U1L2X	22.09	94.21	45.09	 				ļ	-	 	
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINIONIN	1141.037						1			I	1	
$\vdash \vdash$		Combination - Zone 2	 	2	UNCNX	U1L2X	35.28	94.21	45.09	 				-	 	 	1
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	3	LINICNIV	1141.09	05.40	04.04	45.00			1			I	1	
$\vdash \vdash$		Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per	 	3	UNCNX	U1L2X	65.18	94.21	45.09	 				-	 	 	1
		month	1		UNCNX	UC1CA	2.96	5.91	4.26			1			I	1	
$\vdash \vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	1	OINGINA	UCTUA	2.90	5.91	4.20	+					+		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge	1		UNC1X	UNCCC		5.43	5.43			1			I	1	
\vdash	TENI	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	-1 INTE				5.45	5.45	+ +					 	 	+
FY		DED THINK DOT DIGITAL EXTENDED LOOK WITH DEDICAL										ļ					
EX		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89	1							

UNBU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: A
0.400	.1044	J. T. T. J. T. C. L. L. L. L. L. L. L. L. L. L. L. L. L.									Sv	c Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			er LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)		P	Jei Lak	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring Disco	nnect			oss	Rates (\$)		
								First	Add'l	First Ac	dd'I S	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
-		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
		DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport			UNC1X	UC1D1	11.78	5.91	4.26								
		Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	USLAA	65.70	109.22	100.89								
		Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport	1			30200	104.00	700.22	100.00						1		
		Combination - Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89						1		
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26						1		
		Nonrecurring Currently Combined Network Elements Switch -As-					1										
		Is Charge			UNCSX	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		ls Charge			UNCDX	UNCCC		5.43	5.43								
	EXIEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT			LIDL C4	20.00	04.04	45.00								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX UNCDX	UDL64 UDL64	30.99 36.78	94.21 94.21	45.09 45.09		-						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09	-							
-		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL04	30.92	34.21	45.09								
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ОПОВА	TEOTO	0.010										
		Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09						İ		
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		First Interoffice Transport - Dedicated - DS1 combination - Per							·								
		Mile			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -				=.											
		Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
\vdash		Per each DS1 Channelization System Per Month	 		UNC1X	MQ1	105.09	59.97	12.96								
\vdash		Per each Voice Grade COCI - Per Month per month	 		UNCVX	1D1VG	0.6497	5.91	4.26						 		
\vdash		3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-		UNC3X	MQ3 UC1D1	201.48	107.05	91.25						ļ		
\vdash	-	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	├		UNC1X	ועוטט	11.78	5.91	4.26						-		
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.93	94.21	45.09						1		
\vdash		Each Additional 2-Wire VG Loop(SL2) in the same DS1	 		OINOVA	JEALE	17.53	34.21	45.05								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	Ė			20.00	J1	.0.50						1		
		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	50.46	94.21	45.09						1		
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month	<u></u>		UNC1X	1L5XX	0.2652										
	-	Each Additional DS1 Interoffice Channel Facility Termination in												_			_
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								

UNRUN	DI FI	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CIADOIA	DEL	S NET WORK ELEMENTO - Louisiana					l					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-															[
		Is Charge			UNC1X	UNCCC		5.43	5.43								<u> </u>
E	XTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 MI	UX											<u> </u>
		First 4-Wire Analog Voice Grade Local Loop in Combination -															i .
		Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		First 4-Wire Analog Voice Grade Local Loop in Combination -		_													1
		Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		First 4-Wire Analog Voice Grade Local Loop in Combination -		_													1
		Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								+
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINICAV	41.577	0.0050										i .
		First Interoffice Transport - Dedicated - DS1 - Facility			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	l		UNC1X	U1TF1	70.47	143.58	103.88								1
\vdash		Per each 1/0 Channel System in combination Per Month	1		UNC1X UNC1X	MQ1	105.09	59.97	12.96	1	1						
-		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26			1					
-		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOTA	COIDI	11.70	0.01	4.20								—
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								i .
		Additional 4-Wire Analog Voice Grade Loop in same DS1		•	ONOVA	OL/ L	00.01	04.21	40.00								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								i .
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.1017	02/12:	00.02	0	.0.00								
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								ı
		Each Additional DS1 Interoffice Channel per mile in same 3/1						-									
		Channel System per month			UNC1X	1L5XX	0.2652										i .
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								i .
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNC1X	UNCCC		5.43	5.43								<u> </u>
E	XTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											L
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															i
		Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													i
		Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINODY	1101.50	00.00	04.04	45.00								1
\vdash		Zone 3	 	3	UNCDX	UDL56	38.92	94.21	45.09	 	1						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	l		LINC4V	1L5XX	0.0050										1
-		First Interoffice Transport - Dedicated - DS1 - combination	-		UNC1X	ILOXX	0.2652			-	 				-		
		First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month	l		UNC1X	U1TF1	70.47	143.58	103.88								1
\vdash		Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	105.09	59.97	12.96	1	1						
-		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26			1					
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								—
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1	S.1.5 1/	20101	11.70	0.91	7.20		†						
		Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	30.99	94.21	45.09								1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ė	-	1	22.20		.2.30	1	Ì						
		Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL56	36.78	94.21	45.09								1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															ſ
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09								1
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26		<u> </u>				<u> </u>		L
		Each Additional DS1 Interoffice Channel per mile in same 3/1						_									1
		Channel System per month			UNC1X	1L5XX	0.2652										
		Each Additional DS1 Interoffice Channel Facility Termination in	l														1
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								I

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
ONDONDE	ED NET WORK ELEMENTO Education										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to the second									Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						Rec	Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_					4= 00								
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINICAV	41.577	0.0050										
-	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.2652										
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
-	Per each Channel System 1/0 in combination Per Month			UNC1X UNC1X	MQ1	105.09	59.97	12.96		-						+
+	Per each OCU-DP COCI (data) in combination - per month (2.4-			UNCIA	IVIQT	105.09	59.97	12.90		1						+
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
+	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25		1						+
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								+
 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCIX	OCIDI	11.76	3.91	4.20		+						+
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		i i	ОПОВЛ	ODLOT	00.00	54.21	40.00								+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															1
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIN	1141.037]					1	I	
 	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09	 	+			ļ	ļ	-	+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINIONIV	1141.09	05.00	2421	45.00]					1	I	1
 	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	ļ	1				-	1	+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	UNCNX	U1L2X	65.18	94.21	45.09]					1	I	
 	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	OINCINA	UILZX	05.18	94.21	45.09	-	+	 			-		+
	Mile per month			UNC1X	1L5XX	0.2652]					1	I	
H	First Interoffice Transport - Dedicated - DS1 combination -			014017	ILUAA	0.2002			1	1	1		1	1	t	+
	Facility Termination per month		1	UNC1X	U1TF1	70.47	143.58	103.88]	1				l	I	
 	Per each Channel System 1/0 in combination - per month		 	UNC1X	MQ1	105.09	59.97	12.96	 	+				 	 	+
 	1 5. 555.1 Onamior Cystom 1/0 in Combination - per month			5.101A	.vice i	100.03	55.51	12.30	 	+	 			 	t	+
	Per each 2-wire ISDN COCI (BRITE) in combination - per month		1	UNCNX	UC1CA	2.96	5.91	4.26		1					1	
	3/1 Channel System in combination per month		†	UNC3X	MQ3	201.48	107.05	91.25		1				1	1	1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26	1	1				İ	1	1
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport									1				İ	İ	†
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09]					1	I	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
1 1	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09		1					1	
Ì	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
l I	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09		1					1	

UNRI	INDI =	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit: A
CIAD	JINDLL	DINETWORK ELLINENTO - Louisiana										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				_				
OA! L	00	TOTAL ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	g Disconnect			220	Rates (\$)		
-	+						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel				-		riist	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SUMAN	SOWAN
		system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								1
-	+	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCINA	UCTCA	2.90	5.91	4.20								
		Channel System per month			UNC1X	1L5XX	0.2652										i
	+	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.2032										
					UNC1X	U1TF1	70.47	143.58	103.88								1
	+	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	70.47	143.58	103.88								
					UNC1X	UC1D1	44.70	5.04	4.26								1
		combination per month			UNCTX	OCIDI	11.78	5.91	4.26				ļ				+
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAN	1111000		5.40	5.40								1
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXIEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRANS				0= =0	400.00	100.00								
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89								
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		First Interoffice Transport - Dedicated - DS1 combination - Per		1											Ì		1
		Mile Per Month			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -															1
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								!
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month			UNC1X	1L5XX	0.2652										l
		Each Additional DS1 Interoffice Channel Facility Termination in															1
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								L
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								L
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
		1		1	UNC1X	USLXX	85.70	169.22	100.89								1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i
		2		2	UNC1X	USLXX	194.96	169.22	100.89								L
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															1
		3		3	UNC1X	USLXX	491.94	169.22	100.89								<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								1
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE :	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															1
L_		per month	<u></u>	<u>L</u>	UNCDX	1L5XX	0.013				<u> </u>	<u></u>	<u></u>		<u> </u>		<u> </u>
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															1
		Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								1
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								1
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								ſ
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															ſ
		per month		1	UNCDX	1L5XX	0.013								Ì		1
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility									1						ſ
		Termination per month		1	UNCDX	U1TD6	15.61	72.60	41.75						Ì		1
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1							İ				İ		ſ
		Is Charge		1	UNCDX	UNCCC		5.43	5.43						Ì		1
ADDIT	IONAL I	NETWORK ELEMENTS		1							İ				İ		ſ
		used as a part of a currently combined facility, the non-recurr	ng chai	raes do	not apply, but a S	Switch As Is cl	narge does apr	olv.			İ	İ			İ		
		used as ordinarily combined network elements in All States, th									İ	İ			İ		
		curring Currently Combined Network Elements "Switch As Is"					2.2 2				1	1	1		 		f
<u> </u>			90	, 55							1	1	·		1		

UNB	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add I
							B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS1			UNC1X	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								
	Option	al Features & Functions:															
		Class Channel Carehility Futer ded France Ontice	١.		U1TD1,	CCOFF		OI.	OI.	OI.							
<u> </u>	 	Clear Channel Capability Extended Frame Option - per DS1	ı	1	ULDD1,UNC1X	CCOEF	1	UI	OI	UI	OI				 		
		Clear Channel Carehility Conse Franconting at 1904			U1TD1, ULDD1,UNC1X	CCOSF		OI	OI	OI.	01						
	1	Clear Channel Capability Super FrameOption - per DS1	ı			CCOSF		UI	UI	UI .	OI .						
		Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						
	1	Activity - per DST	-		U1TD3, ULDD3,	INRCCC		184.655	23.795	1.975	0.775						
		C-bit Parity Option - Subsequent Activity - per DS3			UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						
	MIII TI	PLEXERS	-		OLS, UNCSA	INICOS		210.703	7.003	.72033	03	1					
	WIOLII	DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96								
-		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQI	100.00	33.31	12.30								
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			002	.5.55	1.00	0.00									
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
	<u> </u>	same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58								
	<u> </u>	DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								
-	1	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month		!	UNCSX USL	MQ3 UC1D1	201.48 11.78	107.05 6.39	91.25 4.58	1	+	-			 		
-	1	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		<u> </u>	UGL	OCIDI	11.78	6.39	4.58	-	+				-		
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58		1						
-	+	DS1 COCI used with Interoffice Channel per month	 	!	U1TD1	UC1D1	11.78	6.39	4.58	1	+				 		
-	+	DS3 Interface Unit (DS1 COCI) used with Local Channel per	 	!	0.101	30.151	11.70	0.39	7.30	1	+				 		
		month			ULDD1	UC1D1	11.78	6.39	4.58		1						
UNBII	NDLED I	OCAL EXCHANGE SWITCHING(PORTS)		1		1		5.55	50		1				1		
<u> </u>		age Ports				1	Ì	1			1				1		
		Although the Port Rate includes all available features in GA, I	Y, LA	& TN, tl	he desired features	will need to b	oe ordered usir	ng retail USOC	s		1				İ		
		VOICE GRADE LINE PORT RATES (RES)						Ī									
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21		1						
]		
	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		<u> </u>	UEPSR	UEPRO	1.52	2.31	2.21		1]		
		Exchange Ports - 2-Wire VG unbundled LA extended local]]]		
	ļ	dialing parity Port with Caller ID - Res.		<u> </u>	UEPSR	UEPAS	1.52	2.31	2.21		1				ļ		
1		Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus	1			l					1				Ì		'
	1	with Caller ID - Res (RUL)		ļ	UEPSR	UEPAG	1.52	2.31	2.21	ļ	_						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	LIEBAS	4.50	0.00	0.00		1				1		
		with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21								

UNBUND)LFr	NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Exhil	hit: A
3,450,46		ALL TORIN LELINERTO - Louisiana										Svc Order	Svc Order	Incremental			Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
			1											1st	Add'l	Disc 1st	Disc Add'l
							1										
							Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	001441	001141
		Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
_		Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			OLI OK	OLI WO	1.02	2.51	2.21			1					
		without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
		2-Wire voice unbundled Low Usage Line Port without Caller ID			02. 0.1	02	1.02	2.01									
		Capability			UEPSR	UEPRT	1.52	2.31	2.21								
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FE	ATU	RES															
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-V		VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus Date OMica VO and a Market Date ith	ļ		UEPSB	UEPBL	1.52	2.31	2.21			ļ					
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	0.04	0.01								
		unbundied port with Caller+E484 ID - Bus.	 		UEPOB	DEARC	1.52	2.31	2.21	<u> </u>		1	1		-		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1		UEPSB	UEPBO	1.52	2.31	2.21					1	1		
 		Exchange Ports - 2-Wire Arialog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled LA extended local	!	1	OLI OD	OLFBO	1.32	2.31	2.21			 	 	 	 		
		dialing parity Port with Caller ID - Bus.	1		UEPSB	UEPAX	1.52	2.31	2.21					1	1		
		Exhange Ports - 2-Wire VG unbundled incoming only port with			02. 03	02.700	1.02	2.01									
		Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
		Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
		Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
		without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															
-		Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
	ŀ	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPBE	1.52	0.04	0.04								
-		Capability Subsequent Activity			UEPSB	USASC	0.00	2.31 0.00	2.21 0.00	-							
-	ATUF				UEFSB	USASC	0.00	0.00	0.00								
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
FX		NGE PORT RATES (DID & PBX)			OLI OD	OLI VI	0.00	0.00	0.00								
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42								
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42								
		2-Wire Voice Unbundled PBX LD Terminal Ports	ļ		UEPSP	UEPLD	1.52	30.37	14.42					ļ	ļ		
\vdash		2-Wire Vice Unbundled 2-Way PBX Usage Port	1	<u> </u>	UEPSP	UEPXA	1.52	30.37	14.42								
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	-	UEPSP	UEPXB	1.52	30.37	14.42			1	ļ	 	 		
\vdash		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	 	-	UEPSP UEPSP	UEPXC UEPXD	1.52 1.52	30.37 30.37	14.42 14.42	 	-	1	1	 	 		
\vdash		2-Wire Voice Unbundled PBX LD Terminal Switchboard PDT 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	ULFOF	DEPAD	1.52	30.37	14.42								
	ľ	Capable Port	1		UEPSP	UEPXE	1.52	30.37	14.42					1	1		
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1		021 01	OLI AL	1.02	30.37	17.72			1	1	 	 		
	j	Callling Port	1		UEPSP	UEPXK	1.52	30.37	14.42					1	1		
	T t	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	i					22.01									
		Administrative Calling Port	1		UEPSP	UEPXL	1.52	30.37	14.42					1	1		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1		l	1								1	1		
		Discount Calling Port	<u> </u>		UEPSP	UEPXP	1.52	30.37	14.42			<u> </u>		ļ	ļ		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	-	UEPSP	UEPXS	1.52	30.37	14.42								
FF	ATUF	Subsequent Activity	1	-	UEPSP	USASC	0.00	0.00	0.00			1	ļ	 	 		
I FE		All Available Vertical Features	1	<u> </u>	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	-		 	-				
	-	All Available veitibal i eatures	I	1	OLFOF UEFOE	OLF VF	0.00	0.00	0.00		l	<u> </u>	l	1	1		

JNBUNDI	LED NETWORK ELEMENTS - Louisiana						-		-	•			Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually				
AIEGORI	RATE ELEMENTS	m	Zone	ВСЭ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXC	CHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.52	2.31	2.21								
NOT	E: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	nission by B-C	hannels assoc	iated with 2-	wire ISDN	ports.			
NOT	TE: Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fid	le Request/	New Busines	s Request Pro	ocess.	
JNBUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
EXC	CHANGE PORT RATES															
The	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to tal	iff rates or	a separate ag	reement.		
	uests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
- 1.04	Exchange Ports - 2-Wire DID Port	1	1	UEPEX	UEPP2	8.29	115.85	18.20			1					
-+	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	 	 	OLI LX	OLITZ	0.20	110.00	10.20			1					
	capability (E:4/1/2004)	1	1	UEPDD	UEPDD	68.47	196.18	92.92	Ì				1			
-+	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	 	├	UEPTX, UEPSX	U1PMA			92.92 51.46		 	1		 	 	 	-
$-\!\!+\!\!\!-$		-	!			10.07	70.76			1	1		-	1	1	!
$\!\!\!\!\!+\!\!\!\!\!-$	All Features Offered	 	 	UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								ļ
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	l		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	l		1					ļ
NOT	TE: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	nission by B-C	hannels assoc	iated with 2-	wire ISDN	ports.			ļ
NOT	TE: Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fic	le Request/	New Busines	s Request Pro	ocess.	
EXC	CHANGE PORT RATES (continued)															
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
-+	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
-+	Virtual collocation - Special Access & UNE, cross-connect per		 	OLI LX OLI DX		1.04	21.55	10.47			1					
	DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
Det				UEPEX UEPDX	CINCIA	1.04	21.39	15.47			ļ					1
Deta	ailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,792.00									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	174.03									
New	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
-+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			0L: LX	020	0.0002	0.10									
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
$\!\!\!\!+\!\!\!\!-$				UEPEX	UEPID	0.0092	11.10	11.10			ļ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	1	1		1				Ì				I			1
	Telephone Numbers - Inward Data Only Option [New or	1	1		l==.				Ì				I			
$-\!\!+\!\!\!-$	Additional]	ļ	 	UEPDX	UEP1E	0.00	0.48				ļ					
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1	1						Ì				I			
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35								
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTI	ERFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00	İ							İ
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			İ					İ
-	Inward Data		<u> </u>	UEPDX	PR71E	0.00	0.00	0.00	1	Ì	l		1	Ì	Ì	1
New	or Additional Channel		1		 ::::=	0.50	0.00	3.30	†		1		†	1	1	1
- 110W	New or Additional - Voice/Data "B" Channel	 	 	UEPEX	PR7BV	0.00	14.11		 	1	 		t	 	 	
-+-	New or Additional - Digital Data "B" Channel	 	 	UEPEX	PR7BF	0.00	14.11		 	1	 		1	<u> </u>	<u> </u>	
+-		 	1		PR7BD				-	-	1		-	1	1	
$-\!\!+\!\!\!-$	New or Additional Inward Data "B" Channel	-	!	UEPDX		0.00	14.11		1	1	1		-	ļ.	1	<u> </u>
	New or Additional Useage Sensitive Voice Data "B" Channel		<u> </u>	UEPEX	PR7BS	0.00	14.11		ļ	ļ	1			-	ļ	
$-\!\!+\!\!\!-$	New or Additional Useage Sensitive Digital Data "B" Channel	ļ	 	UEPEX	PR7BU	0.00	14.11				ļ					ļ
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.11				Į					ļ
CAL	L TYPES															
	Inward	<u> </u>	L	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
				LIEDEV	DD700	0.00	0.00	0.00		· ·	I		I -		_	
-	Outward			UEPEX	PR7CO	0.00	0.00	0.00								

LIMBUND	LED	NETWORK ELEMENTS Lawisians															-:4. A
ONBOND	LED	NETWORK ELEMENTS - Louisiana				1	ı					Cup Onder	Cup Cade		ment: 2	Exhil	
	- 1											Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
0475000		DATE EL EMENTO	Interi	-	D00				DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UN		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	l	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
Nor		curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)		<u> </u>	UEPVR	USACC	<u> </u>	0.10	0.10	<u></u>	<u></u>						
UN	BUNI	DLED REMOTE CALL FORWARDING - Bus															
	lu	Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u></u>		UEPVB	UERAC	1.52	2.31	2.21	<u> </u>	<u></u>	<u></u>	<u></u>		<u> </u>		
	一																
	Į	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21	1							
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
Nor		curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLE		OCAL SWITCHING, PORT USAGE															
		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
-		End Office Trunk Port - Shared, Per MOU					0.00018					1					
Tan		Switching (Port Usage) (Local or Access Tandem)					0.00010					1					
1.4.		Tandem Switching Function Per MOU					0.0001067					1					
		Tandem Trunk Port - Shared, Per MOU					0.000222										
		Tandem Switching Function Per MOU (Melded)					0.000035296										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000073438										
 		Melded Factor: 33.08% of the Tandem Rate		1		 	0.000013430			 					 		
Car		n Transport		1		 				 					 		
COI		Common Transport - Per Mile, Per MOU				1	0.0000032				-	-	-		-		
		Common Transport - Fer Mile, Fer MOO Common Transport - Facilities Termination Per MOU				1	0.0003748			 	1	 			 		
LINBUNDU		ORT/LOOP COMBINATIONS - COST BASED RATES				1	0.0003740			 	1	 			 		
		sed Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Cc.	nmission rulo to are	ovide Habira	dled Local Suri	tching or Swit	ch Porte	 	1	 			 		
		sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos								ad Port coction	of this Date 5	vhihit			1		
		s snall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us											n Port/I oor	Combination	l		
		t and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	-111011116	a combos. For cur	lenny Combi	neu Combos ti	ie nomecurin	y charges sna	56 (1026 106)	i i i i i i i i i i i i i i i i i i i	omecuning	i - Gurrendy	Combined S	Lections.		
		rt/Loop Combination Rates				1					-	-	-		-		
UNI		2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13			 	1	+	1		 		
\vdash		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		 	23.75			-		-	-		-		
 		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62			 					 		
				3		 	49.62			 		1			1		
UNI		op Rates		4	LIEDDV	LIEDLY	44 77			 					 		
 		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77			 					 		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39			1		1			1		
H		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26			.	ļ				-		
2-W		/oice Grade Line Port Rates (Res)			LIEBBY	LIEDDI	4.00	00.00	40.00	1		1			1		
\vdash		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08	.	ļ				-		
\vdash		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08	.	ļ				-		
\vdash		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08	ļ							
		2-Wire voice Grade unbundled Louisiana extended local dialing								I		1	1				
	- [parity port with Caller ID - res	l		UEPRX	UEPAS	1.36	38.85	19.08	I	l	1	<u> </u>		I .		

HINRH	NDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
UNBU	NULE											Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															i .
		(RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
		2-Wire voice unbundles res, low usage line port with Caller ID				1											ı
		(LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan			HEDDY	LIEDWO	4.00	00.05	40.00								i
		without Caller ID 2-Wire voice unbundled Louisiana Area Plus Port without Caller			UEPRX	UEPWG	1.36	38.85	19.08			1					
		ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								i .
		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLFKX	ULFING	1.30	30.03	19.00			1					-
		Capability			UEPRX	UEPRT	1.36	38.85	19.08								i
	FEATU				OLITAX	OLITA	1.50	30.03	13.00								—
	LAIG	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY				1	3.50	0.00	3.50						1		
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															ſ
		Switch-as-is			UEPRX	USAC2		0.10	0.10								ĺ
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								i
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
		Activity			UEPRX	USAS2	0.00	0.00	0.00								L
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS				I											
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								├
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN UEAEN	23.33	36.54	16.87								+
		Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Design		3	UEPRX UEPRX	UEAEN	48.43 14.93	36.54 102.10	16.87 65.72			1					
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.35	102.10	65.72			1					+
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72			1					
	INTER	OFFICE TRANSPORT		3	OLITAX	OLALD	30.40	102.10	05.72								—
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															—
		Termination			UEPRX	U1TV2	22.60	39.36	26.62								i
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	1	or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00						1		1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				1						İ					ſ
		ort/Loop Combination Rates				1						İ					ſ
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
		pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										<u> </u>
	ļ	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39								ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26				ļ						├
	2-Wire	Voice Grade Line Port (Bus)			HEDDY	LIEDDI	4.00	00.0=	10.00								⊢
	ļ	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL UEPBC	1.36	38.85	19.08								
	 	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX UEPBX	UEPBO	1.36 1.36	38.85 38.85	19.08 19.08		1	1	-		 		
-	-	2-Wire voice unburidled port outgoing only - bus 2-Wire voice Grade unbundled Louisiana extended local dialing			ULFDA	UEPBU	1.30	30.85	19.08		 				-		
	1	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08						1		1
	 	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08		1	1			1		
	 	2-Wire voice unbundled Louisiana Bus Area Calling Port with			סבו טא	OLI DI	1.30	30.03	19.00		1	1			1		
	1	Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08						1		1
	1	2-Wire Voice Unbundled Louisiana Business Dialing Plan				1		55.55	.0.50						1		
	1	without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08						1		1
		2-Wire voice unbundled Louisiana Business Area Calling Port				1		22.20		İ					İ		ſ
1	l	without Caller ID Capability	1		UEPBX	UEPBA	1.36	38.85	19.08						Ì		1

UNBUN	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 101	1 2.00 7.00 .
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID															i
		Capability			UEPBX	UEPBE	1.36	38.85	19.08								
<u> </u>	LOCAL	NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										
⊢	4 1	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										+
	EATU				LIEDDY	UEPVF	0.00	0.00	0.00			1					
├─┤,		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00								
	NOINKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								i
-		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	OOAOZ		0.10	0.10			1					
		Switch with change			UEPBX	USACC		0.10	0.10								ĺ
<u> </u>	ADDITI	ONAL NRCs	1	†	021 0/1	00,100		0.10	0.10	I	1	1		1	 		
 		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	†		+				I	1	1		1	 		
		Activity	l	1	UEPBX	USAS2		0.00	0.00	I					1		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	1				2,00	2.00	1	1				1		
		Premise	l	1	UEPBX	URETL		8.33	0.83	I					1		1
	OFF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								[
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								1
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								(
I	NTERO	OFFICE TRANSPORT															[
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															i
		Termination			UEPBX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															ĺ
		or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
<u> </u>	JNE PO	ort/Loop Combination Rates		1		+	10.10					1					
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		+	13.13 23.75					1					+
		2-Wire VG Loop/Port Combo - Zone 2		3			49.62										
	INF L	pop Rates		3			49.02					1					+
<u> </u>		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77					1					
 		2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPRG	UEPLX	22.39			-	1						
1		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	48.26			†	1						
- 2	2-Wire	Voice Grade Line Port Rates (RES - PBX)	1	Ť		32.2.	.5.20			†	1						
H		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	l	1		1				1	1				1		
1		Res	l		UEPRG	UEPRD	1.36	66.91	31.29	1							1
l	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								ſ
i i	EATU																ſ
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
l l	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85								<u> </u>
l		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
		Conversion - Switch with Change			UEPRG	USACC		7.68	1.85	1	ļ						
/	ADDITI	ONAL NRCs		ļ						.	<u> </u>						
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l							1							1
		Subsequent Activity	ļ	<u> </u>	UEPRG	USAS2	0.00	0.00	0.00			ļ					├
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l	1		1			-	I					1		1
-		Group	l	 		+		7.11	7.11	 	<u> </u>				-		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	1	UEPRG	URETL		8.33	0.83	I					1		1
)EE/01	Premise PREMISES EXTENSION CHANNELS	!	 	UEPKG	UKEIL		8.33	0.83	 	1	 			-		
├ ── ¦	JFF/U	Local Channel Voice grade, per termination	!	1	UEPRG	P2JHX	14.93	102.10	65.72	 	1	 			-		
 		Local Channel Voice grade, per termination Local Channel Voice grade, per termination	-		UEPRG	P2JHX P2JHX	25.35	102.10	65.72		 			-	-		
		Local Chamber voice grade, per termination			OLFING	L. ZILIV	20.30	102.10	05.72			1	l	l			1

CATEGORY MATE ELEMENTS Marie Done BCS USOC RATE (B) Statistical Control of	UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
ATTECHNISH ART ELEMENTS Seat	CHECHEL	E THE THE TOTAL ELEMENT OF LOUISIUM										Svc Order	Svc Order				Incremental
ACTE CHILDRENTS RATE ELHIBATTS RATE PLUMBATES RATE PLUMBATE SIGN PARTICLES (B) RATE PLUMBATES (B) RAT																	Charge -
### CONTROL OF PLAN PLAN Deep Line Dee	1		Inter'														Manual Svc
Betroin: Betroin:	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
1			m									per Lore	per Lore				Electronic-
No. No.																	Disc Add'l
Comparison Com																D130 131	Disc Add I
Description Control Control Control (Control Contr							Rec										
INTEGER TRANSPORT										First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interestive Transport - Decisional - 2 Wiles Voice Grade - Facility Legisland Legisl	L			3	UEPRG	P2JHX	50.46	102.10	65.72								
Terristation	INTE			<u> </u>													
Intercitive Transport - Poblanded - 2 Wire Vision Granter - Per Mello James Port Care Commission Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Commission Rates James Vision Rate Vision Rates James Vision Rates					LIEDDO	11477.00	00.00	00.00	00.00								
OF Printer Mail SHIPPY CONTINUE CHARGE LOUGH PROTE (BUS - PRIS)	-				UEPRG	U11V2	22.60	39.36	26.62								
2-Wine Voca Grandard Corp WITH 2-WINE LURP PORT (BUS - PRX)					LIEDDC	LIATVAA	0.013	0.00	0.00								
Deep Port Long Continuition Rates	2.WI				UEPRG	UTIVM	0.013	0.00	0.00	-		-			-		
2-Wine Vol Loop/Prof Combor - Zone 1						_											
2-Wine Vot CoopProf Control - Zone 3 3 5 5 5 5 5 5 5 5	ONE			1			13 13					1					
December December						+											
UNE Loop Rates				_		+											
2-Wine Voso Gradu Loog (St. 1) - Zone 2 2 UEPPX UEPX 2.2 2.5	UNF			Ŭ			70.02			†				1	<u> </u>		
2-Wire Votos Gridad Lone (St. 1) - Zone 3 3 UEPPX UEPLX 22.30	- Unit		†	1	UEPPX	UEPLX	11.77			I		<u> </u>		 	I		
2-Wire Voice Grade Line Port Lates (BUS - PRY)										t	1			1	t	1	1
2 2 2 2 2 2 2 2 2 2			1							1				1	1		
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	2-Wi		<u> </u>	Ť	:	J	.5.20			t				1	t		
Line Side Unbundled Culward PSX Trunk Port - Bus USPPX USPPC 1-36 66.91 31.29						1				1				İ	1		
Line Side Unbundled Outward PSX Trunk Port - Bus UEPPX UEPP1 1-36 66.91 31.29		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29								
Line Side Unbundled Incoming PEX Trunk Port - Bits UEPPX UEPL2 1.36 66.91 31.29																	
2-Wire Vote Urbundled 2-Way PC Combination PRX Lossiana UEPPX UEPL2 1.36 66.91 31.29																	
Calling Port																	
2.Wive Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX 1.36 66.91 31.29					UEPPX	UEPL2	1.36	66.91	31.29								
2-Wire Voice Unburided PRX LD DID Terminals Port UEPPX UEPX 1.36 66.91 31.29					UEPPX	UEPLD	1.36	66.91	31.29								
2-Wire Voice Unbundled PBX LD DDD Terminal Switchboard Pott UEPPX UEPX 1.36 66.91 31.29		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29								
2-Wire Voice Unbundled PSL ID Terminal Switchboard IDO Capable Port UEPPX UEPX 1.36 66.91 31.29		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29								
2-Wire Voice Unbundled PSk LD Terminal Switchboard IDD		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29								
Capable Port		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29								
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port UEPX		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port					UEPPX	UEPXE	1.36	66.91	31.29								
Administrative Calling Port																	
Administrative Calling Port					UEPPX	UEPXK	1.36	66.91	31.29								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPPX UEPX																	
Room Calling Port					UEPPX	UEPXL	1.36	66.91	31.29								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPPX UEXACT UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UE																	
Discount Room Calling Port			<u> </u>	<u> </u>	UEPPX	UEPXM	1.36	66.91	31.29	ļ					ļ		
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local UEPPX			1		l	1				I				1	I		
Discount Calling Port			ļ		UEPPX	UEPXO	1.36	66.91	31.29	ļ				ļ	ļ		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPX 1.36 66.91 31.29			1		LIEDDY	LIEDY'S				I				1	I		
LOCAL NUMBER PORTABILITY	\vdash		<u> </u>							-				 	-	ļ	ļ
Local Number Portability (1 per port)	H		<u> </u>	<u> </u>	UEPPX	UEPXS	1.36	66.91	31.29	-					-		
FEATURES	LOC		 	<u> </u>	LIEDDY	LNDCD	0.4-	0.00	0.00	!	-			 	!	1	1
All Features Offered			 	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00	!	-			 	!	1	1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPPX	FEA		 	-	LIEDDY	LIED\/E	0.00	0.00	0.00	 		-		 	 		-
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPPX USAC2 7.68 1.85	NON		├	 	OLFFA	UEFVF	0.00	0.00	0.00	 				-	 		
Conversion - Switch-As-Is	NON		 			+				 		-		1	+	1	1
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX USACC 7.68 1.85			1		LIEPPX	LISAC2		760	1 95	I				1	I		
Conversion - Switch with Change	 		 		OLI I A	UUAUZ		1.00	1.05	t				1	t	1	1
ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group UEPPX USAS2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.			1		UEPPX	USACC		7 68	1 85	I				1	I		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	ADD		†			0000		7.00	1.00	I		<u> </u>		 	I		
Subsequent Activity			1							t				1	1		
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.11			1		UEPPX	USAS2	0.00	0.00	0.00	I				1	I		
Group 7.11			<u> </u>	 			2.00	2.00	2.00	t				1	t		
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPPX URETL 8.33 0.83 OFF/ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72	1 1							7.11	7.11	1					1		
Premise			1	1						1	İ			İ	İ	İ	İ
OFF/ON PREMISES EXTENSION CHANNELS			1		UEPPX	URETL		8.33	0.83	I				1	I		
Local Channel Voice grade, per termination 1 UEPPX P2JHX 14.93 102.10 65.72	OFF/																
				1	UEPPX	P2JHX	14.93	102.10	65.72								
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72								

UNRII	NDI F	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
CIADO	ITDEL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT		02.17	0	0.010	0.00	0.00								
		ort/Loop Combination Rates	Ì			+											
	0.1.	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	13.13										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	23.75										
		2-Wire VG Coin Port/Loop Combo – Zone 2	1	3		1	49.62			†	1	1	 	†	†		
	UNF I	pop Rates	1			1	40.02			t		1		1	t	1	
	J	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPCO	UEPLX	11.77			 	<u> </u>	1			 		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	†	2	UEPCO	UEPLX	22.39			 		 	 		 		
		2-Wire Voice Grade Loop (SL1) - Zone 2	†	3	UEPCO	UEPLX	48.26			 		 	 		 		
\vdash	2-Wire	Voice Grade Line Ports (COIN)	†		02.1 00	OLI LX	70.20			 		 	 	-	 		
	2-11116	2-Wire Coin 2-Way without Operator Screening and without				+											
		Blocking (AL, KY, LA, MS)	1	1	UEPCO	UEPRF	1.36	38.85	19.08	I				Ì	I		I
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	OLI IXI	1.50	30.03	13.00								
		900/976. 1+DDD (AL. KY. LA. MS)			UEPCO	UEPRA	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCU	UEPKA	1.30	30.03	19.00	-					-		
		(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening & Blocking:			UEPCU	UEPRB	1.30	30.03	19.00								
					UEPCO	UEPCD	1.36	38.85	19.08								
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCU	UEPCD	1.30	30.03	19.00								
		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	4.00	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCU	UEPRIN	1.36	38.85	19.08								
		(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
		(= 4			UEPCU	UEPLA	1.30	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII	4.00	00.05	40.00								
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPCN	4.00	00.05	40.00								
		1+DDD, 011+, and Local (AL, KY, LA, MS)					1.36	38.85	19.08								
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08								
		2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08								
	ADDIII	IONAL UNE COIN PORT/LOOP (RC)															
 	1.004	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	-	UEPCO	URECU	1.81	0.00	0.00	0.00	0.00	1		1	 	-	
	LOCAL	NUMBER PORTABILITY	<u> </u>		LIEDOO	LNDOV	0.05				ļ	ļ					
	NONE	Local Number Portability (1 per port)	!	<u> </u>	UEPCO	LNPCX	0.35			.					-	1	├
	NUNRE	ECURRING CHARGES - CURRENTLY COMBINED	!	<u> </u>		+				.					-	1	├
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEBOO	110465				I				Ì	I		I
		Switch-as-is	<u> </u>		UEPCO	USAC2		0.10	0.10		ļ	1	ļ				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEBOO	110466				I				Ì	I		I
 	4 D D : -	Switch with change	<u> </u>		UEPCO	USACC		0.10	0.10		ļ	ļ					
igwdot	AUDIT	IONAL NRCs	!								ļ	1					├
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1							1			1		1		1
		Activity	<u> </u>		UEPCO	USAS2		0.00	0.00		ļ	1	ļ				├
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	LIEBOO	LIDET:				I				Ì	I		I
	0 14/15	Premise	<u> </u>	L COT "	UEPCO	URETL		8.33	0.83		ļ	ļ					
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKT (KES)						ļ	1					├
	UNE P	ort/Loop Combination Rates	<u> </u>	.		-	10 :-				ļ	ļ					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	!	1		+	16.45			.					-	1	├
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			51.98			.				ļ	.		1
	UNE L	oop Rates	ļ	L.,		1				.				ļ	.		1
		2-Wire Voice Grade Loop (SL2) - Zone 1	ļ		UEPFR	UECF2	14.93			.				ļ	.		1
		2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFR	UECF2	25.35										
		2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFR	UECF2	50.46			.				ļ	.		1
	2-Wire	Voice Grade Line Port Rates (Res)	ļ			Lugge:				.				ļ	.		
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93	l]	l]]	

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted				Charge -
															Charge -	Charge -	
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	OKT	RATE ELEMENTS	m	Zone	BUS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															7144	2.00 .00	2.007.444.
							D	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								
-		2-Wire voice Grade unbundled Louisiana extended local dialing			OLITIK	OLITIO	1.52	104.41	07.33								
		parity port with Caller ID - res			UEPFR	UEPAS	4.50	404.44	67.00								
	-				UEPFR	UEPAS	1.52	104.41	67.93		1						
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															
		(RUL)			UEPFR	UEPAG	1.52	104.41	67.93								
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	1.52	104.41	67.93								
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan															
		without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	l	Termination			UEPFR	U1TV2	22.60	39.36	26.62			1	1				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	011172	22.00	33.30	20.02			1					
	l	or Fraction Mile			UEPFR	1L5XX	0.013					1	1				
					UEPFR	1L5XX	0.013										
	FEATU																
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITIK	OOACC		0.24	1.01			1					
		End User Premise			UEPFR	LIDETN		44.00	1.10								
			<u> </u>			URETN		11.20	1.10		1						
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (BUS)												
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	1	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46				1	1	i		1		1
	2-Wire	Voice Grade Line Port (Bus)		Ť		02012	30.40				1	1	 				
\vdash		2-Wire voice unbundled port without Caller ID - bus	-	 	UEPFB	UEPBL	1.52	104.41	67.93		+	 	 		 		
	-	2-Wire voice unbundled port with Caller + E484 ID - bus		!	UEPFB	UEPBC	1.52	104.41	67.93		+	1	-		-		-
	 			1	UEPFB	UEPBO	1.52				1	 	 		 		
	<u> </u>	2-Wire voice unbundled port outgoing only - bus		 	UEPFB	DELRO	1.52	104.41	67.93		1	1	.		ļ		ļ
	l	2-Wire voice Grade unbundled Alabama extended local dialing		1	l	1]					1	I		1		1
		parity port with Caller ID - bus		1	UEPFB	UEPAW]	1				
	l	2-Wire voice Grade unbundled Louisiana extended local dialing		1	İ]					1	I		1		1
	l	parity port with Caller ID - bus		1	UEPFB	UEPAX	1.52	104.41	67.93			1	I		1		1
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.52	104.41	67.93								
		2-Wire voice unbundled Louisiana Bus Area Calling Port with					i i					1					
	l	Caller ID (BUC)		1	UEPFB	UEPAA	1.52	104.41	67.93			1	I		1		1
	1	2-Wire Voice Unbundled Louisiana Business Dialing Plan		t	T				350		1	1	i e		1		1
	l	without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93			1	1				
—	LOCAL	NUMBER PORTABILITY		 	02.10	JLI WIII	1.02	104.41	01.53		+	1	1		1		1
	LUCAL			-	LIEDED	LNDCV	0.05				+	 	1		 		ļ
	1517	Local Number Portability (1 per port)		1	UEPFB	LNPCX	0.35				1	1	1		1		
	INTER	OFFICE TRANSPORT		1								ļ	ļ				
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	İ]					1	I		1		1
		Termination		<u> </u>	UEPFB	U1TV2	22.60	39.36	26.62		<u> </u>	<u> </u>					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	l	or Fraction Mile			UEPFB	1L5XX	0.013					1	1				
	FEATU														İ		İ
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00		İ	İ					
		ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	 		3.30	3.30	0.00		1	 	1		-		1

CATEGORY RATE ELEMENTS RATE ELEMENT	UNRUN	DI FI	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Exhil	hit: A
CATEGORY PARTE ELEMENTS Decoration D	5.45514	J	THE THORK ELLINEITIO LOGISIANA										Svc Order	Svc Order				Incremental
APPLICATION RATE FLEMENTS Rate Rose Rose RATE (S) Prof. RATE (S) Prof. Rate Rose Ro																		Charge -
CATEGORY RAYE ELEMENTS Max Zone BCG USC RAYES (1) part 15R part 15R Content vs. Co				Inter'														Manual Svc
Description Description	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
14 April Discrete Discret				m						.,,			per Loix	per Lor				Electronic-
Nonexemble Non																		
SWILLOW TOTALIST TRUSTED TO STATE THE PAIN SOME																	DISC 1St	DISC Add I
Description Description								Pec										
Combination - Committed - State State								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wite Loop Deficienced ST Transport 2 Way Line Pert USPFR																		
Combestation - Convenience - Seattle with the harge MEPFB USACC B 2.2 1.81						UEPFB	USAC2		8.24	1.81								
Unbloaded Microalisance Rate Element, Top Designed Layer at 1,20 1,10 1																		
First later Persons	-					UEPFB	USACC		8.24	1.81								
2 WINE VOICE LOOP VAINE VOICE GNAME OF TRANSPORT / 2 WINE VOICE (STATE OF THE LINE OF TH						LIEDED	LIDETNI		11 20	1 10								
Description of Combination Relates	2	-WIRE		FINE	OPT (UKLIN	-	11.20	1.10	†							
2-Wine V6 Location Transport Part Centres - Zener 1 1 16.86				LINE	1710	DA)	+	-			†							
2-Wine Vot Control TransportPet Comino - Zone 2 2 2 5.5 5.168					1			16.45										
Declaration Declaration					2						İ							
2-Wine Voca Grade Long (SL2) - Zone 1 1 UEPPP UECP2 14-93																		
2-Wire Vose Grade Lords (SL2) - Zone 3 3_UEPPP UEPS 25.58	U	NE Lo																
2-Wire Voice Grade Land Part Rate (BUS - PRX)					1													
2									_	•								
Line Side Unbumilled Curbination 2-Way PRX Trunk Port - Bus	\coprod				3	UEPFP	UECF2	50.46										
Line Side Unbunded Outward PSX Turk Port - Bus UEPPP UEPPP UEPPP 1.52 132.47 82.14	2.	-Wire	Voice Grade Line Port Rates (BUS - PBX)	ļ							ļ				ļ	ļ		
Line Side Unbundled Outward PRX Turk Port - Bus			December 10 and			LIEDED	LIEDES											
Line Side Unbunded Horoming PRX Trank Port - Biss																		
2-Wire Voice Unbundled 2-Way PEX (Justiens and Calling Port UEPFP UEPL2 1.52 132.47 82.14											1							
Calling Port					<u> </u>	UEPFP	UEPP1	1.52	132.47	82.14			-					
2.Wire Vices Unburdied 2-Way Combination PBX Usage Port UEPFP UEPXA 1.52 132.47 82.14						LIEDED	HEDL 2	1.52	122 47	92.14								
2.Wire Visce Unbunded PXX Tol Terminal Hotel Ports UEPFP UEPXA 1.52 132.47 82.14													1					
2-Wire Voice Unburided PEX LD DOT Emmals Port UEPPP UEPX 1.52 132.47 82.14																		
2-Wire Voice Unbundled PBX LD DDD Terminal Switchboard Port UEPFP UEPXC 1.52 132.47 82.14																		
2-Wire Voice Unbundled PSK LD Terminal Switchboard IDD UEPFP UEPKD 1.52 132.47 82.14																		
Capable Port						UEPFP												
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port UEPX 1.52 132.47 82.14			2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port						UEPFP	UEPXE	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXL 1.52 132.47 82.14																		
Administrative Calling Port						UEPFP	UEPXK	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Louisiana Local UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPVF 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPVF 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPVF 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 0.00																		
Room Calling Port						UEPFP	UEPXL	1.52	132.47	82.14								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXO 1.52 132.47 82.14						LIEDED	LIEDVA	4.50	100.47	00.44								
Discount Room Calling Port						UEPFP	UEPXM	1.52	132.47	82.14	-							
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port UEPFP UEPXP 1.52 132.47 82.14						LIEDED	LIEDYO	1.52	132 47	82 14	I				1	1		
Discount Calling Port	+			 		OLFIF	ULFAU	1.52	132.47	02.14	 		-		1	1		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.52 132.47 82.14						UEPFP	UEPXP	1 52	132 47	82 14								
LOCAL NUMBER PORTABILITY											t				1	1		
Local Number Portability (1 per port)	L	OCAL					1											
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFP U1TV2 22.60 39.36 26.62 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile FEATURES IAI Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81				l		UEPFP	LNPCP	3.15	0.00	0.00					1	1		
Termination	II.		OFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFP 1L5XX 0.013																		
Or Fraction Mile UEPFP 1L5XX 0.013						UEPFP	U1TV2	22.60	39.36	26.62								
FEATURES UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00	1 [1		l	1 7	Ι Τ			_				1	1		
All Features Offered	$\vdash \vdash \vdash$			ļ		UEPFP	1L5XX	0.013			ļ				ļ	ļ		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	<u> </u>			 	<u> </u>	LIEDED	LIED) /C	0.00	0.00	0.00	.	-			 	 		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.24 1.81 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT				 	-	UEPFP	UEPVF	0.00	0.00	0.00	 	-	-		 	 		
Combination - Conversion - Switch-as-is	⊢ N	UNKE		 			+ -	+			+							
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-Wire Voice GRADE Loop- BUS ONLY - WITH 2-WIRE DID TRUNK PORT						LIEPEP	USAC2		8 24	1 21	1				1	1		
Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	+			 		0=111	00,102		0.24	1.01	t				 	 		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.10						UEPFP	USACC		8.24	1.81	I				1	1		
End User Premise				1			1				1				İ	İ		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT			End User Premise			UEPFP	URETN		11.20	1.10	I				1	1		
			PORT/LOOP COMBINATIONS - COST BASED RATES															
UNE Port/Loop Combination Rates				PORT														
	U	NE Po	ort/Loop Combination Rates															

<u>UNBUNDL</u>	LED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	В	cs	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge -
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				33.62										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										
UNE	Port Rate			ļ <u>.</u>													
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92								
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-															
	Switch-as-is	1	<u> </u>	UEPPX		USAC1		7.10	1.81		ļ	1					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEBBY		110440										1	
	with BellSouth Allowable Changes		<u> </u>	UEPPX		USA1C		7.10	1.81		ļ						
ADD	DITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.20	1.10								
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		<u> </u>	UEPPX		LNPCP	3.15	0.00	0.00								
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDE	PORT	Ī.													
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		1	LIEDDD	LIEDDO		07.40										
-+	UNE Zone 1		1	UEPPB	UEPPR		27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		2	LIEDDD	LIEDDD		40.04										
	UNE Zone 2	-	2	UEPPB	UEPPR		40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		_	LIEDDD	UEPPR		70.00										
	UNE Zone 3	+	3	UEPPB	UEPPR		70.99										
UNE	Loop Rates		-	LIEDDD	LIEDDD	LICLOY	40.00										+
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	+	1	UEPPB	UEPPR	USL2X	19.09										
	2 Wire ICDN Digital Conda Lang. UNE Zana 2		2	LIEDDD	UEPPR	LICLOY	24.05										
+-	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR	USL2X USL2X	31.95 62.60										
UNIT		+	3	UEPPB	UEFFR	USLZA	02.00					-					+
UNE	E Port Rate Exchange Port - 2-Wire ISDN Line Side Port	+	<u> </u>	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42			-					+
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	<u> </u>	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42			-					+
NON		+															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	27.40	20.22								
400		-		UEPPB	UEPPR	USACB	0.00	37.40	26.23								
ADD	DITIONAL NRCs			1													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDDD	LIEDDD	LIDETNI		44.00	4.40								
	End User Premise	1	<u> </u>	UEPPB	UEPPR	URETN		11.20	1.10	 	1	1			1	 	+
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	HEDDD	UEPPR	URETL		8.33	0.83						l	I	
	Premise	1	1	UEPPB	UEPPR	UKEIL		8.33	0.83		<u> </u>					 	+
LOC	Lacel Number Portability (1 per port)	1	1	UEPPB	UEPPR	LNDCY	0.35	0.00	0.00		 	1			-	 	+
	Local Number Portability (1 per port) HANNEL USER PROFILE ACCESS:	1	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		 	1			-	 	+
B-CF		1	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		<u> </u>					 	
	CVS/CSD (DMS/5ESS) CVS (EWSD)	1	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		 	1			-	 	+
+-	CSD (EWSD)	+	 								_	 				-	+
		C MC ^	TAIN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		 	1			-	 	+
B-CF	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS \$	U,IVIS, 8	(N)	HEDDD	HEDDD	HALICE	0.00	0.00	0.00		<u> </u>					 	+
	CVS/CSD (DMS/5ESS) CVS (EWSD)	-	ļ	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00		.					-	₩
	ICVO (EVVOID)	1	1	UEPPB	UEPPR	UTUCE	0.00	0.00	0.00		1					1	1
1	CSD	-		UEPPB	UEPPR	HALLOE	0.00	0.00	0.00								

UNBI	JNDLF	D NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Fyhi	ibit: A
<u> </u>													Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										F	F =	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							ļ	Rec		curring		g Disconnect				Rates (\$)		
	HOED	 TERMINAL PROFILE							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USER	User Terminal Profile (EWSD only)			UEPPB	UEPPR	114111140	0.00	0.00	0.00								
	VEDTIC	CAL FEATURES	<u> </u>		UEPPB	UEPPR	UTUMA	0.00	0.00	0.00								
		All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		<u> </u>	1			-	-	
		OFFICE CHANNEL MILEAGE	1		OLFFB	ULFFR	OLFVI	0.00	0.00	0.00								
	INTERN	Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	UEPPR	M1GNC	22.613	39.36	26.62								
		Interoffice Channel mileage each, additional mile				UEPPR		0.013	0.00	0.00								
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
		IE-P DS1 combination rates below for in this rate exhibit appl			ded base	in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff ra	tes or a separa	te commerc	ial agreeme	ent.			
	Reques	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T																
	UNE Po	ort/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	1	Zone 1		1	UEPPP			180.52										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				·											1	
	<u> </u>	Zone 2	<u> </u>	2	UEPPP		ļ	289.78					ļ					ļ
	1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1 .	l		1							1		I	I	
		Zone 3		3	UEPPP			586.76										
	UNE Lo	pop Rates					l											
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96										
	LINE D	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94										
		ort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<u> </u>		UEPPP		UEPPP	94.82	443.08	251.60								
		ECURRING CHARGES - CURRENTLY COMBINED			OLFFF		OLFFF	34.02	445.00	231.00								
	NONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1						1					
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	115.63	76.29								
	ADDITI	ONAL NRCs			OLITI		00/10/	0.00	110.00	70.20								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
		Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.48									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		22.35	22.35								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	INTER	FACE (Provsioning Only)																
		Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	1	Digital Data	ļ	<u> </u>	UEPPP		PR71D	0.00	0.00	0.00		ļ	ļ			ļ	ļ	
<u> </u>		Inward Data	ļ	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00	ļ		ļ		ļ			
	New or	Additional "B" Channel	<u> </u>	<u> </u>	LIEDSS		DD3E;					-	ļ			-	-	
	 	New or Additional - Voice/Data B Channel	<u> </u>	<u> </u>	UEPPP		PR7BV	0.00	14.11			-	ļ			-	-	
	+	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	1	 	UEPPP		PR7BF PR7BD	0.00	14.11 14.11		1	 	 		1	 	 	1
	CALL 1		 	 	UEFFF		LKIBD	0.00	14.11		1	-	1	-	1			1
	CALL	Inward	1	1	UEPPP		PR7C1	0.00	0.00	0.00	1	1	1			1	1	1
-	1	Outward	 		UEPPP		PR7CO	0.00	0.00	0.00	1	 	1			 	 	1
-	1	Two-way	 		UEPPP		PR7CC	0.00	0.00	0.00	1	 	1			 	 	1
	Interoff	fice Channel Mileage	 	1	JE: 11			0.00	0.00	0.00		1				-	-	
		Fixed Each Including First Mile	<u> </u>	 	UEPPP		1LN1A	70.7352	86.69	79.44						1	1	
	1	Each Airline-Fractional Additional Mile	†		UEPPP		1LN1B	0.2652	33.00			1				1	1	
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1				1	5::202				i e				İ	İ	
		IE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base	in place a	s of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff ra	tes or a separa	te commerc	ial agreeme	ent.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff																
		ort/Loop Combination Rates	<u></u>															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<u></u>	_1	UEPDC			154.17										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC			263.43										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC			560.41										
	UNE Lo	pop Rates																

UNB	UNDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zono	BCS	USOC			RATES (\$)			Elec	,	Manual Svc			Manual Svc
CATE	GUKT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70										<u> </u>
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96										ļ
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94										
	UNE Po	4-Wire DDITS Digital Trunk Port (E:4/1/2004)		<u> </u>	UEPDC	UDD1T	68.47	441.34	245.90			-					
		CURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	00.47	441.34	243.50								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination									İ						
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								ł
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															ĺ .
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			<u>.</u>					_]				1
<u> </u>	4001=	- Conversion with Change - Trunk (E:4/1/2004)	ļ	<u> </u>	UEPDC	USAWB		125.75	65.08	ļ							l
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06								1
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		14.06	14.06		1						
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								ł
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 00	022		1 1100									
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								ł
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															ĺ .
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															ł
	DIDOL 4	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06								
	BIPOLA	AR 8 ZERO SUBSTITUTION			UEPDC	CCOSF		0.00:	COE 00-								
		B8ZS - Superframe Format B8ZS - Extended Superframe Format			UEPDC	CCOEF			605.00s 605.00s		-	-					
	Δlterna	te Mark Inversion			OLFDC	CCOLI		0.001	003.005								
	7.1101114	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								ī
	Telepho	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										<u> </u>
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										ļ
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC UEPDC	ND4 ND5	0.00				1						
-		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00		-	-					
-		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	Dedicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop			0.00	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															i
		Termination)			UEPDC	1LNO1	70.47	86.69	79.44								<u> </u>
						l											
	1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	ļ	<u> </u>	UEPDC	1LNOA	0.2652	0.00	0.00	ļ							l
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1		LIEDDC	11 NO2	0.00	0.00	0.00		1		1				1
	+	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25	 	-	UEPDC	1LNO2	0.00	0.00	0.00		-				-		
		miles			UEPDC	1LNOB	0.2652	0.00	0.00								l
	1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			0L1 D0	121400	0.2002	0.00	0.00								ſ
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							l
		,	Ì														i
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								<u> </u>
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00	ļ						ļ
<u> </u>	4 1	Central Office Termininating Point	1		UEPDC	CTG	0.00										
<u> </u>		DS1 LOOP WITH CHANNELIZATION WITH PORT		}						ļ					ļ		
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act ystem can have up to 24 combinations of rates depending on			her of norte used						-				-		
—		er in the state of the states below for 4-Wire DS1 Loop with 0				e exhibit ann	ly to the embe	dded base in r	lace as of 10/5	2/03 until 4/1/04	1. After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement	
		ts for 4-Wire DS1 Loop with Channelization with Port after th											an revent	um rates	o. a soparate	ag. comont.	1
		S1 Loop							• • • • •								1
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00								i

UNBL	JNDLEI	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
0.150	, ND LL	THE INDICATE LEGISLATION										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Name	curring	. Names according	g Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	11130	Auu	OOMILO	JOHAN	JONAN	JONIAN	JOHAN	JOHAN
		4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00								
	UNE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM38 VUM4O	1,557.60	0.00	0.00	-							
		480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,947.00 2.336.40	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								-
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	eliztio					0.00								-
		num System configuration is One (1) DS1, One (1) D4 Channe						otom									
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without			,	1											
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
	System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and	i									
	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00005	0.00	0.00:	005.00								
		Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.001	605.00s								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
	Alterna	te Mark Inversion (AMI)			OLFIVIG	CCOLI	0.00	0.001	003.005								
	Antoma	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00	1							
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
1		Line Side Inward Only Channelized PBX Trunk Port without DID	1		LIEDDY	LIEDAY	4.50	0.00	2.55		0.00		1		1		1
-	-	(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-		UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00				ļ		
1		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	1		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		1		1		1
-	 	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	 		OLFFA	OLF DIVI	0.29	0.00	0.00	0.00	0.00				1	1	
1		(AL, KY, LA, MS, & TN)(Conversion from Network Access	1			1				I			1		1		1
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						1
		Unbundled Exchange Ports, 2-Wire Channelized – Combination				1		2.30	2.30	1.50	2.30				1		
		(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1				I			1		1		1
L		Service) (E:4/1/2004)	<u> </u>		UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>		<u> </u>	<u></u>	1
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –						_						_			
		Louisiana Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00						
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	1										1		1		1
<u> </u>	 	Louisiana Only – Calling Plan (E:4/1/2004)	<u> </u>		UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00				 	ļ	├
<u> </u>	reature	Activations - Unbundled Loop Concentration	 			1				.							
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			LIEDDY	100\\\	0.6407	05.00	12.40	1							1
—	 	Feature (Service) Activation for each Trunk Port Terminated in	├		UEPPX	1PQWM	0.6497	25.36	13.40	-			 		-		
		D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40	1							1
-	Teleph	one Number/ Group Establishment Charges for DID Service	 		OLI I A	11 6440	0.0497	70.05	10.40	 			 		 		
	. 5.55/11	DID Trunk Termination (1 per Port)	†		UEPPX	NDT	0.00	0.00	0.00	-		1	 		 		—
		DID Numbers - groups of 20 - Valid all States	1		UEPPX	ND4	0.00	0.00	0.00	1	1				1		t
					1- * * * * *	, ·- ·	0.50	5.50	0.00	<u> </u>	1				1	l	

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Elec Manual Svc Order vs. Electronic- 1st Disc 1st	UNRI	JNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: A
ATTENDED BY THE PROPERTY OF TH	3110	J. NDLL											Svc Order	Svc Order				Incremental
## BCS USCO RATE 6() PER PASH SAME BOX SAME	1			1														Charge -
CATEGORY RATE ELEMENTS Image 2006 RATE CATEGORY During 1507 During 1507 During 1507 During 1507 During 1507 During 1507 During 1507 During																		Manual Svc
Bear Bear	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
1	1			m						(+)			per LOR	hei rok				Electronic-
Number Number per minder Number per minder Number per minder Number per minder Number Per minder Number																		Disc Add'l
Manual Content of Co																	DISC 1St	DISC Add I
Secretarian Distriction Pret Act Pre								Boo	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
Reserve No. Oscillatoria Di Nuribera DEPPK NDC 0.03 0.00 0.00								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Reserve DR Number																		
Coal Number Pertaility par point UBPPX NPCP 3.15 0.00																		
Local Number Protestals - Line Side Print Colly Feat Press Vertical and Options Ver						UEPPX	NDV	0.00	0.00	0.00								
FEATURES - Vertices and Optional		Local I																
Local Swetching Features Officed with Line Side Port Only						UEPPX	LNPCP	3.15	0.00	0.00								
MP Features Analogies																		
UNBONCED CENTER PORTICOP COMBINATIONS - COST DASED NATES 1. Cost Bases Retina an applied where Bellishout in sequent by FCE and/or State Commission rule to provide Unbounded Local Switching or Switch Ports. 2. Features shall apply to the Unbounded Porticop Combination. Cost Bases Retina section in the same namer as they are applied to the State-Alone Unbounded Port section of this Ratio. 4. The first and additional Port Internet Porticop Combinations. 4. The first and additional Port Internet Porticop Combinations. 5. Where Retination is a distinction Port Internet Porticop Combination will be negotiated on an Individual Case Basis, until further notice. 5. Where Retination Combined Port Section Porticop Combination will be negotiated on an Individual Case Basis, until further notice. 5. Where Retination Combined Porticop Combination Porticop Porticop Porticop Porticop Combination Porticop Combination Porticop Porticop Porticop Combination Porticop Combination Porticop Porti		Local				LIEDBY	LIED) /E	0.00	0.00	0.00								
1. Cost Based Rates are applied where BetilSouth is required by PCC and/or State Commission nut to provide Unburshed Local Stay or applied to the State Exhibit. 2. Features and additional PCR commission commission on the to provide Unburshed Local Stay or applied to the State Exhibit. 4. The first and additional PCR commission growing stayes spayly to Not Currently Commission. 4. The first and additional PCR commission growing spayly as the Currently Commission. 5. Market Rates for Unburshed Centres Port Cupp Commission will be reposited on an Individual Cases Basis, until further notice. 5. Market Rates for Unburshed Centres Port Cupp Commission will be reposited on an Individual Cases Basis, until further notice. 5. Market Rates for Unburshed Centres Port Cupp Commission will be reposited on an Individual Cases Basis, until further notice. 5. Market Rates for Unburshed Centres Port Commission will be reposited on an Individual Case Basis, until further notice. 6. Market Rates for Unburshed PCR (Centres) Commission will be reposited on an Individual Case Basis, until further notice. 7. Market Rates for Unburshed PCR (Centres) Commission Will be reposited on an Individual Case Basis, until further notice. 8. Market Rates for Unburshed PCR (Centres) Commission Will be reposited on an Individual Case Basis, until further notice. 9. While Not Loop-2 Wire Vacio Growthe PCR (Centres) PCR Commission Case Basis, until further notice. 1. UEPSI 1.3.13. 9. While Not Loop-2 Wire Vacio Growthe PCR (Centres) PCR Commission Case Basis, until further notice. 1. UEPSI 1.3.13. 1. UEPSI 1.3	LINIBU	NDI ED (<u> </u>		UEPPX	UEPVF	0.00	0.00	0.00								
2. Features that apply to the Unbundeed PortLoop Combination Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundeed Port section of this Tate shifts shall apply to all combinations of looppoint received demonsts except for UNE Color PortLoop Combinations. Section 1. Sec	UNBU				01-1-6					Web Beats								
3. End Offices and Transfer Switching Usages and Common Transport Usages rates in the Port section of this rate exhibits shall apply to all combinations of loop/port network elements except for UNE Colin Port Loop Combination and additional Port nonecouring charges shall be those identified in the Norrecurring Combined Combined. 5. Market Rates for Unburded Camirez Port Loop Combination will be regotiated on an Individual Case Basis, until further notice. 9. Market Rates for Unburded Camirez Port Loop Combination will be regotiated on an Individual Case Basis, until further notice. 9. Market Rates for Unburded Camirez Port Loop Combination (Combined Port Combined Com	\vdash										dlad Bart acct	on of this Date	Evhibit			 		
d. The first and additional Port nonsecuring charges apply to Not Currently Combined Combos. For Currently Combined Sections. Additional NFCs may apply alto and are adesported accordingly. United CENTREX - TASES - (Valid in ALT, CA, KYLA, MS, STN only) United PCENTREX - TASES - (Valid in ALT, CA, KYLA, MS, STN only) 2-Wire Vot Loop/2-Wire Votos Grade Port (Centrely Port Combo- 1	-													oin Dort/I o	on Combine	ione		
apply also and are categorized accordingly. 5. Marker Rates for Unbinding Centre Port Loco Combination will be negotiated on an Individual Case Basis, until further notice. UNEP CENTREX.* TARSS.* (Valid in A.E., CA, KYLA, ABS, ATM only) UNEP CENTREX.* TARSS.* (Valid in A.E., CA, KYLA, ABS, ATM only) INTERVITED CONTREX.* TARSS.* (Valid in A.E., CA, KYLA, ABS, ATM only) INTERVITED CONTREX.* TARSS.* (Valid in A.E., CA, KYLA, ABS, ATM only) INTERVITED CONTREX.* TARSS.* (Valid in A.E., CA, CA, CA, CA, CA, CA, CA, CA, CA, CA	-																Additional ND	Ce may
S. Market Rates for Unbundled Centrus PortLoop Combination will be negotiated on an Individual Case Basis, until further notice.				unenny	COIIID	med Combos. FOF	Currently CO	bineu Combo	o, uie iloiliect	anny charges	andin De UTOSE	i ideninieu iñ t	ne moniecu	ining - Curre	entry Combine	eu secilons.	Additional NK	os may
UNE PORTREX - LARSS - (Valid in ALF, LGA,KYLA,MS, ATN only) 2-Wire Via Loop? Wire Visite official Port (Centre) Port Combo 1	\vdash			he noo	ntiatod	on an Individual Co	eo Raeie um	til further netic	•		I	I	1	1	I	1	1	1
2.Wire Vot Loop/2-Wire Votes Grade Port (Centres) Combo	-				Jualed	on an mulvidual Ca	oe pasis, uni	rurmer notic	- .		-	-			-			
UNE PortLoop Combination Rates (Non-Design)	-			' 			}				-	-			-			
2-Wire Vol Lopp/2-Wire Volar Grade Port (Centres)Port Combo-Neuro-Design 1 UEP91 13.13	-			1	1		1						1			1		
Non-Design 1 UEP91 13.13	-	ONLF																
2					1	LIFP91		13 13										
Non-Design 2 UEP91 23.75						OLI 01		10.10										
2-Wire Visit Cop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 3 UEP91 49,62					2	LIFP91		23.75										
Nun-Design 3 UF991 49.62						OLI 01		20.70										
UNE PortILogo Combination Rates (Design)					3	UEP91		49.62										
2-Wire Vot Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 1 UEP91 16,29		UNE P																
2-Wire VGLoop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2 UEP91 26.71				•														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2 UEP91 26.71			Design		1	UEP91		16.29										
Design Section Secti			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design					2	UEP91		26.71										
UNE Loop Rate			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
2-Wire Voice Grade Loop (SL 1) - Zone 1					3	UEP91		48.26										
2-Wire Voice Grade Loop (St. 1) - Zone 2 2 UEP91 UECS1 22.39		UNE L	oop Rate															
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP31 UECS1 48.26					1			11.77										
2-Wire Voice Grade Loop (St. 2) - Zone 1					2													
2-Wire Voice Grade Loop (St. 2) - Zone 2 2 UEP91 UECS2 25.35																		
2-Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP91 UECS2 50.46																		
UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEPYA 1.36 38.85 19.08 2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area UEP91 UEPYB 1.36 38.85 19.08 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic UEP91 UEPYB 1.36 38.85 19.08	<u> </u>			<u> </u>														
All States (Except North Carolina and Sout Carolina)	<u> </u>	1		ļ	3	UEP91	UECS2	50.46			ļ	ļ				1	ļ	
2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEPYA 1.36 38.85 19.08	<u> </u>			ļ			1	ļ			ļ	ļ				1	ļ	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	<u> </u>	All Sta		ļ		LIEDO4	LIEDV.			10.5-								
Area	<u> </u>	1		 		UEP91	UEPYA	1.36	38.85	19.08					ļ	-		
2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic UEP91 UEPYH 1.36 38.85 19.08	1			1		LIEDO4	LIEDVE	100	00.0=	10.00				1		I		
Local Area	\vdash	1		 	-	UEP91	DELLR	1.36	38.85	19.08						 		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area UEP91 UEPYM 1.36 104.41 67.93				1		LIEDO1	LIEDVL	1 26	20 05	10.00						1		
Note 2, 3 Basic Local Area	-	 		 		OLFSI	OEFIR	1.30	30.85	19.08	-	-			-	-		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP91	1			1		LIED01	HEDVM	1 26	104.44	67.02				1		I		
Term - Basic Local Area	\vdash	1		 	-	OLI 31	OLFIN	1.30	104.41	07.93	 	 				 	 	
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP91	1			1		UFP91	UEPY7	1 36	104 41	67 03				1		I		
- Basic Local Area		1		1	1	SE. 51	Q=1 12	1.50	10-1-41	07.00						-		
2-Wire Voice Grade Port Terminated on 800 Service Term - UEP91						UEP91	UEPY9	1,36	38,85	19.08						1		
Basic Local Area				1				50	55.56	.0.50	1	1				1		
AL, KY, LA, MS, & TN Only	1			1		UEP91	UEPY2	1,36	38.85	19.08				1		I		
2-Wire Voice Grade Port (Centrex)		AL, KY		1		-	T -		22.30		İ	İ			İ	1		
2-Wire Voice Grade Port (Centrex 800 termination)		T -		1		UEP91		1.36	38.85	19.08	İ	İ			İ	1		
2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP91 UEPQH 1.36 38.85 19.08		1		1							İ	İ			İ	1		
						UEP91				19.08								
			2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		<u> </u>	Center)2,3	<u> </u>	<u></u>	UEP91	UEPQM	1.36	104.41	67.93	<u> </u>	<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	

UNRUM	DI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit· Δ
3,120,11		THE THE PERSON AND TH										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor			1						Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m			1								Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							,									-100	
						1	Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	001441	001141
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
		Service Territ			OLF91	ULFQZ	1.30	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08								
Lo	ocal S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Lo		lumber Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fe	eature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00	440.05									
		All Select Features Offered, per port			UEP91 UEP91	UEPVS UEPVC	0.00	412.25									
NI/	ARS	All Centrex Control Features Offered, per port	-		OEFSI	DEFVC	0.00							-	-		
HAY.	-110	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	-		 	 		
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial	1		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00			1	1		
Mi	iscell	aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
Int	teroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1											
D4	4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497										
		reature Activation on D-4 Channel Bank Centrex Loop Slot			UEF91	IFQWS	0.0497										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 0.		0.0.0.										
		Slot			UEP91	1PQW7	0.6497										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.6497										
									· · · · · · · · · · · · · · · · · · ·					1	1		-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497							ļ	ļ		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDO4	4001110	6 6 405							1	1		
\vdash		Slot	1		UEP91 UEP91	1PQWQ 1PQWA	0.6497 0.6497					1		 	 		
NI.	on Pr	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex			UEP91	IPQWA	0.6497							 	ļ		
INC	on-RE	Conversion - Currently Combined Switch-As-Is with allowed	1			+						1	1	1	1		
		changes, per port			UEP91	USAC2		0.10	0.10					1	1		
		Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10					İ	İ		
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40									
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40						İ	İ		
		Secondary Block, per Block			UEP91	M2CC1	0.00	79.31									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93									
Ac	dditic	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDO4	LIBETI		0.00	0.00					1	1		
\vdash		Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		UEP91	URETL		8.33	0.83			-		-	-		
		End Use Premise			UEP91	URETN		11.20	1.10					1	1		
LIN	NF-P	CENTREX - 5ESS (Valid in All States)			OLF31	OINLIN	+	11.20	1.10					1	1		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+	1					1		1	1		
		ort/Loop Combination Rates (Non-Design)	1			1								1	1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Non-Design		1	UEP95		13.13							<u> </u>	<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							· · · · · · · · · · · · · · · · · · ·					1	1		
		Non-Design		2	UEP95	1	23.75							ļ	ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
		Non-Design		3	UEP95		49.62										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNF P	ort/Loop Combination Rates (Design)						101	7144.		7144		00				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		51.82										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
 	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95	UECS2	50.46			t		1		1	†	1	
LINE P	ort Rate	1	Ť	- "	1	330			t		1		1	†	1	
All Sta		1			1				t		1		1	†	1	
7 010	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP95	UEPYA	1.36	38.85	19.08	1		İ	1				
+	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02.00	02	1.00	00.00	10.00								
	Area			UEP95	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL: 00	OLI III	1.00	00.00	10.00								
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI 33	OLI TIVI	1.50	104.41	07.33								
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 00	OLI 12	1.00	104.41	01.00								
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	OLI 13	1.50	30.03	13.00								
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
AI KY	Y, LA, MS, SC, & TN Only			OLI 00	OLI 12	1.00	00.00	10.00								
AL, K	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Fort (Centrex odd termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Fort (Centrex with Carlet 15)1			OLI 33	OLI QII	1.50	30.03	13.00								
	Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 33	OLI QIVI	1.50	104.41	07.33								
	Term 2.3			UEP95	UEPQZ	1.36	104.41	67.93								
	16111 2,3			ULF 93	ULFQZ	1.30	104.41	07.53								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP95 UEP95	UEPQ9	1.36	38.85	19.08		1	-		-		-	
Local	Switching			OLI 33	OLI QZ	1.50	30.03	13.00								
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577										
Local	Number Portability			ULF 93	UNLUG	0.0377										
Local	Local Number Portability (1 per port)	1		UEP95	LNPCC	0.35			1	1	1	1		1		
Featur		1		OL1 33	LIVI OU	0.35			 	1	1	1	1	 	1	
reatur	All Standard Features Offered, per port	1		UEP95	UEPVF	0.00			1	1	1	1		1		
 	All Select Features Offered, per port	1		UEP95 UEP95	UEPVS	0.00	412.25		 	1	1	1	1	 	1	
	All Centrex Control Features Offered, per port	 	1	UEP95	UEPVC	0.00	412.20		t	1	t	1		1		
NARS	7 at Control Control Leatures Offered, per port	1		OLI 33	OLI VO	0.00			 	1	1	1	1	 	1	
INAKS	Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	
+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1		UEP95 UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	
Misso	laneous Terminations	1		OFL 20	UANUA	0.00	0.00	0.00	0.00	0.00	1	1	1	 	1	
	Trunk Side	-								1	-		-		-	
2-44116	Trunk Side Terminations, each	1	1	UEP95	CEND6	8.29	115.85	18.20		 	 	-	-	-	-	
4-10/:	Digital (1.544 Megabits)	1		OL1 33	CLINDO	0.29	113.00	10.20	1	1	1	1		1		
4-4416	DS1 Circuit Terminations, each	1	1	UEP95	M1HD1	68.47	196.18	92.92		 	 	-	-	-	-	
+	DS0 Channels Activated, each	1		UEP95 UEP95	M1HD0	0.00	14.06	92.92	1	1	1	1		1		
Interes	fice Channel Mileage - 2-Wire	-		OFL 20	טטוווואו	0.00	14.00			1	-		-		-	
intero	Interoffice Channel Facilities Termination	-		UEP95	M1GBC	22.60	39.36	26.62		1	-		-		-	
	interonice Channel Facilities remination			OLFSO	MIGBC	22.00	<i>ა</i> ყ.ახ	20.02		1	1		<u> </u>	1	<u> </u>	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	Foot and Additional Burnell Book EV line Olde Long Olde			LIEDOE	4001410	0.0407										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.6497										
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP95	IPQW7	0.6497										
	Different Wire Center			UEP95	1PQWP	0.6497										
 	Dinordin Wile Celler	 	+	OLF 30	IF Q VVF	0.0497				1				1	1	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP95	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	1			1	5.0-101					<u> </u>	 		 		
	Slot	1		UEP95	1PQWQ	0.6497						1		1		
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497				†				İ		
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				1				l	1					İ	İ
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				l											
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
LINE D	CENTREX - DMS100 (Valid in All States)			UEF95	UKETN		11.20	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	ort/Loop Combination Rates (Non-Design)															
- 0.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		49.62										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design	ļ	1	UEP9D		16.29				ļ				ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		LIEDOD												
	Design	ļ	2	UEP9D	+	26.71				1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	3	UEP9D	1	E4 00						1		1		
LINE	Design oop Rate	 	3	OFLAD	+	51.82				-		 		-		
UNEL	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9D	UECS1	11.77				1	-	-		1	1	1
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39				 				 		
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEP9D	UECS1	48.26				İ	1			1	1	1
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	14.93								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35			l	1					İ	İ
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	50.46										
	ort Rate															
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08					•			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1										1]		
	Area	ļ		UEP9D	UEPYB	1.36	38.85	19.08								<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		LIEDOD	LIEDVO	4.00	00.0-	40.00				1		1		
 	Area	 	ļ	UEP9D	UEPYC	1.36	38.85	19.08	-	1				 	1	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	l		UEP9D	UEPYD	4 00	38.85	19.08								
	Area		1	ロミアタレ	UEPYD	1.36	38.85	19.08		1						l

ACTIONNY RATE ELEMENTS Manual 2000 BCS USOC RATES (B) Biochemical Section (Contract Cont	UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
### RATE FLEMENTS ### RATE FLE	3 3 11 3 11	Daniel Lander										Svc Order	Svc Order				
## CAPECONY ## RATE ELEMENTS ## 2000 ## 2000 ## 1000												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
1	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR				Order vs.
Note																	Electronic-
Service Close Fort (Curries / ESS-1820(6)) State Local UPPID UPP														1st	Add'l	Disc 1st	Disc Add'l
Service Close Fort (Curries / ESS-1820(6)) State Local UPPID UPP								Nonrec	urring	Nonrecurring	a Disconnect			oss	Rates (\$)		
Anna							Rec					SOMEC	SOMAN			SOMAN	SOMAN
2-We Vision Grade Port Commer. (ESS-RECISS) Basic Local UEPPO UEPT 1.36 38.85 10.08		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
Mail		7 11 0 4			UEP9D	UEPYE	1.36	38.85	19.08								
E-Wile Victor Grade Prott (Centres / EBS-MS03())State Local UEPRO UEPYO 1:36 30.85 19.98																	İ
Amo 2		* **			UEP9D	UEPYF	1.36	38.85	19.08								
2-Vivi Voco Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer were Centrer Vocal Centrer (Centrer Abby Wag Lump Hudiation))					UFP9D	UEPYG	1.36	38.85	19.08								İ
2-Wire Vote Grade Port (Centrer / EB-KAZ00)3 Basic Local UEPIO UEPVU 1.36 38.65 19.08					02.02	02 0	1100	00.00	10.00								
Average Aver					UEP9D	UEPYT	1.36	38.85	19.08								<u> </u>
2-Wire Votos Grade Prof (Centre / EBS-MSZ16)) - Base Local UEPPO UEPPO 1.36 38.85 19.06																	İ
Avea Control					UEP9D	UEPYU	1.36	38.85	19.08								├
Service Notes Grade Port (Centres with Califor ID) Basic Local Area UEPDD UEPYN 1.36 38.65 19.06		`			UEP9D	UFPY\/	1 36	38 85	19 08	1	1						1
Area		7.100			021 00	JL1 1 V	1.50	30.03	13.00	-	-	1	 		†		F
Area			L		UEP9D	UEPY3	1.36	38.85	19.08	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u>1</u>
SAVIEW Votes Grade Port (Centrovidifier SWD (FBS-M55192.3.4 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEPYW UEP90 UEP90 UEPYW UEP90 UEP90 UEPPYW UEP90 UEP90 UE																	
Indication() Basic Local Area UEP90 UEPYV 1.36 38.65 19.08					UEP9D	UEPYH	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrevilleg Wig Lamp Incication)/4 Basic Local Area Lepho UEPyJ 1.36 38.85 19.08					LIEDOD	HEDVW	1.26	20.05	10.00								İ
Basic Local Area UEP9D UEP7 1.36 38.85 19.08					OEF9D	UEPTVV	1.30	30.00	19.06								
2.4/We Voice Grade Port (Centreviller SWC /EBS-MS009)2.3.4 UEP9D UEPYO 1.36 104.41 67.93 UEP9D UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD					UEP9D	UEPYJ	1.36	38.85	19.08								Ĭ
2-Wire Voice Grade Port (Centrevoldifer SWC /EBS-R5E712.3.4 UEP9D UEPYO 1.36 104.41 67.93		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
Basic Local Area UEP90 UEPVP 1.36 104.41 67.93					UEP9D	UEPYM	1.36	104.41	67.93								
Description Description																	İ
Basic Local Area Carrier Vidifer SWC /EBS-5209(2),3,4 Basic Local Area Carrier Vidifer SWC /EBS-MS112)(2,3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS12)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS12)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Ca					UEP9D	UEPYO	1.36	104.41	67.93								
2-Wire Votoe Grade Port Centrex/differ SWC /EBS-M5316)2.3.4 UEP9D UEPVQ 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 UEP9D U					LIEP9D	LIEPYP	1 36	104 41	67 93								İ
Basic Local Area UEPPQ 1.36 104.41 67.93					02.00	02	1.00		01.00	İ	İ				İ		
Basic Local Area UEP9D UEPYR 1.36 104.41 67.93					UEP9D	UEPYQ	1.36	104.41	67.93								İ
2-Wire Voice Grade Port (Centrex/differ SWC/EBS-M6312)2,3,4 UEP9D UEPYS 1,36 104.41 67.93																	
Basic Local Area UEP9D UEPYS 1.36 104.41 67.93					UEP9D	UEPYR	1.36	104.41	67.93								└
2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5008)2,3,4 UEP9D UEP74 1.36 104.41 67.93					LIEDOD	HEDVS	1 26	104.41	67.02								İ
Basic Local Area UEP9D UEP74 1.36 104.41 67.93					OLF9D	OLF 13	1.30	104.41	07.53								
Basic Local Area UEP9D UEP75 1.36 104.41 67.93					UEP9D	UEPY4	1.36	104.41	67.93								ĺ
2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5216)2,3,4 Basic Local Area		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
Basic Local Area					UEP9D	UEPY5	1.36	104.41	67.93								<u> </u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4					LIEDOD	LIEDVe	4 30	104.44	67.00	1	1						1
Basic Local Area	 				OFLAD	UEFID	1.36	104.41	67.93	 	 		1		 		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 UEP9D UEPYZ 1.36 104.41 67.93					UEP9D	UEPY7	1.36	104.41	67.93	1	1						1
Term 2,3																	
Basic Local Area					UEP9D	UEPYZ	1.36	104.41	67.93								
2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEP9D UEPY2 1.36 38.85 19.08					LIEDOD	LIEDVO	4.00	20.25	40.00	1	1						1
Local Area	 				UEP9D	UEPY9	1.36	38.85	19.08	-	-						
AL, KY, LA, MS, SC, & TN Only UEPQD UEPQA 1.36 38.85 19.08 UEPQD UEPQB 1.36 38.85 19.08 UEPQD UEPQB 1.36 38.85 19.08 UEPQD UEPQB UEPQD UEPQD UEP					UEP9D	UEPY2	1.36	38.85	19.08	1	1						
2-Wire Voice Grade Port (Centrex 800 termination)	AL, KY					, <u>-</u>		55.55		1	1						
2-Wire Voice Grade Port (Centrex / EBS-PSET)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5009)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5209)4	\vdash									-	 		 		 		
2-Wire Voice Grade Port (Centrex / EBS-M5112)4										 	 	-			 		
2-Wire Voice Grade Port (Centrex / EBS-M5312)4										1	1						
2-Wire Voice Grade Port (Centrex / EBS-M5208)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5216)4											L						
2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEP9D UEPQ3 1.36 38.85 19.08	ļ									 	 	1					<u> </u>
	 									 	 	-			 		
2-Wire Voice Grade Port (Centrex with Caller ID) UEP9D UEPQH 1.36 38.85 19.08	 									 	 	-			 		

LINDIII	NDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hi4. A
ONBO	NDLL	D NETWORK ELEMENTS - Louisiana										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
071120	•	10112 =======	m		200				= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3			UEP9D	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93					<u> </u>			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								
					LIEDAD				40.00								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
-	Local	Switching			LIEDOD	LIDEOO	0.0577										
-		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
-	Locair	Number Portability			LIEDOD	LNPCC	0.35										
-	Feature	Local Number Portability (1 per port)			UEP9D	LINPUC	0.35										
	reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00					1					
					UEP9D	UEPVS	0.00	412.25									
1		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00	412.25			1	1	-				
\vdash	NARS	All Centres Control realures Orieleu, per port		+	OLFBD	OLF VC	0.00				1	1		1	1		
h +	ייאווט	Unbundled Network Access Register - Combination	-	 	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			 	 		
 		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward		 	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	 		 	 		
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	1					
	Miscell	aneous Terminations			01.00	5,110,1	0.00	3.00	0.00	0.00	5.00			1			
		Trunk Side												1	1		
		Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20					1			
	4-Wire	Digital (1.544 Megabits)					5.25		.0.20					1	1		
		DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62		Ì			1	1		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06									
		fice Channel Mileage - 2-Wire										İ					
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	26.62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.013										
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497			<u></u>				<u> </u>			
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.6497										
1 7		Feature Activation on D-4 Channel Bank Centrex Loop Slot -												<u> </u>]		
		Different Wire Center			UEP9D	1PQWP	0.6497										

UNDUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						_	Nonrec	urring	Nonrecurrin	g Disconnect		1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																Ī
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex									+						
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10								
-	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10		1						+
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40	10.10		+						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40			1					1	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93		Ì	1				İ	1	
Addi	tional Non-Recurring Charges (NRC)								1	1					1	1
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use						İ							1		
	Premise			UEP9D	URETL		8.33	0.83		<u> </u>						
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.20	1.10								
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOE		40.40										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		13.13				+					-	
	Non-Design		2	UEP9E		23.75										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SL		20.70				+						
	Non-Design		3	UEP9E		49.62										
UNE	Port/Loop Combination Rates (Design)			02. 02		10.02									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														1	
	Design		1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		51.82										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1	22.39 48.26				-						
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										t
UNE	Port Rate			02. 02	02002	00.10									1	
	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1				,				I				1	I	
	Service Term - Basic Local Area	ļ		UEP9E	UEPYZ	1.36	104.41	67.93	1	+					1	├
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP9E	UEPY9	4 00	20.05	19.08		1					1	
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	<u> </u>	-	UEPSE	UEPTS	1.36	38.85	19.08	 	 	1				-	
	Basic Local Area	1		UEP9E	UEPY2	1.36	38.85	19.08		I				1	I	
ΔIL	(Y, LA, MS, & TN Only	 		OLF 3L	ULF 12	1.30	აი.ინ	19.08	1	1	 			1	t	\vdash
AL, P	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08	 	†	 			 	t	—
	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP9E	UEPQB	1.36	38.85	19.08	1	 				 	I	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPQH	1.36	38.85	19.08	l .	†	l -			 	t	

UNBII	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
5.150												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							,									-100	
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDOM	4.00	404.44	07.00								
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
		Service Terrii			UEF9E	UEFQZ	1.30	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9E	UEPQ2	1.36	38.85	19.08								
	Local S	Switching			OLI OL	OLI QZ	1.00	00.00	10.00								
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
	NARS				-												
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00				ļ		
\vdash		aneous Terminations				1											
<u> </u>	2-Wire	Trunk Side			LIEBOE	OFNIDO	0.00	445.00	10.00						-		
<u> </u>	4 18/:	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20						-		
<u> </u>	4-Wire	Digital (1.544 Megabits)		ļ	LIEDOE	MALIDA	CO 47	400.40	00.00	ļ					!		
		DS1 Circuit Terminations, each DS0 Channel Activated Per Channel		1	UEP9E UEP9E	M1HD1 M1HDO	68.47 0.00	196.18 14.06	92.92						 		
-	Interes	Fice Channel Mileage - 2-Wire			UEF9E	INITIDO	0.00	14.06							+		
	meron	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.60	39.36	26.62						 		
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.013	39.30	20.02	 					t		
\vdash	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 	J_1 J_	.vi i ODIVI	0.013						 		t		
		innel Bank Feature Activations													1		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497										
					*												
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497								1		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot		<u> </u>	UEP9E	1PQW7	0.6497								<u></u>		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -						_									
		Different Wire Center			UEP9E	1PQWP	0.6497										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497								1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1									1		
		Slot			UEP9E	1PQWQ	0.6497										
	Nan B	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497								-		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		 		1	1			ļ					!		
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	LICACO		0.10	0.40				1		I		
\vdash		changes, per port Conversion of Existing Centrex Common Block, each	-	 	UEP9E UEP9E	USAC2 USACN		0.10 36.66	0.10 16.10				 		 		
		New Centrex Standard Common Block	-	1	UEP9E UEP9E	M1ACS	0.00	680.40	10.10	1			-		 		
		New Centrex Standard Common Block	-	1	UEP9E UEP9E	M1ACC	0.00	680.40		1			-		 		
\vdash		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93		 					t		
	Additio	onal Non-Recurring Charges (NRC)				5.125/1	0.00	70.00					 		I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use					İ								t		
		Premise			UEP9E	URETL		8.33	0.83						1		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			-		İ	2.20	2.30						1		
		End Use Premise			UEP9E	URETN		11.20	1.10				1		I		
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												_			
		Non-Design		1	UEP93		13.13										

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																	Disc Add'l
														1st	Add'l	Disc 1st	DISC Add 1
							_	Nonrec	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP93		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP93		49.62										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP93		16.29										
	_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		26.71										
	_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		51.82						1				
	UNE I	oop Rate	†	١Ť			352			1	1			1	1		
	0	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
—	-	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP93	UECS1	22.36			1		1					
-		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
-		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
-	-	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP93	UECS2	50.46										
-	LINE D	ort Rate		3	ULF 93	ULUGZ	30.40										
-		/, LA, MS, & TN only					-										
-	AL, K	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
-	-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEF93	UEPTA	1.30	30.03	19.06								
		Area			UEP93	UEPYB	1.36	38.85	19.08								
	_	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEF93	UEFTB	1.30	30.03	19.06								
		· · · · · · · · · · · · · · · · · · ·			LIEDOS	UEPYH	4.00	20.05	40.00								
	_	Area			UEP93	UEPYH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDVAA	4.00	404.44	67.00								
	_	Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			LIEDOO	LIEDV7	4.00	404.44	07.00								
		Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	_	- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
		Service Term			UEP93	UEPQZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08								
	Local	Switching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
	Local	Number Portability	<u> </u>			1	ļ .					<u> </u>					
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
	Featur]						
		All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14								
		All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14								
	NARS]						
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	laneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20								
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92				İ				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR	Order vs.	Order vs.		
CATEGORI	KATE EEEMENTO	m	20.10	500	0000			πΑΤΕΟ (ψ)			per LSR	per LSR			Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
Interoff	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	innel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	•															
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -					0.0.0										
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop					0.0.0										
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93									
	onal Non-Recurring Charges (NRC)					2.50	. 2.30									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1											
	End Use Premise			UEP93	URETN		11.20	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD				1		20	0								
	- Requires Interoffice Channel Mileage				1											
	- Installation is combination of Installation charge for SL2 Lo	op and l	Port		1											
	- Requires Specific Customer Premises Equipment				1											
	Rates displaying an "R" in Interim column are interim and sub	iect to r	ate tru	e-up as set forth in	General Tern	ns and Conditio	ns.									
		,	u	40 001 .0.111 111												

														1			
UNBU	NULEI	O NETWORK ELEMENTS - Mississippi			I							Svc Order	Svc Order	Attach Incremental	ment: 2 Incremental	Exhi	bit: A Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Name		Name and a second	- Dianamant						
							Rec	Nonred First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
								FIISL	Auu i	FIISL	Addi	SOMEC	JOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Vebsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m							_					
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	L			L							L	<u> </u>			
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi- the 9 states.	ce orde	ring ch	narges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	LEC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states. (2) Any element that can be ordered electronically will be bille	ad acco	rding	to the SOMEC rate lie	stad in this	ategory Pleas	e refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ad electronica	lly For those	alements
		nnot be ordered electronically at present per the LOH, the liste															
		I, will be applied to a CLECs bill when it submits an LSR to B			oo oa.ogo., .o.		goaoa.a		00 000 0		g capas				,oo,o		, c.i.a. gc,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
LINE C	DVICE	(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
UNE SI		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with I	Policon	th's E(C No 1 Tariff Soction	n 5 ac annli	cable										
	NOTE.	The Expedite charge will be maintained commensurate with i	Selisou	uisre	l No.1 Tallii, Section	ii 3 as appii	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
					ULDO3, ULDDX,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1.												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBUN	IDLED E	XCHANGE ACCESS LOOP			- ,												
	2-WIRE	ANALOG VOICE GRADE LOOP															
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	1	1				
	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEAL2 UEAL2	16.87 25.68	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25	1	1				
-		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25	 	 				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1			UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25	1	1				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
-	1	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36		1	}	}				
	ı	Loop rooming - Daoid for Hair Hour		L	OLAIN	CINETI		34.30	34.30	·	l	·	·	·			

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	hit· Δ
51450	HULL	MET WORK ELEMENTO - MISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				l											
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		10.10	18.19								
	2 WIDE	Unbundled COPPER LOOP			UEANL	UCUSL		18.19	18.19								
	Z-VVIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed 2 one 2	l i		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	†	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ti		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42	 	 		I	 	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i	4	UEQ	UEQ2X	13.10	36.53	16.16		4.42				1	1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					15110	22.50							1		
1		Premise	1		UEQ	URETL		8.33	0.83			1	1		I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1			1	1	_									
L	<u> </u>	Non-Designed (per loop)	<u> </u>		UEQ	USBMC	<u> </u>	8.20	8.20			<u> </u>	<u> </u>		<u> </u>		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					40.00										
-		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1			UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
-		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		-	UEFOR UEFOD	UEABS	12.03	31.92	17.55	23.40	5.25						
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OB	OLALO	10.07	37.32	17.55	20.40	3.23						
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 01. 02. 02	027.20	10.07	01.02	17.00	20.10	0.20						
		Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 4	<u> </u>	4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25				<u> </u>	<u> </u>	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 4	ļ	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25				1	ļ	
UNBU		XCHANGE ACCESS LOOP	ļ			ļ											
-	2-WIRE	ANALOG VOICE GRADE LOOP	 			1									1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	13.89	105.00	68.28	52.82	10.37	1	1			1	
-	 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	1	OLA	UEALZ	13.89	105.96	08.28	52.82	10.37	-	 		 	-	
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37	1	1		I	1	
-	 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 		ULA	ULALZ	10.75	103.90	00.20	32.02	10.37				 	<u> </u>	
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37	1	1			1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	Ť		1	255		33.20	52.52	.0.07				1	1	
		Ground Start Signaling - Zone 4	1	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37	1	1		I	1	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					ĺ										
	<u></u>	Battery Signaling - Zone 1	<u></u>	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37				<u></u>		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1									1	1		_]	
<u> </u>	ļ	Battery Signaling - Zone 3	ļ	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37				ļ	ļ	
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			LIEAGO		40= 0=				1	1		I	1	
	<u> </u>	Battery Signaling - Zone 4	<u> </u>	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37				-	 	
	1	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	UEA	OCOSL	<u> </u>	18.19				l	l			<u> </u>	

UNBL	INDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
- CIVE	/\\D	NETWORK ELEMENTO IMICOICO.PP.										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-		Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
<u> </u>	2-WIRE	ISDN DIGITAL GRADE LOOP	 	-	LIDN	LIALOY	04.01	447.01	70.00	52.82	10.0=			!	 	 	
<u> </u>	 	2-Wire ISDN Digital Grade Loop - Zone 1	 	1 2	UDN UDN	U1L2X U1L2X	21.01	117.61	79.92		10.37			 	 	 	
-	 	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X U1L2X	27.59 37.34	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37			 	 	 	
<u> </u>	 	2-Wire ISDN Digital Grade Loop - Zone 3 2-Wire ISDN Digital Grade Loop - Zone 4	 	4	UDN	U1L2X U1L2X	59.18	117.61	79.92	52.82	10.37				 	-	
	}	Order Coordination For Specified Conversion Time (per LSR)	 	4	UDN	OCOSL	39.18	18.19	19.92	52.62	10.37			 	 	1	
-	1	CLEC to CLEC Conversion Charge without outside dispatch	 		UDN	UREWO		91.46	44.07	t				t	 	1	
	2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF		OKLVVO		31.40	44.07						1		
	_ *****	2 Wire Unbundled ADSL Loop including manual service inquiry	AHDEL			_											
		& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry		· ·	O, 12	O/ LEE/				00.00	7.00						
		& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry			_												
		& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		١			40.00		=	=							
	<u> </u>	facility reservaton - Zone 4	<u> </u>	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
-		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19	40.00								
<u> </u>	2-WID5	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDIE	OOB	UAL	UREWO		86.04	40.33	 					 	-	
<u> </u>	Z-WIRE	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE I	LOUP	-					-				-	 		
		& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93				1	1	
1	†	2 Wire Unbundled HDSL Loop including manual service inquiry	†	<u> </u>	F	J	0.73	120.00	10.02	55.56	7.33			I	1	 	
		& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93			1			
		2 Wire Unbundled HDSL Loop including manual service inquiry			1	1		:=::00		22.00				İ	1	İ	
		& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry						-									
		and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93				ļ		
		2 Wire Unbundled HDSL Loop without manual service inquiry								1				1			
	<u> </u>	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93			1	ļ		
		2 Wire Unbundled HDSL Loop without manual service inquiry		١.	l	l		404						1			
	ļ	and facility reservation - Zone 4	ļ	4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93				ļ		
<u> </u>	 	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL		18.19	10.00	1				1	1		
<u> </u>	4 14/155	CLEC to CLEC Conversion Charge without outside dispatch	TID: F	000	UHL	UREWO		85.98	40.33	 				 	 	ļ	
<u> </u>	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP	 					 				 	 	ļ	
		and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68			I		1	
	<u> </u>	and racinty reservation - Zone i	L	_ '	IOI IL	UI IL4A	13.78	100.74	100.28	30.72	10.08	1	1	1	1	1	

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
0.1.2011.22.											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.		Order vs.	
I DATE CONT.	NATE ELEMENTO	m	20110	500	0000			itai Lo (ψ)			per LSR	per LSR		Order vs.		Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$							Nonred	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	l	<u> </u>
\vdash					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry							71441		71441			•••••			
1	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
1	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
ı İ	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry															
$oxed{\Box}$	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIR	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45	46.10	12.07						_
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	206.74	253.93 253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	USL	OCOSL	458.46	253.93 18.19	158.45	46.10	12.07						
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								+
4-WIE	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWU		100.90	42.90			-					
4-9918	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						1
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.55	126.53	88.85	60.68	14.64						+
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64						†
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									_
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-WIR	RE Unbundled COPPER LOOP				+									ļ	ļ	↓
	2-Wire Unbundled Copper Loop-Designed including manual		1	LICI	LICLER	44.44	400.04	00.07	50.00	7.00		1				
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93				1	1	├
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		1				
	2 Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						+
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
-+	2 Wire Unbundled Copper Loop-Designed including manual	-	3	UUL	UCLED	11.74	120.34	09.67	50.38	1.93	-	 		1	1	1
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC	12.05	8.20	8.20	30.36	7.33		 				
+-	2-Wire Unbundled Copper Loop-Designed without manual				COLIVIO		0.20	0.20			<u> </u>	 			1	†
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		1				
1	2-Wire Unbundled Copper Loop-Designed without manual				1			230	22.30	50						1
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		1				
	2-Wire Unbundled Copper Loop-Designed without manual															
<u></u>	service inquiry and facility reservation - Zone 3	<u></u>	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93	<u> </u>	<u></u>		<u> </u>	<u> </u>	
	2-Wire Unbundled Copper Loop-Designed without manual															
	1	1	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93	1	l		l	l	1
	service inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12.00	8.20	8.20		1.00						

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								i
4-W	IRE COPPER LOOP			UCL	UREWU		95.21	42.40								
	4-Wire Copper Loop-Designed including manual service inquiry				1											<u> </u>
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						i
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						i
	4-Wire Copper Loop-Designed including manual service inquiry		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						ĺ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20	99							
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry		2			40.04	440.50	04.44	50.70	10.00						ĺ
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						i
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	LIBEIMO		05.04	42.40								ĺ
LOOP MOD				UCL	UREWO		95.21	42.40								
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								.
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
	-Loop Distribution				1											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1											
	Up	- 1		UEANL	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.77									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder									-						
	Facility Set-Up	- 1	ļ	UEANL	USBSC		178.47									<u> </u>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		56.39									İ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+-	 													
	Zone 2	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1		UEANL	USBMC		8.20	8.20								
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ļ	1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

LINDII	UDI E	D NETWORK ELEMENTO Missississis															
UNBU	NDLE	D NETWORK ELEMENTS - Mississippi	1	1	ı		1					00	00		ment: 2	Exhi	
													1	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonred	urring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)	<u> </u>	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
					l												
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
		Order Coordination for Unbundled Cub Lassa asset Lassa as	l	1	UEANL	USBMC		8.20	8.20						1		
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	<u> </u>	<u> </u>	UEANL	URET1	-	34.36	34.36					-			
\vdash		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	-	1	UEANL	URETA		19.97	19.97								
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71			-			
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71				 		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	<u> </u>		UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						

		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
	Unbun	dled Network Terminating Wire (UNTW)		<u> </u>		UENPP											
	Moturor	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)		<u> </u>	UENTW	UENPP	0.3366	30.55				-					
-	Networ	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90			1	1				
-		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		65.30	50.36			1	1				
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94								
UNE OT	HER. P	PROVISIONING ONLY - NO RATE			02	0.150.		0.01	0.0 .								
	-, •	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00			l			İ			
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OT	HER, P	ROVISIONING ONLY - NO RATE															
			l														
			l	1	UAL,UCL,UDC,UDL,										1		
		Unbundled Contact Name, Provisioning Only - no rate	ļ	ļ	UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	l	1	LIEA LIDALLIOL LIDA	LICDEO	0.00	0.00							1		
\vdash		rate	l	-	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00							-		
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	l	1	UEA,USL,UCL,UDL	USBFR	0.00	0.00							1		
\vdash		Unbundled DS1 Loop - Superframe Format Option - no rate	!	 	USL	CCOSF	0.00	0.00							-		
\vdash		Unbundled DS1 Loop - Superframe Format Option - 10 rate Unbundled DS1 Loop - Expanded Superframe Format option -	 			50001	0.00	0.00						1	1		
		no rate	l	1	USL	CCOEF	0.00	0.00							1		
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP	1	<u> </u>		JUUL1	0.00	0.00				<u> </u>	<u> </u>		 		
		High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	<u> </u>		†						<u> </u>	<u> </u>		 		
		month	l		UE3	1L5ND	11.20										
		High Capacity Unbundled Local Loop - DS3 - Facility									l			İ	İ		
		Termination per month	l		UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	11.20							<u></u>			

UNBUI	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	ibit: A
0.1.201												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						(+/			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP N	AKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
		AND LINE SPLITTING															
	NOTE 1	: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	rom October 02, 200	03 through m	idnight Octobe	r 01, 2004 sha	l be billed as t	follows:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLNI)")											
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT	<u> </u>	<u> </u>		1	I								ļ		1
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
-		Line Sharing Splitter, Per System, 8 Line Capacity		<u> </u>	ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-								40.00							
-	- 115 116	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		86.98	0.00	49.96	0.00						
	ט טאב		-	-													
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
-		Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	18.62	10.00	10.04	4.93						-
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -			OLO	OLSDI	2.75	10.02	10.00	10.04	4.53						1
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -			CLO	OLOD1	0.01	10.02	10.00	10.04	4.00						
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line			<u></u>		00										
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line				1									İ		
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24						1		
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
		OBSOLETE see **NOTE 2	<u> </u>		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				<u></u>		
		Line Share Service, TRO per line activation, CLEC owned															
1 1		splitter - Central Office Located (25% of UCLND) - please see	1	1		1						1	1		I		
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						
1 7		Line Share Service, TRO per line activation, CLEC owned	1	1		1						1	1		_		
1 1		splitter - Central Office Located (50% of UCLND) - please see	1	1		I						1	1		I		
		NOTE 1 (E:10/2/2004)	<u> </u>	<u> </u>	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74				ļ		
1 1		Line Share Service, TRO per line activation, CLEC owned	1	1		1						1	1		I		
		splitter - Central Office Located (75% of UCLND) - please see	1	1								1	1		I		
\vdash	INIE O	NOTE 1 (E:10/2/2005)	<u> </u>	<u> </u>	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74				-		├
		PLITTING	 	1		+	1			1	1	ļ	ļ		 		
├	טט טאַ	SER ORDERING-CENTRAL OFFICE BASED	 	<u> </u>	UEPSR UEPSB	LIBEOC	0.61			1	 				!		
├		Line Splitting - per line activation DLEC owned splitter	 	-		UREOS UREBP		10.60	10.00	10.04	4.00				 		-
1		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	├	 	UEPSR UEPSB UEPSR UEPSB	UREBV	0.61 0.61	18.62 18.62	10.66 10.66	10.04 10.04	4.93 4.93	-	 				
 		ENANCE	 	-	UEFOR UEFOR	UKEBV	0.61	18.62	10.66	10.04	4.93				-		
\vdash	vi AIN [No Trouble Found - per 1/2 hour increments - Basic	 			+	-	80.00	55.00		1	1	 		+		1
-		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	1	1		1		120.00	82.50						1		
 		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	 	1		+		160.00	110.00	1	1	-			 		1
		1 Todolo I odna - per 1/2 nodi incientento - Fremidili	1	1		1	i .	100.00	110.00	1	I	l	l		1		1

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		201150	001111		Rates (\$)	001141	001441
LINDLIND	I ED D	EDICATED TRANSPORT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FII																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41 EDE	20.07										
-		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	28.27	642.79	138.67	326.97	203.85	 					
+		Dark Fiber - Interoffice Charmer Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI, ODI OX	ODI 14		042.79	130.07	320.97	203.03						
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						
8XX ACC	ESS T	EN DIGIT SCREENING			OLID		0.000001-										
\vdash		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		-	OHD		0.0006216										
		Number Reserved			OHD	N8R1X		2.60	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple Interl ATA CXP.			OHD	N8FCX		2.60	1.30								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD OHD	N8FMX N8FAX		3.04	1.74								
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination						3.04	0.44								
		Features			OHD OHD	N8FDX	0.0000040	2.60									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	<u> </u>		טחט	1	0.0006216			1		1	<u> </u>		<u> </u>		

LINDUND	ED NETWORK ELEMENTS Missississis												A 11 1		F.A.	
ONBOND	LED NETWORK ELEMENTS - Mississippi	1			1	1					00	00		ment: 2		bit: A
													Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	_ 1	Nonrec	currina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006216										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNALING																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
-	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597		0==1	40.50	10.50						
 	CCS7 Signaling Connection, Per link (A link)	 	.	UDB	TPP++	16.55	35.74	35.74	16.53	16.53	-			 		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)	1		UDB	TPP++	16.55	35.74	35.74	16.53	16.53		1		1		
 	CCS7 Signaling Usage, Per ISUP Message	├	1	UDB	177++	0.0000149	35.74	35.74	10.53	10.53		 		-		
 	CCS7 Signaling Usage Surrogate, per link per LATA	 		UDB	STU56	683.55								1		1
 	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	 		000	31000	000.00						 		 		
	Establishment or Change, per STP affected	1		UDB	CCAPO]	29.18	29.18	35.78	35.78		1		1		
E911 SERVI				022	00/11 0		20.10	20.10	000	00.70						
	Local Channel - Dedicated - 2-wr Voice Grade				1	14.91	194.22	33.36	37.79	3.30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Later William Towns of De Protect DOA Box For Will Town South					57.00	00.70	00.00	40.00	44.00						
CALLING N	Interoffice Transport - Dedicated - DS1 Per Facility Termination AME (CNAM) SERVICE					57.33	89.79	82.28	16.86	14.90						
CALLING N	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23	-					
 	CNAM For Non DB Owners - Service Establishment			OQV	1		23.09	23.09	21.23	21.23						
-	CNAM For DB Owners - Service Provisioning With Point Code			OQV			25.05	25.03	21.20	21.20						
	Establishment			OQV			996.62	737.08	270.49	198.89						
	CNAM For Non DB Owners - Service Provisioning With Point				1		*******									
	Code Establishment			OQV			344.32	246.56	276.85	198.89						
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per	1				[1]		
	Switch	ļ	ļ		1	ļ	85.19	85.19	14.19	14.19				ļ		
VIRTUAL C	DLLOCATION CONTRACTOR OF THE C	<u> </u>			1	ļ										
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1		HEDOD HEDOD	VE41.0	0.0000	40.0-	11.0-				1		1		
BHASICVI	Splitting COLLOCATION	 	1	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45				 		1
FRISICAL	Physical Collocation-2 Wire Cross Connects (Loop) for Line	 			+	 										
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELEC	TIVE CARRIER ROUTING	 		OLI ON OLFOD	I L ILO	0.0200	12.37	11.07	0.04	5.45				 		
Jan Selec	Regional Service Establishment	 		SRC	SRCEC	 	101,685.12		8,640.51			 		 		
	End Office Establishment	1		SRC	SRCEO	†	167.49	167.49	1.71	1.71				1		
	Query NRC, per query			SRC	1	0.0030502										l
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE													<u> </u>		
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	<u></u>		A1N	CAMSE		39.67	39.67	40.92	40.92						
	AIN SMS Access Service - Port Connection - Dial/Shared Access	<u> </u>		A1N	CAMDP	ļ	7.87	7.87	9.14	9.14						
	AIN SMS Access Service - Port Connection - ISDN Access	ļ	ļ	A1N	CAM1P	ļ	7.87	7.87	9.14	9.14				ļ		
	AIN SMS Access Service - User Identification Codes - Per User	1]						1		1		
<u> </u>	ID Code		1	A1N	CAMAU	l	35.21	35.21	27.21	27.21		l		l]

HINDHIN	IDI EI	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
UNDUN	IDLEI	O NET WORK ELEMENTS - MISSISSIPPI	ı ———		I	1	1					Cua Ordar	Cua Ordar				
													1	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)	•	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
		AIN SMS Access Service - Session, Per Minute					0.5649										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute					0.8393										
AIN - BE		JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,	,								
		DN. Term. Attempt				BAPTT		7.87	7.87	9.14	9.14						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per									-						
		DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5, 5		7.07	7.01	0.11	0						
		DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF IIVI		1.01	7.07	3.14	5.14						
		DN, 10-Digit PODP				ВАРТО		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFIO		34.07	34.07	14.44	14.44						
						BAPTC		24.07	24.07	44.44	44.44						
		DN, CDP				BAPIC		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Query Charge, Per Query					0.0535577										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query					0.0063509										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	2.71	8.71	8.71								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription			CAM	BAPES	0.09	8.71	8.71								
ENHANC		TENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not apr	oly for UNE con	nbinations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements.					
		The monthly recurring and the Switch-As-Is Charge and not the													1		
		TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT										-			1		
 		First 2-Wire VG Loop (SL2) in Combination - Zone 1	_ <u> </u>		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		1		1		
+		First 2-Wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37				1		
 		First 2-Wire VG Loop (SL2) in Combination - Zone 3	l	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		†		 		
+		First 2-Wire VG Loop (SL2) in Combination - Zone 4	 	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		1		1		
+		Interoffice Transport - Dedicated - DS1 combination - Per Mile	l		0110 V/	ULALL	75.72	103.90	00.20	52.02	10.37		1		1		
			l	1	UNC1X	1L5XX	0.1813								İ		1
-		per month	<u> </u>	 	UNCIA	ILOAA	0.1813						 				
		Interoffice Transport - Dedicated - DS1 combination - Facility	l	1	LINCAV	U1TF1	E4 70	00.70	00.00	40.00	44.00				İ		
\vdash		Termination per month	.		UNC1X		51.72	89.79	82.28	16.86	14.90		1		1		
\vdash		1/0 Channelization System in combination Per Month	ļ		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		1				
\vdash		Voice Grade COCI - Per Month	<u> </u>		UNCVX	1D1VG	0.5737	6.62	4.74				ļ				
			l	١.		l		40=							İ		
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		ļ				
			l		l .	l									İ		1
$\perp \perp \downarrow$		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						1
			l			1											
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
			1	1		1						1					
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4	<u> </u>	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		<u> </u>		L		
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
57.1. 2 .5.1.1	10112 22211121110	m		200				= (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		I.
			1			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrequiring Currently Combined Naturals Flamenta Switch As				-	-	riist	Auu i	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAV	LINICOC		F C2	F 00	7.00	7.00						
	Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	IED DS	INIE	ROFFICE TRANSPO	KI											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	1					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										İ					
	Per Month			UNC1X	1L5XX	0.1813					1					
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	<u> </u>	-	1						1	1				
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month	 	 	UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10						
			 	UNCVA	IDIVG	0.5757	0.02	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			LINOVA	UEAL4	27.47	400.07	04.50	00.00	14.64						
			1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT											
		Ī			1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	1 110t 4 Wile corresponding to Trade 2009 111 Combination 2010 1		<u> </u>	CHODA	ODLOO	27.44	120.00	00.00	00.00	14.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
\vdash	1 11St 4-Wile Sortops Digital Grade Loop III Combination - Zone 2			UNCDA	ODLSO	34.33	120.55	00.00	00.00	14.04						
	First 4 Wire FCVb Digital Conds I are in Combination 7 and 2		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDLS6	40.76	120.53	88.85	80.08	14.64						
	First A Mires FOlders Birital Ordela Lancia Conditioning 7 and 4			LINODY	LIDI 50	00.05	400.50	00.05	00.00	4404						
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1	LINIOAN	41.5307						l	1				1
\vdash	Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1813					ļ	ļ				ļ
	Interoffice Transport - Dedicated - DS1 - combination Facility				=						1					
	Termination Per Month	<u> </u>	<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		ļ				
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		<u> </u>		<u></u>		<u></u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												-			
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	l	1				1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1		-				İ	l				
1 1	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		l				
	Additional OCU-DP COCI (data) - in combination per month (2.4-	1	' '		1	32.20	.20.00	55.50	55.50	54	1	1				
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00	1					
 	Nonrecurring Currently Combined Network Elements Switch -As-	 	 			1.22	0.02	7.17	0.00	0.00	 					
	Is Charge	1	1	UNC1X	UNCCC		5.63	5.63	7.20	7.20	l	1				
EVTEN	IIS Charge IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			 	5.03	5.03	1.20	1.20	 	1		-		
EVIE	- THIRE OF ROPS EXTENDED DIGITAL LOOP WITH DEDIC	OMIED	DOI IN	LINOFFICE I KANS	JONI	 			-		 	1		-		-
1 1	First 4 Wise CAl/has Digital Conds Lass in Combination 7 4			LINICDY	LIDL C4	07.44	400.50	00.05	00.00	4404		l				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	<u> </u>	1 1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						

UNBUN	DLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OATEGO		TOTAL ELEMENTO	m		200	0000			itai Lo (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
 								Nonred	rurring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-			-			+		FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						1
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone Z			UNCDA	UDL04	34.33	120.55	00.00	00.00	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						i
		First 4-Ville 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDA	UDL04	40.76	120.55	00.00	00.00	14.64						
		First 4 Wire 64Khan Digital Crade Lean in Combination 7 and 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						i
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDA	UDL04	32.23	120.55	00.00	00.00	14.04						
		Per Month			UNC1X	1L5XX	0.1813										i
		interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSXX	0.1813										
					LINICAV	LIATEA	54.70	00.70	00.00	40.00	44.00						i
$\vdash \vdash$		Termination Per Month	 	!	UNC1X	U1TF1	51.72	89.79	82.28 62.94	16.86	14.90	 			 		
		1/0 Channel System in combination Per Month	 	-	UNC1X	MQ1	102.85	91.57	62.94 4.74	10.87	10.10						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	<u> </u>	<u> </u>	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00				1		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	۱ .	LINICDY	LIDLC4	07.41	400 50	20.65	00.00			1		Ì		1
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	l _									1		Ì		1
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															i
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						<u> </u>
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															i
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
		Additional OCU-DP COCI (data) - in combination - per month															i
		(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						1
		Nonrecurring Currently Combined Network Elements Switch -As-															[
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						1
Е	XTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											[
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						[
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						1
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						[
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.1813										1
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						i
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						i
E	XTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR	RT											
		First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		First DS1Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
		Per Month	l	1	UNC3X	1L5XX	4.29			Ì		l	1		İ		1
		Interoffice Transport - Dedicated - DS3 - Facility Termination per			-	1				İ		İ			İ		
		month	1	1	UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		1		Ì		1
		3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	İ			İ		
		DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional DS1Loop in DS3 Interoffice Transport Combination -			***			2.02		2.00	2.00	İ			İ		
		Zone 1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		1		Ì		1
\vdash		Additional DS1Loop in DS3 Interoffice Transport Combination -	1	<u> </u>			. 5.50		.00.10		.2.57				1		
		Zone 2	l	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1					1
\vdash		Additional DS1Loop in DS3 Interoffice Transport Combination -	1		5617	302/00	123.30	200.00	100.40	40.10	12.07		l				
		Zone 3	1	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		1		Ì		1
\vdash		Additional DS1Loop in DS3 Interoffice Transport Combination -	1	- 3	011017	JULAN	200.74	255.95	150.45	40.10	12.07	1			1		
		Zone 4	1	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		1		Ì		1
		Additional DS1 COCI in combination per month	1	-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1			1		
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNU IA	OCIDI	2.02	0.02	4.74	0.00	0.00	-	-		-		
		Is Charge	1	1	UNC3X	UNCCC		5.63	5.63	7.20	7.20		1		Ì		1
	VTEN	IS Charge DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	L E INITE				5.03	5.03	1.20	1.20		-				
			JRAD			UEAL2	13.89	105.96	68.28	52.82	10.37		-				
<u></u> _		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEALZ	13.89	105.96	08.28	52.82	10.37		l				1

ATTENDED	HINDHIND	I Er	NETWORK ELEMENTS - Mississippi												Attach	monti 2	Evhi	hit. A
ATE ELIMENTS RATE ELIMENTS RATE PLANENTS RATE PL	ONDOND		NETWORK ELEMENTS - MISSISSIPPI				1	1					Svc Order	Svc Order				
ATTEMPTORY Interest Interes																		
CATEGORY SATE LEMENTS Sane SCS USO SATE LESS SATE LE													1					
No. Section	CATEGOR	v	PATE ELEMENTS	Interi	Zone	RCS	LISOC			DATES (\$)				,				
Note	CATEGOR		NATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR				
Note																		
March Marc															1st	Add'l	Disc 1st	Disc Add'l
March Marc		-					+		Nonroc	urring	Nonrocurring	Disconnoct	1	l .	088	Pates (\$)		
Description Description	-							Rec					SOMEC	SOMAN			NAMOS	ROMAN
2-Viewfox Loss in continuation - Zines 3 3 LinCox Vision V	-		2 Wire\/G Loop in combination Zone 2		2	LINICVY	LIEALO	10 75					SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
SWEET Language	-																	
Interestive Tempore - 2-were VS - Declarater - Facility													-					
March					4	UNCVA	ULALZ	45.72	103.90	00.20	32.02	10.37	-					
Interoffice Transport - 2-view VG - Decisional - Facility UNCXX			•			LINCVY	11.577	0.00000										
Terresidut per month NACOX UTTQ 2 0.02	-					UNCVX	ILJAA	0.0008										
Noncouring Currently Comprised Nations Sention - Apr. No. No.						LINICVY	L14T\/2	20.22	40.77	27.57	17.26	7 11						
Schoppe Carterior Carter						UNCVA	01172	20.32	40.77	21.31	17.20	7.11	-					
ENTINOD - Wine Food: GRADE EXTENDED LOOP 4 WINE VOICE GRADE INTEROPTICE TRANSPORT 1927 1927 1927 1948 60.88 14.94 1.94						LINCVY	LINICCC		5.62	5.62	7 20	7 20						
Head Head	EV			CDAD	E INITE				5.05	3.03	7.20	7.20	-					
S-Wew Clarge in combination - Zone 2 2 MCVX UEA 4 39.66 19.27 94.59 66.66 14.64	F^	IEN		GRAD				27.47	122.27	04.50	60.69	14.64	1					
E-Wew'G Loop in combination - Zone 4 A NPCVY UPEAL 4 50.03 132.27 94.59 66.68 14.04	\vdash												 			1		
A-Week's Copie in combination - Zond 4 A (MCVX UFAL 4 50.03 132.27 94.59 60.68 14.04													-					
Interoffice Transport - Advisor WG - Decidated - Facility	\vdash				-								 	-		-		
Month					4	UNCVA	ULAL4	30.03	132.21	34.33	00.00	14.04	-					
Interedition Francisco Facility UNCVX U1TV4 17.86 40.77 27.57 17.26 7.11						LINICVA	11 5 7 7	0.00000										
Termination per month UNCX	-					UNCVA	ILSAA	0.00066					1					
Nonrecurring Currently Combined Network Elements Switch As- No. State Loop in combination - per mile per month UNCXX USBY UNCXX USBY UNCXX USBY UNCXX USBY UNCXX USBY UNCXX USBY UNCXX USBY						LINICVA	11471/4	17.06	40.77	27.57	17.06	7 11						
Stringer Discription Dis						UNCVA	01174	17.00	40.77	21.31	17.20	7.11						
EXTENDED DS\$ DIGITAL EXTENDED LOOP WITH DEDICATED DS\$ INTEROFFICE TRANSPORT UNC3X 1LSND 11.20						LINICVA	LINICOC		F C2	F 00	7.00	7.00						
DS3 Local Loop in combination - Per mile per month	FV	TENI		INTERC	FFICE		UNCCC		5.63	5.03	7.20	7.20						
DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 252.17 454.13 265.47 123.23 86.19	EX			INTERC	FFICE		11 END	11 20										
Interoffice Transport - Dedicated - DS3 - Per Mile per month		_	D53 Local Loop in combination - per mile per month			UNC3X	ILSIND	11.20										
Interoffice Transport - Dedicated - DS3 - Per Mile per month			DC2 Local Loop in combination Facility Termination per month			LINICOV	LIESDY	252.47	454.10	265 47	100.00	96 10						
Interoffice Transport - Dedicated - OSS combination - Facility UNC3X									434.13	203.47	123.23	00.19	-					
Termination per month UNC3X U1FF3 641.90 280.37 163.70 62.08 60.29						UNCSA	ILSAA	4.29					-					
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge STS-1 Local Loop in combination - per mile per month UNCSX UNCSX UNCSX USXX USXX						LINICOV	LIATES	641.00	200.27	162.70	62.00	60.20						
NCSC S.63 S.63 7.20 7.20 T.70						UNCSA	UTIF3	641.90	200.37	103.70	02.00	60.29						
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Loop in combination - per mile per month UNCSX UDLS1 264.35 454.13 265.47 123.23 86.19						LINICAY	LINICCC		5.62	5.62	7 20	7 20						
STS-1 Local Login in combination - Per mile per month UNCSX 1LSND 11.20	EV	TENI		C 4 INIT	EDOEE		UNCCC		5.05	3.03	7.20	7.20	-					
STS-1 Local Loop in combination - Facility Termination per month	L^	LEN		3-1 1141	LKOFF		1LEND	11 20										
month	-					UNCOX	ILSIND	11.20										
InterOffice Transport - Dedicated - STS-1 combination - per mile DNCSX 1.5XX 4.29						LINICSY	LIDL S1	264.25	454.12	265.47	122.22	96 10						
Der month						UNCOX	ODLST	204.33	434.13	203.47	123.23	00.19	-					
Interoffice Transport - Dedicated - STS-1 combination - Facility UNCSX						LINICOV	11 5 7 7	4 20										
Termination per month						UNCOA	ILSAA	4.29					-					
Nonrecurring Currently Combined Network Elements Switch -As Is Charge UNCSX						LINICSY	LIATES	644.21	290.27	162.70	62.09	60.20						
Scharge	-					ONOOX	01110	044.21	200.57	103.70	02.00	00.23						
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT						LINICSY	LINCCC		5.63	5.63	7 20	7 20						
First 2-Wire ISDN Loop in Combination - Zone 1	EV	TENI		TDANG	SPORT	011007	514000	1	5.03	5.03	1.20	1.20	 	-		1		
First 2-Wire ISDN Loop in Combination - Zone 2 2 UNCNX U1L2X 27.59 117.61 79.92 52.82 10.37	- EX			INAN	_	LINCNY	1111 2Y	21.01	117.61	70.02	52.92	10.27	 	-		1		
First 2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37	 												-			 		
First 2-Wire ISDN Loop in Combination - Zone 4	\vdash												 	-		1		
Interoffice Transport - Dedicated - DS1 combination - per mile DNC1X DNC	 				_								-			 		
Der month UNC1X 1L5XX 0.1813	 				 	5.1011/	J124	55.10	117.01	10.02	32.02	10.37	-			 		
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month					1	LINC1X	11.5XX	0 1813						1		Ì		
Termination per month		-				5.101A	120/00	0.1013						l				
1/0 Channel System in combination - per month						UNC1X	U1TE1	51 72	89 79	82 28	16.86	14 90						
2-wire ISDN COCI (BRITE) - in combination - per month		-												l				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 1 UNCNX U1L2X 21.01 117.61 79.92 52.82 10.37					1											1		
Combination - Zone 1	\vdash						20.00	2.02	3.02		5.00	0.00				1		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 2 UNCNX U1L2X 27.59 117.61 79.92 52.82 10.37 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 Additional 2-wire ISDN Loop in same DS1Interoffice Transport Additional 2-wire ISDN Loop in same DS1Interoffice Transport UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 UNCNX U1L2X 37.34 U1.61 79.92 52.82 U1.61					1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
Combination - Zone 2					<u> </u>		1	2			32.32	.0.07				1		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 Additional 2-wire ISDN Loop in same DS1Interoffice Transport UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37					2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
Combination - Zone 3 3 UNCNX U1L2X 37.34 117.61 79.92 52.82 10.37 Additional 2-wire ISDN Loop in same DS1Interoffice Transport					T -		1	_::00			52,02					1		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport					3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
							1	21.01			52.02					İ		
			Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		1		Ì		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi						-		-		_		Attach	ment: 2	Exhi	bit: A
					1						Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Order vs.			
G/11-200111		m						== (+)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonred	curring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		L
+					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per							71441	101	7.44					00	
	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-						0.02									
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO	ORT											
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month	<u> </u>		UNCSX	1L5XX	4.29			<u></u>	<u></u>			<u> </u>			
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month	<u> </u>		UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29			<u> </u>	<u> </u>		
	3/1 Channel System in combination per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	1	<u> </u>					_					_		
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1						= 00								
EVT	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INT		UNCSX	UNCCC		5.63	5.63	7.20	7.20	1					
EXI	4-wire 56 kbps Local Loop in combination - Zone 1	SPS INT	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1					
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		-		-		
	4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	1					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDA	ODLSO	32.23	120.55	00.00	00.00	14.04	1					
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			CHODA	120701	0.0000										
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120	22.02	10.110	27.01	20	7						
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXT	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF							-						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						_									
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
<u> </u>	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20				ļ		1
EXT	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37				-		-
	First 2-wire VG Loop (SL2) in Combination - Zone 2	 	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	1	-	-	 		1
	First 2-wire VG Loop (SL2) in Combination - Zone 3	 	4	UNCVX	UEAL2 UEAL2	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37	1			1		1
	First 2-wire VG Loop (SL2) in Combination - Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37				 		-
	Mile			UNC1X	1L5XX	0.1813			1					1		
 	First Interoffice Transport - Dedicated - DS1 combination -	 		OI WO I A	ILUAA	0.1013			t		1		1	t		
	Facility Termination per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				I		1
 	Per each DS1 Channelization System Per Month	 	 	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	1	-		 		
 	Per each Voice Grade COCI - Per Month per month	 		UNCVX	1D1VG	0.5737	6.62	4.74		10.10	 			t		
	1. c. cac re.co Grado Goor i di Montii per monti		1	10	.5110	0.0707	0.02	7.77	I	l		1		1		

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		Ŭ	0.10171	O L / LLL	27.00	100.00	00.20	02.02	10.01						
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
		Each Additional Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.5737	6.62	4.74	32.02	10.37						
—	1		<u> </u>	 	OINCVA	טווטו	0.5737	0.02	4.74	1		-	 		-		
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	LINGAY	41.572	0.4040					l	1		İ		
	1	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1813					ļ	ļ				
1		Each Additional DS1 Interoffice Channel Facility Termination in	1	1	l .	1						l	1		İ		
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		-	0.10171	OL/IL!	00.20	102.27	01.00	00.00	1						
		Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		3	UNCVX	ULAL4	30.03	132.21	34.33	00.00	14.04						
		Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	-			4	UNCVX	UEAL4	50.03	132.27	94.59	80.08	14.64						
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAN	41.500/	0.4040										
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 - Facility															
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
1		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		l				
		Additional 4-Wire Analog Voice Grade Loop in same DS1	†	 	-	1	22.20		230	22.30		i	1		1		
1		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	l	1		İ		
—	 	Additional 4-Wire Analog Voice Grade Loop in same DS1	 	۲	5.10 VA	JE/ KET	50.05	102.21	34.33	00.00	17.04	 			 		
1		Interoffice Transport Combination - Zone 4	1	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	l	1		İ		
<u> </u>	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	- 4	OINOVA	ULAL4	50.03	132.27	94.09	80.08	14.04	-	-				
1			1	1	LINGAY	41.572	0.4040					İ	1		İ		
	1	Channel System per month	1	1	UNC1X	1L5XX	0.1813			1		 	 		 		
1		Each Additional DS1 Interoffice Channel Facility Termination in			LINGAY		F4 =0	00 =0	00.00	40.00	44.00		l				
L	1	same 3/1 Channel System per month		 	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
1		Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1						İ	1		İ		
		Is Charge	<u> </u>	<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20		ļ				
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX						ļ	<u> </u>				
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1		1						l	1				-
		Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	İ	1		İ		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
1		Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	İ	1		İ		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -										İ					
		Zone 3	1	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	1					
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	†	Ť	-	1			22.30	22.30		1	1		1		
1		Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	İ	1		İ		
	1	 	<u> </u>	1 7		32230	02.20	120.00	00.00	55.56	17.04	1	1		1		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OATEGORI	NATE ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)	I.	<u> </u>
					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	First Interoffice Transport - Dedicated - DS1 combination - Per				+		11131	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	- COMPART
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - combination			OHOTA	120/01	0.1010										
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
 	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	2.02	0.02	7.17	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	+	CHODA	30130	21.44	120.55	00.00	00.00	14.04				 		
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	 	5.10DA	35230	57.55	120.00	00.00	00.00	17.04				 		
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	ONODA	ODLOG	40.70	120.55	00.00	00.00	14.04						
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per month (2.4-		4	UNCDX	UDLSO	32.23	120.55	00.00	00.08	14.04						
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	טטוטו	1.22	0.02	4.74	0.00	0.00	-					
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.1613					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system	<u> </u>	<u> </u>	UNCIA	UTIFT	31.72	09.79	02.20	10.00	14.90						
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	2.02	0.02	4.74	0.00	0.00	-					
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EVTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE				3.03	5.05	7.20	7.20						
LATE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSFORT W/ 3/	I WIOX						1					
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
 	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		 '	ONODA	ODLO4	27.44	120.55	00.03	00.00	14.04						
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	34.33	120.55	00.00	00.00	14.04						
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	ONODA	ODLO4	40.70	120.55	00.05	00.00	14.04						
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
 	First Interoffice Transport - Dedicated - DS1 combination - Per		-	UNCDA	UDL04	32.23	120.55	00.00	00.00	14.04						
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -			OHOTA	120/01	0.1010										
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
\vdash	Per each Channel System 1/0 in combination Per Month	 	l	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
\vdash	Per each OCU-DP COCI (data) in combination - per month (2.4-	 	l	011017	IVIQ I	102.03	31.37	02.34	10.07	10.10						
1	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
 	3/1 Channel System in combination per month	 		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82		 		 		+
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	 	1	2.70.71	30.51	2.02	0.02	7.77	0.00	0.00		l				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>		32237	21.77	120.00	55.55	00.00	17.04				1	1	t
1 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		1		Ì		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		 			250	00	22.00	22.00					1		
1 1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		1		Ì		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		Ť		1		.20.00	33.30	55.50					1		1
1	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System				1	02.20	.20.00	33.30	55.50					1	1	t
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	†	 		1		5.02		2.00	2.00				1		
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in					22.10								İ		
																•

UNBUND) Fr	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	nit· Δ
31130110		ALL TOTAL ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI in the same 3/1 channel system															i
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						-
		Nonrecurring Currently Combined Network Elements Switch -As-															i
	/TENI	Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOF	T / 0/	4 841137	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EX		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI W/ 3/	I WUX		-				-							
		Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
-		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	CHOID	OTLEX	21.01	117.01	70.02	02.02	10.07						<u> </u>
		Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination						_									
		Transport - Zone 3	<u></u>	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	<u> </u>	<u> </u>		<u></u>		<u> </u>
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						ļ
		First Interoffice Transport - Dedicated - DS1 combination - Per															. <u></u>
		Mile per month			UNC1X	1L5XX	0.1813										.
		First Interoffice Transport - Dedicated - DS1 combination -											1		1		ı
		Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each Channel System 1/0 in combination - per month		<u> </u>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						1
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
 		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00						
		Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															1
		system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAY	41.5307	0.4040										i
-		Channel System per month			UNC1X	1L5XX	0.1813			1							
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	1	 	014017	OTTET	31.72	09.19	02.28	10.00	14.90				 		
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		1		1		İ
		Nonrecurring Currently Combined Network Elements Switch -As-					2.02	3.02		5.00	0.00						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		1		1		İ
EX	TENI	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT													
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						1
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						ı
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					•	
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						-
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month		ļ	UNC1X	1L5XX	0.1813								ļ		
		First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1		1		1
		3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
\vdash		Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74		0.00				1		
		Each Additional DS1 Interoffice Channel per mile in same 3/1			OI TO IX	50151	2.02	0.02	7.74	0.00	0.00						
		Channel System per month			UNC1X	1L5XX	0.1813			1			1		1		ı
		Each Additional DS1 Interoffice Channel Facility Termination in			-					1					1		
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				<u> </u>		ı
	T	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone]		
		1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		l]		ı.

UNRUNE) F	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	hit: A
CIADOIAL		O NET WORK ELEMENTO - MISSISSIPPI	l			1						Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							n	Nonre	curring	Nonrecurring	g Disconnect		l l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EX	(TEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
\vdash		First 4-wire 56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
\vdash		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
\vdash		First 4-wire 56 kbps Local Loop in combination - Zone 4	ļ	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l		l .	1				1							
\vdash		per month	ļ	<u> </u>	UNCDX	1L5XX	0.0098										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-						= 00			=						
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EX	CTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO					100 50									
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			LINODY	41.5007	0.0000										
-		per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.0098			-							
		Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UTID6	22.52	40.78	27.57	17.26	7.11						
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDITION	IAI N	ETWORK ELEMENTS			UNCDA	UNCCC		5.63	5.03	7.20	7.20						
		ISECTION IN THE INTERIOR IS IN THE INTERIOR IS IN THE INTERIOR IS IN THE INTERIOR IS IN THE INTERIOR INTERIOR INTERIOR IS INTERIOR INTERIO	na cha	race de	not apply but a S	witch As Is o	nargo doos an	nlv.									
W	hen u	ised as a part of a currently combined facility, the hori-recurr	he non-	recurri	na charaes anniv an	nd the Switch	As Is Charge	does not									
No.	nrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One	nnlies to each com	hination)	As is charge	does not.		<u> </u>							
140		Nonrecurring Currently Combined Network Elements Switch -As-	Januarye	10113	PP55 10 CUOII COIII					-							
		Is Charge - 2 wire/4-Wire VG	l		UNCVX	UNCCC		5.63	5.63	7.20	7.20	1					
 		Nonrecurring Currently Combined Network Elements Switch -As-	1	!	J. 10 V/	511000		5.05	5.03	7.20	7.20	 					
		Is Charge - 56/64 kbps	l		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
		Nonrecurring Currently Combined Network Elements Switch -As-	1	!		5555		0.00	0.00	7.20	7.20	 					
1		Is Charge - DS1	l		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
		Nonrecurring Currently Combined Network Elements Switch -As-	l	t				5.00	0.00	20	20						
		Is Charge - DS3	l		UNC3X	UNCCC		5.63	5.63	7.20	7.20	1					
		Nonrecurring Currently Combined Network Elements Switch -As-		1		1		1 2.30	2.30	1	1.20						
		Is Charge - STS1	l		UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Op	otiona	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	l I		ULDD1,UNC1X	CCOEF		OI	OI	01	OI	1					
		· · ·			U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1		<u>L</u>	ULDD1,UNC1X	CCOSF		01	OI	OI	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1		<u>L</u>	UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S				<u> </u>		
			l	1	U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
MU		PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1]		_]	1					
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74	1	1	l			1		l

UNB	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	SONT	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								NI		T 81	. D'		l .	000	D-1 (A)	ļ.	ļ.
				1			Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
—	 	DS3 to DS1 Channel System per month	-	 	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82				1		
\vdash	1	STS-1 to DS1 Channel System per month	 	1	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82		l		1	1	1
-	1	DS1 COCI used with Loop per month	1	1	USL	UC1D1	12.96	6.62	4.74	34.30	32.82		1		 	1	1
-	+	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local	1	1	USL	JCIDI	12.90	0.02	4.74	-	-		-		-	-	-
					U1TUA	LICADA	40.00	0.00	4.74								
		Channel in the same SWC as collocation) per month				UC1D1	12.96	6.62									
		DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	12.96	6.62	4.74								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per			l												
		month			ULDD1	UC1D1	12.96	6.62	4.74								
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	g retail USOC	5								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing															
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			02. 0.1	02		2.00	2.20		1.00						
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.72	1.00						
	FEATU			+	OLI OIL	00/100	0.00	0.00	0.00								
\vdash		All Available Vertical Features	 	1	UEPSR	UEPVF	2.56	0.00	0.00	1			l		1	1	1
-		VOICE GRADE LINE PORT RATES (BUS)	1	1	OLFOR	OLF VF	2.30	0.00	0.00	1	1		1		 	1	1
	Z-VVIRE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	<u> </u>	+		+							-		-		
1	1	Bus	l		UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33	1	1		I		
	1		l	1	UEPOB	UEPBL	1.41	∠.39	2.29	1.42	1.33		-		1	-	-
1		Exchange Ports - 2-Wire VG unbundled Line Port with	l	1	LIEBOD	LIEBBO	اا	0.00	0.00			1	1				1
<u></u>		unbundled port with Caller+E484 ID - Bus.		1	UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33				1		
			l									İ					
<u> </u>	 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		ļ	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33				.		
1		Exchange Ports - 2-Wire VG unbundled MS extended local	l	1						Ì		1	1				1
		dialing parity Port with Caller ID - Bus.	<u> </u>	1	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		<u> </u>]
		Exhange Ports - 2-Wire VG unbundled incoming only port with	l			1						İ					
L	<u> </u>	Caller ID - Bus	L	<u></u>	UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan															
		without Caller ID	l		UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33	İ					
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability	l		UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33	İ					
	1	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1	30				İ	İ	İ
	FEATU		1					2.20	2.30				1		1		
	1	All Available Vertical Features	1	1	UEPSB	UEPVF	2.56	0.00	0.00	 		1	1		t		1
		ran and and a control of the control	l	1	1	, U = . VI	2.50	0.00	0.00	l .		1	1		1	1	

CATEGORY RATE ELEMENTS BCS USOC RATES (\$) Svc Order Submitted Submitted Submitted Elec Manually per LSR Per LSR Per LSR Per LSR Electronic- Electroni	UNBI	JNDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
## PATE BLEMENTS Manual Str.	0.112												Svc Order	Svc Order				Incremental
AFFECRIVE BATE ELEMENTS IN DOCUMENT OF THE CONTROL													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
A Color A Color A Color A Color A Color A Color A Color A A Color A A A A A A A A A				Interi									Elec	Manually		Manual Svc		Manual Svc
Recommodified Recommodifie	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Property Property														l ⁻	Electronic-	Electronic-	Electronic-	Electronic-
No. Piret AddT SOME																	Disc 1st	Disc Add'l
No. Piret AddT SOME		1							Monroe	rrina	Monroourring	Dissennest			220	Potos (¢)		
SCHARGE FORT FATES (COL Fines)		-			1		-	Rec					COMEC	COMAN			COMAN	COMAN
P. 2WAY SC Unbounded PSK PSK Truns. Ris DEPSE UPPRO 1.41 31.45 14.33 0.02		EXCHA	NGE PORT PATES (DID & PRY)						FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SUMAN	SOWAN	SUMAN
With Visit United Distancing SWay PREX, Trust - 164. UPPSP UPPSP 141 31.45 1.430 1.430 5.00		LXCHIA				UFPSF	LIEPRD	1 41	31 45	14 93	14.38	0.92						
SWe VC Les Sich Lettunde Channel PMX Trans - last URSP UPPO																		
SWING Augus (Land Distance Terminal FER TURA - Bus DEPSP DEPL																		
Avenue value International Points UPPS			2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
SWYE VAN UNLINEADED TAY TO Territoral House Finds UEPSP UEPAR 1.41 31.45 1.43 0.32											14.38							
2-Wine Vote Unknowled PRIX DOT Terminal Potest Peris 2-Wine Vote Unknowled PRIX DOT Terminal Switchboard Prix UPPS UPPS 141 31.45 14.93 0.92																		
2-New Vaca Unbursted PRIX ID Terminal Substituted Prix UEPSP UEPSP 1.41 31.45 14.39 0.92																		
SWee Value Unburded PRIX ID Terminal Solutifications For ID SPPP UPPN 1.41 31.45 14.39 0.32																		
2-We Vice Unburied PSK UT Ferrinal Switchboard DO UEPSP UEPX 1.41 31.45 14.30 0.92 UEPSP UEPX																		
Capable Port Capa		+		<u> </u>		UEP5P	UEPXD	1.41	31.45	14.93	14.38	0.92	1		-	-		-
2-Wins Voice Unburied EValys PEX Horis/Hospital Economy UEPSP UEPX 1.41 31.45 14.38 0.52				1		LIEDSD	LIEDYE	1 11	31 45	14 02	1/1 20	0.02			1	1		1
Administration Calling Prof. 2-Wire Voice Unbursided 2-Way PBX Hool/Hospital Economy UEPSP UEPXL 1.41 31.45 14.33 14.38 0.92 Discourt Room Calling Prof. 2-Wire Voice Unbursided 2-Way PBX Model/Hospital Discourt Room Calling Prof. 2-Wire Voice Unbursided 2-Way PBX Model/Hospital Discourt Room Calling Prof. 2-Wire Voice Unbursided 2-Way PBX Model/Hospital Calling Prof. Calling P	-	1 -		1		OLFOF	JLFAE	1.41	31.45	14.93	14.38	0.92	1	1	1	1		1
2-Wire Visice Unconsided 2-Way PEX Measurable Economy UEPSP UEPX0				1		UEPSP	UEPXI	1 41	31 45	14 93	14.38	0.92			1	1		1
Room Calling Port						OLI OI	OLI AL	1.41	01.40	14.00	14.00	0.02						
2-Wire Visco Eubundied 1-Way Origong FBX Hosel-Rospital UEPSP UEPXD 1.41 31.45 14.98 14.38 0.92						UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
2-Wire Vote Unbundied 2-Way PEX Mississipp Local Optional USPSP USPX 1.41 31.45 14.38 0.92																		
Calling Port Call						UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
Every Note Unburnedict 2-Way PEX Massissipp Local Optional UEPSP UEPXR 1.41 31.45 14.33 14.38 0.92			2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
Calling Port Call						UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
2-Wire Valore Unbundled FBX Pott, Mississipple only UEPSP UEPAS 1.41 31.48 14.38 0.92																		
2-Vive Voice Unbundled 1-Vivy Outpoing PBX Measured Port UEPSP UEPS UEPS 1.41 31.45 14.35 14.35 0.92																		
Subsequent Activity																		
EXCHANGE PORT RATES (COIN) EXCHANGE PORT RATES (COIN) EXCHANGE PORT RATES (COIN) EXCHANGE PORT RATES (COIN) EXCHANGE PORT RATES (COIN) NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. NBUNDLED LOCAL EXCHANGE SWITCHING/PORTS) The DST Port rates below for 4-Wire DDTTS Trunk Ports and 4-Wire ISDN DST Ports after the effective date of this samedments shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - DDTTS Port - 4-Wire DDTT STUR Port shift the effective date of this samedment shall be provided pursuant to a separate agreement or tariff at DelSouth's discretion. Exchange Ports - DDTTS Port - 4-Wire DST Port with DID UEPDD UEPDD 58.41 20.31 9 96.55 74.86 2.54 Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX, UEPSX UPPMA 13.99 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UPPMA 13.99 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UPPMA 13.99 73.19 53.30 47.90 10.76 UEPTX UEPSX UPPMA 13.90 10.00 0.00 0.00 0.00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX UEPSX UPPMA 13.90 10.21 81.65 20.69 EXCHANGE PORT RATES Continued) UEPTX UEPSX UPPMA 84.63 20.50 10.21 81.65 20.69 EXCHANGE PORT ARES Continued) UEPTX UEPSX UEPDX 84.63 20.50 10.21 81.65 20.69 EXCHANGE PORT ARES Continued) UEPTX UEPTX UEPTX UEPTX B4.65 20.69 10.21 81.65 20.69 UEPTX UEPTX UEPTX UEPTX ABAGE PORT ARES SECRETION OF THE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFILE PROFIL											14.38	0.92						
All Available Vertical Features UEPSP UEPSE UEPVF 2.56 0.00	-					UEPSP	USASC	0.00	0.00	0.00	-							
EXCHANGE PORT RATES (COIN) Exchange Ports - Coin Port 1.30 1.40 1.40						LIEPSP LIEPSE	LIEDVE	2 56	0.00	0.00								
Exchange Ports - Coin Port 1.31 1.32 2.29 1.42 1.33 1.33						OLI OI OLI OL	OLI VI	2.00	0.00	0.00								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) The DS1 Port rates below for 4-Wire DDTS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/104. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requestes for 4-Wire DDTS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at Belisouth's discression. Exchange Ports -2-Wire IDDTS Port -4-Wire DS1 Port with DID capability (E-4/1/2004) Exchange Ports -2-Wire IDDTS Port -4-Wire DS1 Port with DID capability (E-4/1/2004) Exchange Ports -2-Wire IDDTS Port -4-Wire IDDTS								1.41	2.39	2.29	1.42	1.33						
NOTE: Access to 8 Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Attes for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process.				witched	usage	will also apply to ci	ircuit switche					nannels associ	iated with 2	wire ISDN	oorts.			
EXCHANGE PORT RATES The DSI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DSI Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire IDD Port Exchange Ports - DDITS Port - 4-Wire ISDN Port or thin IDD Exchange Ports - DDITS Port - 4-Wire ISDN Port SI Port with DID Exchange Ports - DDITS Port - 4-Wire ISDN Port (See Notes below.) UEPDD UEPDD UEPDD S8 41 203.19 96.25 74.86 2.54 Exchange Ports - 2-Wire ISDN Port (See Notes below.) UEPTX, UEPSX UIFMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UIFWA 0.00 0.00 0.00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UIFWA 0.00 0.00 0.00 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTX, UEPSX UITWA 0.00 0.00 0.00 INOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. EXCHANGE PORT RATES (continued) Exchange Ports - 4-Wire ISDN DSI Port with Detailed E911 Locator Capability (E-W1/2004) UEPDX UEPEX																s Request Pro	cess.	
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/104. After 4/104 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire DID Port Exchange Ports - 2-Wire IDS1 Port - 4-Wire DS1 Port with DID Exchange Ports - 2-Wire ISDN Port - 4-Wire DS1 Port with DID All Features Offered UEPDN UEPDN UEPDN UEPDN UEPDN UEPDN UEPTN, UEPSN UIPMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTN, UEPSN UIPMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTN, UEPSN UIPMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTN, UEPSN UIPMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTN, UEPSN UIPMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTN, UEPSN UIPMA 13.69 73.19 53.30 47.90 10.76 Exchange Ports - 2-Wire ISDN Port - Channel Profiles UEPTN, UEPSN UIPMA 13.69 73.19 53.30 74.86 2.54 2.55 2.54	UNBU																	
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																		
Exchange Ports - 2-Wire DID Port - 4-Wire IDIP Port - 4-Wire IDIS Port with DID UEPDD		The DS	1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embedo	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
Exchange Ports - DITS Port - 4-Wire DS1 Port with DID UEPDD		Reques		after the	effecti													
Capability (E:4/1/2004)	<u> </u>			 		UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
Exchange Ports - 2-Wire ISDN Port (See Notes below.)				1		LIEDUU	LIEDUU	E0 //	202.40	06.25	7/ 00	2 54			1	1		1
All Features Offered	-	1 -		1									1	1	1	1		1
Exchange Ports - 2-Wire ISDN Port - Channel Profiles NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. EXCHANGE PORT RATES (continued) Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E-4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Detailed E911 Locator Capability (Fequired with UEPEX port) UEPEX UEPDX PE1P1 1.14 22.16 16.02 6.60 5.97 UEPEX UEPDX DS1 Port - E911 Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State UEPEX UEPIX UEPIX 0.00 1,814.00 156.15 UEPEX UEPIX 0.00 1,814.00 156.15 UEPEX UEPIX 0.00 1,814.00 156.15 UEPEX UEPIX 0.00 1,814.00 156.15 UEPEX UEPIX 0.00 1,814.00 156.15	-			 	 						47.90	10.76	 		 	 		
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. EXCHANGE PORT RATES (continued) Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 UEPEX UEPEX 84.63 205.00 102.14 81.65 20.69 UEPEX				†							†		1		1	1		1
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. EXCHANGE PORT RATES (continued) Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) UEPEX UEPDX 84.63 205.00 102.14 81.65 20.69 UEPDX 84.63 205.00 102.14 81.65 20.69 Virtual Collocation - DS1 Cross-Connects UEPEX UEPDX PE1P1 1.14 22.16 16.02 6.60 5.97 Detailed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State UEPEX UEP1A 0.00 1,814.00 156.15 UEPEX UEP1B 0.00 176.15	-			witched	usage						nission by B-Cl	nannels associ	iated with 2	wire ISDN	oorts.	1		1
EXCHANGE PORT RATES (continued)																s Request Pro	cess.	
Locator Capability (E:4/1/2004)																		
Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) UEPDX UEPDX UEPDX 20.00 102.14 81.65 20.69																		
Physical Collocation - DS1 Cross-Connects																		
Virtual Collocation - Special Access & UNE, cross-connect per DS1 Detailed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1A 0.00 1,814.00 156.15				ļ											ļ	ļ		ļ
DS1		1		<u> </u>	 	UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	<u> </u>		ļ	ļ		ļ
Detailed E911 with Locator Capability (required with UEPEX port) Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1A 0.00 1,814.00 156.15				1		HEDEY HEDEY	CNICAY		00.10	40.00		F 07			1	1		1
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1A 0.00 1,814.00 156.15	-	Dotoile		 	 	UEPEX UEPDX	CNCTX	1.14	22.16	16.02	6.60	5.97	 					
Locator Capability - Initial Profile Establishment per CLEC per State UEPEX UEP1A 0.00 1,814.00 156.15 Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1B 0.00 176.15	<u> </u>	Detailed		├	 		+				 		 		-	-		-
State				1							I				1	1		1
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1B 0.00 176.15						LIEPEX	UFP1A	0.00	1 814 00		156 15							
Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1B 0.00 176.15				1			J/\	0.00	.,514.00		100.10				1	1		1
Deletions UEPEX UEP1B 0.00 176.15																		
				1		UEPEX	UEP1B	0.00	176.15		I				1	1		1
		New or	Additional PRI Telephone Numbers	1				_	_				İ					

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Exhi	hit: A
0.100		5 ILL I TORRE LELINER TO - INICOCOSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]		1													-
		Inward Tel Numbers [Customer Testing Purposes]		1	UEPEX	PR7ZT	0.00	23.15	23.15							ļ	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	ACE (Provsioning Only)	<u> </u>							ļ							
		Voice/Data		<u> </u>	UEPEX	PR71V	0.00	0.00	0.00	1					1		
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New or	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									
	CALL			<u> </u>	HEREN HERRY	DD=0.4											
	<u> </u>	Inward		<u> </u>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	LINIBLIA	Two-way	<u> </u>		UEPEX	PR7CC	0.00	0.00	0.00								
-		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBU	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33	ļ					
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33	ļ					
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
	<u> </u>	Unbundled Remote Call Forwarding Service, Local Calling - Res	1		UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33				-		
	Non-Pa	ecurring			OLF VIX	OLKIK	1.41	2.39	2.23	1.42	1.33						
-	14UII-RE	Unbundled Remote Call Forwarding Service - Conversion -	1	 		+ -				 				 	 	 	
		Switch-as-is		1	UEPVR	USAC2		0.0988	0.0988	1					1		
	 	Unbundled Remote Call Forwarding Service - Conversion with	1	l	OL. VIX	33/102		0.0000	0.0000	-					-		
		allowed change (PIC and LPIC)		1	UEPVR	USACC		0.0988	0.0988	1					1		
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus	1			3000		3.0000	0.0000	t				1	1	1	
										1				İ	1	1	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus	1		UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33			1	I	1	
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	†	t		1		0		1	30			1	t	1	
1	1	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33			Ì	I	Ì	
	l	Unbundled Remote Call Forwarding Service, InterLATA - Bus	1	1	UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33			İ	İ	İ	
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling		1	UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33				1		
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
	<u></u>	Switch-as-is	<u> </u>	L	UEPVB	USAC2		0.0988	0.0988	<u> </u>		<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	
		Unbundled Remote Call Forwarding Service - Conversion with															
	<u></u>	allowed change (PIC and LPIC)	<u> </u>	<u></u>	UEPVB	USACC		0.0988	0.0988	<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	
UNBUN		OCAL SWITCHING, PORT USAGE															
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0010269										
		End Office Trunk Port - Shared, Per MOU					0.000161										
	Tander	n Switching (Port Usage) (Local or Access Tandem)						, and the second									

IINR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
OND	JINDEL	HETWORK ELLINENTO - INISSISSIPPI	1				1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OAIL	00	TATE ELEMENTO	m	20.10	200	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Us															ļ
		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cur	rently Comb	ned Combos th	ne nonrecurrin	g charges sha	I be those ider	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ														
	UNE Po	ort/Loop Combination Rates	!			-	10.0-										-
<u> </u>	-	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	12.22 17.13								-		1
-		2-Wire VG Loop/Port Combo - Zone 2		2													
-		2-Wire VG Loop/Port Combo - Zone 3		3			26.26 44.91										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
		pop Rates		4	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)		-	CLITOR	OLI LX	40.00										
	2 *******	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local															
		dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU																
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
		NUMBER PORTABILITY			LIEBBY .												
<u> </u>		Local Number Portability (1 per port)	!		UEPRX	LNPCX	0.35								 		!
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			-									 		
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1		UEPRX	USAC2		0.0988	0.0988				1		1		1
<u> </u>	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		OLFKA	USAUZ		0.0988	0.0988		-				-		-
1	1	Switch with change	1		UEPRX	USACC		0.0988	0.0988				1		1		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFKX	USACC		0.0900	0.0900								
		Subsequent Database Update						0.00	0.00								
	ADDITI	ONAL NRCs	1			†		0.00	0.00				 		 		I
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity	1		UEPRX	USAS2	0.00	0.00	0.00								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	1		UEPRX	URETL		8.33	0.83				1		1		1
	OFF/O	PREMISES EXTENSION CHANNELS	<u> </u>														
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25		1				
			+														
		2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
				1	UEPRX UEPRX UEPRX	UEAEN UEAED UEAED	43.85 13.89 18.75	37.92 105.96 105.96	17.55 68.28 68.28	23.48 52.82 52.82	5.25 10.37 10.37						

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
		2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
	NTERC	PFFICE TRANSPORT															-
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						İ
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITOX	OTTVZ	20.02	40.77	21.51	17.20	7.11						
		or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								İ
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
L	JNE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										1
\vdash		2-Wire VG Loop/Port Combo - Zone 2	ļ	2		-	17.13			1					1		
 	INF! ^	2-Wire VG Loop/Port Combo - Zone 3 op Rates		3		+	26.26			1		-			-		
 		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98			+		 			 		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91			1							
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68		•		•						
2	-Wire	/oice Grade Line Port (Bus)															1
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58						
-		2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX UEPBX	UEPBC UEPBO	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
		2-Wire voice dribundled port outgoing only - bus 2-Wire voice Grade unbundled Mississippi extended local			UEPBA	UEPBO	1.23	40.31	19.04	24.90	0.36				1		
		dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						İ
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Business Dialing Plan															
		without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						1
		2-Wire voice unbundled Incoming Only Port without Caller ID															İ
-	OCAL	Capability NUMBER PORTABILITY			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
	OCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35								1		
F	EATU				OLI BX	LIVI OX	0.00										
		All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															İ
		Switch-as-is			UEPBX	USAC2		0.0988	0.0988								-
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPBX	USACC		0.0988	0.0988						1		1
 		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFDA	USACC		0.0908	0.0968	1							
		Subsequent Database Update						0.00	0.00								
	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
\vdash		Activity	ļ	ļ	UEPBX	USAS2		0.00	0.00	ļ							├
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								1
—)FF/ON	PREMISES EXTENSION CHANNELS			OLFDA	UNLIL		0.33	0.63	1							
	,, , , , , ,	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25				1		
\vdash		2 Wire Analog Voice Grade Extension Loop – Design	ļ	1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37				1		
\vdash		Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design	 	3	UEPBX UEPBX	UEAED UEAED	18.75 27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37			-	-	-	
 		2 Wire Analog Voice Grade Extension Loop – Design	1		UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37			1	 	1	
	NTERC	FFICE TRANSPORT		<u> </u>		0220	40.72	100.00	00.20	52.52	10.07						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						L
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile													1		1
<u> </u>	WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	ļ	<u> </u>	UEPBX	U1TVM	0.0088	0.00	0.00	1					1		
<u> </u> 2	-WIKE	VOICE GRADE LOUP WITH Z-WIKE LINE PORT (RES - PBX)	l	l								l			l		<u> </u>

CATEGORY	O NETWORK ELEMENTS - Mississippi															
CATEGORY											Svc Order	Svc Order	Incremental	ment: 2 Incremental	Incremental	bit: A Incremental
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY											Elec		Manual Svc	Manual Svc		Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rt/Loop Combination Rates		_		1	10.00										
	2-Wire VG Loop/Port Combo - Zone 1		1		1	12.22 17.13										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4		+	44.91										
	op Rates		-		+	44.51										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res	<u> </u>		UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATUR																
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		7.00	4.04								
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.00	0.00								
	ONAL NRCs						0.00	0.00								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+ +											
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			02.110	00,102	0.00	0.00	0.00								
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/ON	I PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37				-	-	
	PFFICE TRANSPORT				1				ļ					-	-	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11		1		I	I	
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEFKG	UTIVZ	20.32	40.77	21.57	17.26	7.11				-	-	-
	or Fraction Mile			UEPRG	U1TVM	0.0088	0.00	0.00				1				
2-WIPE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		OLFING	JIIVIVI	0.0008	0.00	0.00	1					t	t	
	ort/Loop Combination Rates	-			+ +				1			 		t	t	
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22								1	1	
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13								1	1	
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	op Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04								1	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68								1	1	
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)				1											
1 1 1	Live Oide Hele and Landing Complete Company BDV To the State Company C			HEDDY	LIEBBO	4.00	00.07	00.10	07.00			1		I	I	
\vdash	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		-	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17				!	!	1
\vdash	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	-		UEPPX UEPPX	UEPPO UEPP1	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17		 				
\longrightarrow	2-Wire Voice Unbundled PBX LD Terminal Ports	-		UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		 				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPPX	UEPLD	1.23	69.37	32.48		6.17		-		 	 	1

UNRII	INDI F	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Exhil	hit: A
CIADO	HULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	11000			DATES (#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.00
							Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	ULFFX	ULFAD	1.23	09.37	32.40	37.00	0.17						
		Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
1		Room Calling Port	1	1	UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		I	1	1		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
1		Discount Room Calling Port	1	1	UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		I	1	1		
-		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	1	1	5E. 1 /	CLI AC	1.20	00.01	02.70	57.00	0.17	 					
1		Calling Port	1	1	UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		I	1	1		
├		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	-	 	OLIIA	JLI NG	1.23	05.57	32.40	31.00	0.17	1	 	 	-		
					HEDDY	LIEDVD	4.00	00.07	00.40	07.00	0.47						
<u> </u>		Calling Port	<u> </u>	 	UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17	!	.	ļ			
<u> </u>		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>	<u> </u>	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		ļ				
<u> </u>		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port	<u> </u>	<u> </u>	UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17	1			1		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	OUNCE		7.50	1.01								
					UEPPX	USACC		7.96	4.04								
		Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Subsequent Database Update		<u> </u>				0.00	0.00								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
1		Premise	1	1	UEPPX	URETL		8.33	0.83	I		1	l	Ì			
	OFF/O	N PREMISES EXTENSION CHANNELS		1		1		2.20	2.30	İ		1	İ	İ	1		
	2	Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37	1	i	1	1		
—	-	Local Channel Voice grade, per termination	 	2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37	 		 	1		
-	-	Local Channel Voice grade, per termination	 	3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37	1	 	1	1		
<u> </u>	-		-		UEPPX	P2JHX	45.72					 	-	-	-		
	INITES	Local Channel Voice grade, per termination	-	4	UEFPA	r2JHX	45.72	105.96	68.28	52.82	10.37	1	1	ļ	-		
-	INTER	DFFICE TRANSPORT	1	1						1		1	1		1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						40									
		Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1						I		1	l	Ì			
		or Fraction Mile			UEPPX	U1TVM	0.0088	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
		ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		i	17.13			İ		1	İ	İ	1		
		2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		1	26.26			t		1	1	1	1		
		2-Wire VG Coin Port/Loop Combo – Zone 4	1	4		1	44.91			t		1	1	1	1		
		pop Rates				1	77.01			 		t	 	†	t		
—	3.1L L	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPCO	UEPLX	10.98			t		1	1	1	1		
-	-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPCO	UEPLX	15.91			 		 	-		-		
<u> </u>			 							 		1	 	 	1		
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 3	-		UEPCO	UEPLX	25.04			1		-	1		-		
		2-Wire Voice Grade Loop (SL1) - Zone 4	<u> </u>	4	UEPCO	UEPLX	43.68						ļ				
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without								1							
	<u></u>	Blocking (AL, KY, LA, MS)	<u></u>	<u></u>	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58	<u> </u>		L			

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
350.45											Svc Order	Svc Order	Incremental		Incremental	Incremental
		l									Submitted	Submitted		Charge -	Charge -	Charge -
			1								Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without															i
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						ł
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						í
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															í
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						í
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															í T
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						ł
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															í T
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						ł
	2-Wire Coin 2-Way with Operator Screening & Blocking:															ı
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,]		1
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator	l]]		
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator															í
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and 011 Blocking															ł
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and 011															ł
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking:															í
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															í
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,									0.50						í
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except I A)															ł
4.5	ILA) DITIONAL UNE COIN PORT/LOOP (RC)		-	UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADI	UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
100	CAL NUMBER PORTABILITY		<u> </u>	UEPCO	UKECU	4.02	0.00	0.00	0.00	0.00						
100	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					-					
NO	IRECURRING CHARGES - CURRENTLY COMBINED			OLFCO	LINEUX	0.55										
INO	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	 		+					 			 	 		
	Switch-as-is	l	1	UEPCO	USAC2		0.0988	0.0988					Ì	Ì		1
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	 	021 00	30,102		5.0300	0.0300	1	 			 	 		
	Switch with change	l	1	UEPCO	USACC		0.0988	0.0988					Ì	Ì		1
ADI	OITIONAL NRCs	1		00	33.30		5.0000	0.0000		1			1	1		í
1.5	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				† 1					1			İ	1		í
	Activity	l		UEPCO	USAS2		0.00	0.00								í
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	†		1 1		2.20	2.30		1			1	1		ĺ
	Premise	l	1	UEPCO	URETL		8.33	0.83					Ì	Ì		1
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I		1											í
	Port/Loop Combination Rates		<u> </u>		1											ĺ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										ı .
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNI	Loop Rates							-								
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72										
2-W	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70	l .	<u>l</u>]]		

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
0.100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	INCOME ELEMENTO IMICOICOIPPI										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.441
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice Grade unbundled Mississippi extended local			LIEDED	LIEDAT	4.07	100.05	70.57	54.04	44.70						
-		dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			LIEDED	UEPAP	1.27	100.05	70.57	5404	44.70						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						-
		without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						İ
-	INTER	OFFICE TRANSPORT			OLITIK	OLI W3	1.27	100.55	10.51	54.24	11.70	1					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
		Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFR	1L5XX	0.0088										
	FEATU																
		All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															İ
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	0.14/105	End User Premise		ODT (UEPFR	URETN		11.19	1.10								
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (I	305)												
	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	28.82					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4		+	46.99										
	UNFI	pop Rates		<u> </u>			10.00										
	0.112	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70						
	<u> </u>	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
1	1	2-Wire voice Grade unbundled Mississippi extended local	l			1								1	I		1
<u> </u>	<u> </u>	dialing parity port with Caller ID - bus	<u> </u>		UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70	<u> </u>		 	-	ļ	
<u> </u>	1	2-Wire voice unbundled incoming only port with Caller ID - Bus	l	1	UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70	1		-	1		
1	1	2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID	l		UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70				1		1
	LOCAL	NUMBER PORTABILITY	-	-	UEFFB	UEPVIK	1.27	108.35	70.57	54.24	11.70				 		
	LUCAL	Local Number Portability (1 per port)	-	-	UEPFB	LNPCX	0.35							-	-	-	
-	INTER	OFFICE TRANSPORT	1	1	ULFFB	LINFUX	0.35					1	1		1		
—	MIER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 		+				 				 	 		
1	1	Termination	l		UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11			1	I		1
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			122	20.02	40.11	21.01	17.20	,,,,,	1		 	I		—
1	1	or Fraction Mile	l		UEPFB	1L5XX	0.0088							1	I		1
	FEATU					1	3.0000			1				İ	1		
		All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00			İ					
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED						-				İ					
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	<u></u>	Combination - Conversion - Switch-as-is	<u> </u>		UEPFB	USAC2		16.94	3.72	L				<u> </u>	<u></u>	<u></u>	<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						_									1
L	<u> </u>	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								L
1	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	l]			1
L	<u> </u>	End User Premise	<u> </u>		UEPFB	URETN		11.19	1.10						<u> </u>		

UNBUNDL	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
	Port/Loop Combination Rates	T	1													
OIL.	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		-	20.02										
		-														
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
 	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	27.55					l	1		1		1
 	2-Wire Voice Grade Loop (SL2) - Zone 3 2-Wire Voice Grade Loop (SL2) - Zone 4	 	4	UEPFP	UECF2	45.72					 	 		1		
0.140		<u> </u>	4	ULFFF	UEUFZ	45.72					 	 				
2-Wir	Voice Grade Line Port Rates (BUS - PBX)	 	!								ļ					
		l		İ]	l		1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	Ш_	UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29	L	<u> </u>				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29	İ	İ				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29						
		-														
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	ULFIF	ULFAL	1.27	137.41	00.14	07.20	11.23						
	Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
		-		UEPFP	UEPXS											
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>			1.27	137.41	80.14	67.20	11.29						
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										ĺ	ĺ				
	Termination	l		UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11]	l		1		1
 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	 	1	JUL 1 1 1	J11142	20.02	70.77	21.31	11.20	7.11	 	 		1		
	or Fraction Mile	l		UEPFP	1L5XX	0.0088					l	l		1		
		 	1	ULFFF	ILOAX	0.0088					 	 		1		+
FEAT	URES			L	I						ļ	ļ				
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00								
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										L					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72			l	l				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										i			1		
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72			l	l				
 	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 	1	02111	30,100		10.54	5.12			l	l		1		
				LIEDED	LIDETN		44.40	4			l	l				
	End User Premise	<u> </u>	1	UEPFP	URETN		11.19	1.10			 	 				
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT									L					
UNE I	Port/Loop Combination Rates															
İ	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										
$\overline{}$	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	 	3	 	+	34.98					 	 		1		
		<u> </u>	4		_						 	 				
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	<u> </u>	4	ļ	+	53.15					 	 				
UNE	Loop Rates		1									l				<u> </u>

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	ibit: A
				l									Svc Order	Svc Order	Incremental			
													Submitted	1		Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	F	cs	USOC			RATES (\$)							Order vs.	
0,	••••		m		_		0000			= (4)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
									Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		L
							1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89	11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75					1	1				†
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	27.55										+
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
	UNE P	ort Rate																
	0.12	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25						
	NONR	CURRING CHARGES - CURRENTLY COMBINED								• • • • • • • • • • • • • • • • • • • •								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		7.35	1.88								
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1		1		i i	1			İ	İ			İ	İ	İ	
		with BellSouth Allowable Changes	1	1	UEPPX		USA1C		7.35	1.88						I	Ì	
	ADDIT	ONAL NRCs																
	1	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94						İ	İ	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise	1	1	UEPPX		URETN		11.19	1.10						I	Ì	
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 4		4				67.61										
	UNE L	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		24.67										
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		34.85								.		<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 4	ļ	4	UEPPB	UEPPR	USL2X	57.28										_
	UNE P	ort Rate	ļ	<u> </u>	LIEBBE	LIEBBE		10.55	100	100	100 ==							_
	Nevie	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13				-		_
	NONRI	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>		<u> </u>		 									-		_
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1	LIEDDO	LIEDDO	LICACE	0.00	00.70	07.4						I	Ì	
	400:-	Combination - Conversion	<u> </u>	ļ	UEPPB	UEPPR	USACB	0.00	38.73	27.17					1	-		
	ADDIT	ONAL NRCs	 	-	1		 				ļ	-	-	-	-	 	 	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1	1	UEPPB	UEPPR	URETN		11.19	1.10						I	Ì	
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 		UEPPB	UEPPR	OKETN		11.19	1.10						 		
		Premise			UEPPB	UEPPR	URETL		8.33	0.83						1		
	LOCAL	NUMBER PORTABILITY	-	 	OLPPD	ULPPR	ONLIL	1	0.33	0.63	-				-		 	
	LOCAL	Local Number Portability (1 per port)	 	 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1		 	-	1	 	1	1
	B-CHA	NNEL USER PROFILE ACCESS:	 		OLPPD	ULPPR	LINEON	0.35	0.00	0.00	1				1	t	1	1
	D-CHA	CVS/CSD (DMS/5ESS)	1	-	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			1	-		1		1
	+	CVS (EWSD)	 	 	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1		 	-	1	 	1	1
	+	CSD	 	 	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 			-		 	 	
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN1	OLI FD	OLITER	31000	0.00	0.00	0.00						t	 	
	2 0114	CVS/CSD (DMS/5ESS)	_,o, 6	,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			<u> </u>		1	I	 	
	+	CVS (EWSD)	1	1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00						-		
	+	CSD	 	-	UEPPB	UEPPR		0.00	0.00	0.00				1			-	
		I++-	1	1	, , _ , , ,	S=1 1 11	3.00	0.00	0.00	0.00	1				1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Fxhi	bit: A
CHECHEL		1										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	вс	S	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							- (17			per LSK	per LOK				Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	TERMINAL PROFILE								7144		7.00.		00				
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTIO	CAL FEATURES			02	02	0.0	0.00	0.00	0.00								
, , , , , , , , , , , , , , , , , , ,	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE			02	02	02. 1.	2.00	0.00	0.00								
INTERN	Interoffice Channel mileage each, including first mile and					1											
	facilities termination			UEPPB L	JEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0098	0.00	0.00	17.20	7.11						
4-WIRE	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT		OLITB ,	OLITIK	WITCHNI	0.0000	0.00	0.00								
	NE-P DS1 combination rates below for in this rate exhibit appl			ldad hasa ii	n nlace a	e of 10/2/03 i	until 4/1/04 Aft	or 1/1/01 these	rates shall re	vert to tariff rat	es or a senara	te commerc	ial agreeme	nt			
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													i	 		
	ort/Loop Combination Rates	unk F	ane		. s date 0	amenu			to a sepai	a.s agreement	C. tariii at Bei	.couura ur			 		
ONET	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-	 			1	 			 	†	 	 			-	
	Zone 1		1	UEPPP			155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	- ' -	OLITI		1	155.45			t	t	†	1		1		
	Zone 2		2	UEPPP			205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLFFF			203.74										
	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	OLFFF		1	203.10			-	-				-		
	Zone 4		4	UEPPP			504.04										
UNITI	oop Rates		4	UEPPP			534.81										
UNE LO			1	UEPPP		LICL 4D	70.00										
-	4-Wire DS1 Digital Loop - UNE Zone 1	-	2	UEPPP		USL4P USL4P	79.08										
-	4-Wire DS1 Digital Loop - UNE Zone 2	-					129.38										
-	4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPPP		USL4P	206.74										
LINE D	4-Wire DS1 Digital Loop - UNE Zone 4	-	4	UEPPP		USL4P	458.46										
UNE P	ort Rate	-	-	LIEDDD		LIEDDD	70.05	450.00	200 50	407.75	00.70						
NOND	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-	-	UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
NONKE	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)	-	-	UEPPP		USACP	0.00	119.76	79.01								
ADDITI	IONAL NRCs	-	-														
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD		DDZTE		0.40									
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			LIEDDD		DDTTO		44.50	44.50								
	Outward Tel Numbers (All States except NC)	-	-	UEPPP		PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		DDZZT		00.45	22.45	1	1		1				
1.004	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
	NUMBER PORTABILITY	1	1	UEPPP		LNDCN	4 75			 	 	1		-	 	1	
	Local Number Portability (1 per port)	1	1	UEPPP		LNPCN	1.75			 	 	1		-	 	1	
INTERI	FACE (Provsioning Only)	1	1	LIEDDD		DD741/	0.00	0.00	0.00	 	1	1	 	-	1	 	
	Voice/Data	1	 	UEPPP		PR71V	0.00	0.00	0.00	 	 	1			 		
 	Digital Data	1	1	UEPPP UEPPP		PR71D	0.00	0.00	0.00	 	 	1		-	 	1	
No	Inward Data	1	1	UEPPP		PR71E	0.00	0.00	0.00	 	 	1		-	 	1	
New or	r Additional "B" Channel	1	1	LIEDDD		DDZD\/	0.00	44.04		 	1	1	 	-	1	 	
	New or Additional - Voice/Data B Channel	1	 	UEPPP		PR7BV	0.00	14.61		 	 	1			 		
	New or Additional - Digital Data B Channel	1	 	UEPPP UEPPP		PR7BF	0.00	14.61		 	 	1			 		
CALL	New or Additional Inward Data B Channel	1	1	UEPPP		PR7BD	0.00	14.61		 	 	1		-	 	1	
CALL		1	1	LIEDDD		DD7C1	0.00	0.00	0.00	 	1	1	 	-	1	 	
\vdash	Inward	1	 	UEPPP UEPPP		PR7C1	0.00	0.00	0.00	 	 	1			 		
\vdash	Outward	1	 	UEPPP		PR7CO PR7CC	0.00	0.00	0.00	 	 	1			 		
later - f	Two-way	1	 	UEPPP		PR/CC	0.00	0.00	0.00	 	 	1			 		
interof	fice Channel Mileage	1	1	UEPPP		41 NI4 A	F7 F0	00.70	00.00	40.00	44.00	1		-	 	1	
 	Fixed Each Including First Mile	1	1	UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	1		-	 	1	
4 1477-	Each Airline-Fractional Additional Mile	1	1	UEPPP		1LN1B	0.20			1	1	1			1	-	
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	<u> </u>					4/4/6 * **		<u> </u>			-1		-		
I he UN	NE-P DS1 combination rates below for in this rate exhibit appl	y to the	embec	ided base ii	n place a	s of 10/2/03 t	until 4/1/04. Aft	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	iai agreeme	nt.	1		
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	rective c	ate of	inis amend	ment sha	iii be provide	ea pursuant to	a separate agre	ement or tarif	Tat BellSouth's	s aiscretion.				-		
UNE P	ort/Loop Combination Rates	-	<u> </u>	HEDDA		1	101 70			.	-			1	-		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1 1	UEPDC		<u> </u>	131.78			I	I	1	<u> </u>	L	l	L	

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually			Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	JOICI	KATE ELEMENTO	m	Zone	ВСО	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	,							N			B'				D-1 (A)		ļ.
							Rec		curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		182.07										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15										
	UNE L	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										
		4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										
	UNE P	ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
		CURRING CHARGES - CURRENTLY COMBINED	1				32.10	.012	20 7.10	.20.00		1	1	1	1		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1		1				†	†		 	†	1		1
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41	1		l					
-	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	-	סבו טט	30/104		130.24	07.41	 	 		 	+	1	-	1
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41	1				1			
	+		-		UEPUC	USAWA		130.24	07.41	 	-		1	-	1		
1		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	110 1140		400.01	07	1		l					
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
	ADDIT	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 00	05115		11.00	1 1.00								
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
	BIBOI	AR 8 ZERO SUBSTITUTION			OLI DO	ODTIL		14.50	14.50								
-	BIFUL				LIEDDO	CCOSF		0.00:	000 00-								
	1	B8ZS -Superframe Format			UEPDC			0.00i	600.00s								
-	A 14	B8ZS - Extended Superframe Format	-		UEPDC	CCOEF		0.00i	600.00s								
	Alterna	ite Mark Inversion			LIEBBO												
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00								ļ		
		Telephone Number for 1-Way Outward Trunk Group	<u></u>	<u></u>	UEPDC	UDTGY	0.00		<u></u>						<u> </u>		
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00						1		
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop			2.30	2.30	2.30	t			i	1	1		1
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	gu.			1				†	†		 	†	1		1
	1	Termination)	1	1	UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90	1	l	1			1
-	+	TOTTIII GGIOTI)	 	1	סבו טט	(LINO)	31.33	09.79	02.20	10.00	14.30		1	t	1	1	l
1	1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.20	0.00	0.00	I	Ì		l	1			1
—	+		 	 	OLFDO	ILINOA	0.20	0.00	0.00	 			-	 	1		
1	1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	1	1	UEPDC	1LNO2	0.00	0.00	0.00	I	Ì		l	1			1
-	1		1	-	UEPDU	ILNO2	0.00	0.00	0.00	1			1	1	1		
1		Interoffice Channel Mileage - Additional rate per mile - 9-25								1		l					
L	1	miles	ļ		UEPDC	1LNOB	0.20	0.00	0.00			ļ	ļ		ļ		
	1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1	1						I	Ì		l	I			1
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
1	1								1				l			l	l
L	<u> </u>	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	<u></u>	UEPDC	1LNOC	0.20	0.00	0.00	<u> </u>	<u></u>	<u></u>	<u> </u>	L	<u> </u>	<u> </u>	<u> </u>
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT				1			İ	İ	İ		İ	İ	İ	İ	İ
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			1				t			i	1	1		1
	3,0.011			1					L	L	L	L	L	L	1	L	

UNBUNDI	LED NETWORK ELEMENTS - Mississipp	oi											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonre	curring	Nonrecurring	g Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Faci	h System can have up to 24 combinations of rat	toe depending on type a	nd num	har of parts used			11130	Auu	11130	Addi	JONEC	JONAN	JONAN	JONAN	JOHAN	JONAN
					40 audibit and		ddad baaa in s		100	A After 4/4/04		aladi waxaant	4 - 4 - uiff u - 4			
	UNE-P DS1 combination rates below for 4-Wire											snali revert	to tariff rates	or a separate	agreement.	
	uests for 4-Wire DS1 Loop with Channelization	with Port after the effect	ive dat	e of this amendmer	it snall be pro	ovided pursuar	it to a separate	agreement or	tariff at BellSo	utn's discretion	on.					
UNE	E DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UNE	E DSO Channelization Capacities (D4 Channel B	ank Configurations)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	190.12	0.00	0.00				i				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00		İ						
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	570.36	0.00	0.00	 	 	 	1		 		I
 	192 DS0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	760.48	0.00	0.00	1	t	1	l		1		1
H	240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM2O	950.60	0.00	0.00		 	 			1		1
	288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28 VUM38	1,140.72	0.00	0.00	-	 	1			 		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG		1,520.96										
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								
Non	n-Recurring Charges (NRC) Associated with 4-W	ire DS1 Loop with Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	/stem									
	linimum System configuration is One (1) DS1, O															
Mul	tiples of this configuration functioning as one a	are considered Add'l afte	r the m	ninimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with o	or without														
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
Svst	tem Additions at End User Locations Where 4-V	Vire DS1 Loop with Char	nelizat	ion with Port Comb	ination Curre	ently Exists and										
	v (Not Currently Combined) in all states, except															
	1 DS1/D4 Channel Bank - Additionally Add NR		1	ì												
	and Assoc Fea Activation (E:4/1/2004)	to for each for		UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Din	olar 8 Zero Substitution			OLI WO	VOIVID4	0.00	7 10.10	321.33	140.00	17.50						-
Бірс	Clear Channel Capability Format, superframe -	Cubacquent			+											-
		- Subsequent		UEPMG	00005	0.00	0.00:	000 00-								
	Activity Only			UEPING	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended S	Superframe -														
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Alte	ernate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00		0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excl	hange Ports Associated with 4-Wire DS1 Loop v	with Channelization with	Port													
Exc	hange Ports															
	Line Side Combination Channelized PBX Trunl	k Port - Business														
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	l	1		Ì		1
	Line Side Outward Channelized PBX Trunk Po	ort - Business	i –	İ	1	120	1	2.30	2.30	1	İ	İ		İ		1
	(E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		l				
	Line Side Inward Only Channelized PBX Trunk	Port without DID	!		52. 5%	1.20	3.50	0.00	0.00	0.00	 			 		t
	(E:4/1/2004)	on williout DID		UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	I	l		1		
	2-Wire Trunk Side Unbundled Channelized DII	D Trunk Port	1	OLI FA	OLFIA	1.23	0.00	0.00	0.00	0.00	 			1		1
	(E:4/1/2004)	D HUIIK FUIL		UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00	I	l		1		
 		ad Outdial	1	ULPPA	OEPDIN	7.40	0.00	0.00	0.00	0.00	 	 		 		
	Unbundled Exchange Ports, 2-Wire Channelize			1		1	1			1		l				
	(AL, KY, LA, MS, & TN)(Conversion from Netwo	UIK ACCESS		LIEDDY	LIEBC:						l	1		Ì		1
	Service) (E:4/1/2004)		1	UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00						.
	Unbundled Exchange Ports, 2-Wire Channelize			İ	1	1	1	Ì	Ì	I	l	1		Ì		1
	(AL, KY, LA, MS, & TN) (Conversion from Netw	ork Access		İ		1	1			I	I	l		1		1
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelize	ed - Outdial-														
	Mississippi Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	l	1		Ì		1
	Wississippi Offiy - Calling Flair (E.4/1/2004)															
	Unbundled Exchange Ports, 2-Wire Channelize	ed - Two Way -														
		ed - Two Way -		UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00						

UNBUNDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	hit· Δ
ONDONDER	WEI WORK ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac 1at	Disc Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4															1
	Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
	Feature (Service) Activation for each Trunk Port Terminated in															1
	D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
Telepi	none Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
-	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5	0.00	0.00	0.00								
-		-		UEPPX	ND6 NDV	0.00	0.00	0.00								
1	Reserve DID Numbers Number Portability			UEPPX	NDV	0.00	0.00	0.00	-							
Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
EEAT	URES - Vertical and Optional			UEPPA	LINECE	3.15	0.00	0.00								
	Switching Features Offered with Line Side Ports Only															
Local	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00	<u> </u>							
LINBUNDI ED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	<u> </u>		OLITA	OLI VI	2.50	0.00	0.00								
	t Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	nrovide Unb	undled Local S	witching or Sv	itch Ports								
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
	I Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
	first and additional Port nonrecurring charges apply to Not C														Additional NR	Cs may
	also and are categorized accordingly.				· · · · · · · · · · · · · · · · · · ·		,		0 20000			g •	,			c o,
	rket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notic	e.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		1	on an mannada oa	T Zuoio, uii											
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		12.22										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		17.13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		26.26										ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design		4	UEP91		44.91										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
	Design		1	UEP91		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													1
	Design	<u> </u>	2	UEP91		19.98			-							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDO4		00.70			I			1		1		
\vdash	Design	<u> </u>	3	UEP91	1	28.78			.							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	4	LIEDO4		40.05			I			1		Ì		.
I IAIT 1	Design Sets		4	UEP91	1	46.95			 							
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP91	UECS1	10.98			 					-		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	├	2	UEP91 UEP91	UECS1	10.98			 			 		-		
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP91	UECS1	25.04								-		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4	 	4	UEP91	UECS1	43.68			 		1	-		1		
 	2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP91	UECS2	13.89			t			 		 		
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP91	UECS2	18.75			-							
 	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 		UEP91	UECS2	27.55			 					 		
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72			†							
UNE F		†		- •					t					1		
	ates (Except North Carolina and Sout Carolina)	†			1	t			t					1		
1 1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58				İ		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1			1	1								İ		
	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		l				1

UNR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fvhi	bit: A
0.40	,14DLE	- INDICIT ELEMENTO - IMIGGIGGIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Int									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Auu I
							Rec	Nonrec	urring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	UEPY2	4.00	40.04	40.04	24.00	0.50						
	A1 1/3/	Basic Local Area , LA, MS, & TN Only			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, K				UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						
-	1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP91 UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	-	 		+	1	1
H	+	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58				t	1	1
H	+	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL1 01	טבו עוו	1.23	40.31	15.04	24.30	0.30				t	1	1
	1	Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		1		I		
-	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				J	1.20	100.00	70.07	04.24	11.70	<u> </u>	 		I		
	1	Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		1		I		
	1				-		0			1	1				1	l	İ
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		1		I		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	2.56										
-		All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98									
	NARS	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56										
	NAKS	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	-					
	+	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	Ianeous Terminations			OLI 01	O/ II (O/)	0.00	0.00	0.00	0.00	0.00						
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	annel Bank Feature Activations				1				ļ	ļ				ļ		
	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
		Factors Astination on D.4 Observal Book EVIII - City			LIEDO4	4001440	0.5-			1	1				1		
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP91	1PQW6	0.57			 	 	1			1		
	1	Slot			UEP91	1PQW7	0.57			I	1		1				
-	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-		OLF31	IF QVVI	0.57			+	+	-	-		 	1	1
		Different Wire Center			UEP91	1PQWP	0.57			1	1				1		
	1	Sinoral Trillo Conton			02101	11 92 771	0.57			†	†	1			†	1	1
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57			I	I		1		I		
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			-	1				1	1				1		
	1	Slot			UEP91	1PQWQ	0.57			I	I		1		I		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed												_			
		changes, per port			UEP91	USAC2		0.10	0.10								
	<u> </u>	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								
	 	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32									
	 	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32									
-	-	Secondary Block, per Block		-	UEP91	M2CC1	0.00	77.91		.	.				1		
		NAR Establishment Charge, Per Occasion		<u> </u>	UEP91	URECA	0.00	72.63		l	l	<u> </u>	l		1	l	l

UNB	BUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	EGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	P	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 101	2.007.007
							Rec	Nonre			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additi	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP91	URETN		11.19	1.10								
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					40.00										
		Non-Design		1	UEP95	_	12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE	1	47.40				I			1	1		
-	-	Non-Design	-	- 2	UEP95	+	17.13			 	 	1	1	1	 		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE	1	26.20				I			Ì	Ì		
<u> </u>		Non-Design	-	3	UEP95	+	26.26			 	 	1	-	 	 		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	4	UEP95	1	44.91				I			Ì	Ì		
	LINE D			4	UEP95	_	44.91										
	UNE P	ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+					-	1					
		Design		1	UEP95		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95	_	15.12										
		Design		2	UEP95		19.98										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		19.90										
		Design		3	UEP95		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			OLI OU	+	20.70										
		Design		4	UEP95		46.95										
	UNF I	oop Rate			OLI SO		40.00										
	0	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
		ort Rate															
	All Sta																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	LIEDOE	LIEDY Z	4.00	400.0=	70.5-	5461	11			1	1		
	-	Service Term - Basic Local Area		<u> </u>	UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70	}		 	 		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58			1	1		
		- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58	1					
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						
	VI K	/, LA, MS, SC, & TN Only		 	OLF 30	ULF 12	1.23	40.31	19.64	24.90	0.38	-		-	 		
-	Δ£, r\1	2-Wire Voice Grade Port (Centrex)	1	1	UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58	1	 	1	1		
	-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	†	UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58	 		 	 		
-	-	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
-	-	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	52. 00	JEI WII	1.23	70.01	10.04	27.50	5.50						
		Center)2,3		1	UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70			1	1		
-		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				32. 4	20	.00.00	. 0.01	JZ-7				1			
		Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		, · · · · · · · · · · · · · · · · · · ·				1	20			1	1			İ	İ		
1		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58			1	1		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84		6.58			İ	İ		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FI &	GA Only							7144.		71441	0020				00	
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP95	UEPVF	2.56										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
j	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations	1												İ		
	Trunk Side	1			1	1								İ		
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0098										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non-F	lecurring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32			-						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63									
Addit	onal Non-Recurring Charges (NRC)							·								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1				Π					1	1]		
	Premise			UEP95	URETL		8.33	0.83						ļ		ļ
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.19	1.10								1
	CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															_
UNE F	Port/Loop Combination Rates (Non-Design)	ļ														_
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design	<u> </u>	1	UEP9D	1	12.22										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l												
	Non-Design	ļ	2	UEP9D		17.13								ļ		
ı I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	l												
	Non-Design	ļ	3	UEP9D		26.26								ļ		<u> </u>
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	l .								1	1		Ì		
	Non-Design		4	UEP9D		44.91										<u> </u>

UNBUN	DLEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			lust a ut									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Add I	DISC 1St	DISC Add 1
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		4	UEP9D		46.95										
U	NE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
$\sqcup \bot$		2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>		UEP9D	UECS1	15.91										1
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	25.04			1					1		
$\sqcup \!\!\! \perp$		2-Wire Voice Grade Loop (SL 1) - Zone 4	ļ	4	UEP9D	UECS1	43.68			ļ					ļ	ļ	I
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
ļ		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72										
		ort Rate		<u> </u>													
А	LL SI	ATES					4.00	10.01	10.01	21.22							
-		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			LIEDOD	UEPYB	4.00	40.04	40.04	04.00	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
		Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPTC	1.23	40.31	19.04	24.90	0.30	1					-
		Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		1	OLI 3D	OLITO	1.25	40.51	13.04	24.30	0.50						
		Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			02. 02	022	20	10.01	10.01	2 1.00	0.00						
		Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			<u> </u>						0.00						
		Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
		Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
		Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
		Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
		Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
		Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3-Basic Local Area		<u> </u>	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area	1		UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		1		I	1	1
-			1		UEP9D	UEPYU	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area		1	UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70				1		1
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	 	-	OFLAD	UEFIF	1.23	100.35	10.57	54.24	11.70				-	-	
		Basic Local Area		1	UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70				1		1
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	1	OFLAD	UEFIL	1.23	100.35	10.57	34.24	11.70	1			1		
1 1		Basic Local Area	1	1	UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		1		I	Ì	1
\vdash		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	 	 	021 00	OL: IIX	1.20	100.55	70.57	57.24	11.70				 	 	
		Basic Local Area	1		UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		1		I	1	1
			ı	<u> </u>		J 10	1.20	100.00	10.01	U-1.27	11.70	<u> </u>	l .		l	l	4

UNBU	INDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
3.450	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Sixt EEEmEtt o mississippi										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			LIEDOD	LIEDV4	4.00	400.05	70.57	54.04	44.70						
-		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEF9D	UEPTS	1.23	106.33	70.57	54.24	11.70						
		Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			OLI 3D	OLI 10	1.25	100.55	10.51	34.24	11.70						
		Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.05	02	20	100.00		0							
		Term 2.3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
1		Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		1		1		
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58			<u> </u>	<u> </u>		
	AL, KY	, LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58				ļ		
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4		1	UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
-		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
-		2-Wire Voice Grade Port (Centrex / EBS-M5312)4		 	UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58			1	 		
-		2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4		-	UEP9D UEP9D	UEPQT UEPQU	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58			-			
 		2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58						
-		2-Wire Voice Grade Port (Centrex / EBS-N5216)4 2-Wire Voice Grade Port (Centrex / EBS-N5316)4		+	UEP9D	UEPQV UEPQ3	1.23	40.31	19.84	24.90	6.58			1	1		
1		2-Wire Voice Grade Port (Centrex / EBS-No310)4 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						
1		2-Wire Voice Grade Port (Centrex With Galler ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			J. JD	521 WII	1.20	40.01	10.04	2-7.50	0.00						
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			-	1 3-	0				2.30			İ	İ		
		2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		1		1		
	<u></u>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<u> </u>	UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70			<u></u>	L		
							_										
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
										_			1]		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
						1				I			1		1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1	UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
		O Mire Veice Conde Dart (Control 1997 - ONIO (EDO MESSO) CO.			LIEDOD	LIEBOO	4.00	400.0=	70.5-	5461	44 ===						
-	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70	1			 		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		1		1		
-		2-vviile voice Grade Fort (Certitex/differ 5vvC /EB5-M5008)2,3,4			OLF 9D	UEFQ4	1.23	100.35	10.57	34.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		1		1		
—	1	2-YVIIG VOICE GIAUE FOIL (CEITHEX/UIITEI SVVC /EDS-IVIS/208)2,3,4			OLF3D	ULFUD	1.23	100.35	70.37	54.24	11.70	-			 		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
1	†					J=. 30	1.20	100.00	10.01	U-1.2-T	11.70	<u> </u>	 		 		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		1		1		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			-									İ			
		Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		1		1		
							_	_									
L	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u></u>		UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58	<u> </u>	<u></u>	<u> </u>	<u></u>		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	witching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			I]		

CATEGORY MATE ELEMENTS Material Colors C	IINRI	INDI FI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	hit: A
ARTE ELEMENTS Proof of the Core BCS USOC USOC US	OND	NULL		1	l		1						Svc Order	Svc Order				Incremental
ANTE PLEMENTS Dec																		Charge -
## APTE ELEMENTS ## 2006 ## APTE USDC FATE Part Light Order vo. Or				lustani														Manual Svc
Page	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second S				m									per Lore	per Lore				Electronic-
Part Part																		Disc Add'l
Fauture Fauture Offered per poin CPSO																	D130 131	DISC Add I
Figure F								Rec										
All Source Features Citients, per port				ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
All Select Footnets Offered per port All Select Footnets Offered per		Feature				LIEBAB		0.50										
Wastern Carbon Features (Offens) per part Wastern Carbon Features (Offens) Wastern Carbon Features (Offens) Wastern Carbon Market (Wastern Carbon Market) Wastern Ca	-								404.00									
NASS									404.98									
Description National Assess Register Communities USPND UNIVEX 0.00 0.		NADS	All Centrex Control Features Offered, per port			UEP9D	UEFVC	2.56								-		
Debugsder Access Register - Chaldrel URPPID UARYX 0.00		IVANO	Unbundled Network Access Register - Combination			LIEP9D	LIARCX	0.00	0.00	0.00	0.00	0.00						
Miscolarison Feminations Miscolarison Femina		1																
Miscolineous Terminations																		
2 NWW Trust Side		Miscell						0.00			0.00							
A Wiles Topical (1.54M Regulation)																		
DST Circuit Terminations, each			Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88						
InterOffice Channel Misego - Channel Service UP90 M190 U506 M190 M190 U506 M190 U506 M190 U506 U5		4-Wire	Digital (1.544 Megabits)															
Interoffice Channel Milesge - 2-Wire										96.25	74.86	2.54						
Intereditic Channel Facilities Termination UEPDD MIGBE 22.52 40.77 27.57 17.26 7.11						UEP9D	M1HDO	0.00	14.56									
Securition Channel mileage, per nie or fraction of mile UEPRO MIGGMM 0.0098		Interoff		1														
Feature Activations (S80) Centres Loops on Channellated DST Service									40.77	27.57	17.26	7.11						
Oct Channel Bank Fasture Activation on D.4 Channel Bank Centrex Loop Stot UEP90 1POWS 0.57						UEP9D	M1GBM	0.0098										
Feature Activation on D4 Channel Bank Centres Loop Stot UEP90 1POW6 0.57				ce														
Feature Activation on D-4 Channel Bank FX Truns Side Loop Side UEP9D		D4 Cha				LIEDOD	400040	0.57										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot UEP9D 1POW7 0.57			Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot UEP9D 1POW7 0.57			Footure Activation on D.4 Channel Bank EV line Side Loop Slat			LIEDOD	1000/6	0.57										
Siot						UEP9D	IFQW6	0.57								-		
Feature Activation on D-4 Channel Bank Centrex Loop Stot UEPBD 1PQWP 0.57						LIEPOD	1POW7	0.57										
Different Wire Center						OLI OD	11 00007	0.07										
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57						LIEP9D	1POWP	0.57										
Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop UEPBD 1PQWQ 0.57 Stort			Different Will Conto			02. 03		0.01										
Feature Activation on D-4 Channel Bank Tije LinefTrunk Loop UEPBD 1POWO 0.57			Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D IPOWA 0.57																		
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion of userity Combined Switch-As-Is with allowed changes, per port UEPD USAC2 0.10			Slot			UEP9D	1PQWQ	0.57										
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D USAC2 0.10			Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Changes, per port Conversion of existing Centrex Common Block, each UEP9D USACX 0.10 0.1		Non-Re																
Conversion of existing Centrex Common Block UEP9D USACN 37.97 16.68																		
New Centrex Standard Common Block																		
New Centrex Customized Common Block		1		1	1					16.68						-		
NAR Establishment Charge, Per Occasion	-	1		1	1						1					!	1	1
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Loop at End Use Pob Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Loop at End Use Pob Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag	-	1		1	1						1					!	1	1
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9D URETL B.33 0.83 UEP9D URETN 11.19 1.10 URETN 1	<u> </u>	Additio		1	1	OLFSD	UKECA	0.00	12.03		1			 				
Premise		Additio			1		1									 	-	-
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 3 UEP9E 17.13 18.10 19.10 19.11 19.11 19.10 19.11 19.11 19.10 19.11 19.11 19.10 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.13 19.14 19.14 19.15 19.15 19.16 19.16 19.16 19.17 19.						UEP9D	URETI		8 33	0.83						1		
End Use Premise		1		1	†	021 00	JIL 1L		0.55	0.03	1					†	1	1
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1					UEP9D	URETN		11.19	1.10				1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design 1 UEP9E 12.22		UNE-P				-	1									1		
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9E 12.22 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9E 17.13 UEP9E 17.13 UEP9E 17.13 UEP9E 4.4.91 UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9E 15.12																		
Non-Design							<u> </u>											
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP9E 17.13				-					_									
Non-Design 2 UEP9E 17.13					1	UEP9E	1	12.22										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP9E 26.26																1		
Non-Design 3 UEP9E 26.26	<u> </u>			1	2	UEP9E	1	17.13										
2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 4 UEP9E 44.91 UNE Port/Loop Combination Rates (Design) 5 UEP9E 15.12 2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP9E 15.12	1					LIEBOE		00.00						1		I		
Non-Design		<u> </u>		1	3	UEP9E	+	26.26			ļ					-	ļ	ļ
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - 1 UEP9E 15.12				1	4	LIEDOE		44.04						1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP9E 15.12	-	LINE D		1	4	OLFSE	+	44.91			-			-		 	1	1
Design		JINE PO		_	1		1									 	-	-
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1	UEP9E		15 12						1		I		
		1		1	 		1	10.12			1			 		I		
			Design		2	UEP9E		19.98								1		

UNBUNDL	.ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK	NATE ELEMENTO	m	20110	500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	l	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+		11100	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ů	OLI OL	+	20.70										
	Design		4	UEP9E		46.95										
UNE	Loop Rate		<u> </u>	02. 02	+	10.00					1					
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										
+	2-Wire Voice Grade Loop (SL 2) - Zone 1	 	2	UEP9E	UECS2	18.75			 					 		
+	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP9E	UECS2	27.55			 					 		
	2-Wire Voice Grade Loop (SL 2) - Zone 3	 		UEP9E	UECS2	45.72			1		 	-		 	1	
LINE	Port Rate		-4	OLF 9L	ULUGZ	45.72					-			-		
	FL, KY, LA, MS, & TN only	 	1		1				1		 	-		 	1	
AL,	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	1	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58	 	-		 	1	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLF 9L	OLFTA	1.23	40.51	15.04	24.90	0.30						
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEF9E	UEFTB	1.23	40.31	19.04	24.90	0.56						
	· · · · · · · · · · · · · · · · · · ·			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						
	Area	1		UEP9E	UEPTH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	UEPYM	1.23	400.05	70.57	54.04	44.70						
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		-	UEP9E	UEPYW	1.23	108.35	70.57	54.24	11.70						
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		1		UEF9E	UEFTZ	1.23	100.33	70.57	34.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPY9	1.23	40.31	40.04	24.90	6.58						
	- Basic Local Area	1		UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	LIEDVO	4.00	40.04	40.04	24.00	0.50						
	Basic Local Area		-	UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL,	KY, LA, MS, & TN Only	<u> </u>				4.00	10.01	10.01	2122	0.50						
	2-Wire Voice Grade Port (Centrex)		-	UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<u> </u>		UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDOM	4.00	400.05	70.57	54.04	44.70						
	Center)2,3	<u> </u>		UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800						400.00									
	Service Term	<u> </u>		UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	OMES Vein Osala Bastassinatina Massilatas and Island			LIEDOE	LIEDOS	4.00	40.04	40.04	04.00	0.50						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>		UEP9E	UEPQ9 UEPQ2	1.23	40.31	19.84	24.90	6.58						
			-	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Loca	al Switching			LIEDOE	LIDECC	0.7047										
	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.7947										
Loca	al Number Portability			LIEDOE	LNPCC	0.05										
F4	Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.35										
Feat		 	1	LIEDOE	HED) "E	0.50			 		1	ļ		 	-	
	All Standard Features Offered, per port	 	1	UEP9E	UEPVF	2.56	404.00		 		1	ļ		 	-	
	All Select Features Offered, per port	 	 	UEP9E UEP9E	UEPVS	0.00 2.56	404.98							 		
NAR	All Centrex Control Features Offered, per port	 	1	UEP9E	UEPVC	2.56			1		1	ļ		 	-	
NAR		 	1	LIEDOE	LIABOY	0.00	0.00	0.00	0.00	0.00	1	ļ		 	-	
	Unbundled Network Access Register - Combination	 	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	1	ļ		 	-	
	Unbundled Network Access Register - Indial		1	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	1	-		1	-	
NA:	Unbundled Network Access Register - Outdial cellaneous Terminations	 	 	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	-	-		-		
	re Trunk Side	 	1		1				1		1	ļ		 	-	
∠-VVI		ļ	1	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1	-		1	-	
4 147	Trunk Side Terminations, each		 	UEF9E	CENDO	8.25	120.00	18.85	61.77	3.88				 		
4-WI	re Digital (1.544 Megabits)	 	 	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54				 		
	DS1 Circuit Terminations, each DS0 Channel Activated Per Channel		 					96.25	74.86	2.54				 		
1		 	1	UEP9E	M1HDO	0.00	14.56		1		1	ļ		 	-	
inter	office Channel Mileage - 2-Wire	ļ	1	LIEDOE	MICEC	22.52	40.77	27.57	17.00	7 4 4	1	-		1	-	
	Interoffice Channel Facilities Termination	<u> </u>	1	UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11	1	l				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		l									Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurrin	g Disconnect	1	l	OSS	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098	11131	Auu i	11130	Auu i	JOINEC	JONAN	JONAN	JONAN	JOHAN	JONIAN
Eastu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3L	WITODW	0.0030										
	nannel Bank Feature Activations				+						-			-		
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP9E	1PQWS	0.57					-			-		
	reactive Activation on 5-4 Channel Bank Centrex Loop Siot	-		OLF3L	IFQW3	0.57					-			-		
	Francisco Anticipation on D. A. Channel Book EV line Cide Lane Clat			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF9E	IPQW6	0.57										
				UEP9E	1PQW7	0.57										
	Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.57										
	Francis Astronomy B 4 Obs. 15 1 B 1 B 1 C 1 C	1	1	LIEBOE	400117	. =-						1		I	Ì	1
 	Feature Activation on D-4 Channel Bank Private Line Loop Slot	 		UEP9E	1PQWV	0.57				ļ						
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1	1									1		I	Ì	1
	Slot			UEP9E	1PQWQ	0.57										
\longmapsto	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57				ļ				.	ļ	
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.19	1.10								
UNE-I	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP93		44.91										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP93		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 00		10.12										
	Design		2	UEP93		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 50	-	10.00										
	Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	ULF 93	1	20.70										
	Design	1	4	UEP93		46.95										
LINE	Loop Rate		4	ULF 93		40.55										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP93	UECS1	10.98				1	 	-		-		
\vdash		<u> </u>		UEP93	UECS1	15.91				 	-	-		-		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP93 UEP93	UECS1	15.91 25.04				1	 	-		-		
 		-	4	UEP93 UEP93	UECS1	43.68			-	 					-	
 	2-Wire Voice Grade Loop (SL 1) - Zone 4	1		UEP93 UEP93		43.68 13.89			1	 	1	ļ		 	1	
 	2-Wire Voice Grade Loop (SL 2) - Zone 1	l	1		UECS2				 	 	1	-		1	 	
 	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP93	UECS2	18.75			1	 	1	ļ		 	1	
 	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP93	UECS2	27.55			1	 	1	ļ		 	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 4	ļ	4	UEP93	UECS2	45.72				1	1			1		+
	Port Rate	 								ļ						├
AL, K	Y, LA, MS, & TN only	 		LIEBAA	LIES.	,	10 -									
1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	1					1

UNBU	INDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
		z mioolooippi										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									_								
							Rec	Nonred		Nonrecurring					Rates (\$)		
	<u> </u>			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOO	LIEDVD	4.00	40.04	40.04	04.00	0.50						
		Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 93	OLFIII	1.23	40.31	15.04	24.50	0.56	1					
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLI 93	OLI TIVI	1.25	100.55	10.51	34.24	11.70						
		Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 00	022	20	.00.00	10.01	0							
		- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -				<u> </u>	0				0.00						
		Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
		Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	<u> </u>	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching			LIEDOO	LIBEOO	0.7047										
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	Local	Number Portability Local Number Portability (1 per port)		<u> </u>	UEP93	LNPCC	0.35					-					
-	Feature				UEP93	LINPCC	0.35			-		-			-		
	reature	All Standard Features Offered, per port			UEP93	UEPVF	2.56					1					
		All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56			†							
	NARS	7 ar control C			02. 00	02. 10	2.00										
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire	Digital (1.544 Megabits)															
	<u> </u>	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
ļ	ļ	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	14.56		ļ					ļ		
	Interof	fice Channel Mileage - 2-Wire	ļ	<u> </u>	LIEBOO	14050					_ ,.				-		
-	 	Interoffice Channel Facilities Termination	l	1	UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11	-			1		
<u> </u>	Footer	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEP93	M1GBM	0.0098			 		1			1		
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e I			+				_		-			 		
	D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP93	1PQWS	0.57								-	-	-
-	 	i eature Activation on 5-4 Chamlet Bank Centrex Loop 510t	 		OLF 30	IFUVVO	0.57			t					t	1	1
1		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	l		UEP93	1PQW6	0.57			I			1		I		
	†	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		00		0.01			I		<u> </u>	 		I		
1		Slot	l		UEP93	1PQW7	0.57			I			1		I		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1				1					1		
		Different Wire Center	l		UEP93	1PQWP	0.57			I			1		I		
	1																
1		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP93	1PQWV	0.57			I			1		I		
	1	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	<u> </u>	Slot	<u> </u>		UEP93	1PQWQ	0.57			<u> </u>					<u></u>	<u></u>	<u></u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed	l														
		changes, per port			UEP93	USAC2		0.10	0.10	I .					I.		

UNBUN	DLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
	Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l SOMEC SOMAN SO																
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								i
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									1
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									ĺ
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									i
A	dditic	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
		Premise			UEP93	URETL		8.33	0.83								i l
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.19	1.10								ı l
No	ote 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															i
No	ote 2	- Requres Interoffice Channel Mileage													i		
Ne	ote 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port	·				·								1
	Note 4 - Requires Specific Customer Premises Equipment																1
Ne	ote:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	s and Condition	ns.	<u> </u>								

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonro	curring	Monrocurrin	g Disconnect		l	220	Rates (\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								11131	Auu i	THOU	Auu	JOHILO	JOHAN	JONAN	JOHIAN	JONIAN	JONAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
	http://w	ww.interconnection.bellsouth.com/become a clec/html/inter	connec	tion.hti	m		•		٠.	•	•	ū	•	,			
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th															
	elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not o	btain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished in
	000 0.	f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic order	ing capabilities	s come on-li	ne for that e	element. Oth	erwise, the m	anual ordering	g charge,
L		N, will be applied to a CLECs bill when it submits an LSR to B										1				ı	
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	າly **Pl	ease se	e applicable rate ele	ment for SC	MAN charge**				ļ	<u> </u>				ļ	
	l	OSS - Electronic Service Order Charge, Per Local Service				COMEO		0.50	0.00		2.00				1		
LINE C		Request (LSR) - UNE Only DATE ADVANCEMENT CHARGE	1	1		SOMEC		3.50	0.00	3.50	0.00	1	-		1		
		The Expedite charge will be maintained commensurate with	PallSau	th's EC	C No 1 Tariff Soction	n 5 ac annli	cable										
	NOTE.	The Expedite charge will be maintained commensurate with	Delisot	IIII S FC	C NO.1 Tallii, Section	ii 5 as appii	Cable.										
					UAL. UEANL. UCL.												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
	1				UNC3X, UNCDX,					I							
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
	1				UNLD3, UXTD1,					I					I		
	1				UXTD3, UXTS1,					I					I		
	l	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	CDACC		200.00		1					1		
LINIDIT	 D E5 -	Day		1	U1TUB, U1TUA	SDASP	1	200.00		!	1	}			!	1	
		EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP		1			-			-	-	 			-	-	
-	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37	 				26.94	12.76	0.00	0.00
-	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	21.24	57.99	42.37	 	1	1		26.94	12.76	0.00	0.00
-		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	33.65	57.99	42.37	 	1	 		26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37	1				26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.24	57.99	42.37	1				26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	<u> </u>	Premise			UEANL	URETL	<u> </u>	8.33	0.83	<u> </u>	<u> </u>	<u> </u>	<u> </u>	26.94	12.76	0.00	0.00
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24					26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.76	8.93	1				26.94	12.76	0.00	0.00

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	bit: A
CITECITE	TELEVISION CONTROL CON	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually				Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	P	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			115 441			00.74	00.74								
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			LIFANII	00001		45.04	45.04								
2.1/	IRE Unbundled COPPER LOOP			UEANL	OCOSL		45.34	45.34			1	1		1		
2-44	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60	†		1		26.94	12.76	0.00	0.00
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.55	35.27	15.60	†		1		26.94		0.00	0.00
 	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60	†		1		26.94		0.00	0.00
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLQ	OLGEN	27.00	00.21	10.00					20.04	12.70	0.00	0.00
	Premise	1		UEQ	URETL		8.33	0.83	I				26.94	12.76	0.00	0.00
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1			1		0.00	0.00	1				20.04	12.70	3.50	5.50
	Non-Designed (per loop)	1		UEQ	USBMC		61.38	61.38	I				1		I	I
	Unbundled Copper Loop, Non-Design Copper Loop, billing for	1							1					İ	1	
	BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		28.74	28.74	I				26.94	12.76	0.00	0.00
	Loop Testing - Basic 1st Half Hour	i i		UEQ	URET1		76.24	76.24					26.94		0.00	0.00
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	LIEDOD LIEDOD		04.04	F7.00	40.07	0.00	0.00			00.04	40.70		
-	Zone 2	1	2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76	-	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULADO	21.24	31.99	42.37	0.00	0.00	1	1	20.94	12.70		
	Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť	02. 01. 02. 03	027120	00.00	07.00	12.01	0.00	0.00			20.01	12.10		
	Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
UNBUNDLE	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1	<u></u>	1	UEA	UEAL2	14.97	142.97	106.56	<u> </u>				26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1														
	Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	25.93	142.97	106.56			<u> </u>		26.94	12.76	0.00	0.00
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_		l				I							
—	Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	40.81	142.97	106.56	!		}		26.94	12.76	0.00	0.00
 	Order Coordination for Specified Conversion Time (per LSR)	1	1	UEA	OCOSL		45.34		 		1	-	-	 	1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1	UEA	UEAR2	14.97	142.97	106.56	1				26.94	12.76	0.00	0.00
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+	- ' -	ULA	UEARZ	14.97	142.97	100.56					20.94	12.76	0.00	0.00
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	25.93	142.97	106.56	1				26.94	12.76	0.00	0.00
\vdash	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		OLA	JLAKE	20.53	142.37	100.30	t		 		20.94	12.76	0.00	0.00
	Battery Signaling - Zone 3	1	3	UEA	UEAR2	40.81	142.97	106.56	I				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL	.0.01	45.34	.00.00	t				20.04	1 .2.70	3.50	5.50
	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.64	36.33	İ				26.94	12.76	0.00	0.00
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10			İ		26.94		0.00	
4-W	IRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.32	288.47	237.45					26.94	12.76	0.00	0.00
	4-Wire Analog Voice Grade Loop - Zone 2		2		UEAL4	36.27	288.47	237.45					26.94		0.00	0.00
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		45.34		ļ					ļ	ļ	
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.64	36.33	ļ				26.94	12.76	0.00	0.00
2-W	IRE ISDN DIGITAL GRADE LOOP	.	<u> </u>		1141.004			0=1	.					10		
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31	l .			1	26.94	12.76	0.00	0.00

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
		Interi										Submitted	Incremental Charge -			Incremental Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring I					Rates (\$)		
					<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31					26.94	12.76	0.00	0.00
	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)		3	UDN UDN	U1L2X OCOSL	51.14	325.91 45.34	251.31	<u> </u>				26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76	0.00	0.00
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE			OILLWO		01.00	77.12					20.04	12.70	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry	1							i i					1		1
	& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60					26.94	12.76	0.00	0.00
-	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSL		45.34		<u> </u>					-		+
	facility reservation - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	O/ IL	O7 ILEVV	11.00	100.20	114.02					20.04	12.70	0.00	0.00
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76	0.00	0.00
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry			UHL		0.04	00474	100 51					00.04	40.70	0.00	0.00
<u> </u>	& facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	9.01	284.74	163.54	<u> </u>				26.94	12.76	0.00	0.00
	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	UTILZX	14.07	204.74	103.54					20.94	12.70	0.00	0.00
	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34		i i							1
	2 Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	11111 0147	20.00	207.40	122.05					20.04	40.70	0.00	0.00
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL2W OCOSL	22.82	207.48 45.34	132.05					26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OTIL	OKEWO		00.00	40.50					20.34	12.70	0.00	0.00
	4 Wire Unbundled HDSL Loop including manual service inquiry								i i					1		+
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry		_	l												
	and facility reservation - Zone 3		3	UHL	UHL4X OCOSL	27.24	341.65	220.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UCUSL		45.34									
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	OTIL	OTILATO	10.02	204.00	100.00					20.04	12.70	0.00	0.00
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	<u> </u>	UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
4-WIF	RE DS1 DIGITAL LOOP	<u> </u>	_	LICI	LICL VV	47.00	744.04	404.47					40.40	40.70	0.00	
\vdash	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	<u> </u>		USL	USLXX	47.60 84.36	714.84 714.84	421.47 421.47	 				42.19 42.19	12.76 12.76	0.00	0.00
\vdash	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	134.29	714.84	421.47	 				42.19	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)	 		USL	OCOSL	134.23	48.31	421.47	 				42.19	12.70	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch	1		USL	UREWO	+	100.99	43.00	 				26.94	12.76	0.00	0.00
								50								

UNBUN	IDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
011201												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	PRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							1			·							
<u> </u>							Rec	Nonrec			g Disconnect				Rates (\$)		
<u> </u>				<u> </u>		1151.40	0= 00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51					26.94	12.76	0.00	0.00
<u> </u>		4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19	43.11	489.04 489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps		_		UDL19	67.26	489.04 489.04	337.51					26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32		337.51					26.94	12.76	0.00	0.00
\vdash		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL UDL	UDL56 UDL56	43.11 67.26	489.04 489.04	337.51 337.51	-				26.94 26.94	12.76 12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	67.26	45.34	337.51					26.94	12.76	0.00	0.00
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76	0.00	0.00
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	43.11	489.04	337.51	-		-		26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	67.26	489.04	337.51			1		26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	07.20	45.34	337.31	1				20.94	12.70	0.00	0.00
+		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70	-				26.94	12.76	0.00	0.00
 		Unbundled COPPER LOOP				JILLYVO		102.03	43.70	 	1			20.34	12.70	0.00	0.00
 		2-Wire Unbundled Copper Loop-Designed including manual				1				-	1	<u> </u>		 	 	I	
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75	1				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed including manual			002	002. 2	10.20	202.00	1 1017 0					20.01	12.70	0.00	0.00
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38						-		
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76	0.00	0.00
4		COPPER LOOP															
		4-Wire Copper Loop including manual service inquiry and facility															
		reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93					26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility															
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93					26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility															
<u> </u>		reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93					26.94	12.76	0.00	0.00
<u> </u>		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
		4-Wire Copper Loop without manual service inquiry and facility		1	LICI	1101 414	47.00	220 57	404.44	1				20.04	40.70	0.00	0.00
\vdash		reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14	 	1	-		26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility		2	UCL	UCL4W	29.61	236.57	161.14	1				26.94	12.76	0.00	0.00
+		reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility			UCL	UCL4VV	29.61	∠30.57	101.14	-	 			∠0.94	12.76	0.00	0.00
		reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14	1				26.94	12.76	0.00	0.00
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCLMC	40.20	61.38	61.38	1		1	1	20.94	12.70	0.00	0.00
+		CLEC to CLEC Conversion Charge without outside dispatch			JUL	COLIVIO		01.30	01.30	 				 	 	 	
		(UCL-Des)			UCL	UREWO		97.14	42.44	1						1	
LOOP M	ODIFIC					SILLIVO		57.14	74.77	<u> </u>				1	1	†	
	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR.												
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		21.24	21.24	I				26.94	12.76	0.00	0.00
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24	I				26.94	12.76	0.00	0.00
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,					1						1	
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,					I				Ì	Ì	I	
		per unbundled loop	<u></u>		UEPSB	ULMBT		24.84	24.84	<u> </u>	<u> </u>	<u> </u>	<u> </u>	26.94	12.76	0.00	0.00
SUB-LO																	
	I a	op Distribution															

LINBLIN	IDI FI	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
ONDON	IDEEL	NETWORK ELEMENTS - NOTHI Carollila	l	1			1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonred	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up			UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	Ι.												40 =0		
-		Set-Up	<u> </u>		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	١.			LIODNIO	7.04	400.00	5454					00.04	40.70	0.00	0.00
-		Zone 1		1	UEANL	USBN2	7.31	126.03	54.54			1		26.94	12.76	0.00	0.00
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	l ,	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
-		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEAINL	USBINZ	11.93	120.03	34.34					26.94	12.76	0.00	0.00
		Zone 3	١.,	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.00
-		2016 3	<u> </u>	3	ULANL	USBINZ	10.20	120.03	34.34			1	1	20.94	12.70	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANL	CODIVIC		01.50	01.50								
		Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	027.11.12	005.11	0.11	.00.02	7 0.00					20.0 .	12.10	0.00	0.00
		Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					19.01									0.00	
		Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
-		Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
-		Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	6.10	39.51 137.10	39.51 60.24					26.94	12.76	0.00	0.00
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	9.70	137.10	60.24			1		26.94	12.76	0.00	0.00
-		2 Wire Copper Unburidled Sub-Loop Distribution - Zone 2	<u> </u>	3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
+		z wine copper unbunuleu cub-Loop Distribution - Zone 3	- '-	3	ULI	0002A	14.59	131.10	60.24		1	1		20.94	12.70	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	1	UEF	USBMC		61.38	61.38						1		
 		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.58	162.24	85.38		1			26.94	12.76	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS4X	10.51	162.24	85.38		1			26.94	12.76	0.00	0.00
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF	UCS4X	15.84	162.24	85.38		1			26.94	12.76	0.00	0.00
		, ,		Ť			1		22.30	l	İ				1	3.30	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	1	UEF	USBMC		61.38	61.38						1		
		Loop Testing - Basic 1st Half Hour		1	UEF	URET1		76.24	76.24								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51								
U	Inbund	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	0.00
N	letwor	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69					26.94	12.76	0.00	0.00
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21		<u> </u>			26.94	12.76	0.00	0.00
\vdash		Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		11.68	11.68		ļ			26.94	12.76	0.00	0.00
LINE OF		Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		11.68	11.68		.			26.94	12.76	0.00	0.00
ONE OT	1⊏К, Р	ROVISIONING ONLY - NO RATE	 	<u> </u>	LIENTW	UNDBX	0.00	0.00		-	1	}		1	 	1	1
\vdash		NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	 	 	UENTW UENTW	UENCE	0.00	0.00			 	1	-	-	 	-	-
\vdash		ONT W GIRGUIL ID ESTABLISHMENT, PROVISIONING ONLY - INO RATE	!	 	UEANL,UEF,UEQ,U	DENCE	0.00	0.00			1	 			-		
		Unbundled Contract Name, Provisioning Only - No Rate	l		ENTW	UNECN	0.00	0.00									
LINE OTH	IFR P	ROVISIONING ONLY - NO RATE	1	1	F-141 AA	SINLOIN	0.00	0.00			 	1			 		
3.12 311	, 1	JILI HORALE	l	1	l	1	1 1			l	1	1	1	l	1	l	L

LINDI	IINDI E	D NETWORK ELEMENTS - North Carolina												Attack	ment: 2	Exhi	bia. A
UND	UNDLE		1	1			I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -		Charge -
														Manual Svc	Manual Svc	Charge -	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,				Manual Svc
OA!L	00	KATE EEEMERTO	m		500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										1	1						
					UAL,UCL,UDC,UDL,												ı .
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ı .
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															i
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									i
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									i
		Unbundled DS1 Loop - Expanded Superframe Format option -															ı
		no rate			USL	CCOEF	0.00	0.00									
HIGH	CAPACI	TY UNBUNDLED LOCAL LOOP															
	1	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1		LIEO	1L5ND	10.00						1		1		1
		month			UE3	1L5ND	13.33										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	UE3PX	450.00	4 074 00	040.40					50.40	53.48		ı
		Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
		Imonth			UDLSX	1L5ND	13.33										i l
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	ILSIND	13.33										
		Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		ı
LOOP	MAKE-L			1	ODLOX	ODEOT	404.20	1,071.00	040.12					33.40	33.40		
<u> </u>	WARE-C	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility			O.V.	0		00	00.11					10.00	10.00	10.00	.0.00
		gueried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or			-												
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								ı l
LINE S		AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 sha	ll be billed as t	follows:							i
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND	")											i
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT		<u> </u>		l											
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							——
		HARING															
-	SPLII	FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity	 	 	ULS	ULSDA	181.18	631.54	0.00	-	1		 	26.94	12.76		
-	+	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDA	181.18 38.99	631.54	0.00	1	1	-	 	26.94	12.76		
-	+	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	l		ULS	ULSD8	12.73	424.61	0.00	†	 			26.94	12.76		
\vdash	+	Line Sharing Splitter, Fel System, & Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	 		5_0	32000	12.73	727.01	0.00	 	 		 	20.34	12.70		$\overline{}$
	1	deactivation (per LSOD)	1		ULS	ULSDG		146.32	31.27				1	26.94	12.76		1
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	†						J27	İ	İ			20.04	.2.70		
	1	Line Sharing - per Line Activation (BST Owned splitter) -	1							1	İ						
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		, !
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (25% of UCLND) - please see NOTE 1	1	1													,
	1	(E:10/2/2003)	<u> </u>		ULS	ULSDT	3.49	54.71	28.77								
		Line Share Service, TRO per line activation, BST owned splitter -	-														,
	1	Central Office Located (50% of UCLND) - please see NOTE 1	1		l <u>-</u>	l							1		1		1
		(E:10/2/2004)	ļ	<u> </u>	ULS	ULSDT	6.99	54.71	28.77								
	1	Line Share Service, TRO per line activation, BST owned splitter -	1										1		1		1
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1		LUODT	40.00	-1									1
	1	(E:10/2/2005)	<u> </u>		ULS	ULSDT	10.48	54.71	28.77	-	ļ				 		
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter	1	1	ULS	ULSDS		35.42	16.57					26.94	12.76		í
-	+	Line Sharing - per Subsequent Activity per Line	1	<u> </u>	ULO	ULSDS		35.42	16.57	 	 			∠6.94	12.76		
	1	Rearrangement(DLEC Owned Splitter	1		ULS	ULSCS		35.14	16.29				1	26.94	12.76		1
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	 		010	OLUUU		33.14	10.29	 	 		 	20.34	12.70		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31				1	26.94	12.76		1
	1	1	1	1	ı -		0.01	77.77	10.01	·	1	1	·	20.04	12.70		

UNBI	INDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
5.450		State EEE METTO HOTH Galomia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
		PLITTING	ļ			ļ											
	END U	SER ORDERING-CENTRAL OFFICE BASED	ļ	ļ	LIEBOR LIEBOR	LIDEGO											
		Line Splitting - per line activation DLEC owned splitter	ļ		UEPSR UEPSB	UREOS	0.61	=									
		Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76	 	ļ
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
-	WAINT	No Trouble Found - per 1/2 hour increments - Basic	 	-		+		80.00	55.00	 		1	-	 	 	 	
-	-	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	1	 		1		120.00	55.00 82.50	 				-		-	
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00	1							
LINDIIN	IDI ED I	DEDICATED TRANSPORT						160.00	110.00	1							
ONBOI		OFFICE CHANNEL - DEDICATED TRANSPORT	1										1				
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1		+				 							
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TEOTO	0.0120										
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	01112	10.00		02.00					00.01	00.07		
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-														
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination	1		U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07	 	ļ
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		LIATOV	41.5304	0.0000							1	I	1	
-		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 	-	U1TDX	1L5XX	0.0282			 		1	-	 	 	 	
		Termination		1	U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	1	אטווט	01100	17.40	137.48	32.58	1		1	1	30.07	36.07		
		month	1		U1TD1	1L5XX	0.5753							1	I	1	
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1			.20,50	5.07.00			† †		<u> </u>	<u> </u>	 	I	 	
		Termination		1	U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1			1				1							l
		month		1	U1TD3	1L5XX	12.98								1		
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
L	<u></u>	Termination per month	<u>L</u>	L	U1TD3	U1TF3	720.38	794.94	579.55	<u> </u>		<u> </u>	<u> </u>	91.26	91.26	<u> </u>	<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per							-		-]	
		month	<u></u>		U1TS1	1L5XX	6.14										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1											1	_]	
L	<u> </u>	Termination		<u> </u>	U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
DARK	HBER	Ded Files For Files Over In Des Des to Miles For Files	ļ			ļ											
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIDEOX	41.505								1	I	1	
-		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	<u> </u>	 	UDF, UDFCX UDF, UDFCX	1L5DF UDF14	27.71	1,807.00	562.96						 		
-		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		UDF, UDFCX	UDF 14		1,807.00	56∠.96						+		
		Thereof per month - Local Loop	1		UDF. UDFCX	1L5DL	64.04							1	I	1	
\vdash	-	NRC Dark Fiber - Local Loop	 		UDF, UDFCX	UDFL4	04.04	1,347.00	279.87	 				 	t	 	
		[= = 1.00. E0001 E00p	1		, 55. 57	J J J . L -		.,5-77.00	210.01	1		1	1	l .	l	ı	l

BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N ILINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU SIGNALING (CCST) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Gonection, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Diage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Trans	USOC N8R1X N8FTX N8FCX N8FMX N8FAX	Rec - 0.0005	Nonrec First 7.05	RATES (\$) urring Add'I	Nonrecurring Disconnec	Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Exhibit Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
BXX ACCESS TEN DIGIT SCREENING BXX Access Ten Digit Screening, Per Call BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Termination, Per STP Port UDBB Tild CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Depart Code, per Originating Point Code Establishment or Change, Per STP affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated -	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
BXX ACCESS TEN DIGIT SCREENING BXX Access Ten Digit Screening, Per Call BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Originating Point Code Establishment or Change SIGNALING (CCS7) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Termination, Per STP Port UDBB TI CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Usage Code Cander	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
BXX ACCESS TEN DIGIT SCREENING BXX Access Ten Digit Screening, Per Call BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Termination, Per STP Port UDBB Tild CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Depart Code, per Originating Point Code Establishment or Change, Per STP affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated -	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic-	Order vs. Electronic-
8XX ACCESS TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved OHD N 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number OHD N 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features AXX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Svalidation Per Cuery LIDB Svalidation Per Cuery ILIDB Validation Per Cuery SIGNALING (CS37) CCS37 Signaling Connection, Per link (A link) CCS37 Signaling Connection, Per link (B link) (also known as D link) IIND CCS37 Signaling Gonnection, Per Ink (B link) (also known as D link) CCS37 Signaling Usage, Per ISUP Message CCS37 Signaling Usage, Per ISUP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SU	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		t		Electronic- 1st OSS	Electronic- Add'I Rates (\$)	Electronic-	Electronic-
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved NHD	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN	1st OSS	Add'I Rates (\$)		
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved NHD	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN	OSS	Rates (\$)	Disc 1st	
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN				Piac Add I
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN				
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX	0.0005	7.05					SOMAN	SOMAN	SOMAN	SOMAN
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX	0.0005									
Number Reserved OHD N	N8FTX N8FCX N8FMX N8FAX				l l						
Number Reserved OHD N	N8FTX N8FCX N8FMX N8FAX										
POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request OHD N 8XX Access Ten Digit Screening, Call Handling and Destination Peatures I Bus Validation Per Query I LIDB Common Transport Per Query I LIDB Originating Point Code Establishment or Change OQT I LIDB Originating Point Code Establishment or Change SIGNALING (CCST) CCST Signaling Connection, Per link (A link) UDB TI CCST Signaling Connection, Per link (B link) (also known as D link) CCST Signaling Usage, Per ISUP Message CCST Signaling Usage, Per TCAP Message CCST Signaling Usage, Per TCAP Message CCST Signaling Usage Surrogate, per link per LATA UDB CCST Signaling Dint Code, per Originating Point Code Establishment or Change, per STP Affected CCST Signaling Point Code, per Destination Point Code Establishment or Change, per STP Affected Establishment or Change, per STP Affected E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N8FCX N8FMX N8FAX		Ī	0.96				26.94			
BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features 8XX Access Ten Digit Screening, Call Handling and Destination Features 8XX Access Ten Digit Screening, Call Handling and Destination Per Dug Volume ILIDB Common Transport Per Query 8XX Access Ten Digit Screening, Call Handling and Destination OHD No. 8XX Access Ten Digit Screening, Call Handling and Destination Per LIDB Organizer OHD No. 8XX Access Ten Digit Screening, Call Handling and Destination OHD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 9XX Access Ten Digit Screening, Call Handling and Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Digit Dode, per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCAST Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCAST Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCAST Signaling Point C	N8FCX N8FMX N8FAX										
POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request OHD N 8XX Access Ten Digit Screening, Change Charge Per Request OHD N 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CS7) CCS7 Signaling Connection, Per link (B link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 5 Interoffice Tra	N8FCX N8FMX N8FAX		23.82	2.73				41.35			
BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features CINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per STP affected CCS7 Signaling Done Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB C CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 3 InterOffice Transp	N8FCX N8FMX N8FAX										
Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 9XX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Coquity BXX Access Ten Digit Screening, Change Per Change BXX Access Ten Digit Screening, Change Per DQU BXIDE CCS7 Signaling Connection, Per link (A link) BXIDE CCS7 Signaling Connection, Per link (A link) BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per TCAP Message BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Destination Point Code BXIDE CCS7 Signaling Point Code, per Destination Point Code BXIDE CALLING Channel - Dedicated - 2-wr Voice Grade - Zone 2 BXIDE CALLING Channel - Dedicated - 2-wr Voice Grade - Zone 2 BXIDE CALLING Channel - Dedicated - DS1 - Zone 2 BXIDE CALLING Channel - Dedicated - DS1 - Zone 3 BXIDE CALLING CHANGE (CAMM) SERVICE	N8FMX N8FAX		23.82	2.73				41.35			
BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Call Handling and Destination Features CHD LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LINDB CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile	N8FMX N8FAX										
Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change SIGNALING (CCST) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) Ink) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per STP Affected Establishment or Change, Per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	N8FAX		5.63	2.82							
BXX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N	N8FAX	Т	\neg			1 -				T	
BXX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LIDB OTTO UDB TI CCS7 Signaling Termination, Per STP Port UDB TI CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Per Sille Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3			6.59	3.77		_					
Features			8.01	0.96				26.94			
LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) Ink) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Opint Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile			l			1					
LIDB Common Transport Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TI CCS7 Signaling Termination, Per STP Port UDB CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 S	N8FDX		5.63								
LIDB Validation Per Query LUBB Originating Point Code Establishment or Change CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LIDB Originating Point Code Per link (B link) (also known as D link) LIDB TI CCS7 Signaling Termination, Per STP Port LUDB TI CCS7 Signaling Usage, Per ISUP Message LUDB CCS7 Signaling Usage, Per TCAP Message LUDB LUDB LUDB SS CCS7 Signaling Usage, Per TCAP Message LUDB LUDB SS CCS7 Signaling Usage Surrogate, per link per LATA LUDB SS CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected LUDB CS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected LUDB CS8 Establishment or Change, Per StP Affected LUDB CS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport - Dedica											
LIDB Originating Point Code Establishment or Change OQT, OQU N		0.00003									
SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) UDB TI	IDDD)/	0.0134						20.01	22.21		
CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TI CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	VRBPX		62.26					26.94	26.94		
CCS7 Signaling Connection, Per link (B link) (also known as D link) Ink) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Surrogate, per link per LATA UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3		10.00						44.0=			
link) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	TPP++	18.22	278.02	278.02				41.35	41.35		
CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 -	ГРР++	40.00	278.02	278.02				44.05	41.35		
CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB C CSS Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport	PT8SX	18.22 132.83	278.02	278.02		_		41.35	41.35		
CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per Stp Affected UDB C CSS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	1007	0.00004			+						
CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per STP affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 1 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 2 Local Channel - Dedicated - DS1 - Zone 1 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.00004	1								
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CE911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 -	STU56	338.98									
Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	3.000	000.00									
CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	CCAPO		40.00	40.00				19.99	19.99		
Establishment or Change, Per Stp Affected E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 CALLING NAME (CNAM) SERVICE					•						-
E911 SERVICE	CCAPD		8.00	8.00				19.99	19.99		
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE											
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		11.24	553.80	89.69				42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		19.91	553.80	89.69				42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		31.70	553.80	89.69				42.17	12.76		
Termination		0.0282									
Local Channel - Dedicated - DS1 - Zone 1 1						1					
Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		18.00	137.48	52.58				38.07	38.07		
Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		27.05	534.48	462.69				86.15	1.77		
Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		47.94	534.48	462.69				86.15	1.77		
Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		76.32	534.48	462.69				86.15	1.77		
CALLING NAME (CNAM) SERVICE		0.5753									
CALLING NAME (CNAM) SERVICE		74 00	217.17	400.75		1		38.07	38.07		
	1	71.29	217.17	163.75		+		38.07	38.07		
			75.62			+					
CNAM For DB Owners - Service Establishment OQV CNAM For Non DB Owners - Service Establishment OQV	+	+	75.62 75.62								
CNAM For Non DB Owners - Service Establishment OQV CNAM For DB Owners - Service Provisioning With Point Code	+	+	10.02								
Establishment (Initial) OQV	l		2,354.00	2,354.00		1					
CNAM For DB Owners - Service Provisioning With Point Code	 	+	2,004.00	2,004.00		+					
Establishment (Subsequent)	l		1,739.00	1,739.00		1					
CNAM For Non DB Owners - Service Provisioning With Point	+	+	.,. 00.00	.,. 00.00		+					
Code Establishment (Initial)			1,072.00	1,072.00		1					
CNAM For Non DB Owners - Service Provisioning With Point		+	.,5.2.00	.,3,2.00		1					-
Code Establishment (Subsequent)			768.44	768.44		1					
CNAM for DB & Non DB Owners, Per Query OQV		0.0009592	. 33. 17	. 00.14		1					
SELECTIVE ROUTING											
Selective Routing Per Unique Line Class Code Per Request Per											
Switch		1	188.59				l	26.94	12.76		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL																├
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		1
PHYSICAL CO				UEFSK UEFSB	VEILS	0.0267	33.90	32.06	0.00	0.00			19.99	19.99		\vdash
I III OIOAL OC	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN SELECTI	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															├
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
\vdash	initial Getap		-	ATIN.	OAIVIOE		294.11				1				1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0791										├
	Minute					2.08										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE					2.00										
AIN BEEEGG	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		290.05									
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF IIVI		12.10									
	DN, 10-Digit PODP				BAPTO		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		149.95									
	AlN Toolkit Service - Query Charge, Per Query					0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.005										
	Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.40										
	Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service														1	[
igwdown	Subscription		<u> </u>	CAM	BAPDS	15.90	71.80								 	\vdash
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.003	47.20								1	1
ENHANCED	Service Subscription XTENDED LINK (EELs)			CAIVI	BAPES	0.003	47.20								-	
	The monthly recurring and non-recurring charges below will	anniv a	nd the	Switch-As-Is Chara	e will not ann	ly for UNE con	nhinations prov	visioned as ' C	rdinarily Comb	nined' Network	Flements				 	
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56	, in the second				38.07	38.07]	

UNBUNDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
SHOOHDEE	- NOTAL ELEMENTO - NOTALI GALORINA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
İ		to the second									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
İ		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
İ													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
\sqsubseteq						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.											
\vdash	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNCVX	MQ1 1D1VG	146.69 1.27	197.78 13.09	140.06 9.38								
\vdash	Voice Grade COCI - Per Month			UNCVA	IDIVG	1.21	13.09	9.30						-		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Edon / Idahionar 2 Wile VO Edop (OE 2) in Combination 2016 1			ONOVA	OLITE	14.01	142.07	100.00					00.07	00.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	2011 - 20		_		J ,	20.00	172.07	100.00					55.57	55.57	1	1
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56				1	38.07	38.07	1	1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				=.											
	Month			UNC1X	U1TF1	71.29	217.17	163.75 140.06					38.07	38.07		
\vdash	1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month			UNC1X UNCVX	MQ1 1D1VG	146.69 1.27	197.78 13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	1.27	13.09	9.30								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONOVA	ULAL	21.02	200.47	237.43					30.07	30.07		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_	0.10171	027.21	00.2.	200	2011.10					00.01	00.01		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
<u></u>	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96	<u> </u>	<u></u>	38.07	38.07	<u> </u>	<u></u>
EXTEN	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
1 1				l .	1 1											
\longrightarrow	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		ļ
1 1							400 - 1									
$\vdash \vdash \vdash$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	41.577	0.5750								1		
	Per Month			UNC1X	1L5XX	0.5753								1	-	-
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
\vdash	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	36.07		
 	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28						 		1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			OINODA	טטוטו	2.00	13.70	11.20						 	 	
1 I	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	C.13D/	55200	20.02	-00.04	307.01					55.07	55.07		
1 I	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_			.5.11	.00.04	3301					55.07	55.07		
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51				1	38.07	38.07	1	1
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
l l	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l		
													1st	Addi	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
FXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN													
		1	1													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		ĺ
	That I This a mape bighter areas been in demonstration. Denie b			0.1027	00201	.0	100.01	007.01					00.07	00.01		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť			320	.00.04	307.01				1	55.07	55.07		
	Per Month	1	1	UNC1X	1L5XX	0.5753					1	1		Ì		1
	interoffice Transport - Dedicated - DS1 combination - Facility	 	1	5.101A	120/00	0.0700					l	l				
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i
 	1/0 Channel System in combination Per Month	 	 	UNC1X	MQ1	146.69	197.78	140.06	 				30.07	30.07		
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		 	UNCDX	1D1DD	2.00	15.76	11.28						1		
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	 	1	OINODA	טטוטו	2.00	15.76	11.28			-	-	1	1		
	Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDA	UDL04	25.52	409.04	337.31					36.07	36.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		1
		1		UNCDA	UDL64	43.11	409.04	337.31					36.07	30.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3	LINODY	LIBLOA	07.00	400.04	007.54					00.07	00.07		1
	Interoffice Transport Combination - Zone 3	-	3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month			LINODY	40400	0.00	45.70	44.00								ĺ
-	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								└
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAN	1111000		04.75	04.75	00.00	40.00			00.07	00.07		1
EVE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D04	INITED	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE		ED D51	INTER			47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX											└
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		└
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		└
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.500/	0.5750										1
	Per Month	-	-	UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility			11041/	114754	74.00	047.47	100.75					00.07	00.07		ĺ
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ĺ
	Is Charge	ED DC:	INITES	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3				47.00	74404	104 1=					00.00	00.00		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		├
	First DS1Loop in Combination - Zone 2	<u> </u>		UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		⊢
\vdash	First DS1Loop in Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGOV	41.500/	40.00										1
\vdash	Per Month		<u> </u>	UNC3X	1L5XX	12.98										⊢—
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINGOV	114750	700.00	70404	570					00.00	00.00		1
\vdash	month	ļ	<u> </u>	UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		⊢
\vdash	3/1Channel System in combination per month	ļ	<u> </u>	UNC3X	MQ3	233.10	403.97	234.40								⊢
\vdash	DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								⊢
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	1 .								1	1				1
	Zone 1	ļ	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		⊢—
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_													1
	Zone 2	ļ	2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		⊢—
	Additional DS1Loop in DS3 Interoffice Transport Combination -		l _	l .												1
	Zone 3	ļ	3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Additoinal DS1 COCI in combination per month	<u> </u>	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l .]					1	1		Ì		1
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1	<u> </u>		UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
1 1	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								1

UNBUN	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILGO	JIX 1	NATE ELEMENTO	m	20116	B00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-		+		Nonrec		Nonrecurring	Dissennest			000	Rates (\$)		
				-			Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Literatura Transport Control NO Deliver I Brown Brown		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0282										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
E	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	ORT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45								
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		Ŭ	ONOVA	OL/1L4	00.07	200.47	207.40								
		Month	I	1	UNCVX	1L5XX	0.0282					İ	İ		I	Ì	
 		Interoffice Transport - 4-wire VG - Dedicated - Facility	1	1	0140 4 7	ILUAA	0.0202			 		 	 	1	 	 	
					UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
		Termination per month			UNCVX	01174	22.16	106.11	65.95					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINOVA	111000		a. =-				İ	İ			Ì	
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
I	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	FXTFN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		011000		21.70	21.70	02.20	10.00			00.07	00.07		
	LXILI	STS-1 Local Lolp in combination - per mile per month	J-1 1141	LICOLI	UNCSX	1L5ND	13.33										
-		STS-1 Local Loop in combination - Facility Termination per		1	ONCOX	TESIND	10.00										
		month			UNCSX	UDLS1	464.26	1,071.00	646.12								
				1	UNCOX	UDLST	404.20	1,07 1.00	040.12								
		Interoffice Transport - Dedicated - STS-1 combination - per mile			LINIOOV	41.5007	0.44										
		per month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		ls Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN														
oxdot		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month	I	1	UNC1X	1L5XX	0.5753					İ	İ		I	Ì	
		Interoffice Transport - Dedicated - DS1 combination - Facility	1				,,,,,,			1		İ	İ	İ	İ	İ	Ì
		Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
h +		1/0 Channel System in combination - per month	1	1	UNC1X	MQ1	146.69	197.78	140.06					33.07	33.07		1
\vdash		2-wire ISDN COCI (BRITE) - in combination - per month	1	+	UNCNX	UC1CA	3.59	15.76	11.28						1	 	
-		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	 	OINOINA	OUTUA	3.39	15.76	11.20			 	 		1	1	1
				1	LINCNIV	1141.00	19.42	225.04	251.24					38.07	38.07		
		Combination - Zone 1	1	1	UNCNX	U1L2X	19.42	325.91	251.31	 		 	 	38.07	38.07	 	1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	I	_	LINCNIV	1141.07	20.00	205.04	054.04			İ	İ	20.07	20.07	Ì	
\vdash		Combination - Zone 2	!	2	UNCNX	U1L2X	32.88	325.91	251.31	1		1	1	38.07	38.07		1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	I	1 _	la							İ	İ			Ì	
 		Combination - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31			ļ	ļ	38.07	38.07		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per	I	1								İ	İ		I	Ì	
		month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.59	15.76	11.28					<u></u>			<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
1]		Is Charge		1	UNC1X	UNCCC		21.75	21.75	32.28	10.96	İ	İ	38.07	38.07	Ì	
1	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47			İ	İ	38.07	38.07		
		First DS1 Loop Combination - Zone 2	1		UNC1X	USLXX	84.36	714.84	421.47			1	1	38.07	38.07	1	Ì
1 1					UNC1X	USLXX	134.29	714.84	421.47			-		38.07	38.07	1	.

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									F • · · · · · · · · · · · · · · · · · ·	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINGOV	41.5007	0.44										
-	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per month	-		UNCSX	MQ3	233.10	403.97	234.40					36.07	36.07		
 	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	10.07	15.05	9.30								
	Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	0.10.17	002,01		71.10						00.01	00.01		
	Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	Ī	-										1		
	Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47]			1	38.07	38.07	1	
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38	j							
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	3PS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month		<u> </u>	UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DDC INIT	EBOEE	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	DES INT	1	UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
 	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ŭ	0.105/1	02201	01.20	.00.0 .	007.01								
	Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					0.020										
	Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP								-						
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per]			1		I	1	
	Mile	1		UNC1X	1L5XX	0.5753								-	 	
	First Interoffice Transport - Dedicated - DS1 combination -			LINGAY	шатеа	74.00	047.47	100.75]			1	20.07	20.07	1	
 	Facility Termination per month	1	<u> </u>	UNC1X	U1TF1 MQ1	71.29 146.69	217.17 197.78	163.75 140.06					38.07	38.07	 	
 	Per each DS1 Channelization System Per Month	1	-	UNC1X		146.69								 	 	
 	Per each Voice Grade COCI - Per Month per month	1	 	UNCVX UNC3X	1D1VG MQ3	233.10	13.09 403.97	9.38 234.40	 			 			-	
H	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	16.07	13.09	9.38			1			1		
 	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		014017	ומוסט	10.07	13.09	5.30	 					t	1	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56]			1	38.07	38.07	1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	- '-		3-1	14.07	172.01	100.00			1	 	55.57	55.57	 	
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56]			1	38.07	38.07	1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1					01						22.01	22.01	İ	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Each Additional Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	1.27	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753									<u> </u>	
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38								

CATEGORY RATE ELEMENTS Initial Zone BCS USOC RATES (B) Section Company Control of Michael Co	UNBUNDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	hit: A
ATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE SUBSCIENCE RATE SUBSCIENCE RATE SUBSCIENCE RATE SUBSCIENCE RATE SUBSCIENCE RECORDS	S.IDOIIDEL	DIALITICAL ELLINER TO HOLD CALOTHIA										Svc Order	Svc Order				Incremental
## BCS USOC ## PATE (EMENTS Part Same																	Charge -
March Marc			Intori									Elec					Manual Svc
Bestronic Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	,				Order vs.
No. No.			""			1											Electronic-
No. No. No. First Age? First Age? SOME S														1st	Add'l	Disc 1st	Disc Add'l
No. No. No. Piret Agent First Agent Source Sourc	ı		ļ	-		+	ı	Norre	urrina	Monrocurring	n Disconnect			000	Pates (\$)	l	
Note							Rec					SOMEC	SOMAN			SOMAN	SOMAN
B. Chargon Description D		Nonrecurring Currently Combined Network Elements Switch -As-						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
Extractor Column					UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2mm Free Average Viveo Crade Local Loop in Combination 1 UNCVIX URAL 21.20 988.47 297.45 98.07 30.07 30.07	EXTEN		EROFF	ICE TR	ANSPORT w/ 3/1 M												
Part of Wine Auding Votes Grade Local Loop in Combination 2 DMCVX ISBA4 36.27 290.47 297.46 38.07 38.0		First 4-Wire Analog Voice Grade Local Loop in Combination -															
2 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07 200.07				1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
Pirts 4-Wise Analog Voce Grade Local Logo in Combination - Dec Quality				_													
Zone 3				2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
First Interoffice Transport Conditional - Dist Facility UNICIX 1,55X 0,5753			1	3	LINCVX	LIEAL4	56 57	288 47	237 45	1			1	38.07	38.07		
Met Per Month				3	ONOVA	OLAL4	30.37	200.47	207.40					30.07	30.07		
First InterOffice Transport - DesCoaled - DSI - Facility UNCX			1		UNC1X	1L5XX	0.5753			1			1				
Per each 10 Channel System in combination Per Morth DINCIX 160 19778 140	İ	First Interoffice Transport - Dedicated - DS1 - Facility													1		
Per each Votor Grade CCCI in combination per month						-								38.07	38.07		
S31 Channel System in combination per month NRCSX MG3 233.10 403.97 234.40																	
Per each DST COCI in combination per month																	
Additional 4-Wive Analog Votos Grade Loop in same DS1 1 UNCVX			ļ	-						 					1		
Interdifice Transport Combination - Zone 1			-	 	UNC IX	ועוטטו	16.07	13.09	9.38	 					 		
Additional 4-Wire Analog Voice Grade Loop in same DS1 UNCVX UEAL4 36.27 288.47 237.45 38.07 38				1	UNCVX	UEAL4	21 32	288 47	237 45	1				38.07	38.07		
Intereffice Transport Combination - Zone 2				· ·	ONOVA	OL/ L	21.02	200.47	201.40					00.07	00.07		
Additional A-Wire Analog Voice Grade Loop in same DST 1				2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
Each Additional St Interoffice Channel per mile in same 3/1 UNC1X 1L5XX 0.5753 UNC1X 1L5XX 0.5753 Sac Additional St Interoffice Channel Facility Termination in same 3/1 Channel System per morth UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07 Sac Additional Vice Grade COC1 - in combination - per morth UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07 Sac Additional Vice Grade COC1 - in combination - per morth UNC1X U1TF1 71.29 217.17 163.75 Sac Additional Vice Grade COC1 - in combination - per morth UNC1X UNCCC																	
Channel System per month UNC1X 1L5XX 0.5753				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
Each Additional DS1 Interoffice Channel Facility Termination in same 91 Channel System per month UNC1X U1TF1 71,29 217,17 163,75 38,07 3																	
Same 3f Channel System per month					UNC1X	1L5XX	0.5753										
Additional Visios Grade COCI - in combination - per month UNCVX 101VG 1.27 13.09 9.38					LINCAV	LIATEA	71.20	217 17	162.75					20.07	20.07		
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCCC 21.75 21.75 32.28 10.96 38.07 8.07			1											36.07	36.07		
INCID UNCI					ONOVA	15170	1.27	10.00	0.00								
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT W/31 MUX					UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
Zone 1	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - 2 UNCDX UDL56																	
Zone 2			ļ	1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
First A-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3			1		LINCDY	LIDLEC	40.44	400.04	227.54	1			1	20.07	20.07		
Zone 3			-	2	UNCDX	UDL56	43.11	489.04	337.51	 				38.07	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per UNC1X				3	LINCDX	UDL56	67.26	489 N4	337 51					38.07	38.07		
Mile Per Month UNC1X 1L5XX 0.5753	- 			-	5.10DX	35200	07.20	-103.04	337.31	-			 	30.07	30.07		
First Interoffice Transport - Dedicated - DS1 - combination UNC1X		Mile Per Month			UNC1X	1L5XX	0.5753			1							
Per each 1/0 Channel System in combination Per Month UNC1X MQ1 146.69 197.78 140.06	İ																
Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)														38.07	38.07		
3/1 Channel System in combination per month			ļ							ļ					1		
Per each DS1 COCI in combination per month			ļ							-							
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 UNCDX UDL56			ļ	-						 					-		
Interoffice Transport Combination - Zone 1	-		1	-	OINC IA	OCIDI	10.07	13.09	9.38	 		1			 	1	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 3			1	1	UNCDX	UDL56	25.32	489.04	337.51	1			1	38.07	38.07		
Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07 38.07 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 OCU-DP COCI (data) COCI in combination per month (2.4-64kbs) UNCDX 1D1DD 2.00 15.76 11.28			1	<u> </u>		1	20.02	.00.04	3331	1				33.37	55.57		
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 38.07		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51	<u></u>				38.07	38.07		
OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)								_									
G4kbs)			ļ	3	UNCDX	UDL56	67.26	489.04	337.51	ļ				38.07	38.07		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.5753 Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X 1L5XX 0.5753 UNC1X 1L5XX 0.5753 UNC1X 1L5XX 0.5753 38.07 38.07					LINCDY	10100	0.00	45.70	44.00	1							
Channel System per month			l	-	UNCDX	טטנטנ	2.00	15.76	11.28	 					1		
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07			1		LINC1Y	11.577	0.5752			1			1				
same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07 Each Additional DS1 COCI in the same 3/1 channel system Image: Company of the same 3/1 channel system Image: Company of the same 3/1 channel system Image: Company of the same 3/1 channel system	+				OI4O IV	ILUAA	0.5753			 					 		
Each Additional DS1 COCI in the same 3/1 channel system					UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
			1		-					1					1		
			<u>L</u>	L	UNC1X	UC1D1	16.07	13.09	9.38	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
UND UND I											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
-	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	ODL04	07.20	409.04	337.31					36.07	36.07		
	Mile Per Month	1		UNC1X	1L5XX	0.5753			1			1				
	First Interoffice Transport - Dedicated - DS1 combination -	1				3.0.00			1							
	Facility Termination Per Month	1		UNC1X	U1TF1	71.29	217.17	163.75	1			1	38.07	38.07		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each OCU-DP COCI (data) in combination - per month (2.4-							· · · · · · · · · · · · · · · · · · ·					-			
	64kbs)	ļ		UNCDX	1D1DD	2.00	15.76	11.28	ļ							
	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	233.10	403.97	234.40								
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		'	UNCDA	UDL64	25.32	469.04	337.31					30.07	36.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.102/1	0520.	10.11	.00.0 .	007.01					00.01	00.07		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	71.29	217.17	103.75					30.07	36.07		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	00.5.	.0.0.	10.00	0.00								
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31	ļ				38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	2	LINONIV	LIALOY	20.00	225.04	054.04	1			1	20.27	20.27		
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	2	UNCNX	U1L2X	32.88	325.91	251.31	_				38.07	38.07		
	Transport - Zone 3	1	3	UNCNX	U1L2X	51.14	325.91	251.31	1			1	38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	3	011011/1	UILEA	31.14	323.31	201.01	+				30.07	30.07		
	Mile per month	1		UNC1X	1L5XX	0.5753			1			1				
	First Interoffice Transport - Dedicated - DS1 combination -	1		-	1	,			1							
	Facility Termination per month	<u></u>		UNC1X	U1TF1	71.29	217.17	163.75	<u></u>				38.07	38.07		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.59	15.76	11.28						ļ		
\vdash	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	 		UNC3X UNC1X	MQ3 UC1D1	233.10 16.07	403.97 13.09	234.40 9.38	_							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	-	UNC IA	וטוטט	10.07	13.09	9.38	 		1	-		1		
	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>			2	320.01	2001	1				30.07	33.37		
	Combination - Zone 2	1	2	UNCNX	U1L2X	32.88	325.91	251.31	1			1	38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31	ļ				38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINONIY	110404	0.50	45	44.00	1			1				
	system combination- per month	l .		UNCNX	UC1CA	3.59	15.76	11.28	1		l			l		

UNBI	JNDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1					1	ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1							7.00.		7.44	0020			00		
		Channel System per month			UNC1X	1L5XX	0.5753										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Each Additional DS1 COCI in the same 3/1 channel system												00.01	00.01		
		combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	16.07	13.09	9.38								
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		,
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
		Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										1
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		combination per month			UNC1X	UC1D1	16.07	13.09	9.38								İ
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		<u> </u>
		3 Nonrecurring Currently Combined Network Elements Switch -As-		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		l
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								i
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								I
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										1
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		1
		Nonrecurring Currently Combined Network Elements Switch -As-					17.40										
		Is Charge		1	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		!
<u> </u>	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			Lugia				ļl							
<u> </u>	ļ	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	 	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
-	!	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51						1		
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
ADDIT	IONAL N	IETWORK ELEMENTS		1	0.4007	314000		21.75	21.75	32.20	10.90			30.07	30.07		
ADDIT		used as a part of a currently combined facility, the non-recurr	ng cha	raes do	notapply hut a S	Switch As Is of	harge does ann	ılv.									<u> </u>
-		used as a part of a currently combined facility, the non-recurr											 				
		curring Currently Combined Network Elements "Switch As Is"					Jilai ge t			1							
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	9		UNCVX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	1	po onargo 2 milora milo vo	1	1	5.10 VA	311000		21.73	21.73	52.20	10.30	1		20.34	12.70	1	

UNRII	INDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
5,450		NET TO THE TENED TO THE TOTAL OUT OF THE TENED TO THE TEN										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Monro	curring	Monroourrin	g Disconnect			000	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-						First	Addi	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-								-							
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
	0	Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	Option	al Features & Functions:			U1TD1,	-											
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		OI	OL	OL	OI						
		5.53. S.			U1TD1,	3001					· ·			1	1		
		Clear Channel Capability Super FrameOption - per DS1	ı		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI		1		1		
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,									1			
		Activity - per DS1			UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S			26.94	12.76		
					U1TD3, ULDD3,								1]		
	BALL: =	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
	MULTII	PLEXERS			LINIOAN	1404	440.00	407.70	440.00					00.04	40.70		
-		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	146.69	197.78	140.06	-				26.94	12.76		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	IDIDD	2.00	13.09	9.30								
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVG	1.21	13.09	9.30								
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	233.10	403.97	234.40					26.94	12.76		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	233.10	403.97	234.40					26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38								
		DS1 COCI (used for connection to a channelized DS1 Local			LIATLIA	LIC4D4	10.0=	40.00	2.55	1							
-	-	Channel in the same SWC as collocation) per month		-	U1TUA U1TD1	UC1D1 UC1D1	16.07 16.07	13.09 13.09	9.38 9.38	 	 				 		
-	1	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	וטווטו	ועוטט	16.07	13.09	9.38	 	1	1	-	1	1		
		month			ULDD1	UC1D1	16.07	13.09	9.38	1							
						30.51	10.07	10.00	5.50	†	1			26.94	12.76		
										1	Ì			26.94	12.76		
		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	Y, LA	& TN, tl	ne desired features	will need to b	e ordered usir	ng retail USOC	s	ļ	ļ				ļ		
<u> </u>	2-WIRE	EVOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	0.40	21.60	21.60	1	1			26.94	12.76		
-	1	Exchange Ports - 2-vvire Analog Line Port- Res.			UEPSK	UEPKL	2.19	21.60	21.60	_				26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60	1				26.94	12.76		
-		Exonango i ono - z-vviie Anaiog Line Fort with Callet ID - Res.			OLI OIL	JLI IKO	2.19	21.00	21.00	†				20.94	12.70		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60	1				26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port					<u> </u>	1	1						İ		
		with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	2.19	21.60	21.60	ļ				26.94	12.76		
		2-Wire Voice Grade Unbundled Port without Caller ID capability,			LIEDOD	UEPRZ	0.40	04.00	24.65	1			1		1		
Ь	l	North Carolina		<u> </u>	UEPSR	UEPKZ	2.19	21.60	21.60	I	l	l .	l	l	l		

UNBLINDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
CHECHEL	NOTAL CALCULATION NOTAL CALCULATION	1									Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually			Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LOK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEAT																
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with															
1	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60	I				26.94	12.76		1
]	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60	I				26.94	12.76		1
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
<u> </u>	Caller ID - Bus	<u> </u>	<u>L</u>	UEPSB	UEPB1	2.19	21.60	21.60	<u> </u>	<u></u>	<u> </u>	<u> </u>	26.94	12.76	<u> </u>	<u>1</u>
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability	<u> </u>	<u></u>	UEPSB	UEPBE	2.19	21.60	21.60	<u> </u>	<u> </u>			26.94	12.76		1
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	JRES															
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1				I				I			1
	Room Calling Port	1	<u> </u>	UEPSP	UEPXM	2.18	21.60	21.60	.				26.94	12.76		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								1							1
 	Discount Room Calling Port	1	<u> </u>	UEPSP	UEPXO	2.18	21.60	21.60	.				26.94	12.76		1
ļļ	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	<u> </u>	UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsequent Activity	1	<u> </u>	UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
FEAT		-	<u> </u>	LIEDOD LIEGO	LIED) (E				-				20.5	10.5		├
	All Available Vertical Features	1	<u> </u>	UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (COIN)	-	<u> </u>		1	0.50	01.00	01.00	-	ļ			20.01	10 =0	1	├
Ne==	Exchange Ports - Coin Port	1				2.59	21.60	21.60	<u> </u>	<u> </u>	-41	L IOD::	26.94	12.76	1	├
	Transmission/usage charges associated with POTS circuit s															
	Access to B Channel or D Channel Packet capabilities will be	e availal	pie only	through BFK/New	business Re	quest Process.	Rates for the	раскет сараы	IIITIES WIII DE DE	eterminea via t	ne Bona Fio	ie Kequest/	New Busines	s kequest Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES		1						 				 	 		
	ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Po-	in this	rate exhibit anniv 4	o the embed	lad base in ric	CO 25 OF 10/2/0	3 until 4/4/04	After 4/1/04 46	ee rates shall	revert to to	riff rates or	a congrato co	reemen*	-	
												ini rates or	а эсрагаге ад Г	recinent.	-	
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port	arter the	errect	UEPEX	UEPP2	12.36	ursuant to a se 81.84	parate agreen 81.84		Delibouth's 0	iscretion.		26.94	12.76	-	
	Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	OLFLA	ULFFZ	12.30	01.04	01.04	 	1	1	1	20.94	12.76	1	
	capability (E:4/1/2004)			UEPDD	UEPDD	123.65	116.59	69.92	I				26.94	12.76		1
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	!	 	UEPTX, UEPSX	U1PMA	24.50	62.29	62.29	 				55.30		-	
	All Features Offered	1	1	UEPTX, UEPSX	UEPVF	3.40	0.00	0.00	1		1	1	55.50	33.30		
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	1	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	 	1	1	1	 	l .	1	
NOTE	Transmission/usage charges associated with POTS circuit s	witched							nission by R.C.	l nannels associ	ated with ?	wire ISDN -	norts	1	1	t
	Access to B Channel or D Channel Packet capabilities will be													s Reguest Pro	L L	
	ANGE PORT RATES (continued)	- availai	T City	Jugii Di IVIVEW	Duamicaa Ne	446311100633.	nates for the	packet capabi	I De ut	l via t	lic Dona Fit	l request	THE PUBLICS	Trequest FIG		
LACIT	ANDE I ON INTEO (CONTINUES)		1		1					l	1	1	l	1	l	

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted		_	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	BCS	USOC			RATES (\$)			Elec			Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	g Disconnect		L.	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															İ
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
-	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) Physical Collocation - DS1 Cross-Connects		1	UEPDX UEPEX UEPDX	UEPDX PE1P1	179.75 2.34	241.63 71.02	241.63 51.08					53.89 26.94	53.89 12.76		
 	Virtual collocation - Special Access & UNE, cross-connect per	 '	1	OLFLX OLFDX	FEIFI	2.34	71.02	31.00	1				20.94	12.70		
	DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		İ
Detai	iled E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															İ
	State	1	1	UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		├
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,								1							1
	Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		İ
New	or Additional PRI Telephone Numbers	1	 		520	0.00	174.00		<u> </u>	1			20.04	12.70		—
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															İ
	E911 profile [New or Additional]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															İ
	Locator Capability - Outdial Telephone Numbers, per number in			HEDEV	LIEDAD		00.47	00.47					00.04	40.70		İ
-	E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		1	UEPEX	UEP1D		28.17	28.17		<u> </u>			26.94	12.76		
	Telephone Numbers - Inward Data Only Option [New or															İ
	Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		İ
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			-												
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
LOCA	AL NUMBER PORTABILITY															
INTE	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only) Voice/Data		1	UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
 	Digital Data		1	UEPEX	PR71D	0.00	0.00	0.00	1				26.94	12.76		
	Inward Data		1	UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
New	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel		1	UEPEX UEPEX	PR7BS PR7BU	0.00							26.94 26.94	12.76 12.76		
—	New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	36.92						26.94	12.76		
CALI	L TYPES	1	1	02. EX		5.00	55.52			†	1		20.04	12.70		
	Inward		L	UEPEX UEPDX	PR7C1	0.00	0.00	0.00		İ			26.94	12.76		
	Outward			UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way	<u>.</u>		UEPEX	PR7CC	0.00	0.00	0.00	ļ	ļ			26.94	12.76		<u> </u>
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILIT				ļ				-	-	 					├
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60	_	 		1	26.94	12.76		
 	Johnstone Can Forwarding Service, Area Calling, Res	1	+	OLF VIV	ULINAU	2.19	∠1.00	21.00	 	†	1	1	20.94	12.70		
1 1	Unbundled Remote Call Forwarding Service, Local Calling - Res	<u>,</u>		UEPVR	UERLC	2.19	21.60	21.60	1				26.94	12.76		1
	Unbundled Remote Call Forwarding Service, InterLATA - Res		L	UEPVR	UERTE	2.19	21.60	21.60		İ			26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-	Recurring	1								ļ	1	1				
	Unbundled Remote Call Forwarding Service - Conversion -	1		LIED/D	110,400		0.77	0.40	1				20.04	40.70		1
\vdash	Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with	1		UEPVR	USAC2		2.77	0.40	_	 		1	26.94	12.76		
	allowed change (PIC and LPIC)	1		UEPVR	USACC		2.77	0.40	1					1		1
UNBI	UNDLED REMOTE CALL FORWARDING - Bus	1	1	***	- 37.00		2.77	5.40	1							
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		<u> </u>
	United the I Broads Coll English College Colle	.1		LIED/(D	LIEDI O				1							1
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	5	<u> </u>	UEPVB	UERLC	2.19	21.60	21.60	<u> </u>	1	I .	1	26.94	12.76		

CATEGORY RATE ELEMENTS No. Company Com	UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
APPENDIX Interest													Svc Order	Svc Order				Incremental
## CATEGORY RATE GLEMENTS May Rose Ros 1900 Rate Rose Ro													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
## CATEGORY RATE GLEMENTS May Rose Ros 1900 Rate Rose Ro				Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Betarrow Beta	CATEGO	DRY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					Order vs.
No. No.				""														Electronic-
New York New York																		Disc Add'l
New York New York																		
Displayed Residence Call Processing Services (2014) - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1								Rec										
Unburted Storce Cell Processing Storce, Printing Print Purple Storce and Storce Cell Printing Printi	-		Habita diad Danieta Call Familiania Camina Jatan ATA Dia			LIED//D	LIEDTE	2.40			First	Addi	SOMEC	SOMAN			SOMAN	SOMAN
Lindburded Remote California Protection (California) Lindburde					<u> </u>													
Exception Loss Collision	-					UEPVB	UERIR	2.19	21.60	21.00	 				26.94	12.76		
New Flowering Description						LIED\/R	HEB\/I	2 10	21.60	21.60					26 94	12.76		
Unburded Remote Call Forwarding Service - Convention	- 	lon-Re			1	OLI VD	OLIVO	2.10	21.00	21.00	1				20.34	12.70		
Saleb-lose s	<u> </u>	ton-ive																
Unbunded Remote Call Forwarding Service - Conversion with UBPAGE UBPAGE 2.77 0.40						UEPVB	USAC2		2.77	0.40					26.94	12.76		
Billowed Annage PIC and PIC)																		
End Office Switching (Prof Usage)						UEPVB	USACC		2.77	0.40								
Enci Office Sundring Function, Per MOU	UNBUNE	DLED L	OCAL SWITCHING, PORT USAGE															
Enci Office Sundring Function, Per MOU			fice Switching (Port Usage)															
Transfer Switching (Port Usage) (Local or Access Tandem)			End Office Switching Function, Per MOU															
Tardoor Switching Function Function Per MOU								0.00023										
Tardeten Trust Port - Shared, Per MOU Molded)							1											
Tardem Switching Function Per MOU (Medical) 0.00003418 0.0000126 0.000014 0.00							1				ļ					ļ		
Tandem Trans Port: Shared, Per MOU (Meloked) 0.000012598 0.0000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.0000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.000012598 0.0000012598 0.000012598 0.000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.00000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.0000012598 0.00000012598 0.00000012598 0.00000012598 0.00000012598 0.00000012598 0.000000012598 0.0000000000000000000000000000000000					ļ		1											
Moded Fator: 41.03% of the Tandem Rate Common Trasport - Per Mile,																		
Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per MOU Cornmon Transport - Per Mile, Per Mou Features shall apply to the Unbundled Port Apple Cornmon Transport value as the per Mount of the Per Mount of	-							0.00012309										
Cornmon Transport - Fer Mile; Der MOU											 							
Common Transport - Facilities Termination Per MOU 0.00034 0.	-	ommo					-	0.00001										
UNBINDLED FORTILOP COMBINATIONS - COST BASED RATES Cost Based Rates are pilipy to the Unbundled Port Loop Combination - Cost Based Rates are pilipy to the Unbundled Port Loop Combination - Cost Based Rate search in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rat Eshibit. Features shall apply to the Unbundled Port Loop Combination - Cost Based Rate seatclin in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rat Eshibit. Fend Office and Tandems Whithing Usage and Gommon Transport Usage rates in the Port section of this rate schibit shirts are schibled by a all combinations. Combined or schibit shirts are schibit shirts are schibit shirts are schibit shirts are schibit shirts. Parking Vice Grade Loop (St.) - Zone 1	h						1											
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Swirching or Swirch Ports. Features shall apply to the Unbundled Port Local Commission rule to provide Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of local/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos. For Currently Combined Commons the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. 2-WINE VOIC Department of Common Local	UNBUNE	I ED B					1	0.00034										
Features shall apply to the Unbundled Port Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit apply to all combinations of loop/port network elements except for UNE Coin Port Loop Combinations. The first and additional Port nonrecurring charges sphy to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. In the Port Loop Combination Rates In the Port Section of the Rate Exhibit. In the Port Section of the Rate Exhibit. In the Port Section of the Rate Exhibit. In the Port Loop Combination Rates In the Port Loop Combination Port Loop Combination Port Loop Combination Port Loop Combination Port Loop Combination Port Loop Combination Port Loop Combination Port Loop Combina				nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swit	ching or Swite	h Ports								
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections.											ed Port section	of this Rate E	xhibit.					
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														n Port/Loop	Combination	ns.		
UNE Port/Loop Combination Rates																		
2-Wire VG Loop/Port Combo - Zone 1	2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
2 Wire Vol Loop/Port Combo - Zone 2	U	JNE Po																
2-Wire Volce Grade Loop (SL1) - Zone 1																		
UNE Loop Rates																		
2-Wire Voice Grade Loop (SL1) - Zone 1					3			32.61										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 19.05						LIEDDY	LIEDLY	40.75										
2-Wire Voice Grade Loop (St.1) - Zone 3 3 UEPRX	-																	
2-Wire Voice Grade Line Port Rates (Res)	\vdash			-							 			 		-		
2-Wire voice unbundled port - residence	-	-Wire			3	ULFKA	UEPLA	30.33			 							
2-Wire voice unbundled port with Caller ID - res	 	- 11116				LIEPRX	UEPRI	2 22	79 50	63 07	 				4 ∩ 19	9.45		
2-Wire voice unbundled port outgoing only - res	+			-							 			 				
2-Wire voice unbundles res, low usage line port with Caller ID (LUM) (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina UEPRX UEPRY 1	 				†													
CLUM CAPAP CAPA							1				† †					1		
Capability						UEPRX	UEPAP	2.28	79.59	63.97]			1	40.18	9.45		
Capability			2-Wire voice unbundled Low Usage Line Port without Caller ID				1		-									
North Carolina			Capability		<u></u>	UEPRX	UEPRT	2.28	79.59	63.97			<u> </u>		40.18	9.45	<u> </u>	
2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina PEATURES									_			-						
North Carolina						UEPRX	UEPRZ	2.28	79.59	63.97								
FEATURES All Features Offered UEPRX UEPVF 3.40 0.00 0.00 0.00 0.00 0.01 0.01 0.00																		
All Features Offered						UEPRX	UEPRY	2.28	79.59	63.97	ļ					ļ		
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 1-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - 2-Wire Voice Grade Loop / Line Port Combination - Conversion - 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	F					LIEBBY		 			ļ							
Local Number Portability (1 per port)	<u> </u>					UEPRX	UEPVF	3.40	0.00	0.00	 				40.18	9.45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPRX USAC2 2.77 0.40 40.18 9.45 UEPRX USACC 2.77 0.40 40.18 9.45	L	OCAL			1	LIEDDY	LNDCV	0.05								ļ		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		IONE			<u> </u>	UEPKX	LNPCX	0.35								 		
Switch-as-is	⊢ ⊢ ⊢ ⊢ P	NONKE			-		+	1			 					 		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPRX USACC 2.77 0.40 40.18 9.45 2-Wire Voice Grade Loop / Line Port Combination - Conversion -						LIEDRY	LISACS		2 77	0.40]			1	<i>1</i> 0.19	0.45		
Switch with change	\vdash					ULFKA	USAUZ		2.11	0.40	 				40.18	9.45		
2-Wire Voice Grade Loop / Line Port Combination - Conversion -						LIEPRX	USACC		2 77	0.40				1	40 18	9.45		
	\vdash						3000	 	2.11	5.40			1	 	70.10	5.45		
			Subsequent Database Update						1.42]			1	10.27	1		

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
ONDOND		HETWORK ELEMENTO NORTH Garonna										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Add I	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADI		DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF		PREMISES EXTENSION CHANNELS				I											
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX UEPRX	UEAED	14.97 25.93	142.97	106.56					26.94 26.94	12.76 12.76	0.00	0.00
\vdash		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	 	3	UEPRX	UEAED	25.93 40.81	142.97 142.97	106.56 106.56	 				26.94	12.76	0.00	0.00
INIT		FFICE TRANSPORT	 	3	ULFRA	UEAED	40.81	142.97	100.56	 				20.94	12.76	0.00	0.00
I INT		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1						1	1		1		
		Termination	1		UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07	1	1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI TOC	011172	10.00	107.40	02.00					00.07	00.07		
		or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
2-W		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			02.100	0	0.0120	0.00	0.00								
		rt/Loop Combination Rates													1		
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	:	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UNI	E Lo	op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-W		/oice Grade Line Port (Bus)															
	_	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
	-	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18 40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX UEPBX	UEPBO UEPB1	2.28 2.28	79.59 79.59	63.97 63.97					40.18	9.45 9.45		
		2-Wire voice unburidled incoming Only Port with Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID			ULFBX	OLFBI	2.20	19.55	03.91					40.10	9.40		
		Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LO		NUMBER PORTABILITY			02. 27.	02. 52	2.20	. 0.00	00.01					10.10	00		
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE/	ATUR																
		All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO	NRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -									-]	
		Switch-as-is	<u> </u>		UEPBX	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						_								
\vdash		Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update	1					4 40						10.27	I	1]
ADI		Subsequent Database Opdate DNAL NRCs	 			+		1.42		 				10.27	-		
ADI		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1				1					 		
		2-wire voice Grade Loop/Line Fort Combination - Subsequent Activity	1		UEPBX	USAS2		0.00	0.00					40.18	9.45	1]
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	†			30.102		0.00	0.00	 				70.10	5.45	 	
		Premise	1		UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFI		PREMISES EXTENSION CHANNELS	1			1		2.30	2.30	1						2.30	3.30
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	;	2 Wire Analog Voice Grade Extension Loop – Design	ļ	2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	<u> </u>	2 Wire Analog Voice Grade Extension Loop – Design	<u> </u>	3	UEPBX	UEAED	40.81	142.97	106.56	ļ				26.94	12.76	0.00	0.00
INT		FFICE TRANSPORT	<u> </u>			1				ļ				 	-	 	 '
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1		UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07	1]
\Box		TETTIIITAUUT	L	<u> </u>	ULFBA	UTIVZ	10.00	137.48	5∠.58			l .	l .	30.07	30.07		

UNBUNI	DLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
O. T.D.O.T.		THE THORIT ELEMENTO HOLLI GUIONIA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00								
2-	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UI	NE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UI	NE Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05		-		-						
		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPRG	UEPLX	30.33	·									
2-		/oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1				\exists]			1		_]	1
		Res	<u> </u>		UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45		└
LC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)	<u> </u>		UEPRG	LNPCP	3.15	0.00	0.00						ļ		↓
FE	ATU																
		All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Subsequent Database Update						1.42						10.27			
Al		ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	110400	0.00	0.00	0.00					40.40	0.45		
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBBO	UDET		0.00	0.00					00.04	40.70	0.00	0.00
		Premise			UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OI.		PREMISES EXTENSION CHANNELS		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
-		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
				1	UEPRG	SDD2X	14.62	252.06	109.08			-		26.94	12.76	0.00	0.00
 		Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 	2	UEPRG	SDD2X SDD2X	23.86	126.03	54.54	 				26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X SDD2X	36.40	126.03	54.54	 				26.94	12.76	0.00	
IN		OFFICE TRANSPORT	1	3	OLI NO	JUUZA	30.40	120.03	54.54	 				20.94	12.70	0.00	0.00
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 			+ -									-		
		Termination	1		UEPRG	U1TV2	18.00	137.48	52.58]			1	38.07	38.07	Ì	1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		021110	01172	10.00	107.70	52.56			<u> </u>	 	30.07	30.07	 	—
		or Fraction Mile	1		UEPRG	U1TVM	0.0125	0.00	0.00]			1		I	Ì	1
2-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1			1	3.3.20	3.00	2.00						<u> </u>		—
		rt/Loop Combination Rates	1												1	1	
		2-Wire VG Loop/Port Combo - Zone 1	†	1			13.03								1	1	
		2-Wire VG Loop/Port Combo - Zone 2	1	2		1	21.33								İ	İ	
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UI		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEPPX	UEPLX	30.33			<u> </u>							
2-		/oice Grade Line Port Rates (BUS - PBX)					1										
						j	Ì			j							
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>		UEPPX	UEPPC	2.28	164.57	128.16	<u>] </u>		<u></u>	<u></u>	40.18	9.45	<u> </u>	1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16		-			40.18	9.45		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	g Disconnect	1	l	oss	Rates (\$)	<u> </u>	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16		7.00			40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16		-	1		40.18	9.45		—
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.70	2.20	101.01	120.10		-	1		10.10	0.10		—
		Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		i .
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
	FEATU																
		All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						1.42						10.27			1
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		i .
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/OI	N PREMISES EXTENSION CHANNELS															l
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															i .
		Termination			UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		HEDDY	LIATOMA	0.0405	0.00	0.00		1		1				1
-	0 14"5"	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>		UEPPX	U1TVM	0.0125	0.00	0.00		+	1	ļ				
			1			+					+	1	ļ				
<u> </u>	UNE P	ort/Loop Combination Rates		4		+	40.00				 						
—	 	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	13.03 21.33				+	-					
-	-	2-Wire VG Coin Port/Loop Combo – Zone 2		3		+	32.61				+				-		
-	LINE	pop Rates		3		+	32.01				+				-		
-		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75				+	1					
-	 	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05				1						
-	1	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33				+	 					
	2-Wire	Voice Grade Line Ports (COIN)		3	021 00	JLI LX	50.55				†						
		2-Wire Coin 2-Way without Operator Screening and without				+	-				 						
	1	Blocking (NC)	1		UEPCO	UEPND	2.28	79.59	63.97		1		1	40.18	9.45		1
	1	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97		†			40.18	9.45		<u> </u>
	1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				320	2.20	. 0.00	00.07		<u> </u>			10	3.40		
	1	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97		1		1	40.18	9.45		1
	1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking									1				50		
	1	(NC)	1		UEPCO	UEPNB	2.28	79.59	63.97		1		1	40.18	9.45		1
		2-Wire Coin 2-Way with Operator Screening: 900 Blocking:					- 1										ſ
	i	900/976, 1+DDD, 011+, and Local (NC, TN)	l	1	UEPCO	UEPCA	2.28	79.59	63.97			1	l	40.18	9.45		1

UNBI	JNDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking				+		11131	Auu i	11130	Auu i	JOINEC	JONAN	JONAN	JONIAN	JOHAN	JONAN
		(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	1				UEPCO	UEFINE	2.20	79.59	03.97					40.16	9.45		
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDOI	0.00	70.50	00.07					40.40	0.45		
		900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35						l				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED		1									i				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1		1 1						I	1		1	 	
	1	Switch-as-is	l		UEPCO	USAC2		2.77	0.40			1	1	40.18	9.45	Ì	
-	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	JL1 00	UUAUZ		2.11	0.40	1		+	1	40.10	5.43	 	
	1		l		UEPCO	USACC		2.77	0.40				1	40.18	9.45	Ì	
<u> </u>	1	Switch with change	 	1	UEPCO	USACC		2.17	0.40	ļ		1		40.18	9.45	 	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						1.42									
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
		ort/Loop Combination Rates		,	,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	43.00										
-	LIMEL	pop Rates		3			43.00										
	UNE LO			1	UEPFR	LIEGEO	44.07										
		2-Wire Voice Grade Loop (SL2) - Zone 1				UECF2	14.97										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundles res, low usage line port with Caller ID															
1	1	(LUM)	l		UEPFR	UEPAP	2.19	225.00	225.00			1	1	40.18	9.45	Ì	
	INTER	OFFICE TRANSPORT		1									l				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1 1							i				
		Termination	İ		UEPFR	U1TV2	18.00	140.00	71.00				l				
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					.0.00	0.00	00			1			1	1	
		or Fraction Mile	İ		UEPFR	1L5XX	0.0125						l				
-	FEATU		1	1	OLI I IX	ILUAA	0.0123			1		+	1	1	1	 	
—			 	1	LIEDED	LIED\/C	0.40	0.00	0.00			 	-	40.40	0.45		
<u> </u>		All Features Offered	 	1	UEPFR	UEPVF	3.40	0.00	0.00	ļ		1	 	40.18	9.45	 	
<u> </u>	LUCAL	NUMBER PORTABILITY		<u> </u>	LIEDED	LNDCY						-	ļ	1	1		
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	İ										l				
	1	Combination - Conversion - Switch-as-is]		UEPFR	USAC2		9.03	1.87			1		40.18	9.45		
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l										1	I			-
	1	Combination - Conversion - Switch-With-Change	l		UEPFR	USACC		9.03	1.87			1	1	40.18	9.45	Ì	
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
1	1	End User Premise	l		UEPFR	URETN		11.20	1.10			1	1	26.94	12.76	0.00	0.00
	2-WIRF	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (†				İ		1	İ		<u> </u>	1	
		ort/Loop Combination Rates	<u></u>		,	1 1						1	1		Ì	1	
	J. J	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1 1	17.16					I	1		1	 	
-	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	2		+ +	28.12			1		+	1	1	1	 	
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		+	43.00					 	 	-	1	-	
		2-write vo Loop/IO Tranpon/Pon Combo - Zone 3	l	J			43.00					L	l	l .	l		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina				-		-	-	-	-			Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									P	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
2-Wi	ire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT					Ì										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					İ										1
	Termination			UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					İ										1
	or Fraction Mile			UEPFB	1L5XX	0.0125										
FEA.	TURES															
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		1
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															+
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				0.0											+
	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1														
	End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
2-WI	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE	PORT (0.00	1
	Port/Loop Combination Rates	T	1	I												+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										+
UNE	Loop Rates															†
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										†
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	40.81										
2-Wi	ire Voice Grade Line Port Rates (BUS - PBX)	1	Ť													
- - W.		1	1	1						1	İ			1		<u> </u>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	: [1	UEPFP	UEPPC	2.18	225.00	225.00		1		1	40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus	1	1	UEPFP	UEPPO	2.18	225.00	225.00		†			40.18	9.45		†
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1	1	UEPFP	UEPP1	2.18	225.00	225.00		1	İ		40.18	9.45		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPFP	UEPLD	2.18	225.00	225.00		1	İ		40.18	9.45		<u> </u>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPFP	UEPXA	2.18	225.00	225.00		†			40.18	9.45		†
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP	UEPXB	2.18	225.00	225.00		1			40.18	9.45		
\vdash	2-Wire Voice Unbundled PBX LD DDD Terminals Port	+	1	UEPFP	UEPXC	2.18	225.00	225.00		†	1	l	40.18	9.45		
\vdash	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	+	1	UEPFP	UEPXD	2.18	225.00	225.00		†	1	l	40.18	9.45		
+-+-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	+	1		52.70	2.10		220.00		†	1	l	40.10	5.45		
	Capable Port	1		UEPFP	UEPXE	2.18	225.00	225.00		1			40.18	9.45		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	 	02.11	JLI AL	2.10	220.00	220.00		 	1	 	40.10	5.45		+
	Administrative Calling Port	1		UEPFP	UEPXL	2.18	225.00	225.00		1			40.18	9.45		1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-		OLITI	OLI AL	2.10	220.00	220.00					40.10	0.40		+
	Room Calling Port	1	1	UEPFP	UEPXM	2.18	225.00	225.00		1		1	40.18	9.45		1
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	+	 	02111	OLI AIVI	2.10	220.00	220.00		+	 		70.10	3.43		+
	Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	1	UEPFP	UEPXS	2.18	225.00	225.00		+	1	-	40.18	9.45		+
100	AL NUMBER PORTABILITY	-	1	OLITE	ULFAU	۷. ۱۵	223.00	223.00		+	1	-	40.10	9.45		+
1200	Local Number Portability (1 per port)	+	1	UEPFP	LNPCP	3.15	0.00	0.00		+	1	-	40.18	9.45		+
		+	1	ULFFF	LINEUP	3.15	0.00	0.00		 		-	40.18	9.45		+
INITE																
INTE	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+				+										+

UNBUNDL	ED NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc O Submi Ele per L	Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
												Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
					+	1	Nonrec	urring	Nonrecurring Discor	nect	I	oss	Rates (\$)		-
						Rec	First	Add'l	First Ad		EC SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile								i i						
	or Fraction Mile			UEPFP	1L5XX	0.0125									<u> </u>
FEAT	TURES			LIEDED	LIEDVE	0.40	0.00	0.00				40.40	0.45		
NON	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	3.40	0.00	0.00				40.18	9.45		
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					+									
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87				40.18	9.45		i l
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87				40.18	9.45		l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			l											1
	End User Premise			UEPFP	URETN		11.20	1.10				26.94	12.76	0.00	0.00
	PORT/LOOP COMBINATIONS - COST BASED RATES	COORT													\longleftarrow
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates	PURI	1		+	 			 	-+	_	1	}	-	\vdash
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1		+	20.97			 	-+	_	+	1	1	\vdash
 	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	2		+	20.97				+	-	 	 	 	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37.08				<u> </u>		1	1		
UNE	Loop Rates					07.00									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85						1			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96									
UNE	Port Rate														
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12.12	224.81	188.40				40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-													1
-	Switch-as-is			UEPPX	USAC1		13.26	8.39				53.89	11.34		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39				53.89	11.34		i
ADDI	TIONAL NRCs			ULFFX	USAIC		13.20	0.39	1			33.09	11.54		
755	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02.17	007.01	İ	00.10					10.10	0.10		
	End User Premise			UEPPX	URETN		11.20	1.10				26.94	12.76	0.00	0.00
Telep	hone Number/Trunk Group Establisment Charges														
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Numbers, Establish Trunk Group and Provide First Group														1
\vdash	of 20 DID Numbers		<u> </u>	UEPPX	NDZ	0.00	0.00	0.00	 			ļ	ļ		
\vdash	Additional DID Numbers for each Group of 20 DID Numbers	1	<u> </u>	UEPPX	ND4	0.00	0.00	0.00	 			ļ	ļ		├
 	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	1	}	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00				 	 	 	
\vdash	Reserve DID Numbers	1	1	UEPPX	NDV	0.00	0.00	0.00	 	-		+	 		\vdash
LOCA	AL NUMBER PORTABILITY	1	†	OLIFA	INDV	0.00	0.00	0.00	 	+	_	+	 	 	\vdash
1200	Local Number Portability (1 per port)	1	†	UEPPX	LNPCP	3.15	0.00	0.00				1	1	 	
2-WII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	PORT		1	50	0.00	3.30	1	1		1	1	1	
	Port/Loop Combination Rates					1						İ	İ		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEDDD											
	UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR	1	38.84									
	UNE Zone 2		2	UEPPB UEPPR		50.01									i l
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -														
	UNE Zone 3		3	UEPPB UEPPR		65.18									
UNE	Loop Rates	1													igcup
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47						ļ	ļ	ļ	
	O Wire ICON Digital Conde Lang. UNIT 7 C		2	HEDDD HERES	LICLOY	05.01				1					1
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPPR UEPPB UEPPR		25.64 40.81			 		_	 	 	 	
LINE	Port Rate	1	3	ULTED UEPPR	USLZX	40.81			 	- 1		 	1	1	
ONE	Exchange Port - 2-Wire ISDN Line Side Port	1	†	UEPPB UEPPR	UEPPB	24.37	388.20	302.77	 		_	19.99	19.99	 	
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	1	CLITE CLITE	52110	24.01	555.20	002.11	 	-	_	10.99	10.99		
1				l	1					1		1			

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										,	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								Rec	Nonre			g Disconnect				Rates (\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
	ADDIT	IONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
		Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:	ļ															
		CVS/CSD (DMS/5ESS)	<u> </u>		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	:TN)			ļ											
	USER	TERMINAL PROFILE	ļ				ļ											
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	VERTI	CAL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
		E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
		NE-P DS1 combination rates below for in this rate exhibit apply													nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effec	tive date o	of this ameno	lment shall be p	provided pursu	uant to a sepa	rate agreement	or tariff at Bel	South's di	scretion.				
	UNE P	ort/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			226.55										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			263.28										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
		Zone 3		3	UEPPP			313.15										
	UNE L	oop Rates					1101.45											
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47.54										
	_	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	134.14										
	UNE P	ort Rate			LIEDDD		LIEDDD	470.04	050.47	000.40					40.00	40.00		
<u> </u>	NONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPPP		UEPPP	179.01	956.47	663.10	ļ	ļ	 		19.99	19.99		
	NONRI	ECURRING CHARGES - CURRENTLY COMBINED	1		 		 	1			 	 	ļ		1	 		
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1		UEPPP		USACP	0.00	404.54	404.54					Ì	Ì		1
	ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51								
	ADDII	IONAL NRCs																
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG		1.17	1.17								
	-				UEPPP		PR/IG		1.17	1.17								
		4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)	1		UEPPP		PR7TP		28.17	28.17					Ì	Ì		1
	-				UEPPP		PR/IP		28.17	28.17								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers	1		UEPPP		PR7ZT		56.33	56.33								1
	1.004	NUMBER PORTABILITY	 		UEPPP		rr/41		56.33	56.33	 	 	 					
	LUCAL	Local Number Portability (1 per port)	 		UEPPP		LNPCN	1.75			 	 	 					
	INITED		 		UEPPP		LINPUN	1./5			 	 	 					
<u> </u>	INTER	FACE (Provsioning Only) Voice/Data	 		UEPPP		PR71V	0.00	0.00	0.00	 	 			-	-		
	-	Voice/Data Digital Data	 		UEPPP		PR71D	0.00	0.00	0.00	 	 	 					
	-	Inward Data	 		UEPPP		PR71D PR71E	0.00	0.00	0.00	 	 	 					
	Now -		 		UEPPP		PR/IE	0.00	0.00	0.00	 	 	 					
—	new o	r Additional "B" Channel New or Additional - Voice/Data B Channel	 	-	UEPPP		PR7BV	0.00	36.92		-	-	1		19.99	19.99		
<u> </u>	+	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	 		UEPPP		PR7BF	0.00	36.92		 	 			19.99	19.99		
-	-	New or Additional Inward Data B Channel	 		UEPPP		PR7BD	0.00	36.92		 	 	 		19.99	19.99		
<u> </u>		TYPES	 		UEPPP		LK/BD	0.00	36.92		 	 	 		19.99	19.99		-
•											•	•	i					

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a ut									Elec		_	Manual Svc	•	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L						L	L							
		IE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	ate of t	nis amendment sna	ili be provide	a pursuant to	a separate agr	ement or tarif	r at BellSouth's	aiscretion.						
-	UNE P	ort/Loop Combination Rates	 		UEPDC	 	474.00	-		 		1	ļ	-	 		
\vdash		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	1		1	171.06			 							
-		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC UEPDC	1	207.79 257.66			 							
<u> </u>	IINE I	pop Rates	├	3	ULFDC	1	∠57.0b			 			 		-		
-	ONE LO	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	47.54	-						-	-		
		4-Wire DS1 Digital Loop - ONE Zone 1			UEPDC	USLDC	84.27					1					
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
	IINE D	ort Rate		3	OLFDC	USLDC	134.14					1					
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
		ECURRING CHARGES - CURRENTLY COMBINED			02. 00	055	120.02	001110	101.00			1		10.00	10.00		f
	HOHIL	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								í
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								í
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								í
	ADDITI	ONAL NRCs															i
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															ĺ
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															í
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															í
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		00.04	00.04					40.00	40.00		í
		Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTC		28.81	28.81	-				19.99	19.99		
		Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD	1	28.81	28.81	I			1	19.99	19.99		í
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	\vdash	0L1 DC	טווט		20.01	20.01	1		1		15.55	19.99		
		Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE	1	28.81	28.81	I			1		1		í
	BIPOL	AR 8 ZERO SUBSTITUTION	†					20.01	20.01	I		<u> </u>	 		 		ſ
		B8ZS -Superframe Format	†		UEPDC	CCOSF		0.00i	615.00s	t					1		í
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s	1	l			İ			í
	Alterna	ate Mark Inversion				İ			-	1	l			İ			í
		AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00								i
		AMI - Extended SuperFrame Format	<u></u>		UEPDC	MCOPO		0.00	0.00								i
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID	ļ		UEPDC	UDTGZ	0.00			ļ				19.99	19.99		
		DID Numbers, Establish Trunk Group and Provide First Group	1			l				I			1		1		í
-		of 20 DID Numbers	<u> </u>		UEPDC	NDZ	0.00	0.00	0.00	-							
<u> </u>		DID Numbers for each Group of 20 DID Numbers	 		UEPDC	ND4	0.00	-		!	-			1	 		
-		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	 		UEPDC UEPDC	ND5	0.00	0.00	0.00	 		-			ļ		
\vdash		Reserve Non-Consecutive DID Nos. Reserve DID Numbers	├	 	UEPDC	ND6 NDV	0.00	0.00	0.00	 			 		-		
\vdash	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loor			0.00	0.00	0.00	 		-	-	1	1		
	Deuica	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	i Digita	Loop	WICH 4-WILE DOILS I	Tunk Fort				 					 		
		Termination)	1		UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00		1	19.99	19.99		í
		1					0				. 0.50						

INBIINDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	hit. A
UNBUNDL	LED NET WORK ELEMENTS - NOITH Carollila		1								Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														L		
						Rec		curring		Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
-	Terrimation)	1	1	OLI DO	TEIVOS	0.00	0.00	0.00	0.00		1					
	Intereffice Channel Mileson Additional arts and will 25 carlles			LIEDDO	41 NOC	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>		UEPDC	1LNOC				0.00		ļ					
	Local Number Portability, per DS0 Activated	<u> </u>		UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point	ļ	 	UEPDC	CTG	0.00					ļ					
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT										Į	<u> </u>]
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending or															
The l	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with (Channel	ization	with Port in this rat	te exhibit app	ly to the embe	edded base in p	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	lests for 4-Wire DS1 Loop with Channelization with Port after th															
	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	1	2	UEPMG	USLDC	84.27	0.00	0.00			-					
	4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	134.14	0.00	0.00			1					
LINE	DSO Channelization Capacities (D4 Channel Bank Configuration		3	UEFIVIG	USLDC	134.14	0.00	0.00			1					
UNE		ins)		UEPMG	VUM24	400.00	0.00	0.00					19.99	40.00		
	24 DSO Channel Capacity - 1 per DS1					123.06	0.00	0.00						19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953,44	0.00	0.00					19.99	19.99		
-	672 DS0 Channel Capacity - 1 per 28 DS1s	1	1	UEPMG	VUM67	3,445.68		0.00			1		19.99	19.99		
Non	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chan	2011-410					0.00			1		19.99	19.99		
							ystem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe						1		1	1	1	ļ		1		ļ
Multi	iples of this configuration functioning as one are considered A	aa'i afte	r the m	ınımum system con	riguration is	counted.					 					
	NRC - Conversion (Currently Combined) with or without	1	1	l	1	Ì			I		I	1		l		1
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
	em Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ntly Exists an	d				Į	<u> </u>				
New	(Not Currently Combined) in all states, except in Density Zone	1 of Top	8 MSA	's							<u> </u>					<u> </u>
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1													-	
	and Assoc Fea Activation (E:4/1/2004)	1	1	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	1]	19.99	19.99]
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent	1			İ			İ	İ	İ	İ					i
	Activity Only	1		UEPMG	CCOSF	0.00	0.00i	615.00s	1		1	l				
	Clear Channel Capability Format - Extended Superframe -	1	 		30001	5.50		0.000	 		1	1				1
	Subsequent Activity Only	1	1	UEPMG	CCOEF	0.00	0.00i	615.00s	I	1	1]		1]
Alton	nate Mark Inversion (AMI)	1	1	OLI IVIO	COOLI	0.00	0.001	010.003	 		1			1		
Aiter	Superframe Format	1	-	UEPMG	MCOSF	0.00	0.00	0.00	 		 			-		
		1	 							ļ	1	 		ļ		
	Extended Superframe Format	1	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00			 	ļ				
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exch	ange Ports															
T	Line Side Combination Channelized PBX Trunk Port - Business		1					<u> </u>		1		1				1
	(E:4/1/2004)	1	1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00	1]	40.18	9.45]
	Line Side Outward Channelized PBX Trunk Port - Business															
			1		1	1						1	40.40			l
	(E:4/1/2004)			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		

UNRUN	IDI FI	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hit· Δ																					
CIADOI	IDEEL			1								Svc Order	Svc Order	Incremental		Incremental																						
												Submitted	Submitted		Charge -	Charge -	Charge -																					
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc																					
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.																					
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-																					
														1st	Add'I	Disc 1st	Disc Add'l																					
																2.00 .01	2.007.007																					
							Rec	Nonred		Nonrecurring					Rates (\$)																							
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN																					
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			HEDDY	LIEDDAA	40.00	0.00	0.00	0.00	0.00			10.10	0.45																							
⊢		(E:4/1/2004) e Activations - Unbundled Loop Concentration			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45																							
<u>'</u>	eature	Feature (Service) Activation for each Line Port Terminated in D4																																				
		Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45																							
-		Feature (Service) Activation for each Trunk Port Terminated in	1		OLITA	II QVVIVI	0.05	25.21	10.04	4.13	7.12			40.10	9.40																							
		D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45																							
1		one Number/ Group Establishment Charges for DID Service																																				
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00																													
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<u> </u>		UEPPX	NDZ	0.00	0.00	0.00																													
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00																													
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00																													
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00																													
\sqcup		Reserve DID Numbers	ļ	<u> </u>	UEPPX	NDV	0.00	0.00	0.00																													
		Number Portability	ļ	<u> </u>	HEDDY	LNDCD	2.1-																															
		Local Number Portability - 1 per port	ļ	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00																													
		RES - Vertical and Optional																																				
<u></u>		Switching Features Offered with Line Side Ports Only All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45																							
LINDLING		PAIL FEATURES AVAILABLE CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	•		UEFFA	UEPVF	3.40	0.00	0.00					40.10	9.45																							
		Based Rates are applied where BellSouth is required by FCC		State (`ommission rule to	provide Unb	undled Local S	witching or Su	itch Ports																													
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit																										
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions.																							
4	. The f	first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ned Combos. For	Currently Co	mbined Combo	- 46						malic Camalia	ad continuo	A dalitia mal NID	A																					
				COIIID				s, the nonrect	irring cnarges	shall be those	identified in t	ne Nonrecui	ring - Curre	ently Combine	au sections. /	additional NR	Cs may																					
a		also and are categorized accordingly.	uncina	COIIID		ourrently oc		s, the nonrect	irring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ently Combine	eu sections. 7	Additional NK	cs may																					
5	pply a	also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will							irring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ently Combine	eu sections. 7	Additional NR	Cs may																					
Ę	ipply al i. Mark JNE-P (also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)							irring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ently Combine	ed sections. 7	Additional NR	Cs may																					
5 U	pply al . Mark JNE-P (-Wire \	ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo							irring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ently Combine	ed sections. 7	Additional NR	Cs may																					
5 U	ipply al i. Mark JNE-P (P-Wire \ JNE Po	also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)							irring charges	shall be those	identified in t	ne Nonrecu	ring - Curre	ently Combine	ed sections. /	Additional NR	Cs may																					
5 U	ipply al i. Mark JNE-P (P-Wire) JNE Po	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			on an Individual Ca		til further notic		irring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ed sections. /	Additional NK	Cs may																					
5 U	pply a i. Mark JNE-P (-Wire) JNE Po	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design							irring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	entry Combine	eu sections. /	Additional NK	Cs may																					
5 U	pply al . Mark JNE-P (-Wire \ JNE Po	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design		otiated	on an Individual Ca		til further notic		irring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	entry Combine	eu sections. /	Additional NK	Cs may																					
5 U	ipply al i. Mark JNE-P (P-Wire V JNE Po	also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design			on an Individual Ca		til further notic		irring charges	shall be those	identified in t	ne Nonrecui	rring - Curre	ntly Combine	ed Sections. /	Additional NK	Cs may																					
5 U	ipply al i. Mark JNE-P (!-Wire \ JNE Po	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Voice VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		otiated	on an Individual Ca UEP95 UEP95		13.03 21.33		irring charges	shall be those	identified in t	ne Nonrecui	rring - Curre	ntty Combine	ed Sections. /	Additional NK	Cs may																					
2	ipply al i. Mark JNE-P (-Wire \ JNE Po	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design		1 2	on an Individual Ca		til further notic		irring charges	shall be those	identified in t	ne Nonrecui	rring - Curre	ntty Compine	eu sections. 7	Additional NK	Cs may																					
2	ipply al i. Mark JNE-P (-Wire \ JNE Po	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tol-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tol-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tol-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Tol-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2	on an Individual Ca UEP95 UEP95		13.03 21.33		irring charges	shall be those	identified in t	ne Nonrecui	ring - Curre	ntty Compine	eu secuons. /	Additional NK	Cs may																					
2	Ipply al i. Mark JNE-P (2-Wire \ JNE Po	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design		1 2	on an Individual Ca UEP95 UEP95		13.03 21.33		irring charges	shall be those	identified in t	ne Nonrecui	ring - Curre	ntty Compine	eu secuons.	Additional NK	Cs may																					
2	Ipply al i. Mark JNE-P (2-Wire \ JNE Po	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)		1 2 3	on an Individual Ca UEP95 UEP95 UEP95		13.03 21.33 32.61		irring charges	shall be those	identified in t	ne Nonrecui	ring - Curre	ntty Compine	eu secuons.	Additional NK	CS may																					
2	Ipply a I. Mark JNE-P (PWire No. JNE Po	Also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		1 2 3	on an Individual Ca UEP95 UEP95 UEP95		13.03 21.33 32.61		irring charges	shall be those	identified in t	ne Nonrecui	ring - Curre	ntty Compine	eu secuons.	Additional NK	CS may																					
2	IPPIY AI I. Mark JNE-P (P-Wire N JNE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95		13.03 21.33 32.61 17.25 28.21		irring charges	shall be those	identified in t	ne Nonrecui	rring - Curre	ntty Compine	eu secuons.	Additional NK	CS may																					
	IPPIY AI INE-P (P-Wire N INE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1 2 3	UEP95 UEP95 UEP95		13.03 21.33 32.61		irring charges	shall be those	identified in t	ne Nonrecui	rring - Curre	ntty Compine	ed sections. /	Additional NK	CS may																					
	IPPIY AI INE-PO INE PO JNE PO JNE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design OWNEY OF COMPA Desig		1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	ise Basis, un	13.03 21.33 32.61 17.25 28.21 43.09		irring charges	shall be those	identified in t	ne Nonrecui	ring - Curre	ntty Compine	ed sections. /	Additional NK	CS may																					
	INE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		1 2 3 1 2 3 1 1 1 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	use Basis, un	13.03 21.33 32.61 17.25 28.21 43.09		irring charges	shall be those	identified in t	ne Nonrecui	ring - Curre	ntty Compine	au sections.	Additional NK	CS may																					
	INE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2 3 1 2 3 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	13.03 21.33 32.61 17.25 28.21 43.09		irring charges	shall be those	identified in t	e Nonrecui	rring - Curre	ntty Compine	o sections.	Additional NK	Cs may																					
	IPPIY AI IDPIY AI INE-P (PWITE) INE PO INE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		1 2 3 1 1 2 3 3 1 1 2 3 3	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 1 2 2 3 1 1	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 1 2 3 3 1 2 2	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		1 2 3 1 1 2 2 3 1 1	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1 Rate		1 2 3 1 1 2 3 3 1 2 2	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 1 2 3 3 1 2 2	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 1 Rate		1 2 3 1 1 2 3 3 1 2 2	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 1 2 3 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59	63.97	shall be those	identified in t	e Nonrecui	ring - Curre	40.18	9.45	Additional NK	Cs may
	INE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		1 2 3 1 1 2 3 3 1 2 2	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1 2 3 1 1 2 3 3 1 2 2	UEP95 Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area		1 2 3 1 1 2 3 3 1 2 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59	63.97 63.97	shall be those	identified in t	e Nonrecui	ring - Curre	40.18	9.45	Additional NK	CS may															
	INE PO JNE PO JNE PO JNE PO JNE PO JNE PO JNE PO	Iso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1 2 3 1 1 2 3 3 1 2 2	UEP95												Attach	ment: 2	Exhi	hit: A																		
--	----------	---	--	--	----------------	-----------	--------	--------	------------	--------------	------------	-----------	--------------	-------------	--	--------------	-------------																					
5.400		5 ILL HORR ELEMENTO - NORTH Galolina										Svc Order	Svc Order	Incremental		Incremental	Incremental																					
												Submitted	Submitted		Charge -	Charge -	Charge -																					
												Elec	Manually		Manual Svc		Manual Svc																					
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.																					
			m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-																					
														1st	Add'l	Disc 1st	Disc Add'l																					
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)																							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN																					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent																																				
		- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45																							
		2-Wire Voice Grade Port Terminated on 800 Service Term -																																				
		Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45																							
	NC Onl																																					
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45																							
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45																							
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97			1		40.18	9.45																							
		2-Wire Voice Grade Port (Centrex from diff Serving Wire																																				
		Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45																							
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	00	52. SW	2.20	104.07	120.10		1			-10.10	5.45	1																						
		Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45																							
		···			00		2.20	.007	.20.10			-	 	.5.10	3.40	 																						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45	Ì																						
		2-Wire Voice Grade Port Terminated in 61 Weganink of equivalent	1	1	UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45																							
	Local	Switching			OLI 33	OLI OZ	2.20	13.55	05.51					40.10	3.43																							
	Looui	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903					1																										
	I ocal N	Number Portability			OLI 50	OILEGO	0.000																															
	Looui	Local Number Portability (1 per port)			UEP95	LNPCC	0.35																															
	Feature				OLI 50	LIVI OO	0.00																															
	i cature	All Standard Features Offered, per port			UEP95	UEPVF	3.40																															
		All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83																														
		All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40	457.05		-		-			-																							
	NARS	All Centrex Control Features Chered, per port			OLI 33	OLI VO	3.40																															
	IVAILO	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45																							
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	-	0.00	40.18	9.45																							
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45																							
	Miccoll	laneous Terminations			OLF 95	UARUX	0.00	0.00	0.00	0.00	0.00	-	0.00	40.10	3.40																							
		Trunk Side				+				-		-			-																							
	Z-VVIIE	Trunk Side Terminations, each			UEP95	CEND6	12.36			-		-			-																							
	4 Wire	Digital (1.544 Megabits)			UEF95	CENDO	12.30			-		-			-																							
	4-Wile	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65			-		-		40.18	9.45																							
-		DS0 Channels Activated, each	1	<u> </u>	UEP95	M1HDO	0.00	28.81						40.18	9.45																							
-	Interes	fice Channel Mileage - 2-Wire	1	<u> </u>	UEF95	IVITIDO	0.00	20.01						40.16	9.45																							
-	meron		1	<u> </u>	UEP95	M1GBC	18.00																															
		Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBC	0.0282			-		-			-																							
	Footure	e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF95	IVITGDIVI	0.0262			-		-			-																							
		e Activations (DSU) Centrex Loops on Channelized DS1 Service	,e	 						 					 																							
-	D4 Una	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	-	UEP95	1PQWS	0.65			-				-	-	-																						
		i eature Activation on 5-4 Channel Dank Centrex Loop 510t	-	-	OLF 30	IFUVVO	0.05							 		 																						
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP95	1PQW6	0.65							Ì	I	Ì																						
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLF 90	ורעייט	0.00			_	-	-	-	-		-																						
		ISlot	1	1	UEP95	1PQW7	0.65							Ì	I	Ì																						
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-	-	OLF 30	IF Q VV /	0.05			-				 		 																						
		Different Wire Center	1	1	UEP95	1PQWP	0.65							Ì	I	Ì																						
 		Dilletent Wile Cellfel	-	-	ULF90	IFUVIF	0.05			-				-		 																						
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	1	UEP95	1PQWV	0.65							Ì	I	Ì																						
—		Feature Activation on D-4 Channel Bank Title Line/Trunk Loop	 	 	OLF 90	IFUVVV	0.00			-		-			-																							
		ISlot	1	1	UEP95	1PQWQ	0.65							Ì	I	Ì																						
\vdash			 	 	UEP95 UEP95	1PQWQ	0.65			-		-			-																							
 	Nor D	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	-	ULF90	IFQWA	0.05							-		 																						
<u> </u>	NON-RE	ecurring Charges (NRC) Associated with UNE-P Centrex	 	 		-				-		-			-																							
		NRC Conversion Currently Combined Switch-As-Is with allowed	1	1	LIEDOE	LICACO		0.77	0.40					40.40	0.45	Ì																						
<u> </u>		changes, per port	 	1	UEP95	USAC2	0.00	2.77	0.40	1		1		40.18	9.45	 																						
—		New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11				1		40.18	9.45																							
<u> </u>		New Centrex Customized Common Block	<u> </u>	<u> </u>	UEP95	M1ACC	0.00	695.11		-				40.18	9.45	1																						
<u> </u>		NAR Establishment Charge, Per Occasion	<u> </u>	<u> </u>	UEP95	URECA	0.00	72.73		-				40.18	9.45	1																						
	Additio	onal Non-Recurring Charges (NRC)	ļ	ļ																																		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1		l						1	l	Ì	I	İ																						
		Premise		1	UEP95	URETL		8.33	0.83				<u> </u>		<u> </u>	<u> </u>																						

UNRUN	DI FD	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	hit· Δ
ONDON		HETWORK ELEMENTO NORTH Galomia										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
\vdash								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	LIDETN		44.00	4.40								
		End Use Premise			UEP95	URETN		11.20	1.10								
		CENTREX - DMS100 (Valid in All States) /G Loop/2-Wire Voice Grade Port (Centrex) Combo				-											
		rt/Loop Combination Rates (Non-Design)										1					
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		13.03										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02.00		10.00										
		Non-Design		2	UEP9D		21.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	l	3	UEP9D		32.61				1						
U		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
$\perp \perp \perp$		Design		1	UEP9D		17.25										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l														
		Design		2	UEP9D		28.21										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		43.09										
U		op Rate				115001	40.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
-		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D UEP9D	UECS1 UECS1	19.05 30.33				-						
-		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS1	14.97				-						
-		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.93				+						
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	40.81					1					
10		rt Rate		3	OLI 3D	OLOGZ	40.01										
	LL ST																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
\vdash		Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	l		UEP9D	UEPYF	0.00	70.50	00.07		1			40.18	9.45		
+		Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	<u> </u>		OELAD	UEPTF	2.28	79.59	63.97		+	-		40.18	9.45		-
		2-wire voice Grade Port (Centrex / EBS-M5312))3Basic Local Area	1		UEP9D	UEPYG	2.28	79.59	63.97		1			40.18	9.45		
+		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	 		OLFBD	OLFIG	2.28	19.59	63.97		+	1		40.18	9.45		
		Area	1		UEP9D	UEPYT	2.28	79.59	63.97		1			40.18	9.45		
+		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1			0=. 11	2.20	70.00	00.01		t	1		70.10	5.40		1
		Area	l		UEP9D	UEPYU	2.28	79.59	63.97		1			40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local								l	1						İ
		Area	1		UEP9D	UEPYV	2.28	79.59	63.97		1			40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
\Box		Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	l														<u> </u>
\vdash		Area	ļ		UEP9D	UEPYH	2.28	79.59	63.97		1			40.18	9.45		
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1								1						
\vdash		Indication))4 Basic Local Area	ļ		UEP9D	UEPYW	2.28	79.59	63.97		_	ļ		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1		LIEDOD	HEDVI	0.00	70.50	00.07		1			40.40	0.45		
\vdash		Basic Local Area	 		UEP9D	UEPYJ	2.28	79.59	63.97		+			40.18	9.45		-
	- 13	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l	1	UEP9D	UEPYM	0.00	404.57	100.10	1				40.40	0.45		
1 1	I.	2.2 Pacia Local Area															1
		2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYW	2.28	164.57	128.16		+			40.18	9.45		

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
		Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		, '
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															1
		Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		 '
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			LIEDOD	LIEDVD	0.00	404.57	100.10					40.40	0.45		ł
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYR	2.28	164.57	128.16	-				40.18	9.45		
		Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		ł '
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			02.00	020	2.20		120.10					10.10	00		
		Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		ł '
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															ĺ
		Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															i
	-	Basic Local Area	ļ		UEP9D	UEPY6	2.28	164.57	128.16		ļ	<u> </u>		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		ł '
-		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEP17	2.28	164.57	128.16	-				40.18	9.45		
		Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		ł
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	OLI IZ	2.20	104.01	120.10					40.10	0.40		
		Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		ł '
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
	NC On																
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		ļ!
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPUB	2.28	79.59	63.97					40.18 40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<u> </u>	UEP9D UEP9D	UEPUC UEPUD	2.28 2.28	79.59 79.59	63.97 63.97					40.18	9.45 9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97	1				40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		i
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
	-	2-Wire Voice Grade Port (Centrex with Caller ID)		<u> </u>	UEP9D	UEPUH	2.28	79.59	63.97	1	1	1		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPUW	2.28	79.59	63.97	1				40.18	9.45		1
	1	2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication)4			UEP9D UEP9D	UEPUV	2.28	79.59	63.97	 	1	1		40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			05	52. 50	2.20	70.00	55.51	†	1	1		70.10	5.45		1
		2,3			UEP9D	UEPUM	2.28	164.57	128.16	1				40.18	9.45		l '
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
																	i
	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	ļ	<u> </u>	UEP9D	UEPUP	2.28	164.57	128.16		ļ	<u> </u>		40.18	9.45		
		2 Wire Voice Crade Bort (Contrav/differ SWC /EBS 5200)2 2 4			UEP9D	LIEDUO	2.20	164 57	100 16					40.18	9.45		1
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		 	UEPSD	UEPUQ	2.28	164.57	128.16	 			1	40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16	1				40.18	9.45		1
	1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				3	2.20	.007	.25.70	1				.5.70	5.70		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPUS	2.28	164.57	128.16	1				40.18	9.45		1
		, , , ,															1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		
						I											
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	<u> </u>	<u> </u>	UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		l
		2 Mire Voice Crede Dort (Centre VIII - CIMO /EDG MEGGO)			UEP9D	UEPU6	0.00	404.57	400.40	1				40.18	9.45		1
-	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		-	UEPSD	UEPUb	2.28	164.57	128.16	 	1	1		40.18	9.45		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16	1				40.18	9.45		1
		2 15.50 Grade i ort (Gentrawanie Gwo /Ebo-wo510)2,5,4	1	1	0_1 00	JL: J1	2.20	104.37	120.10	<u> </u>	1	1	L	70.10	∂. + ∂		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	10112 =======	m		200	5555			= (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			 			1	Nonrec	urrina	Monroourring	Disconnect		l	000	Rates (\$)		
			 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	0 Miles Velice October 1876 October 1876 October 1886 Oct						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	L						=====									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40						l				1
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45	1	†
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		+
	Unbundled Network Access Register - Outdial		†	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		†
Miscal	Ianeous Terminations		 	OLI OD	O/ II CO/C	0.00	0.00	0.00	0.00	0.00		0.00	40.10	0.40		+
	Trunk Side	<u> </u>	1		+	1										+
Z-VVIIIE				UEP9D	CEND6	10.06					-			-	-	+
4 10/:	Trunk Side Terminations, each Digital (1.544 Megabits)	-	<u> </u>	UEP9D	CENDO	12.36										
4-wire				LIEDOD	MALIDA	400.05							40.40	0.45		
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
1		1	<u> </u>		1	5.55					1	1		1	1	1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65						l				1
- 	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	 	 		1 ~,,,,	0.00			 		1			t	t	+
	Slot			UEP9D	1PQWQ	0.65						l				1
- 1	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	 	UEP9D	1PQWA	0.65			1		1	l		t	t	+
Non B	ecurring Charges (NRC) Associated with UNE-P Centrex	1	 	טבו שט	IFQVA	0.00			1		1			 	 	+
Non-R		 	-		+	 			-		 	 		-	-	+
1	NRC Conversion Currently Combined Switch-As-Is with allowed		1	UEP9D	USAC2		2.77	0.40	Ì			1	40.40	0.45	I	1
	changes, per port New Centrex Standard Common Block	1	1		M1ACS	0.00		0.40			1		40.18	9.45 9.45	1	+
		<u> </u>	<u> </u>	UEP9D		0.00	695.11		1	1	-	ļ	40.18		1	+
	New Centrex Customized Common Block		<u> </u>	UEP9D	M1ACC	0.00	695.11				.		40.18	9.45		
	NAR Establishment Charge, Per Occasion	1	<u> </u>	UEP9D	URECA	0.00	72.73					ļ	40.18	9.45		↓
Additio	onal Non-Recurring Charges (NRC)				1	ļ										
1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1	l	l				Ì			1		I	I	1
	Premise			UEP9D	URETL		8.33	0.83				<u> </u>				↓
	Unbundled Miscellaneous Rate Element, Tag Design Loop at											l				1
	End Use Premise		<u> </u>	UEP9D	URETN		11.20	1.10				<u> </u>		<u> </u>	<u> </u>	<u> </u>
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	? - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment					İ										
	Rates displaying an "R" in Interim column are interim and sub			a un ao aot famh in	Conoral Torr	no and Canditia	ne									1

_														•		•	
UNBU	NDLE	NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
														Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
04750	ODV	DATE EL EMENTO	Interi		200	11000			D 4 T F O (A)			Elec	-	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonre	curring	Nonrecurrin	g Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			L.,			L	L		<u> </u>	<u> </u>	l	Ļ.,	L	1.500	L		
		ne" shown in the sections for stand-alone loops or loops as ww.interconnection.bellsouth.com/become a clec/html/inter				ograpnically	Deaveraged U	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zone	Designation	ons by Centi	rai Office, refe	er to internet v	website:	
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	service orde	ring charges.	CLEC may
		her the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	_EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states.															_
		Any element that can be ordered electronically will be bill anot be ordered electronically at present per the LOH, the list															
		inot be ordered electronically at present per the LOH, the list I, will be applied to a CLECs bill when it submits an LSR to B			e in this category ref	lects the cha	arge that would	i be billed to a	CLEC once en	ectronic orderi	ng capabilities	come on-ii	ne for that e	element. Otne	erwise, the ma	anuai orderin	g cnarge,
-	OOMA	OSS - Electronic Service Order Charge, Per Local Service	enoout						l	1	1				I	1	
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	PallCar	th's FC	C No 1 Toriff Coatio	n E oo onnii	anhla										
	NOTE:	The Expedite charge will be maintained commensurate with	Delisou	III S FC	C No.1 Tallii, Secur	п э аѕ аррп	Cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL, UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINDUA	וחו ביי י	Day XCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00			<u> </u>						
		ANALOG VOICE GRADE LOOP								1	1						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEASL UEASL	21.39 26.72	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OL/ WAL	OLAGE	20.72	31.92	17.02	23.30	5.52						
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90]]						

UNBL	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
				1								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATE	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1							-								
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP			02/11/2	00002		10.10	10.10								†
	Z-VVIIXL	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	<u> </u>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i i	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
-			l i			UEQ2X											+
\vdash	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<u> </u>	3	UEQ	UEQZX	15.02	36.40	16.10	22.66	4.42	1			-		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	LIEO	LIDET		2.22	0.00	1		1					
	1	Premise	ļ	1	UEQ	URETL		8.33	0.83			ļ					
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)		<u> </u>	UEQ	USBMC		8.17	8.17			ļ	<u> </u>				1
1		Unbundled Copper Loop, Non-Design Copper Loop, billing for	1	1						_		i	1				
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.30	7.45								
UNBU	NDI FD I	XCHANGE ACCESS LOOP															
0.120		ANALOG VOICE GRADE LOOP															†
	_ ******	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	 													
		Zone 1		4	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	14.94	37.92	17.02	23.30	5.32						+
				١.,	LIEDOD LIEDOD	115 450	44.04	07.00	47.00	00.50	5.00						
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
UNBU	NDLED I	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	t	1	1				t		1	1		1		1
1		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	İ	1				
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			· ·	1			22.10	22.00		1	1		1		t
1		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		l				
—	 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	t	J_/\	J L / 11_C	20.13	100.00	00.40	55.05	10.01	 			1		
1		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	l	1				
<u> </u>	 	Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	20.40	18.13	00.43	55.05	10.01	-	-		-		
	1		 	1	OĽA	UCUSL		18.13		 		 	 		1		1
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1 .	LIEA	LIEADO	40.00	405.00	00.70	50.05	10.01	l	1				
	<u> </u>	Battery Signaling - Zone 1	-	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61	1	ļ		-		
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	l _								İ	1				
		Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		ļ		1		ļ
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1						I		İ	1				
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP										İ					
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61	İ					
		4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61	1					
-	 	Order Coordination for Specified Conversion Time (per LSR)	 	۲	UEA	OCOSL	40.00	18.13	5-1.05	00.00	17.01	 					
-	1	CLEC to CLEC Conversion Charge without outside dispatch	 	 	UEA	UREWO		87.90	36.44	 		 	l		1		1
	1	DELO TO DELO CONVENSION CHAIGE WITHOUT OUTSIDE DISPATCH	1	1	OLA	OKEWO		01.90	30.44	1			1		1		L

UNBUNDL	D NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: A
0.1.20.1.22.						l						Svc Order	Svc Order	Incremental		Incremental	
												Submitted					Charge -
															Charge -	Charge -	
04750000	DATE EL EMENTO	Interi	-		D00				DATEO (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone		BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIE	E ISDN DIGITAL GRADE LOOP								7.444.		7.44.		00				
2 ****	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN		U1L2X	25.21	117.58	80.03	53.05	10.61						
						U1L2X	32.76	117.58	80.03								
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN						53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN		U1L2X	37.70	117.58	80.03	53.05	10.61						
	Order Coordination For Specified Conversion Time (per LSR)			UDN		OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO		91.82	44.25								
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	,													
	2 Wire Unbundled ADSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UAL		UAL2X	12.19	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry																
	& facility reservation - Zone 2		2	UAL		UAL2X	13.71	120.84	70.56	50.37	7.93]		1		1
	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL		UALZA	13.71	120.04	70.36	50.37	1.93	1	 		-		
			3	I		LIALOY		400.01	70.50	50.07	7.00]		1		1
	& facility reservation - Zone 3		3	UAL		UAL2X	14.14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		18.13				1]		
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 1		1	UAL		UAL2W	12.19	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservaton - Zone 2		2	UAL		UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &																
	facility reservation - Zone 3		3	UAL		UAL2W	14.14	95.81	57.82	50.37	7.93						
-	Order Coordination for Specified Conversion Time (per LSR)		3	UAL		OCOSL	17.17	18.13	37.02	30.37	7.33						
									40.40								
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86.38	40.48								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UHL		UHL2X	9.58	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 2		2	UHL		UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 3		3	UHL		UHL2X	11.40	129.52	79.24	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		18.13									
	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL		CCCCL		10.10									
	and facility reservation - Zone 1		1	UHL		UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	UIIL		UTILZVV	9.50	104.43	00.30	30.37	1.93						
			2	UHL			40.00	404.40	00.50	50.07	7.00						
	and facility reservation - Zone 2		2	UHL		UHL2W	10.92	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 3		3	UHL		UHL2W	11.40	104.49	66.50	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86.32	40.48								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry																
	and facility reservation - Zone 1		1	UHL		UHL4X	16.02	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	0		0.12.17	10.02	100.10	101.00	00.12	10.00						
	and facility reservation - Zone 2		2	UHL		UHL4X	14.33	158.18	107.89	55.12	10.38						
+	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL		OFFICAN	14.55	130.10	107.03	33.12	10.50						
			_	UHL			40.04	450.40	407.00	55.40	40.00						
	and facility reservation - Zone 3		3			UHL4X	16.84	158.18	107.89	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		18.13									
	4-Wire Unbundled HDSL Loop without manual service inquiry			l		l							l				1
	and facility reservation - Zone 1		1	UHL		UHL4W	16.02	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry			l									l				1
	and facility reservation - Zone 2		2	UHL		UHL4W	14.33	133.14	95.16	55.12	10.38		<u> </u>				
	4-Wire Unbundled HDSL Loop without manual service inquiry																
	and facility reservation - Zone 3		3	UHL		UHL4W	16.84	133.14	95.16	55.12	10.38]		1		1
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		18.13					ĺ				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO	i	86.32	40.48		İ	1			i		
4-W/IE	E DS1 DIGITAL LOOP		1	1			 	00.02				t	1				<u> </u>
7-4411	4-Wire DS1 Digital Loop - Zone 1		1	USL		USLXX	79.51	253.03	157.89	44.80	11.73	1					<u> </u>
	4-Wire DS1 Digital Loop - Zone 2			USL		USLXX	136.00	253.03	157.89	44.80	11.73	1	l		1		
\vdash							229.15			44.80	11.73	1					
\vdash	4-Wire DS1 Digital Loop - Zone 3		3	USL		USLXX	229.15	253.03	157.89	44.80	11./3	!	 		ļ		
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)			USL		OCOSL		18.13									1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina							-		-			Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			Incremental
I			1								Submitted	Submitted		Charge -	Charge -	Charge -
			1								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13	1							
4-WI	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13		1					İ	İ	İ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual	1														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual	1	 													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17		7.00						
	2-Wire Unbundled Copper Loop-Designed without manual	1		002	0020		0.17	0.11			1					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1	<u> </u>	002	002	10.7 1	0 1.07	00.00	00.07	7.00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch	1		002	0020		0.17	0.11			1					
	(UCL-Des)			UCL	UREWO		94.87	42.57								
4-WI	RE COPPER LOOP	1	1	002	U.V.E.V.O		0 1.07	12.01								
 	4-Wire Copper Loop-Designed including manual service inquiry	1			+						1					
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
 	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>	002	002.0	10.01		00.00	00.12	10.00						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38				1		
	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>		552.70	20.00	144.17	55.56	00.12	10.00			1	t	1	
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17	55.12	.0.00				<u> </u>		
	4-Wire Copper Loop-Designed without manual service inquiry	1					J	5.17	t	1			1	t	1	
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	 	<u> </u>					010	55.12	.0.00				1	1	1
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	1	-			20.00		310	55.72	.5.50			1	t	1	
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	10.04	8.17	8.17		10.00			1	t	1	
	CLEC to CLEC Conversion Charge without outside dispatch	 					5.17	5.17	1					1	1	1
	(UCL-Des)		1	UCL	UREWO		94.87	42.57						I	Ì	l
LOOP MODIF		1					007	.2.57	t	1			1	t	1	
1		 		UAL, UHL, UCL,					1					1	1	1
				UEQ, ULS, UEA,										1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,										I	Ì	l
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		32.46	32.46						I	Ì	l
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1				50	50				1		1	1	1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46						1		
	The state of the s	†		UAL, UHL, UCL,	1		520	32.10	1					t	1	1
			1	UEQ, ULS, UEA,										1		
	1	1	Ì	UEANL, UEPSR.	1					ĺ	ĺ		l	1	l	
	Unbundled Loop Modification Removal of Bridged Tap Removal,															

UNBU'	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
		*										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									Po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO		The state of															
		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		241.42	241.42								
		ОР			ULANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1 .		UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '-		OLANE	OODOD		22.03	22.03								
		Facility Set-Up	1 1		UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			<u> </u>												
		Set-Up	- 1		UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
L l		Zone 1	L	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71	<u> </u>		<u> </u>			<u> </u>
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1									1					
igsquare		Zone 3	L	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
							l										
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
\vdash		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
-		Lone 3		3	OLAIVL	CODIV	10.30	75.21	44.23	43.02	3.03						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
		3									-						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	i.	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9.83	65.94	31.03	45.35	6.71			1	 		
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71			1	 		
	Į,	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC	l	8.17	8.17			1			1		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09	1		1	1		1
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09				 		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
 	ď	11-Fbo: 0.104114100 040 100p Diotribution 2016 0	 			200	12.04	70.21	77.23	-10.0Z	5.55				1		
	J,	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC	l	8.17	8.17			1			1		1
		Loop Testing - Basic 1st Half Hour	1		UEF	URET1		34.23	34.23					İ			İ
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
		lled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
		Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines	ļ		UENTW	UND12		43.68	28.79	ļ					ļ		ļ
<u> </u>		Network Interface Device (NID) - 1-6 lines	ļ		UENTW	UND16		64.42	49.53								
<u> </u>		Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		5.92	5.92					ļ	 		ļ
LINE OF		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE	!		UENTW	UNDC4	+	5.92	5.92	ļ				1	 		1
ONE OI		NID - Dispatch and Service Order for NID installation	 		UENTW	UNDBX	0.00	0.00				-			-		-
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	ł		UENTW	UENCE	0.00	0.00						-			1
	- 1													1	•		
		ONTW Circuit id Establishment, Provisioning Only - No Rate					0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									

LINDI	INDI E	D NETWORK ELEMENTS - South Carolina												A44b		Exhi	L:4. A
UND	JNDLE	D NETWORK ELEMENTS - South Carolina	ı ———			1	I					Cua Ordar	Cvo Ordor	Incremental	ment: 2	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JOIN	KATE EEEMENTO	m	20116	БОО	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	0 4 D 4 O	no rate			USL	CCOEF	0.00	0.00									
HIGH (LAPACI	TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per	<u> </u>														
		Imonth			UE3	1L5ND	12.26										
-	1	High Capacity Unbundled Local Loop - DS3 - Facility	1		ULJ	TLOIND	12.20										
		Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
—	1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 		OLO	OLOFA	300.30	+52.52	204.03	118.75	03.77				1		
		month			UDLSX	1L5ND	12.26										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	12.20										
		Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP	MAKE-L						0.0										
	T	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.49	25.49								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE S		AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
-		1: Above will apply to USOCS: ULSDT and ULSCT E 2: The Line Sharing monthly recurring rates with USOCs ULS	200	1111 66	C!:!:- 4!:				O-4-b 4 200	00							
		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	ULSU	c applies only to cil	cuits instair	ed and inservic	e on or before	October 1, 20	U3							
		FERS-CENTRAL OFFICE BASED															
-	3FLII	Line Sharing Splitter, per System 96 Line Capacity	1	1	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00				 		
	1	Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		 		 		
	1	Line Sharing Splitter, Per System, 8 Line Capacity	1		ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		 		 		
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-					15.02		2.00	112,00	5.00						
1	1	deactivation (per LSOD)	1		ULS	ULSDG		86.67	0.00	49.95	0.00		1		1		
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
L	<u> </u>	OBSOLETE see **NOTE 2	L	<u> </u>	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
1	1	Central Office Located (25% of UCLND) - please see NOTE 1	1	1									1		Ì		
	<u> </u>	(E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1										1		1		
1	1	Central Office Located (50% of UCLND) - please see NOTE 1	1										1		1		
	 	(E:10/2/2004)	ļ		ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1										1		1		
1	1	Central Office Located (75% of UCLND) - please see NOTE 1	1	1		LILCOT	0.74	40.55	10.00	40.04	4.00		1		Ì		
-	1	(E:10/2/2005)	1	-	ULS	ULSDT	9.71	18.55	10.62	10.04	4.93				ļ		
1	1	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)	1		ULS	ULSDS		16.42	8.21				1		1		
 	1	Line Sharing - per Subsequent Activity per Line	1		OLO	OLODO	-	10.42	0.21	1			-		1		
	1	Rearrangement(DLEC Owned Splitter)	1		ULS	ULSCS		16.42	8.21				1		1		
\vdash	+	Line Sharing - per Line Activation (DLEC owned Splitter) -			OLO .	OLUUU		10.42	0.21				 		 		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		1		1		
	1	000000000000000000000000000000000000000		<u> </u>		02000	0.01	71.77	10.01	20.01	12.77	1	l		1		

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina					•	_						Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			Incremental
			1									Submitted			Charge -	Charge -	Charge -
1			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															i .
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						l
		Line Share Service, TRO per line activation, CLEC owned															i .
		splitter - Central Office Located (75% of UCLND) - please see															i
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						L
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED		<u> </u>			2.21										
		Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS	0.61	07.00	04.04	00.07	0.05						
<u> </u>		Line Splitting - per line activation BST owned - physical	!	<u> </u>	UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						+
<u> </u>	B4 A 15 1-	Line Splitting - per line activation BST owned - virtual	!	<u> </u>	UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85	}		1	 		
-	MAINI	ENANCE						00.00	FF 00								+
		No Trouble Found - per 1/2 hour increments - Basic						80.00 120.00	55.00 82.50	-		1					
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						120.00	110.00	-		1					
LINIDIIN	IDI ED I	DEDICATED TRANSPORT				-		160.00	110.00								
UNDUN		OFFICE CHANNEL - DEDICATED TRANSPORT				-											
-	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										1					-
		Per Mile per month			U1TVX	1L5XX	0.0167										i .
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TESAX	0.0107			1		1					
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						i .
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	02	21.00	10.00			0.01						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.					0.0.0.										
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						i .
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1														
		Per Mile per month			U1TVX	1L5XX	0.0167										i .
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						<u> </u>
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															i .
		per month			U1TDX	1L5XX	0.0167										l
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															i
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															i
		per month			U1TDX	1L5XX	0.0167										+
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	40.70	40.63	27.47	16.77	6.91						i .
		Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDX	UTID6	16.76	40.63	27.47	16.77	6.91						
		month			U1TD1	1L5XX	0.3415										i .
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	TESAX	0.5415			1		1					
		Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						ı
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	8.02										ı
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						i .
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	8.02										l
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															i .
		Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
DARK	FIBER																
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1			1				I					1		1
		Thereof per month - Interoffice Channel	ļ		UDF, UDFCX	1L5DF	36.41					ļ					├
		NRC Dark Fiber - Interoffice Channel	!	<u> </u>	UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11	}		1	 		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DL	97.65										1
<u> </u>		Thereof per month - Local Loop NRC Dark Fiber - Local Loop	1	<u> </u>	UDF, UDFCX	UDFL4	97.65	640.51	138.17	317.76	198.11	 		-			
		LALLO DOLY LINGI - FOCOL FOOD	1	1	ODI, ODI'CA	JUI L4		040.51	130.17	317.70	190.11	1		l			1

UNRU	NDI F	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
ONDO	INDELL	THE TWO TREE ELEMENTO GOULD CAROLINA	l	1		1	l					Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				-	Manual Svc	Manual Svc		
CAILO	OKI	NATE ELEMENTO	m	20116	Воо	0000			INATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—				1		+	I	Nonrec	urring	Nonrecurring	Disconnoct	1	l .	088	Rates (\$)		
\vdash							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
9VV AC	CESS T	EN DIGIT SCREENING						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
OAA AC	CESSI	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
\vdash		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	-		OHD	+	0.0000073					-					-
		Number Reserved			OHD	N8R1X		2.59	0.44								
\vdash		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	NOICIX		2.55	0.44								
		POTS Translations			OHD			5.95	0.81	4.58	0.54						
\vdash		8XX Access Ten Digit Screening, Per 8XX No. Established With			OTID			0.90	0.01	4.50	0.54						
,		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
\vdash		8XX Access Ten Digit Screening, Customized Area of Service			OTID	INOI IX		0.90	0.01	4.50	0.54						
1 1		Per 8XX Number			OHD	N8FCX		2.59	1.30								
\vdash		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OLID	NOI CX		2.59	1.30								
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
\vdash		8XX Access Ten Digit Screening, Change Charge Per Request	-	-	OHD	N8FAX	-	3.03	0.44						-		
\vdash		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	-	-	טו וט	INOI AA	-	3.03	0.44						-		
1 1		Features			OHD	N8FDX		2.59	2.59								
\vdash		8XX Access Ten Digit Screening, w/ 8XX No. Delivery	-		OHD	INOFUA	0.0006673	2.59	2.59			-					-
\vdash		8XX Access Ten Digit Screening, w/ 8XX No. Delivery	1	1	OHD	1	0.0006673					 			1		
I INE IN		TION DATA BASE ACCESS (LIDB)			OHD	_	0.0000073										
LINE IN	IFORWIA	LIDB Common Transport Per Query	-		OQT	+	0.0000246					-					-
\vdash		LIDB Validation Per Query	-		OQU	+	0.0138158					-					-
\vdash		LIDB Originating Point Code Establishment or Change	-		OQU OQT, OQU	NRBPX	0.0136136	34.40		42.18		-					-
SIGNAL			-		OQ1, OQU	INKDEA		34.40		42.10		-					-
SIGNAL	LING (C			<u> </u>	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
\vdash		CCS7 Signaling Connection, Per 56 Kbps Facility CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	163.49	33.01	33.61	10.40	10.40						
\vdash		CCS7 Signaling Usage, Per TCAP Message	-		UDB	F 103A	0.0000692					-					-
\vdash		CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)	-		UDB	TPP++	16.93	35.61	35.61	16.48	16.48	-					-
\vdash		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D	-		UDB	IFF++	10.93	33.01	33.61	10.40	10.40	-					-
1 1		link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
\vdash		CCS7 Signaling Usage, Per ISUP Message	-		UDB	IFFTT	0.0000173	33.01	33.01	10.40	10.40	-					-
\vdash		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
\vdash		CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			ODB	31030	791.37										
		Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
\vdash		CCS7 Signaling Point Code, per Destination Point Code			ODD	COALO		23.00	23.00	33.03	33.03						
1 1		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SE	EBVICE	Establishment of Change, 1 of Ctp / Medica			ODD	00/11 D		20.00	20.00	00.00	00.00						
L311 01	LIVIOL	Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21						
—		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				+	0.0167	100.00	00.E4	00.72	0.21	1					
\vdash		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	 		+	3.0107					-					t
		Termination	1	1			24.30	40.63	27.47	16.77	6.91		1				I
\vdash		Local Channel - Dedicated - DS1 - Zone 1	1	1		1	42.62	177.87	154.06	22.24	15.30				1		t
\vdash		Local Channel - Dedicated - DS1 - Zone 2	l	 			70.32	177.87	154.06	22.24	15.30						1
\vdash		Local Channel - Dedicated - DS1 - Zone 3	1	t		1	190.68	177.87	154.06	22.24	15.30						t
\vdash		Interoffice Transport - Dedicated - DS1 Per Mile	1	1		1	0.3415					1					1
\vdash			1	1		1	2.20					1					1
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1	1			77.14	89.47	81.99	16.39	14.48		1				I
CALLIN	IG NAM	E (CNAM) SERVICE	1	t		1		557	000		10						t
1		CNAM For DB Owners - Service Establishment	1	t	OQV	1		23.00	23.00	21.15	21.15						t
\vdash		CNAM For Non DB Owners - Service Establishment	1	1	OQV	1		23.00	23.00	21.15	21.15	1					1
\vdash		CNAM For DB Owners - Service Provisioning With Point Code	1	t		1				0	0						t
1 1		Establishment	1	1	OQV			993.09	734.47	269.53	198.18		1				I
\vdash		CNAM For Non DB Owners - Service Provisioning With Point	1	t		1		300.00		200.00							t
1		Code Establishment	1	1	OQV			343.09	245.69	275.87	198.18		1				I
\vdash		CNAM for DB Owners, Per Query	1	1	OQV	1	0.0010433	2 .2.00				1					1
\vdash		CNAM for Non DB Owners, Per Query	l	 	OQV		0.0010433										1
SELEC:	TIVE RC		l	 													1
		Selective Routing Per Unique Line Class Code Per Request Per	1	 													1
												1	ī		ī		1
		Switch						84.89	84.89	14.14	14.14						

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
OND	HULL	NETWORK ELEMENTO Godin Galonna				1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OA.L		NATE ELEMENTO	m	20110	500	0000			IIAI LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					-		Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		l.
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line				-		11130	Auu i	11130	Auu i	JONILO	JONAN	JONAN	JONAN	JOHAN	JOINAIN
		Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSI	CAL CO	LLOCATION			OLI OK OLI OB	VETEO	0.0017	12.02	11.00	0.04	0.40						
	I CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SE	I FCTIV	E CARRIER ROUTING			OLI OIL OLI OD	1 2 120	0.0041	12.02	11.00	0.04	0.40						
7		Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
		End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
		Query NRC, per query			SRC		0.0035036										
AIN - E	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
	1	Initial Setup	1	1	A1N	CAMSE		39.53	39.53	40.78	40.78	1	1		Ì		
		-		t		1	1		22.30						1		
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11						
	l	AIN SMS Access Service - Port Connection - ISDN Access		1	A1N	CAM1P	1	7.85	7.85	9.11	9.11				İ		
	l	AIN SMS Access Service - User Identification Codes - Per User		1		1	1		30		2.11				İ		
		ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027										
		AIN SMS Access Service - Session, Per Minute					0.7121										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute					0.8364										
AIN - E	ELLSO	JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
1		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		1								-			
		DN, CDP				BAPTC		34.54	34.54	14.39	14.39						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		1								-			
		DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39				ļ		
	<u> </u>	AIN Toolkit Service - Query Charge, Per Query		<u> </u>		1	0.0558238										
1		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1											
ļ		Subscription, Per Node, Per Query				 	0.0069214										
1		AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	1		I						1	1		Ì		
	ļ	Account, Per 100 Kilobytes		 		 	0.07								ļ		
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1								1	1		Ì		
<u> </u>	<u> </u>	Subscription		<u> </u>	CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1	1	CAM	DADI O	0.51	0.00	0.00			1	1		Ì		
ļ	 	Subscription		1	CAM	BAPLS	3.51	8.68	8.68			ļ	ļ		1		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BABBS	0.40	7.05	7.05								
<u> </u>	<u> </u>	Subscription AIN Toplicit Service Cell Front Special Study Der AIN Toplicit		 	CAM	BAPDS	8.48	7.85	7.85	5.52	5.52						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription	1	1	CAM	BAPES	0.12	8.68	8.68			1	1		Ì		
ENILIA	ICED EV	Service Subscription (TENDED LINK (EELs)		 	CAIVI	DAFES	0.12	80.8	80.8								
ENHAI		TI ENDED LINK (EELS) The monthly recurring and non-recurring charges below will a	annly a	nd the	Switch-As-Is Chara	will not and	aly for LIME com	hinations no	visioned as ' C	Ordinarily Comb	nined' Notwer	Flamonto	-		-		
-		The monthly recurring and non-recurring charges below will a control of the monthly recurring and the Switch-As-Is Charge and not the control of the control											-		1		
-	EYTEN	The monthly recurring and the Switch-As-IS Charge and not to TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	LED DE	1 INTER	OFFICE TO MISSON	ин арріу тог от	OME COMBINATION	uns provisione	u as current	iy Combined N	ACTMOLK EIGHG	1115.	-		1		
	CATEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	בט טס	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61				1		
-	1	First 2-Wire VG Loop (SL2) in Combination - Zone 1		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	-	-		1		
—	 	First 2-Wire VG Loop (SL2) in Combination - Zone 3	-	3	UNCVX	UEAL2	28.46	105.98	68.43		10.61				 		
	1	1o. 2o . o Loop (OLZ) in Combination Zone o		U	UUVA	U = / 11 = E	20.40	100.00	00.40	00.00	10.01	l	l		1		l

NAUNDAY PROPERTY	LINBLINDI E	D NETWORK ELEMENTS - South Carolina												Attach	mont: 2	Evhi	hit: A
ATECHORY RATE LEMENTS BIANT MAY BE ALEMENTS RATE LEMENT	ONBONDLE		1									Svc Order	Svc Order				
## RATE REMEMPS Branch Second Branch Second Branch Second Sec													1				
CATEGORY RATE ELEMENTS Max Zong DCS USDC SATE (5) Per LSR Code vs. Dollar vs. Dol																	
Record R	CATEGORY	DATE EI EMENTS	Interi	Zono	BC6	HEOC			DATES (\$)								
New York New York	CATEGORI	NATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (4)			per LSR	per LSR				
Rec														Electronic-			
New York														1st	Add'l	Disc 1st	Disc Add'l
New York				-				Managa		Name and a second to a	. Diazzanast			000	Detec (t)		
Proceedings Processor Description Processor Description Processor Description Processor Description Processor Description Descriptio							Rec										
Big for morth DOCK 155X 0.27								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interesting France Colorater Col		· ·															
Termination per month					UNC1X	1L5XX	0.27										
150 Chammalastina Statem in continuation for Machina Notice GOUL? He Machina (COUL? He Machina) Notice Goule COUL? He Machina (COUL? He Machina) Seath Additional 2-Wire V Loco (St. 2) in Confidention - Zone 1 1 NACVX																	
Votes Gales COCI - Pt Martin																	
Each Additional 2 Winn VS Loop (SL 2) in Combination - Zone 1					UNC1X		107.57	91.24		10.56							
Each Additional 2 Wine VSL Loop (St. 2) in Combination - Zeros 2		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
Each Additional 2 Wine VSL Loop (St. 2) in Combination - Zeros 2																	
Each Additional 2-Wire Vol Loog (St. 2) in Combination - Zone 3 JUNCYX UEN2 28.46 195.88 68.43 59.05 10.01		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
Each Additional 2-Wire Vol Loog (St. 2) in Combination - Zone 3 JUNCYX UEN2 28.46 195.88 68.43 59.05 10.01																	
Cach Additional 2-Wiler Vol Long (BL 2) in Combination - Zone 3 3 UNCVX UEA2 28.46 105.50 66.43 53.05 10.61		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	1	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61				İ		
Vacce Grader COCC For Mount UNCYX DIVIG 0.56 6.59 4.73 0.00 0		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	1		-	T				22.30		İ	1	İ	İ		
Vacce Grader COCC For Mount UNCYX DIVIG 0.56 6.59 4.73 0.00 0		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
Namescuring Currenty Correlated Newton Elements Switch As- INCIX UNCIX UNCIX UNCIX VERALA 32.99 132.38 94.83 59.35 14.61	 		1	Ť								1	1		 		
MCDIX	 		 	 		1.2.70	0.00	0.00	4.70	0.00	0.00	†	1		 		
Extended - Write Voice Grade Loop in Combination - Zone 1					LINICAY	LINICCC		5.61	5.61	7.00	7.00						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 32.69 132.38 94.83 59.35 14.61	EVTEN		TED DO	1 INITE				3.01	3.01	7.00	7.00	1	1				
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.88 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX	EXIEN	T THE VOICE GRADE EXTENDED LOOP WITH DEDICAL	I ED DO	IIIVIE	COFFICE TRANSPO	1							-				
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.88 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX		First 4 Wire Angles Voice Crade Lean in Combination - Zone 1		4	LINCVV	LIEAL 4	22.50	122.20	04.93	50.25	1461						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEA,4 43.38 132.38 94.83 59.35 14.61		First 4-vviile Arialog voice Grade Loop in Combination - Zorie 1			UNCVA	UEAL4	32.39	132.30	94.03	39.33	14.61	1					
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEA,4 43.38 132.38 94.83 59.35 14.61				_			40.00	400.00									
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LLSXX 0.27		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LLSXX 0.27																	
Per Month				3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month																	
Month					UNC1X	1L5XX	0.27										
10 Channel System in combination Per Month		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
Visce Grade COCI in combination - per month UNCVX DTVS 0.96 6.59 4.73 0.00 0.																	
Additional 4-Wire Analog Voice Grade Loop in same DS1		1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
Interoffice Transport Combination - Zone 1		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
Additional 4-Wire Analog Voice Grade Loop in same DS1 1		Additional 4-Wire Analog Voice Grade Loop in same DS1															
Additional 4-Wire Analog Voice Grade Loop in same DS1 1		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61																	
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61				2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61																	
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.56 6.59 4.73 0.00				3	LINC\/X	LIFAL4	43 38	132 38	94.83	59 35	14 61						
Nonrecurring Currently Combined Network Elements Switch -As- In Charge UNC1X UNCCC 5.61 5.61 7.00 7.00																	
INCAT	 		 	 	0.40 47	10140	0.56	0.59	4.13	0.00	0.00	1	1	1	1		
EXTENDED 4-Wire 56KBps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT			1	1	LINC1X	LINCCC		5.61	5.61	7.00	7 00				Ì		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EYTEN		CATED	DS1 IN				5.01	5.01	7.00	7.00	 	 	-	-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61	EVIEN	THINE 30 RDF 3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	DOLIN	ILNOFFICE IRAN	J. UKI						-			 		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61		First 4 Wire FCVbpa Digital Crade Lass is Combination 7	1	_	LINCDY	LIDLES	20.00	400.00	00.40	50.05	44.04						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	 	First 4-vvire portups Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDLOB	29.93	126.66	89.12	59.35	14.61	1	1		 		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		First 4 Wins FOWhere Disited Constitution in Constitution 7	1	_	LINCDY	LIDLES	00.00	400.00	00.10	50.05	44.61						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 1/0 Channel System in combination Per Month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81	\vdash	First 4-vvire 56Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 1/0 Channel System in combination Per Month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81		First A Wass FOR the Privil Cond. 1	1		LINORY	LIDI ES				== ==					Ì		
Per Month UNC1X 1L5XX 0.27	\vdash		ļ	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48			1														
Termination Per Month			<u> </u>	<u> </u>	UNC1X	1L5XX	0.27										
1/0 Channel System in combination Per Month			1	1		1									l		
OCU-DP COCI (data) per month (2.4-64kbs)			<u> </u>	<u></u>										<u> </u>	L		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 I UNCDX UDL56 29.93 126.66 89.12 59.35 14.61 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61 Additional GCU-DP COCI (data) - in combination per month (2.4-			$ldsymbol{ldsymbol{eta}}$				107.57	91.24	62.71	10.56							
Interoffice Transport Combination - Zone 1		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
Interoffice Transport Combination - Zone 1		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														_	_
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61			1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61				İ		
Interoffice Transport Combination - Zone 2						1											
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-			1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61				İ		
Interoffice Transport Combination - Zone 3			1	1		1								İ	İ		
Additional OCU-DP COCI (data) - in combination per month (2.4-			1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
				Ť		1	J T	.20.00	332	55.56		Ì	1		1		
			1	1	UNCDX	1D1DD	1 10	6 50	4 72	0.00	0.00				İ		

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				_				
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	That I The Girlspa Bigital Glade 2009 in Combination 2010 I		<u> </u>	CHODA	05201	20.00	120.00	00.12	00.00							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	1 list 4-Wire 04Rbps Bigital Orace Loop in Combination - Zone Z			ONODX	ODLOT	33.33	120.00	03.12	33.33	14.01	1	1				
	First 4 Wiss CAKhas Digital Conda Lang in Combination 7000 2		3	LINCDY	UDL64	24.74	400.00	00.40	50.05	44.04						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27					ļ					
	interoffice Transport - Dedicated - DS1 combination - Facility	İ							1		1					
	Termination Per Month	L	L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	<u> </u>	<u> </u>	<u> </u>		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1										1			İ		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		· ·	CHODA	05201	20.00	120.00	00.12	00.00							
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
				UNCDA	UDL04	33.33	120.00	05.12	39.33	14.01	ļ					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_				400.00									
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	0.10.17	002701	201.00	200.00	101.00	11.00							
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILJAA	0.21					1	1				
				LINIOAY		04.74	00.47	04.00	40.00	44.40						
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Nonrecurring Currently Combined Network Elements Switch -As-	İ			1		_]	_	_	_	1					
	Is Charge	<u> </u>		UNC1X	UNCCC		5.61	5.61	7.00	7.00	ļ					
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3										1				
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	<u> </u>					
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	1					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month	l	1	UNC3X	1L5XX	6.42			I		Ì		1	1		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per										İ					
	month	İ		UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59	1					
 	3/1Channel System in combination per month	-		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	†	1		 		
 	DS1 COCI in combination per month	 	1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1	1	1	1		
		-	-	OIVOIA	וטוטט	0.04	0.39	4.13	0.00	0.00	}	 	 	-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ	_ ا	LINICAY	1101.307	20.0-	050.00	457.00	44.00	44 =	1					
\vdash	Zone 1	<u> </u>	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	1	ļ				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	l _											İ		
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73]	1]			
	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ							1		1					
	Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		<u> </u>	<u></u>	L		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-					į i					1					
	Is Charge	İ		UNC3X	UNCCC		5.61	5.61	7.00	7.00	1					
FXTF	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTF			† 1		2.31	1.50	50	Ì	1		1		
	2-WireVG Loop in combination - Zone 1	J. 1712		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	1	1		 		
 	2-WireVG Loop in combination - Zone 1	 	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	 	1	 	 		
\vdash		 	3		UEAL2						 	1	-	 		
<u> </u>	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	<u> </u>	1				

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
																•	
CATEC	ODV	DATE ELEMENTS	Interi	7	BCS	11000			DATES (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	OKT	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0134										Í
		Interoffice Transport - 2-wire VG - Dedicated - Facility			0110171	120701	0.0101					-					
		Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						Í
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	011172	13.44	40.03	21.41	10.77	0.31						
					UNCVX	1111000		5.04	5.04	7.00	7.00						i .
		Is Charge		<u> </u>		UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						l
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						1
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						ſ
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	1	Month	l	1	UNCVX	1L5XX	0.0134					I	l	Ì	İ		1
		Interoffice Transport - 4-wire VG - Dedicated - Facility		1		1						1	1	1	1		
	l	Termination per month	l	1	UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91	1	I	1	1		1
	1		1	1	014047	J11 V4	17.03	40.03	21.41	10.11	0.91	1	 	 	 		
	l	Nonrecurring Currently Combined Network Elements Switch -As-	İ		LINOVA	LINICOO			F C :	7.00	7.00	1					1
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													1
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										1
																	1
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						i .
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						1
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10071	01110	701.02	2, 0.0.	100.12	00.00	00.00						—
		Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						1
	EVTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	FRAFE		UNCCC		5.01	3.01	7.00	7.00	1					
	EXIEN		9-1 IN I	EKUFF		41 = 115	40.00										
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
		STS-1 Local Loop in combination - Facility Termination per															i .
		month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															Í
		per month			UNCSX	1L5XX	6.42										i .
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						Í
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						i .
	EVTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	CDODT	UNCOA	UNCCC		5.01	3.01	7.00	7.00	1					
	EXIEN		IKAN	SPURI	LINONIX	1141.037	05.04	447.50	00.00	50.05	40.04	ļ					+
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						1
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						l
	1	Interoffice Transport - Dedicated - DS1 combination - per mile	1	1			1						1	1			1
	<u> </u>	per month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.27					<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u>1</u>
		Interoffice Transport - Dedicated - DS1 combination - Facility															
	1	Termination per month	l	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	I	l	Ì	İ		1
	1	1/0 Channel System in combination - per month	1	t	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1	 	†	 		<u> </u>
	 	2-wire ISDN COCI (BRITE) - in combination - per month	 	 	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	 	 	 	 		
	1		1	1	OIVOIVA	JUTUA	2.30	0.59	4.73	0.00	0.00	1	 	 	 		
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l	4	LINICNIV	U1L2X	05.04	447.50	00.00	50.05	40.04	I	l	Ì	İ		1
	!	Combination - Zone 1	<u> </u>	1	UNCNX	UILZX	25.21	117.58	80.03	53.05	10.61	1	.	ļ	ļ		+
	l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	İ	l -								1					1
		Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61]	1				
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1			1						1	1			1
	<u> </u>	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u>1</u>
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	l	month	l	1	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	1	I	1	1		1
		Nonrecurring Currently Combined Network Elements Switch -As-		1		1		2.00		2.00	2.00	1	1	1	1		
	l	Is Charge	l	1	UNC1X	UNCCC		5.61	5.61	7.00	7.00	1	I	1	1		1
	EVTEN	IS Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	1 INITE				0.01	10.0	7.00	7.00	1	 	 	 		
	EXIEN		ED 212				20.0=	050.00	157.00	44.00	44 =	 	1	ļ	-		
	 	First DS1 Loop Combination - Zone 1	 		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	 					├
	<u> </u>	First DS1 Loop Combination - Zone 2	<u> </u>		UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	ļ					
	1	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	L	L	L	L		

UNB	UNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.12	···					1						Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	OOKI	KATE EEEMENTO	m	20116	ВСО	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				 			I	Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				1		FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Per Month			UNCSX	1L5XX	6.42										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	TESTON	0.42										
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
		3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
-		Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	0.04	0.55	4.73	0.00	0.00						
		Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	ONOTA	COLFOR	30.07	200.00	107.00	44.00	11.70						
		Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
-		Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OOLXX	100.40	200.00	107.03	44.00	11.75						
		Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
—	+	Nonrecurring Currently Combined Network Elements Switch -As-		 	ONOTA	COIDI	0.04	0.39	7.73	0.00	0.00				 		
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
	FYTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DS INT	FROFE		UNCCC		3.01	3.01	7.00	7.00						
	LAILI	4-wire 56 kbps Local Loop in combination - Zone 1	1 0 1141	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	ONODX	ODESO	34.74	120.00	03.12	33.33	14.01						
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TESTA	0.0134										
		Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	01103	15.41	40.03	21.41	10.77	0.31						
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	FXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RPS INT	FROFE		ONCCC		3.01	5.01	7.00	7.00						
	LATEN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	7 0 1141	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	ODLOT	04.74	120.00	00.12	00.00	14.01						
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	120701	0.010-										
		Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-			O. TOBA	050	.0	10.00	2		0.01	1					
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	FXTFN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		0.1000		0.01	0.01	7.00	7.00						
		First 2-wire VG Loop (SL2) in Combination - Zone 1	10.00	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	1	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	1	First Interoffice Transport - Dedicated - DS1 combination - Per															
1		Mile		1	UNC1X	1L5XX	0.27						1		I		1
	1	First Interoffice Transport - Dedicated - DS1 combination -		 		. 20,01	5.27								t		
		Facility Termination per month		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		I		1
	1	Per each DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	1	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
—	1	Per each DS1 COCI in combination per month		†	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				t		
	1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		 			2.01	2.00	0	2,00	2.00				t		
1		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		1		I		1
—	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1		t	-	1			22.70	22.30					t		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		1		I		1
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1				1			22.10	22,00							
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		1		I		1
—	1	Each Additional Voice Grade COCI in combination - per month		t	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00				t		
—	1	Each Additional DS1 Interoffice Channel per mile in same 3/1		†	-	1		2.20	0	2.20	2.30				t		
1		Channel System per month		1	UNC1X	1L5XX	0.27						1		I		1
	1	Each Additional DS1 Interoffice Channel Facility Termination in					2.2.										
		same 3/1 Channel System per month		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		I		1
	1	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		and the second s			-			2.20			2.30						

UNRUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	nit· Δ
ON BOND	TENTONIA ELEMENTO COULI GUIONIA										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									P	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															-100 101	
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X	1111000		5.04	5.04	7.00	7.00						
EVT	Is Charge ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE		UNCCC		5.61	5.61	7.00	7.00						
EAI	First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERC	FFICE	I KANSPORT W/ 3/1	IVIUX											
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OLALT	32.33	132.30	34.03	39.33	14.01						
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48]		
	Per each 1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71		9.81						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month	1	<u> </u>	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				 		
.	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		UNCVA	UEAL4	32.39	132.30	94.03	59.55	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	43.03	132.30	34.03	39.33	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.1017	02,12.	10.00	102.00	0 1.00	00.00							
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	LINODY	LIDI FO	00.00	400.00	00.40	50.05	44.04						
	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
			2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
-	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1		UNCDA	UDLS6	33.99	120.00	09.12	59.55	14.01						
	Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	<u> </u>	5.13DA	55200	04.74	120.00	00.12	00.00	14.01						
	Mile Per Month		1	UNC1X	1L5XX	0.27						1		1		
	First Interoffice Transport - Dedicated - DS1 - combination	1	i –		1					İ				İ		
	Facility Termination Per Month		L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u> </u>		<u> </u>		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
\vdash	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				ļ		
\vdash	Per each DS1 COCI in combination per month	1	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDIES	20.00	400.00	00.40	50.65	44.61						
\vdash	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61				 		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		1		1		
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNUDA	ODESO	33.99	120.00	09.12	39.33	14.01				1		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
	OCU-DP COCI (data) COCI in combination per month (2.4-	1	۲		32200	04.74	120.00	00.12	00.00	14.01				1		
	64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	i –		1									İ		
l	Channel System per month	1	L	UNC1X	1L5XX	0.27			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u></u>		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u></u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system			l	l											
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				Ì		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CHECHEL	TENTONIC ELEMENTO GOULT GUIOTING										Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
G/11200111		m		200	0000			= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
 					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrecurring Currently Combined Network Elements Switch -As-				-		11130	Auu i	11130	Addi	JOHILO	JOINAN	JONAN	JOHAN	JOHAN	JOHAN
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
FXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.01	0.01	7.00	7.00						
H-1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1			1							1				
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLOT	20.00	120.00	00.12	00.00	14.01		1				
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1
—	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	ONODA	05201	00.00	120.00	00.12	00.00	1 1.01		1				
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1
+	First Interoffice Transport - Dedicated - DS1 combination - Per		_	0110271	02201	0	120.00	002	00.00							
	Mile Per Month			UNC1X	1L5XX	0.27										1
	First Interoffice Transport - Dedicated - DS1 combination -			0.10.1%	120701	0.27										
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						—
	Per each OCU-DP COCI (data) in combination - per month (2.4-	 			1	107.07	J1.24	02.71	10.00	0.01	1					f
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		1				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	00101	0.04	0.00	4.70	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	ONODA	ODLO4	23.33	120.00	03.12	33.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLO4	33.99	120.00	03.12	33.33	14.01	1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	OHODA	ODLOT	04.74	120.00	00.12	00.00	14.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	1.10	0.00	4.70	0.00	0.00		1				
	Channel System per month			UNC1X	1L5XX	0.27										1
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120/01	0.27										—
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	01.71	00.47	01.00	10.00	14.40						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						1
—	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	00.5.	0.0 1	0.00	0	0.00	0.00		1				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX	-	1				1130	50				1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1 3/			1									1		
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						i .
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															ſ
	Transport - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61				Ì		1
	First Interoffice Transport - Dedicated - DS1 combination - Per															ſ
	Mile per month			UNC1X	1L5XX	0.27										i .
	First Interoffice Transport - Dedicated - DS1 combination -	Ì														ſ
	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 1	1	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61				Ì		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ſ
	Combination - Zone 2	<u></u>	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	<u> </u>	<u></u>		<u> </u>		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	<u> </u>			L		L
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1			1											1
1 1	system combination- per month	<u> </u>		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	<u> </u>	<u> </u>		<u> </u>		1

UNBI	JNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring			•		Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =>04											
		Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.27										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system			C. CO IX	0	0	00.11	01.00	.0.00							
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	EVTEN	Is Charge DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANK	CDODT	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IKAN		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	1	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
\vdash	+	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		٦		55200	201.00	200.00	107.00	44.50	11.75				1		
	<u> </u>	Mile Per Month		L	UNC1X	1L5XX	0.27					<u> </u>	<u> </u>		<u></u>		
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILJAA	0.21										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	455.40	252.02	457.00	44.00	44.70						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIX	USLAA	155.43	253.03	157.89	44.80	11.73						
		3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Nonrecurring Currently Combined Network Elements Switch -As-		Ť	O. CO. IX	002,01	201.00	200.00	101.00								
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :	FRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
	+	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		 	OIACDV	ILUAA	0.0134										
		Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	1	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
-	+	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	1	per month			UNCDX	1L5XX	0.0134										
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1		1-2.5	3.0.04										
		Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-									· · · · · ·						
	<u> </u>	Is Charge		ļ	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
ADDIT		ETWORK ELEMENTS		<u> </u>	mat ample to a	Links A. I.		l									
-		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					As is charge o	ioes not.									
		Nonrecurring Currently Combined Network Elements Switch -As-	Jiiaige		Pp55 to cuon com												
1	1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
-			•														

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		g Disconnect	001150	0014411		Rates (\$)	001111	0011411
	Nonrecurring Currently Combined Network Elements Switch -As-				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOBA	011000		0.01	0.01	7.00	7.00						
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Optio	nal Features & Functions:			UNCOX	UNCCC		3.01	3.01	7.00	7.00						
100	The state of the s			U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	OI	OI	OI						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,						. =						
	Activity - per DS1	- 1		UNC1X, USL U1TD3, ULDD3,	NRCCC		185.26S	23.86S	1.99S	0.78S						
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
MUL	TIPLEXERS			OLO, ONCOX	HILOGO		210.000	7.000	.70700	00						
	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			OTTOD	10100	1.15	0.55	4.73								
	month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.56	6.59	4.73								
-	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.56	6.59	4.73							-	
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			01101	COIDI	0.04	0.00	4.70								
	month			ULDD1	UC1D1	8.64	6.59	4.73								
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports		<u> </u>	<u> </u>	1	<u> </u>										
	:: Although the Port Rate includes all available features in GA, IRE VOICE GRADE LINE PORT RATES (RES)	KY, LA	& TN, t	he desired features	will need to b	be ordered usi	ng retail USOC	S I								
2-7411	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33					1	
	Exchange Forto 2 Wile Funding Eine Fort Tees.			OLI OIX	OLITE	1.00	2.00	2.20	1.42	1.00						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled SC extended local			LIEDOD	HEDAH	1.5-	0.00	0.00								
	dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled South Carolina Area		1	UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33					-	
	Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			021 010	JL1 /10	1.00	2.30	2.20	1.42	1.33						
	with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG South Carolina Residence Dialing															
	Plan without Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33					1	L

UNBUN	DLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG South Carolina Residence Area															i
		Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						ł
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						ł
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								ī
F	EATU																ī
		All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								ī
2-		VOICE GRADE LINE PORT RATES (BUS)															ī —
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															ī —
		Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						ł
		Exchange Ports - 2-Wire VG unbundled Line Port with		1													1
		unbundled port with Caller+E484 ID - Bus.	1	1	UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33			Ì	Ì		1
		•		1						İ				İ	İ		i Total
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	1	1	UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33			Ì	Ì		1
		Exchange Ports - 2-Wire VG unbundled SC extended local															i
		dialing parity Port with Caller ID - Bus.	1	1	UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33			Ì	Ì		1
		Exhange Ports - 2-Wire VG unbundled incoming only port with															ī
		Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						ł
		Exchange Ports - 2-Wire VG unbundled South Carolina Bus															i
		Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						ł
		Exchange Ports - 2-Wire Voice South Carolina Business Dialing															i
		Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						ł
		Exchange Ports - 2-Wire Voice South Carolina Business Area															i
		Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						ł
		2-Wire voice unbundled Incoming Only Port without Caller ID															i
		Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						í
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
F	EATU																i
		All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00								í
		All Available Vertical Features				UEPVF	3.04	0.00	0.00								
E	XCHA	NGE PORT RATES (DID & PBX)															í
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						í
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						í
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						í
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						i
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						1
		2-Wire Vice Unbundled 2-Way PBX Usage Port	<u></u>	<u></u>	UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90						í .
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						i
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port	<u> </u>	<u> </u>	UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90	<u></u>		<u> </u>	<u> </u>		l
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
		Administrative Calling Port	<u> </u>	<u> </u>	UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90	<u></u>		<u> </u>	<u> </u>		l
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															í
L		Room Calling Port	<u>L_</u>	<u>L</u>	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90	<u></u>	<u> </u>	<u></u>	<u> </u>		1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
L		Discount Room Calling Port	<u>L_</u>	<u>L</u>	UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90	<u></u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90						i
		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
L l		Calling Port	<u>L_</u>	<u>L</u>	UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90	<u></u>	<u> </u>	<u></u>	<u> </u>		1
		Subsequent Activity	<u></u>	<u></u>	UEPSP	USASC	0.00	0.00	0.00								í .
F	EATU																i
		All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00								i .
E		NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.65	2.38	2.28	1.42	1.33						ı
		witching Features offered with Port															
N	OTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switche	data transn	nission by B-Cl	nannels assoc	iated with 2	wire ISDN	oorts.			1

UNBU	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -	Charge -
			Intan:									Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES	DN D						0	A (1 4/4/04 1)		L			l		
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											riff rates or	a separate ag	reement.		
-	Reques	Exchange Ports - 2-Wire DID Port	arter the	еттест	UEPEX	UEPP2	<u>be provided p</u> 8.86	119.57	parate agreen 18.78	60.03	3.77	iscretion.					-
 		Exchange Ports - DITS Port - 4-Wire DS1 Port with DID			OLFLX	ULFFZ	0.00	119.57	10.70	00.03	3.11						
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00		10.10						
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit s	witched	usage						ission by B-Cl	nannels associ	iated with 2	wire ISDN r	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	uest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Busines:	Request Pro	cess.	
		NGE PORT RATES (continued)			-			-									
İ		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
L		Locator Capability (E:4/1/2004)	<u></u>		UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10				<u></u>	<u></u>	
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
		Virtual collocation - Special Access & UNE,cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
		d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,808.00		156.43							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,			HEDEV	LIEDAD.	0.00	475.50									
		Deletions Additional PRI Telephone Numbers			UEPEX	UEP1B	0.00	175.53									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0000	0.40	0.40								
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward						_									
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49	0.49								
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]	L	<u> </u>	UEPEX	PR7ZT	0.00	23.07	23.07								
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							<u> </u>			
الـــــــــــــــــــــــــــــــــــــ		ACE (Provsioning Only)															
		Voice/Data	<u> </u>		UEPEX	PR71V	0.00	0.00	0.00								
\longmapsto		Digital Data	ļ		UEPEX	PR71D	0.00	0.00	0.00								
\longmapsto		Inward Data	<u> </u>		UEPDX	PR71E	0.00	0.00	0.00						ļ	ļ	
 		Additional Channel	1	-	UEPEX	PR7BV	0.00	44.50		ļ		-					1
		New or Additional - Voice/Data "B" Channel New or Additional - Digital Data "B" Channel	1	-	UEPEX	PR7BV PR7BF	0.00	14.56 14.56		ļ		-					1
┝──┤		New or Additional Inward Data "B" Channel New or Additional Inward Data "B" Channel	 		UEPEX	PR7BD	0.00	14.56					 				
┝─┤		New or Additional Inward Data B Channel New or Additional Useage Sensitive Voice Data "B" Channel	1		UEPEX	PR7BS	0.00	14.30		1		-	-		1	1	-
 		New or Additional Useage Sensitive Voice Data B Channel New or Additional Useage Sensitive Digital Data "B" Channel	 		UEPEX	PR7BU	0.00			1					1	1	-
\vdash		New or Additional PRI "D" Channel	 	-	UEPEX	PR7EX	0.00	14.56		 							1
	CALL T		 	-	OLI LX	1 11/12/	0.00	14.50		 							1
		Inward	1		UEPEX UEPDX	PR7C1	0.00	0.00	0.00			<u> </u>	 			1	†
		Outward	t		UEPEX	PR7CO	0.00	0.00	0.00	1							
		Two-way	†		UEPEX	PR7CC	0.00	0.00	0.00	Ì							
-		DLED PORT with REMOTE CALL FORWARDING CAPABILITY	;				2.20	2.30	2.30	İ					İ	İ	
l l																	
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															

LINBLIN	DI FI	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
UNDUN	DLL	NETWORK ELEMENTS - South Carollia		1								Sve Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
047500		DATE EL EMENTO	Interi	-	BCS	11000			DATEO (6)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGO	ΚY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			Disconnect				Rates (\$)	•	•
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Ne	on-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	MRIIN	IDLED REMOTE CALL FORWARDING - Bus			OLI VII	00/100		0.10	0.10								
10	4D01	IDEED REMOTE CALL I ORMANDING - DUS	 	1		1	t	1		1			l		1		1
		Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	1	UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33	1	1				l
\vdash		onburidied itemote can rorwarding service, Area Cailing - Bus	 	 	OFL AD	OLIVAC	1.05	2.38	2.28	1.42	1.33		-		-		
		Unbundled Remete Cell Ferwarding Contine Local Calling Dive	1	1	LIEDVD	LIEBLO	1.05	2.20	2.00	1 40	1 22	1	1				Ì
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus	-		UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33		ļ		-		1
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus	<u> </u>		UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus	ļ		UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
N	on-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDI	LED L	OCAL SWITCHING, PORT USAGE															
		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0010519										
		End Office Trunk Port - Shared, Per MOU					0.0002136										
T:	ander	n Switching (Port Usage) (Local or Access Tandem)															
H-		Tandem Switching Function Per MOU					0.0001634										
-		Tandem Trunk Port - Shared, Per MOU					0.0002863										
		Tandem Switching Function Per MOU (Melded)	<u> </u>			+	0.0002003										
-		Tandem Trunk Port - Shared, Per MOU (Melded)				+	0.00004931										
-		Melded Factor: 30.30% of the Tandem Rate					0.000000749										
						-											
	OHIII)	on Transport	 	-		+	0.000004=			 			 		1		
\vdash		Common Transport - Per Mile, Per MOU	1	-		+	0.0000045								1		
LIMBURG	FF -	Common Transport - Facilities Termination Per MOU		-		+	0.0004095			 			-		1		
		PORT/LOOP COMBINATIONS - COST BASED RATES	11. 5			1	1	(-1.5	L Boot				ļ				ļ
		ased Rates are applied where BellSouth is required by FCC ar								L		1.71.74					
		es shall apply to the Unbundled Port/Loop Combination - Cos											L				
		fice and Tandem Switching Usage and Common Transport Us															ļ
		st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Comb	ned Combos ti	he nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				<u> </u>											
U	NE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
U	NE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76	İ		İ	İ		İ		1		İ
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38						1		1		1
		2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	26.04			1		1	1		1		1
2	Wire	Voice Grade Line Port Rates (Res)				32.20	20.04			 		1	1		t		
 		2-Wire voice unbundled port - residence	 		UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65				1		
—		2-Wire voice unbundled port vite Caller ID - res		-	UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65				1		1
\vdash		2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	1	-	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65		1		 		
+-+			-	-	OLI NA	OLFINO	1.13	40.30	19.90	24.90	0.03	-	 		-		
		2-Wire voice Grade unbundled South Carolina extended local	1	1	UEPRX	UEPAU	1.13	40.00	19.90	04.00	0.05	1	1				İ
\vdash		dialing parity port with Caller ID - res	-		UEPKA	UEPAU	1.13	40.30	19.90	24.98	6.65	1			-		
		2-Wire voice unbundled South Carolina Area Calling port with	1	1	HEDDY	luen.		40.00	40.00	04.55		1	l		1		1
		Caller ID - res (LW8)	<u> </u>		UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65		l				

UNB	UNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundles res, low usage line port with Caller ID			HEDDY	LIEDAD	4.40	07.00	40.70								
		(LUM)		<u> </u>	UEPRX	UEPAP	1.13	37.93	16.72								
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
	_	2-Wire voice unbundled South Carolina Area Calling Port			UEPKA	UEFVVL	1.13	40.30	19.90	24.90	0.03						
		without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITA	OLI IXO	1.13	40.50	13.30	24.30	0.03						
		Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
	FEATL				OLITOR	OLI IXI	1.10	40.00	10.00	24.00	0.00						
	,	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00								
	LOCAL	NUMBER PORTABILITY			021101	02. 1.	0.01	0.00	0.00								
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDIT	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
<u> </u>		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPKX	UTIVZ	24.30	40.63	27.47	16.77	6.91						
		or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
	2 WIDI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPKA	UTTVIVI	0.0167	0.00	0.00								
-		ort/Loop Combination Rates										1					
-	UNLF	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.89										
	+	2-Wire VG Loop/Port Combo - Zone 1		2		+	21.52			1				 	 		
	-	2-Wire VG Loop/Port Combo - Zone 2		3		1	27.17										
	UNE	oop Rates		Ŭ		1	2							1			
	U.1.	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38							İ	1		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04							1	1		
	2-Wire	Voice Grade Line Port (Bus)				1								İ	İ		
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65			<u> </u>	L		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65						
1		2-Wire voice unbundled South Carolina Bus Area Calling Port		1													-
		with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Unbundled South Carolina Business Dialing Plan		1									<u> </u>	<u> </u>]		
		without Caller ID		<u> </u>	UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled South Carolina Business Area Calling			l	1					_						
<u> </u>		Port without Caller ID Capability		ļ	UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled Incoming Only Port without Caller ID			HEDDY	LIEBEE											
<u> </u>	1.66	Capability		<u> </u>	UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
L	LOCAL	NUMBER PORTABILITY		I													

UNBUND	LED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
	Ī											Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATEGORY		RATE ELEMENTS	Interi	7	BCS	usoc			DATEC (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	1	RAIE ELEMENIS	m	Zone	BUS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100 101	
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	l	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FF.	ATUR				-												
- F		All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								†
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OL: DX	02. 1.	0.01	0.00	0.00								
1401		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
					UEPBX	USACZ		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.10	0.10								
ADI		NAL NRCs															
	2	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
l	/	Activity	l	1	UEPBX	USAS2		0.00	0.00			I	l		1	1	
Ì	l	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	l	1	UEPBX	URETL		8.33	0.83			I	l		1	1	
OFF		PREMISES EXTENSION CHANNELS	1	1			-	0.00	0.00			 	1		†	†	†
011		2 Wire Analog Voice Grade Extension Loop – Non-Design	 	1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32	 	 		1	 	
			!	2	UEPBX	UEAEN	21.39	37.92	17.62		5.32	 	 		-	 	+
		2 Wire Analog Voice Grade Extension Loop – Non-Design	 			UEAEN				23.56		-	 		-	 	
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX		26.72	37.92	17.62	23.56	5.32						ļ
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INT	TERO	FFICE TRANSPORT															
	I	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	-	Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								
2-1/4		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	OTTVIII	0.0107	0.00	0.00								†
		rt/Loop Combination Rates															
UNI			-	1			44.00										
		2-Wire VG Loop/Port Combo - Zone 1					14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										<u> </u>
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE		op Rates															
	2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-W		oice Grade Line Port Rates (RES - PBX)															
12.11		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res	l	1	UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22	I]		1	1	
1.00		NUMBER PORTABILITY	 	 	021110	OLI ND	1.13	03.20	32.30	31.33	0.22	 	l		1	1	+
1.00		Local Number Portability (1 per port)	1	-	UEPRG	LNPCP	3.15	0.00	0.00	-		 	1		 	 	1
			 	 	OLFING	LINFOF	3.13	0.00	0.00			-	-		 		
FEF	ATUR		 	!	LIEDDO	HED) /E	0.01	0.00	0.00			 	 		 	 	
		All Features Offered	<u> </u>		UEPRG	UEPVF	3.04	0.00	0.00			ļ	ļ				
NOI		CURRING CHARGES (NRCs) - CURRENTLY COMBINED											ļ				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l										l				
		Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91								
	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l														
		Conversion - Switch with Change	l	1	UEPRG	USACC		7.93	1.91			l	1		I	Ì	
ADI		DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			İ							İ	İ		İ	İ	
		Subsequent Activity	l	1	UEPRG	USAS2	0.00	0.00	0.00			l	1		I	Ì	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1		1	0.00	0.00	0.00			 	1		†	†	†
		Group	l					7.34	7.34				l				
			!	-		+	-	1.34	1.34	-		 	 		-	 	+
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User	l		LIEBBO	uper:							l				
		Premise			UEPRG	URETL		8.33	0.83								
OFF		PREMISES EXTENSION CHANNELS										1					1
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61						
		ocal Channel Voice grade, per termination		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
1		ocal Channel Voice grade, per termination		3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
 		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42	İ	İ		İ	İ	
, ,					1				02.00	000							

UNRUN	IDI FI	NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	ibit: A
5.1501		State EEE METATO OO dan Odroniid										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
l'	NTERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
ı	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
[op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
1				1									<u> </u>	_]	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						L
$oxed{oxed}$		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l												
<u> </u>		Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
<u> </u>		Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						.
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
<u> </u>		Discount Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						.
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1	1	LIEDDY	LIEDVE	4.40	00.00	20.50	27.50	0.00			I		Ì	
\vdash	0041	Calling Port NUMBER PORTABILITY		-	UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22			 			
├	UCAL	Local Number Portability (1 per port)	 	-	UEPPX	LNPCP	3.15	0.00	0.00	 		-		 	1	 	
 	EATU		├	 	OLFFA	LINECE	3.15	0.00	0.00	<u> </u>					1	-	├ ──
$\vdash\vdash\vdash$		All Features Offered	 		UEPPX	UEPVF	3.04	0.00	0.00	-		-		 		1	
 		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	OLIFA	OLF VI	3.04	0.00	0.00	 				 		 	
 	-OHNE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	 		+				 				t	1	 	
		Conversion - Switch-As-Is	1	1	UEPPX	USAC2		7.93	1.91					I		Ì	
\vdash		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	 	OLI I A	00,102		1.33	1.31	 				t	1	 	
		Conversion - Switch with Change	1	1	UEPPX	USACC		7.93	1.91					I		Ì	
1	DDITI	ONAL NRCs		1		00.00		7.00	1.51					t		1	
t t		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		†		1 1								t		1	
		Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00					I		Ì	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l	1						1				İ		İ	
		Group						7.34	7.34					1			
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1													
		Premise	1	1	UEPPX	URETL		8.33	0.83					I		Ì	
(FF/ON	PREMISES EXTENSION CHANNELS	1														
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
		Non-Wire Direct Serve Channel Voice Grade	т —	3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71				1		

UNR	UNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.10	ONDEL	NETWORK ELEMENTO Godin Garonna										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
	ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	INTER	DEFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	LIATVO	04.00	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		or Fraction Mile			UEPPX	U1TVM	0.0167	0.00	0.00								
	2-WIDE	EVOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT .		UEPPA	UTTVIVI	0.0167	0.00	0.00								
		ort/Loop Combination Rates	ì														
	OILL I	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
	2-Wire	Voice Grade Line Ports (COIN)						_	•								_
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			LIEBOO	LIEBOO	4.40	40.00	40.00	04.00	0.05						
		with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			OLI OO	OLI OL	1.15	40.50	13.30	24.30	0.03						
		011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward without Blocking and without Operator			02. 00	02. 0.	0	10.00	.0.00	200	0.00						
		Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and 011 Blocking									0.00						
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:						_	-]		
	1	900/976, 1+DDD, 011+, and Local (SC)		<u> </u>	UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
1	1	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,		1		L				_]		
<u> </u>	1	011+, Local; Enhanced Calling OPT 3YW (SC)		<u> </u>	UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65				ļ		
<u> </u>		2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward Smartline with 900/976 (all states except			LIEDOO	LIEDOS		40.00	10.00	04.60	0.0-						
	ADDIT	LA) ONAL UNE COIN PORT/LOOP (RC)	1	}	UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65				 		
<u> </u>	ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	-	 	UEPCO	URECU	4.05	0.00	0.00	0.00	0.00				-		
-	LOCAL	NUMBER PORTABILITY	-	 	OLFOO	UNLOU	4.00	0.00	0.00	0.00	0.00			1	1		
-		Local Number Portability (1 per port)		<u> </u>	UEPCO	LNPCX	0.35			t					 		
		ECURRING CHARGES - CURRENTLY COMBINED	1	†	021 00	_111 5/	0.55			†				1	1		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		†						t					1		
	1	Switch-as-is		1	UEPCO	USAC2		0.10	0.10	I					1		
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		i –		1				1	l			İ			
<u></u>	1_	Switch with change	<u></u>	L	UEPCO	USACC		0.10	0.10	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	1	Premise	<u> </u>	<u> </u>	UEPCO	URETL		8.33	0.83	ļ					ļ		
<u> </u>		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)	ļ				ļ					ļ		
	UNE P	ort/Loop Combination Rates		<u> </u>		ļ	10.00										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00			<u> </u>	l	l	l	l	l		

UNBUNI	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.20.1.												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		0.W/VO.L//0.T//D/-0.w/		_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
—		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 op Rates		3			29.78										
UI		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.68										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	23.13					1					
		2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFR	UECF2	28.46										
2-1		/oice Grade Line Port Rates (Res)		Ü	OLITIK	OLOI Z	20.40										
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - res	<u></u>		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33	<u> </u>	<u></u>		<u> </u>		<u> </u>
		2-Wire voice unbundled South Carolina Area Calling port with												_		_	
		Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)	ļ		UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33				ļ		ļ
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan								1			1		1		1
L		without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
IN		FFICE TRANSPORT	<u> </u>														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
-		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	01172	19.44	40.63	21.41	16.77	6.91						
		or Fraction Mile			UEPFR	1L5XX	0.0134										
FF	ATU				OLFIK	ILJAA	0.0134										
		All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
1.0		NUMBER PORTABILITY			OLITIK	OLI VI	0.04	0.00	0.00								
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.50	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.24	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (BUS)												
UI		rt/Loop Combination Rates	 	<u> </u>		1	10.00										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	 	1		1	18.00										
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	24.45 29.78			1		-			 		
		op Rates	 	3		+ -	29.78										
I		2-Wire Voice Grade Loop (SL2) - Zone 1	 	1	UEPFB	UECF2	16.68			1					1		1
 		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFB	UECF2	23.13			1			 		 		
		2-Wire Voice Grade Loop (SL2) - Zone 3	†	3	UEPFB	UECF2	28.46			1		<u> </u>	 		 		
2-		/oice Grade Line Port (Bus)		Ť			200								1		1
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33						İ
		2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
		2-Wire voice unbundled South Carolina Bus Area Calling Port			l								1		1		1
\vdash		with Caller ID (LMB)	ļ		UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				ļ		ļ
		2-Wire Voice Unbundled South Carolina Business Dialing Plan			LIEDED	LIEDA.							1		1		1
<u> </u>	2047	without Caller ID	<u> </u>		UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						
ILC		NUMBER PORTABILITY	 		UEPFB	LNPCX	0.05			1		-			 		
		Local Number Portability (1 per port) FFICE TRANSPORT	 		UEPFB	LINPUX	0.35			1			 		-		-
IIN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 			+ -											
		Termination			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						
		rommanori	<u> </u>	L	02110	UTIVZ	13.44	40.03	21.41	10.77	0.91	1	·		1		1

UNBUNDU	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fvhi	bit: A
SINDONDE	- Outil Galolila										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
İ		Inter'									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0134										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		0.50	4.07								
-	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USACC		8.50	1.87								
-	Combination - Conversion - Switch with change			UEPFB	USACC		6.50	1.07								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1		UEPFB	URETN		11.24	1.10				1		I		
2-///10	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	ORT (OKLIN		11.24	1.10	 					t	1	1
	Port/Loop Combination Rates	_ CINE I	J.V.1 (I	- N	1				 					t	1	1
J.42 1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1	18.00								-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	†	2		1	24.45					<u> </u>	 		I		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	29.78								†	1	1
UNE I	oop Rates	†	Ť			20.70								t		
1 272	2-Wire Voice Grade Loop (SL2) - Zone 1	†	1	UEPFP	UECF2	16.68								t		
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFP	UECF2	23.13			İ					İ	İ	İ
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										
2-Wir	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
				UEPFP	UEPXE	4.00	407.00	00.04	67.00	44.54						
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFIF	ULFAL	1.32	137.32	03.31	07.02	11.51	1					
	Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51				1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	†		0=111	JEI AIVI	1.02	107.02	00.01	01.02	11.31	<u> </u>	 		I		
	Discount Room Calling Port	1		UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51		1		I		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51				1		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus													İ		
	Calling Port	1		UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51		1		I		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
	Termination	ļ		UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91				ļ		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		LIEDED	41.5307							1		I		
H	or Fraction Mile	<u> </u>		UEPFP	1L5XX	0.0134								-	ļ	
FEAT	URES	 	<u> </u>	LIEDED	LIEDVE	0.01	0.00	0.00	ļ					!	1	
NONE	All Features Offered	 	-	UEPFP	UEPVF	3.04	0.00	0.00			-			 	-	-
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 		1							 				-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is	1		UEPFP	USAC2		8.50	1.87				1		I		
 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 	ULFFF	USAUZ		გ.ე0	1.87				 				
	Combination - Conversion - Switch with change	1		UEPFP	USACC		8.50	1.87				1		I		
 	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 		OL111	JUAGO		0.50	1.07				 		t		
	End User Premise	1		UEPFP	URETN		11.24	1.10				1		I		
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES	†			5.12/14		11.27	1.10			<u> </u>	 		I		
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1		1									t	1	1
j= *****		•			1				l .			L		L	L	l

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone		BCS	USOC			RATES (\$)			Elec		Manual Svc			Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	-	503	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																	<u> </u>
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates]
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
LINE	Port Rate	<u> </u>		OLITA		OLODI	20.40										-
ONE			-	UEPPX		LIEDD4	7.00	225.55	07.04	442.00	44.00						-
NON	Exchange Ports - 2-Wire DID Port	1		UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38	1			 		
NON	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>		1		1				1	1	-	ļ		1	1	├
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1		l						I			1				
	Switch-as-is			UEPPX		USAC1	ļ	7.32	1.87	ļ		1	ļ				<u> </u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
ADDI	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.24	1.10								
Teler	phone Number/Trunk Group Establisment Charges																
1 0.01	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			OLITA		INDI	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX		ND4	0.00	0.00	0.00								
		-															
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								ļ
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								<u> </u>
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WII	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	Г													
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITE	OLITIK	1	30.00										
	UNE Zone 3		3	UEPPB	UEPPR		44.23										
LINE	Loop Rates		3	UEFFB	UEFFR	1	44.23										
UNE		1	4	HEDDE	UEPPR	LICLOY	04.00			 		1	 		1		<u> </u>
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USLZX	21.90			1	1	-	ļ		1	1	├
			_	l						I		1	1				
igwdow	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	29.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
UNE	Port Rate	1	1]													
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																-
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08	1			l				
ADDI	ITIONAL NRCs		1	1									i				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			1		İ	†			İ	İ	1	İ		İ	İ	
	End User Premise			UEPPB	UEPPR	URETN		11.24	1.10	I		1	1				
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		J J	521111	3		11.27	1.10	 		t	1		1		t
	Premise			UEPPB	UEPPR	URETL		8.33	0.83	I		1	1				
1.00	AL NUMBER PORTABILITY	 	-	OLFFD	JLFFK	ONLIL	 	0.33	0.03	-		 	 		1	-	
100		1		HEDDD	UEPPR	LNPCX	0.35	0.00	0.00	-		-	-		-		
D 011	Local Number Portability (1 per port)	1		UEPPB	UEPPK	LINEUX	0.35	0.00	0.00	 		1			1		<u> </u>
B-CH	IANNEL USER PROFILE ACCESS:	<u> </u>		LIEDDE	LIEDDS	1141104	0.00	0.00	0.00	1	1	-	ļ		1	1	
$\leftarrow \leftarrow$	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00				ļ				
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	ļ		1	ļ				
	CSD	1	İ	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	1	l	1	l		1	l	1
	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S														1		

UNBUNDLEI	NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	B	CS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m										p	P	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)				UEPPR	U1UCD	0.00	0.00	0.00								├
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	ERMINAL PROFILE			LIEDDD	LIEDDD	11411540	0.00	0.00	0.00								
VEDTIC	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			-					
	CAL FEATURES All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00			-					
	All Vertical Features - One per Channel B User Profile OFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTERC	Interoffice Channel mileage each, including first mile and						-	-				-					
				LIEDDD	LIEDDD	MACNIC	24.20	40.00	07.47	40.77	0.04						1
	facilities termination Interoffice Channel mileage each, additional mile			UEPPB UEPPB		M1GNC	24.30 0.0167	40.63	27.47 0.00	16.77	6.91						
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	C DODT	 	UEPPB	UEPPR	IVITGINIVI	0.0167	0.00	0.00	-		1		-	-		
	E-P DS1 combination rates below for in this rate exhibit app			ddad bass	in place a	e of 10/2/02	until 4/1/04 A4	ter 4/1/04 these	rates chall re	ert to tariff rat	es or a concre	to commerc	ial agrooms	nt			
	e-P DS1 combination rates below for in this rate exhibit app.													ii. I	 		
	ort/Loop Combination Rates	IIIIIKI	I are	Tine enec	live date c	Ji tilis amend	I I I I I I I I I I I I I I I I I I I	provided purse	ant to a sepai	ate agreement	Or tarm at De	liboutii s ui	Scretion.				
ONL FO	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	 	1		1	1	 			 	 			 		f
	Zone 1		1	UEPPP			176.82	I			I			Ì	I		1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-	OLITI			170.02	†				+					
	Zone 2		2	UEPPP			241.38										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OL: II		+	241.00										
	Zone 3		3	UEPPP			347.84										1
UNFIC	op Rates		Ŭ	OLI I I			047.04						1				—
ONE E	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	155.43										—
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89						1				—
UNE Po			Ŭ	OL: II		OOL-II	201.00										
0	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONRE	CURRING CHARGES - CURRENTLY COMBINED			02		02	50.55	101.00	200.01	.20	01.00						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			1													
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								1
ADDITI	ONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49	0.49								i .
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07								ĺ
LOCAL	NUMBER PORTABILITY	1	i –			1	İ				1				1		ſ
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										ſ
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								ſ
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								ſ
i	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								1
New or	Additional "B" Channel																ſ
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.56									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.56									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	14.56									
CALL T																	1
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interoff	ice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT							l			l						
The UN	E-P DS1 combination rates below for in this rate exhibit app	y to the	embe	dded base	in place a	s of 10/2/03	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	ite commerc	ial agreeme	nt.			
Reques	ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef	fective o	late of	this amend	dment sha	all be provide	ed pursuant to	a separate agre	eement or tarif	at BellSouth's	s discretion.						<u> </u>
	ort/Loop Combination Rates	1	<u> </u>	<u> </u>			ļ				ļ						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		1	149.77	ļ			ļ				ļ		
. 1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC		1	214.33	1		ĺ	1	1	1	l	1	1	1

ACTECORY RATE ELEMENTS Part ISS P	UNBUNDL F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATTERLEMENTS IN ATTERLEMENTS IN A SCALE ALBERTS IN	CHESHOLL											Svc Order	Svc Order				Incremental
RATE ELEMENTS Body	1																Charge -
## 2016 BCG USDC PATE (ALPENTS Dark vs. Docke vs. Do			l														Manual Svc
No. No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Text			m									per LSK	per LSK				Electronic-
Note																	
Wile Loop Rep South Sout														1st	Add'I	Disc 1st	Disc Add'l
Wile Loop Rep South Sout								Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Bit CEST Depart Legacity DETE Trans Part - LVIII Zero 3 3 UEPPC 350.07 1 UEPPC							Rec					SOMEC	SOMAN			SOMAN	SOMAN
UPS LOOP Rates		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
2-Wise St Digital Loop - LANE Zenn 2	UNE Lo																
4-Wins Dis Digital Losp - LiM- Zeros 3				1	UEPDC	USLDC	90.87										
E-Yest DS Digital Logs - FAMP (E-YEST) 1.50 1.20 1		4-Wire DS1 Digital Loop - UNE Zone 2		2													
UPP POR TABLE UPP PORT TYPE AND TYP																	
Liver DDIS Digital Trans Port (6-410004) USPTC USDTT 08.00 40.500 20.371 117.50 14.20	UNE P			Ť	02. 50	00220	201.00										
NONECURRING CHARGES - CURRENT COMBINED					UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20						
A-Wise DS Digital Last / A-Wise DOTTS Train For Combination UEPDC	NONRE																
Select-As-bit (E-4/1/2004)	-																
A-Wise DST Opial Loop / A-Wise DDTS Trush Port Combination UPPDC USAWA 129.76 67.17					UEPDC	USAC4		129.78	67.17								
- Conversion with DS1 Changas (Ex470004) - GWR DST Stippal Log F4-Wise DSTS Trans Pure Combination - Conversion with Change - Trank (Ex470004) - GWR DST Stippal Log F4-Wise DSTS Trans Pure Combination - Conversion with Change - Trank (Ex470004) - GWR DST Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Stippal Change - Additional Pure Change - Stippal Log F4-Wise DSTS Trans Pure Stippal Change - Stippal Log F4-Wise DSTS Trans Pure Stippal Change - Stippal Log F4-Wise DSTS Trans Pure Stippal Change - Stippal Chan	 								2				İ	İ	1		
4-Wite DST Optal Long / 4-Wite DDTST Trunk Port Combination UEPDC USAWB 129.76 67.17				1	UEPDC	USAWA		129.78	67.17					Ì	I		
Conversion with Change - Trusk E4-M2004 UEPDC USWWB 120.78 67.71				1									1	1	1		
Approximation Application]]			1	UEPDC	USAWB		129.78	67.17					Ì	I		
A-Wise DS Logs / 4-Wise DDTS Trusk Port - NRC- UEPDC UDTTA	ADDIT		1		· · ·			.20.70	<u> </u>		1			1	t	1	1
Subsequent Channel Activation Chan - 2-Very Turk	ADDITI																
Service Set Loop / 4-Wine DOTTS Trunk Fort - Subsequent UEPDC UDTTB 14.51					LIEPDC	UDTTA		14 51	14 51								
Channel Activation (Chan - 1-Way) Culvared Trunk UEPDC UDTTC 14.51 14.51	—				02. 50	051111		1	1 1.01			1					
Advisor DST Loop / 4-Wire DDTS Trunk Port - Subsqn Channel LEPDC LOTTC 14.51 14.51 Loop / 4-Wire DDT Trunk Port - Subsqn Chan LePDC LOTTD LA.51 LA					LIEPDC	UDTTB		14 51	14 51								
Activation/Chain Inward Trunk widou DID					OLI DO	ODITO		14.01	14.01								
4-Wire DST Loop / 4-Wire DDTS Trunk Port - Subspart Chan					LIEDDC	LIDTTC		1/1 51	1/1 51								
Activation Per Chan - Inward Trunk with DID	—				OLI DO	00110		14.01	14.01			1					
4-Wire OST LOOP / 4-Wire DOTIS Trunk Port - Subspirt Chain LIEPDC LIDTE 14.51 14.51					LIEPDC	LIDTTD		14 51	14 51								
Activation / Chan - 2-Way DID wilser Trans					OLI DO	ODITO		14.01	14.01								
BPOLAR 8 ZERO SUBSTITUTION					LIEDDC	LIDTTE		1/1 51	1/1 51								
B825 - Superfame Format	RIPOL				OLI DO	ODITE		14.51	14.51								
Allersade Mark Inversion	Bii 02.				LIEPDC	CCOSE		0 00i	605 00s			1					
Alternate Mark Inversion																	
MAI - Stuender Format	Alterna				OLI DO	COOLI		0.001	000.000								
Mill-Extended SuperFrame Format	7.1.01110				LIEPDC	MCOSE		0.00	0.00			1					
Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UDTGY UEPDC UDTGY 0.00 UDTGY UEPDC UDTGY UEPDC UDTGY	—											1					
Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00	Teleph				OLI DO	MOOI O		0.00	0.00								
Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00	10.00				LIEPDC	UDTGX	0.00					1					
Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 UDTGZ UEPDC UDTGZ UDTG																	
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers UEPDC NDZ 0.00 0.00 0.00	—											1					
Of 20 DID Numbers UEPDC NDZ 0.00 0	—	DID Numbers Establish Trunk Group and Provide First Group			OLI DO	ODTOL	0.00					1					
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00	1 1			1	LIEPDC	NDZ	0.00	0.00	0.00					Ì	I		
DID Numbers, Non- consecutive DID Numbers , Per Number UEPDC ND5 0.00	 		-	1				0.00	3.00						-		
Reserve Non-Consecutive DID Nos.	 		t	-				0.00	0.00						 		1
Reserve DID Numbers			t	-											 		
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDTS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC ILNOA 0.3415 0.00 0.00 Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC ILNOA 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC ILNOB 0.3415 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.3415 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 INPOP 3.15 0.00 0.00 INPOP 3.15 0.00 0.00 INPOP 3.15 0.00 INPOP 4-WIRE DSI LOOP HITH CHANNELIZATION WITH PORT INPOP 4-WIRE DSI LOOP HITH CHANNELIZATION WITH PORT	 													1	<u> </u>		
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	Dedica		1 Digital	Lloon			0.00	0.00	0.00						 		
Termination UEPDC	Douloa		. Digital	_00p	11110 000110 1	- Lank I OIL									-		
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) UEPDC ILNO2 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC ILNOB 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.3415 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOS 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 ILNOC 0.3415 0.00 0.00 ILNOC 0.3415 0.00 0.00 ILNOC 0.00 ILNOC 0.00 INTEROFFICE Termininating Point UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC CTG 0.00 OCENTRA Office Termininating Point UEPDC UEPD				1	LIEPDC	1I NO1	77 14	89 47	81 99	16 39	14 48		1		1		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	 	Tommanon,	-	1	02. 00	.21101	77.14	00.47	01.99	10.00	17.40				-		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	1 1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	LIEPDC	11 NOA	0.3415	0.00	0.00					Ì	I		
Termination UEPDC	 		-	1	02.100	ILIVOA	0.5415	0.00	0.00						-		
Interoffice Channel Mileage - Additional rate per mile - 9-25				1	LIEPDC	11 NO2	0.00	0.00	0.00					Ì	I		
miles	 		1	 	02.100		0.00	0.00	0.00	1				 	 		
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNO3 0.00 0.00 0.00 0.00 0.00				1	LIEPDC	11 NOR	0.3415	0.00	0.00					Ì	I		
Termination UEPDC 1LNO3 0.00			t	-	02.100	,00	0.5415	0.00	0.00						 		
Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC LNOC Local Number Portability, per DS0 Activated UEPDC UPPDC UNPCP 3.15 0.00 0.00 Central Office Termininating Point UEPDC CTG 0.00 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations				1	LIEPDC	11 NO3	0.00	0.00	0.00					Ì	I		
Local Number Portability, per DS0 Activated	 	Tommanon)	1	 	02.100		0.00	0.00	0.00	1				 	 		
Local Number Portability, per DS0 Activated		Interoffice Channel Mileage - Additional rate per mile - 25± miles		1	LIEPDC	1LNOC	0 3415	0.00	0.00					Ì	I		
Central Office Termininating Point UEPDC CTG 0.00	 		1	 						1				 	 		
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	 		1	 				0.00	0.00	1				 	 		
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	4-WIDE		t	-	02.100	5.5	0.00								 		
			ivations	 		1				1				 	 		
Each System can have up to 24 combinations of rates depending on type and number of ports used					her of norts used	1				1		1	1	1	t	1	1

UNBUNDI	DLED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
		1									Elec		Manual Svc			
CATEGORY	RY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
o,		m			0000			101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonre	curring	Nonrecurring	Disconnect		I	OSS	Rates (\$)	1	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Tho	e UNE-P DS1 combination rates below for 4-Wire DS1 Loop with	Channo	ization	with Bort in this ro	to ovhibit and	ly to the embe										JOWAN
	equests for 4-Wire DS1 Loop with Channelization with Port after											l levert	to tariii rates	Or a separate	agreement.	<u> </u>
	NE DS1 Loop	THE CHECK	Ive dat	e or tins amendmen	T Shan be pro	Videa pursuan	lt to a separate	agreement of	tariir at Delioo	uni s uiscient	JII.					
OIVE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								†
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								-
LINE	NE DSO Channelization Capacities (D4 Channel Bank Configurat	ions)	3	ULFIVIG	USLDC	201.09	0.00	0.00								-
ONL	24 DSO Channel Capacities (54 Channel Bank Configuration Capacity - 1 per DS1	10115)		UEPMG	VUM24	82.78	0.00	0.00			-					
	48 DSO Channel Capacity - 1 per 2 DS1s	-		UEPMG	VUM48	165.56	0.00	0.00			-					-
	96 DSO Channel Capacity -1 per 2 DS1s	-		UEPMG	VUM96	331.12	0.00	0.00			-					-
	144 DS0 Channel Capacity - 1 per 6 DS1s	-	1	UEPMG	VUM14	496.68	0.00	0.00			-	-		 	-	+
	192 DS0 Channel Capacity - 1 per 6 DS1s	-	 	UEPMG	VUM14 VUM19	496.68	0.00	0.00	 					1	-	
		-	1						 		1	-		1	 	
	240 DS0 Channel Capacity - 1 per 10 DS1s	-	1	UEPMG	VUM2O	827.80	0.00	0.00	 		1	ļ		1	1	
	288 DS0 Channel Capacity - 1 per 12 DS1s	-	1	UEPMG UEPMG	VUM28 VUM38	993.36	0.00	0.00	 		1	ļ		1	1	
	384 DS0 Channel Capacity - 1 per 16 DS1s					1,324.48	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s		l	UEPMG	VUM67	2,317.84	0.00	0.00								
	on-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop v						rstem									
	Minimum System configuration is One (1) DS1, One (1) D4 Chan															
Mul	ultiples of this configuration functioning as one are considered	Add'l afte	r the m	inimum system cor	nfiguration is	counted.										1
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
	stem Additions at End User Locations Where 4-Wire DS1 Loop				ination Curre	ently Exists and	d									
New	w (Not Currently Combined) in all states, except in Density Zon	e 1 of Top	8 MSA	<u>\'s</u>												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Bipo	polar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alte	ternate Mark Inversion (AMI)															ĺ
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exc	change Ports Associated with 4-Wire DS1 Loop with Channeliz	ation with	Port													
Excl	change Ports															1
	Line Side Combination Channelized PBX Trunk Port - Busines	s														
	(E:4/1/2004)			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business		İ	İ	1	İ	1								İ	1
	(E:4/1/2004)			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	1	1			Ì	
	Line Side Inward Only Channelized PBX Trunk Port without DI	D						0.00								
	(E:4/1/2004)	_		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			OL: 1 X	02	11.10	0.00	0.00	0.00	0.00	1					
	(E:4/1/2004)			UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00						
Feat	eature Activations - Unbundled Loop Concentration	-	1	OLI I X	OLI DIVI	7.00	0.00	0.00	0.00	0.00						
i cai	Feature (Service) Activation for each Line Port Terminated in D	и			+											-
	Bank	7		UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17						
	Feature (Service) Activation for each Trunk Port Terminated in			OLITA	II QVVIVI	0.50	20.40	13.44	4.20	4.17						
	D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60						
Tolo	ID4 Bank elephone Number/ Group Establishment Charges for DID Service	. +	1	OLFFA	IF QVVU	0.36	10.31	10.40	39.37	11.00	 	-		1	1	
rele	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00	 		+	1		}	 	+
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-	1	UEPPX	NDZ	0.00	0.00	0.00	 		1	 		1	 	
<u> </u>		-	1						 		1	-		1	 	
	DID Numbers - groups of 20 - Valid all States	-	1	UEPPX	ND4	0.00	0.00	0.00	 		1	ļ		1	1	
	Non-Consecutive DID Numbers - per number	_	<u> </u>	UEPPX	ND5	0.00	0.00	0.00	1		-	ļ		1		+
	Reserve Non-Consecutive DID Numbers	_	<u> </u>	UEPPX	ND6	0.00	0.00	0.00	1		1			1		├
	Reserve DID Numbers	_	ļ	UEPPX	NDV	0.00	0.00	0.00						ļ		.
- 1.																
Loc	cal Number Portability Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								

NDUNUL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											1					
ATECODY	DATE ELEMENTO	Interi	7	BCS	usoc			DATEC (A)			Elec	Manually	Manual Svc			
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonre	curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	TURES - Vertical and Optional															
Loca	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								
NBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S														
	st Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	nrovide Unb	undled Local Sy	vitching or S	vitch Ports								
	atures shall apply to the Unbundled Port/Loop Combination - C								dlad Bart cacti	on of this Date	Evhibit					
	d Office and Tandem Switching Usage and Common Transport											oin Dort/La	on Combine	iono		+
															Additional NE	BCo may
	e first and additional Port nonrecurring charges apply to Not Ci	urrentiy	COIIID	inea Combos. For	Currently Co	ilibilied Collibo	s, the homec	urring charges	Silali be tilose	i identined in t	ne Nonrecu	ring - Curre	entry Combin	eu sections.	Auditional Nr	KUS IIIAY
	/ also and are categorized accordingly.	_						•		•				1	1	
	arket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	ase Basis, un	til further notice).									
	P CENTREX - 5ESS (Valid in All States)															
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		\Box													1
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1										
	Non-Design		1	UEP95		14.89							1			1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		1 - 2 - 3 - 3	+	14.00		 	-	 	1		 	1	1	†
	Non-Design		2	UEP95		21.52							1			1
				UEP95		21.52										-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		3	UEP95		27.17										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>													
	Design		3	UEP95		29.59										
LINE			3	ULF 93		29.39					-					-
UNE	Loop Rate			LIEDOS	115004	40.70										-
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
UNF	Port Rate															
All St																
7.11 0.	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
					UEPYB											
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															1
	Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65	L					1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	<u> </u>	1											1
	Center)2,3 Basic Local Area		1	UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94]			1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area		1	UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94]			1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1		.00.00		J */		1			Ì	Ì	1
	- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						1
			1	OL1 30	OLI 13	1.13	40.30	19.30	24.30	0.05	 		1	}	1	+
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	LIEDOE	LIEDVO	4.40	40.00	40.00	04.00	0.05						1
	Basic Local Area		-	UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65	1		-	1	1	+
AL, K	(Y, LA, MS, SC, & TN Only			L	4	.										
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65	L					1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3		1	UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94						1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			1										1		1
1	Term 2,3		1	UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94			1			1
	roini 4,0		1	OL1 30	טבו עב	1.13	100.30	70.71	J4.47	11.34	 		1	}	1	+
			1	1		1			l		1	1	ı		1	1
	OME Vision On the Book to an installing on Manufacture 1			LIEBOE	LIEDOO	4	40.00	40.00	04.00	0 0-						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
0.400		5 112 1 11 5 KIK ELEMENTO - GOULII GAI GIIIIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port	1		UEP95	UEPVF	3.04										
		All Select Features Offered, per port	<u> </u>		UEP95	UEPVS	0.00	406.42									
	114 00	All Centrex Control Features Offered, per port	<u> </u>		UEP95	UEPVC	3.04										
-	NARS	Habita diad National Assaul Besietes Combination	1		LIEDOE	HADOV	0.00	0.00	0.00	0.00	0.00						
-		Unbundled Network Access Register - Combination	-		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
<u> </u>		Unbundled Network Access Register - Indial	1	\vdash	UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00				 		
-	Miccell	Unbundled Network Access Register - Outdial aneous Terminations	1		UEF93	UARUX	0.00	0.00	0.00	0.00	0.00				-	-	-
<u> </u>		aneous Terminations Trunk Side	+	 		+				 			 		 		
		Trunk Side Trunk Side Terminations, each	 	1	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		-		+	1	1
		Digital (1.544 Megabits)	1		ULF 93	CLINDO	0.00	119.57	10.70	00.03	3.77						
-	wile	DS1 Circuit Terminations, each	+		UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47				 		
\vdash	-	DS0 Channels Activated, each	+	\vdash	UEP95	M1HDO	0.00	14.51	50.30	12.13	2.47		 		t		
	Interof	fice Channel Mileage - 2-Wire	+		OLI 33	WITIDO	0.00	14.51		†							
	inter or	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167	40.00	21.41	10.77	0.01						
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		02.00		0.0101										
		nnel Bank Feature Activations	Ī														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		37.93	16.72								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70									
		New Centrex Customized Common Block	<u> </u>		UEP95	M1ACC	0.00	668.70									
		NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	72.89									
	Additio	onal Non-Recurring Charges (NRC)	1	\vdash		+				 					 		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83	I			1		I		
—	-	Unbundled Miscellaneous Rate Element, Tag Design Loop at	+	 	ULF90	UKEIL		8.33	0.83	 			 				
1		End Use Premise			UEP95	URETN		11.24	1.10	I			1		I		
—	IINF-P	CENTREX - DMS100 (Valid in All States)	1	\vdash	OLF 30	OINLIIN		11.24	1.10	t					t	1	1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1	-			I			 		I		
-		ort/Loop Combination Rates (Non-Design)	+	\vdash		+				t			 		t		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1	-			I			 		I		
		Non-Design		1	UEP9D		14.89			I			1		I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-					1					1	İ	İ
		Non-Design		2	UEP9D		21.52			1					1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		27.17			I			1		I		
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-						-								
		Design	<u> </u>	1	UEP9D		17.81										<u></u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		<u> </u>												
		Design		2	UEP9D		24.26								<u> </u>		

CATEGORY RATE ELEMENTS Interest Zeros BCS USOC USOC Charge	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATE OLIVENTS RATE FLEMENTS REC Microsofting Management Managem	0.1.2011.222											Svc Order	Svc Order				
## CATE CLEMENTS March 2006 PATES (8) PATES (8) PATES (8) PATES (9) PATES (10) P																	
CATEGORY RATE ELEMENTS Dec BCS USB Color Part Section Color			Intori														
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	-				Order vs.
New York Control (1987) April 1987 Apr			""														Electronic-
Note Control																	Disc Add'l
March Marc																	
Description	ļ						Rec										
Design	ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Comparison Com				_													
2-Wins Vision Claric Long (St. 1) - Zone 1	L			3	UEP9D		29.59										
2-Wine Votes Clarida Long (St. 1) - Zero 2	UNE L			<u> </u>	LIEBAB	115004	10.70										
SWIN Voto Grade Fort (Centers / EBS-MSD(3)) State Local Anse UEPPD UEPVS 1.13 40.00 19.00 24.00 6.65	ļ			1													ļ
2-vivi vivos Grands Long (S. 2) - Zone 1																	
2-Wine Vince Grante Port (Centres / E88-M000) Searc Loral Annual Port Centres / E88-M000) Searc Loral Annual Port				3													
2-Wee Votos Grade Pert (Centres / EBS-MSC10)) 3 0,5590 0,5052 28.66				1													
UEPYC 1.13 4.03 19.30 24.96 6.66																	
ALL STATES	LINE D			3	UEF9D	UECSZ	20.40										
2-Wire Votes Grade Prof (Centrex / EBS-MSD09))Seas Local Area UEP90 UEPVB 1.13 40.30 19.00 24.98 6.65			1		1	+						-	 		1		
2-Wire Votes Grade Port (Centrex / EBS-MS219)3 Basic Local	ALL 3		1	 	LIEP9D	ΠΕΡΥΔ	1 13	40.30	19 90	24 08	6.65				 		
Area	 		1	 	JL: 3D	JEI IA	1.13	+0.30	13.30	24.90	0.03				 		
2-Wire Voice Grade Port Contents / EBS-M6000)Basic Local UEPPD UEPPC 1.13 40.30 19.90 24.98 6.65			1	1	UEP9D	UEPYR	1 13	40.30	19.90	24 98	6.65						
Area	h h				02. 02	02	0	10.00	10.00	21.00	0.00	1					
2-Wire Voice Grade Port (Centrex / EBS-M5509)3 Basic Local					LIEP9D	LIEPYC	1 13	40 30	19.90	24 98	6.65						
April					OLI OD	OLI TO	1.10	40.00	10.00	24.00	0.00						1
2-Wire Voice Grade Port (Centrex / EBS-M6020))3 Basic Local UEP9D UEPYF 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						
Area UEPO UEPYE 1.13 40.30 19.00 24.88 6.66		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
2-Wire Vote Grade Port (Centrex / EBS-M5219)3 Basic Local Avea		,			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
Area UEPPO UEPYF 1.13 40.30 19.90 24.98 6.65											0.00						
2-Wire Voice Grade Port (Centrex / EBS-M6312), Basic Local VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY		` "			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
Area UEP90 UEPYT 1.13 40.30 19.90 24.98 6.65		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
Area					UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M5209)3 Basic Local Area UEPBD UEPV		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
Area		Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M6216)3 Basic Local Area UEP9D UEPYV		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
Area		Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local UEP9D UEPY		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
Area CWire Voice Grade Port (Centrex with Caller ID) Basic Local UEP9D UEPYH 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area																	
Area UEPBD UEPYH 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrew/Caller ID/Msg Wig Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65		,															
Indication) 4 Basic Local Area	ļ			<u> </u>	UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						ļ
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65					LIEDOD	LIEDVA	4.40	40.20	40.00	04.00	0.05						
Basic Local Area					UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area UEP9D UEPYM 1.13 108.36 70.71 54.47 11.94					LIEDOD	LIEDVI	1 12	40.20	10.00	24.09	6.65						
2.3-Basic Local Area	 		l		051 30	OLFIJ	1.13	40.30	15.90	24.90	0.65						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 1			1		UEP9D	UEPYM	1 13	108 36	70 71	54 47	11 0/		1		1		
Basic Local Area	 		1	1	52. 50	CEI IIVI	1.10	100.00	70.71	54.47	11.54				1		†
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYP 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M508)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94			1		UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		1		1		1
Basic Local Area			†			1	0			· · · ·					1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94					UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94						1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 1.194 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 1.194 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
Basic Local Area		Basic Local Area		<u> </u>	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94			1						-]		
Basic Local Area					UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 1.194 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1]]		
Basic Local Area			ļ	 	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						<u> </u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1										1		1		
Basic Local Area			ļ		UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1		LIEDOD	LIEDY'S		400.00	70.71				1		1		
Basic Local Area	 		1	1	UEP9D	UEPY5	1.13	108.36	/0./1	54.47	11.94	-			-		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			1		LIEDOD	LIEDVE	1 10	100 20	70.74	EA 47	11.04		1		1		
	\vdash		1	1	OLFBD	UEPTO	1.13	100.30	70.71	54.47	11.94	1					
		Basic Local Area	1	1	UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
		DATE EL EMENTO	Interi	-	500				D 4 T F O (A)			Elec			Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															7144	2.00 .01	
							_	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						11100	Auui	11100	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAN	- COMPART
					UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						Í
		Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
		Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						ĺ
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															Í
		Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						i
	AL. KY	, LA, MS, SC, & TN Only															
	, . _ ,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						—
		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
																	
	 	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	!	1	UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65	!	.	ļ	ļ		
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65	ļ					
	<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	<u> </u>	Щ.	UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65	<u> </u>		<u> </u>	L		<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65			1			1
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65			l	İ		
	1	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	1		UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65	1	i	1	1		
	 	2-Wire Voice Grade Port (Centrex / EBS-M5208)4	 	 	UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65	1	 	 	 		
																	
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						1
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						Í
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	OLI QU	1.10	40.00	10.00	24.00	0.00						1
		2.3			UEP9D	UEPQM	4.40	400.00	70.74	F4 47	11.94						Í
		2,3			UEP9D	UEPQIVI	1.13	108.36	70.71	54.47	11.94						
																	Í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						Í
		, , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						Í
		2 TVIIC VOICE CITAGE I OIT (CENTRON MINOR CVV O / EBC 6200/2,0,4			OLI OD	OLI QQ	1.10	100.00	70.71	04.47	11.04						
		0 M/2 - 1/2 - 0 - 1 - D - 1 / 0 - 1 - 1 / 1/4 - 0 M 0 / ED0 M 5 1 10 0 0 1			LIEDOD	LIEBOD	4.40	400.00	70.74	54.47	44.04						Í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						1
																	Í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						ĺ
	1										1]			1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	l		UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		1				1
		, , , , , , , , , , , , , , , , , , , ,															f
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	l		UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		1	1	1		1
	1	2 Trile voice Grade i ort (Gentiewalliei GVVO/LBG-W0200)2,3,4	-		OL: 3D	JLI QJ	1.13	100.30	70.71	54.47	11.94	1	-	-	-		
		0.14% - 1/2% - 0.14 Book (0.14 - 1/2% - 0.140 /FF0 : 170 (0.14	l		LIEDOD	LIEBOO		400.00	70	J			1				1
	 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	!	1	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94	!	.	ļ	ļ		+
	1		l							1	1		1	1	1		1
	<u> </u>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	<u> </u>	Щ.	UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94	<u> </u>		<u> </u>	L		<u></u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
l	1	Term 2,3	l		UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		I]	1		1
													İ		İ		
l	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		1	1	1		1
	-	2-Wire Voice Grade Port Terminated in 60 Negalink of equivalent			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65	1					
	Lacali		 	—	OLFBD	ULFUZ	1.13	40.30	19.90	24.98	0.05	1	-	-	 		
	Local S	Switching			LIEBAR	LIBEOO						<u> </u>					
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996					ļ					
	Local N	Number Portability										1	1]			
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35							l			1
	Feature	es															
		All Standard Features Offered, per port			UEP9D	UEPVF	3.04			İ	İ	1					
	1	All Select Features Offered, per port	1		UEP9D	UEPVS	0.00	406.42				1	 	1			
	-	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04	400.42				1					
	NARS	An Ochtrox Control Features Oriered, per port	 	\vdash	OLFBD	OLF VC	3.04			-	-	1	 	 	-		
	NAKS	History Hall National Assess Burger Co. 12 at 2	 	1	LIEDAD	LIADON						1	1	 	1		
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	ļ					
L		Unbundled Network Access Register - Inward	<u> </u>		UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	1	Unbundled Network Access Register - Outdial	1		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00			1			1

	1															
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
\neg	+				+	I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
+-	+					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire	Digital (1.544 Megabits)								1							
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51									
	fice Channel Mileage - 2-Wire			-					i i							
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.24	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD								i i							
	2 - Regures Interoffice Channel Mileage								i i							
	- Installation is combination of Installation charge for SL2 Loc	op and	Port						i i							
	- Requires Specific Customer Premises Equipment					İ			i							

CATEGOR	DLEC	NETWORK ELEMENTS - Tennessee															
														Attach			bit: A
												1	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
	24	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
		NATE ELEMENTO	m	20110	500	0000			ππι ΣΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs. Electronic-
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates (\$)		
L							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							<u> </u>					. D		-1000			
		ne" shown in the sections for stand-alone loops or loops as ww.interconnection.bellsouth.com/become a clec/html/inter				ograpnically	Deaveraged U	NE Zones. 10	view Geograpi	nically Deaver	aged UNE Zone	e Designatio	ons by Centi	rai Office, refe	er to internet v	vebsite:	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	tion.nt	III						l	1	l				
		1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as o	ordered by t	ne State Comm	issions. The (OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional"	' service orde	ring charges	CI FC may
		her the state specific Commission ordered rates for the servi															
		the 9 states.		•	. 3 ,		,	3	, , .								
NC	TE: (2) Any element that can be ordered electronically will be bill	ed acco	rding 1	o the SOMEC rate lis	sted in this c	ategory. Pleas	e refer to Bells	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be ordere	ed electronica	lly. For those	e elements
tha	at can	not be ordered electronically at present per the LOH, the list	ed SOM	EC rate	in this category ref	ects the cha	rge that would	be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	nual ordering	g charge,
		, will be applied to a CLECs bill when it submits an LSR to B															
NC		 OSS - Manual Service Order Charge, Per Element - UNE Or 	າly **Pl	ease se	e applicable rate ele	ment for SO	MAN charge**										
		OSS - Electronic Service Order Charge, Per Local Service															
LINE OF D		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	BallSau	th's EC	C No 1 Tariff Section	n 5 ac annli	aablo										
INO	/IE:	The Expedite charge will be maintained commensurate with	Delisou	III S FC	C NO.1 Tariff, Section	п э аз аррп	Jable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL.												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		INF Fire adds Characana Circuit and inc. Assistant LICOC and			UXTD3, UXTS1, U1TUC, U1TUD.												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			U1TUB, U1TUA	SDASP		200.00									
UNBLIND		XCHANGE ACCESS LOOP	1		CTIOD, OTTOR	CDNOF		200.00				-					
		ANALOG VOICE GRADE LOOP	1														
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					20.35	10.54	13.32	13.32
\vdash		Premise Loop Testing - Basic 1st Half Hour			UEANL	URETL URET1		78.92	78.92		-			20.35	10.54	13.32	13.32
\vdash		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		23.33	23.33			-		20.35	10.54	13.32	13.32
\vdash		CLEC to CLEC Conversion Charge Without Outside Dispatch	1					20.00	20.00					20.00	10.04	10.02	10.02
		(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32

UNBUND	OLEC	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	ibit: A
0.120.12												Svc Order	Svc Order	Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		_		Manual Svo
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		34.29	34.29								
2-V	WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEQ	URETL	<u> </u>	8.33	0.83			<u> </u>	<u></u>	20.35	10.54	13.32	13.32
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	<u>L_</u>		UEQ	USBMC	<u></u>	36.52	36.52	<u> </u>		<u></u>	<u></u>	L	<u> </u>	<u> </u>	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)	<u> </u>		UEQ	UEQMU	<u></u>	28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35		13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
		XCHANGE ACCESS LOOP															
2-V		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													40.00
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													40.00
-		Zone 3	-	3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	HEDOD HEDOD	LIEADO	22.53	24.00	20.00	40.05	1.41			20.35	40.54	13.32	13.32
LINDUND		Zone 3 XCHANGE ACCESS LOOP	1	3	UEPSR UEPSB	UEABS	22.55	31.99	20.02	10.65	1.41			20.33	10.54	13.32	13.32
		ANALOG VOICE GRADE LOOP				+							-	-	+	-	
Z-V		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 			1		 		1		1		t	 	t	1
		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	-	J_/ (JL/ 1LE	10.30	75.00	70.20	20.70	17.04	 		20.00	10.54	13.32	10.02
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	Ė		1	250	. 5.50	.0.20	200	54			20.00		.3.32	.5.52
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1	1	1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64	<u> </u>	<u></u>	20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35		13.32	13.32
		Loop Tagging - Service Level 2 (SL2)	<u> </u>		UEA	URETL		11.23	1.10			<u> </u>		20.35	10.54	13.32	13.32
4-V		ANALOG VOICE GRADE LOOP	<u> </u>			<u> </u>						<u> </u>			ļ		ļ
igsquare		4-Wire Analog Voice Grade Loop - Zone 1	ļ		UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35		13.32	13.32
	ŀ	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		34.29				1			10	10.55	40
	AUE -	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		75.06	36.41			ļ		20.35	10.54	13.32	13.32
2-V		ISDN DIGITAL GRADE LOOP	ļ		LIDAL	1141.027				=		1		20.5-	10.5	10.5-	
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16	1	1	20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	Disc Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry		_												40.00	
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry		_		1141.024	00.00	070.01	004.00	74.5.	00.44			20.65	10.51	10.00	40.00
 	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
 	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &	 	-	UAL	OCOSL		34.29		 	-	-		 	 	 	
	facility reservation - Zone 1	Ι.	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		<u> </u>	<u> </u>	UAL	UALZVV	13.02	31.99	20.02	10.03	1.41			20.33	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	Ι.	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
 	2 Wire Unbundled ADSL Loop without manual service inquiry &	- '-		UAL	UALZVV	10.05	31.89	20.02	10.05	1.41	 	-	20.35	10.34	13.32	13.32
	facility reservaton - Zone 3		3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
 	Order Coordination for Specified Conversion Time (per LSR)	- '-		UAL	OCOSL	23.00	34.29	20.02	10.03	1.41			20.55	10.54	10.02	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	 		UAL	UREWO		31.99	20.02	1				20.35	10.54	13.32	13.32
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRI F	OOP	OAL	OKEVVO		31.33	20.02					20.55	10.54	10.02	10.02
	2 Wire Unbundled HDSL Loop including manual service inquiry	T. DEL	1													
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry		· ·	0	OT ILLY	10.00	2.0.0.	2000	7 110 1	00.11			20.00	10.01	10.02	10.02
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02	ļ				20.35	10.54	13.32	13.32
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	ļ					ļ				ļ	ļ	ļ	1
	4 Wire Unbundled HDSL Loop including manual service inquiry	1		L			c== ==					1				
	and facility reservation - Zone 1	 	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	_	UHL	UHL4X	18.20	279.60	244.22	74.54	20.44		1	20.35	10.54	13.32	13.32
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	├	2	UHL	UHL4X	18.20	2/9.60	244.22	/4.54	39.14		-	20.35	10.54	13.32	13.32
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	23.00	34.29	244.22	74.54	39.14			20.33	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OCOSL		34.29				1					-
	and facility reservation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILAN	10.00	31.33	20.02	10.03	1.41			20.55	10.54	10.02	13.32
	and facility reservation - Zone 2	1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
 	4-Wire Unbundled HDSL Loop without manual service inquiry	 ' -		T	J. ILTT	10.20	01.00	20.02	10.00	171	<u> </u>	 	20.00	10.04	10.02	10.02
	and facility reservation - Zone 3	1 1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29		13.00					13.01	: ::02	
	CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE DS1 DIGITAL LOOP			1					1	l			1			
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59	-								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-W/I	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1						-								1

UNRI	INDLF	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
3,150	,, 10 LL	THE THE LEE HE HAVE TO THE STOCK										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Indan:									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									Po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_															D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL UDL	UDL56 OCOSL	53.11	207.01 34.29	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35		13.32	13.32
	1	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	55.11	34.29	141.30	90.70	44.10			20.33	10.54	13.32	13.32
\vdash	 	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82	1				20.35	10.54	13.32	13.32
\vdash	2-WIRE	Unbundled COPPER LOOP			ODL .	SINEVVO		102.20	45.02	1				20.35	10.34	13.32	10.02
—		2-Wire Unbundled Copper Loop-Designed including manual		 	 	+				 				 	1		
		service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual	·		002	002. 2	10.10	01.00	20.02	10.00				20.00	10.01	10.02	10.02
		service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual				-											
		service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1	ı	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry		_				400 =0									40.00
		and facility reservation - Zone 2	ı	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry		3	UCI	1101.40	40.47	400.70	05.57	70.05	00.40			00.05	40.54	40.00	40.00
		and facility reservation - Zone 3	ı	3	UCL	UCL4S UCLMC	42.17	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry		-	UCL	UCLIVIC		30.52	30.52								
		and facility reservation - Zone 1	1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
\vdash	 	4-Wire Copper Loop-Designed without manual service inquiry	- '-	+		JULTYV	27.70	122.70	05.57	70.33	55.10	 	 	20.33	10.54	10.02	10.02
		and facility reservation - Zone 2	1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	†	4-Wire Copper Loop-Designed without manual service inquiry	i i			1	32.20		33.51	. 5.56	55.10			20.00	.5.54	.0.02	.0.02
	1	and facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16	1	1	20.35	10.54	13.32	13.32
	1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52					1			
	Ì	CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP	MODIFIC	ATION															
					UAL, UHL, UCL,												
1	1			1	UEQ, ULS, UEA,							1	1	I			
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,									1			
	ļ	pair less than or equal to 18k ft, per Unbundled Loop		<u> </u>	UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils - 4 Wire			l <u>.</u>	1								1			
	ļ	less than or equal to 18K ft, per Unbundled Loop		<u> </u>	UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
					UAL, UHL, UCL,									1			
		Halos Hallas Markers Brown Later 17 B			UEQ, ULS, UEA,									1			
		Unbundled Loop Modification Removal of Bridged Tap Removal,	l .		UEANL, UEPSR,	LUMDT		CE 44	CF 11					20.05	10.51	40.00	40.00
SUB-L	OORE	per unbundled loop	- 1	<u> </u>	UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-L		op Distribution		1	—	+				 				 	-		
	Jub-L0	סף ביסמיוטמנוטוו	L	1	L	1		l l				l	l	L	1		

LINIDIII	IDI EI	NETWORK ELEMENTS - Tennessee												Attack	ment: 2	F. I	ibit: A
UNBUI	NDLEI	O NETWORK ELEMENTS - Tellilessee	1		I		I					Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted				
												Elec			Charge -	Charge -	Charge -
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually	Manual Svc	Manual Svc		
OA! LO	J. ()	NATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															1
		Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
		Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
1 7									·								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
1 7		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							·								
\sqcup		Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
		Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
		Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	4.05	34.29	34.29					00.05	40.54	40.00	40.00
-		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
		Onder Consideration for University of Colo Lanca and any language			UEANL	USBMC		34.29	34.29								1
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	34.29			ļ		20.35	10.54	13.32	13.32
-		Sub-Loop 4-Wile intrabuliding Network Cable (INC)	-		ULANL	USBK4	2.20	110.14	37.10					20.33	10.34	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								1
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								+
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
1 1									·								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29			<u> </u>					ļ'
\vdash		Loop Testing - Basic 1st Half Hour		 	UEF	URET1		78.92	78.92					ļ	ļ		 '
\vdash		Loop Testing - Basic Additional Half Hour	ļ	ļ	UEF	URETA		23.33	23.33								
 		dled Network Terminating Wire (UNTW)	<u> </u>	<u> </u>	LIENITAL	LIENES	C 1==-							22.5-	10.5	10.5-	10.0-
 		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48			<u> </u>		20.35	10.54	13.32	13.32
\vdash	networ	k Interface Device (NID)	 	<u> </u>	UENTW	UND12		89.69	54.56	0.6391	0.6391	}		20.35	10.54	13.32	13.32
		Network Interface Device (NID) - 1-2 lines										ļ					
\vdash		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	!	 	UENTW UENTW	UND16 UNDC2	 	129.65 11.11	94.51 11.11	0.6522	0.6522	 		20.35 20.35	10.54 10.54	13.32 13.32	
-		Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11			1		20.35	10.54	13.32	
LINE OT	HED D	ROVISIONING ONLY - NO RATE			OLIVIV	UNDC4		11.11	11.11			1		20.33	10.54	13.32	13.32
5.12 51		NID - Dispatch and Service Order for NID installation	-		UENTW	UNDBX	0.00	0.00				 		 	 	 	+
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	1	UENTW	UENCE	0.00	0.00						1	1		
		renorming only no nation	1	t	UEANL,UEF,UEQ,U		3.50	0.00						1	1	1	1
		Unbundled Contract Name, Provisioning Only - No Rate	l		ENTW	UNECN	0.00	0.00						1	1	1	
UNE OT	HER, P	ROVISIONING ONLY - NO RATE					2.00	2.00									†
											l					İ	1
1 1			l	1	UAL,UCL,UDC,UDL,]							Ì	Ì	l	
		Unbundled Contact Name, Provisioning Only - no rate	l	1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no					j										
		rate	l	1	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00						Ì	Ì	l	

UNBUND	LEC	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
	Ī											Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											B'			000	D-1 (A)		
-							Rec	Nonrecurring First	Add'l	Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no						FIRST	Add I	First	Add'l	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SUMAN
		onbundied Sub-Loop i eeder-4 Wile Closs Box Jumper - no			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
-		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH CAP		Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility									.=						
-		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility	1	 	ODLOX	ILOIND	5.19								 		
		Termination per month		1	UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15		1	36.84	36.84		
No		: Rates provided in TN for both electronic and manual Loop	Makeu	p are ir	terim and subject to		true-up adjust	ments pending	a permanent		hese rate elen	ents from t	he Tenness	ee Regulatory	Authority.		
LOOP MAR	KE-UI																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility	_														
-		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
I INF SHAF		AND LINE SPLITTING	ĸ		UIVIN	UIVIKIVIQ		0.76	0.76								
		: The Line Sharing monthly recurring rates for all installation	ns comi	oleted 1	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	I be billed as f	ollows:							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co						,									
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND			,												
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 20	03							
		IARING															
52		ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
-		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODD	23.00	130.00	0.00	0.00	0.00			20.55	10.54	10.02	10.02
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
EN		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1				III ODT	0.04	40.00	04.00	0.00	0.00						
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						-
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00						
		Line Share Service, TRO per line activation, BST owned splitter -					0.0.			0.00							
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)		<u>L</u>	ULS	ULSDT	8.81	40.00	31.39	0.00	0.00				<u> </u>		
		Line Sharing - per Subsequent Activity per Line			l								1				
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line			ULS	ULSCS		30.00	15.00					00.05	10.54	13.32	13.32
		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSUS		30.00	15.00					20.35	10.54	13.32	13.32
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned		!	0_0	32000	0.01	77.74	10.01	0.00	0.00			20.00	10.34	10.02	13.32
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)		L	ULS	ULSCT	2.94	47.44	19.31	0.00	0.00	<u> </u>	<u> </u>				
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see		1	l <u>-</u>	l							1		1		
		NOTE 1 (E:10/2/2004)	1	1	ULS	ULSCT	5.87	47.44	19.31	0.00	0.00	1	ı		1		1

UNRU	NDI FI	NETWORK ELEMENTS - Tennessee												Δttach	ment: 2	Fyhi	ibit: A
ONDO	TOLL	THE TWORK ELLINERTO TERMESSEE										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dan	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
		PLITTING															
	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50]						
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00						1		
		EDICATED TRANSPORT															
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				l											
		Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATEDO	47.00	55.00	47.07	07.00	0.54			20.05	04.00		
-		Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	LIATDA	41.577	0.0500]						I		I	
		month	-	-	U1TD1	1L5XX	0.3562			1	 	1	1	 	1	 	1
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	LIATOA	шатеа	77.00	140 40	70.07	40.55	4400			20.05	04.00	I	
-		Termination	-	-	U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99	1	1	20.35	21.09	 	1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	U1TD3	1L5XX	2.34]						I		I	
-		month Interoffice Channel - Dedicated Transport - DS3 - Facility			טווט	ILOAA	∠.34			-				-	+	-	
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	1	
\vdash		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			סווט	01113	040.99	393.29	170.36	109.04	105.91	1		30.64	30.84		1
		month		1	U1TS1	1L5XX	2.34]						I		I	
 		Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	01101	ILUAA	2.34					1	1	1	1	1	1
		Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	1	
DARK F	IBFR	TOTTIMIQUOT		1	01101	51110	043.30	333.29	170.30	103.04	103.91			30.04	30.04	-	<u> </u>
DANKI		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		 		+	 	 		1	 	1		t	 	 	1
		Thereof per month - Interoffice Channel		1	UDF, UDFCX	1L5DF	28.74]						I		I	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20.74	1,121.00	153.19	580.26	357.17	1		20.35	10.54	13.32	13.32
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	55., 65i 6A	551 17		1,121.00	100.19	000.20	337.17			20.00	10.04	10.02	10.02
		Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	58.83]						I		I	
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4	55.50	1,121.00	153.19	580.26	357.17	1		20.35	10.54	13.32	13.32
8XX AC		EN DIGIT SCREENING			,	1	1	,							1	12.32	,2
		8XX Access Ten Digit Screening, Per Call			OHD	1	0.0005192	i			İ			İ	İ	İ	1
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved		1	OHD	N8R1X	Ì	5.21	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
1		POTS Translations		1	OHD		Ì	11.47	1.46	7.34	0.7602	1	1	20.35	20.35	13.28	13.28

UNBU	NDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
	· ==	101110000										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			 	-		+	Rec	Nonrecurring	A al -111	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
_		8XX Access Ten Digit Screening, Per 8XX No. Established With		<u> </u>				First	Add'l	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Customized Area of Service			OLID	INOLIX		11.47	1.40	7.34	0.7002			20.33	20.33	13.20	13.20
		Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15	1101 071								20.00	20.00	10.20	10.20
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE IN	FORM/	ATION DATA BASE ACCESS (LIDB)															
<u> </u>		LIDB Common Transport Per Query			OQT	ļ	0.0000354										
<u> </u>		LIDB Validation Per Query	ļ		OQU	NDDDV	0.0117403	40.00						00.05	00.00	40.00	40.00
SIGNAL	INC (C	LIDB Originating Point Code Establishment or Change	 	-	OQT, OQU	NRBPX	 	49.03		 		1		20.35	20.35	13.28	13.28
SIGNA	LING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41			_		-			 	-	
—	-	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	1		UDB	r 100X	0.0000916	1		 			 	1	 	1	1
-	-	CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	17.84	130.84	130.84	 				20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			220	1	17.04	130.04	130.04	+				20.33	20.33	10.02	10.02
		link)	l		UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment						l i									
		or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLIN	IG NAM	E (CNAM) SERVICE															
<u> </u>		CNAM For DB Owners - Service Establishment	<u> </u>	<u> </u>	OQV	ļ		43.27					ļ		ļ		
-		CNAM For Non DB Owners - Service Establishment		<u> </u>	OQV	1	1	43.27		.				 	1	 	-
1 .		CNAM For DB Owners - Service Provisioning With Point Code Establishment			oqv			1,868.00	1 202 00	1			1	1		1	
-		CNAM For Non DB Owners - Service Provisioning With Point	<u> </u>	<u> </u>	UQV	+		1,808.00	1,382.00	-					-		
		Code Establishment	l		oqv			645.50	432.23						1		
		CNAM for DB Owners, Per Query	1		OQV	1	0.0010541	040.00	402.20	I		<u> </u>	 	 	I	 	
		CNAM for Non DB Owners, Per Query			OQV	İ	0.0010541			1					1		
		CNAM (Non-Databs Owner), NRC, applies when using the				İ	1			1				İ	1	Ì	
1 .		Character Based User Interface (CHUI)	l		OQV	CDDCH]		I			1	20.35	20.35	13.28	13.28
SELEC	TIVE R	DUTING															
		Selective Routing Per Unique Line Class Code Per Request Per	l										1]]	
L		Switch						179.60	179.60					20.35	20.35		
VIRTU	L COL	LOCATION		<u> </u>		ļ							ļ		ļ		
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line	l		LIEDOD LIEDOD	VE41.0		44.55	0.00	40.00	0.00			40.00	40.00	40.00	40.00
DUVELO	AL CC	Splitting LLOCATION			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	-		19.99	19.99	19.99	19.99
FITTOIL	AL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1			1	1	1		 		-	 	1	+	1	1
		Splitting	l		UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SF	LECTIV	E CARRIER ROUTING			SELON SELOB		0.7303	11.02	3.30	10.30	0.00			13.35	13.35	15.35	13.35
		Regional Service Establishment	1		SRC	SRCEC	1	190,638.00		1				20.35	1	1	
		End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
		Query NRC, per query			SRC	1	0.0206047										
AIN - B	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,							· · · · · · · · · · · · · · · · · · ·					1		1	
		Initial Setup			A1N	CAMSE		135.56	135.56	ļ				20.35	20.35	13.28	13.28
1 ,			l		l	1		l l		I			1		l]	l
<u> </u>		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
<u> </u>		AIN SMS Access Service - Port Connection - ISDN Access		<u> </u>	A1N	CAM1P	1	41.75	41.75	.				20.35	20.35	13.28	13.28
1 .		AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		96.63	96.63	1			1	20.35	20.35	13.28	13.28
\vdash		AIN SMS Access Service - Security Card, Per User ID Code,	-	1	AIIN	CAIVIAU		96.63	90.63	+				∠0.35	20.35	13.28	13.28
1 .		Initial or Replacement			A1N	CAMRC		113.67	113.67	1			1	20.35	20.35	13.28	13.28
—	-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				J/ 11411 (U	0.0024	113.07	110.07	t			 	20.33	20.33	15.20	15.20
		AIN SMS Access Service - Session, Per Minute	1			1	0.0820123	 		I		<u> </u>	 	 	I	 	
		r	L	<u> </u>	l		0.0020120	L		L		·	l	1	<u> </u>	1	L

Nonrecurring Nonr	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
BATTE BLEMENTS												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
RATE ELEMENTS March Some BCS MISC STATES STATES Some State S												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATTECHN RATE ELEMENTS			14									Elec					Manual Svc
Bectonic Solidar Soli	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				-				
No. No.			m						, ,			per Lore	per Lore				
March Marc																	
MR STAR FOLKER Service - Company Performed Season. Per 227 2														151	Auu i	DISC ISL	DISC Add I
ANY SOCIAL PRODUCT SERVICE ANY BOLLEOTH ANY TOCUMEN SOCIAL SOCIA								Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	•	
Minute M							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Minute M		AIN SMS Access Service - Company Performed Session, Per															
MAY TOOKS Service - Service Equipolationed Charge, Per Stoke, DAM DAMPS 170,00 150,							2.27										
Intel® Server	AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
API TORNIS SENSES, Tayloria Severals, Trajenta Se		AIN Toolkit Service - Service Establishment Charge, Per State,															
AN FORM Service. Tragger Access Change, Per Trigger, Per D. BAPTD 31.21		Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
DN, Term, Allerger ANT TOURS Services - Trigger Access Charge, Per Trigger, Per BAPTT 31.21 31.21 2.35 2.35 13.26 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 35.21 31.21 2.35 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 2.35 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 2.35 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 8.64 2.35 2.35 2.35 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 8.64 2.35 2.35 2.35 13.26 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64 8.64 8.64 8.64 2.35 2.35 2.35 13.26 13.26 ANT TOURS SERVICES - Trigger Access Charge, Per Trigger, Per BAPTD 8.64		AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
ANY TOURS Services "Trigger Access Charge, Per Trigger, Per D. Chi-Hoto Delay D. Chi		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
Dec Control Service - Trigger Access Charge, Per Trigger, Per Dec						BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
ANT COOK Senter - Trigger Access Charge, Per Trigger, Per D. () BAPTM 3121 121 2035 2035 1328 132		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
DN. Off-Hook Immodale DN. Off-Hook Immodale ANT Trout Service - Togger Access Charge, Per Trigger, Per		DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
ANT TOORS Service - Troger Access Charge, Per Troger, Per Con. 10-Day PCDC																	
DN: 10-Right POPP BAPTO 88-24 86-24 20.35 20.35 13.28 13.28 13.28 ANTON Service - Trigger Access Charge, Per Trigger, Per Anton Service - Trigger Access Charge, Per Trigger, Per Anton Service - Trigger Access Charge, Per Trigger, Per Anton Service - Trigger Access Charge, Per Trigger, Per Anton Service - Trigger Access Charge, Per Trigger, Per Anton Service - Trigger Access Charge, Per Brigger, Per Anton Service - Trigger Access Charge, Per Brigger, Per Anton Service - Trigger Access Charge, Per Anton Service - Trigger Access Charge, Per Anton Service - Trigger Access Charge, Per SMS Access Access - Access - Nation Service - SCP Sturger, Charge, Per SMS Access - Acces						BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
AN Tools Service - Trigger Access Charge, Per Trigger, Per DNA COURS Gender - Trigger Access Charge, Per Trigger, Per DNA COURS Gender - Trigger Access Charge, Per Trigger, Per DNA COURS Gender - Trigger Access Charge, Per Trigger, Per DNA COURS Gender - Trigger Access Charge, Per Trigger, Per DNA COURS Gender - Trigger Access Charge, Per Trigger, Per DNA COURS Gender - Trigger Access Charge, Per Nature Charge, Per John Cours Charge, Per John Charge, Per John Cours Charge, Per John Cours Charge, Per John Charge				1		1								1		-	1
DN, CDP						BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
ANY TOURS Service - Charge Per Output ANY TOURS Service - Sper Notice Charge, Per Output ANY TOURS Service - Sper Notice Charge, Per SMS Access ART TOURS Service - Sper Notice Service - Sper Notice Service - Sper Notice Service - Sper Notice Service - Sper Notice Service - Sper Notice Service - Sper Notice Service - Spering Service																	
DN, Feature Codes						BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
AN TOOKIS Service - Type 1 Nose Charge, Per ANN Tookis Subscription. Per ANN Tookis Service - Special Study. Per ANN Tookis Se																	İ
ANY TOOKIS Service - Type 1 Node Charge, Per ANY TOOKIS Subscription, Per Node, Per Query ANY Tookis Service - System of the Charge, Per SMS Access Account, Per 100 Richard, Pe						BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
Subscription Per Node, Per Query 0.0054774							0.0211882										
ANT Tocks Service - SCP Storage Charge, Per SMS Access Account. Per 100 Kilotylores ANT Tocks Service - Monthly report - Per ANT Tocks Service Subscription ANT Tocks Service - Special Study - Per ANT Tocks Service Subscription CAM BAPMS 17.43 33.52 33.52 20.35 13.28 13.2 ANT Tocks Service - Special Study - Per ANT Tocks Service Subscription CAM BAPMS 0.132116 36.23 36.23 20.35 20.35 20.35 13.28 13.2 CAM BAPDS 17.35 33.52 36.23 20.35 20.35 13.28 13.2 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currenty Combined" Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currenty Combined" Network Elements. EXTENTED 2-WINE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIST INTEROFFICE TRANSPORT First 2-Wine VO Loop (SL2) in combination - Zone 3 3 0.00 NCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Tender Combination - Zone 3 3 0.00 NCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VO Loop (SL2) in Combination - Zone 1 1 UNCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Tender Cool - Per Month Tender Cool - Per Month UNCIX UTF1 77.86 171.24 113.12 70.07 30.00 20.35 21.09 Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UFAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 EACH STORAGE AND ACCOUNT OF TOCK STORAG																	
Account, Per 100 Kilofylose Septial Study - Per AIN Toolkit Service CAM BAPMS 17.43 33.52 33.52 20.35 20.35 13.28 13.2							0.0054774										
ANT Toolist Service - Monthly report - Per ANT Toolist Service CAM BAPMS 17.43 33.52 33.52 20.35 20.35 13.28 13.28 13.28 ANT Toolist Service - Special Study - Per ANT Toolist Service CAM BAPLS 0.1321116 36.23 36.23 20.35 20.35 20.35 20.35 13.28 13.																	
Subscription Subscription CAM BAPMS 17.43 33.52 33.52 20.35 20.35 13.28							1.50										L
AN Toolist Service - Special Study - Per AN Toolist Service CAM BAPLS 0.1321116 36.23 36.23 20.35 20.35 20.35 13.28 13.2																	
Subscription CAM BAPLS 0.1321116 36.23 36.23 20.35 20.35 20.35 13.28 13.28 13.28 No. 10.25 No. 10.				<u> </u>	CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
AN Toolist Service - Call Event Report - Per AIN Toolist Service CAM BAPOS 17.35 33.52 33.52 20.35 20.35 20.35 13.28 13.					0414	DADI O	0.4004440	00.00	00.00					00.05	00.05	40.00	40.00
Subscription				-	CAIVI	BAPLS	0.1321116	30.23	30.23					20.35	20.35	13.28	13.28
AN Toolkt Service - Call Event Special Study - Per AN Toolkt CAM BAPES 0.0511435 36.23 36.23 36.23 20.35 20.35 20.35 13.28 13.					CAM	BADDO	17.25	22.52	22.52					20.25	20.25	12.20	12.20
Service Subscription					CAIVI	DAPUS	17.33	33.32	33.32					20.33	20.33	13.20	13.20
EMHANCED EXTENDED LINK (EELs)					CAM	DADEC	0.0511435	26.22	26.22					20.25	20.25	12.20	12.20
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.	ENHANCED E				CAIVI	BAFLS	0.0311433	30.23	30.23					20.33	20.33	13.20	13.20
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currently Combined" Network Elements.			anniv a	nd the	Switch-As-Is Charge	will not and	aly for LINE con	nhinations nro	visioned as ' C	Ordinarily Com	nined' Networl	Flements					
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
First 2-Wire VG Loop (SL2) in Combination - Zone 1							CITE COMBINAL	ons provision	ca as Garrent	l	TOUR Eleme	1110.					
First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 21.63 108.76 35.47 72.94 10.86 20.35 21.09	EXTEN						16.56	108.76	35.47	72 94	10.86			20.35	21.09		
First 2-Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X 115XX 0.3562 UNC1X 1L5XX 0.3562 UNC1X UN				2													
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month																	
per month UNC1X 1L5XX 0.3562 UNC1X 1.5XX 0.3562 UNC1X U1TF1 77.86 171.24 113.12 70.07 30.90 20.35 21.09				t		1 -					12.30						
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Combination Per Month 1/10 Channelization System in Channelization System in Channelization System in Channelization System in Channelization System in Channelization System in Channelization System in Channelization System in Channelization System in Channelization System in Channeliz	1 1			1	UNC1X	1L5XX	0.3562			Ì			1		Ì		1
Termination per month						1	5.5302								İ		
1/0 Channelization System in combination Per Month	1 1				UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 16.56 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 21.63 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Voice Grade COCI - Per Month UNCVX 1D1VG 0.91 5.70 4.42 Nonrecurring Currently Combined Network Elements Switch -Aslis Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09		1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 21.63 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Voice Grade COCI - Per Month UNCVX 1D1VG 0.91 5.70 4.42 Nonrecurring Currently Combined Network Elements Switch - Asls Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 21.63 108.76 35.47 72.94 10.86 20.35 21.09 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Voice Grade COCI - Per Month UNCVX 1D1VG 0.91 5.70 4.42 Nonrecurring Currently Combined Network Elements Switch - Asls Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09																	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Voice Grade COCI - Per Month UNCVX 1DIVG 0.91 5.70 4.42 Nonrecurring Currently Combined Network Elements Switch - Asls Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 3 UNCVX UEAL2 28.28 108.76 35.47 72.94 10.86 20.35 21.09 Voice Grade COCI - Per Month UNCVX 1DIVG 0.91 5.70 4.42 Nonrecurring Currently Combined Network Elements Switch - Asls Charge UNC1X UNCCC 52.73 24.62 9.12 9.12 20.35 21.09 EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09																	
Voice Grade COCI - Per Month		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
Voice Grade COCI - Per Month									·								1
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09	$oxed{oxed}$			3						72.94	10.86			20.35	21.09		!
Is Charge	$oxed{oxed}$			<u> </u>	UNCVX	1D1VG	0.91	5.70	4.42								!
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09	1 1		1	1		l				Ì			1		Ì		1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09	 _			<u> </u>			ļ	52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	KUFFICE TRANSPO	ΚÍ											↓
	1 1	First A West A color Miles Constant			1110101				a= -	=0.5:					2.2-		1
First A Wire Applies Vising Control on in Complication Topo 2 2 UNICVY UEFALA 22.00 400.70 25.47 70.04 40.00	 	First 4-vvire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	1	ļ	20.35	21.09		
		First 4 Wire Apples Voice Crade Land in Combination 7:00		_	LINICVA	LIEAL 4	20.00	400.70	05.47	70.04	40.00		1	20.25	04.00		1

UNBU	NDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
UNDO		THE THORK ELLINEITY TO THE TOTAL OF THE TOTA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							Dan	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
	<u></u>	Interoffice Transport Combination - Zone 2	<u>L_</u>	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	<u></u>	<u> </u>	20.35	21.09	<u> </u>	<u>1</u>
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
L	L	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	<u></u>		20.35	21.09		1
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - combination Facility															
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1]						Ì	I		1
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - in combination per month (2.4-	1	1	l .	1]						Ì	I		1
		64kbs)	<u> </u>	<u> </u>	UNCDX	1D1DD	0.91	5.70	4.42						ļ		1
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l .			l l			_				l		1
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	I EROFFICE TRANS	SPORT											
		First A Miles Oddiese Biotist Out to 1 0 11 11 1	1	l .	LINODY	LIBL C :			.= :-								1
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
			1	1 _													1
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
				_													
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		├
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1	LINGAY	41.5007	0.0500]						Ì	I		1
		Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.3562								-		├
		interoffice Transport - Dedicated - DS1 combination - Facility	1	1	LINGAY	LIATE:											1
		Termination Per Month	 	1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	1		20.35	21.09	-	
		1/0 Channel System in combination Per Month	<u> </u>	<u> </u>	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74				-		
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	ļ	<u> </u>	UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDLG!			.= :-	:							1
<u> </u>		Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	1	├
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBL 04	40.01	400 =0	05 17	70.01	40.00			00.00	04.00		1
<u> </u>		Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
1		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	3	LINCDY	UDL64	53.11	100 70	05.45	70.01	10.00			20.35	21.09		1
		Interoffice Transport Combination - Zone 3	<u> </u>	<u> </u>	UNCDX	UDL04	53.11	108.76	35.47	72.94	10.86	1	<u> </u>	20.35	21.09	L	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													131	Auu	Diac 1at	Disc Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	LINICAY	LIATE 4	77.00	474.01	110.10	70.0-	00.00		1	20.0-	04.00		1
\vdash	Termination Per Month	 	<u> </u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EVTE		ED DC2	INTER				52.73	24.62	9.12	9.12			20.35	21.09		-
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT First DS1Loop in Combination - Zone 1	בט ח⊇3 ו	INTER 1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88		 	20.35	21.09		
h +	First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		+
—	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		+
—	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	ONOTA	OOLXX	30.33	220.40	101.74	13.01	24.00			20.55	21.03		
	Per Month			UNC3X	1L5XX	2.34										
h +	Interoffice Transport - Dedicated - DS3 - Facility Termination per			OHOOX	TLOVOX	2.07										
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		ĺ
+	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			00.01	00.01		
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		İ
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
L	Is Charge		<u> </u>	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD				10.50	100 70		=0.04							
-	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
-	2-WireVG Loop in combination - Zone 2		3	UNCVX	UEAL2 UEAL2	21.63	108.76	35.47	72.94	10.86						-
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						-
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	l	l	UNCVX	1L5XX	0.0174										1
 	Interoffice Transport - 2-wire VG - Dedicated - Facility	 		0140 V	LUAA	0.0174								1		
	Termination per month	1	1	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00		1	20.35	21.09		1
	Nonrecurring Currently Combined Network Elements Switch -As-	1		J. 15 V/	011172	21.75	7 0.00	77.00	55.5 <u>Z</u>	31.00			20.00	21.03		
	Is Charge	1	1	UNCVX	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				52.10	202		2						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86				İ		
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility	l														1
	Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	l	l		1					_						1
<u> </u>	Is Charge	<u> </u>		UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		L											
\vdash	DS3 Local Loop in combination - per mile per month	ļ		UNC3X	1L5ND	9.19										
	DC2 Level Leve in combination Fig. 75 - 15 - 15 - 15	1	1	LINGOV	LIEODY	070 4-	0.40.00	100.5=	100 70	45.01		1				1
	DS3 Local Loop in combination - Facility Termination per month	1	<u> </u>	UNC3X	UE3PX	373.47 2.34	240.23	180.87	106.78	45.24						
L	Interoffice Transport - Dedicated - DS3 - Per Mile per month	l	l	UNC3X	1L5XX	2.34					l	l				1

UNRUNE)LFI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
2112011		ALL IT OTHER LEGISLES OF THE STATE OF THE ST										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 combination - Facility															i
		Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		ł
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		ł
EX	TEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												i
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										í
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						ł
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.34							Ì	Ì		1
		Interoffice Transport - Dedicated - STS-1 combination - Facility															1
		Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		i
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		í
EX	TEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													1
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		i
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month			UNC1X	1L5XX	0.3562										ł
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ł
		1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															í T
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		í
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															i T
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		ł
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															í T
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		ł
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															í
		month			UNCNX	UC1CA	3.24	5.70	4.42								í
		Nonrecurring Currently Combined Network Elements Switch -As-															í
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ł
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO												i
		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															ı
		Per Month			UNCSX	1L5XX	2.34										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															1
		Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		<u> </u>
		3/1 Channel System in combination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77						
		DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional DS1Loop in the same STS-1 Interoffice Transport										<u> </u>	<u> </u>	<u> </u>]		1
		Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		<u> </u>
		Additional DS1Loop in the same STS-1 Interoffice Transport												Ì	Ì		1
		Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
		Additional DS1Loop in the same STS-1 Interoffice Transport															í
\vdash		Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
\vdash		DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	17.58	5.70	4.42					ļ	ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-															í
<u> </u>		Is Charge		<u></u>	UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EX	TEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	SPS INT														
\vdash		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
\vdash		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
\vdash		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
1 1		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.5307	0.04=:										1
		Per Mile per month		l	UNCDX	1L5XX	0.0174								<u> </u>		

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	ibit: A
5.1D011DE	- I TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1		11130	Addi	11130	Auu	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	01100	21.13	7 3.03	44.00	03.32	31.00			20.55	21.03		
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	EDOEE		011000		32.73	24.02	3.12	5.12			20.55	21.03		-
LAIL	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I S IIVI	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						-
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
—	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3		UDL64	53.11	108.76	35.47	72.94	10.86				-		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	33.11	100.70	33.47	12.54	10.00				-		
	Per Mile per month			UNCDX	1L5XX	0.0174										
\vdash	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1	OINODA	ILUAA	0.0174	1		1		1	-		 	1	
	Facility Termination per month		1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00	l	1	20.35	21.09	Ì	
\longrightarrow	Nonrecurring Currently Combined Network Elements Switch -As-		 	OINCDA	UTIDO	21.19	19.83	44.08	09.32	31.00		-	20.35	∠1.09		
	Is Charge	1	1	UNCDX	UNCCC		52.73	24.62	9.12	9.12	l	1	20.35	21.09	Ì	
EVE		D 4 1 1 0 D	ODT		UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP	ORIW/		LIEALO	40.50	400.70	25.47	70.04	40.00	 	-	20.25	04.00	 	
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2 UEAL2	16.56 21.63	108.76	35.47	72.94	10.86	 	-	20.35 20.35	21.09	 	
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX			108.76	35.47	72.94	10.86				21.09		ļ
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per				41 =>04											
	Mile			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ļ
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ļ
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.91	5.70	4.42								ļ
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		ļ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								ļ
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u></u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12		<u> </u>	20.35	21.09		<u> </u>
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1								l	1				
	Zone 1		_1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09	<u> </u>	
	First 4-Wire Analog Voice Grade Local Loop in Combination -							-								
	Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	<u> </u>	<u> </u>	20.35	21.09	<u> </u>	
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	l	1	20.35	21.09	Ì	
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month		1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09	Ì	
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0.91	5.70	4.42								
	3/1 Channel System in combination per month		1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1								i i							
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86		1	20.35	21.09	Ì	
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1		1		1							1	İ	
	Interoffice Transport Combination - Zone 2	ı	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86		l	20.35	21.09		

UNBUNE	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CITECITE		THE THORK ELEMENTO TOMOGOGO	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			١									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	70.07	30.90			20.33	21.09		
h		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.91	3.70	4.42								
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FX	TEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				02.70	24.02	0.12	0.12			20.00	21.00		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -				1											
		Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -									· · · · · · · · · · · · · · · · · · ·			-			1
		Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 - combination				=											
		Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-		Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	80.77 0.91	105.76 5.70	14.48 4.42	3.04	2.74						
-		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	4.42	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77			30.64	30.64		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	00151	17.00	0.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,							
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
h		Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	77.00	171.24	113.12	70.07	30.90			20.33	21.09		
		combination per month	l		UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-	1			1	50	30	12								1
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EX	TEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1]]
\vdash		Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ļ
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	l		LINODY	LIDI G	=										
\vdash		Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	l		UNC1X	1L5XX	0.3562						1				1
+		First Interoffice Transport - Dedicated - DS1 combination -			OINC IA	ILOAA	0.3362						-		1		-
		First Interoffice Transport - Dedicated - DST combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		1
 		Per each Channel System 1/0 in combination Per Month	1		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.33	21.09		
		Per each OCU-DP COCI (data) in combination - per month (2.4-	1			1	00.11	100.70	1-1-10	0.04	2.77		 				
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42				1				1
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		İ
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,11,200,111		m		200				= (4)			per LSR	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1							7144.		7.44				00		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ł
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_	0.105/1	0520.	10.01	100.10	00.11	12.01	10.00	1		20.00	200		f
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		ł
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								í
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i
	Channel System per month			UNC1X	1L5XX	0.3562										ł
	Each Additional DS1 Interoffice Channel Facility Termination in															í
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		í
	Each Additional DS1 COCI in the same 3/1 channel system															ĺ
	combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42								í
	Nonrecurring Currently Combined Network Elements Switch -As-	-														ĺ
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ł
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													ı .
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															i
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		l
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															i
	Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		l
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															ĺ
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per															í
	Mile per month			UNC1X	1L5XX	0.3562										<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -															í
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
																í
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42						20.01		
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		4	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		í
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		- 1	UNCIX	UILZX	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		í
-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UTLZX	29.02	100.70	33.47	12.54	10.00	-		20.33	21.09		
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		í
 	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCINA	UILZA	37.93	100.70	33.47	12.54	10.86			20.33	21.09		
	system combination- per month	1		UNCNX	UC1CA	3.24	5.70	4.42								i
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONON	0010/1	0.24	0.70	7.72								
	Channel System per month			UNC1X	1L5XX	0.3562										ł
	Each Additional DS1 Interoffice Channel Facility Termination in	†			. 20, 0 .	0.0002										í
	same 3/1 Channel System per month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		í
	Each Additional DS1 COCI in the same 3/1 channel system	1		-	1	50				22.30				50		ĺ
	combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42								í
	Nonrecurring Currently Combined Network Elements Switch -As-	1								l						í
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		í
EXT	ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														i
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						ı .
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1											-			
	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.3562										<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -	1											-			
	Facility Termination Per Month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		·
	Per each DS1 COCI combination per month	ļ		UNC1X	UC1D1	17.58	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1										1				1
	Channel System per month	1		UNC1X	1L5XX	0.3562						l				1

UNRUNDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhib	hit· Δ
ONBONE	I TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		١									Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	1	
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42							1	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88					1	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88					1	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88					1	
	Nonrecurring Currently Combined Network Elements Switch -As-				1					1			İ			İ
1 1	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	1	
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT						1						
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
 	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile				1					1			İ			İ
	per month			UNCDX	1L5XX	0.0174									1	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	1	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	1	
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86				·		
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86				·		
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86				·		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile													·		
	per month			UNCDX	1L5XX	0.0174									1	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	1	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54	1	
ADDITIONAL	NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recurr	ng cha	raes do	not apply, but a S	witch As Is ch	arge does apr	olv.									
	n used as ordinarily combined network elements in All States, the													·		
	recurring Currently Combined Network Elements "Switch As Is"							İ		1			İ			İ
	Nonrecurring Currently Combined Network Elements Switch -As-		1							1			İ			İ
	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		52.73	24.62	9.12	9.12	1	1	53.73	24.62	1 1	
	Nonrecurring Currently Combined Network Elements Switch -As-		1							1						İ
1 1	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54	1	
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
1 1	Is Charge - DS1		1	UNC1X	UNCCC		52.73	24.62	9.12	9.12	1	1	53.73	24.62	1	
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge - DS3		1	UNC3X	UNCCC		52.73	24.62	9.12	9.12	1	1	53.73	24.62	1 1	
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1		1	UNCSX	UNCCC		52.73	24.62	9.12	9.12	1	1	53.73	24.62	1	
Optic	onal Features & Functions:		1													
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1	1	ULDD1,UNC1X	CCOEF		OI	OI	OI	OI	1	1		1	1 1	
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	i	1	ULDD1,UNC1X	CCOSF		OI	OI	OI	OI	1	1		1	1 1	
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
1 1	Activity - per DS1	1	1	UNC1X, USL	NRCCC		185.16S	23.85S	2.03S	0.79S	1	1	45.68	1.76	1	
	<u> </u>		1	U1TD3, ULDD3,				İ		1						İ
1 1	C-bit Parity Option - Subsequent Activity - per DS3	i	1	UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os	1	1	45.68	1.76	1 1	
	TIPLEXERS		1	.,									13.30			İ
MUL	IIPLEXERS										•			+		
MUL	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80	1	
MUL				UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			lustau:									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Auu i	DISC ISL	DISC Add I
							_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															1
1		used for connection to a channelized DS1 Local Channel in the											1		1		1
	<u> </u>	same SWC as collocation		<u></u>	U1TUC	1D1VG	0.91	6.07	4.66					<u></u>			<u> </u>
		DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	17.58	6.07	4.66								
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		ige Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired features	will need to b	e ordered usin	g retail USOCs	3								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Fortier Bode OMico Analysi Line Bode W Oslice ID Bo			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
	-	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Firehanna Barta, O.Wisa Analan Lina Bartantanian anki. Bar			UEPSR	UEPRO	1.89	9.93	9.19	2.00	2.92			20.35	10.54	13.32	1.40
	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled TN extended local			UEPSK	UEPRU	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	1	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus			UEFSK	UEPAQ	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
		with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	1	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			ULFOR	OLFAII	1.09	9.93	3.13	3.00	2.32	1		20.33	10.54	13.32	1.40
		port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			OLI OK	OLI AIX	1.03	9.95	3.13	3.00	2.32			20.55	10.54	10.02	1.40
		port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			02. 0.0	02.712		0.00	0.10	0.00	2.02			20.00	.0.01	.0.02	
		port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling							****	0.00							
		port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan															
		without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
1		Exchange Port - 2-Wire VG Tennessee Residence Area Plus												1			1
		without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire voice unbundled Low Usage Line Port without Caller ID															1
	1	Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	<u> </u>	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU				LUEBOB												├ ──
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
<u> </u>	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)				1								1	 		├
1		Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1	1	LIEDOD	LIEDDI	4.00	9.93	0.10	2.22	0.00		1	20.05	40.54	40.00	1.40
	1	Bus		1	UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92	1	l	20.35	10.54	13.32	1.40

UNBU	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	ibit: A
0.150		THE TOTAL CELEMENTO TOTAL COORD										Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC AUU I
							D	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		·															1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville]		
		& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
		& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN, Business Line Inward,															
		Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Voice Tennessee Business Dialing															
		Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU	-															
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO UEPLD	1.79 1.79	9.93 9.93	9.19	3.66	2.92			20.35	10.54	13.32	
-		2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPSP UEPSP	UEPLD UEPT2		9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	
		2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port		-	UEPOP	UEP12	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port	1	1	UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<u> </u>		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
-	-	2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92	-	-	20.35	10.54	13.32	
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92	 	 	20.35	10.54	13.32	
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92	 	 	20.35	10.54	13.32	
—		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		 	OLI 01	JLI ND	1.19	g.g3	3.18	3.00	2.32			20.35	10.34	13.32	1.40
1		Capable Port	1	1	UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	021 01	JLI AL	1.75	3.33	3.13	5.00	2.32			20.33	10.34	10.02	1.70
		Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.70	0.00	0.10	0.00	2.02	1	1	20.00	10.04	10.02	1.40
		Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy			02. 0.	02.7		0.00	0.10	0.00	2.02			20.00	10.01	10.02	
		Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-	1	0	2.30	20	2.30							1
1		Discount Room Calling Port	1	1	UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination,			-	1		5.50	20	2.30					1		1
		Collierville and Memphis Local Calling Plan	1	1	UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination, first trunk,								1	i			1			1
		Collierville and Memphis Local Calling Plan	1	1	UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
		Port	l	1	UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

		D NETWORK ELEMENTO. T															
UNB	UNDLE	D NETWORK ELEMENTS - Tennessee			ı	1	ı								ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RAIE ELEMENIS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						11130	Auu	11130	Addi	JOHILO	JONAN	JOINAIN	JOHAN	JOHIAN	JOINAIN
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	0.00	2.02			20.35	10.54	13.32	1.40
	FEATU				02. 0.	00/100	0.00	0.00	0.00					20.00		10.02	
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		NGE PORT RATES (COIN)					0.00	0.00									
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche						iated with 2	wire ISDN i				
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)		1	1												
		INGE PORT RATES		İ	İ	İ	İ			İ				İ	İ		í
		31 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ad	reement.		í
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this amer	ndment shall	be provided p	ursuant to a se	parate agreen	ent or tariff at	BellSouth's d	iscretion.		T			í
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01		8.47	-		20.35	10.54	13.32	1.40
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		i –		İ								1			í
1	1	capability (E:4/1/2004)	1		UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								·
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage						nission by B-Ch	nannels assoc	iated with 2	wire ISDN r	oorts.			i
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	v through BFR/New	Business Re	auest Process	Rates for the	packet capabi	lities will be de	etermined via	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	i
		NGE PORT RATES (continued)															i
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		·
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								i
		Virtual collocation - Special Access & UNE, cross-connect per															i
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						1
	Detaile	d E911 with Locator Capability (required with UEPEX port)					_	-									i
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															i
		Locator Capability - Initial Profile Establishment per CLEC per															í
		State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						,									i
		Locator Capability - Subsequent Profile Changes, Additions,															1
		Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		1
	New or	Additional PRI Telephone Numbers															í T
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															í
		Locator Capability 2-way Telephone Numbers, per number in															í
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															í T
		Locator Capability - Outdial Telephone Numbers, per number in															1
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															i
		Telephone Numbers - Inward Data Only Option [New or													1		í
	1	Additional]	1		UEPDX	UEP1E	0.00	0.94						20.35	10.54		1
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]				1											i
1	1	Inward Tel Numbers [Customer Testing Purposes]	1		UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		1
	LOCAL	NUMBER PORTABILITY															i
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							20.35	10.54		i
	INTER	FACE (Provsioning Only)				1											í
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					20.35	10.54		í
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00				İ	20.35	10.54		í
	1	Inward Data		İ	UEPDX	PR71E	0.00	0.00	0.00	İ				20.35	10.54		í
	New or	Additional Channel		İ		İ	1			İ				1			í
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.39						20.35	10.54		í
	1	New or Additional - Digital Data "B" Channel		İ	UEPEX	PR7BF	0.00	29.11		İ				20.35	10.54		í
	1	New or Additional Inward Data "B" Channel		İ	UEPDX	PR7BD	0.00	29.39		İ				20.35	10.54		í
	1	New or Additional Useage Sensitive Voice Data "B" Channel		İ	UEPEX	PR7BS	0.00	29.39		İ				20.35	10.54		í
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	29.39						20.35	10.54		í

CATEGORY MATE ELEMENTS	IINPI	INDI =	D NETWORK ELEMENTS - Tannassaa												Attach	mont: 2	Euh:	hit: A
ATE SERVETTS AT	ONBL	NULE	D NET WORK ELEWIEN 13 - Tennessee		l		I						Svc Order	Svc Order				
APTECONY PARE ELEMENTS PARE PLANEITY PARE PLANEITY PARE PARE PLANEITY PARE PLANEITY PARE PLANEITY PARE PARE PLANEITY PARE PARE PLANEITY PARE PARE PARE PARE PARE PARE PARE PARE	1																	
CATEGORY SATE BLANKETS SATE SATE BLANKETS SATE																		
March Marc	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No. or Additive PRITECT Concess PRITECT	1			m	1					- (*/			per Lon	per Lor				
CALL PRICE LIPPEX																	Disc 1st	Disc Add I
New or Additional PSI C Charmel								Rec										
CALL TYPES			Maria A Livina I PRI II PII Oli and			LIEDEY	DDZEV	0.00		Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Parent		CALL			1	UEPEX	PR/EX	0.00	29.39					-	20.35	10.54		
Comparing Comp		CALL				LIEPEX LIEPDX	PR7C1	0.00	0.00	0.00								
The part Section Sec																		
DISUNDED FORT WITH REPORT CALL FORWARDING SERVICE - INSIDE SERVICE - INS											İ							
Unbounded Remore Cell Forwarding Serious, 2016 colling. New York Cell Cell Cell Cell Cell Cell Cell Cel		UNBUN		,														
Unbunded Render Call Fovering Services Local Casing Res Local Ca		UNBUN	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
Debugging Render Call Forwarding Service North-Air Res SPFR SPR			Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Debugging Render Call Forwarding Service North-Air Res SPFR SPR																		
Debundled France Call Frowering Service, IntitutATA-169 UEPPR UERTR 1.99 9.35 9.19 3.56 2.92 20.35 10.54 13.32 1.40																		
Non-Recurring																		
Unbundled Remote Call Forwarding Senice - Conversion with UEPVR USACZ 1.03 0.29	-	Non-P				UEPVK	UEKIK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Solith-la-lisa		NOII-RE		1	-		1	1			 		1	1	1	1	1	
Unburnted Remote Call Forwarding Service - Conversion with UEPVR USACC						UEPVR	USAC2		1.03	0.29	1				20.35	10.54	13.32	1.40
UBBUNDLE REWOTE CALL FORWARDING - Bus		1		1			30.102	1	1.00	0.20	1				20.00	10.04	10.02	1.40
Unbundled Remote Call Forwarding Service. Asset Calling - Bus UEPVB UERAC 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40			allowed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29	1						1	
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERLC 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40		UNBUN	DLED REMOTE CALL FORWARDING - Bus															
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERLC 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40																		
Unbunded Remote Call Frowarding Service, InterLATA - Bus UEPVB UERTR 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40			Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Unbunded Remote Call Frowarding Service, InterLATA - Bus UEPVB UERTR 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40																		
Ubbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERV 1.89 9.30 9.19 3.66 2.92 20.35 10.54 13.32 1.40																		
Unbundled Remote Call Forwarding Service Expanded and Experigent Local Calling UEPVB UEPVB UEPVB UEPVB USAC2 1.03 0.29 20.35 10.54 13.32 1.40																		
Exception Local Calling		-			1	UEPVB	UERIR	1.89	9.93	9.19	3.00	2.92		-	20.35	10.54	13.32	1.40
Non-Recurring						LIED\/B	HEB\/ I	1 80	0.03	0.10	3.66	2 92			20.35	10.54	13 32	1.40
Unburdled Remote Call Forwarding Service - Conversion - UEPVB USAC2 1.03 0.29		Non-Re				OLI VB	OLIVO	1.03	3.33	3.13	3.00	2.32			20.55	10.54	10.02	1.40
Switch-as-Se											İ							
MURDINDED LOCAL SWITCHING, PORT USAGE						UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
UNBUNDLED LOCAL SWITCHING, PORT USAGE																		
End Office Switching (Port Usage)						UEPVB	USACC		1.03	0.29								
End Office Switching Function Per MOU	UNBU																	
Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU n Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per MOU Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Tow		End Of						0.0000044										
Tandem Switching Function Per MOU		Tondo			1			0.0008041						-				
Tandem Switching Function Per MOU (Melded) Melded Factor: 39.0% of the Tandem Rate Common Transport Common Transport - Par Mile, Per MOU Common Transport - Par Mile, Per MOU Common Transport - Fact Mile, Per MOU Common Transport - Fact Mile, Per MOU Common Transport - Fact Mile, Per MOU Common Transport - Factilities Termination Per MOU UNBUNDLED PORTILOP Combination Set Sabs Base Rates Cost Based Rates applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. UNE PortLoop Combination Rates UNE PortLoop Combination Rates UNE Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 3 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 3 Wifer VG Loop/Port Combo - Zone 2 4 Wifer VG Loop/Port Combo - Zone 2 4 Wifer VG Loop/Port Combo - Zone 2		ranuei						0.0009778										
Melided Factor: 38,00% of the Tandern Rate		1		1			1				†		1			1	1	
Common Transport - Per Mile, Per MOU ndled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Loop/Port Combo - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1		1				3.222300004			1					1	1	
Common Transport - Facilities Termination Per MOU		Comm	on Transport															
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-Wire VOICE GRADE LOOP WITH 2-Wire LINE PORT (RES) UNE Port/Loop Combination Rates 1												_			_			
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office Arate Exhibits. End Office and Exhibits. End Office Arate Exhibits. End Office								0.0003871										
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 1 14.18 2-Wire VG Loop/Port Combo - Zone 2 2 2 1 18.01 2-Wire VG Loop/Port Combo - Zone 3 3 23.02 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPRX UEPLX 12.48 2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 16.31 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 16.31 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 17.00 2-Wire Voice Grade Loop (SL1) - Zone 3 1 SUEPRX UEPLX 17.00 2-Wire voice unbundled port vith Caller ID - res UEPRX UEPRX UEPRC 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 1.70 22.14 15.25 8.45 3.91 15.69	UNBU			1/				11.11										
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates	<u> </u>										Dort	of this Date T	Vhihit		-	1	 	
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.	-													n Port/Loo	Combination	ne .	-	
2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	-																1	
UNE Port/Loop Combination Rates				Jy U		Johnson For Gul		Combos t	nomecuilli	5 31141 963 3114	Je troje idel	ca in the N		, Juneilly	John Sineu S		1	
2-Wire VG Loop/Port Combo - Zone 1							1	Ì	1		1						Ì	
2-Wire VG Loop/Port Combo - Zone 3 3 23.02		1			1			14.18								<u> </u>	İ	
UNE Loop Rates																		
2-Wire Voice Grade Loop (SL1) - Zone 1					3			23.02										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 16.31		UNE L			<u> </u>	LIEDDY	LIEDLY	10.75										
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 21.32	<u> </u>	<u> </u>									.		1		-	1	 	-
2-Wire Voice Grade Line Port Rates (Res)	-	1							-		-		 		-	-		
2-Wire voice unbundled port - residence	-	2-Wire		1	3	OLFIX	ULFLA	21.32			 		1	-		1	 	
2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 1.70 22.14 15.25 8.45 3.91 15.69		26		1		UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91	1	15.69		1	1	
						UEPRX	UEPRO	1.70				3.91		15.69				

CATEGORY 2-W diali 2-W lD -	RATE ELEMENTS Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - is (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (IMF2X) Wire voice unbundled Tennessee Area Calling port with Caller - res (IMF2X)	Interi m	Zone	BCS UEPRX UEPRX UEPRX	USOC UEPAQ UEPAH UEPAK	Rec 1.70 1.70	Nonrecurring First 22.14	Add'I 15.25	Nonrecurring First	Add'l	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W Fes 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W Fes 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W Fes 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l		per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)	m		UEPRX UEPRX	UEPAH	1.70	First		First	Add'l			Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN	OSS	Rates (\$)		
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	-	22.14	15.25								,
2-W res 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	-	22.14	15 25								
res 2-W	s (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TMCSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX		1.70		10.20	8.45	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX		1.70	00.44	45.05	0.45	0.04		45.00				f
D - 2-W D -	 res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller res (1MF2X) 				UEPAK		22.14	15.25	8.45	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)				UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID - 2-W ID - 2-W ID -	- res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)				1	1.70	22.14	15.25	0.40	3.91		15.69				
2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID - 2-W ID -	- res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			OLITAX	OLI AL	1.70	22.14	13.23	0.40	5.51		15.05				
2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID -	- res (1MF2X)			021101	02.7			10.20	0.10	0.01		10.00				
2-W ID -				UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				ł
ID -						-		-								i
2-W	- res (2MR)	<u></u>	<u>L</u>	UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69				<u> </u>
	Vire voice unbundles res, low usage line port with Caller ID															1
(LUI				UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire Voice Unbundled Tennessee Residence Dialing Plan															<u></u>
	hout Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				Ļ
	Vire voice unbundled Tennessee Area Plus Port without															ł
	ller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire voice unbundled Low Usage Line Port without Caller ID					. =-										f
	pability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEATURES				HEDDY	LIEDVE	0.00	0.00	0.00				45.00				
	Features Offered JMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	cal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	RRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIX	LINFOX	0.33										
	Wire Voice Grade Loop / Line Port Combination - Conversion -															
	itch-as-is			UEPRX	USAC2		1.03	0.29				15.69				ł
2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -															·
	ritch with change			UEPRX	USACC		1.03	0.29				15.69				ł
	Vire Voice Grade Loop / Line Port Combination - Conversion -															
Sub	bsequent Database Üpdate						0.76					15.69				ł
ADDITIONA																
	Vire Voice Grade Loop/Line Port Combination - Subsequent															í
	tivity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	bundled Miscellaneous Rate Element, Tag Loop at End User			l	[1
	emise		<u> </u>	UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	REMISES EXTENSION CHANNELS		<u> </u>	HEDDY	LIEAES:			20.5-	10.0-				22.2-		10.0-	
	Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN UEAEN	13.19	31.99 31.99	20.02	10.65	1.41		-	20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Vire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Non-Design	-	3	UEPRX UEPRX	UEAEN	17.23 22.53	31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32	13.32
	Wire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAEN	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design Vire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06 75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design Vire Analog Voice Grade Extension Loop – Design	-	3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ICE TRANSPORT		Ť		322	20.20	70.00	70.20	20.70	17.04			20.00	10.04	10.02	10.02
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											i Total
	rmination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						ł
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															i
	Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00	<u> </u>							<u> </u>
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					·										
	Loop Combination Rates															
	Vire VG Loop/Port Combo - Zone 1		1			14.18										
	Vire VG Loop/Port Combo - Zone 2		2		1	18.01										
	Vire VG Loop/Port Combo - Zone 3		3		1	23.02										
UNE Loop I				HEDDY	LIEBLY	10.10	ļ									
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPBX UEPBX	UEPLX	12.48	ļ									
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX UEPLX	16.31 21.32										

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted	1	Incremental		Incremental Charge -	Incremental Charge -
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.	Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Bus)															i
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX UEPBX	UEPBC UEPBO	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				
		2-Wire voice Grade unbundled Tennessee extended local			OLI BX	OLI BO	1.70	22.14	13.23	0.40	3.91		13.03				
		dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				i
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL	. NUMBER PORTABILITY			UEPBA	UEPBE	1.70	22.14	15.25	0.45	3.91		13.09				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	-															
		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
-		Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX UEPBX	UEAEN UEAEN	17.23 22.53	31.99 31.99	20.02	10.65 10.65	1.41 1.41		 	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		2 Wire Analog Voice Grade Extension Loop – Nort-Design 2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	INTER	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
-	UNE Po	ort/Loop Combination Rates					1110										
-	1	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		+	14.18 18.01			 			-				
	1	2-Wire VG Loop/Port Combo - Zone 3		3		1	23.02			-			†				
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2 Wire	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32			-			<u> </u>				
	∠-vvire	Voice Grade Line Port Rates (RES - PBX)	1			1				I		1	1				1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrecurring			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -					. =-										
1.004	Res IL NUMBER PORTABILITY			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LUCA	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEATU				OLFRG	LINE CE	3.13	0.00	0.00				13.09				
I LAI	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IKO	OLI VI	0.00	0.00	0.00				10.00				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -]		
	Subsequent Database Update						0.76					15.69				
ADDIT	FIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								1					1		
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.04	4404				45.00				
-	Group						14.64	14.64	1			15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OEE/O	DN PREMISES EXTENSION CHANNELS			UEPRG	UKEIL		0.33	0.63			1		20.33	10.54	13.32	13.32
01170	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		_	18.01										
	2-Wire VG Loop/Port Combo - Zone 2		3			23.02										
UNFI	Loop Rates		3		+	23.02										
OIVE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
															_	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				Į .
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91	1	15.69		 	-	
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69		1		
	Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	-	 	ULPPA	UEFIZ	1.70	22.14	15.25	8.45	3.91	 	15.69		-		1
	Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69		1		
 	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91	1	15.69		 	1	1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69		1		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69			İ	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69			İ	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					-]		
1 I	Administrative Calling Port	1	<u> </u>	UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69				ļ
\vdash																
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				

UNBUN	IDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
														Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
0711200	•••		m			0000			= (0)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	Disc Add I
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling			LIEDDY	LIEDVII	4.70	00.44	45.05	0.45	2.04		45.00				
		Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91	ļ	15.69				
		Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
-		Tennessee PBX 2-Way Combo Each Additional Trunk			ULFFX	OLFAV	1.70	22.14	13.23	0.40	3.91	1	13.09				-
		Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee PBX 2-Way Combo First Trunk Collierville and			OLITA	OLITIO	1.70	22.17	10.20	0.40	0.01		10.00				
		Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
L	OCAL	NUMBER PORTABILITY			02.17	02.7.	0		10.20	0.10	0.01		10.00				
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
F	EATU							0.00									
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.76					15.69				
Α	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.04	4404				45.00				
		Group						14.64	14.64			1	15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
_	EE/ON	N PREMISES EXTENSION CHANNELS			UEFFX	UKEIL		0.33	0.63			1	1	20.33	10.54	13.32	13.32
-	JFF/OI	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64		-	20.35	10.54	13.32	13.32
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
IN	NTERC	OFFICE TRANSPORT		0	02.17	OBBEA	10.02	1 10.0 1	112.01	70.11	00.00			20.00	10.01	10.02	10.02
t t		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								Ì					1		
		Termination	l		UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile	<u> </u>		UEPPX	U1TVM	0.0174	0.00	0.00		<u></u>						
U	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
ļ		2-Wire VG Coin Port/Loop Combo – Zone 3		3		ļ	23.02										
U		pop Rates	ļ	L .	LIEBOO							ļ					
$\vdash \vdash$		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	12.48					ļ					
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2	!	2	UEPCO	UEPLX	16.31					<u> </u>			 		
<u> </u>	Marine 1	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPCO	UEPLX	21.32			-		1			ļ		
2-	-wire	Voice Grade Line Ports (COIN)	 			+				ļ		1	-		 		
		2-Wire Coin 2-Way without Operator Screening and without	l		LIEDCO	LIEDTR	1 70	22.44	15.05	0.45	2.04		15.00				
		Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	 		UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91	1	15.69		 		
		900/976, 1+DDD (NC, TN)	l		UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
\vdash		2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		OLFOO	ULFKF	1.70	22.14	15.25	0.45	3.91	}	15.69		1		
		(TN)	1		UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69		1		
		2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	1	 	021 00	OLI IA	1.70	22.14	13.23	0.45	3.91	1	13.09		 		
				1	1						•						1

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	••••		m		200	5555			== (+)			perLSK	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking		 		+		11130	Auu i	11130	Addi	JOHILO	JONAN	JONAN	JONAN	JOHAN	JONAN
		(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
	_	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLI IO	1.70	22.14	15.25	0.40	3.31		15.05				
		900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88	22.17	10.20	0.40	0.01		15.69				
	_	2-Wire Coin Outward Smartline with 900/976 (all states except			OLFCO	OLFCK	1.00						13.08				
		I A)			UEPCO	UEPCR	1.88						15.69				
	ADDIT	ONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFCK	1.00						13.08				
	ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
	+	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35	0.00	0.00	0.00	0.00	1	15.05				-
	_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFCO	LINFOX	0.33										
		Switch-as-is		1	UEPCO	USAC2		1.03	0.29				15.69		Ì		1
	-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	OLFOO	USAUZ		1.03	0.29	-		-	15.09		 		
		Switch with change			UEPCO	USACC		1.03	0.29				15.69				1
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		 	ULFCO	USACC		1.03	0.29			1	15.09				
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		1	UEPCO	USAS2	0.00	0.00	0.00				15.69		Ì		1
	-			-	UEPCO	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEBOO	UDET		0.00	0.00					00.05	40.54	40.00	40.00
	0.14/105	Premise		ODT (UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (I	KES)												
	UNE P	ort/Loop Combination Rates		1			10.45										
	-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					18.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
	I INTE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
	UNE LO	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
	2-Wire	Voice Grade Line Port Rates (Res)			LIEDED	LIEBBI	4.00	0.1.00			00.50		15.00				
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice Grade unbundled Tennessee extended local															
		dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
		res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller		1											Ì		1
		ID - res (TACER)		 	UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69		ļ		1
		2-Wire voice unbundled Tennessee Area Calling port with Caller		1	l	l									Ì		1
		ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire Voice Unbundled Tennessee Residence Dialing Plan															
		without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69		ļ		
	INTER	DEFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
		Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1							1			1			1
		or Fraction Mile			UEPFR	1L5XX	0.0174										<u> </u>
	FEATU																
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										1					

CATEGORY RATE ELIMENTS BAS USOC PARTES (8) Security Company	UNBUNDI F	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
ATE CLEMENTS North Zone BCS	5.155.15E	TOTAL CONTROL OF TOTAL										Svc Order	Svc Order				Incremental
## BATE BLEMENTS Inferior Zurus Back USOC Facility BATE BLEMENTS Part S Dec Lab Color Co																	Charge -
## APTE GREWITS ## Zone BCS USOC ## APTE GREWITS ## LER put List Order to Destroy Dest																	Manual Svc
Bistantian Bis	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Second Process Proce			m						== (+)			per LSK	per LSK				
Proceedings																	
Section Decision Decision Decision Transport														1st	Add'I	Disc 1st	DISC Add'I
Description							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		ı
Combination - Conversion - Send-rose of Se							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Local Protection of Transport Wire Line Period		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Convention - Sentic - Wind - Change UPEPPR USSCC 16,94 3.72 15,99 UPUND - Combination - Change - Ch		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
Disturbed Macelineaux Rate Seneral. Tag Disagned Loop at		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
First later Premise		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
2 2 2 2 2 2 2 2 2 2		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
UNE Force (Sept Composition Rates)						URETN		11.23	1.10					20.35	10.54	13.32	13.32
2-Win Vio Loop Or Transport Print Control - Zone 1 1 1.5.5 2.5	2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												
2-YMW VS LearDI Transported Cortino - Zone 3 2 2.52.5 3.917	UNE F	Port/Loop Combination Rates															
Very 100 Very 100		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
UPL Loop Rates		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
2-Wire Yoos Grade Loop (SL) - Zonn 1				3			30.17										
2Wine Votos Grade Lorgo (SL) - Zono 2 2 DEPRB USCP2 21.65	UNE L																
2-Wire Vote Grade Line Port (SE2) 2 20:8 3 USPPS UCES2 20:28 5 15:89 2 2 2 2 2 2 2 2 2				1													
2 2																	
2-Wire votes unbundled port willholder 1-54 dat D- bus UEPPB UEP				3	UEPFB	UECF2	28.28										
2-Wire voice unbundled port with Caller F Edit ID - Dus UEPPB UEPPC 1.88 64.99 57.39 32.36 20.56 15.99	2-Wire	e Voice Grade Line Port (Bus)															
2-Wife voice unbundled port outgoing only - bus																	
2-Vivir votor Grade unbundled incoming party port with Callet PD - bus UEPRB UEPAV 1,88 84.99 57.39 32.36 20.56 15.69																	
Seling pathy port with Caller ID - bus UEPFB UEPAU 1,880 84.99 57.39 32.36 20.56 15.69		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire voice unbundled frommission by correct with Caller D - Bus UEPFB UEPB 1.89 64.99 57.39 32.36 20.56 15.69		2-Wire voice Grade unbundled Tennessee extended local															
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling UEPFB UEPAC 1.88 84.99 57.39 32.36 20.56 15.69																	
Port Economy Option (TACC1)		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire voice unbundled Tennessee Bits 2-Way Area Calling Port Standard Option (TACC2) Standard Option (Part Standard Opt		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
Port Standard Option (TACC2)					UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire vote unbundled Tennessee Bus 2-Way Collerville and Memphis Local Calling Part (BLP) UEPFB UEPB UEPWO 1,88 84,99 57,39 32,36 20,56 15,69																	
Memphis Local Calling Port (BZF)					UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire Volce Unbundled Transesse Business Dialing Plan UEPFB UEPWO 1.89 84.99 57.39 32.36 20.56 15.69																	
Without Caller ID					UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)																	
GUS UEPB UEDB UEPB			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69						
Tennessee 2-Way Collien/Wile and Memphis Local Calling Plan (BUS)																	
COLON LOCAL NUMBER PORTABILITY UEPFB UEPB3 1.89 84.99 57.39 32.36 20.56 15.69					UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
LOCAL NUMBER PORTABILITY																	
Local Number Portability (1 per port)					UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
INTEROFFICE TRANSPORT	LOCA																
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB U1TV2 18.58 55.39 17.37 27.96 3.51	L			 	UEPFB	LNPCX	0.35			.				.	<u> </u>	ļ	
Termination	INTER					1				ļ				ļ	ļ	ļ	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile of Fraction Mile UEPFB UEPFB UEPVF 0.00 0.0] [LIEDED				.=		.			I		1	
OF Fraction Mile	\vdash	1 Girmin Gulori		<u> </u>	UE P F B	U11V2	18.58	55.39	17.37	27.96	3.51	1			!		
FEATURES				1	LIEDED	41.5007				1				1			
All Features Offered	—			<u> </u>	UERFR	1L5XX	0.0174			.				-	1		1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEAT			<u> </u>	LIEDED	LIED\"	0.00	2.22	0.00	-			15.00	-	ļ		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFB USAC2 16.94 3.72 15.69				<u> </u>	UERFR	UEPVF	0.00	0.00	0.00	.			15.69	-	1		1
Combination - Conversion - Switch-as-is	NONR			<u> </u>		+				!		}		!	ļ	 	1
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFB USACC 16.94 3.72 15.69 UID U				1	LIEDED	LICACO		40.01	0 =0	1			45.00	1			
Combination - Conversion - Switch with change			-	1	UERLR	USAC2		16.94	3.72	 		1	15.69	 	 	1	-
Unbundled Miscellaneous Rate Element, Tag Designed Loop at UEPFB URETN 11.23 1.10 20.35 10.54 13.32 13 13 2-WIRE VOICE GADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX) UNE Port/Loop Combination Rates UEPFB URETN 18.45	1 1			1	LIEDED	LICACO		40.04	0.70	I			45.00	I		Ì	
End User Premise	\vdash		-	1	UEPFB	USACC		16.94	3.72	 		1	15.69	 	 	1	-
2-Wire Voice Grade Loop / 2Wire Voice Grade IO TRANSPORT/ 2-Wire Line PORT (PBX) UNE Port/Loop Combination Rates				1	LIEDED	LIDETN		44.00	4.40	1				20.05	40.54	40.00	13.32
UNE Port/Loop Combination Rates	0 14/15		 	OPT "		UKEIN		11.23	1.10	 		1		20.35	10.54	13.32	13.32
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			LINE	OKI (- DA)	+				 		-			 	 	-
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 23.52	UNE		-	1		+	10 AE			 		 			1	-	-
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 30.17	\vdash					+		ļ						-	 	-	-
UNE Loop Rates UNITY 2-Wire Voice Grade Loop (SL2) - Zone 1 1 UEPFP UECF2 16.56 2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 21.63	\vdash					+				 		-			 	 	-
2-Wire Voice Grade Loop (SL2) - Zone 1	I INIT I			3		+	30.17	ļ		 				-	 	-	-
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 21.63	UNE			1	LIEDED	LIECES	16 56			 		-			 	 	-
										 		1		 	 		
	-	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	3		UECF2	28.28			 		-	 	 	1		

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
<u>_ </u> <u>_</u>	Ŧ											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -			Charge -
															Charge -	Charge -	
CATEGOR	v	RATE ELEMENTS	Interi	7	BCS	usoc			DATES (6)			Elec	-	Manual Svc	Manual Svc		Manual Svo
CATEGOR	T	RATE ELEMENTS	m	Zone	BCS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Wire V	oice Grade Line Port Rates (BUS - PBX)							71441		7.444.						00
2-1	VIIIC V	oice Grade Line i ort reales (BOO - 1 BX)															
	١.	' O' I - II - I - II - I O I ' O W DDV T I D I D I			LIEDED	LIEDDO	4.70	400.40	00.00	40.07	40.54		45.00				
		ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
	L	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
					OLITI	OLI IZ	1.73	100.40	05.00	42.07	10.54		10.00				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDED	LIEDTO	4 = 4	400 10	00.00	40.00	40 = 1	1	45.60				
		Calling Port		<u> </u>	UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69		ļ		ļ
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54	1	15.69		1		
	2	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.7.0		100.10	00.00	12.01	10.01		10.00				
					UEPFP	UEPXE	1.79	400.40	00.00	40.07	40.54	1	45.00				
		Capable Port		1	UEPFP	UEPAE	1.79	106.40	63.08	42.67	18.54	1	15.69		 		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	l F	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy								12.01							
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
					UEPFP	UEFAIN	1.79	100.40	03.00	42.07	10.34		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	F	Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
					ULFIF	ULFAV	1.75	100.40	03.00	42.07	10.54		13.09				ļ
LO		NUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INT		FFICE TRANSPORT															
	li li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	1	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	li li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.0174										
CC.	ATUR				OLITI	TLOXX	0.0174										
re/			-	1	LIEDED	LIEDVE	0.00	0.00	0.00				45.00				1
		All Features Offered		ļ	UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1						1]]
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										I]		1		
l		Combination - Conversion - Switch-as-is	<u></u>	<u>L_</u>	UEPFP	USAC2		16.94	3.72			<u> </u>	15.69		<u> </u>		<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72			I	15.69		1		
		Inbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	i					+		1	12.30		l		1
		End User Premise			UEPFP	URETN		11.23	1.10			1		20.35	10.54	13.32	13.32
LINIDI INID: 1			-	1	ULFFF	OKETN		11.23	1.10					20.35	10.54	13.32	13.32
		ORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>		+											
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1											
UN		t/Loop Combination Rates															
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38								l		
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	24.78										1
LIN		pp Rates	1	Ť		1 1	270	+		1		1			l		1
JIV		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX	UECD1	9.60					-	H		-		1
												1			 		1
1		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09										ļ
		P-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	16.00								1]
UN	E Por	t Rate															
UN	E Por				UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		

CATEGORY RATE ELEMENTS Interimal Discrimination of the content	JNBUNDLE	D NETWORK ELEMENTS - Tennessee													Attach	ment: 2	Exhi	bit: A
ATE REMENTS ATE REMANNING ATE REMENTS ATE REMENTS ATE REMENTS ATE REMENTS ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMENTS ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMANNING ATE REMAINS											Svc Order	Svc Order						
PATE LEMENTS			1															Charge -
ANTE CAMPOON PARTE ELBROMS WIND BOOK BOOK BOOK BOOK BOOK BOOK BOOK BOO			Intor				1											Manual Svc
None None	ATEGORY	RATE ELEMENTS		Zone	В	CS	USOC			RATES (\$)								Order vs.
1			m							,			per Lor	per Lor				
Part March																		
March March March March First Addril First Addril SOMAN SO																	Diac 1st	Diac Auu I
District Note Store Company								Poo	Nonrecurring		Nonrecurring	g Disconnect						
Section Sect								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description Description																		
with BellSouth Association Stage UPPY USANC 8.75 5.75 5.75 5.75 5.76 1.70					UEPPX		USAC1		8.76	5.75					30.89	7.03		
Unborded Miselelmance Rade Echrent, Tap Designed Lose at Virginia Processing Conference Conferenc																		
End Later Premise.com USPPX USPX USPPX USPPX USPPX USPPX USPPX USPPX USPPX USPPX					UEPPX		USA1C		8.76	5.75					30.89	7.03		
Temphone Number Frunt Group Establishment Charges UPPS																		
SOT DUAN Terrenation (Febr EP PC1)					UEPPX		URETN		11.23	1.10								
Additional DN Interfers for each Group of 20 DN Interfers DUPPR Variable DUPPR Variab	Teleph				LIEBBY/													
DID Numbers, Note: consecutive DID Numbers Per Number UEPPY NDS 0.00																		
Reserve Non-Contended BC combers UEPPY NSC 0.00																		
Reserve DD Numbers																		
CoCA NUMBER PROFESSION CORPORATION UEPPR UEUR OO OO OO OO OO OO OO OO OO O			1	1							1	 	1	1	 	1	1	
	1.004		 	<u> </u>	UEPPX		אטא	0.00	0.00	0.00	1	!	}		!	1	 	
2 2 2 2 2 2 2 2 2 2			1	1	HEDDY		LNDCD	0.45	0.00	0.00		1	1	-	1		-	
UPP UPP			UE OIDE	DODT			LNPCP	3.15	0.00	0.00								
Wind Wind			NE SIDE	PORT			 	 				 			 			
UNE Zone 1	UNE PO		 	 			1	1	 		1	-	 			1	-	
Wilson Digital Grade Loop-ZWI SISN Digital Line Side Port - 2 UEPPB UEPPR 34.78				1	LIEDDD	HEDDD		22.27										
UNE Zone 2				-	UEPPB	UEFFR	·	32.21										-
27 ISON Dipital Grade Loop-ZW ISON Dipital Line Side Port 3 UEPPB UEPPR 44.32				2	LIEDDD	LIEDDD		24 70										
UNE Lone 3 3 UEPPB UEPPR UEP			-		UEPPB	UEFFR	+	34.76				-		-	-			
UNE Loop Rates				2	LIEDDD	LIEDDD		44.22										
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 18.71	LINE			3	UEPPB	UEFFR		44.32										-
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEDPR USL2X 18.71				1	LIEDDR	HEDDD	LISL 2Y	16.20					1	1				
2.Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USLZX 28.25		2-Wile IODIN Digital Grade Loop - ONE Zone 1		_ '	OLITD	OLITIK	OOLZX	10.20										
2.Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USLZX 28.25		2 Wire ISDN Digital Grade Loop LINE Zone 2		2	LIEDDD	LIEDDD	1161 50	10 71										
UNE For Rate UEPPB UEPPR UEPPB 16.07 11.175 118.37 49.20 43.26 19.99	-											1	1					
Exchange Port - 2-Wire ISDN Line Side Port UEPPB UEPPR UEPPB 16.07 141.75 118.37 49.20 43.26 19.99 1	UNE P			3	OLITO	OLITIK	OOLZX	20.23				1	1					
NONRECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Did Grade Loop / 2-Wire ISDN Did Grade Loop / 2-Wire ISDN Loop / 2-Wi	ONE I				LIEPPR	LIEPPR	LIEPPR	16.07	141 75	118 37	49.20	43.26	1		19 99	19 99		
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Countries on Combination - Countries on Combination - Sub Active UEPPB UEPPR USASB UEP	NONRE				OLITE	OLITIK	OLI I B	10.07	141.70	110.07	40.20	40.20			10.00	10.00		
Combination - Conversion	NOMINE																	
ADDITIONAL NRCS					LIFPPR	LIFPPR	USACB	0.00	117 23	117 23					19 99	19 99		
2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actry Non-FeatureAdd Trunk UEPPB UEPPR USASB 212.88 N 19.99 19.9	ADDITI				02	OL: III	00/102	0.00	111.20	20					.0.00	10.00		
Non Feature/Add Trunk																		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPPB UEPPR URETN 11.23 1.10					UEPPB	UEPPR	USASB		212.88						19.99	19.99		
End User Premise							1	1				1			12.30			
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPPB UEPPR URETL 8.33 0.83	1		1		UEPPB	UEPPR	URETN		11.23	1.10		I			I		1	1
Premise	1						1	†				İ			İ		İ	
LOCAL NUMBER PORTABILITY	1		1		UEPPB	UEPPR	URETL		8.33	0.83		I			I		1	1
B-CHANNEL USER PROFILE ACCESS:	LOCAL	NUMBER PORTABILITY																
CVS/CSD (DMS/5ESS)			<u></u>		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CVS (EWSD)	B-CHA	NNEL USER PROFILE ACCESS:																
CSD UEPPB UEPPR UTUCC 0.00 0.				<u></u>				0.00		0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																		
CVS/CSD (DMS/5ESS)					UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
CVS (EWSD)	B-CHA		C,MS, &	TN)						· · · · · · · · · · · · · · · · · · ·								
CSD																		
USER TERMINAL PROFILE																		
User Terminal Profile (EWSD only)					UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
VERTICAL FEATURES All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 0.00				<u> </u>			1					1			1			└
All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.			ļ	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00		ļ	<u> </u>		ļ			↓
INTEROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, additional mile UEPPB UEPPR MIGNC 17.91 53.99 17.37 19.99 19.99 Interoffice Channel mileage each, additional mile UEPPB UEPPR MIGNC 17.91 53.99 17.37 19.99 19.99 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT							L					ļ	<u> </u>		1			1
Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR MIGNC 17.91 53.99 17.37 Interoffice Channel mileage each, additional mile UEPPB UEPPR MIGNC 17.91 53.99 17.37 UEPPB UEPPR MIGNM 0.173 0.00 0.00				<u> </u>	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		1			1			
facilities termination UEPPB UEPPR M1GNC 17.91 53.99 17.37 19.99 19.99 Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.173 0.00 0.00 9.00 9.00 9.00 9.00 9.00 9.0	INTER		ļ	<u> </u>			1					ļ	<u> </u>		ļ			1
Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.173 0.00 0.00 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	1		1]			I			I		1	1
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT												.			19.99	19.99		
			<u> </u>	<u> </u>	UEPPB	UEPPR	M1GNM	0.173	0.00	0.00		ļ	<u> </u>		ļ			↓
							1	l	I			1		1	1		ļ	↓

LINBUNDU	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
ONBONDLI	I NETWORK ELEMENTS - Tellilessee	1				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
0		m		200				(4)			per LSR	perLSK	Order vs. Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	the effective date of	of this amend	ment shall be										
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
UNE I	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
UNE	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDI	TONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			LIEDDO	55707											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
Name	Inward Data			UEPPP	PR71E	0.00	0.00	0.00			1					
New o	r Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39				1		19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00					1		19.99	19.99		
	New or Additional Inward Data B Channel		-	UEPPP	PR7BD	0.00	29.11 29.39						19.99	19.99		
CALL	TYPES			OLFFF	FRIBD	0.00	25.35				1	-	15.55	19.99		
CALL	Inward	 		UEPPP	PR7C1	0.00	0.00	0.00	1	1	 		t	1	1	
 	Outward	1		UEPPP	PR7CO	0.00	0.00	0.00	 	 	1		 	1		
 	Two-way	1		UEPPP	PR7CC	0.00	0.00	0.00	 	 	1		 	1		
Interd	ffice Channel Mileage	 		02.71		0.00	5.00	0.00	†				-			
	Fixed Each Including First Mile	1		UEPPP	1LN1A	76.1825	145.98	109.85	19.55		1		19.99	19.99		
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.3525	145.36	103.03	19.55			<u> </u>	13.35	13.35		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		02.71		0.0020			†		1		<u> </u>			
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	ember	ded base in place a	s of 10/2/03 i	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.		1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff												-			
	Port/Loop Combination Rates	T			1								1			
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	1	93.28			†				19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
UNE I	oop Rates	Ì														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
UNE	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			1										I	
	- Switch-as-is (E:4/1/2004)	1		UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1]			_			
	- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>		UEPDC	USAWA	l	312.91	312.91	I]			19.99	19.99		

ACCRETION ACCR	UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment· 2	Evhi	bit: A
ACTION OF PAIR ELEMENTS IN THE BOOK STATE (B) Company (Company Company	SHESHEL	D INC. IT CHILL LEGIS - 1 CHILCOSCC										Svc Order	Svc Order				Incremental
ART ELEMENTS Part P	1		1			1											Charge -
## 2000 BCS USC PATE (EMEMPTS Mark Zone BCS USC PATES (ft) part (58) par			l														Manual Svc
March Marc	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
15 April 1972 197			m						- (+)			per Lak	hei rok				Electronic-
Activation Proceedings Activate DOTS Trank Port Combinators Activate DOTS Trank Port Combinators Activate DOTS Trank Port Combinators Activate DOTS Trank Port Science Activate D																	Disc Add'l
APPLICATE DESIGNATION OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF THE			<u> </u>			<u> </u>										טוסט ואנ	וסנ Auu I
AVECUATION AVECUATION AVECUATION CONTRACT CON							Boo	Nonrecurring		Nonrecurring	g Disconnect			oss			
Convention with Charger Transf (C-EVICON)							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL NICE																	
A-Vinit DST Lorg / 4-Vinit DST Trush Part - Subsequent UBPDC					UEPDC	USAWB		312.91	312.91					19.99	19.99		
Service Activity Per Services Center USAGE 94.88 04.88	ADDIT																
A Vere IDS Long A Vere DIDIT Annual Content Character Annual C																	
Subsequent Channel Achiester Chan - 2 Way Tunk USPTC USPTA 108 CP	ļ			<u> </u>	UEPDC	USAS4		94.88	94.88								
Average Compared Activation Compared A					LIEDDO	LIDTTA		400.07	400.07					40.00	40.00		
Channel ActiviticsChain - 1-Way Outwood Trank					UEPDC	UDITA		108.67	108.67					19.99	19.99		
Avenue Color Avenue Color Co					LIEDDC	LIDTTB		100.67	100.67					10.00	10.00		
Activation/Chain Invasid Trans World DID USEPIC UDTTC 198.67 188.67 19.99					UEPDC	UDITE		100.07	100.07					19.99	19.99		
### Control of Part No. Wind District Wind Part Subspect Chan UPPDC UDTTD 106.67			l		LIEDDC	LIDTTC		108 67	108 67					10.00	10.00		
Actionion Per Chain - Inward Trunk skills DID Lepton DITS Trunk Prof. Subspirit Chain 1999 1	 		1	 	OLI DO	00110		100.07	100.07	 				15.99	19.99	 	
Alternate Mark Inversion			l		UEPDC	UDTTD		108 67	108 67					19 99	19 99		
BIPCAR SERG SUBSTITUTION			1		02. 00	22112		100.07	100.07	†				10.00	10.00		
BPDCARF SZERO SUBSTITUTION			1		UEPDC	UDTTE		108 67	108 67					19 99	19.99	1	
BRDS: Superfarme Format	BIPOL		1			32		100.07	100.07	1				10.00	15.55	1	
SREZE - Estended Superframe Format					UEPDC	CCOSF		0.00i	590.00s	1				19.99	19.99	1	
Alternate Mark Inversion										1						1	
MAI - Extended SuperFrame Format UEPDC MCOPO 0.00	Alterna																
Telephone Number for 1-Winy Custom Strate (Seepa Without DID UEPDC UDTGX 0.00 19.99		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
Telephone Number for 2-Way Trunk Group		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number for 1-Way Puward Turk Group Without DID UEPDC UDTGZ 0.00 19.99 19	Teleph																
Telephone Number for 1-Way Invented Trunk Group Without DID UEPDC UDTGZ 0.00 19.99																	
DID Numbers for each Group of 20 DID Numbers DEPDC NO4 0.00 19.99 19.99 19.99 NO Numbers (not consecutive DID Numbers), Per Number UEPDC ND5 0.00 0.00 0.00 0.00 NO NO NO NO NO NO NO																	
DID Numbers, Non- consecutive DID Numbers DEPDC NDS 0.00																	
Reserve DNon-Consecutive DID Nos.			ļ					ļ	ļ	ļ						ļ	
Dedicated DSI (Interoffice Channel Mileage) - FXFCO for 4-Wire DSI Digital Loop with 4-Wire DDITS Trunk Port								2.5-						19.99	19.99		
Dedicated DSI (Interoffice Channel Mileage) - EXPECD for 4-Wire DSI Digital Loop with 4-Wire DDITS Trunk Port			ļ	<u> </u>						ļ				-	ļ		
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities UEPDC 1LNO1 75.83 145.98 109.85 19.66 14.99	De "		Dinit-	l l a arr			0.00	0.00	0.00	1	-			!	ļ	 	1
Termination UEPDC	Dedica		i טוgital	Loop	WILIT 4-WIFE DUITS	TUNK PORT			-	1					1	-	
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1LNOA 0.3525 0.00			1		LIEDDC	11 NO1	75 00	145.00	100.95	10.66	14.00			I		1	
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		TerriiriauOff)	 	 	OLPDC	ILINOT	/5.83	145.98	109.85	19.06	14.99				1	-	
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		LIEPDC	11 NOA	0.3525	0.00	0.00					I		1	
Termination UEPDC	 		 		021 00	ILINOA	0.3325	0.00	0.00	1				t	1	1	1
Interoffice Channel Mileage - Additional rate per mile - 9-25 UEPDC 1LNOB 0.3525 0.00 0.00 0.0			1		UEPDC	11 NO2	0.00	0.00	0.00					I		1	
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOB 0.3525 0.00 0			1				5.50	0.00	0.00	1				1	1	1	
Interoffice Channel Mileage - Rived rate 25+ miles (Facilities UEPDC 1LNO3 0.00 0.0			1		UEPDC	1LNOB	0.3525	0.00	0.00					I		1	
Termination UEPDC 1LNO3 0.00					-			2.30	1.50	1				1	1	1	
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			1		UEPDC	1LNO3	0.00	0.00	0.00					I		1	
Local Number Portability, per DS0 Activated		·								1					1		
Local Number Portability, per DS0 Activated		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3525	0.00	0.00					I		1	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE DS1 Loop - UNE Zone 1		Local Number Portability, per DS0 Activated					3.15	0.00	0.00								
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement.					UEPDC	CTG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used The UNEP DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE DS1 Loop UNE Zone 1																	
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 2 UEPMG USLDC 57.73 0.00 0.00 0.00 4-Wire DS1 Loop - UNE Zone 2 2 UEPMG USLDC 98.59 0.00 0.00 0.00 1 UNE DS0 Channelization Capacities (D4 Channel Bank Configurations) 24 DS0 Channel Capacity - 1 per DS1 UEPMG VUM24 131.87 0.00 0.00 19.99																	
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. Wine DS1 Loop - UNE Zone 1						1		l	L	L			L	L]	
UNE DS1 Loop													shall revert	to tariff rates	or a separate	agreement.	
4-Wire DS1 Loop - UNE Zone 1			e effect	ive date	e of this amendmen	t shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.			ļ		
A-Wire DS1 Loop - UNE Zone 2 2 UEPMG USLDC 75.40 0.00	UNE D		ļ	<u> </u>	LIEDMO	1101 50	F7	0.00	0.00					-	ļ		
4-Wire DS1 Loop - UNE Zone 3 3 UEPMG USLDC 98.59 0.00	 		1							ļ		-		1	ļ	-	
UNE DSO Channelization Capacities (D4 Channel Bank Configurations) UEPMG VUM24 131.87 0.00 0.00 19.99 19.99			1							ļ		-		1	ļ	-	
24 DSO Channel Capacity - 1 per DS1	TIME D		l	3	UEFIVIG	USLDC	98.59	0.00	0.00	 				-	 		-
48 DSO Channel Capacity - 1 per 2 DS1s	ONE D	24 DSO Channel Capacity - 1 per DS1	13 <i>)</i>	1	LIEDMG	\/LIM24	121 07	0.00	0.00	 				10.00	10.00		-
96 DSO Channel Capacity -1 per 4 DS1s		48 DSO Channel Capacity - 1 per DS1	1							1		-				1	1
144 DS0 Channel Capacity - 1 per 6 DS1s UEPMG VUM14 791.42 0.00 0.00 19.99 19.99	 		1	 						 						 	
	 		 							1						1	1
1 1 1 1 1 1 1 1 1 1	 	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00	 				19.99	19.99	 	

UNRI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
3,150	,,40LL	THE TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Indan:									Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	<u> </u>	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multipi	es of this configuration functioning as one are considered Ad	ad'i atte	r tne m	inimum system con	riguration is	countea.										
		NRC - Conversion (Currently Combined) with or without			UEPMG		0.00	000.04	45.74					40.00	40.00		
	Custom	BellSouth Allowed Changes	th Chan			USAC4	0.00	303.61	15.74	-				19.99	19.99		
		n Additions at End User Locations Where 4-Wire DS1 Loop wi lot Currently Combined) in all states, except in Density Zone 1				Ination Curre	entiy Exists and	1 		-							
<u> </u>	New (N	of Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	огтор	o WISA		 				 				-		-	
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
-	Pinola	r 8 Zero Substitution			UEPIVIG	VUIVID4	0.00	704.00	441.40	130.30	10.41	1		19.99			
	Біроіаі	Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -			OLI IVIO	00001	0.00	0.001	330.003	†							
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
-	Δiterna	te Mark Inversion (AMI)			OLI WO	CCOLI	0.00	0.001	330.003								
	Aitoina	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1					
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	020		0.00	0.00	0.00								
		nge Ports	<u> </u>														
	_xona.	Line Side Combination Channelized PBX Trunk Port - Business								İ					1		
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID															
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
1		Unbundled Exchange Ports, 2-Wire Channelized – Combination				I				I				Ì	I	Ì	
1		(AL, KY, LA, MS, & TN) (Conversion from Network Access			l	1		_	_	I .	_				I _	Ì	
<u> </u>		Service) (E:4/1/2004)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	LIEBCE										1	
<u> </u>	<u> </u>	Tennessee Only – Calling Plan - Regionsery (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			LIEDDY	LIEBOS	4 70	0.00	0.00	0.00	0.00			20.00	7.00	Ì	
-	Footure	Tennessee Only – Calling Plan - Regionserv (E:4/1/2004) Activations - Unbundled Loop Concentration			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00	-		30.89	7.03	 	
<u> </u>	reature		-			 				 				-		-	
		Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03	Ì	
-	1	Feature (Service) Activation for each Trunk Port Terminated in			OLFFA	I F CQ VV IVI	2.02	23.94	12.04	3.62	3.60	 	1	30.69	7.03	1	
		D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03	Ì	
-	Telenh	one Number/ Group Establishment Charges for DID Service			0=11 <i>X</i>		2.02	75.07	17.57	54.09	10.57			50.05	7.03	 	
 		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	I		<u> </u>		 	I	 	
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00	t				1	1	1	
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	1				İ	1	1	
	1	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	t				1	1	1	
	1	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	İ				İ	İ	İ	
	Local N	Number Portability				1		1	1	İ				İ	İ	İ	
	1	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	1					1	İ	
	FEATU	RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	•		•	•	•	•				•		•	•			•	

	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											1		Incremental Charge - Manual Svc		Incremental Charge -	Increment Charge - Manual Sv
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:		<u> </u>		L	<u> </u>		L								
	t Based Rates are applied where BellSouth is required by FCC								diad Dantasati	an af thia Date	- Code ile is					
	tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ione		
	first and additional Port nonrecurring charges apply to Not Co														Additional NR	RCs may
apply	also and are categorized accordingly. rket Rates for Unbundled Centrex Port/Loop Combination will							<u> </u>					<u> </u>	1	1	1
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIED01		22.00		1				1	1			
IINE E	Non-Design ort/Loop Combination Rates (Design)	-	3	UEP91	1	23.02		1			-	-			 	-
ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91		18.26										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		23.33										
UNFI	Design oop Rate		3	UEP91		29.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48		İ							İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	16.56										
\longrightarrow	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91 UEP91	UECS2 UECS2	21.63 28.28										
UNE P			3	UEF91	UECSZ	20.20										
	tes (Except North Carolina and Sout Carolina)															
7 010	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		İ	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
-+-	Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, & TN Only		<u> </u>	LIEDO4	LIEDC 1	4 70	20.11	45.00	0.4-	0.01		20.00	7.00		-	
$-\!\!\!\!\!+\!\!\!\!\!-$	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	<u> </u>	UEP91 UEP91	UEPQA UEPQB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03		 	
-+	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	-		UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		 	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
\neg					UEPQ9											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP91		1.70	22.14	15.25	8.45 8.45	3.91	-	30.89 30.89	7.03			1
	2-Wire Voice Grade Port Terminated on 800 Service Torm															
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.69	7.03			

UNBUND	OLEC	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
330,112	Ī					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
			Inter.									Elec	Manually		Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fe	ature					<u> </u>											
		All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
N.A	ARS	University I Notice of Access Description Complete Co.			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Indiai Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
B4:		neous Terminations			UEF91	UARUA	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		runk Side						+									
H-12-1		Trunk Side Terminations, each	 	1	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03	-	-	
Inf		ce Channel Mileage - 2-Wire	†		S=1 01	JE11/10	0.70	22.14	10.20	0.40	5.31		30.09	7.03	t	t	
 		nteroffice Channel Facilities Termination - Voice Grade	1		UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	I	I	
		nteroffice Channel mileage, per mile or fraction of mile	t		UEP91	M1GBM	0.0174		.0.20	5.10	5.51		55.55	50	1	1	
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	e				3.54			1				İ	1	1	
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0.00										
-		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.66 0.66										
No		curring Charges (NRC) Associated with UNE-P Centrex			UEF91	IFQWA	0.66										
INC		Conversion - Currently Combined Switch-As-Is with allowed						+									
		changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60	0.20				30.89	7.03			
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
		Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
		NAR Establishment Charge, Per Occasion	1		UEP91	URECA	2.30	68.57		1			30.89	7.03	1	1	
Ad		nal Non-Recurring Charges (NRC)	1		-	1				1				1	1	1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use						1		1							
		Premise	L	<u> </u>	UEP91	URETL		8.33	0.83	<u> </u>					<u> </u>	<u> </u>	
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1]			
		End Use Premise	<u> </u>		UEP91	URETN		11.23	1.10				ļ				
		ENTREX - 5ESS (Valid in All States)	ļ												1	1	
		G Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ			1		ļ		ļ					.	.	
UN		rt/Loop Combination Rates (Non-Design)	ļ			_											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOE		44.0								1	1	
		Non-Design	1	1	UEP95	1	14.18	 		ļ		-	1	-	1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	2	UEP95		18.01								1	1	
\vdash		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		ULF90	+	18.01			1			 	-			
		z-vvire vG Loop/z-vvire voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP95		23.02							1	I	I	
III		rt/Loop Combination Rates (Design)	!	3	OL1 30	+	23.02	 		 			 	 	t	t	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1		 		1		<u> </u>	1	 	I	I	
		Design	1	1	UEP95		18.26							1	I	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	Ė		1	.5.20			1				1	1	1	
		Design		2	UEP95		23.33								1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1		1							
		Design	1	3	UEP95		29.98							1	I	I	
UN		op Rate	<u></u>														
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										

IINBLINDLI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
DINBUNDER	LD NETWORK ELEMENTS - Tellilessee			1	т т						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
SATEGORI	KATE ELEMENTO	m	20116	B00	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$							Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates (\$)	1	I
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	11130	Auu i	THOU	Auu i	JONEC	JONAN	JOHIAN	JOHIAN	JOHAN	JONAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32	1									
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56	+							-		
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP95	UECS2	21.63	+							-		
+-	2-Wire Voice Grade Loop (SL 2) - Zone 2	-	3	UEP95	UECS2	28.28										
LINE	Port Rate		3	UEF93	UEC32	20.20	+							-		
All Sta					+		+							-		
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	1	UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		ļ	-		UEPYB	1.70	22.14	15.25		3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ	-	UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	LIEDOE	HEDVII	4 70	00.44	45.05	0.45	2.24	1	20.00	7.00	I	Ì	1
+-	Area	1	1	UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 	 	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	LIEDOE	LIEDVA	4 70	00.44	45.05	0.45	2.24	1	20.00	7.00	I	Ì	1
\longrightarrow	Center)2,3 Basic Local Area	-	 	UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-		
1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	LIEBOE	LIED) (T			.=			1			I	Ì	
	Service Term - Basic Local Area		1	UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
FL & /	GA Only															
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS	3															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Misce	ellaneous Terminations		1		1											
2-Wir	e Trunk Side				1		i i					İ				
	Trunk Side Terminations, each		1	UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)					-	1						1			
- 	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03	İ	İ	İ
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03	İ	İ	İ
Interc	office Channel Mileage - 2-Wire				1		1					1		1	İ	
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	İ	İ	İ
-	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174			2 70	2.31			1	İ	İ	İ
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		1	1	******	† †						1	t	1	l
	nannel Bank Feature Activations		1	1	1							1	1	1	1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP95	1PQWS	0.66	 						1	t	1	1
-+	- 13 Surveyor Sir Sir Charnot Bank Control Loop Clot	1	1			0.00	 						1	t	1	1
	Facture Activistics on D.4 Channel Book EV line Cide Land Clat	1	1	UEP95	1PQW6	0.66					1		Ì	I	Ì	
1	Treature Activation on D-4 Channel Bank Ex line Sine Loon Sine															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop					0.00	1									

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Diac 1at	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
		onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use					İ										
		Premise	l		UEP95	URETL		8.33	0.83				1		1		1
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.23	1.10								
	UNE-P	CENTREX - DMS100 (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		23.02										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		29.98										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
	UNE Po	ort Rate															
	ALL ST	TATES															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
	<u> </u>	Area	<u></u>	<u></u>	UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91	<u>l</u>	30.89	7.03	<u> </u>	<u> </u>	1
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	<u> </u>	Area	L	<u> </u>	UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91	<u></u>	30.89	7.03	<u> </u>	<u> </u>	1
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
l		Area	l		UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
1		Area	1	1	UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I	Ì	1
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
L	<u> </u>	Area	<u> </u>	<u></u>	UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91	<u></u>	30.89	7.03	<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
Ī	1	Area	l	1	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4					-										1
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDOD	LIEDVO	4 70	20.11	45.05	0.45	2.24		20.00	7.00			1
A1 12	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
				UEP9D		1.70				3.91						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQB UEPQC	1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91		30.89 30.89	7.03 7.03	-		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
	2-Wire Voice Grade Fort (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			—
+	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-		UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Fort (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			—
1	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
İ	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					0		.0.20	5.10	5.51		30.00				
	Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
1	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					-										
	2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
İ												-				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1	1	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1		1

UNBI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhil	bit: A
3,450	,,,p_L	THE TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	i
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2 Wile Voice Grade Fort (Gentiewanier GWG/EBG Wigges)2,0,4			OLI OD	OLI Q-	1.70	22.17	10.20	0.40	0.01		00.00	7.00			f
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
—	 		1			J=. 3(0	1.70	22.17	10.20	0.40	5.91		30.00	7.00			ſ
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03			1
—	†	2 11.10 10.00 0.1000 1 011 (OCHROX GIROT OTTO / EDO-INDZ 10/2,0,4		-	CL. 0D	321 Q0	1.70	22.17	10.20	0.40	0.91		55.55	7.00	 		ſ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI Q7	1.70	22.14	10.20	0.40	5.51		30.03	7.00			
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		16111 2,3			OLI 3D	OLI QZ	1.70	22.14	10.20	0.43	5.51		30.03	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		2-Wire Voice Grade Port Terminated in on Meganink of equivalent			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local	Switching			OLF3D	ULFQZ	1.70	22.14	13.23	0.45	3.91		30.09	7.03			
-	LUCAI	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
-	Local	Number Portability			OLF3D	UNLUG	0.0361										
	Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
-	Feature				UEF9D	LINFCC	0.33										
	reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
-		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
-		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	433.76					30.89	7.03			
-	NARS	All Certifex Control Features Offered, per port			OLF3D	OLFVC	0.00						30.09	7.03			
-	NAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
-		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Miccol	laneous Terminations			OLF3D	UARUX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Trunk Side				+											
	2-wire	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
-	4-Wire	Digital (1.544 Megabits)	1	1	OFLAD	CEINDO	0.78	22.14	15.25	0.45	3.91		30.89	1.03	-		
-	4-44116	DS1 Circuit Terminations, each	 	-	UEP9D	M1HD1	35.55	75.93	38.15	-			30.89	7.03			
<u> </u>	 	DS0 Channels Activiated per Channel	-		UEP9D	M1HD0	0.00	108.67	30.15	-	-		30.89	7.03	-		
	Interes	fice Channel Mileage - 2-Wire	-		OFLAD	טטוווואו	0.00	100.07		 			30.09	1.03	 		
-	meror	Interoffice Channel Facilities Termination	-		UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	 		
-	1	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP9D	M1GBC M1GBM	0.0174	22.14	15.25	0.45	3.91	1	30.89	1.03			
-	Fasture	a Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>		OFLAD	IVITODIVI	0.0174	 		 				 	 		
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service	l			+ -		-		 				 	 		
-	P# Cile	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-		UEP9D	1PQWS	0.66	 		 				 	 		
-	1	i eature Activation on D-4 Channel Dank Centrex Loop 510t	1	1	OFLAD	1124113	0.00				-		-	-	-		
1	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP9D	1PQW6	0.66					1		Ì	Ì		1
-	 	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-		OFLAD	1 F Q VVO	0.00			1				 	 		
	1	Slot	l		UEP9D	1PQW7	0.66					İ					1
1	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	1	OLI 3D	11 64 4 1	0.00			1	1	1	1	1	1		1
	1	Different Wire Center	1	1	UEP9D	1PQWP	0.66					1		Ì	Ì		1
-	 	Dilibration Willie Centrel	-		OLFSD	IFQVIP	0.06			1				 	 		
	1	Foature Activation on D.4 Channel Book Brigate Line Land Clat	1	1	UEP9D	1PQWV	0.66					1		Ì	Ì		1
-	 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	!	-	UEF9D	IPQVV	0.66						 	 	 		
	1	Islot	1	1	LIEDOD	10000	0.00					1		Ì	Ì		1
-	 	6.60	!	-	UEP9D	1PQWQ	0.66						 	 	 		
-	No. P	Feature Activation on D-4 Channel Bank WATS Loop Slot	 	-	UEP9D	1PQWA	0.66										
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	1	-		-				1	-			1	 		
	1	NRC Conversion Currently Combined Switch-As-Is with allowed	l		UEP9D	USAC2		1.03	0.29			İ	30.89	7.03			1
	1	changes, per port	l		UEF9D	USAUZ		1.03	0.29		l .	1	30.89	7.03	l		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		١									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				
G/11200111		m			0000						per LSR	per LSK	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					_		Name a comina a		Managarania	. Dianamant			000	D-4 (A)		
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
Addit	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.23	1.10								
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	 	-	OLI OD	ORLIN		11.20	1.10								
					+											
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	-		-		-			-	 	-	-	-		
UNE	Port/Loop Combination Rates (Non-Design)	-	-		1				1	-	1	1	1	1		
]	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	l .		1							l	Ì	l		
	Non-Design		1	UEP9E		14.18						ļ				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1		1							<u> </u>	<u> </u>			
	Non-Design	<u> </u>	2	UEP9E	_1	18.01				<u> </u>		<u> </u>	<u> </u>	<u> </u>		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		23.02										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			ULF9L	+	10.20										
			2	UEP9E		00.00										
	Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	l												
	Design		3	UEP9E		29.98										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1		UEP9E	UECS2	28.28										
LINE	Port Rate		-	OLI OL	OLOGE	20.20										
	L, KY, LA, MS, & TN only				+											
AL, I		1		LIEDOE	UEPYA	1.70	20.44	15.25	0.45	3.91		30.89	7.00			
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	LIEBOE	LIEDY CO			.=						l		
	Area	ļ		UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1		1						1	l	Ì	l		
	Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1					1		l				
]	Center)2,3 Basic Local Area	1	1	UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1		32	0	,,	.0.20	3.40	3.01	 	55.55				
]	- Basic Local Area	1	1	UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
\vdash	2-Wire Voice Grade Port Terminated on 800 Service Term -	 	 	OLFBL	OLFIB	1.70	22.14	15.25	0.45	3.91	 	30.09	1.03			
		1	1	LIEDOE	LIEDYO	4 70	00.44	45.65	0.7-	0.01		00.00	7.00	İ		
 	Basic Local Area	<u> </u>	_	UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91	!	30.89	7.03	ļ		
AL, K	(Y, LA, MS, & TN Only			ļ. <u></u>					ļ		ļ		L			
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3	1	1	UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
1	Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
 	55.1155 15.111	 	 	J J	JL1 42	1.70	22.17	10.20	0.40	5.91	 	55.55	7.03	 		
	2 Wire Voice Crade Bart terminated in an Magalinian accomplant	1	1	UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
 	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-								1			 		
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>		UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Loca	l Switching															
	Centrex Intercom Funtionality, per port	1	i	UEP9E	URECS	0.6381			1	1	1	1	1	1	1	1

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Auu	Diac 1at	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local N	lumber Portability															í
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										í
	Feature																í
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			í
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			í
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			í
	NARS																ĺ
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			í
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			í
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			ĺ
		aneous Terminations									-						
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			1
	Interof	ice Channel Mileage - 2-Wire															ĺ
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			í
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
	D4 Cha	nnel Bank Feature Activations															ĺ
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										ĺ
																	i
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										ı
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															ĺ
		Slot			UEP9E	1PQW7	0.66										<u> </u>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															ł
		Different Wire Center			UEP9E	1PQWP	0.66										l
																	í
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										<u> </u>
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															ł
		Slot			UEP9E	1PQWQ	0.66										<u> </u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										<u> </u>
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															í
		changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			1
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
	ļ	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
<u> </u>		NAR Establishment Charge, Per Occasion	ļ	 	UEP9E	URECA	0.00	68.57					30.89	7.03	ļ		
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1									1		Ì		1
L	ļ	Premise	ļ	 	UEP9E	URETL		8.33	0.83						ļ		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	1									1		Ì		1
		End Use Premise	ļ	<u> </u>	UEP9E	URETN		11.23	1.10								
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											
<u> </u>	UNE PO	ort/Loop Combination Rates (Non-Design)	<u> </u>	<u> </u>		+									1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		UEP93		4440						1		Ì		1
-	1	Non-Design		1	UEF93	+	14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		10.04					1					1
<u> </u>	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 		UEF93	+	18.01			 			-				
		Non-Design		3	UEP93		23.02										ł
	LINE D	INON-Design ort/Loop Combination Rates (Design)		3	UEF93	+	23.02										
	UNE PO			-		+											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP93		18.26										1
<u> </u>	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	 	UEF93	+	18.26			 			-				
	1	2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design	1	2	UEP93		23.33					l	1		İ		1
L	1	peagil	1		しにており		23.33					<u> </u>	L		1		1

INBUNDI F	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
		1									Elec	Manually				Manual Svo
CATEGORY RATE ELEMENTS		Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m		503				== (+)			per LSR	per LSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29.98										
UNFI	Loop Rate			02. 00	+	20.00	1					1				
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48	1					1				
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										
-+	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32	1					1				
-+	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56	1					1				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63	1				1					
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
LINE	Port Rate		3	OLI 33	02002	20.20										
	Y, LA, MS, & TN only	1	1	 	+		 		1		t	1	 	1	1	1
AL, K	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	1	UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	 	 	
-+-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	OLI 30	JLI IA	1.70	22.14	15.25	0.40	3.91	}	30.09	1.03	1	 	
l	Area		1	UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		I	l
\longrightarrow		1	+	OLF 33	ULFID	1.70	22.14	15.25	0.40	3.91	-	30.09	1.03	 		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			LIEDOS	UEPYH	1 70	22.44	15.05	0.45	2.04		20.00	7.00			
\longrightarrow		1	1	UEP93	UEPIH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	 	 	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOO	LIEDVAA	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35	1		i i					1		
Featur							1		i i					1		
	All Standard Features Offered, per port			UEP93	UEPVF	0.00	i i		i i		1					
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00			i i							
NARS					1	2.30	† †		1				İ	İ	İ	İ
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	Ì	0.00	7.03	1	1	i
-+	Unbundled Network Access Register - Indial		1	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	İ	0.00	7.03	1		1
-+	Unbundled Network Access Register - Outdial	1	1	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03	l .	†	
Misce	Illaneous Terminations		1		2, 11, 0, 1	0.00	5.00	0.00	5.00	5.00	İ	5.00		1		1
	e Trunk Side			1	1		1		1		Ì	1	1	1	1	i
- - : 	Trunk Side Terminations, each	1	 	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
4-Wire	e Digital (1.544 Megabits)	1	1		5250	0.70	22.17	10.20	5.45	0.01	1	55.55	7.55	1	 	
	DS1 Circuit Terminations, each	1	 	UEP93	M1HD1	35.55	75.93	38.15	 		1	30.89	7.03	1		
-+	DS0 Channels Activated, Per Channel	1	1	UEP93	M1HDO	0.00	108.67	00.10	t 1		1	30.89	7.03	1	t	
Intero	ffice Channel Mileage - 2-Wire	1	 	02.00		0.00	100.07		t		1	55.05	7.03	1		
niter O	Interoffice Channel Facilities Termination	1	1	UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03	 	 	
-+-	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP93	M1GBC	0.0174	22.14	10.20	0.40	5.51	1	30.03	7.03	 	 	
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20	1	OL: 33	IVITODIVI	0.0174	 		1		†	1	 	1	1	1
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	J-0	1	 	+ +		1		1		1	 	 	l .	 	\vdash
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP93	1PQWS	0.66	 		1		†	1	 	1	1	1
	predicte Activation on D-4 Channel Dank Centrex Loop 5101	1	1	OLF 33	IFUVVO	0.00			1		!	ļ	1	<u> </u>	ļ	
					1		1		l I							

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										Attach	ment: 2	Exhibit: A			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc				Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage	İ														
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Tern	ns and Condition	ons.									

Version 3Q03: 11/12/2003 Page 348 of 348

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

Version 3Q03: 11/12/2003

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Starlink nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Starlink can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Starlink with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Starlink and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent Starlink requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Starlink, BellSouth will not assess Starlink additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Starlink nondiscriminatory access to its OSS and the necessary information contained therein in order that Starlink can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Starlink to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Starlink's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Starlink can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces

Version 3Q03: 11/12/2003

whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Starlink will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Starlink shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Starlink shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Starlink shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Starlink will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Starlink's access to customer record information. If a BellSouth audit of Starlink's access to customer record information reveals that Starlink is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Starlink may take corrective action, including but not limited to suspending or terminating Starlink's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Starlink electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Starlink will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Starlink electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Starlink will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Starlink agree to adhere to BellSouth's Operational

Version 3Q03: 11/12/2003

Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Starlink nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Starlink agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Starlink agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Starlink at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by Starlink will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Starlink shall be required to submit a new service request. Incorrect or invalid requests returned to Starlink for correction or clarification will be held for thirty (30) calendar days. If Starlink does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- Single Point of Contact. Starlink will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Starlink to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Starlink and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Starlink to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify

Starlink that such a request has been processed but will not be required to notify Starlink in advance of such processing.

- 3.2.1 Neither BellSouth nor Starlink shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Starlink shall return a FOC to BellSouth within thirty-six (36) hours after Starlink's receipt from BellSouth of a valid LSR.
- 3.2.4 Starlink shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Starlink elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Starlink by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Starlink that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Starlink's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Starlink, which has the billing relationship with that End User, and Starlink may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If Starlink cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of

that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Starlink places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Starlink places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Starlink may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Starlink elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Starlink, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.