# Amendment to the Agreement Between Awesome Communications Incorporated and BellSouth Telecommunications, Inc. Dated May 2, 2002

Pursuant to this Amendment, (the "Amendment"), Awesome Communications Incorporated (ACI), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 2, 2002("Agreement") to be effective thirty (30) days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and ACI entered into the Agreement on May 2, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated May 2, 2002, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: Int Pr

Name: Kilsten & Kowe

Title: Dilector

Date: 2/25/04

**Awesome Communications Incorporated** 

By: Macmust

Name: MARVIN BARHWELL

Title: President

Date: 7-20-2004

# **Attachment 2**

**Network Elements and Other Services** 

Version 3Q03: 11/12/2003

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	5
3	LINE SHARING	27
4	LOCAL SWITCHING	33
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	45
7	DATABASES	49
8 SEF	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREEN	
9	LINE INFORMATION DATABASE (LIDB)	50
10	SIGNALING	53
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	59
12	CALLING NAME (CNAM) DATABASE SERVICE	59
13 AD	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	61
Ra	etes Exhib	it A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

# 1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to ACI in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to ACI (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require ACI to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment ACI used in the provision of a qualifying service, as defined by the FCC. ACI may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of ACI, and to the extent technically feasible, provide to ACI access to its Network Elements for the provision of ACI's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 ACI may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to ACI under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or

Version 3O03: 11/12/2003

grandfathered status between ACI and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), ACI will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, ACI will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 ACI may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, ACI may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ACI, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

#### 1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that ACI has obtained at wholesale from BellSouth, or the

combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If ACI reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge ACI for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

#### 1.11 Rates

- 1.11.1 The prices that ACI shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If ACI purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If ACI modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by ACI in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

# 2 <u>Unbundled Loops</u>

#### 2.1 General

Version 3Q03: 11/12/2003

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. ACI shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to ACI on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ACI. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where ACI seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide ACI with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.
- 2.1.1.6 ACI may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.

- 2.1.2 The provisioning of a Loop to ACI's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to ACI in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If ACI wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), ACI may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by ACI (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ACI for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

# 2.1.6 **Loop Testing/Trouble Reporting**

2.1.6.1 ACI will be responsible for testing and isolating troubles on the Loops. ACI must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble

report, ACI will be required to provide the results of the ACI test which indicate a problem on the BellSouth provided Loop.

- Once ACI has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If ACI reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge ACI for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by ACI (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ACI for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and ACI to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to ACI's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows ACI to order a specific time for OC to take place. BellSouth will make every effort to accommodate ACI's specific conversion time request. However, BellSouth reserves the right to negotiate with ACI a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. ACI may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If ACI specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

# 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by ACI when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in ACI's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to ACI pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

Version 3Q03: 11/12/2003

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, ACI must order and will be billed for both OC and OC-TS if requesting OC-TS.

#### 2.1.9 **Bulk Migration**

2.1.9.1 If ACI requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, ACI must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates

for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

#### 2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, ACI should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <a href="http://www.interconnection.bellsouth.com/">http://www.interconnection.bellsouth.com/</a>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that ACI will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by ACI. ACI may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is

Version 3Q03: 11/12/2003

#### AMENDMENT EXHIBIT 1

Attachment 2

Page 12

billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that ACI may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to ACI. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow ACI to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

## 2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ACI will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by ACI or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. ACI may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, ACI may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ACI, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 ACI may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

#### 2.4 Unbundled Copper Loops (UCL)

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by ACI.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by ACI to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by ACI or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

# 2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, ACI can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that ACI may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by ACI to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 ACI may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

#### 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by ACI which has over 6,000 feet of combined bridged tap will be modified, upon request from ACI, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to ACI. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 ACI may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If ACI requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. ACI will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 ACI shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ACI desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for ACI, ACI will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by ACI is available at the location for which the ULM was requested, ACI will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, ACI will not be charged for ULM but will only be charged the service order charges for submitting an order.

# 2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- Where ACI has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to ACI. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for ACI (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.

Version 3O03: 11/12/2003

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from ACI, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. ACI will then have the option of paying the one-time SC rates to place the Loop.

## 2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit ACI to connect ACI's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 ACI may access the End User's customer premises wiring by any of the following means and ACI shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow ACI to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 ACI may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be ACI's responsibility to ensure there is no safety hazard, and ACI will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 ACI shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 ACI shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with ACI to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to ACI's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. ACI may request BellSouth to do additional work to the NID on a time and material basis. When

ACI deploys its own local Loops in a multiple-line termination device, ACI shall specify the quantity of NID connections that it requires within such device.

## 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If ACI requests a UCSL and it is not available, ACI may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from ACI, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a

single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for ACI's use on this cross-connect panel. ACI will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, ACI shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ACI's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by ACI is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ACI's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before ACI can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ACI's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, ACI will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when ACI requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by ACI for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End

User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

# 2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, ACI will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ACI for each pair activated commensurate to the price specified in ACI's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or

subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, ACI will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and ACI has not issued the appropriate disconnect

orders, BellSouth may immediately disconnect any remaining USLF elements and will bill ACI any applicable disconnect charges.

## 2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by ACI, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

# 2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ACI to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, ACI may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ACI, BellSouth shall perform the routine network modifications.

#### 2.8.6.3 Requirements

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 ACI is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to ACI information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from ACI.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to ACI within twenty (20) business days after ACI submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable ACI to connect ACI provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

# 2.9 **Loop Makeup**

#### 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to ACI LMU information so that ACI can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment ACI intends to install and the services ACI wishes to provide. This section addresses LMU as a preordering transaction, distinct from ACI ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide ACI LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to ACI as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 ACI may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by ACI and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said

Page 26

Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee ACI's ability to provide advanced data services over the ordered Loop type. Further, if ACI orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. ACI is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

#### 2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 ACI may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if ACI needs further Loop information in order to determine Loop service capability, ACI may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

  <a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

#### 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, ACI may reserve up to ten (10) Loop facilities. For a Manual LMUSI, ACI may reserve up to three (3) Loop facilities.
- 2.9.3.2 ACI may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to ACI. During and prior to ACI placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If ACI does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. ACI will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, ACI does not reserve facilities upon an initial LMUSI, ACI's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where ACI has reserved multiple Loop facilities on a single reservation, ACI may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to ACI, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by ACI.

## 3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which ACI provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and ACI using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with ACI. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, ACI may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, ACI may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with ACI, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ACI the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications,

Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ACI shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to ACI on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If ACI requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, ACI shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and ACI desires to continue providing xDSL service on such Loop, ACI shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give ACI notice in a reasonable time prior to disconnect, which notice shall give ACI an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and ACI purchases the full stand-alone Loop, ACI may elect the type of Loop it will purchase. ACI will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event ACI purchases a voice grade Loop, ACI acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If ACI reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge ACI for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of Line Sharing and Splitter Space

- BellSouth will provide ACI with access to the High Frequency Spectrum as
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, ACI must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 ACI may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of ACI's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of ACI in a central office in which ACI is located, ACI shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and ACI shall pay the electronic or manual ordering charges as applicable when ACI orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for ACI's data.

# 3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide ACI access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to ACI's xDSL equipment in ACI's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide ACI with a carrier notification letter, informing ACI of change. ACI shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. ACI shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to ACI's collocation area, if possible; or (ii) in a BellSouth relay rack as close to ACI's DS0 termination point as possible. ACI shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for ACI on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified ACI DS0 at such time that a ACI End User's service is established.

3.2.1

follows:

#### 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 ACI may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. ACI may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by ACI in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ACI may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

## 3.5 **Ordering – Line Sharing**

- 3.5.1 ACI shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide ACI the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide ACI access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and ACI shall pay the rates for such services, as described in Exhibit A.

#### 3.6 **Maintenance and Repair – Line Sharing**

- 3.6.1 ACI shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If ACI is using a BellSouth owned splitter, ACI may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If ACI provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. ACI will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 ACI shall inform its End Users to direct data problems to ACI, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to ACI, BellSouth will notify ACI. ACI will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, ACI will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue ACI's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

# 3.7 **Line Splitting**

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event ACI provides its own switching or obtains switching from a third party, ACI may engage in line splitting arrangements with another CLEC using a splitter, provided by ACI, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where ACI is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 ACI shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if ACI will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by ACI or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a standalone UNE Loop, port, and one collocation cross connection.

Version 3Q03: 11/12/2003

3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing ACI for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of ACI or its authorized agent to determine if the Loop is compatible for Line Splitting Service. ACI or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and ACI or its authorized agent submits an LSR to BellSouth to change the Loop.

# 3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When ACI or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

# 3.9 Ordering – Line Splitting

- 3.9.1 ACI shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide ACI the LSR format to be used when ordering Line Splitting service.

- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.9.4 BellSouth will provide ACI access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and ACI shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to ACI on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

# 3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. ACI will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 ACI shall inform its End Users to direct all problems to ACI or its authorized agent.
- 3.10.3 If ACI is not the data provider, ACI shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### 4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to ACI for the provision of a telecommunications service.

#### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of

Version 3Q03: 11/12/2003

providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for ACI when ACI: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that ACI is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by ACI or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to ACI's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that ACI purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a ACI local End User, or originated by a BellSouth local End User and terminated to a ACI local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge ACI the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between

BellSouth and ACI shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

- 4.2.8 Where ACI purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a ACI End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge ACI the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and ACI shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill ACI the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

# 4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to ACI selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by ACI will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

# 4.2.11 **Remote Call Forwarding**

- As an option, BellSouth shall make available to ACI an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, ACI will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);

- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge ACI the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

# 4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to ACI all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by ACI.

# 4.2.13 <u>Local Switching Interfaces.</u>

- 4.2.13.1 ACI shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of ACI who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 ACI shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 ACI shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 ACI will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

# 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.1.1 Where ACI utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

# 4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by ACI and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to ACI.

- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from ACI's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon ACI's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for ACI's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to ACI, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of ACI. AIN SCR will provide ACI with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 ACI shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by ACI, the routing of ACI's End User calls shall be pursuant to information provided by ACI and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, ACI shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each ACI End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. ACI shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed

required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to ACI's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to ACI, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to ACI following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to ACI following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to ACI following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

# 4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where ACI purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route ACI's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for ACI to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, ACI specific and unique LCCs are programmed in each BellSouth end office switch where ACI intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify ACI's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform.

Page 41

Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and ACI intends to provide ACI -branded OCP/DA to its End Users in these multiple rate areas.

- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require ACI to order dedicated trunking from each BellSouth end office identified by ACI, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the ACI Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by ACI to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

#### 5 **Unbundled Network Element Combinations**

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by ACI are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by ACI are not already combined by BellSouth in the location requested by ACI but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by ACI are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

#### 5.2 **Enhanced Extended Links (EELs)**

Attachment 2

Page 42

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide ACI with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, ACI thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit ACI's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, ACI may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ACI, BellSouth shall perform the routine network modifications.
- 5.2.5 <u>Service Eligibility Criteria</u>
- 5.2.5.1 ACI must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 ACI has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which ACI will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, ACI will have at least one (1) active DS1 local service interconnection trunk over which ACI will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit ACI's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that ACI failed to comply with the service eligibility criteria, ACI must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, ACI did not comply in any material respect with the service eligibility criteria, ACI shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that ACI did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ACI for its reasonable and demonstrable costs associated with the audit. ACI will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event ACI converts special access services to UNEs, ACI shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

# 5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and

Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.

- BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to ACI if ACI's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that ACI is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by ACI or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for ACI's UNE port/Loop combinations. BellSouth will not bill ACI for 911 surcharges. ACI is responsible for paying all 911 surcharges to the applicable governmental agency.

# 5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to ACI in addition to those

Attachment 2

Page 45

specifically referenced in this Section 5 above, where available. To the extent ACI requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

#### 6 Transport, Channelization and Dark Fiber

#### 6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to ACI for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that ACI uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to ACI.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide ACI exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, ACI to connect such interoffice facilities to equipment designated by ACI, including but not limited to, ACI's collocated facilities; and

- 6.1.2.4 Permit, to the extent technically feasible, ACI to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

# 6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to ACI.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- ACI may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, ACI may request BellSouth

Attachment 2

Page 47

to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ACI, BellSouth shall perform the routine network modifications.

6.2.6	<u>Technical Requirements</u>
6.2.6.1	The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to ACI designated traffic.
6.2.6.2	For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
6.2.6.3	BellSouth shall offer the following interface transmission rates for Dedicated Transport:
6.2.6.3.1	DS0 Equivalent;
6.2.6.3.2	DS1;
6.2.6.3.3	DS3; and
6.2.6.3.4	SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
6.2.6.4	BellSouth shall design Dedicated Transport according to its network infrastructure. ACI shall specify the termination points for Dedicated Transport.
6.2.6.5	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
6.2.6.6	BellSouth Technical References:
6.2.6.6.1	TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
6.2.6.6.2	TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
6.2.6.6.3	TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

# 6.3 <u>Unbundled Channelization (Multiplexing)</u>

Attachment 2

Page 48

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, ACI may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, ACI's channelization equipment must adhere strictly to form and protocol standards. ACI must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995

# 6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ACI to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, ACI may request BellSouth

to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ACI, BellSouth shall perform the routine network modifications.

# 6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- ACI is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- BellSouth shall use its best efforts to provide to ACI information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from ACI. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to ACI within twenty (20) business days after ACI submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable ACI to connect ACI provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 Databases

Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set

Page 50

forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to ACI.

7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

# 8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At ACI's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by ACI.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

# **9** Line Information Database

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, ACI must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

# 9.2 Technical Requirements

9.2.1 BellSouth will offer to ACI any additional capabilities that are developed for LIDB during the life of this Agreement.

Attachment 2 Page 51

- 9.2.2 BellSouth shall process ACI's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to ACI what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by ACI, BellSouth shall provide ACI with a list of the customer data items, which ACI would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of ACI data to the LIDB shall be solely at the direction of ACI. Such direction from ACI will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for ACI data upon ACI's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of ACI customer records will be missing from LIDB, as measured by ACI audits. BellSouth will audit ACI records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated ACI contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to ACI within one (1) business day of audit. Once reconciled records are received back from ACI, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact ACI to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of ACI's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and

Attachment 2

Page 52

recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 9.2.11 BellSouth shall provide ACI with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between ACI and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of ACI data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by ACI in writing.
- 9.2.13 BellSouth shall provide ACI performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by ACI at least at parity with BellSouth Customer Data. BellSouth shall obtain from ACI the screening information associated with LIDB Data Screening of ACI data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to ACI under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with ACI customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. ACI shall provide

Attachment 2

Page 53

BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. ACI shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

# 10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

# 10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between ACI designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

Attachment 2

Page 54

- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

# 10.2.5 Interface Requirements

10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at ACI's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

# 10.3 **Signaling Transfer Points**

- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 Technical Requirements
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a ACI local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between ACI local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection

Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a ACI or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a ACI database, then ACI agrees to provide BellSouth with the Destination Point Code for ACI database.

- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a ACI or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

#### 10.4 **SS7**

- 10.4.1 When technically feasible and upon request by ACI, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with ACI's SS7 network to exchange TCAP queries and responses with a ACI SCP.
- SS7 AIN Access shall provide ACI SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and ACI SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the ACI SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

# 10.4.3 Interface Requirements

BellSouth shall provide the following STP options to connect ACI or ACIdesignated local switching systems to the BellSouth SS7 network:

- Page 56 10.4.3.1.1 An A-link interface from ACI local switching systems; and, 10.4.3.1.2 A B-link interface from ACI local STPs. 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links. 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references. 10.4.4 Message Screening 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from ACI local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the ACI switching system has a valid signaling relationship. 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from ACI local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the ACI switching system has a valid signaling relationship. 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from ACI from any signaling point or network interconnected through BellSouth's SS7 network where the ACI SCP has a valid signaling relationship. 10.5 Service Control Points (SCP)/Databases 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7

databases and Directory Assistance.

Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application

Attachment 2

Page 57

network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

#### 10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

# 10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of ACI local signaling transfer point switches or ACI local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, ACI local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and ACI or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a ACI local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the ACI local signaling transfer point switches and BellSouth or other third-party local switch.

	Page 58
10.7.4	SS7 Network Interconnection shall provide:
10.7.4.1	Signaling Data Link functions, as specified in ANSI T1.111.2;
10.7.4.2	Signaling Link functions, as specified in ANSI T1.111.3; and
10.7.4.3	Signaling Network Management functions, as specified in ANSI T1.111.4.
10.7.5	SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a ACI local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of ACI local STPs and shall not include SCCP Subsystem Management of the destination.
10.7.6	SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
10.7.7	SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
10.7.8	If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
10.7.9	Interface Requirements
10.7.9.1	The following SS7 Network Interconnection interface options are available to connect ACI or ACI-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
10.7.9.1.1	A-link interface from ACI local or tandem switching systems; and
10.7.9.1.2	B-link interface from ACI STPs.
10.7.9.2	The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There

Version 3Q03: 11/12/2003

or higher rate interface.

shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1

- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from ACI local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the ACI switching system has a valid signaling relationship.

# 11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. ACI will be required to provide BellSouth daily updates to E911 database. ACI shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

# 11.2 <u>Technical Requirements</u>

- 11.2.1 BellSouth shall provide ACI the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to ACI after ACI provides End User information for input into the ALI/DMS database.
- 11.2.2 ACI shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

# 12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides ACI the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- ACI shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60)

Attachment 2 Page 60

calendar days prior to ACI's access to BellSouth's CNAM Database Services and shall be addressed to ACI's Local Contract Manager.

- 12.3 BellSouth's provision of CNAM Database Services to ACI requires interconnection from ACI to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, ACI shall provide its own CNAM SSP. ACI's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If ACI elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that ACI desires to query.
- If ACI queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by ACI for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by ACI in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of ACI to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 ACI CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

# 13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> <u>Advanced Intelligent Network Access</u>

- BellSouth's SCE/SMS AIN Access shall provide ACI the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to ACI. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect ACI service logic and data from unauthorized access.
- When ACI selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable ACI to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 ACI access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow ACI to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

# 14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which ACI may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 <u>Denial/Restoral OSS Charge</u>
- 14.3.1 In the event ACI provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 ACI will incur an OSS charge for an accepted LSR that is later canceled.

Attachment 2

Page 62

- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

CATEGORY   RATE ELEMENTS   Minor   Son   Window																		
ATECONY  PATE LIMENTS    Display   D	UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
RATE BLEMENTS IN THE PROPERTY OF THE PROPERTY													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
### CATEGORY   BATE ELEMENTS   BPGS   BPGS   USCC   FRITES (1)													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
A   Substitute   Part   A   A   A   A   A   A   A   A   A				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
PERIOD CONTROL OF CONT	CATE	SORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
The Proper shown in the sections for stand-close loops or loops as part of a combination refers to Geographically Descriped URE Zone. To view Geographically Cone. To view Geographically Descriped URE Zone. To view Geographically Cone. To view Geographic													· .		Electronic-	Electronic-	Electronic-	Electronic-
Page															1st	Add'l	Disc 1st	Disc Add'l
The "Sone" shown in the sections for stand-dione loops or loops as part of a combination refers to Geographically Deservanged UNE Zone: To love Secgraphically Deservanged UNE Zone: Section By Central Office, refer to internet Website:  PERATORIAL SUPPLY TRY STEAS (CIb.): The SECRETION ACCURATE TO SECRETION SECRETIO																		
The Table "thorn in the sections for stand-alone loops or loops as part of a confinitation refers to loopsignifically beaveraged UNIC Zones. To view designations by Certail Office, refer to internet Website:    PREAD							ļ	Rec										
INCLUSIONAL SUPPLICATION STREET, 1985. PROCEEDING ALL CONTINUES AND ADMINISTRATION AND					<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INCLUSIONAL SUPPLICATION STREET, 1985. PROCEEDING ALL CONTINUES AND ADMINISTRATION AND	-	The "7	ene" chaven in the costions for stand clans leans or leans so	nort of	0.00	hination refere to Co	o aronhiooll	v Degvereded II	NE Zanas Ta	view Coogran	hiaally Daayar	and LINE Zon	. Dooignotic	nna hu Cant	ral Office rafe	or to internet l	Mahaita	
PRIVATIONAL SUPPORT SYSTEMS (DSB) - RECORDAL RATES*    NOTE (1) CLE Challed contained managinate in the profess the "state species" DSS charges controlled by the State Commissions. The DSS charges committy contained in this rate exhibits on the Ballisouth "regions" service ordering charges. CLEC may deat the regional service ordering charges charges in the control of the service ordering charges. CLEC may deat the regional service ordering charges charges or the DSS charges cannot be undered celebrate in the control of the service ordering charges. CLEC may deat the regional service ordering charges charges or the DSS charges cannot be undered celebrate in the control or charges or the DSS charges are to be DSS charges are to be DSS charges or the DSS charges are to be DSS charges or the DSS charges or the DSS charges cannot be undered celebrate in the control or the service ordering charges. CLEC may deat the region of the page of the DSS charges cannot be undered celebrate in the control or the DSS charges cannot be undered celebrate in the control or the DSS charges or the DSS charges or the DSS charges are to be DSS charges or the DSS charges cannot be undered celebrate in the control or the DSS charges cannot be undered celebrate in the DSS charges or the DSS charges cannot be undered celebrate in the control or the DSS charges or the DSS charges cannot be undered celebrate in the DSS charges or the DSS charges cannot be undered celebrate in the case of the DSS charges cannot be undered celebrate in the DSS charges or the DSS charges cannot be undered celebrate in the DSS charges cannot be undered celebrate in the DSS charges cannot be undered celebrate in the DSS charges or the DSS charges cannot be undered celebrate in the DSS charges cannot be undered celebrate in the DSS charges cannot be undered celebrate in the DSS charges cannot be undered cel							ograpilicali	y Deaverageu U	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZOII	e Designano	ons by Cent	rai Office, reie	er to internet i	website.	
NOTE: The Expedite Change or Contract Insportation of the profess the "state specific" CSS changes as orthorized by the Sisted Commissions. The CSS changes currently contained in this rate which are the BillSouth's replease share expediting shares. CLEC may be stated as specific Commission orthorized that the regions across confiring change. Sci LEC may be stated as specific Commissions. The CSS changes currently contained in this rate which are the interconsciolation orthorized shares contained that can be ordered destorocially will be billed according to the SMMC rate listed in this category. Please refer to BellSouth's Local Circle mid-interest in the category of the CSS contained to the CSS contained to the contract of t	OPER			Connec	lion.ni	un T	I	1		I	I	1	I	1	1	1		1
elect either the state specific Commission ordered retars for the service ordering charges, noverword. CECC and obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of this deliver. The service ordering charges, noverword. CECC can not obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of the service ordering charges. Noverword. CECC can not obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of the service ordering charges. Noverword. CECC can not obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of the service ordering charges. Noverword. CECC can not obtain a mixture of the redeement. Of the service ordering charges. Noverword. CECC can not obtain a mixture of the redeement. Of the service ordering charge. Noverword. CECC can not obtain a mixture of the redeement. Of the service ordering charge. Noverword. CECC can not obtain a mixture of the redeement. Obtained in the service ordering charge. Noverword control ordering charges. Noverword charges. Nove	0. 2.0			e "state	sneci	fic" OSS charges as	ordered by	the State Comm	issions The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the ReliSo	uth "regional	" service orde	ring charges	CLEC may
Section of the 9 states.  NOTE: (The Expedite Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge willow to the Charge will be maintained commensurate with BellSouth's																		
NOTE: (2) Any element that can be ordered electronically all the Dilled according to the SOMEC rate listed in this casegory. Please refer to BellSouth's Local Ordering Nambook (LOR) to determine if a product can be ordered electronically and the product can be ordered electronically and the product of the				100 01 00	iiig oi	narges, or occoming	, cicor tile ic	ogional scrittoc (	oracining onling	,		Julii a illixtare	or the two	reguraless i	i occo nas a	microomicon	on contract c	Stabiloffed III
that cannot be ordered electronically at present per the LORt, the Islands SOMEC rate in this category reflects the charge that would be billied to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be papied to a CLEC to lith when it submits and also to billiows.    SOSIA will be papied to a CLEC to lith when it submits and also to billiows. It is a submit to the company of th				led acco	rdina	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIv. For those	e elements
SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.		1			•						•	` '		•			•	
OSS - Risconnic Sorvice Charge, Per Local Service Request   SOMEC   3.50   0.00   3.50   0.00						o timo outogot y to.		.a. go anar mound		00 000 0		g capaziiic						g 0.1.a. g0,
Request (LSR1 - LNR Only   Color Charge, Per Local Service Request   SOMAN   15.66   0.00   1.97   0.00				1	Ī													
ILSR1 - UNE Only   SOMAN   15.66   0.00   1.97   0.00							SOMEC		3.50	0.00	3.50	0.00						
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's ECC No.1 Tariff, Section 5 as applicable.    VALUERAL UCL, UEF, UDF, UEO, UDL, UERTWO, UNL, UEF, UDF, UEO, UDL, UERTW, UDN, UEA, UHL, ULC, USL, UTITS, UTTA, UTTD, UT							SOMAN		15.66	0.00	1.97	0.00						
UNIL (UEF, UEF, UEF)  UNIL (UFF, UEF)  UNITE, UTTS, UEF, UEF, UEF, UEF, UEF, UEF, UEF, UEF	UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
URE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.		NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	on 5 as appl	icable.										
URE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.																		
UDL, UENTW, UDN, UER, UHL, ULC, USL, UTT2, UTT48, UTT51, UTT03, UTT51, UTT03, UTT51, UTT03, UTT51, UTT03, UTT51, UTT03, UTT51, UTT04, UTT51, UTT04, UTT51, UTT05, UTT51, UTT04, UT51, UTT04, UT51, U																		
URE UNITE CHIEF CAPTER POR CITCUIT C Line Assignable USOC, per UNITE UNITE, UTITIA, UNITE, UTITIA, UNITE, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNE Expedite Charge per Circuit or Line Assignable USOC, per play  UNIDED, ULDOS,																		
UTIDI, UTIDO, UT																		
UITDX, UITOX, UI																		
UTST, UTTXL UCHG, UGHB, UFG, UCHG, UCHG, UCHG, UCHG, UCHG, UFG, UGHB, UPO, UDOS, UDOS, UBOS, UROS, UROS, ULOS, ULDOS, ULD																		
UCIEC, UCICL, UC																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUL, UTTUL, UDAY, UNEXX, UNEXX, ULDS1, ULDS2, UNEXX,						/ - /												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLE DE EXCHANGE ACCESS LOOP  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLE DE EXCHANGE ACCESS LOOP  UNE DAY OF THE DAY UNCOLOR OF THE DAY OF THE																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTING, UNCOX, UNCO																		
UCIFC, UCIFL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFC, UCIFL, UDL12, UDL48, UDL03, UDL5X, UB.3, UDD03, ULD03, ULD05, UNCVX, UNCVX, UNCVX, UNCVX, UNCVX, UNCVX, UNCVX, UNCVD, UNCVX, UNLD1, UNLD03, UXTD1, UXTD3,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																		
UCHC, UCHL, UDLSX, UDLSX, UDLSX, ULD 12, UDLAB, ULDO1, ULDDS, ULDSX, UES, ULDD1, ULDD3, UDDSX, ULDD1, ULDD3, ULDD5, ULDD5, ULDD6, ULDS1, ULDD7, ULDD7, UNCHX, UNCSX, UNCXX, UNCXX																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTIUG, UTUG, UNESX, UNCOX, UNCOX																		
UDLG3, UDLGX, UD																		
UE3, UL12, ULD48, ULD12, ULD48, ULD14, ULD3, ULD03, ULD01, ULD03, ULD05, ULD03, ULD05, ULD03, ULD05, ULD05, ULD03, ULD05, ULD05, ULD07, UNC1X, UNC08, ULD07, UNC08,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTURD, UNCOX, UNCO																		
ULDO3, ULDS1, ULDVX, UNC1X, UNC0X, UN						ULD48, ULDD1,												
ULDVX, UNC1X, UNC2X, UNCDX, UNCX, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNCNX, UNCSX, UNCVX, UNLD1, U						ULDD3, ULDDX,												
UNCOX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLD1, UNTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UX						ULDO3, ULDS1,												
UNC Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNTURS, UNTS1, U1TUC, U1TUD, U1TUB, U1TUA SDASP 200.00  UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.58 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.58 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 12.58 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30  1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DUTTUB, UTTUC, UTTUD, UTTUB, UTTUA SDASP 200.00  UNBUNDLED EXCHANGE ACCESS LOOP    2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNBUNDLED EXCHANGE ACCESS LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTUC, UTTUD, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3  3 UEANL UEAL2  3-3-3-4  3-3-8-1  3-3-																		
Day																		
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	LIMBIT	I .		<del>                                     </del>	-	U1TUB, U1TUA	SDASP	1	200.00							<del>                                     </del>		-
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.58 37.81 17.56 23.49 5.30	ONRO			├	-	1	ļ	1					ļ	-	-	<del>                                     </del>		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.05 37.81 17.56 23.49 5.30	<u> </u>	2-WIRI		-	1	LIEANII	LIEALO	12.50	27.04	17.50	22.40	F 20	<del> </del>	1	<b> </b>	<del>                                     </del>		<b> </b>
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30	-	1		+									<del>                                     </del>	-		<del></del>	-	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>-</b>	<del>                                     </del>		<del>                                     </del>	_								}		<del> </del>	+		<del> </del>
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.05 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 24.90 25.40 25.	<b>-</b>	<del>                                     </del>		<del>                                     </del>									}		<del> </del>	+		<del> </del>
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   3   UEANL   UEASL   34.34   37.81   17.56   23.49   5.30	<b>-</b>	<del>                                     </del>		t									<del>                                     </del>	<b>-</b>	<b> </b>	<del>                                     </del>		<b> </b>
Unbundled Miscellaneous Rate Element, Tag Loop at End User   Premise   UEANL URETL 8.33 0.83   UEANL URETL 8.34   UEANL URETL 8.35   UEANL URETL 8.36   UEANL URETL 8.36   UEANL URETL 8.37   UEANL URETL 8.38   UEANL URETL		<del>                                     </del>		<del>                                     </del>												<b>-</b>		
Premise         UEANL         URETL         8.33         0.83           Loop Testing - Basic 1st Half Hour         UEANL         URET1         34.16         34.16	<u> </u>	<del>                                     </del>		<del>                                     </del>	<u> </u>	02.442	52/10L	04.04	57.01	17.50	20.40	5.50				<b>+</b>		
Loop Testing - Basic 1st Half Hour         UEANL         URET1         34.16         34.16	1			1	1	UEANL	URETL		8.33	0.83						I		
		1		1								İ			İ	1		İ
						UEANL	URETA		19.85	19.85								

UNBUI	NDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
2231												Svc Order	Svc Order	Incremental		1	
1												I .	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec			Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
$\sqcup$		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				l											
$\vdash$		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
$\vdash$		Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		8.15	8.15			1					
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.09									
$\vdash$	2 WIDE	Unbundled COPPER LOOP	-	-	UEANL	UCUSL		18.09				<b> </b>					
	Z-VVIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15	<b> </b>					
$\vdash$		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>l i</del>		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15	1				-	
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<del>l i</del>		UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15	<b>†</b>					
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del></del>	٦		3-4-/	10.07	04.14	10.10	21.20	4.10			1		<u> </u>	1
		Premise	1		UEQ	URETL		8.33	0.83				1			I	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	t			1		2.20	2.30					İ		1	i e
		Non-Designed (per loop)	1		UEQ	USBMC		8.15					1			I	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for										İ		1			1
I		BST providing make-up (Engineering Information - E.I.)	<u></u>		UEQ	UEQMU		13.44		<u>                                      </u>		<u></u>	<u></u>	<u> </u>		L	<u>                                     </u>
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
$\vdash$		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.			40.50			00.40	= 00						
$\vdash$		Zone 1	<u> </u>	1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30	-		-			
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
$\vdash$		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-		UEFSK UEFSB	UEALS	21.05	37.01	17.50	23.49	5.30	<b> </b>					
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
$\vdash$		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	21.03	37.01	17.50	23.43	3.30	<b>+</b>					
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	Ŭ	02. 0 02. 03	02,120	0	07.01		20.10	0.00	1				1	
		Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
UNBUN	DLED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP	i														
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44					<u> </u>	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
$\sqcup \sqcup$		Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44					L	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	l	1				<u> </u>	_					1	
$\vdash$		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44					<b></b>	ļ
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL		18.09								-	ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.,		LIEADO	4460	00.00	FF 00	47.0.	<b>-</b>					1	
$\vdash$		Battery Signaling - Zone 1	<b>!</b>	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44	ļ	-	-	1	1	ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44					1	
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>		UEA	UEAKZ	22.85	88.00	55.00	41.24	7.44	-			-	<del>                                     </del>	1
		Battery Signaling - Zone 3	1	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44		1			I	
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	3	UEA	OCOSL	30.14	18.09	55.00	41.24	1.44	1		<del> </del>	1	t	<del>                                     </del>
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch	<b>1</b>		UEA	UREWO	1	87.72	36.36			1	<b>†</b>		1	<b>I</b>	1
		Loop Tagging - Service Level 2 (SL2)	<b>†</b>		UEA	URETL		11.21	1.10					1		<b>†</b>	1
	4-WIRE	ANALOG VOICE GRADE LOOP	<b>†</b>		- " -	7			0					1		<b>†</b>	1
		4-Wire Analog Voice Grade Loop - Zone 1	t	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50			İ		1	i e
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50	1	İ	İ		1	İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.02	131.97	94.51	59.14	14.50	İ		1			1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.72	36.36	1		t e			t		1

UNBL	JNDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.120			1									Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
			1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-WIRE	ISDN DIGITAL GRADE LOOP	<u> </u>	1	LIDAL	1141.07/	04.00	117.24	79.77	52.88	10.54						
	1	2-Wire ISDN Digital Grade Loop - Zone 1	<u> </u>		UDN UDN	U1L2X	21.88 32.85		79.77	52.88	10.54						
	1	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>		UDN	U1L2X U1L2X	32.85 48.55	117.24 117.24	79.77	52.88	10.54						-
	1	Order Coordination For Specified Conversion Time (per LSR)	<u> </u>		UDN	OCOSL	48.55	18.09	79.77	52.88	10.54						-
-	1	CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>		UDN	UREWO		91.63	44.16			<b>-</b>	-				-
	2-WIDE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDIE			UKEWU		91.03	44.10			1					
-	Z-VVIINE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOF	I										1		1
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry	<u> </u>	i i	O/ LE	OTILET	11.01	110.00	00.00	77.27	7						
1		& facility reservation - Zone 2	1	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		1				
		2 Wire Unbundled ADSL Loop including manual service inquiry	t				.20		33.30						İ	İ	İ
1		& facility reservation - Zone 3	1	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		1				
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL		18.09									
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &		İ				_							1		1
1		facility reservaton - Zone 1	1	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		1				
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	İ	ĺ													
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE L	OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
	ļ	& facility reservation - Zone 1	ļ	1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry		_				440.00									
	1	& facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
-	-	Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	OCOSL	11.44	18.09	66.00	41.24	7.44	-					
-	<b>+</b>	2 Wire Unbundled HDSL Loop without manual service inquiry			OFF	OCOSL		10.09							1		1
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry	1	<u> </u>	OTIL	OTILEVV	0.7 +	50.00	07.00	77.27	7.44	1					
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	1	2 Wire Unbundled HDSL Loop without manual service inquiry	1														
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE L	OOP					·								
		4 Wire Unbundled HDSL Loop including manual service inquiry									·						
		and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	_									1				
<u> </u>	1	and facility reservation - Zone 2	<del>                                     </del>	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73	-			ļ	<b> </b>	ļ
1		4-Wire Unbundled HDSL Loop including manual service inquiry	1	3	l	11111 434	45.00	440.00	00.00	F4 70	0 =0		1				
	1	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	_	UHL UHL	UHL4X OCOSL	15.25	148.36 18.09	68.00	51.70	9.73						
<b></b>	+	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	<del>                                     </del>	OI IL	OCOSL	-	18.09					<b> </b>		<del> </del>	<b> </b>	<del>                                     </del>
		and facility reservation - Zone 1	1	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		1				
<b>-</b>	<del>                                     </del>	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	<u> </u>	O. IL	OT IL-TVV	10.00	34.00	57.00	31.70	3.73	<b>-</b>	<b>-</b>		<b> </b>		<del> </del>
		and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry	t				.0.00	550	050	50	00				İ	İ	İ
1		and facility reservation - Zone 3	1	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		1				
	1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							1		1
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82.55	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	1	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		USL	OCOSL		18.09					<u> </u>		İ	l	İ

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1 '		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del></del>							Nonrec	rina	Nonrecurring	Dissennest			220	Rates (\$)		
<b>-</b>			-		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OOL	OKEVVO		101.03	43.03			1					<del>                                     </del>
1.00	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50	i e					
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
$\vdash$	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50			<del>                                     </del>			<del></del>
$\vdash$	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UDL	UDL64 OCOSL	37.88	126.27	88.80	59.14	14.50	<del>                                     </del>	1	<del>                                     </del>	<b> </b>		<del></del>
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch	-	-	UDL UDL	UREWO		18.09 102.13	49.75					<b>-</b>		-	<del></del>
2-WIDE	E Unbundled COPPER LOOP		-	ODL	UKEWU		102.13	49.75			1	-	-			<del></del>
Z-WINI	2-Wire Unbundled Copper Loop-Designed including manual		-		+						<del> </del>		1			<del>                                     </del>
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						l
	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>	002	OOL! D	11.01	112.40	00.00	47.24	7	1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual															ĺ
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPW	14.30	04.40	54.00	47.04	7.44						
<b>—</b>	service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)	- 1	3	UCL	UCLPW	14.30	91.46 8.15	54.30 8.15	47.24	7.44	1					<del></del>
<b>—</b>	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		0.15	0.10			-	-				-
	(UCL-Des)			UCL	UREWO		97.23	42.48								l
4-WIRE	COPPER LOOP			OOL	OKEVVO		37.23	42.40				<b>-</b>				<del></del>
7 11111	4-Wire Copper Loop-Designed including manual service inquiry				1						1					
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						l
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						l
	4-Wire Copper Loop-Designed including manual service inquiry					İ	İ									
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15		•						
	4-Wire Copper Loop-Designed without manual service inquiry				I		. 7						_			1
	and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73	ļ		ļ			<del>                                     </del>
	4-Wire Copper Loop-Designed without manual service inquiry		_	LICI	1101 414	00.70	444.00	07.65		0 =0			I			1
$\vdash$	and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73	<b></b>		<del>                                     </del>	<del>                                     </del>		<del></del>
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73			1			1
$\vdash$	Order Coordination for Unbundled Copper Loops (per loop)	<del></del>	3	UCL	UCL4W UCLMC	∠8.∠1	8.15	8.15	51.70	9.73	<b> </b>		+	<del> </del>		<del></del>
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								<del></del>
LOOP MODIFI					3		57.25	72.70					<u> </u>	1		
1				UAL, UHL, UCL,	1						1					
				UEQ, ULS, UEA,	1		l						1			1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	1		l						1			1
	pair less than or equal to 18k ft. per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00					<u> </u>			
	Unbundled Loop Modification Removal of Load Coils - 4 Wire							-		-						1
	less than or equal to 18K ft, per Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,	1		⊣						_			1
	Habitan Hallow Markers B. 1 (B) 1 (B)			UEQ,ULS,UEA,	1		l						1			1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	١.		UEANL, UEPSR,	LUMBE		20.44	20.44					I			1
SIIR-I CORS	per unbundled loop		-	UEPSB	ULMBT		32.41	32.41			<del>                                     </del>	1	<del>                                     </del>	<b> </b>		<del></del>
SUB-LOOPS			<u> </u>		1	l					L	1	1			Ш

LINBI	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
CIADO	MULL	D NETWORK ELLINENTS - Alabama		Ι	I		1					Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.	Order vs.	Order vs.	Order vs.
071120		10112 ======	m		200	0000			= (4)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
	i						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	oop Distribution				Î	ĺ								Î		
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				ĺ	ĺ										
		Up	- 1		UEANL	USBSA		244.42									1
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22.64									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	- 1		UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															1
		Set-Up	ı		UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
																	1
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1100114	0.40	70.00	44.40	40.74	0.07						1
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	LIFANII	USBN4	40.07	70.00	44.40	40.74	0.07						1
-	-	Zone 2			UEANL	USBIN4	16.67	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						1
-	-	20116 3		3	UEAINL	USBIN4	32.37	79.03	44.19	49.71	9.07						-
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						$\vdash$
	1	dub-Loop 2-vviile intrabuliding Network Cable (INO)	-	-	OLANE	OODINZ	2.21	33.01	10.17	43.23	0.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		January Control of the Control of th					-										
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
	i	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
	i	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
	i	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
	<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC	<u> </u>	8.15	8.15					<u></u>			<u> </u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
																	1 1
L	ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEF	USBMC		8.15	8.15								
<u> </u>	ļ	Loop Testing - Basic 1st Half Hour			UEF	URET1	ļ	34.16	34.16						ļ		<b>└──</b>
<u> </u>	<u> </u>	Loop Testing - Basic Additional Half Hour		<u> </u>	UEF	URETA		19.85	19.85								<b>↓</b>
<u> </u>	Unbun	dled Network Terminating Wire (UNTW)		<u> </u>	LIENITA	LIENES								<b> </b>	ļ		$\vdash$
<u> </u>	Nerton	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01						-	-		$\vdash$
<u> </u>	Netwo	rk Interface Device (NID)			LICATON	LINDAG		40.00	00.00								$\vdash$
<u> </u>	<b>!</b>	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW	UND12		43.23	28.38					<b> </b>	<del>                                     </del>		$\vdash$
<b>——</b>	<b>!</b>	Network Interface Device (NID) - 1-6 lines		-	UENTW	UND16	<del>                                     </del>	63.97	49.11			-	-	-	<del> </del>		$\vdash$
<u> </u>	<del>                                     </del>	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87								$\vdash$
LINE O	L TUED 7	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE			UENTW	UNDC4		5.87	5.87								$\vdash$
ONE O	inek, f	NID - Dispatch and Service Order for NID installation	<b>-</b>	<del>                                     </del>	UENTW	UNDBX	0.00	0.00				-				-	<b>├</b>
<b>-</b>	<del>                                     </del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<b>-</b>	-	UENTW	UENCE	0.00	0.00						-	-		$\vdash$
	<del>                                     </del>	ONTW Circuit id Establishment, Provisioning Only - No Rate		-	UEANL,UEF,UEQ,U	OLINCE	0.00	0.00				<b>-</b>	<b>-</b>				$\vdash$
1	1	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00				1	1				1 1
UNF O	THER. F	PROVISIONING ONLY - NO RATE		<u> </u>		0.42014	0.00	5.00									$\vdash$
J J	, 1				1				1					·			

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	oit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OI IL,OLO	UNLCIN	0.00	0.00		<del> </del>							
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no					1										
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP		1	USL	CCOLI	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per		İ			1			1							
		month			UE3	1L5ND	8.38										
1		High Capacity Unbundled Local Loop - DS3 - Facility															
-		Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.38										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	0.30										
		Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
LOOP I	MAKE-L																
		Loop Makeup - Preordering Without Reservation, per working or															
-		spare facility queried (Manual).			UMK	UMKLW	-	20.00	20.00	ļ							
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or		1	OIVIIC	OWINE		21.00	21.00								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
LINE S		S AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	l be billed as t	follows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper lo	op nor	-designed ("UCLND	)")	-			1		-					
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND					+			<del> </del>							
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	d ULSC	C applies only to cit	rcuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLIT	ERS-CENTRAL OFFICE BASED															
-		Line Sharing Splitter, per System 96 Line Capacity		ļ	ULS	ULSDA ULSDB	155.97 38.99	188.79 188.79	0.00	177.98	0.00	-					
-		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS	ULSD8	12.73	377.58	0.00	177.98 355.96	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			010	02020	.2.70	011.00	0.00	555.55	0.00						
		deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -			ULS	ULSDC	0.61	40.54	40.00	10.01	4.92						
-		OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -		<del>                                     </del>	ULO	OFPDC	0.61	18.51	10.60	10.01	4.92	-					
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)	<u> </u>		ULS	ULSDT	2.80	18.51	10.60	10.01	4.92	<u> </u>	<u> </u>				
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1				LUCDT	5.00	40.54	40.00	40.04	4.00						
-		(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -	<u> </u>	<del>                                     </del>	ULS	ULSDT	5.60	18.51	10.60	10.01	4.92	1					
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19								
		Line Sharing - per Subsequent Activity per Line						40.00	0.40	1							
-		Rearrangement(DLEC Owned Splitter Line Sharing - per Line Activation (DLEC owned Splitter) -		<del>                                     </del>	ULS	ULSCS		16.39	8.19	-		-					
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
		1									2.00			l .	·	1	

UNRU	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
ONDO	MULL											Svc Order	Svc Order	Incremental	Incremental		Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
-	1					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				+		11131	Addi	11130	Addi	JONILO	JONIAN	JONIAN	JOWAN	JONIAN	JONIAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
	1	Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
ļ		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
-	LINE	PLITTING		-	ULS	ULSCI	8.40	47.44	19.31	20.02	9.83						
<b>-</b>	END II	SER ORDERING-CENTRAL OFFICE BASED				+	+					1					
		Line Splitting - per line activation DLEC owned splitter	l		UEPSR UEPSB	UREOS	0.61										1
	1	Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83	Ì	İ	1			ĺ
	1	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	MAINT	ENANCE							•		·						
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
LIMBUR	UDI ED I	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUI		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT		-		+											
-	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011177	120701	0.000000					İ					
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		l	l											
	1	Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
	1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.00000					ł					
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	1	per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
<b>-</b>	<del>                                     </del>	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1		UTIDA	סווטס	15.12	40.54	21.41	10.74	0.90	<b>+</b>		<b> </b>			<del> </del>
		Imonth			U1TD1	1L5XX	0.18										
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1									Ì	İ	1			ĺ
L	1	Termination	<u> </u>		U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44	<u> </u>	<u> </u>				<u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
L	L	month			U1TD3	1L5XX	4.09										ļ
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATEO	702.50	070.75	400.70	00.00	20.42						
-	1	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46	-					
		month			U1TS1	1L5XX	4.09										
<b>-</b>	<b>t</b>	Interoffice Channel - Dedicated Transport - STS-1 - Facility			0.101	ILUAA	4.09					1					
		Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
DARK	FIBER		1									İ	Ì				1
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29					<u> </u>		ļ			ļ
	1	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEON	11 ED!	00.00										
<u> </u>	1	Thereof per month - Local Loop  NRC Dark Fiber - Local Loop	1		UDF, UDFCX UDF, UDFCX	1L5DL UDFL4	60.32	639.09	137.87	317.06	197.66	1	-	-			
	1	IMINO Daily Liber - Forai Fooh			, טטרטא	ODI L4		039.09	137.67	317.00	197.00	1	l	L			1

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
ONDO	JIVEL	NETWORK ELEMENTO Alabama				1	I					Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''										'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	т —					+	1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
	<u> </u>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
8XX A	CCESS	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.58	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.94	0.81	4.57	0.54						
	1	8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service															
	+	Per 8XX Number			OHD	N8FCX		2.58	1.29			-					$\vdash$
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FMX		3.02	1.73								1 1
$\vdash$	+	Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request	-		OHD	N8FAX		3.02	0.44			-					$\vdash$
<b>—</b>	1	8XX Access Ten Digit Screening, Change Charge Fer Request			J. ID	110177		3.02	0.44			<b> </b>					$\vdash$
	1	Features			OHD	N8FDX		2.58									1
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE	NFORM	ATION DATA BASE ACCESS (LIDB)			0.07												
-	-	LIDB Common Transport Per Query			OQT OQU	+	0.00002										$\longleftarrow$
	1	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change		-	OQU OQT, OQU	NRBPX	0.012002	34.32		42.08							$\vdash$
SIGNA	LING (C				OQ1, OQU	INICOFA		34.32		42.00							
0.0.0	<u> </u>	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44	İ					
	1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
		CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										ullet
-	<u> </u>	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						$\vdash$
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						1
-	1	CCS7 Signaling Usage, Per ISUP Message			UDB	IFFTT	0.0000142	33.33	33.33	10.44	10.44						-
	1	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33					İ					
	1	CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 S	SERVICE					1											
-	<u> </u>	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20						
-	+	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-			+	0.008838							-	-	-	$\vdash$
1	1	Termination	1			1	21.13	40.54	27.41	16.74	6.90						1
	1	Local Channel - Dedicated - DS1 - Zone 1	1			+	35.76	177.47	153.72	22.19	15.26	<b>†</b>					
		Local Channel - Dedicated - DS1 - Zone 2		L			49.98	177.47	153.72	22.19	15.26						
		Local Channel - Dedicated - DS1 - Zone 3					107.63	177.47	153.72	22.19	15.26						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.18										ldash
	1	Interesting Transport Designated BOA Box 500 Mg To 100 Mg				1	20.42	00.0-	04.01	10.0-							1
CALL	NG NAS	Interoffice Transport - Dedicated - DS1 Per Facility Termination	-			+	60.16	89.27	81.81	16.35	14.44	-					$\vdash$
CALLI	ING NAIV	E (CNAM) SERVICE  CNAM For DB Owners - Service Establishment	<b>-</b>		OQV	+	<del>                                     </del>	22.95		21.11		-					$\vdash$
	<del>                                     </del>	CNAM For Non DB Owners - Service Establishment	<u> </u>		OQV	1		22.95		21.11							$\vdash$
	i	CNAM For DB Owners - Service Provisioning With Point Code	İ										Ì				
		Establishment			OQV			990.88	732.84	268.93	197.74						
1	1	CNAM For Non DB Owners - Service Provisioning With Point	1			_	ı 7			l 🗍							1 7
<u> </u>	╂	Code Establishment	<b>!</b>	-	OQV	+	0.000000	342.33	245.14	275.25	197.74	ļ		<b> </b>	-	-	$\vdash$
<b> </b>	+	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query	-		OQV OQV	+	0.000902 0.000902					1		1	-	-	$\vdash$
SELFO	CTIVE R		<del>                                     </del>		~ v	+	0.000302					<b>+</b>		<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>
	1	Selective Routing Per Unique Line Class Code Per Request Per	<u> </u>			1											$\vdash$
		Switch	<u></u>				<u>                                      </u>	84.70	84.70	14.11	14.11		<u> </u>		<u> </u>	<u> </u>	<u>                                      </u>
VIRTU	AL COL	LOCATION							·		·						
	1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOS	VE41.0											1
	l .	Splitting	l	<u> </u>	UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		<u> </u>	l	l	l	

UNBUNDLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order Submitted	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															$\vdash$
	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						i l
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91	100.00	8,590.70	4.70						
	End Office Establishment Query NRC, per query			SRC SRC	SRCEO	0.002749	169.88	169.88	1.70	1.70						
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE			O.CO		0.002140										
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						i
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						ı l
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7111	O/ WII CO	0.002188	41.00	41.00	11.71	11.71						
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per															i
AIN - RELISOI	Minute JTH AIN TOOLKIT SERVICE					0.73										
All - BLLLOOK	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						i
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 11		7.00	7.00	0.00	0.00						
	DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM		7.00	7.00	0.00	0.00						ı l
	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.83	7.83	9.09	9.09						
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						ı l
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.47	34.47	14.36	14.36						
	DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36						ı l
	AIN Toolkit Service - Query Charge, Per Query					0.05										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															1
	Subscription, Per Node, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00582										
	Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66								ı l
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			O7 11V1	D/ II LO	2.01	0.00	0.00								
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEC	0.40	0.00	0.00								ı l
ENHANCED F	Service Subscription (TENDED LINK (EELs)			CAM	BAPES	0.10	8.66	8.66								
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE con	nbinations pro	visioned as ' C	Ordinarily Comb	oined' Network	Elements.					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTEN	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS				44.00	00.00	FF 00	47.04	7.11						
<del>                                     </del>	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2		1 2	UNCVX UNCVX	UEAL2 UEAL2	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month	l		UNC1X	1L5XX	0.18										

UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhil	bit: A
CHESHOLL											Svc Order	Svc Order	Incremental		Incremental	Incremental
1		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
ĺ		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
ĺ																
İ													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
1																
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
1	Fort A 1 17 1 - 1 0 M 1 - 1 (0 1 0 ) 1 0 - 1 1 1 - 1 1 - 1 1 1 1 1 1 1 1 1 1			111000	115410	00.05	00.00	55.00	47.04							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	111000	UEAL2	36.14	88.00	55.00	47.24	7.44						
$\vdash$	Voice Grade COCI - Per Month		3	UNCVX UNCVX	1D1VG	0.53	6.58	55.00 4.72	47.24	7.44						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.55	0.36	4.72						1		1
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER				0.00	0.00	0.00	0.00						
		1			T											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
					1											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	1															
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
$\sqsubseteq$	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
1	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1		2						=							
$\vdash$	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	-					
1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.53	6.58	4.72	35.14	14.50				1		1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.55	0.50	7.72						1		1
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				0.00	0.00	0.00	0.00						
		i	1		T					İ				İ		İ
1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		1				
					1									1		1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						<u> </u>
													_			
$\Box$	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
1 1 -	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
$\vdash$	Per Month			UNC1X	1L5XX	0.18								ļ		ļ
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility	1			1							1				
<del></del>	Termination Per Month	ļ	$\vdash$	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
$\vdash$	1/0 Channel System in combination Per Month	ļ		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				ļ		ļ
$\vdash$	OCU-DP COCI (data) per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.12	6.58	4.72								
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		LINCDY	LIDI FC	20.00	400.07	00.00	50.11	44.50						
<del> </del>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>!</b>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	-			-	
1 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		1				
$\vdash$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-		OINCDA	UDLOO	ან.95	120.27	00.80	39.14	14.50	<b>-</b>					
1 1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
<del></del>	Additional OCU-DP COCI (data) - in combination per month (2.4-	<b> </b>		5.10DX	35200	37.00	120.21	00.00	33.14	17.50		<b>-</b>		<b> </b>		<b> </b>
1	64kbs)	1		UNCDX	1D1DD	1.12	6.58	4.72				1				
	Nonrecurring Currently Combined Network Elements Switch -As-	l -				1.12	0.00	7.12						1		1
																1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	ibit: A
ONDONDE	Adduna										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		_		Nonrec	urrina	Nonrecurring	Disconnect			220	Rates (\$)		
<del>                                     </del>			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1		_		11130	Auu	11130	Auu i	JONILO	JOHAN	JONIAN	JONIAN	JONIAN	JOWIAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	3															
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
1 1	Interoffice Transport - Dedicated - DS1 combination - Per Mile			11041/	41.500/	0.40										
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	-		UNC1X	1L5XX	0.18										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						-
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	10.04	0.70						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			LINODY	40400	4.40	0.50	4.70								
-	(2.4-64Kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.12	6.58	4.72								<u> </u>
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				0.00	0.00	0.50	0.00						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	İ					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.											
	Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						-
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.33	3.33	0.30	0.90						
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	İ					
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per					======				=0.40						
	month	-		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
<del>                                     </del>	3/1 Channel System in combination per month DS1 COCI in combination per month	<b>-</b>	<del>                                     </del>	UNC3X UNC1X	MQ3 UC1D1	166.13 12.70	178.14 6.58	93.97 4.72	33.26	31.83	1		-	-	1	+
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	<del>                                     </del>	ONOIA	ועוטט	12.70	86.0	4.12			<b>+</b>		<del> </del>	<del> </del>	<b> </b>	<del>                                     </del>
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<del></del>	-		22.20					1		İ	İ		
I	Zone 2	<u></u>	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	<u> </u>		ļ	ļ	ļ	ļ
ļļ	Additoinal DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72			ļ					<b>_</b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	LINICOO		F F0	<i></i>	0.00	0.00						
EVTE	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	 	UNC3X	UNCCC		5.59	5.59	6.98	6.98	1	-			-	<del>                                     </del>
EXIE	2-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	<b>+</b>		<del> </del>	<del> </del>	-	<del>                                     </del>
<del>                                     </del>	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	1					<del> </del>
	2-WireVG Loop in combination - Zone 3	l		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44			1	1		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1									İ		1	1		
	Month		<u> </u>	UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility														l	
	Termination per month		<u> </u>	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		J				<u> </u>

UNBU	INDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
		/ MANAINA	1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurring	Disconnect	<b> </b>		OSS	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-				1		11100	Auui	7 11 30	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
		Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
-	EVTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	EINITE				5.59	3.39	0.90	0.90		-		-		
-	EVIEN	4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	1 1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
						UEAL4	38.58		94.51								
		4-WireVG Loop in combination - Zone 2		2	UNCVX			131.97		59.14	14.50						
-	-	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
		Month			UNCVX	1L5XX	0.008838										
		Interoffice Transport - 4-wire VG - Dedicated - Facility				l											
		Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
1		Nonrecurring Currently Combined Network Elements Switch -As-	1		l <u></u> .	l		_	_	1	_	1	l	l	I	l	
		Is Charge	<u> </u>		UNCVX	UNCCC		5.59	5.59	6.98	6.98		ļ		L		
	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1					ļ	ļ		ļ	ļ	ļ	
		DS3 Local Loop in combination - per mile per month	ļ	L	UNC3X	1L5ND	8.38						ļ				
			1												1		
		DS3 Local Loop in combination - Facility Termination per month	ļ	L	UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58		ļ				
		Interoffice Transport - Dedicated - DS3 - Per Mile per month	ļ		UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	8.38										
		STS-1 Local Loop in combination - Facility Termination per									Î			Î			
		month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
		Interoffice Transport - Dedicated - STS-1 combination - per mile									Î			Î			
		per month .			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility									Î			Î			
		Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN	SPORT				0.00									
		First 2-Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Interoffice Transport - Dedicated - DS1 combination - per mile	i –	Ť			.0.00	24		02.00	.5.04		1	1	1	1	
		per month	1		UNC1X	1L5XX	0.18					1	1		I		
		Interoffice Transport - Dedicated - DS1 combination - Facility	i –	i –		. 20,01	5.10				1		1	1	1	1	
1		Termination per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	1		I		
<b>—</b>		1/0 Channel System in combination - per month	t	t	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	<b>-</b>	<del>                                     </del>	<b> </b>	t	<b>†</b>	
-		2-wire ISDN COCI (BRITE) - in combination - per month	<b>†</b>	<b>t</b>	UNCNX	UC1CA	2.41	6.58	4.72		3.13	<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>	
$\vdash$	<b>H</b>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	1	0140147	JUIUA	2.41	0.50	4.12	1	<del> </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
1		Combination - Zone 1	I	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	1	l	l	I	l	
-	-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	+-	OINOINA	UILZA	∠1.00	117.24	13.11	32.00	10.54		-	-	<del></del>	-	
1			1	2	LINCNY	U1L2X	32.85	117.24	79.77	52.88	10.54	1	1		I		
<b>—</b>	<b>I</b>	Combination - Zone 2	1	-	UNCNX	UILZĀ	3∠.85	117.24	79.77	5∠.88	10.54	<b>-</b>	-		<del>                                     </del>		
1		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	3	LINCNY	U1L2X	48.55	117.24	79.77	52.88	10.54	1	1		I		
<b>—</b>	<b>I</b>	Combination - Zone 3	1	3	UNCNX	UILZĀ	48.55	117.24	79.77	5∠.88	10.54	<b>-</b>	-		<del>                                     </del>		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per month	1		UNCNX	UC1CA	2.41	6.58	4.70						1		
<u> </u>	-		<b>!</b>	<del>                                     </del>	UNCINA	UCTCA	2.41	6.58	4.72	1	<del> </del>	ļ	-	<b> </b>	<del>                                     </del>	<del> </del>	
1		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAY					0.00	0.00	1	l	l	I	l	
<b></b>	EVTE	Is Charge	ED OTO	4 15:77	UNC1X	UNCCC		5.59	5.59	6.98	6.98	ļ	-	<b> </b>	<del>                                     </del>	<del> </del>	
<u> </u>	EXIEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 IN I E			00.55	050.45	457.51	44.70		ļ	-	<b> </b>	<del>                                     </del>	<del> </del>	
<u> </u>		First DS1 Loop Combination - Zone 1	<b></b>	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				-		
<u> </u>		First DS1 Loop Combination - Zone 2	<b></b>	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				-		
L		First DS1 Loop Combination - Zone 3	ļ	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71			ļ	<b>.</b>		
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1		l <b></b>	1									1		
		Per Month	ļ	<u> </u>	UNCSX	1L5XX	4.09							ļ	<b>.</b>		
1		Interoffice Transport - Dedicated - STS-1 combination - Facility	1									1	l	l	I	l	
		Termination per month	<u> </u>	<u> </u>	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						

UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	1	_	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T. N	D'				D-1 (A)		
							Rec	Nonrec	urring Add'l	Nonrecurring First		001150	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	1	3/1 Channel System in combination per month	-	1	UNCSX	MQ3	166.13	First 178.14	93.97	33.26	Add'l 31.83	SOWIEC	SOWAN	SUMAN	SUMAN	SOWAN	SUMAN
-	<b>+</b>	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03	<u> </u>					
	1	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	12.70	0.30	7.72			<b>†</b>					
		Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	1	Additional DS1Loop in the same STS-1 Interoffice Transport						-				İ					
		Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
		DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
-	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	-		-		-
-	1	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2	╂	2	UNCDX	UDL56	26.09 35.95	126.27	88.80	59.14	14.50	-				-	
-	+	4-wire 56 kbps Local Loop in combination - Zone 2	1	3	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	1	<del>                                     </del>	<del> </del>	<del> </del>		<del> </del>
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	ODL30	37.00	120.21	00.00	35.14	14.50						
		Per Mile per month			UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			0.10271	120701	0.000000					İ					
		Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	1	Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	ļ	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	41.5307	0.000000										
-	1	Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-	<u> </u>	UNCDX	1L5XX	0.008838						-				
		Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEG	10.12	40.04	21.71	10.74	0.50						
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w				2.00		0.00							
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	1	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile			UNC1X	1L5XX	0.18										
		First Interoffice Transport - Dedicated - DS1 combination -	1		LINICAY	LIATE 4	00.40	00.0-	04.61	10.0=							
-	-	Facility Termination per month	-	₩	UNC1X UNC1X	U1TF1 MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79	-	-		-		-
-	<del>                                     </del>	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month	<del>                                     </del>	-	UNCVX	1D1VG	0.53	6.58	4.72		9.79						
-	1	3/1 Channel System in combination per month	<del>                                     </del>	<del>                                     </del>	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	<b>+</b>	<del>                                     </del>	<b> </b>	<del> </del>		<del> </del>
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	55.20	01.00						
	t e	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	t			1		5.50	2	1			<b>†</b>		1		
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	i –									İ			1		1
L		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
1	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1														
<u> </u>		Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	ļ			ļ		
		Fort ALIES and Alies On the OCCI.			LINION	454)/6											
-	+	Each Additional Voice Grade COCI - in combination - per month	₩	-	UNCVX	1D1VG	0.53	6.58	4.72	1		ļ	1	-	<del> </del>		<del>                                     </del>
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1		UNC1X	1L5XX	0.18										
-	1	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	+	+	OIVO IA	ILOAA	0.18			1		<del>                                     </del>	-			-	
		same 3/1 Channel System per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
-	<del>                                     </del>	Each Additional DS1 COCI combination per month	<del>                                     </del>		UNC1X	UC1D1	12.70	6.58	4.72	10.35	14.44	<del>                                     </del>	<b>-</b>		<b> </b>		<b> </b>
	t -	Nonrecurring Currently Combined Network Elements Switch -As-	1		5.101/	30101	12.70	0.56	7.72			1	<u> </u>	1	1		<del>                                     </del>
1		Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				2.20	2.30	5.50	2.30			İ	İ		
										•		•	•				

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
$\Box$	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
$\vdash$	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
<u> </u>	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per			11041/	41.500/	0.40										
$\longrightarrow$	Mile Per Month		-	UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility			11041/	U1TF1	00.40	00.07	04.04	40.05							
$\vdash$	Termination Per Month	1	1	UNC1X UNC1X	MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79		-				
<b></b>	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.53	6.58	4.72	10.54	9.79	-					
	3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1					
$\vdash$	Per each DS1 COCI in combination per month	1	+	UNC1X	UC1D1	12.70	6.58	4.72	33.26	31.03		-	<del>                                     </del>	<del> </del>		<b> </b>
$\vdash$	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1	UNCIX	OCIDI	12.70	0.30	4.72	-		1					
1 1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
$\vdash$	Additional 4-Wire Analog Voice Grade Loop in same DS1	<b>†</b>	+ '-	0.10 1 /	JLAL4	25.54	101.87	34.31	35.14	14.30	<b>-</b>		<b> </b>	<b> </b>		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	-	ONOVA	OL/1L-I	00.00	101.07	04.01	00.14	14.00	<b>-</b>					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť	0.10171	027121	00.02	101.07	0 1.0 1	00.11	1 1.00						
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in		1		1.20.00	01.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month	i	1	UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-											ĺ			
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
$\vdash$	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						400.00									
$\longrightarrow$	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
$\vdash$		1	3	UNCDX	UDL56	37.88	120.27	88.80	59.14	14.50		-				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18			1							
-	First Interoffice Transport - Dedicated - DS1 - combination	<del> </del>	<del>                                     </del>	ONOIA	ILUAA	0.10			<del>                                     </del>				<del> </del>	<del> </del>		
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month	1	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	<del>                                     </del>	<b>-</b>				1
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	t	1	UNCDX	1D1DD	1.12	6.58	4.72	1				İ	İ		İ
	3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83		İ	İ	İ		ĺ
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72					1	1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
I	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	<u></u>	<u> </u>	<u></u>	<u> </u>		<u>                                      </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															l
$\sqcup \sqcup$	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
_	OCU-DP COCI (data) COCI in combination per month (2.4-	1														
$\vdash$	64kbs)	ļ	1	UNCDX	1D1DD	1.12	6.58	4.72	<b></b>							
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	LINIOAY	41.500				I							
$\vdash \vdash$	Channel System per month	<b>!</b>	1	UNC1X	1L5XX	0.18			<del>                                     </del>	-			<del>                                     </del>	<del>                                     </del>		<b> </b>
1 1	Each Additional DS1 Interoffice Channel Facility Termination in			LINGAY	LIATEA	00.40	00.07	04.04	40.05							
$\vdash$	same 3/1 Channel System per month	<del>                                     </del>	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1		<del>                                     </del>	<b> </b>		-
1 1	Each Additional DS1 COCI in the same 3/1 channel system combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72	I							
$\vdash$	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	+	ONCIA	OCIDI	12.70	86.0	4.72	<del>                                     </del>			-	<del> </del>	<del> </del>		<b> </b>
	presidenting outletting combined Network Lietherite SWIGH -AS-	1	1	1	1	i l			1	I	1	1	l .	1		1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUN	DLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
		The state of the s										Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
L		Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
		Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_				400.00		==							
-		Transport Combination - Zone 3	-	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
$\vdash$		First Interoffice Transport - Dedicated - DS1 combination -			UNCIA	ILSAA	0.10										<b>+</b>
		Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
		Per each Channel System 1/0 in combination Per Month		<b>-</b>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						<del> </del>
$\vdash$		Per each OCU-DP COCI (data) in combination - per month (2.4-			2.10.71		101.00	01.04	02.01	10.04	5.79				1		
		64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72				1				
		3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				İ	İ	
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		İ											1		
<u></u>		Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		L			<u> </u>	
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.18										
		Each Additional DS1 Interoffice Channel Facility Termination in					00.40			40.05							
$\vdash$		same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	-					
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	12.70	0.30	4.72								<b>+</b>
		Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
F	XTFN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	2T w/ 3/	1 MIIX		UNCCC		5.55	5.55	0.90	0.90						
<del></del>	X 1 L 1 4	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	11 11/ 0/	I													<u> </u>
		Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
oxdot		Mile per month			UNC1X	1L5XX	0.18										
		First Interoffice Transport - Dedicated - DS1 combination -														I	
$\sqcup \bot$		Facility Termination per month		<u> </u>	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				ļ		<u> </u>
$\sqcup \!\!\! \perp$		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				ļ		<u> </u>
		D		1									1				
$\vdash$		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72	00.00	04.00						<del></del>
$\vdash$		3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				-		-
$\vdash$		Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	12.70	6.58	4.72				-	-			<del>                                     </del>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
$\vdash \vdash$		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	<u> </u>	ONONA	UILZA	∠1.08	111.24	19.77	3∠.08	10.54	-	<b> </b>		<del> </del>	<b> </b>	<del> </del>
		Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		1				
$\vdash$		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>		0.1011/	O ILEA	52.05	111.24	13.11	52.00	10.54	<b>-</b>	<b> </b>				<b>†</b>
		Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1				
$\vdash$		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		Ť			.0.00			52.50	.0.04				1		
		system combination- per month		1	UNCNX	UC1CA	2.41	6.58	4.72				1				
		Each Additional DS1 Interoffice Channel per mile in same 3/1		Ì	-			2.20				1			İ	l	
		Channel System per month		1	UNC1X	1L5XX	0.18						1				
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month	<u> </u>	L	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	<u></u>	<u></u>		<u> </u>	<u> </u>	

UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ONDONDEE	Adduna	I			1	I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
																_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-			1	Nonred	urrina	Nonrecurring	Disconnect			220	Rates (\$)		
-		-	-			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system	-	-				FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
				LINICAY	UC1D1	12.70	0.50	4.70								1
$\vdash$	combination per month			UNC1X	OCIDI	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		5 50	5.50	0.00	0.00						ł
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						<b></b>
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN	_		1101101	00.55			44.70							<b></b>
<b>———</b>	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						<b></b>
<b>———</b>	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						<b></b>
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						<b></b>
	First Interoffice Transport - Dedicated - DS1 combination - Per															ł
	Mile Per Month			UNC1X	1L5XX	0.18										<b></b>
	First Interoffice Transport - Dedicated - DS1 combination -	1	1	l <b>.</b>	1						l	]		l		1
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								i .
	Each Additional DS1 Interoffice Channel per mile in same 3/1															ł
	Channel System per month			UNC1X	1L5XX	0.18										l
	Each Additional DS1 Interoffice Channel Facility Termination in															ĺ
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ł
	Each Additional DS1 COCI in the same 3/1 channel system															i T
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								í
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						í
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i T
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						ł
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						ł
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						ł
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						·
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						·
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť													
	per month			UNCDX	1L5XX	0.008838										ł
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						í
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120	10.12	10.01		10.7 1	0.00						
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98	1					1
FXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5555		0.00	0.00	0.00	0.30						(
EXTE	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						(
<del>                                     </del>	First 4-wire 64 kbps Local Loop in combination - Zone 2	<del>                                     </del>	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	<b> </b>			<b> </b>		
	First 4-wire 64 kbps Local Loop in combination - Zone 3	<del>                                     </del>	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						(
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	<del>                                     </del>	-	5.10DA	00004	37.00	120.21	00.00	33.14	17.50						(
	per month			UNCDX	1L5XX	0.008838										1
<del>                                     </del>	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	<del>                                     </del>	<del>                                     </del>	OHODA	1LU///	0.000030					<del>                                     </del>			<del> </del>		
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						1
$\vdash$	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<del>                                     </del>	OHODA	סטווט	13.12	40.54	21.41	10.74	0.90	<del>                                     </del>	<b>-</b>		<del>                                     </del>		
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98	1					1
ADDITIONAL	NETWORK ELEMENTS	-	_	ONODA	UNCCC		5.59	5.59	0.98	0.98				-		
	used as a part of a currently combined facility, the non-recurr	rna sh-	race al-	not apply but - f	Switch Ac Is -	harao daga sii ii	N.							-		
	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, the													-		
	used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					AS IS CHARGE O	ioes not.									
Nonre	Nonrecurring Currently Combined Network Elements "Switch As Is"  Nonrecurring Currently Combined Network Elements Switch -As-	cnarge	(One a	ipplies to each con	ibination)											
		1		LINCV	UNCCC		5.59	5.59	0.00	6.98	1					1
<del></del>	Is Charge - 2 wire/4-Wire VG	<b>!</b>	-	UNCVX	UNCCC		5.59	5.59	6.98	6.98	-			<del> </del>		<del></del>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOO				0.00	0.00	1					1
$\vdash$	Is Charge - 56/64 kbps	-	-	UNCDX	UNCCC		5.59	5.59	6.98	6.98	<del>                                     </del>			<del>                                     </del>		
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINICAV	LINICOO				0.00	0.00						, ,
$\Box$	Is Charge - DS1	L	<u> </u>	UNC1X	UNCCC		5.59	5.59	6.98	6.98	l			l		1

UNBUN	IDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
0.1.201		7.2.2	I	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							D	Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						ł
		Nonrecurring Currently Combined Network Elements Switch -As-															i T
		Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						ł
	ption	al Features & Functions:															i T
					U1TD1,												i T
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	OI	OI						í
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	01	OI						ł
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						ł
					U1TD3, ULDD3,												i T
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S	1	1				1
1	/ULTII	PLEXERS															1
		DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						i .
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															1
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						i I
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i T
		month (2.4-64kbs) used for connection to a channelized DS1															ł
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						ł
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1													
		month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															1
		in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						i I
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1													
		used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															1
		same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						1
		DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						i
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						i T
		DS1 COCI (used for connection to a channelized DS1 Local															i T
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						ı
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						ĺ
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															ı <del></del>
		month	<u> </u>	L	ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00			<u> </u>			<u> </u>
		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s								
2	-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						
T									l					l			
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						
1 T	_	Exchange Ports - 2-Wire VG unbundled AL extended local	1		<u> </u>	1								<u> </u>			ı ¬
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						<u> </u>
1 T		Exchange Ports - 2-Wire VG unbundled res, low usage line port											1				·
		with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33						
T		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan							l					l			ı ———
		without Caller Id	<u> </u>	<u></u>	UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33			<u></u>	L		<u> </u>
		2-Wire voice unbundled Low Usage Line Port without Caller ID															ı
		Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33						L
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
F	EATU																
		All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
	-WIRE	VOICE GRADE LINE PORT RATES (BUS)															

UNBI	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
0.12		7.2.2		1		T						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intent									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
-	1	Bus But O Will NO other Health's Both it			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
-	+	unbundied port with Caller+E464 ID - Bus.		-	UEPSB	UEPBC	1.30	2.30	2.21	1.42	1.33	-					
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
-	1	Exchange Ports - 2-Wire VG unbundled AL extended local		1	OLI OD	OLI DO	1.50	2.50	2.21	1.42	1.55	<b>-</b>					
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	1	Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
		without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
	EXCHA	NGE PORT RATES (DID & PBX)				ļ											
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
-	1	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
-	1	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<u> </u>	UEPSP UEPSP	UEPPO UEPP1	1.38 1.38	31.27 31.27	14.85 14.85		0.90 0.90		-				
-	+	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP	UEPLD	1.38	31.27	14.85		0.90	-					
-	+	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		<u> </u>	UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90	-					
	+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85		0.90						
	1	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDOD	LIEDVO	4.00	04.07	44.05	40.04	0.00						
-	+	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXO UEPXS	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90	-					
-	1	Subsequent Activity		<del>                                     </del>	UEPSP	USASC	0.00	0.00	0.00	13.94	0.90		-				
-	FEATU		<b>-</b>	1	021 01	55755	0.00	0.00	0.00	<del> </del>				<b> </b>	<b> </b>		
<b>—</b>		All Available Vertical Features		<b>†</b>	UEPSP UEPSE	UEPVF	1.98	0.00	0.00	1			<u> </u>				
		NGE PORT RATES (COIN)		t e	0. 02. 02	1	50	0.00	0.00	İ				İ	İ		
	1	Exchange Ports - Coin Port		1		1	1.38	2.38	2.27	1.42	1.33		İ	İ	İ	l	
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	ircuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-Ch	nannels assoc	ated with 2	wire ISDN r	oorts.	1		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU	NDLED L	OCAL EXCHANGE SWITCHING(PORTS)			-				•								
		INGE PORT RATES												<u> </u>			
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
<u> </u>	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	arter the	effecti								scretion.					
<u> </u>	<del> </del>	Exchange Ports - 2-Wire DID Port		<b>!</b>	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76			<del>                                     </del>	<del>                                     </del>	<b> </b>	
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46						
-	1	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		<del>                                     </del>	UEPDD UEPTX, UEPSX	U1PMA	9.79	72.77	95.69 52.99	72.59 47.79	10.74		-				
$\vdash$	+	All Features Offered		<b>!</b>	UEPTX, UEPSX	UEPVF	1.98	0.00	0.00		10.74			<del> </del>	<del> </del>	-	
$\vdash$	+	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<b>-</b>	t	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			<b>-</b>		<b> </b>	<b> </b>		
	NOTF:	Transmission/usage charges associated with POTS circuit sv	vitched	usage							nannels assoc	iated with 2	wire ISDN r	oorts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	i
		NGE PORT RATES (continued)		T										1	1		
		, ,															

UNBU	INDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,804.00		156.08							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	175.14									
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.049									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New or	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53									
	CALL																
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
		NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33						
																	1
	ļ	Unbundled Remote Call Forwarding Service, Local Calling - Res		1	UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33				ļ	ļ	
	ļ	Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33				ļ	ļ	
		Unbundled Remote Call Forwarding Service, IntraLATA - Res		1	UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33				ļ		
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -												1			1
	<u> </u>	Switch-as-is	<u> </u>	1	UEPVR	USAC2		0.10	0.10	ļ				L	ļ	ļ	<b></b>
		Unbundled Remote Call Forwarding Service - Conversion with												1			1
	ļ	allowed change (PIC and LPIC)		1	UEPVR	USACC		0.10	0.10	ļ					ļ	ļ	
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
1	1		1		Ī									_			1
		Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u> </u>	1	UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33			L			<b></b>
1	1		1	1							1	1	I	I		l	1
ı	1	Unbundled Remote Call Forwarding Service, Local Calling - Bus	L_		UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>

UNBU	INDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		
1			1									II .	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								1
OAILC	JOICI	KATE EEEMENTO	m	Zone	500	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	urring	Monrocurring	Disconnect	<b> </b>		088	Rates (\$)		
-	-		-	-		<b>-</b>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	-	Unbundled Remote Call Forwarding Service, InterLATA - Bus	-	-	UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	-			1			1.38	2.38				-					
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33	<u> </u>					
		Unbundled Remote Call Forwarding Service Expanded and			LIEDVO	LIED) (I	4.00	0.00	0.07	4.40	4.00						
-	Maria Da	Exception Local Calling	-		UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
	Non-Re	ecurring															ļ
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUN		LOCAL SWITCHING, PORT USAGE	ļ			1						ļ					1
	End Of	fice Switching (Port Usage)	ļ			1						ļ					1
		End Office Switching Function, Per MOU		L		1	0.0007025					ļ					
		End Office Trunk Port - Shared, Per MOU					0.0001638										
	Tander	m Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.000095										
		Tandem Trunk Port - Shared, Per MOU					0.0002015										
		Tandem Switching Function Per MOU (Melded)					0.000040993										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
		Melded Factor: 43.15% of the Tandem Rate										ĺ					
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000023					İ					
		Common Transport - Facilities Termination Per MOU				†	0.0003224					i e					
UNBUN	DLED F	PORT/LOOP COMBINATIONS - COST BASED RATES				†						i e					
		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	is.		
	The fire	st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	II he those ide	ntified in the N	lonrecurring	- Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	, -	1					g g								
		ort/Loop Combination Rates										1					1
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70					1					1
		2-Wire VG Loop/Port Combo - Zone 2	<b>-</b>	2		1	21.19					1					
		2-Wire VG Loop/Port Combo - Zone 3		3		+	34.80					<b>+</b>					
<b>-</b>	LINEL	pop Rates		-		+	34.00					<u> </u>					
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.55					1					
<u> </u>	-					_						-					
	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRX	UEPLX	20.04 33.65			1	-	1		<del>                                     </del>			1
<b>-</b>	0.147	2-Wire Voice Grade Loop (SL1) - Zone 3	<b> </b>	3	UEPRX	UEPLX	33.65			1	-	}		<del> </del>			1
<b>-</b>	2-wire	Voice Grade Line Port Rates (Res)	<b> </b>	<del>                                     </del>	LIEDDY	HEDE		10.10	10.00	04.61	2.00	}		<del> </del>			1
<u> </u>	<u> </u>	2-Wire voice unbundled port - residence	ļ	1	UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63	<u> </u>		-			
<u> </u>		2-Wire voice unbundled port with Caller ID - res		1	UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63	<b> </b>					<b></b>
	ļ	2-Wire voice unbundled port outgoing only - res	ļ	<u> </u>	UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63	<b></b>		ļ			-
1	1	2-Wire voice Grade unbundled Alabama extended local dialing	l								1	1		1			1
		parity port with Caller ID - res	ļ		UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63	ļ					1
l		2-Wire voice unbundles res, low usage line port with Caller ID	l								I	1					
	1	(LUM)	I		UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63	<u> </u>					I
1										1							
1		2-Wire Voice Unbundled Alabama Residence Dialing Plan										l l					
		2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63						
					UEPRX		1.15	40.19	19.83	24.91	6.63						
		without Caller ID			UEPRX UEPRX	UEPWA UEPRT	1.15	40.19 40.19	19.83 19.83	24.91	6.63						
	FEATU	without Caller ID  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability															
	FEATU	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES			UEPRX												
		without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered				UEPRT	1.15	40.19	19.83								
		without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered . NUMBER PORTABILITY			UEPRX	UEPRT	1.15	40.19	19.83								
	LOCAL	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered .NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	UEPRT	1.15	40.19	19.83								
	LOCAL	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	UEPRT	1.15	40.19	19.83								
	LOCAL	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered . NUMBER PORTABILITY Local Number Portability (1 per port) . CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX	UEPRT UEPVF LNPCX	1.15	0.00	19.83								
	LOCAL	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NuMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	UEPRT	1.15	40.19	19.83								
	LOCAL	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX UEPRX	UEPVF LNPCX USAC2	1.15	0.00	0.00								
	LOCAL	without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NuMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX UEPRX UEPRX	UEPRT UEPVF LNPCX	1.15	0.00	19.83								

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															1
	Activity			UEPRX	USAS2	0.00	0.00	0.00								$\vdash$
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPRX	URETL		8.33	0.83								i l
OFF/O	Premise N PREMISES EXTENSION CHANNELS			UEPRX	UKETL		8.33	0.83	-							
UFF/C	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30	1					$\overline{}$
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30	1					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30	†					
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44	İ					
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEDDV												i l
2 14/15	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	U1TVM	0.008838	0.00	0.00	1		1					
	Port/Loop Combination Rates		1		+				-		<b> </b>					
UNEF	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.70			-		<b> </b>					
<b>-</b>	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.19					<b>†</b>					
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80					i e					
UNE L	oop Rates		Ť			0 1.00			t		†					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63	ļ					<b>—</b>
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						i
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63	1					
	2-Wire Voice Unburidled Alabama Business Dialing Plan without			OLI DX	OLIDI	1.13	40.13	13.03	24.51	0.03	1					
	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						i
	2-Wire voice unbundled Incoming Only Port without Caller ID										İ					i
	Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						i
LOCA	L NUMBER PORTABILITY															i
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										_
FEATU					1				ļ							<b> </b>
No.	All Features Offered		<b></b>	UEPBX	UEPVF	1.98	0.00	0.00	-							
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	-		+				<b>-</b>		1	-				
	Switch-as-is			UEPBX	USAC2		0.10	0.10	1							1
<del>                                     </del>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI DA	USAGZ		0.10	0.10	<del>                                     </del>		<u> </u>			<del> </del>		
	Switch with change			UEPBX	USACC		0.10	0.10	1							1
ADDIT	TONAL NRCs						50	5.10	1					İ		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										İ			1		1
	Activity	<u></u>		UEPBX	USAS2		0.00	0.00	<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS												_		_	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30				ļ		
<b>—</b>	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30	ļ					<b>.</b>
<del>                                     </del>	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX UEPBX	UEAED	14.38	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44	ļ			<del>                                     </del>		<del></del>
<b></b>	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	<b>-</b>	3	UEPBX	UEAED	22.85 36.14	88.00	55.00	47.24	7.44 7.44	<del>                                     </del>					
INTER	OFFICE TRANSPORT	<b>H</b>	٥	OLFBA	ULAED	30.14	00.00	55.00	41.24	1.44	1			<del>                                     </del>		$\overline{}$
IIIII	aa	1			1				ı	1	1	1	1	1	1	

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>		<b>-</b>	<b>-</b>				Nonrec		Nonrecurring	Disconnect			220	Rates (\$)		
$\vdash$		+	1		+	Rec	First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	+	1				FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
	Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TVM		0.00	0.00	10.7.1	0.00						
2 WID	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	+	<del>                                     </del>	UEPBX	UTTVIVI	0.008838	0.00	0.00			-					
	Port/Loop Combination Rates	+	1								1					
OI4L I	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	12.70										
	2-Wire VG Loop/Port Combo - Zone 2	1	2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)							· · · · ·								
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
LOCA	L NUMBER PORTABILITY	ļ	ļ													
L	Local Number Portability (1 per port)		ļ	UEPRG	LNPCP	3.15	0.00	0.00								
FEAT		1														
NONE	All Features Offered	+	<del>                                     </del>	UEPRG	UEPVF	1.98	0.00	0.00			-					
NONK	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	1		+						-					
	Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
<del></del>	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	<del>                                     </del>	OLI NO	UUAUZ		7.51	1.30							1	1
	Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
ADDIT	FIONAL NRCs			02.110	00/100		7.01									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS		L.,													
	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
$\vdash$	Local Channel Voice grade, per termination	1	3	UEPRG UEPRG	P2JHX P2JHX	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44		-				
$\vdash$	Local Channel Voice grade, per termination  Non-Wire Direct Serve Channel Voice Grade	+	1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40	-					
-	Non-Wire Direct Serve Channel Voice Grade	+	2	UEPRG	SDD2X SDD2X	23.88	131.60	61.92	90.50	13.40	<b>H</b>			l	<del> </del>	<del> </del>
$\overline{}$	Non-Wire Direct Serve Channel Voice Grade	+	3	UEPRG	SDD2X SDD2X	33.72	131.60	61.92	90.50	13.40	<b>-</b>				<b> </b>	<b> </b>
INTEF	ROFFICE TRANSPORT	†	Ť			552		31.32	33.30	.5.10					1	1
1331211	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1									İ		İ		
	Termination		1	UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.008838	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												-			
UNE F	Port/Loop Combination Rates	<b>_</b>													ļ	ļ
$\vdash$	2-Wire VG Loop/Port Combo - Zone 1	1	1		+	12.70				-	-			<b> </b>	ļ	ļ
$\vdash$	2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	2	-	+	21.19 34.80				-				<b> </b>	<del>                                     </del>	<del>                                     </del>
1000	2-Wire VG Loop/Port Combo - Zone 3	+	3		+	34.80				-	1			-	<del>                                     </del>	<del>                                     </del>
UNE L	_oop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEPPX	UEPLX	11.55						-				
<del></del>	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	2	UEPPX	UEPLX	20.04					<b>-</b>				<b> </b>	<b> </b>
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	33.65					<del>                                     </del>	<b>-</b>				
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)	1	Ť		32. 2.	55.50										
		1	1									İ		İ		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		<u></u>	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20				<u> </u>	<u> </u>	<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	1.15 1.15	69.08	32.41	37.43	6.20						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX			69.08	32.41	37.43	6.20						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			Incremental
		1										Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	
																l .
													1st	Add'l	Disc 1st	Disc Add'l
					1	_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama								1							
	Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41		6.20						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41		6.20						+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41		6.20						+
	2-Wire Voice Unbundled PBX LD DDD Terminal Floter Fors			UEPPX	UEPXC	1.15	69.08	32.41		6.20						+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<del>                                     </del>	UEPPX	UEPXD	1.15	69.08	32.41		6.20						<del> </del>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFFA	OLFAD	1.13	09.00	32.41	37.43	0.20		1				
	Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEFFA	UEFAE	1.15	09.00	32.41	37.43	0.20						<del>                                     </del>
	Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
<u> </u>			-	UEPPX	UEPAL	1.15	69.08	32.41	37.43	6.20						<b></b>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVA	4.45	00.00	00.44	07.40	0.00						
$\vdash$	Room Calling Port	ļ	<b>!</b>	UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		-	-	-	<b>.</b>	<b>├</b>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						<b>.</b>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						<b>.</b>
LOC	AL NUMBER PORTABILITY															<b>.</b>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								ļ
FEA	TURES															ļ
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								ļ
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														Î	
	Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS														Î	
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						1
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						1
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00		7.44						1
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	22.41	131.60	61.92		13.40						1
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	23.88	131.60	61.92		13.40						i e
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	33.72	131.60	61.92		13.40						
INTE	ROFFICE TRANSPORT		Ť						-							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.17	01112	20	10.01	2,		0.00						
	or Fraction Mile			UEPPX	U1TVM	0.008838	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T T		OLITA	OTTVIVI	0.000000	0.00	0.00								+
	Port/Loop Combination Rates	ì														+
ONE	2-Wire VG Coin Port/Loop Combo – Zone 1	<del>                                     </del>	1		+ -	12.70			†	<del>                                     </del>		<b>I</b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	2-Wire VG Coin Port/Loop Combo – Zone 2	<del>                                     </del>	2		1	21.19			+	<b> </b>	<b>-</b>	<del>                                     </del>	t	t	<u> </u>	<del>                                     </del>
$\vdash$	2-Wire VG Coin Port/Loop Combo – Zone 2	-	3		+ -	34.80			+	-	-	-	<del></del>	<del></del>	-	<del>                                     </del>
LINE	Loop Rates	<b>-</b>	3		+	34.00			+	-	-	-	<del></del>	<del></del>	-	<del>                                     </del>
UNE		<b>!</b>	1	LIEDCO	UEPLX	11.55			+		<b>-</b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPCO	UEPLX	11.55			+		<u> </u>	-	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2	<del>                                     </del>		UEPCO		20.04			+			<u> </u>	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3	<b> </b>	3	UEPCO	UEPLX	33.65			+	-	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
2-WI	re Voice Grade Line Ports (COIN)	ļ	-		+				+				-	1		<b>├</b>
	2-Wire Coin 2-Way without Operator Screening and without	1	1	LIEDOO	LIEBEE						1		I	I		
$\vdash$	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83		6.63						<b></b>
$\vdash$	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						<b></b>
1 1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	l	1				40				1		1	1	l	
	900/976, 1+DDD (AL, KY, LA, MS)	<u> </u>	l	UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63	l	<u> </u>	1	1	l	<u> </u>

UNB	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-	T		1	<b>†</b>		+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,															1
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
<u> </u>	<del>                                     </del>	2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Smartline with 900/976 (all states except I A)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						ı
<b>—</b>	ADDIT	ILA) IONAL UNE COIN PORT/LOOP (RC)	1	<del>                                     </del>	ULPCU	UEFCK	1.15	40.19	19.83	24.91	0.03	-	-				
<b>—</b>	ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	<del>                                     </del>	1	UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY		1	OLI CO	UKLOO	1.50	0.00	0.00	0.00	0.00						
		Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35										
	NONR	CURRING CHARGES - CURRENTLY COMBINED															
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Switch-as-is			UEPCO	USAC2		0.10	0.10								i
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	ł														ı
		Switch with change		1	UEPCO	USACC		0.10	0.10								<b></b>
	ADDIT	IONAL NRCs		-													
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			LIEDCO	USAS2		0.00	0.00								ı
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	1	UEPCO	USAS2		0.00	0.00	-		-					
		Premise			UEPCO	URETL		8.33	0.83								ı l
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELINE	PORT (I		0.1.2.12		0.00	0.00	t							
		ort/Loop Combination Rates		T ,	,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										i
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
	UNE L	oop Rates			LIEDED	LIEGEO	44.00										
-	<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR UEPFR	UECF2	14.38 22.85			-							
-	1	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
-	2-Wire	Voice Grade Line Port Rates (Res)		-	OLITIK	OLOI Z	30.14					<b>†</b>					
		2-Wire voice unbundled port - residence		1	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						i
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice Grade unbundled Alabama extended local dialing															
<u> </u>	<b>!</b>	parity port with Caller ID - res		1	UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						<b></b>
		2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	4.00	00.00	57.C=	40.00							1
<u> </u>	1	(LUM)	₩	₩	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77	1	-				
	1	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	1		UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		1				ı
	INTER	OFFICE TRANSPORT		1	OLI I IX	JLI WA	1.30	30.30	51.21	70.00	0.77						$\overline{}$
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1				1							
		Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															(
	<u> </u>	or Fraction Mile	ļ		UEPFR	1L5XX	0.008838			ļ			ļ				ı———
	FEATU		<u> </u>		LIEDED	LUED! (E						1					
<u> </u>	1.004	All Features Offered	<del>                                     </del>	1	UEPFR	UEPVF	1.98	0.00	0.00	<del>                                     </del>			<b> </b>				
<u> </u>	LUCAL	NUMBER PORTABILITY	<del>                                     </del>	1	LIEDED	LNPCX	0.35			<b>-</b>		1					
-	NONP	Local Number Portability (1 per port)  ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<del>                                     </del>	UEPFR	LINFUX	0.35			<del>                                     </del>		<del>                                     </del>					
<b>—</b>	. TOTAL	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		+											$\overline{}$
		Combination - Conversion - Switch-as-is			UEPFR	USAC2	J	8.48	1.87	1							<sub>1</sub> 1
					L	,		20								L	

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR			0.40	4.07								
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87			-					<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10								
2.14	VIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELIMEI	ODT /		UKETIN		11.21	1.10			<b> </b>	-				<b>+</b>
	E Port/Loop Combination Rates	L LIIVE I	INO	1							<u> </u>	1			1	-
0.14	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-	15.76					<b>†</b>	<b>-</b>				<del> </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23					1	1	1			<b>†</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52					1	1	1			<b>†</b>
UN	E Loop Rates		Ť								İ			1		
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38					İ					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	36.14										
2-V	Vire Voice Grade Line Port (Bus)	i –									İ				1	
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77					ĺ	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						ļ
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LO	CAL NUMBER PORTABILITY				LLIBOY	0.05										
15.17	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					ļ					
INI	TEROFFICE TRANSPORT										-					<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	UTIVZ	21.13	40.54	27.41	16.74	6.90	1		1	1		1
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FF	ATURES			OLITB	TESAX	0.000030					<b>†</b>		-			
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00			1	1	1			<b>†</b>
NO	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED										İ					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.21	1.10		<u> </u>			<u> </u>			
	VIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (	PBX)												
UN	E Port/Loop Combination Rates	ļ											1		ļ	ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			15.76					ļ		ļ			<b> </b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2			24.23						-	-	ļ	ļ	<b></b>
<del>                                     </del>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			37.52						-	-	ļ	ļ	<b>_</b>
UN	E Loop Rates	<b>!</b>	-	LIEDED	UECEC	4400					ļ		<del>                                     </del>	1	<del>                                     </del>	<del> </del>
$\vdash$	2-Wire Voice Grade Loop (SL2) - Zone 1	-		UEPFP	UECF2	14.38					<del> </del>	1	<del>                                     </del>	1	<del>                                     </del>	1
$\vdash$	2-Wire Voice Grade Loop (SL2) - Zone 2	+		UEPFP UEPFP	UECF2 UECF2	22.85 36.14					<del>                                     </del>	-	<del>                                     </del>	1		<del>                                     </del>
2 14	2-Wire Voice Grade Loop (SL2) - Zone 3 Vire Voice Grade Line Port Rates (BUS - PBX)	<del>                                     </del>	3	OLFFF	UEUFZ	30.14					}	<del>                                     </del>	<del>                                     </del>		<del> </del>	<del> </del>
Z-V	THE FOICE STAVE LINE FULL NAISS (DUS - FDA)	<del>                                     </del>	<b>-</b>		+						}	<del>                                     </del>	<del>                                     </del>		<del> </del>	<del> </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34			1			
<del>                                     </del>	Line Side Unbundled Outward PBX Trunk Port - Bus	<b>†</b>		UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34	1	<del>                                     </del>	<b>I</b>	1		<b>†</b>
	Line Side Unbundled Incoming PBX Trunk Port - Bus	<b>1</b>		UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34			<u> </u>		1	
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	l –						55.56	30	3.54			1		İ	
	Calling Port	1		UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34			I			
	2-Wire Voice Unbundled PBX LD Terminal Ports	i –		UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34	İ				1	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34						

UNDUNDLED NETWORK ELEMENTS - Alabama	ntal Incremental Charge - Svc Manual Svc Order vs. iic- Disc 1st	Charge - Manual Svo Order vs.
CATEGORY   RATE ELEMENTS   Interigue   RATE (S)   Submitted   Electropic   Submitted   Electro	Charge - Svc Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Interim m	Svc Manual Svc ors. Order vs. lic- lic- Disc 1st	Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS	ors. Order vs. Electronic-Disc 1st	Order vs. Electronic- Disc Add'l
Rec	Electronic- Disc 1st	Electronic- Disc Add'l
1st   Add   Add   Add   First   Add   First   Add   First   Add   First   Add   First   Add   SOME   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   Soman	Disc 1st	Disc Add'l
Rec   Honrecurring   Nonrecurring Disconnect   OSS Rates (8   First   Add1   Fi		
Continued   Cont	N SOMAN	SOMAN
Committee   Comm	N SOMAN	SOMAN
2-Wire Voice Unbundled PSK ID Terminal Switchboard IDD   UEPFP   UEPXE   1.38   119.27   69.85   61.18   8.34	N SOMAN	SOMAN
Capable Port   Capa		
Ca-Wire Votice Unbundled 2-Way PBX Hotel/Hospital Economy   Administrative Calling Port   UEPXL   1.38   119.27   69.85   61.18   8.34		
Administrative Calling Port		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy   UEPFP   UEPXM   1.38   119.27   69.85   61.18   8.34		
Room Calling Port		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital   UEPFP   UEPXO   1.38   119.27   69.85   61.18   8.34		
Discount Room Calling Port   UEPF   UEPX   1.38   119.27   69.85   61.18   8.34		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPF   UEPXS   1.38   119.27   69.85   61.18   8.34		
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABILITY   LUCAD NUMBER PORTABLE NUMBER PORTAB		
Local Number Portability (1 per port)		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFP   U1TV2   21.13   40.54   27.41   16.74   6.90		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		1
Termination		
Interdice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	- 1	
DEFP   1L5XX   0.008838     DEFP   1L5XX   0.008838     DEFP   1.5XX   0.008838     DEFP   DEFP   DEFE   DEFE   DEFE   DEFE   DEFP		
FEATURES		
All Features Offered		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch-as-is   UEPFP   USAC2   8.48   1.87		
Combination - Conversion - Switch-as-is		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch with change   UEPFP   USACC   8.48   1.87		
Combination - Conversion - Switch with change		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise   UEPFP   URETN   11.21   1.10		
End User Premise		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES   2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2   UEPPX   UECD1   14.38   UNE Port Analog Voice Grade Loop - (SL2) - UNE Zone 2   UEPPX   UECD1   22.85   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   36.14   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   36.14   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   36.14   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   36.14   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   36.14   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   36.14   UNE Port Rate   UNE Zone 3   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UEPPX   UECD1   UNE Zone 2   UE		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1   1   22.40   2   30.88   2   2   30.88   2   2   30.88   2   2   30.88   2   2   30.88   30		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2   2   30.88     2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3   44.17		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3   44.17		
UNE Loop Rates		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		
UNE Port Rate		
Exchange Ports - 2-Wire DID Port     UEPPX   UEPD1   8.02   207.31   73.74   107.14   11.20		
NONRECURRING CHARGES - CURRENTLY COMBINED		ļ
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		
Switch-as-is		1
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		
with BellSouth Allowable Changes UEPPX USA1C 7.31 1.87		1
ADDITIONAL NRCs		
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk UEPPX USAS1 26.78 26.78		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at		
End User Premise		ļ
Telephone Number/Trunk Group Establisment Charges		1
DID Trunk Termination (One Per Port)   UEPPX   NDT   0.00   0.00   0.00		
Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 0.00		
DID Numbers, Non- consecutive DID Numbers , Per Number UEPPX ND5 0.00 0.00 0.00		
LOCAL NUMBER PORTABILITY		
Local Number Portability (1 per port)   UEPPX		
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT		
UNE Port/Loop Combination Rates		
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		
UNE Zone 1 1 UEPPB UEPPR 27.28 27.28		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7		cs	USOC			DATES (6)			Elec	Manually				
CATEG	ORY	RATE ELEMENTS	m	Zone	L .	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
									Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
-	UNE LO	pop Rates  2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03					-			-		-
		2-Wile ISDN Digital Grade Loop - ONE Zone 1		'	UEPPB	UEPPR	USLZA	19.03					1			1		1
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										<del>                                     </del>
	UNE P	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED								_								
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02					ļ		L	ļ
	ADDITI	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDDD	HEDDD	LIDETN		44.04	4.40								
-		End User Premise		<u> </u>	UEPPB	UEPPR	URETN		11.21	1.10			-			-		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
-	LOCAL	NUMBER PORTABILITY		1	UEPPB	UEPPR	UKEIL		0.33	0.63			-			-		<del>                                     </del>
	LOCAL	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:			OLITE	OLITIK	LIVI OX	0.00	0.00	0.00								
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
-		CSD FEBRUARY PROFILE			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
-	USER	TERMINAL PROFILE User Terminal Profile (EWSD only)		<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			-			-		-
	VEDTIC	CAL FEATURES			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00			1			1		1
	VERTIC	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								<del>                                     </del>
	INTER	OFFICE CHANNEL MILEAGE			02.10	OLITIC	02		0.00	0.00								
		Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00								
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
1		IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire I	SDN DS1	Digital Tru	nk Port in th	is rate exhibit a	pply to the em	bedded base	in place as of 1	0/2/03 until 4/	1/04. After 4	1/1/04 these	rates shall re	vert to tariff ra	ates or a sepa	rate
	agreem		········ •										0		1			т
<u> </u>		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	r the effe	tive date o	this amend	ment shall be p	rovided pursu	iant to a sepai	rate agreement	or tariff at Bel	South's di	scretion.	-	<del>                                     </del>	<b>.</b>	<b>├</b>
-	UNE PO	ort/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-			1				1					<del>                                     </del>		<del> </del>
		Zone 1		1	UEPPP			166.87								1		
<b>-</b>		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+	OLFFF		<del> </del>	100.07								<del>                                     </del>	<b> </b>	<del>                                     </del>
	1	Zone 2		2	UEPPP			238.50								I		
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		T -			İ									1	İ	
	1	Zone 3		3	UEPPP			398.85								I		
	UNE Lo	pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										L
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	314.52								1	ļ	
	UNE P	ort Rate		<b></b>	LIEBES		LIEDES	2.25	4=0.0-		100 5-	2				-		<b></b>
	NONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		-	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77				<del>                                     </del>	-	<del>                                     </del>
	NONRE	CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		-			<del> </del>	<del>                                     </del>					-			<del>                                     </del>	-	-
	1	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.07	78.56						1		
$\vdash$	ADDIT	ONAL NRCs	<b>H</b>	<b>†</b>	ULPPP		USACE	0.00	119.07	70.00	1		<b>H</b>		<b>l</b>	t	<del> </del>	
	וווטטאן	OTAL HINGS	1	<del></del>	1		1	1			1		1	1	·			

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATE	OBV	RATE ELEMENTS	Interi	Zana	BCS	USOC			DATES (\$)			Elec			Manual Svc	Manual Svc	Manual Svc
CATE	JUKT	RATE ELEMENTS	m	Zone	BUS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
-	<u> </u>	Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	UEPPP	PR7TF	-	0.49									
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
	1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	1		1	t										
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
	LOCAL	NUMBER PORTABILITY															
	INITED	Local Number Portability (1 per port)	ļ		UEPPP	LNPCN	1.75										
-	INTER	FACE (Provsioning Only)  Voice/Data	1	1	UEPPP	PR71V	0.00	0.00	0.00								
-	<del>                                     </del>	Digital Data	<del>                                     </del>	<del>                                     </del>	UEPPP	PR71D	0.00	0.00	0.00						<del> </del>		
	<u> </u>	Inward Data	<b>†</b>	<u> </u>	UEPPP	PR71E	0.00	0.00	0.00		1						
	New or	Additional "B" Channel	İ	1													
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
	1	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
-	CALL	New or Additional Inward Data B Channel	-	<del>                                     </del>	UEPPP	PR7BD	0.00	14.53									
-	CALL	Inward	1	1	UEPPP	PR7C1	0.00	0.00	0.00								
-	<del> </del>	Outward	1	-	UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Interof	fice Channel Mileage															
	ļ	Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
-	4 WIDE	Each Airline-Fractional Additional Mile  DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	ļ		UEPPP	1LN1B	0.18										
-		NE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	n with 4	-Wire D	DITS Trunk Port in	this rate evh	hit apply to the	e embedded b	ee in nlace as	of 10/2/03 unti	 	1/1/01 these	ratos shall	revert to tarif	f rates or a se	narate agree	nent
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff										4/ 1/04 tilese	rates silali	levert to tarn	l rates or a se	parate agreer	ient.
		ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		142.64										
	ļ	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ļ	2	UEPDC		214.26										
-	LINEL	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	-	374.61										
-	ONE L	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
	1	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	154.18										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52										
	UNE P	ort Rate															
	NOND	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ļ		UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
-	NONRE	CURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<u> </u>	<u> </u>		+	-										
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02								
	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		İ			1										
	<u> </u>	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.49	67.02								
1	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LIGANA	1	400 10	07.00								
-	ADDIT	- Conversion with Change - Trunk (E:4/1/2004)	-	<del>                                     </del>	UEPDC	USAWB	<del>                                     </del>	129.49	67.02								
<b>—</b>	ADDITI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<del>                                     </del>	<del>                                     </del>		+	<del>                                     </del>				<del> </del>						
1	1	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA	1	14.48	14.48								, [
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1													
	<u> </u>	Channel Activation/Chan - 1-Way Outward Trunk		ļ	UEPDC	UDTTB		14.48	14.48								,
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		44.00	44.00								
$\vdash$	<del>                                     </del>	Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	-	<del>                                     </del>	UEPDC	UDTTC	<del>                                     </del>	14.48	14.48			-	-				
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48								
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		t			1	10	10		İ						
		Activation / Chan - 2-Way DID w User Trans		<u> </u>	UEPDC	UDTTE		14.48	14.48								
	BIPOL	AR 8 ZERO SUBSTITUTION		lacksquare	LIEBBO	000		0.00									
<u> </u>	<del>                                     </del>	B8ZS -Superframe Format	-	<b> </b>	UEPDC	CCOSF	<del>                                     </del>	0.00i	600.00s		ļ						
$\vdash$	Alterna	B8ZS - Extended Superframe Format ate Mark Inversion	<b>-</b>	<del>                                     </del>	UEPDC	CCOEF	<del>                                     </del>	0.00i	600.00s	-	1						
	. titoi iie	AMI -Superframe Format		<u> </u>	UEPDC	MCOSF		0.00	0.00								
		<u> </u>											•				

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		
1												Submitted		Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1											· ·		Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
<del></del>			-		1	1	Monro	curring	Monroourring	Disconnect			220	Botoo (\$)		
$\vdash$			<u> </u>		<b>-</b>	Rec	First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO	1	0.00	0.00	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
Teler	phone Number/Trunk Group Establisment Charges			OLFDC	IVICOFO		0.00	0.00			<b>†</b>					
Telep	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					i e					
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					i e					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS T	runk Port											
ı I	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			LIEDDO	41.004	00.40	00.0=		10.0=							
	Termination)		₩	UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44	-	-				
1 1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00	1							
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	<b>-</b>	<del>                                     </del>	OLFDO	ILINOA	0.18	0.00	0.00	<del>                                     </del>		}	<del>                                     </del>	<b> </b>			-
ı I	Termination)			UEPDC	1LNO2	0.00	0.00	0.00	1							
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TLINOZ	0.00	0.00	0.00			1					
1	miles			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities										İ					
1	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			 	+	1		1	1		1					-
Each	System can have up to 24 combinations of rates depending on UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C	type al	na num	per of ports used	o ovbibit on	lute the embe	ddad basa in s	loop on of 10/	2/02	After 4/1/04	those retec	aball rayart	to toriff rotos	or a concrete	agraamant	
	uests for 4-Wire DS1 Loop with Channelization with Port after the											Titali revert	lo tariii rates	oi a separate	agreement.	
	DS1 Loop		l dat	c or triis unicilamen	I Shan be pre	I aca parsaan	lt to a separate	dgreement or	I Denoe	din 5 disorcin	1					
10.12	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00	t		†					
( i	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
$\vdash$	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
$\vdash$	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	405.60	0.00	0.00	ļ		ļ					
$\vdash$	144 DS0 Channel Capacity - 1 per 6 DS1s		<b>_</b>	UEPMG	VUM14	608.40	0.00	0.00				1	ļ			
<del></del>	192 DS0 Channel Capacity -1 per 8 DS1s		₩	UEPMG UEPMG	VUM19 VUM2O	811.20	0.00	0.00	<del>                                     </del>		-	-				
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s		-	UEPMG UEPMG	VUM20 VUM28	1,014.00 1,216.80	0.00	0.00	<del>                                     </del>	-	1	-	<b> </b>			
<del></del>	384 DS0 Channel Capacity - 1 per 12 DS1s		<b>!</b>	UEPMG	VUM38	1,216.80	0.00	0.00	t	<b> </b>	1	<b>H</b>	<b>l</b>			
+-	480 DS0 Channel Capacity - 1 per 10 DS1s		<b>†</b>	UEPMG	VUM4O	2,028.00	0.00	0.00	<b>I</b>		1	<del>                                     </del>				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00	<u> </u>							
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00	1	İ			İ			
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chani														
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channel	l Bank,	and Up	To 24 DSO Ports w	ith Feature /	Activations.										
Multi	iples of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system con	figuration is	counted.										
_	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes		L	UEPMG	USAC4	0.00	150.48	8.36			ļ					
Svete	em Additions at End User Locations Where 4-Wire DS1 Loop wit				ination Curre	ently Exists and	1	<b>.</b>	<del>                                     </del>							
			X MSA	'S	1						-	-				
	(Not Currently Combined) in all states, except in Density Zone 1	от гор	1	l												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	от гор			VLIMD4	0.00	716 11	460 C4	1/10 75	17 65						
New (	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	оттор		UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
New (	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution	от гор			VUMD4	0.00	716.11	468.04	148.75	17.65						
New (	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	от гор			VUMD4	0.00		468.04 600.00s	148.75	17.65						
New (	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)  Iara 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent	от гор		UEPMG					148.75	17.65						

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	IOKT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-	Altorna	te Mark Inversion (AMI)				<del> </del>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Aiteilla	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00					t			
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			HEDDY	HEDE::				2.5-							1
-		(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00		-	<del>                                     </del>			<del></del>
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															1
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										1
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															1
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										<b></b>
		2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
		2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
-	Feature	Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4															<del></del>
		Bank			UEPPX	1PQWM	0.56	54.55									ĺ
		Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	40014111	0.50	77.00									
-	Telenh	D4 Bank one Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.56	77.03						-			<b></b>
	тетери	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								i e
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								<b></b>
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								<del></del>
		umber Portability Local Number Portability - 1 per port		-	UEPPX	LNPCP	3.15	0.00	0.00								<del>                                     </del>
		RES - Vertical and Optional			OLITA	LIVI OI	3.13	0.00	0.00								
		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	1.98	0.00	0.00								
UNBUN		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		L.		<u> </u>											<b></b>
-		Based Rates are applied where BellSouth is required by FCC ires shall apply to the Unbundled Port/Loop Combination - C								dlad Dart saati	on of this Bate	- Evhibit		-			<b> </b>
		Diffice and Tandem Switching Usage and Common Transport											Coin Port/Lo	on Combinat	ions.		<del>                                     </del>
		irst and additional Port nonrecurring charges apply to Not Co														Additional NR	Cs may
		so and are categorized accordingly.															
<u> </u>		tet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		otiated	on an Individual Ca	ise Basis, un	til further notic	э.		1	-	-		<del>                                     </del>			<b>—</b>
		GENTREX - TAESS - (Valid in AL,FL,GA,KT,LA,MS,&TN only /G Loop/2-Wire Voice Grade Port (Centrex) Combo				+								<del> </del>			<del>                                     </del>
		rt/Loop Combination Rates (Non-Design)				1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									ĺ						
		Non-Design		1	UEP91		12.70			1				ļ			<b></b>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		21.19							1			İ
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF91	+	∠1.19			1			<del>                                     </del>	<del>                                     </del>			
		Non-Design		3	UEP91		34.80							1			İ
	UNE Po	rt/Loop Combination Rates (Design)								İ	<u> </u>						
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	l	Design		1	UEP91	1	15.53			1	l			<u> </u>			

UNBUNDLED NETWORK ELEMENTS - Alabama  CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)  Svc Order Submitted Elec Manually per LSR  RATE S(\$)  RATE	Incremental Charge -	Charge -	Incremental Charge -	Incremental Charge -
CATEGORY RATE ELEMENTS Zone BCS USOC RATES (\$) per LSR per LSR	Order vs. Electronic-		Manual Svc	I T -
	1st	Electronic-	Order vs. Electronic-	Manual Svc Order vs. Electronic-
		Add'l	Disc 1st	Disc Add'l
First Add'I First Add'I SOMEC SOMAN I		S Rates (\$)	1	
	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2 UEP91 24.00				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				
Design         3 UEP91         37.29				
UNE Loop Rate				
2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP91 UECS1 11.55				
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP91 UECS1 20.04		+	1	
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP91 UECS1 33.65		+	1	
2-Wire Voice Grade Loop (SL 2) - Zone 1	+	+	+	
2-Wire Voice Grade Loop (SL 2) - Zone 2	+	+	+	
12-vviile voice Grade Loop (SL 2) - 20ile 3   3   0EF91   0EG52   36.14	<b>†</b>	+	1	
All States (Except North Carolina and Sout Carolina)		1	1	
	1	1	1	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				
Area   UEP91 UEPYB 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic   Local Area   UEP91   UEP9H   1.15   40.19   19.83   24.91   6.63				
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				
Note 2, 3 Basic Local Area UEP91 UEPYM 1.15 90.38 57.27 48.66 8.77				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				
2-Wire Voice Grade Port terminated in on Megalink or equivalent				
- Basic Local Area UEP91 UEPY9 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port Terminated on 800 Service Term -				
AL, KY, LA, MS, & TN Only				
2-Wire Voice Grade Port (Centrex ) UEP91 UEPQA 1.15 40.19 19.83 24.91 6.63			Ī	
2-Wire Voice Grade Port (Centrex 800 termination)   UEP91   UEPQB   1.15   40.19   19.83   24.91   6.63				
2-Wire Voice Grade Port (Centrex with Caller ID)1   UEP91   UEPQH   1.15   40.19   19.83   24.91   6.63				
2-Wire Voice Grade Port (Centrex from diff Serving Wire				
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				
Service Term				
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP91 UEPQ9 1.15 40.19 19.83 24.91 6.63				
2-Wire Voice Grade Port Terminated on 800 Service Term   UEP91   UEPQ2   1.15   40.19   19.83   24.91   6.63     Local Switching	-	-		
Centrex Intercom Funtionality, per port   UEP91   URECS   0.5488		+	1	
Local Number Portability		1	1	
Local Number Portability (1 per port)   UEP91   LNPCC   0.35		1	1	
Features				
All Standard Features Offered, per port UEP91 UEPVF 1.98				
All Select Features Offered, per port UEP91 UEPVS 0.00 405.52				
All Centrex Control Features Offered, per port UEP91 UEPVC 1.98				
NARS	<b>_</b>		<b>_</b>	
Unbundled Network Access Register - Combination   UEP91   UARCX	+	+	<del>                                     </del>	<del>                                     </del>
Unbundled Network Access Register - Indial   UEP91   UAR1X   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   Unbundled Network Access Register - Outdial   UEP91   UAROX   0.00   0.0	+	+	+	<b> </b>
Miscellaneous Terminations	+	+	+	<del> </del>
miscentinuous refininatoris 2-Wire Trunk Side	<b>†</b>	+	1	
	1	1	1	1
Interoffice Channel Mileage - 2-Wire	1	1	1	
Interoffice Channel Facilities Termination - Voice Grade UEP91 M1GBC 21.13 40.54 27.41 16.74 6.90	1	1	1	İ
Interoffice Channel mileage, per mile or fraction of mile UEP91 M1GBM 0.008838				
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service				
D4 Channel Bank Feature Activations		1	<u> </u>	ļ
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWS 0.56	L			

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												I .	Submitted		Charge -	Charge -	Charge -
			Int:	1								Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)	_	
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ	ļ	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	1	Slot			UEP91	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDO4	4 DOWD	0.50										
	1	Different Wire Center			UEP91	1PQWP	0.56			-		-					
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
-	1	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	IFQVV	0.56					<b> </b>	-				-
		Slot			UEP91	1PQWQ	0.56										
-	<del>                                     </del>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56			<del> </del>		<u> </u>		1			
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<del>                                     </del>	021 31	II QWA	0.50			<b>+</b>					<b>+</b>		<b>†</b>
		Conversion - Currently Combined Switch-As-Is with allowed		l —		_				<b>I</b>		1	<del>                                     </del>		<b>I</b>		t
		changes, per port		1	UEP91	USAC2		0.10	0.10	I					I		I
	t -	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58	<u> </u>					<u> </u>		<u> </u>
	1	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21	10.00	<u> </u>	1			1	<u> </u>		t
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21				İ					
	1	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02				İ					
	1	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73				İ					
	Additio	onal Non-Recurring Charges (NRC)						-				İ					
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP91	URETL		8.33	0.83								
	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at		ĺ													
		End Use Premise			UEP91	URETN		11.21	1.10								
	UNE-P	CENTREX - 5ESS (Valid in All States)									Î			Î			
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP95		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Non-Design		3	UEP95		34.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOE		45.50										
-	1	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95	+	15.53			<del>                                     </del>		<del>                                     </del>	-		<del>                                     </del>		<del>                                     </del>
		Design		2	UEP95		24.00			I					I		I
	<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 30	+	24.00			<del>                                     </del>	1	}	<del>                                     </del>	<del> </del>	+	<b> </b>	<del>                                     </del>
		Design		3	UEP95		37.29			I					I		I
	UNF 14	poop Rate			OL1 30	+	31.28			t		<del>                                     </del>	<b>-</b>	<b> </b>	<del>                                     </del>		<del>                                     </del>
	OIAE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55			t		<del>                                     </del>	<b>-</b>	<b> </b>	<del>                                     </del>		<del>                                     </del>
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	20.04			<u> </u>	1			1	<u> </u>		t
	t	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	33.65			<b>I</b>		1	<del>                                     </del>		<b>I</b>		<b>I</b>
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	14.38			<u> </u>	1			1	<u> </u>		<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	22.85			1	İ			İ	1	İ	1
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	36.14			1	İ	1		İ	1	l	1
		ort Rate															
	All Sta	tes															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63					<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	1	Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800								1					1		1
<u> </u>		Service Term - Basic Local Area		<u> </u>	UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77	ļ					ļ
l		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1											I		I
		- Basic Local Area		l	UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63	<u> </u>					1

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									P =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
	Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		l			1				1							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side				1											
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)															
ļļ	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Intero	ffice Channel Mileage - 2-Wire															
ļļ	Interoffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations				1001110	0.50										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	1PQWS	0.56					1					
	Fortuna Authoritana B. A. Olasson I. Baral, E.V. Prancial and Olas			LIEDOF	4001410	0.50										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	-	-	UEP95	1PQW6	0.56					-					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOF	40014/7	0.50										
	Slot			UEP95	1PQW7	0.56			-		<b> </b>					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56										
	Different wire Center			UEP95	TPQWP	0.56			-		<b> </b>					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Trivate Line Loop Slot  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		-	UEP95	IPQWV	0.56					-	-				
	Slot			UEP95	1PQWQ	0.56										
<b></b>	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	-	UEP95	1PQWQ	0.56					ł	<b>-</b>				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex	<b>-</b>	<del>                                     </del>	OLF 30	IF QVVA	0.00			<del>                                     </del>		1	-		-		
INOII-N	NRC Conversion Currently Combined Switch-As-Is with allowed	1	<del>                                     </del>		+				+		1	<del>                                     </del>		<b> </b>		
	changes, per port	l		UEP95	USAC2		0.10	0.10	1							
<del>                                     </del>	Conversion of Existing Centrex Common Block, each	-	<del>                                     </del>	UEP95	USACN		37.75	16.58	<del>                                     </del>		<b>+</b>					
<del>                                     </del>	New Centrex Standard Common Block	-	<del>                                     </del>	UEP95	M1ACS	0.00	667.21	10.56	<del>                                     </del>		<b>+</b>					
$\vdash$	New Centrex Standard Common Block	1	<del>                                     </del>	UEP95	M1ACC	0.00	667.21		+		1	<del>                                     </del>		<b> </b>		
<del>                                     </del>	NAR Establishment Charge, Per Occasion	-	<del>                                     </del>	UEP95	URECA	0.00	72.73		<del>                                     </del>		<b>+</b>					
V qqiti	ional Non-Recurring Charges (NRC)	-	<del>                                     </del>	OL1 30	UNLUA	0.00	12.13		<del>                                     </del>		<b>+</b>					
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<del>                                     </del>	<del>                                     </del>		+				<del>                                     </del>		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>		
	Premise	1	1	UEP95	URETL		8.33	0.83	I		1					,
	1. 10111100	·		02.00	TOTALLE		0.00	0.00	1							

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	LIDETN		44.04	4.40								
IINE-D	End Use Premise CENTREX - DMS100 (Valid in All States)	-		UEP95	URETN		11.21	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1		+	-										
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		24.40										
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	2	UEP9D	+	21.19										
	Non-Design		3	UEP9D		34.80										
UNE P	ort/Loop Combination Rates (Design)		_													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		24.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D	+	24.00										
	Design		3	UEP9D		37.29										
UNE L	oop Rate		Ť	02.00		01.20										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
ALL S	ort Rate	-	<u> </u>		+											
ALL 3	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.10	40.10	10.00	24.01	0.00						
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						40.40	10.00								
	Area	-	-	UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1	<del>                                     </del>	OLI 3D	OLFIL	1.15	40.19	15.03	24.91	0.03						
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIEDYT		40.40	10.00	24.21	0.00						,
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			02.00	02110	1.13	40.10	10.00	2-7.51	0.00						
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						.
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDY":											,
$\vdash$	Area  2 Wire Voice Grade Port (Centrey/Celler ID/Meg Wtg Lamp	<del>                                     </del>	-	UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			021 00	JE: 1 VV	1.13	70.19	13.03	24.31	0.03						
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area	<u> </u>	1	UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						, [
	Basic Local Area			OLF3D	OLF 10	1.13	90.38	51.21	40.00	0.77	<u> </u>		1	l		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					1	Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$	O Mire Veice Conde Dest (Control/differ CMC /EDC MECCO) 2.4	ļ			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						į
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, K	, LA, MS, SC, & TN Only				1											
	2-Wire Voice Grade Port (Centrex)	ļ		UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4	<u> </u>	-	UEP9D UEP9D	UEPQC UEPQD	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4  2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	1		UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4	1		UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIEDOW	4 4 -	40.40	40.00	04.04	0.00						ı
$\vdash$	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	-	$\vdash$	UEP9D UEP9D	UEPQW UEPQJ	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						
<del>                                     </del>	2-Wire Voice Grade Port (Centrex/Msg Vttg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	<b>+</b>	OLF3D	OLF QJ	1.15	40.19	19.63	24.91	0.03	<del>                                     </del>					
	2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						}
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						

CUNDUNDL	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
ONDONDE											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
İ											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per Lak	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1							
1	Term 2.3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
																1
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						1
Loca	al Switching			02. 03	02. 02	0	10.10	10.00	2	0.00						1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										1
Loca	Number Portability															1
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										1
Feat	ures															1
1 541	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										1
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98	100.02									1
NAR		<b>†</b>			1								<b> </b>	t	<b>i</b>	<del></del>
1.541	Unbundled Network Access Register - Combination	<b>†</b>		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			<b> </b>	t	<b>i</b>	<del></del>
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						1
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						1
Misc	rellaneous Terminations			02. 02	07111071	0.00	0.00	0.00	0.00	0.00						1
	re Trunk Side										<b>†</b>					+
<del></del>	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76	<b>†</b>					+
4-Wi	re Digital (1.544 Megabits)			OLI OD	OLIVDO	0.00	110.01	10.74	00.00	0.70	<b>†</b>					+
<del>  1</del>	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46	<b>†</b>					+
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48	50.00	72.00	2.40	<b>†</b>					+
Inter	office Channel Mileage - 2-Wire			OLI OD	IMITIBO	0.00	14.40									+
IIICI	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						+
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838	40.54	21.41	10.74	0.30						+
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLI OD	WITODWI	0.000000					<b>†</b>					+
	Channel Bank Feature Activations	1			+ -											+
1570	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										+
	Todate / total of b + of affice bank ochitex 200p old			OLI OD	11 0000	0.00										+
i l	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
$\vdash$	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00110	0.00					<b>†</b>					+
i l	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 0,117	0.00										+
	Different Wire Center			UEP9D	1PQWP	0.56										
	Different Wife Genter			OLI 3D	III QVVI	0.50										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLI OD	11 0000	0.00					<b>†</b>					+
i l	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56					<b>†</b>					+
Non	Recurring Charges (NRC) Associated with UNE-P Centrex			02. 00	3,177.	0.00								<u> </u>		<del>                                     </del>
1.1311	NRC Conversion Currently Combined Switch-As-Is with allowed	<b>†</b>		1	+ +								<b> </b>	t	<b>i</b>	
i I	changes, per port	1		UEP9D	USAC2		0.10	0.10						I		1
$\vdash$	Conversion of existing Centrex Common Block, each	<del>                                     </del>		UEP9D	USACN		37.75	16.58			<u> </u>		<b> </b>	t		+
$\vdash$	New Centrex Standard Common Block	<del>                                     </del>		UEP9D	M1ACS	0.00	667.21	10.00			<u> </u>		<b> </b>	t		+
	New Centrex Standard Common Block	<b>†</b>		UEP9D	M1ACC	0.00	667.21						<b> </b>	t	<b>i</b>	
<del>                                     </del>	NAR Establishment Charge, Per Occasion	l		UEP9D	URECA	0.00	72.73							1	i	
hbA	itional Non-Recurring Charges (NRC)	t			220,	0.00	. 2 0						i	1	i	
7.54	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<b>†</b>		1	1 1								<b> </b>	t	<b>i</b>	
	Premise	1		UEP9D	URETL		8.33	0.83						I		1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<u> </u>	t		3.12.2		5.50	0.00			1			1	1	
	End Use Premise	1		UEP9D	URETN		11.21	1.10						I		1
UNF	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	<b>†</b>			J. 1. 114		11.21	1.70					<b> </b>	<b>†</b>	<b>i</b>	<del></del>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+ +									<u> </u>		<del>                                     </del>
	Port/Loop Combination Rates (Non-Design)	l			1									1	i	1
10.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1								i	1	i	1
	Non-Design	1	1	UEP9E		12.70								1		
	Inon-Design															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
CHECHEL	Adduna Adduna										Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOE		45.50										
<b></b>	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP9E	+	15.53						-		-		
	Design		2	UEP9E		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEF9E	+	24.00					1	1		-		
	Design		3	UEP9E		37.29										
LINE	Loop Rate		3	OLI 3L		37.23					<del> </del>					
- ONL I	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55					1	1		1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	20.04					İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	33.65					İ					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38					İ					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
UNE F	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
ļļ	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDV7	4.45	00.00	F7.07	40.00	0.77						
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77	<b> </b>					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
<b></b>	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	-		UEF9E	UEFT9	1.15	40.19	19.03	24.91	0.03	<b> </b>	-				
	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AI K	Y, LA, MS, & TN Only			OLF9L	ULF 12	1.13	40.19	15.03	24.51	0.03	<u> </u>		1			
AL, K	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63	1	1		1		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63	1	1		1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63	İ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				0 - 0 - 0 - 0					0.00	İ					
	Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
I	Service Term	<u></u>	L	UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77	<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63						
$\vdash$	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ		UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63	ļ		ļ	1		
Local	Switching	ļ	<b></b>	LIEBAE	LIBEOO	0.5455								<b></b>		
<del></del>	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488					1					
Local	Number Portability	-	ļ	LIEDOE	LNDOO	0.05						-	ļ	-	<b> </b>	
Faster	Local Number Portability (1 per port)	1	-	UEP9E	LNPCC	0.35					<del> </del>	1	<b> </b>	<del>                                     </del>	-	
Featu	All Standard Features Offered, per port	1	-	UEP9E	UEPVF	1.98						-	-	<del></del>	-	
-	All Select Features Offered, per port	1	-	UEP9E	UEPVS	0.00	405.52					-	-	<del></del>	-	
<del>                                     </del>	All Centrex Control Features Offered, per port	1	<b>!</b>	UEP9E	UEPVC	1.98	+00.02				1	<b>H</b>	<del> </del>	t	<b>l</b>	
NARS		<del>                                     </del>	<del>                                     </del>	OLI OL	JLI VO	1.50								<b>+</b>		
ItAKO	Unbundled Network Access Register - Combination	<b>†</b>		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				<u> </u>		
	Unbundled Network Access Register - Indial	t	t	UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00			i	1		
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00			1	<u> </u>		
Misce	Illaneous Terminations			-			2.20	2.30	5.50	2.30	<b>†</b>		İ	1	İ	
	e Trunk Side	1									1		İ	1	l	
	Trunk Side Terminations, each	l		UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76	İ		1			
4-Wire	e Digital (1.544 Megabits)						İ									
	DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						

UNBUNDL	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
ONDONDE	Adding	1		1							Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48									
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
$\vdash$	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 C	Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	ļ	UEP9E	1PQWS	0.56										
<b></b>	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9E	TPQW5	0.56					-					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
$\vdash$	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	+	-	OLF3L	IF QVV0	0.50					<b>-</b>	-				-
	Slot			UEP9E	1PQW7	0.56										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	+	1	OLI SL	IF QVVI	0.36										<del>                                     </del>
	Different Wire Center			UEP9E	1PQWP	0.56										
	Billiotetti vviile detter	1	1	OLI OL	11 00111	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56						1				I
	Feature Activation on D-4 Channel Bank Tilvate Line Loop Glot	1	t -	02. 02		0.00										<u> </u>
	Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWA	0.56										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1														
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each	1	i –	UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Addi	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
<u> </u>	End Use Premise	1		UEP9E	URETN		11.21	1.10								
	-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1														
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	ļ													
UNE	E Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	ļ													
	Non-Design	1	4	UEP93		12.70										
+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	UEP93	+	12.70					1					-
	Non-Design		2	UEP93		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 95		21.13					1					
	Non-Design		3	UEP93	1	34.80						1				I
UNE	Port/Loop Combination Rates (Design)	1	Ť		1	200										1
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	i -	1	1											t
	Design		1	UEP93	1	15.53						1				I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93	1	24.00										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-						_								
$\sqsubseteq \sqsubseteq$	Design	1	3	UEP93	1	37.29										
UNE	Loop Rate	1			1											
$\sqcup \sqcup \sqcup$	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	11.55										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP93	UECS1	20.04										1
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP93	UECS1	33.65										
$\vdash \vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP93	UECS2	14.38										-
$\vdash \vdash \vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2	<del> </del>	2	UEP93	UECS2	22.85						<b> </b>		<b> </b>	<b> </b>	<del>                                     </del>
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3	╂	3	UEP93	UECS2	36.14					-					1
	EPort Rate KY, LA, MS, & TN only	+	<del>                                     </del>	<del>                                     </del>	+						1			-	-	<del>                                     </del>
	NI. LA. IVIO. OLIN ONIV	1	1	1	1						1	<u> </u>			<u> </u>	<b>!</b>
AL,				LIEDOS	LIEDVA	1 15	40.40	10.00	24.04	6 63						1
AL,	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63						-

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
	_	****										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonrec	curring	Nonrecurring					Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex )		-	UEP93 UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)				UEPQB	1.15	40.19	19.83	24.91	6.63		-				
$\vdash$		2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63	1		<b> </b>	<b> </b>	-	<b> </b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDOM	4.45	00.00	F7 07	40.00	0.77						
$\vdash$	<b>-</b>	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		+	UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77	-	-				
		Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		Service Term			UEF93	UEPQZ	1.15	90.36	37.27	40.00	0.77	1					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63			1	1		1
	Local	Switching			OLF 93	ULFQZ	1.13	40.19	19.03	24.51	0.03			1	1		1
	Local	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488					<b>-</b>					
	I ocal I	Number Portability			OLI 93	OKEGO	0.5400					<b>-</b>					
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35					1					
	Feature																
		All Standard Features Offered, per port			UEP93	UEPVF	1.98										
		All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98					İ					
	NARS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00			Î	Î		Î
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46			ļ	ļ		ļ
$\vdash$		DS0 Channels Activated, Per Channel		<u> </u>	UEP93	M1HDO	0.00	14.48									
	interof	fice Channel Mileage - 2-Wire		ļ	LIEDOS	MACEC	04.40	10.51	07	10 = 1	2.00	-		ļ	ļ	<b> </b>	ļ
<u> </u>		Interoffice Channel Facilities Termination		-	UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90			<del>                                     </del>	<del>                                     </del>	<b> </b>	<b>.</b>
$\vdash$	Footier	Interoffice Channel mileage, per mile or fraction of mile		-	UEP93	M1GBM	0.008838			-							
		e Activations (DS0) Centrex Loops on Channelized DS1 Servic	E	-		+						<del>                                     </del>	-	<del> </del>	<del> </del>	<b> </b>	<del> </del>
$\vdash$	D4 CITS	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56			1	<b> </b>	<b>H</b>		<del> </del>	<del> </del>	<b>l</b>	<del> </del>
		1 eature Activation on 5-4 Chairner Bank Centrex Loop Stot		1	OL: 30	IFQWO	0.56			1		<del>                                     </del>	<b>-</b>				
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<del>                                     </del>	OL1 30	11 Q 110	0.30										
		Slot			UEP93	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1	0.00				İ			İ	İ	İ	İ
		Different Wire Center			UEP93	1PQWP	0.56										
						1								İ	İ		İ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
		Slot			UEP93	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56							1	1		1
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP93	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
		New Centrex Standard Common Block		1 -	UEP93	M1ACS	0.00	667.21		1	l	1		1		l	

UNB	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	l.	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additi	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
		- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		2 - Requres Interoffice Channel Mileage															
		- Installation is combination of Installation charge for SL2 Lo	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	ns and Condition	ons.				1				1	1

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-						ļ		Name		Name and a committee	. Diacommont			220	Datas (ft)		
-	-		-	1	-	<b>.</b>	Rec	Nonre			Disconnect	COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
-	1					<b> </b>	1	First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	The "7	I one" shown in the sections for stand-alone loops or loops as	nart of	a com	hination refers to Ge	ographicall	v Deaveraged II	NF Zones To	view Geogran	hically Deaver	aged LINE Zone	Designation	one by Cent	ral Office refe	er to internet	Nobeito:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inte				ograpinoun	y Deaveragea o	NE Ediles. 10	rich Geograp	induity Deaver	aged ONE LOIN	Designation	one by cont	rai Omioc, rei	or to internet	vebolte.	
OPER		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
		(1) CLEC should contact its contract negotiator if it prefers the	ne "state	speci	fic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.		9			g		,-,,								
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	lly. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rat	e in this category ref	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	nual ordering	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E					3				3				,		3 3 - ,
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	on 5 as appl	icable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		LINE For adita Channe and Circuit and in a Assistant LICOC and			UXTD3, UXTS1, U1TUC, U1TUD,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUB, U1TUA	SDASP		200.00									
LINRI	NDI ED	EXCHANGE ACCESS LOOP	<del>                                     </del>	1	OTTOB, UTTOA	SUASP	+	200.00						<del> </del>	1		
SINDU		E ANALOG VOICE GRADE LOOP	<del>                                     </del>	$\vdash$	<del> </del>		+							<del> </del>			
	~ ****	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>†</b>	1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	<del>                                     </del>	<del>                                     </del>		1		
<b> </b>	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>†</b>		UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57	<del>                                     </del>	<del>                                     </del>		1		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<b>1</b>	3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57			1			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	l –	1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57			İ			İ
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57			İ			l
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	İ														
L_	1	Premise	<u></u>	L	UEANL	URETL		8.33	0.83			<u></u>	<u></u>	<u> </u>			
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95						1		

UNBU	NDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
350												Svc Order	Svc Order	Incremental		Incremental	
			1									1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
071120	•		m			0000			== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															1
		(per LSR)			UEANL	OCOSL		23.02									
	2-WIRE	Unbundled COPPER LOOP				Ī											
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
L		Premise	<u></u>		UEQ	URETL	l	8.33	0.83	<u> </u>		L		<u> </u>	<u> </u>	<u> </u>	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		9.00									
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for														l	
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	UEABS	00.07	40.57	00.00	05.00	0.57						
LIMBUM	DI ED I	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
		EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP	-	-		+	-					-					<b>-</b>
	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			+						1			-		1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01				1		
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>	+ '-	OL/ C	ULALZ	12.24	100.70	02.47	00.00	12.01				<del>                                     </del>		<del>                                     </del>
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLALL	17.40	100.70	02.47	00.00	12.01	1					1
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL		23.02									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01				1		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
		Battery Signaling - Zone 3	1	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01				I	I	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		23.02								<b></b>	<u> </u>
1		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35			l			L	l	<u> </u>

UNBL	JNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
ONDO	MULL	THE TWORK ELEMENTO TIONAL										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-			_	1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		l
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP						11131	Addi	11130	Auu i	OOMILO	JOINAIN	JONIAN	JOWAN	JONAN	JOWAN
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
	1	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry				1141.07	0.00	440.50	400.05	75.05	45.00						
-	<u> </u>	& facility reservation - Zone 1	-	1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	11.00	149.55	103.65	75.05	15.63						
		& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UAL	OCOSL	20.04	23.02	.00.00	. 5.50	.0.00						
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
-		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02	40.00								
-	2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	000	UAL	UREWO		86.19	40.39								
-	Z-VVIKE	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE L	JUUP		_											
		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	1	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	1.22	133.03	110.41	73.03	13.03						
		& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	1	2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
-	1	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry	-		UHL	UHLZVV	10.26	134.40	80.69	60.64	9.12						
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.21	23.02	00.03	00.04	3.12						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I									İ			1		
		4 Wire Unbundled HDSL Loop including manual service inquiry						İ									
	1	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry				[ l											
	1	and facility reservation - Zone 2	ļ	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		1				
-	1	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	-	UHL	OCOSL	27.39	23.02	138.98	77.15	12.01						
<b>-</b>	<del>                                     </del>	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>		OI IL	JUUSL		23.02					<b> </b>				
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		1				
		4-Wire Unbundled HDSL Loop without manual service inquiry	1														
	<u> </u>	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	<u> </u>	<u></u>		<u> </u>		<u> </u>
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	1	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		23.02	10.0-								
<u> </u>	4 16775	CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		86.12	40.39				<b> </b>		<b> </b>		
-	4-WIKE	DS1 DIGITAL LOOP  4-Wire DS1 Digital Loop - Zone 1	1	-1	USL	USLXX	70.74	313.75	181.48	61.22	13.53	-			-		
<b>—</b>	<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	t	4-Wire DS1 Digital Loop - Zone 3	<b>†</b>	3		USLXX	178.39	313.75	181.48	61.22	13.53	<b>-</b>	<b> </b>				
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	0.00	23.02	.00	ŬZZ	.0.00						
						1	L	20.02				L	·		·		

UNBUND	DLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
ONDONE	DEED NETWORK ELEMENTS - Florida	1		I	1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonroe	rina	Nonrecurring	Disconnect			220	Rates (\$)		<u> </u>
		1				Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>—</b>	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
4-V	VIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	CITETYO		101.07	40.04								
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps	1	2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
-	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL UDL	OCOSL UDL64	22.20	23.02 161.56	108.85	67.08	15.56						<del></del>
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<del> </del>		UDL	UDL64	31.56	161.56	108.85	67.08	15.56						<del></del>
<b>—</b>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ŭ	UDL	OCOSL	00.00	23.02		07.00	10.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-V	VIRE Unbundled COPPER LOOP	1							i							
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual		_							4= 00						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						1
$\vdash$	service inquiry & facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>	3	UCL	UCLPB	20.94	9.00	9.00	75.05	15.63						
<b>—</b>	2-Wire Unbundled Copper Loop-Designed without manual			UCL	OCLIVIC		9.00	9.00								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						1
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			1101	LIDEWO		07.04	40.47								1
4-1/	(UCL -Des) WIRE COPPER LOOP	<del> </del>	-	UCL	UREWO		97.21	42.47								<del></del>
4-4	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						1
	4-Wire Copper Loop-Designed including manual service inquiry	1			1											
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						1
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry	1		LICI	LICLAW	44.00	450.40	400.00	00.74	44.00						1
$\vdash$	and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry	+	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		-	-			<del>                                     </del>
	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						1
<del>                                      </del>	4-Wire Copper Loop-Designed without manual service inquiry	1			JULTVV	10.01	100.10	100.03	02.74	11.22		<b> </b>				
	and facility reservation - Zone 3	1	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MOI	DIFICATION															
				UAL, UHL, UCL,												[ ]
	Unbundled Loop Medification, Personal of Lood Calls, CAME.	1		UEQ, ULS, UEA,												1 1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	1		UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								1 1
$\vdash$	Unbundled Loop Modification Removal of Load Coils - 4 Wire	+	1	ULFOD	ULIVIZL		0.00	0.00	<del>                                     </del>							
	less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00				1				1
		1		UAL, UHL, UCL,			2.50	2.00						İ		
		1		UEQ, ULS, UEA,								1				1 1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	,		UEANL, UEPSR,								1				1 1
	per unbundled loop	1		UEPSB	ULMBT		10.52	10.52								
SUB-LOOF	PS	1									]	<u> </u>		l	<u> </u>	

IINBII	INDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
CIADO	NULL	NETWORK ELEMENTS - Florida	1	Ι	I		1					Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Order vs.	Order vs.	Order vs.	Order vs.
071120		10112 =======	m		200	0000			= (4)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	oop Distribution				Î											
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				Î											
		Up	- 1		UEANL	USBSA		487.23									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	- 1		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	ı		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			LIFANII	110010	0.40	00.40	04.70	47.50	5.00						
		Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3		USBN2	40.00	00.40	04.70	47.50	5.00						
-		Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26	-	-				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIVIC	-	9.00	9.00								
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIN4	1.31	00.03	30.42	49.71	6.60						
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
-		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			ULANL	USBIN4	10.47	00.03	30.42	45.71	0.00						
		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
		2010 0		Ŭ	OL7 (I VL	OODIT-	10.00	00.00	00.42	40.71	0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
		g ()									0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
						ĺ											
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
			1	1	luee .	LIODAGO											
<u> </u>		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<b>.</b>	4	UEF	USBMC	5.00	9.00	9.00	40.74	0.00						
<u> </u>		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.36	68.83	30.42	49.71	6.60				<del>                                     </del>		ļ
<u> </u>	-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60				<b> </b>		<b>—</b>
<u> </u>	-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00								
<b>—</b>	<b>-</b>	Loop Testing - Basic 1st Half Hour	<b>!</b>	<del>                                     </del>	UEF	URET1	<del>                                     </del>	48.65	48.65			-		-		-	
<b>—</b>	-	Loop Testing - Basic 1st Hall Hour	-	-	UEF	URETA	<del>                                     </del>	23.95	23.95			<b>-</b>	<b>-</b>				
<b>-</b>	Unhun	dled Network Terminating Wire (UNTW)	<b> </b>		UL1	OINE IA	<del>                                     </del>	20.90	20.90						<b> </b>		
<b>—</b>	Jiibuii	Unbundled Network Terminating Wire (UNTW) per Pair	<del>                                     </del>	$\vdash$	UENTW	UENPP	0.4572	18.02									
<b>—</b>	Netwo	k Interface Device (NID)					5.7572	10.02							1		
		Network Interface Device (NID) - 1-2 lines	l		UENTW	UND12		71.49	48.87						i		
		Network Interface Device (NID) - 1-6 lines	i e		UENTW	UND16		113.89	89.07						İ		
		Network Interface Device Cross Connect - 2 W	1	i –	UENTW	UNDC2	† †	7.63	7.63			1			İ		
		Network Interface Device Cross Connect - 4W	İ		UENTW	UNDC4		7.63	7.63								
UNE O	THER, F	ROVISIONING ONLY - NO RATE					1								1		
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							1		
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	Ì		UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE O	THER, F	PROVISIONING ONLY - NO RATE															

HINDH	NDI E	D NETWORK ELEMENTS - Florida												Attack	ment: 2	Fulcil	bit: A
UNBU	NDLE	D NETWORK ELEMENTS - FIORIDA		_	I	ı	ı					Cur Ouden	Cua Ondan				
														Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	1
					UAL,UCL,UDC,UDL,												1
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<u> </u>
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									1
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									1
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.92										1
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	10.92										1
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						1
LOOP N	ΛΔKF-I				OBLOX	05201	120.00	000.01	0.0.01	100.10	00.01						
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								1
		Loop Makeup - Preordering With Reservation, per spare facility			OWIX	OWINE		32.17	32.17								
		queried (Manual).			UMK	UMKLP		55.07	55.07								1
$\vdash$		Loop MakeupWith or Without Reservation, per working or			OWIN	OWINE		33.01	33.07								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								1
I INE CI	LADING	S AND LINE SPLITTING			OWIN	UNIKIVIQ		0.0704	0.0704								
		1: The Line Sharing monthly recurring rates for all installation	is comi	aleted f	rom October 02, 200	3 through m	idnight Octobe	r 01 2004 shal	l he hilled as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lunight octobe	1 01, 2004 31101	i be billed as i	onows.							
		1: 10/02/2004 – 10/01/2004: 25 % of the rate for UCLND	Тррегіо	OP HOI	I-designed ( OOLIAD	,											
		1: 10/02/2004 = 10/01/2003: 30 % of the rate for UCLND															
		1: Nove will apply to USOCS: ULSDT and ULSCT															
$\vdash$		E 2: The Line Sharing monthly recurring rates with USOCs ULS	EDC on	1111 60	C annliae anly to air	l Invito inotalli	od and incomic	o on or hoforo	Ootobor 1 200	0.2		-					
$\vdash$		HARING	SDC and	ULSC	c applies only to cit	Luits mstani	eu anu mservic	e on or before	October 1, 200	U3 							<b>—</b>
$\vdash$		TERS-CENTRAL OFFICE BASED		-													<b>—</b>
$\vdash$	SFLII	Line Sharing Splitter, per System 96 Line Capacity	<b>-</b>	<del>                                     </del>	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
$\vdash$				-		ULSDA				347.90	0.00						<b>—</b>
$\vdash$		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-	+	ULS ULS	ULSDB ULSD8	29.93 8.33	379.13 379.13	0.00	347.90	0.00	-					
$\vdash$		Line Sharing Splitter, Per System, 8 Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activation-	-	-	ULO	OLODO	8.33	3/9.13	0.00	347.90	0.00	-					<b>—</b>
			l	1	111.0	LII CDC		470.00	0.00	07.40	0.00	I					1
$\vdash$	END	deactivation (per LSOD)	-	<del>                                     </del>	ULS	ULSDG		173.66	0.00	97.42	0.00	<del>                                     </del>					
$\vdash$	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<del>                                     </del>	-		-											
		Line Sharing - per Line Activation (BST Owned splitter) -	1	1	111.0	III eDo	0.01	00.00	04.00	40.57	0.01	1					1
$\vdash$		OBSOLETE see **NOTE 2	ļ	-	ULS	ULSDC	0.61	29.68	21.28	19.57	9.61	<b>.</b>					$\vdash$
		Line Share Service, TRO per line activation, BST owned splitter -	l														1
		Central Office Located (25% of UCLND) - please see NOTE 1															1
$\vdash$		(E:10/2/2003)	ļ	1	ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						$\vdash$
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (50% of UCLND) - please see NOTE 1	l														1
$\vdash$		(E:10/2/2004)	ļ	L	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61	ļ					
		Line Share Service, TRO per line activation, BST owned splitter -	1	1		1						1					1
		Central Office Located (75% of UCLND) - please see NOTE 1	l														1
$\square$		(E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
1 7		Line Sharing - per Subsequent Activity per Line Rearrangement	1	1		I									I		1
		- (BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
		Line Sharing - per Subsequent Activity per Line Rearrangement	l			l			-								
		- (DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
1 7		Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1		I									I		ı 7
L!		OBSOLETE see **NOTE 2	<u> </u>	<u> </u>	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	<u></u>			<u> </u>		

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
01120												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned			020	02001	0.00			20.01		İ					
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	I INF S	PLITTING			020	02001	0.07			20.01		1					
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					i e					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61	i e					
<b>—</b>	<b>-</b>	Line Splitting - per line activation BST owned - priyacai		<del>                                     </del>	UEPSR UEPSB	UREBV	1.134	29.68	21.28		9.61	<b>†</b>					
	MAINT	ENANCE			OLI OK OLI OD	OKLDV	1.104	20.00	21.20	10.01	0.01	<b>†</b>					
	WAIN	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			<b>†</b>					$\vdash$
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50			<b>†</b>					$\vdash$
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			<b>†</b>					
LINBUR	DI ED I	DEDICATED TRANSPORT				1		100.00	110.00								$\vdash$
ONDON		OFFICE CHANNEL - DEDICATED TRANSPORT				1											$\vdash$
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1											$\vdash$
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTTVX	ILSAA	0.0091										
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
-		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-	-	UTTVA	UTIVZ	25.52	47.55	31.70	10.31	7.03	ł	-				igwdot
					U1TVX	1L5XX	0.0091										
-		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	-	-	UTIVA	ILSAA	0.0091			ļ		ł	-				igwdot
		Facility Termination	1		U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
-		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-	-	UTIVX	UTIKZ	25.32	47.35	31.78	18.31	7.03	-					
			1		LIATION	41.500	0.0004										
-		Per Mile per month	-	-	U1TVX	1L5XX	0.0091					-					
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			LIATION	U1TV4	22.58	47.05	04.70	40.04	7.00						
-		- Facility Termination	-	-	U1TVX	01174	22.58	47.35	31.78	18.31	7.03	-					
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.500	0.0004										
		per month		-	U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility									=						
-		Termination		-	U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile				41 =>04											
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility									=						
<u> </u>		Termination	<b>—</b>	1	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	<u> </u>		<b>.</b>	ļ	-	<b>├</b>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			114704	41.5307											1 !
<u> </u>		month	<b>—</b>	1	U1TD1	1L5XX	0.1856			ļ		<u> </u>		<b>.</b>	ļ	-	$\vdash$
1	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	114704	LIATE4		405 = 1	00 :-	04 :-	40.0=	1	1				1 !
<u> </u>		Termination Page 17 August	ļ	-	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05	1					<b>↓</b>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month		<u> </u>	U1TS1	1L5XX	3.87					ļ					
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination		<b> </b>	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	ļ		ļ	ļ		
DARK	IBER			<u> </u>		1								ļ	ļ		
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1								1	1				1
		Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	26.85							ļ	ļ		
		NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11			ļ	ļ		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1											1
		Thereof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DL	55.04							ļ	ļ		
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11						

CATEGORY   RATE ELEMENTS   Interior   Short and Submitted   Charge   Short and Submitted   Charge   Short and Submitted   Charge   Short and Submitted   Charge   Short and Submitted   Charge   Short and Submitted   Charge   Short and Submitted   Short and Submit	IBUNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
CATEGORY   BATE ELEMENTS   Intering   Intering   Intering   March   Intering   March		The state of the s										Svc Order	Svc Order			Incremental	Incremental
ATTEMENTS   Page   Pa																Charge -	Charge -
APPLIED   Part List   Order																Manual Svc	Manual Svc
Bit	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
Test			m		200				= (4)			per LSR	per LSR			Order vs.	Order vs.
No.   No.																Electronic-	Electronic-
No.   Section														1st	Add'l	Disc 1st	Disc Add'l
No.   Section						+	ı	Nonrec	urring	Nonrecurring	n Disconnect		1	OSS	Rates (\$)	I.	
BXX ACCESS TEN DIGIT SCREENING   Per Coll						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
DOX, Access Ten Digit Screening, Reservation Charge Per 60X   OHD   DOXOSCE2   DOX No. Control Charge Per 60X   OHD   NIRTIX   4.15   0.70   DOX No. Established VIV   OHD   NIRTIX   4.15   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   1.18   5.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   1.18   6.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   1.18   6.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   1.18   6.77   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   0.70   DOX No. Established VIV   OHD   NIRTIX   8.78   6.78   0.70   DOX No. Established VIV   OHD   NIRTIX   0.78   0.70   DOX No. Established VIV   OHD   NIRTIX   0.78	( ACCESS	TEN DIGIT SCREENING				+		11130	Addi	11130	Addi	JOINEC	JOINAIN	JONAN	JOHAN	JOHAN	JOINAIN
DXX Access   Ten Digit Screening, Research Contage Per BXX   DATE	T AGGEGG				OHD	1	0.0006252					<b>†</b>					
Number Reserved   Note   Not		8XX Access Ten Digit Screening, Per Sunt Charge Per 8XX			OTID	1	0.0000202					<b>†</b>					
SXX Access Tan Digit Screening, Per BXX No. Established With Pint Per BX No. Established With Pint Per BX No. Established With Pint Per BX N					OHD	NRP1Y		1 15	0.70								1
POTS Translations					OTID	NOICIX		4.13	0.70			1					$\overline{}$
SXX Access Ten Digit Screening, PROX No. Established With POTS Translations   OHD N8FCX					OHD			0 70	1 10	5 77	0.70						1
POTS Translations					OHD			0.70	1.10	5.11	0.70	1					
BXX Access Ten Digit Screening, Milipie InterLATA CXR					OHD	NIOETY		0 70	1 10	5 77	0.70						1
Per 8XX Number			-	-	OHD	INOLIV		0.70	1.10	3.11	0.70						$\vdash$
BXX Access fan Digit Screening, Marijoe Instell.ATA CXR   DHD   NISFMX   4.85   2.78					OLID	NOTOY		4.45	2.07								1 1
Routing Per CXR Reguested Per BOX No.			-	-	OUD	NOFUA		4.13	2.07								$\vdash$
SXX Access Ten Digit Screening, Change Charge Per Request   OHD   N8FAX   4.88   0.70					OHD	NIOEMY		4.05	2.70								i I
SXX Access Ten Digit Screening, Call Handling and Destination   Peatures   OHD   N8FDX   4.15   4.15   4.15			-	-								-					$\vdash$
Features	_	8XX Access Ten Digit Screening, Change Charge Per Request	-	-	OHD	INSFAX		4.85	0.70								
StX Access Ten Digit Screening, wf 9EL No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, wf POTS No. Delivery, per query   StX Access Ten Digit Screening, per StX Access					OUD	NOEDY		4.45	4.45								i I
SIXX Access Ten Digit Screening, w POTS No. Delivery, per	_	Features	-	-	OHD	N8FDX		4.15	4.15								
SIXX Access Ten Digit Screening, w POTS No. Delivery, per		OVOV A T Divis O (OFI NI Deli			OUD		0.0000050										i I
Common   C	_		-	-	OHD	-	0.0006252										
LINE INFORMATION DATA BASE ACCESS (LIDB)					OUD		0.0000050										i I
LIDB Common Transport Per Query					OHD		0.0006252										$\vdash$
LIDB Validation Per Query   OQU	E INFORM																$\vdash$
SIGNALINE (CSCST)   SIGN							0.0000203										$\vdash$
SIGNALING (CCST)   Signaling Termination, Per STP Port   UDB   PT8SX   135.06						ļ	0.0136959										$\vdash$
CCST Signaling Usage, Per TCAP Message					OQT, OQU	NRBPX		55.13	55.13	55.13	55.13						
CCS7 Signaling Usage, Per TCAP Message	NALING (																
CCS7 Signaling Connection, Per link (A link)   UDB   TPP++   17,93   43,57   43,57   43,57   18,31   18,31						PT8SX											
CCS7 Signaling Connection, Per link (B link) (also known as D link)   UDB   TPP++   17,93   43,57   43,57   18,31   18,31   18,31																	
Inish   CSZF Signaling Usage, Per ISUP Message   UDB   0.0000152   3.57   43.57   43.57   18.31   18.31   18.31   CSZF Signaling Usage, Per ISUP Message   UDB   0.0000152   3.50   18.31   18.31   18.31   CSZF Signaling Usage Surrogate, per Inish per LATA   UDB   STU56   694.32   CSZF Signaling Point Code, per Originating Point Code   Establishment or Change, per STP affected   UDB   CCAPO   46.03   46					UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
CCST Signaling Usage Surrogate, per link per LATA																	1
CCS7 Signaling Debit Code, per Initk per LATA						TPP++		43.57	43.57	18.31	18.31						
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected																	
Establishment or Change, per STP affected					UDB	STU56	694.32										
E911 SERVICE																	1
Local Channel - Dedicated - 2-wr Voice Grade - Zone 1   21.94   265.84   46.97   37.63   4.00					UDB	CCAPO		46.03	46.03	46.03	46.03						ullet
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2   29.62   265.84   46.97   37.63   4.00	11 SERVIC																ullet
Local Channel - Dedicated - Z-wr Voice Grade - Zone 3   57.22   265.84   46.97   37.63   4.00     Interoffice Transport - Dedicated - Z-wr Voice Grade Per Mile   0.0091     Interoffice Transport - Dedicated - Z-wr Voice Grade Per Facility     Termination   25.32   47.35   31.78   18.31   7.03     Local Channel - Dedicated - DS1 - Zone 1   35.28   216.65   183.54   21.47   19.05     Local Channel - Dedicated - DS1 - Zone 2   47.63   216.65   183.54   21.47   19.05     Local Channel - Dedicated - DS1 - Zone 3   92.01   216.65   183.54   21.47   19.05     Local Channel - Dedicated - DS1 - Zone 3   92.01   216.65   183.54   21.47   19.05     Interoffice Transport - Dedicated - DS1 Per Mile   0.1856     Interoffice Transport - Dedicated - DS1 Per Facility Termination   88.44   105.54   98.47   21.47   19.05     CALLING NAME (CNAM) SERVICE   CNAM For DB Owners - Service Establishment   OQV   25.35   25.35   19.01   19.01     CNAM For DB Owners - Service Establishment   OQV   25.35   25.35   19.01   19.01     CNAM For DB Owners - Service Provisioning With Point Code   Establishment   OQV   1.592.00   1.177.00   352.36   259.09     CNAM For Non DB Owners - Service Provisioning With Point Code   Code Establishment   OQV   0.001024																	ullet
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile   0.0091			ļ	<b> </b>		1									<b>.</b>		igwdown
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility   25.32   47.35   31.78   18.31   7.03			ļ	<b> </b>		1		265.84	46.97	37.63	4.00				<b>.</b>		
Termination   25.32   47.35   31.78   18.31   7.03							0.0091										ullet
Local Channel - Dedicated - DS1 - Zone 1   35.28   216.65   183.54   21.47   19.05			1	1									1		I		1 1
Local Channel - Dedicated - DS1 - Zone 2			<u> </u>	<u> </u>		1									ļ		
Local Channel - Dedicated - DS1 - Zone 3   92.01   216.65   183.54   21.47   19.05     Interoffice Transport - Dedicated - DS1 Per Mile   0.1856   0.1856     Interoffice Transport - Dedicated - DS1 Per Facility Termination   88.44   105.54   98.47   21.47   19.05     CALLING NAME (CNAM) SERVICE   0QV   25.35   25.35   19.01   19.01     CNAM For DB Owners - Service Establishment   0QV   25.35   25.35   19.01   19.01     CNAM For DB Owners - Service Provisioning With Point Code   Establishment   0QV   1,592.00   1,177.00   352.36   259.09     CNAM For Non DB Owners - Service Provisioning With Point   0QV   546.51   393.82   358.06   259.09     CNAM for DB Owners, Per Query   0QV   0.001024   0.001024			<u> </u>	<u> </u>		1									ļ		
Interoffice Transport - Dedicated - DS1 Per Mile													ļ				ullet
Interoffice Transport - Dedicated - DS1 Per Facility Termination			ļ					216.65	183.54	21.47	19.05						
CALLING NAME (CNAM) SERVICE		Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
CALLING NAME (CNAM) SERVICE			1	1							I			<u> </u>	_	I	ı 7
CNAM For DB Owners - Service Establishment							88.44	105.54	98.47	21.47	19.05						
CNAM For Non DB Owners - Service Establishment	LLING NA																
CNAM For DB Owners - Service Provisioning With Point Code   Establishment   OQV   1,592.00   1,177.00   352.36   259.09																	
Establishment					OQV			25.35	25.35	19.01	19.01						
CNAM For Non DB Owners - Service Provisioning With Point   Code Establishment   OQV   546.51   393.82   358.06   259.09     CNAM for DB Owners, Per Query   OQV   0.001024											I			l		l	
Code Establishment			<u> </u>		OQV			1,592.00	1,177.00	352.36	259.09						1
CNAM for DB Owners, Per Query OQV 0.001024					_												
		Code Establishment	1	1				546.51	393.82	358.06	259.09		1		I		1
							0.001024										
		CNAM for Non DB Owners, Per Query			OQV		0.001024										
SELECTIVE ROUTING	LECTIVE F																
Selective Routing Per Unique Line Class Code Per Request Per													İ				
Switch 93.55 93.55 12.71 12.71			1	1				93.55	93.55	12.71	12.71		1		I		1 1
VIRTUAL COLLOCATION	TUAL COI		1	1		İ	i					1	İ	İ	1	İ	$\overline{}$

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
011201122											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>									L NI	D'			000	D-1 (A)		
						Rec	Nonrec		Nonrecurring		001450	001441		Rates (\$)	001141	001141
	Virtual Callegation 2 Wise Cons. Consents (Loss) for Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO				OLFSK OLFSB	VLILO	0.0302	11.57	11.57	0.00	0.00						
THIOIDAL O	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTI	VE CARRIER ROUTING					0.0=.0	****		Ţ							
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AINI CMC Access Conice Dort Connection Dial/Charact Access			A4NI	CAMDP		0.04	0.01	40.00	40.00	1	1				,
<del>                                     </del>	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P	<del>                                     </del>	8.64 8.64	8.64 8.64	10.03 10.03	10.03 10.03				-		
	AIN SMS Access Service - Port Connection - ISDN Access  AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMIP		8.64	8.64	10.03	10.03						
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAWAO		30.00	30.00	23.00	23.00						
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4609										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,439.00	8,439.00								
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 11 11		0.04	0.04	10.00	10.00						
1 1	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1 1	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		20.06	20.06	15.00	15.00						
	AIN Toolkit Service - Query Charge, Per Query				DAFIF	0.0535927	38.06	38.06	15.86	15.86	<b> </b>					
<del>                                     </del>	AIN Toolkit Service - Query Charge, Per Query  AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				<del>                                     </del>	0.0333827								<b> </b>		
	Subscription, Per Node, Per Query					0.0063698					1	1				,
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
1 1	Account, Per 100 Kilobytes					0.06					1	1				,
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				D 4 D 4 -											,
	Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	DADDO	4 70	0.04	0.01	0.00	0.00	1	1				,
$\vdash$	Subscription  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	<b>-</b>	$\vdash$	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	-	-	-		-	
	Service Subscription			CAM	BAPES	0.12	9.56	9.56			1	1				,
ENHANCED F	EXTENDED LINK (EELs)			O/ 11V1	DAI LO	0.12	3.30	3.30								
	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE com	binations prov	isioned as ' C	ordinarily Comb	ined' Network	Elements.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for	UNE combination	ons provisione	d as ' Current	ly Combined' N	letwork Eleme	nts.			İ		
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	OFFICE TRANSPOR	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

HINDHINE	) E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit. A
UNDUNL	JLEI	D NETWORK ELEWENTS - FIORIGA		1		1	1					Cua Ordar	Cvo Ordor	Incremental		Incremental	Incremental
												1					
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGOR	·v	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	(T	RATE ELEMENTS	m	Zone	ВСЗ	0500			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>				-				Manna		Managarini	- Dianamant			222	D-4 (A)		
<b></b>				-			Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates (\$)	0011411	001141
$\vdash$		Intereffice Transport Dedicated DC4 combination Dec Mile		-		+		First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5007	0.4050										, !
$\vdash$		per month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAN	U1TF1	00.44	474.40	400.40	45.04	47.05						1
		Termination per month		-	UNC1X	MQ1	88.44 146.77	174.46	122.46	45.61	17.95						
		1/0 Channelization System in combination Per Month		-	UNC1X			101.42	71.62	0.00	0.00						
		Voice Grade COCI - Per Month		-	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Foot Additional 2 Miss VC Loop (CL 2) in Combination 7 and 4		1	LINOVA	UEAL2	40.04	407.50	60.54	42.79	2.81						i I
$\vdash$		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
																	1
$\vdash$		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		Foot Additional Station VC Loop (CL Stip Combination 7000 S	1	3	LINICVAY	LIEALO	20.07	407.50	00.54	40.70	0.04		1		I		1
$\vdash$		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2 1D1VG	30.87 1.38	127.59 10.07	60.54	42.79 0.00	2.81 0.00	<del>                                     </del>	ļ		<del>                                     </del>		
$\vdash$		Voice Grade COCI - Per Month		-	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															ł
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						<b></b>
EX	IEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRI											<b></b>
				١.			40.00										ł
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
				_		l											ł
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
				_		l											1
$\vdash$		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
		Per Month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per				l											i I
$\vdash$		Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
$\vdash$		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															ł
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						<b></b>
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											ł
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						<b></b>
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											ł
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						<b></b>
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						<b></b>
		Nonrecurring Currently Combined Network Elements Switch -As-															ł
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						<b>——</b>
EX	IEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	DS1 IN	TEROFFICE TRANS	SPURI									-		
		First A Wiss FOlders Birthal Out to 1 Co. 11 P. F.			LINIODY	1101.50									1		l .
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						<b></b>
							0.4 = 0			40 =0							ł
$\vdash$		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						<b></b>
							== 00			40 =0							ł
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						<b></b>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
$\vdash$		Per Month		1	UNC1X	1L5XX	0.1856					-	ļ		-		
		Interoffice Transport - Dedicated - DS1 - combination Facility				l											ł
$\vdash$		Termination Per Month		-	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				<b>_</b>		<b>.</b>
$\vdash$		1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	146.77	101.42	71.62						-		
$\vdash \vdash$		OCU-DP COCI (data) per month (2.4-64kbs)		1	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	-	ļ		-		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	١.	LINIODY	LIDL 50		,					1		I		1
$\vdash$		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				<b>_</b>		<b>.</b>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	_						40 ==			1		I		1
$\vdash$		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				<b>.</b>		-
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1					_				1		1
$\vdash$		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				<b>_</b>		<u> </u>
		Additional OCU-DP COCI (data) - in combination per month (2.4-	1	1	LINIODY	10100							1		I		1
$\Box$		64kbs)		<u> </u>	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	1	l		1		

UNBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
					1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OATEGOR	NATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				+		11130	Addi	11130	Addi	JOINEC	JONAN	JONAN	JOHAN	JOINAIN	JOINAIN
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
EY	FENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.30	0.30	0.30	0.30						
	CINDED 4-WIKE 04 KBI 0 EXTENDED DIGITAL LOOF WITH DEDI	CAILD	DOT III	TEROTTIOE TRAIN	JI OKI											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						, !
	I list 4-Wile 64Rbps Digital Grade Loop III Combination - Zone 1		<u>'</u>	UNCDA	UDL04	22.20	127.59	00.54	42.13	2.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						1
<del></del>	I list 4-Wire 04Rbps Digital Grade Loop III Combination - Zone Z			ONODA	ODL04	31.30	127.55	00.54	42.13	2.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDA	UDL04	33.99	127.59	00.54	42.13	2.01	-	-		-		
	Per Month			UNC1X	1L5XX	0.1856										1
	interoffice Transport - Dedicated - DS1 combination - Facility	-	-	UNCIA	ILSAA	0.1000					-	-		-		
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
		-	-	UNC1X	MQ1	146.77	101.42	71.62	45.61	17.95						
	1/0 Channel System in combination Per Month	-	-						0.00	0.00						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-	-	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBLOA	00.00	407.50	00.54	40.70	0.04						1
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBLOA	04.50	407.50	00.54	40.70	0.04						1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month						40.00	=								1
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
L	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	_													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX.	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
$\vdash$	First DS1Loop in Combination - Zone 1	ļ	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ					<b></b>
$\vdash$	First DS1Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				<b>.</b>		ļ
$\vdash$	First DS1Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	ļ					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				1	_								1		1
$\vdash$	Per Month	ļ		UNC3X	1L5XX	3.87					ļ					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				1									1		, !
	month	<u> </u>		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		ļ		ļ		
$\vdash$	3/1Channel System in combination per month	ļ		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				<b>.</b>		ļ
$\vdash$	DS1 COCI in combination per month	ļ		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				<b>.</b>		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		l <b>.</b>	1						1	1		I		1
$\vdash$	Zone 1	ļ	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				<b>.</b>		ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		l <b>.</b>	1						1	1		I		1
$oxed{oxed}$	Zone 2	<u> </u>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		ļ		ļ		ļ
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1			1		J				1	1		I		, !
	Zone 3	<u> </u>	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		ļ		ļ		ļ
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		ļ
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1									1		1
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EX	TENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
1 1	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	-	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												"	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring		001450	001441		Rates (\$)	001441	0011411
	Interesting Transport Covins VC Dedicated Des Mile Des				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
<del>                                     </del>	Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.0091										
	Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	02	20.02	0 0	02.00	00.10	21.00						
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO												
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	1		111000	41.5307						1	1				1
<del>                                     </del>	Month	₩		UNCVX	1L5XX	0.0091					-	-		-		$\vdash$
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month	1		UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53	1	1				1
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCVA	01174	22.50	94.70	52.59	50.49	21.55						$\vdash$
	Is Charge	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98	1	1				1
EXTEN	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		UNCCC		0.90	0.90	0.30	0.30						
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVEEN	Is Charge	0.4 1117	FRAFE	UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXIEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST STS-1 Local Lolp in combination - per mile per month	3-1 IN I	EKUFF	UNCSX	1L5ND	10.92										$\vdash$
	STS-1 Local Loop in combination - Facility Termination per			UNCOX	ILSIND	10.52										
	month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT	LINIONIX	1141.07/	40.00	127.59	00.00	40.70	0.04						
	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2	-	2	UNCNX UNCNX	U1L2X U1L2X	19.28 27.40	127.59	60.60 60.60	42.79 42.79	2.81 2.81						
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - per mile	<b>†</b>	J	0017/	O ILLAN	40.0Z	127.00	00.00	72.13	2.01						
1 1	per month	1		UNC1X	1L5XX	0.1856					1	1				1 !
	Interoffice Transport - Dedicated - DS1 combination - Facility	i –														
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	101.42	71.62								
	2-wire ISDN COCI (BRITE) - in combination - per month	ļ		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						lacksquare
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINONIV	1141.037		400 00				1	1				1 !
<del>                                     </del>	Combination - Zone 1	₩	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	-	-		-		$\vdash$
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1	1				1 !
<del>                                     </del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>		OINOINA	UILZA	21.40	127.39	00.00	42.19	2.01						<del>                                     </del>
1 1	Combination - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	1	1				1
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	l			1	.0.02	.200	33.30		2.31						
	month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						1 !
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														ldot
$\vdash$	First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				ļ		$\vdash$
$\vdash$	First DS1 Loop Combination - Zone 2	<del>                                     </del>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	<b> </b>	<b> </b>		<b> </b>		$\vdash$
	First DS1 Loop Combination - Zone 3	<u> </u>	J 3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	l	l		L		

CATEGORY   RATE ELEMENTS   Mater   Zone   BC3   USC   RATE   B)	INBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
Barrier   Barr												Svc Order	Svc Order				
CATEGORY   RATE ELEMENTS   March   Stock   See																	Charge -
CATEGORY   RATE ELEMENTS   m   Some   BCS   USC   FRATE   S   FRATE   Delay 12, Delay 12, Delay 12, Delay 12, Delay 13, Dela																	Manual Svc
Recording	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Text			m						- (1)			per Lor	per LSK				Electronic-
Record   R																	Disc Add'l
Mode																DISC ISL	DISC Add I
Machine   Process   Proc							Boo	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Per Meter							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interestical Temporal Coloration of STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission or Pacisity   London STEP 1 commission   London STEP 1 commission or Pacisity   London STEP 1 commission   London STEP 1 commis		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
Temestad per month					UNCSX	1L5XX	3.87										
S1 Cleaned Systems in combination per month   DRCSX   M23   211.10   199.28   118.64   40.341   39.07																	
DST COCC in combination part in the interface intercept   DNCIX   USUNX   US																	
Additional Distance in the same STS-1 Intended Temport   1 (MC) X (US, XX 70.74 217.75 121.62 51.44 14.45   14.45																	
Configuration 2 Part   1 UNCIX   USLXX   7374   21775   12162   5144   14.45					UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
Additional DSTLogo in the same STS-1 information Transport Combination - Zone 2 Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the same STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 information Transport Additional DSTLogo in the STS-1 informat					LINIOAV	11013/2	70.74	047.75	404.00	54.44	44.45						
Combination 251-apr in the same STS-1 interollice Transport   2 UNCTX				1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
Additional DSI Logo in the same STS I Interedice Transport   3 UNCIX   USDX   178.39   217.75   121.62   51.44   14.45   10.65   10.					LINIOAV	11013/2	400.54	047.75	404.00	54.44	44.45						
Combination - Zone 3   3   IMCIX   VICID   1376   1007   7.08   0.00   0.00	_			2	UNCTX	USLXX	100.54	217.75	121.62	51.44	14.45						
DST COCI in unification per month   Noncomparing Currently Corrently Comparing Currently Comparing Currently Corrently Comparing Currently Comparing Currently Comparing Currently Comparing Currently Comparing Currently Curre				2	LINC1V	LIELVY	170 20	217 75	121 62	51 44	1/1/			1	1		
Nonrecurring Currently Combined Network Elements Switch -As-	-		1	٥								<b>H</b>		t	t	l	<del>                                     </del>
Inchange	-				014017	30101	13.70	10.07	1.00	0.00	0.00	<b>H</b>		t	t	l	<del>                                     </del>
CYTENDED 4-WIRE 56 KRPS DIGITAL EXTENDED LOOP WITH 56 KRPS NITEROFFICE TRANSPORT					LINCSX	LINCCC		8 98	8 98	8 98	8 98						
4-wire 68 kbps Local Loop in combination - Zone 1	FXTF		SPS INT	FROFF		CINOCO		0.90	0.90	0.90	0.90			<b>+</b>	<b>+</b>		
4-we 68 kbps Local Loop in combination - Zone 2   2 UNCDX	LATE					UDL56	22.20	127.59	60.54	42.79	2.81			<u> </u>	<u> </u>		
Hever 66 lobps Local Loop in combination - Zone 3   INCOX   UDL56   55.99   127.59   60.54   42.79   2.81																	
Interoffice Transport - Dedicated - 4-wire 68 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps combination -   Dedicated - 4-wire 58 kbps Loroll Loop With 64 kBps INTEROFFICE TRANSPORT     Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 2   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 4-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 2-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 2-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - 2-wire 58 kbps Loroll Loop in Combination - Zone 3   Dedicated - Zone 2   Dedicated -														t			
Interoffice Transport - Dedicated -4-wire 96 kbps combination -   UNCDX											-						
Facility Termination per month   UNCDX   UTD5   18.44   94.70   52.59   50.49   21.53		Per Mile per month			UNCDX	1L5XX	0.0091										
Nonsecuring Currently Combined Network Elements Swirch -As-   Is Charge   UNCDX   UN		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
Scharge   UNCDX   UNCDC   8.88   8.					UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT  4-wire 64 kbps Local Loop in Combination - Zone 1   1   NIXOX   UDL64   31.56   127.59   60.54   42.79   2.81		Nonrecurring Currently Combined Network Elements Switch -As-	-														
4-wire 64 kbps Local Loop in Combination - Zone 1						UNCCC		8.98	8.98	8.98	8.98						
A-wire 64 kbps Local Loop in Combination - Zone 2   2 UNCDX   UDL64   31.56   127.59   60.54   42.79   2.81	EXTE		BPS INT														
A-wire 64 kbps Lozel Loop in Combination - Zone 3   3 UNCDX   UDL64   55.99   127.59   60.54   42.79   2.81																	
Interoffice Transport - Dedicated - 4-wire 64 klops combination - Per Mile per month																	
Per Mile per month				3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month   UNCDX					LINIODY	41.5307	0.0004										
Facility Termination per month   UNCDX   UTD6   18.44   94.70   52.59   50.49   21.53					UNCDX	1L5XX	0.0091										
Nonrecurring Currently Combined Network Elements Switch -As-   UNCDX					LINCDV	LIATOR	10 11	04.70	F2 F0	E0 40	24.52						
Scharge   Scha	_				UNCDA	01106	10.44	94.70	52.59	50.49	21.55	-					
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 31 MUX			1		LINCDY	LINICCC		9.09	9.09	9.09	9.09						
First 2-wire VG Loop (SL2) in Combination - Zone 1	FYTE		RANSP	ORT w		UNCCC		0.90	0.90	0.90	0.90			<del>                                     </del>	<del>                                     </del>		
First 2-wire VG Loop (SL2) in Combination - Zone 2	LAIL		LANGE			UEAL2	12 24	127 59	60.54	42 79	2 81	<del>                                     </del>	<b>†</b>	<b>I</b>	<b>I</b>		1
First 2-wire VG Loop (SL2) in Combination - Zone 3   3 UNCVX   UEAL2   30.87   127.59   60.54   42.79   2.81			<b>1</b>											<u> </u>	<u> </u>		
First Interoffice Transport - Dedicated - DS1 combination - Per   Mille			t											1	1		
Mile			1			1							İ	1	1	l	l
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			1		UNC1X	1L5XX	0.1856						1	I	I		
Facility Termination per month		First Interoffice Transport - Dedicated - DS1 combination -															
Per each Voice Grade COCI - Per Month per month		Facility Termination per month	<u></u>							45.61	17.95	<u></u>	<u> </u>	<u> </u>	L	<u></u>	<u> </u>
3/1 Channel System in combination per month																	
Per each DS1 COCI in combination per month																	
Each Additional 2-Wire VG Loop(SL 2) in the same DS1																	
Interoffice Transport Combination - Zone 1					UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
Each Additional 2-Wire VG Loop(SL2) in the same DS1			1										1	I	I		
Interoffice Transport Combination - Zone 2   2 UNCVX   UEAL2   17.40   127.59   60.54   42.79   2.81			ļ	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81			ļ	ļ		
Each Additional 2-Wire VG Loop(SL2) in the same DS1					111000	LIENIO	47.0	407	00 = 1	40 =0				1	1		
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL2   30.87   127.59   60.54   42.79   2.81			├	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	-	-	1	<del>                                     </del>		-
Each Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   1.38   10.07   7.08   0.00   0.00   0.00				2	LINICVO	LIEALO	20.07	107.50	60.54	40.70	2.04			1	1		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  UNC1X 1L5XX 0.1856  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95			╂	3										<del>                                     </del>	<del>                                     </del>		
Channel System per month	_		<del>                                     </del>	-	OINCVA	טועו	1.38	10.07	1.08	0.00	0.00		-	+	+		
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95					LINC1X	11 5XY	0 1856							1	1		
same 3/1 Channel System per month   UNC1X U1TF1   88.44   174.46   122.46   45.61   17.95	_		<del>                                     </del>		ONOIA	ILUAA	0.1000							<del>                                     </del>	<del>                                     </del>		
					UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95			1	1		
I I Each Additional DS1 COCI combination per month I I UNC1X IUC1D1 I 13.76 I 10.07 I 7.08 I 0.00 I 0.00 I I	-	Each Additional DS1 COCI combination per month	t		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	<b>-</b>		t	<del>                                     </del>		<b> </b>

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.2011.21		I									Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXI	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	IEROFF	ICE IR	ANSPORT W/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		١.,	1110101	UEAL4	40.00	407.50	60.54	40.70	0.04						
<b></b>	Zone 1		-	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
$\vdash$	First 4-Wire Analog Voice Grade Local Loop in Combination -	1		UNCVA	UEAL4	20.04	127.59	60.54	42.79	2.01				-		
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOVA	OLALT	47.02	127.55	00.54	42.13	2.01			1			1
	Mile Per Month	1		UNC1X	1L5XX	0.1856						1		I		
	First Interoffice Transport - Dedicated - DS1 - Facility	<b>1</b>	<b>†</b>	0.101/	TEON	0.1000			1		<b>-</b>	<b>†</b>		<b>I</b>		<b> </b>
	Termination Per Month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		
	Per each 1/0 Channel System in combination Per Month	<b>†</b>		UNC1X	MQ1	146.77	101.42	71.62	.0.01	50			1	<u> </u>		1
	Per each Voice Grade COCI in combination - per month	t		UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00			İ	1		İ
	3/1 Channel System in combination per month	1		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month	i		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
$\vdash$	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in						.=									
<b></b>	same 3/1 Channel System per month  Additional Voice Grade COCI - in combination - per month	<u> </u>	<u> </u>	UNC1X UNCVX	U1TF1 1D1VG	88.44 1.38	174.46 10.07	122.46 7.08	45.61 0.00	17.95 0.00				-		
<b>—</b>	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCVA	IDIVG	1.30	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
FXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.30	0.30	0.30	0.30						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1		T											
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		l	1									_		
	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.1856							ļ	L		L
	First Interoffice Transport - Dedicated - DS1 - combination			LINIOAY	LIATE :					.=				1		
<del></del>	Facility Termination Per Month	<b>!</b>	-	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	-	-	-	<del>                                     </del>		-
$\vdash$	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<del> </del>	+	UNC1X UNCDX	MQ1 1D1DD	146.77 2.10	101.42 10.07	71.62 7.08	0.00	0.00	-	-		<del>                                     </del>	-	-
$\vdash$	3/1 Channel System in combination per month	<del>                                     </del>	<del>                                     </del>	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-	-	<del> </del>	+		<del>                                     </del>
<del>                                     </del>	Per each DS1 COCI in combination per month	<del>                                     </del>	<b>†</b>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			<del>                                     </del>	t		<del> </del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	<del>                                     </del>	OI4OIA	00101	13.70	10.07	7.00	0.00	0.00				<b>+</b>		
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		1		I		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	Ė		1		0			51	İ	İ	İ	1		İ
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	İ														
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				<u> </u>		
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)	ļ		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			T									_		
	Channel System per month	ļ		UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		LINICAY		00.44	474.40	100.10	45.61	17.0-		1		I		
$\vdash$	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system	-	-	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				<del>                                     </del>	-	
	combination per month	1		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		1		I		
	combination per month	<u> </u>	<u> </u>	014017	וטוטט	13.70	10.07	1.00	0.00	0.00	L	1	L	1		1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
ONDONDE					T						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
$\perp$						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT W/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
$\vdash$	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- 1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODX	ODLOT	31.50	127.55	00.54	42.73	2.01						
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		_													
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) in combination - per month (2.4-									<del></del>						
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								40.00							
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
$\vdash$	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
<del>                                     </del>	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	ONODX	ODLOT	55.55	127.55	00.54	42.73	2.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.1027		2.10	10.01	7.00	0.00	0.00						
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	≺Γw/3/	1 MUX		+									ļ		<b> </b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	LINCNIV	U1L2X	40.00	407.50	00.00	40.70	0.01						
$\vdash$	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<b>-</b>	1	UNCNX	UTLZX	19.28	127.59	60.60	42.79	2.81	-	-			-	
	Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		1				
<del>                                     </del>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		011011/	JILZA	21.40	121.39	00.00	42.19	2.01				<del> </del>		<b> </b>
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ŭ			.5.02	.200	22.00	.2.70	2.01				İ		
	Mile per month			UNC1X	1L5XX	0.1856						1				
	First Interoffice Transport - Dedicated - DS1 combination -													1		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	101.42	71.62		•						
																l
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
$\vdash$	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				ļ		
$\vdash$	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINONIV	1141.054	10.00	407.50	00.00	10.70	0.01		1				
$\vdash$	Combination - Zone 1  Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				<b> </b>		-
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
$\vdash$	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>		OINOINA	UILZA	21.40	127.59	00.00	42.19	2.01	-	<b> </b>		<del> </del>		<del>                                     </del>
1 1	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		_	0014/		70.02	127.00	00.00	72.13	2.01						
1 1	system combination- per month	I	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		l		I		l

UNBU	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								News		T. N	D'				D-1 (A)		
						-	Rec	Nonrec		Nonrecurring					Rates (\$)		
	+	Foot Additional DC4 Interesting Channel and will in access 2/4		ļ		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856									i .	
	+	Each Additional DS1 Interoffice Channel Facility Termination in		<u> </u>	UNCIA	ILSAA	0.1656										
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					l .	
	+	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	00.44	174.40	122.40	40.01	17.33						
		combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					1	
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	00151	10.70	10.01	7.00	0.00	0.00						
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					l .	
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT													
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
<u></u>	<u> </u>	Mile Per Month	<u></u>	<u></u>	UNC1X	1L5XX	0.1856			<u> </u>					<u></u>	<u> </u>	
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1														l .	
		Channel System per month			UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in														l .	
	ļ	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					<b></b>	
		Each Additional DS1 COCI in the same 3/1 channel system			LINIOAV	110454	40.70	40.07	7.00	0.00	0.00					l .	
	+	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					<del></del>	
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	USLXX	70.74	047.75	121.62	54.44	14.45					l .	
-	+	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNCIX	USLXX	70.74	217.75	121.62	51.44	14.45					<del></del>	-
		2 - Additional 4-Wire DST Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45					l .	
-	+	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIX	USLAA	100.54	217.73	121.02	31.44	14.43						
		2		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					l .	
	+	Nonrecurring Currently Combined Network Elements Switch -As-		-	ONOTA	OOLAA	170.55	217.75	121.02	31.44	14.40					$\vdash$	<del>                                     </del>
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					l .	
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		0.1000		0.00	0.00	0.00	0.00						
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	1	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
		per month		<u></u>	UNCDX	1L5XX	0.0091									1	
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month		<u> </u>	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53					<u> </u>	
		Nonrecurring Currently Combined Network Elements Switch -As-													l	1	
<u> </u>	<u> </u>	Is Charge	<u> </u>	<u> </u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98	ļ				<del></del>	ļ
L	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			LIBLE										<b></b>	ļ
	1	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81					<b></b>	ļI
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54		2.81				<b> </b>	<del></del>	
	+	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	ļ	ļ		<b> </b>		+
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			UNCDX	1L5XX	0.0091									1	
-	+	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		<del>                                     </del>	OINCDA	ILSAA	0.0091			-		<b> </b>	<b> </b>		-	<del></del>	1
		Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	1	1			1	
-	+	Nonrecurring Currently Combined Network Elements Switch -As-		<b>†</b>	011007	01100	10.44	34.10	32.39	50.49	21.33	<b>-</b>	<b>-</b>				
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98	1	1			1	
ADDIT	IONAL	IETWORK ELEMENTS		t -	JJD/	311000		5.30	0.90	5.30	5.30						
		used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is c	harge does and	oly.									
		used as ordinarily combined network elements in All States, t															
		curring Currently Combined Network Elements "Switch As Is"															
	1	Nonrecurring Currently Combined Network Elements Switch -As-		İ												ſ	
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98					1	
	•		•	•		-											

Submitted Submitted	rc Order Incremental Charge - anually Manual Svoer LSR Electronic-1st	Charge - C Manual Svc Morder vs. Electronic- Add'I S Rates (\$)	Exhibiting Exhibiting	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Intering   CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES (\$)   Submitted Sub	bmitted anually er LSR Order vs. Electronic-1st	Charge - C Manual Svc Morder vs. Electronic- Add'I S Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Interi m   Zone   BCS   USOC   RATES (5)   Elec m per LSR   Manual per LSR   Per LSR	anually Manual Svo er LSR Order vs. Electronic- 1st	C Manual Svc Morder vs Electronic- Add'l S Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Min   Zone   BCS   USOC   RATES (\$)   per LSR	er LSR Order vs. Electronic- 1st	Order vs. Electronic- Add'l S Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Nonrecurring Currently Combined Network Elements Switch -Aa- Is Charge - 56964 kbps   Nonrecurring Currently Combined Network Elements Switch -Aa- Is Charge - 56964 kbps   Nonrecurring Currently Combined Network Elements Switch -Aa- Is Charge - 56964 kbps   Nonrecurring Currently Combined Network Elements Switch -Aa- Is Charge - 56964 kbps   Nonrecurring Currently Combined Network Elements Switch -Aa- Is Charge - 56964 kbps   Nonrecurring Currently Combined Network Elements Switch -Aa- Is Charge - 561 currently Combined Network Elements Switch -Aa- Is Charge - 561 currently Combined Network Elements Switch -Aa- Is Charge - 5781   UNC3X   UNCCC   8.98   8.98   8.98   8.98	Electronic- 1st	Electronic- Add'l S Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Nonrecurring Currently Combined Network Elements Switch -As-  s Charge - 5694 kbps	1st OSS	Add'I S Rates (\$)	Disc 1st	Disc Add'l
Nonrecurring Currently Combined Network Elements Switch -As-  s Charge - 5694 kbps	oss	S Rates (\$)		
Nonrecurring Currently Combined Network Elements Switch -As-  s Charge - 5694 kbps			SOMAN	SOMAN
Nonrecurring Currently Combined Network Elements Switch - As-   UNCDX   UNCCC   8.98	OMAN SOMAN	SOMAN	SOMAN	SOMAN
In Charge - 56/64 ktps				
Nonrecurring Currently Combined Network Elements Switch -As-   S Charge - DSI				
In Charge - DS1				
Nonrecurring Currently Combined Network Elements Switch -As-   S Charge - DS3   UNC3X				
S Charge - DS3				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1   UNCSX UNCCC   8.98   2.50   4.90   4.90				
Is Change - STS1				
Optional Features & Functions:				
Clear Channel Capability Extended Frame Option - per DS1				
Clear Channel Capability Super FrameOption - per DS1				
Clear Channel Capability (SP/ESF) Option - per DS1				1
Clear Channel Capability (SF/ESF) Option - Subsequent				
Activity - per DS1				1
C-bit Parity Option - Subsequent Activity - per DS3				
C-bit Parity Option - Subsequent Activity - per DS3				
MULTIPLEXERS				
DS1 to DS0 Channel System per month				
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop				
Month (2.4-64kbs) used for a Local Loop				
OCU-PP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation   U1TUD   1D1DD   2.10   10.07   7.08   0.00   0.00				
month (2.4-64kbs) used for connection to a channelized DS1   Local Channel in the same SWC as collocation		+		
Local Channel in the same SWC as collocation				1
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop				
month for a Local Loop   UDN   UC1CA   3.66   10.07   7.08				
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation				
month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   U1TUB   UC1CA   3.66   10.07   7.08   0.00   0.00				
In the same SWC as collocation				
Used for a Local Loop				
Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation				
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation				
Same SWC as collocation				
DS3 to DS1 Channel System per month				
STS-1 to DS1 Channel System per month				
DS1 COCI used with Loop per month				
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 13.76 10.07 7.08 0.00 0.00		1		
Channel in the same SWC as collocation) per month   U1TUA   UC1D1   13.76   10.07   7.08   0.00   0.00		+	-	
			l	1
		+ +	1	
DS3 Interface Unit (DS1 COCI) used with Local Channel per	+	+ +	+	
				i
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)				
Exchange Ports			i	
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs			İ	-
2-WIRE VOICE GRADE LINE PORT RATES (RES)				
Exchange Ports - 2-Wire Analog Line Port- Res.         UEPSR         UEPRL         1.40         3.74         3.63         1.88         1.80				
			$\neg$	
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80				
			l	1
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.40 3.74 3.63 1.88 1.80		1		
Exchange Ports - 2-Wire VG unbundled Florida area calling with			l	1
Caller ID - Res.   UEPSR   UEPAF   1.40   3.74   3.63   1.88   1.80	ı	1		
Exchange Ports - 2-Wire VG unbundled Florida Residence Area  Calling Plan, without Caller ID capability  UEPSR  UEPA9  1.40  3.74  3.63  1.88  1.80			l	•
Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended		+		
Exchange Ports - 2-vvire VG unbundled Florida extended   UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80			l	•
Usualing Ports - 2-Wire VG unbundled Florida extended		+ +	+	
dialing port for use with CREXT, without Caller ID capability UEPSR UEPA8 1.40 3.74 3.63 1.88 1.80		1		

UNBU	INDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	L .	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-	-		1		Monroe		Monroourring	Dissennest			220	Rates (\$)		
-				<u> </u>		+	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Exchange Ports - 2-Wire VG unbundled res, low usage line port				1		FIISL	Addi	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80					, '	1 '
		2-Wire voice unbundled Low Usage Line Port without Caller ID			02. 0.1	02.74		0	0.00	1.00	1.00						
		Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80					, '	1
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU	RES															
		All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -				1										, '	l .
		Bus Date OMice VO and a Healthing Port of the			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						<del></del>
1		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		1			, '	1
-		unbunuled port with Caller+E404 ID - Dus.		1	ULFOD	UEFBU	1.40	3.74	3.03	1.88	1.80				-		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80					, '	1
<b>-</b>	1	Exhange Ports - 2-Wire VG unbundled incoming only port with	t	<b>†</b>		32. 30	1.40	0.74	0.00	1.50	1.50	<b>-</b>	<b> </b>				
		Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80					, '	1
		2-Wire voice unbundled Incoming Only Port without Caller ID	1		-	1			2.30		30	İ			1	<del></del>	ſ
		Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80					, '	1
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								<b></b>
	EXCHA	NGE PORT RATES (DID & PBX)							10.10	10.05						'	<b></b>
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187					'	<b></b>
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP UEPSP	UEPPC UEPPO	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187						<del>                                     </del>
		2-Wire VG Line Side Unbundled Unward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP0	1.40	39.06	18.18	12.35	0.7187						<b>——</b>
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						<b>—</b>
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														, '	1
		Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						<b></b>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDVI	4.40	00.00	40.40	40.05	0.7407					, '	1
		Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187	-					<del></del>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187					, '	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFSF	OLFAIN	1.40	39.00	10.10	12.33	0.7107						<u> </u>
		Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187					, '	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187						
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATU	RES															
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00								
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port	L			<u> </u>	1.40	3.74	3.63	1.88	1.80			L.,		<u> </u>	<b></b>
-		Transmission/usage charges associated with POTS circuit s													. Damie - 1 5		<b></b> '
LINDIIN		Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)	availa	oie only	through BFK/New	business Re	quest Process.	Rates for the	packet capabi	IIITIES WIII DE de	eterminea via t	ne Bona Fio	ie Kequest/	New Business	s Request Pro	cess.	<del></del>
ONDON		NGE PORT RATES	<del>                                     </del>	-		+						-	<b> </b>		<b> </b>		
-		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit apply t	o the embed	ded base in nla	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 the	ese rates shall	revert to tai	riff rates or	a separate an	reement.		<u> </u>
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												Jopa. ato ag			
	730	Exchange Ports - 2-Wire DID Port		1	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26				1	<del></del>	ſ
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID														· ·	
		capability (E:4/1/2004)			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10				<u> </u>		<u> </u>
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						
		All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00							ļ!	<b></b> '
	NO==	Exchange Ports - 2-Wire ISDN Port Channel Profiles	l	<u>.                                    </u>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		L	 	l B	L		!	<b></b> '
	NOIE:	Access to B Channel or D Channel Packet capabilities will be	e availa	oie only	tnrougn BFR/New	business Re	quest Process.	kates for the	packet capabi	ilities will be de	etermined via t	ne Bona Fic	ie Kequest/	New Business	s Request Pro	cess.	

PINDUNDE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
JIIDONDE.		1			1						Svc Order	Svc Order	Incremental		1	
											I .	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1	
													1st	Add'l	Disc 1st	Disc Add'l
		1				_	Nonre	curring	Nonrecurring	Disconnect	i e		oss	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NOTE	: Access to B Channel or D Channel Packet capabilities will be	e availal	ble onl	v through BFR/New	Business Re	quest Process.			lities will be de							
	ANGE PORT RATES (continued)	1	1	<i>y</i>	1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1			1		<b>†</b>
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1									i e					<b>†</b>
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23	İ					
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77	İ					
	Virtual collocation - Special Access & UNE, cross-connect per	1									i e					<b>†</b>
	DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Detai	led E911 with Locator Capability (required with UEPEX port)										İ					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										İ					
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,809.00		151.12							
-+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	t	1	1	5.50	.,555.50		2	i			i	Ì	1	1
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.66									
New	or Additional PRI Telephone Numbers	<u> </u>	1	OLI LX	OLI ID	0.00	170.00				1				-	+
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1									1					<del></del>
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
+-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>	1	02. 27.	020	0.0000	0.0112				1				-	
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
+-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	<u> </u>	1	OLI LX	OLI ID	0.0000	12.71	12.71			1				-	
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.5412									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	<del>                                     </del>		OLFDA	OLFIL	0.00	0.3412		<del> </del>		<u> </u>					+
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
LOC	AL NUMBER PORTABILITY	1	1	OLI LX	1111/21	0.00	25.42	20.42			<b>†</b>					+
	Local Number Portability (1 per port)	1	1	UEPEX UEPDX	LNPCN	1.75								1		+
INTE	RFACE (Provsioning Only)	1	1	OLI LX OLI DX	LIVI CIV	1.73								1		+
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00			<b>†</b>					+
-+	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			<b>†</b>					+
-+	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			<b>†</b>					+
New	or Additional Channel	1	1	OLI DX	I IX/ IL	0.00	0.00	0.00						1		+
IVEW (	New or Additional - Voice/Data "B" Channel	<del>                                     </del>		UEPEX	PR7BV	0.00	15.48		<del> </del>		<u> </u>					+
-+	New or Additional - Voice/Bata B Channel			UEPEX	PR7BF	0.00	15.48				<b>†</b>					+
	New or Additional Inward Data "B" Channel	<del>                                     </del>		UEPDX	PR7BD	0.00	15.48		<del> </del>		<u> </u>					+
-+	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	10.40				<b>†</b>					+
	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BU	0.00								1		+
-+-	New or Additional PRI "D" Channel	t	<del>                                     </del>	UEPEX	PR7EX	0.00	15.48		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	+
CALL	TYPES	t	<del>                                     </del>	OLI LA	11/12/	0.00	10.40		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	+
CALL	Inward	t	<del>                                     </del>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	+
-+-	Outward	t	<del>                                     </del>	UEPEX UEPDA	PR7CO	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	+
-+-	Two-way	1	<del>                                     </del>	UEPEX	PR7CC	0.00	0.00	0.00	<del>                                     </del>	<del> </del>				1	<del>                                     </del>	+
LINDI	JNDLED PORT with REMOTE CALL FORWARDING CAPABILIT	<del>'</del>	<del>                                     </del>	OLI LA	. 11750	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	+
LINE	JNDLED FOR I WILL REMOTE CALL FORWARDING CAPABILITY JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	<del>.</del>	<del>                                     </del>		+	<u> </u>			<del>                                     </del>	<del> </del>	<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	+
- 101480	Unbundled Remote Call Forwarding Service, Area Calling, Res	1	$\vdash$	UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80	<b>†</b>	<b>-</b>	1	<b>†</b>	t	<del>                                     </del>
-+	S. Sanarou Remote Gair Forwarding Gervice, Area Calling, Nes	<b>t</b>	$\vdash$	OLI VIX	521070	1.40	5.14	5.05	1.00	1.00	<b>†</b>	<b>-</b>	1	<b>†</b>	t	<del>                                     </del>
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80	1				1	1
-+	Unbundled Remote Call Forwarding Service, InterLATA - Res	1	$\vdash$	UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80	<b>†</b>	<b>-</b>	1	<b>†</b>	t	<del>                                     </del>
-+	Unbundled Remote Call Forwarding Service, IntelEATA - Res	<b>t</b>	$\vdash$	UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80	<b>†</b>	<b>-</b>	1	<b>†</b>	t	<del>                                     </del>
Non-	Recurring	t	t	OL. VIC	OZIKIIK	1.40	5.74	5.05	1.00	1.00	1	<u> </u>		1	<del>                                     </del>	<del>                                     </del>
- 110.1-1	Unbundled Remote Call Forwarding Service - Conversion -	1	t		1				t	<b>i</b>	1		<b> </b>		<b>†</b>	<del>                                     </del>
	Switch-as-is			UEPVR	USAC2		0.102	0.102	1		1				1	1
-+	Unbundled Remote Call Forwarding Service - Conversion with	t	t	***			302	302	<b>-</b>	<b> </b>	1	<u> </u>		1	<del>                                     </del>	<del>                                     </del>
	allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102	I			1			I	1
UNRI	JNDLED REMOTE CALL FORWARDING - Bus	t	t	OL. VIC	23/100		0.102	0.102	<b>-</b>	<b> </b>	1	<u> </u>		1	<del>                                     </del>	<del></del>
	The state of the s	+	+	1	+				t	<b>†</b>	<del>                                     </del>	l .	<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>
- 10.351																

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
01120												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	LISO Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
-		Unbundled Remote Call Forwarding Service, Local Calling - Bus	-	-	UEPVB UEPVB	UERLC UERTE	1.40	3.74	3.63	1.88	1.80	1					
-		Unbundled Remote Call Forwarding Service, InterLATA - Bus	-	-	UEPVB	UERTR	1.40 1.40	3.74 3.74	3.63	1.88	1.80 1.80	1					
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERIR	1.40	3.74	3.63	1.88	1.80	<b> </b>					
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						ı l
	Non-Pa	ecurring	1		UEPVB	UERVJ	1.40	3.74	3.03	1.00	1.00	1	1				
-	14011-10	Unbundled Remote Call Forwarding Service - Conversion -										<b>†</b>					
		Switch-as-is			UEPVB	USAC2		0.102	0.102								ı l
		Unbundled Remote Call Forwarding Service - Conversion with			02. 15	00,102		0.102	0.102			1	1				$\overline{}$
		allowed change (PIC and LPIC)	1		UEPVB	USACC		0.102	0.102	I							, l
UNBUN	DLED I	LOCAL SWITCHING, PORT USAGE	1							1		1		l	İ		
		ffice Switching (Port Usage)	i –									İ			1		
		End Office Switching Function, Per MOU	i –				0.0007662					İ			1		
		End Office Trunk Port - Shared, Per MOU					0.000164										
	Tander	m Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001319										
		Tandem Trunk Port - Shared, Per MOU					0.000235										
		Tandem Switching Function Per MOU (Melded)					0.000027185										i
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
		Melded Factor: 20.61% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
		PORT/LOOP COMBINATIONS - COST BASED RATES	1/ 0/						L B			1					
		ased Rates are applied where BellSouth is required by FCC an								l ad Dant asatian	of this Data E	in the in					
	End Of	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us	sago rat	oc in th	o Port section of th	ie roto ovbib	ey are applied	all combination	one of loop/pe	et notwork olor	nonte eveent	for LINE Co	n Port/Loor	Combination	1		
		st and additional Port nonrecurring charges apply to Not Curr															$\overline{}$
-		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	l cittiy C	I	d Combos. For Cum	Territy Corns	l combos ti	ie nomecumin	g charges sha	li be tilose idei	timed in the iv	I	J - Gurrentry	Combined 3	L CHOHA.		
		ort/Loop Combination Rates										1	1				$\overline{}$
	0.11	2-Wire VG Loop/Port Combo - Zone 1		1			10.94					i e					$\overline{}$
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05					İ					
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80					İ					
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37						
		0.000	1		HEDDY	LIEDAE											, l
<u> </u>		2-Wire voice unbundled Florida Area Calling with Caller ID - res	-	ļ	UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37			<b> </b>	ļ		$\vdash$
		2-Wire voice unbundles res, low usage line port with Caller ID	1		LIEDDY	LIEDAS		50.01	00.40	07.50	0.0-						, l
<u> </u>		(LUM)	-	-	UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-					$\vdash$
<b></b>	<b>-</b>	2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without	<del>                                     </del>	-	ULFRA	UEPAI	1.17	53.31	∠0.46	27.50	8.37	}		<b> </b>	<del> </del>		
1		Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37						, l
<b>—</b>	<b>-</b>	2-Wire voice unbundled Florida Area Calling Port without Caller	<del>                                     </del>	<del>                                     </del>	021 IVX	JL1 / 10	1.17	55.51	20.40	21.30	0.37	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		$\overline{}$
1		ID Capability	1		UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37						, l
		2-Wire voice unbundled Low Usage Line Port without Caller ID	<b>†</b>			520	,	55.51	20.40	27.50	0.07	1		<b> </b>	<b>i</b>		$\overline{}$
		Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37						ı l
	FEATU		l –								2.3,			İ	İ		
		All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00	t					İ		$\overline{}$
	LOCAL	NUMBER PORTABILITY	i –									İ			1		
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															

UNBL	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
J <b>J</b>												Svc Order	Svc Order	Incremental			
						1						1	Submitted		Charge -	Charge -	Charge -
			Ind			1						Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.102	0.102								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent										İ					
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User										İ					
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57			1	1	i	
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57			1	1	i	
	1	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01			t	<b>†</b>	<b>i</b>	t
	1	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01			t	<b>†</b>	<b>i</b>	t
		2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01			<u> </u>	<u> </u>		<b>†</b>
	INTER	OFFICE TRANSPORT		٦		522	55.57	100.70	02.41	55.55	12.01			t	<b>†</b>	<b>i</b>	t
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITOX	OTTVE	20.02	47.00	01.70								-
		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			ULFRA	O I I VIVI	0.0091	0.00	0.00								
		ort/Loop Combination Rates				+											
	ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+	10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2		+	15.05										
		2-Wire VG Loop/Port Combo - Zone 2		3		+	25.80										
	LINE	pop Rates		3		+	23.00										
	ONL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	-	2-Wire Voice Grade Loop (SL1) - Zone 1	-	2	UEPBX	UEPLX	13.88					<b>-</b>	-	-	-		<del>                                     </del>
	-	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX	UEPLX	24.63					<b>-</b>	-	-	-		
	2 14/:20	Voice Grade Line Port (Bus)	-	3	UEPBA	UEPLA	24.03					<b>-</b>	-	-	-		
	2-vvii e	2-Wire voice unbundled port without Caller ID - bus	-	-	UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37	<b>-</b>	-	-	-		
	-	2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37	<b>-</b>	-	-	-		
	-	2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37	<b>-</b>	-	-	-		
	-			-	UEPBX	UEPB1	1.17	53.31	26.46		8.37	-					
	-	2-Wire voice unbundled incoming only port with Caller ID - Bus	-	-	UEPBA	UEPBI	1.17	33.31	20.40	27.50	0.37	<b>-</b>	-	-	-		
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
	LOCAL	. NUMBER PORTABILITY	-	-	UEPBA	UEFBE	1.17	33.31	20.40	27.50	0.37	<b>-</b>	-	-	-		
	LUCAL	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35							<del></del>	<del></del>	-	<del>                                     </del>
	FEATU		<b>-</b>	_	OLFDA	LINEUA	0.35					-	-	<del></del>	<del></del>	-	<del>                                     </del>
	FEAIU	All Features Offered	<b>-</b>	_	UEPBX	UEPVF	2.26	0.00	0.00			-	-	<del></del>	<del></del>	-	<del>                                     </del>
	NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		ULFDA	UEFVF	2.20	0.00	0.00			<del>                                     </del>	<b>-</b>	+	+		<del>                                     </del>
	NUNKI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<b>-</b>	_		+						-	-	<del></del>	<del></del>	-	<del>                                     </del>
		2-vvire voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		0.102	0.102				1	I	I		
	-	- 11 111	-	-	ULPDA	USAUZ		0.102	0.102	<del>                                     </del>		1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPBX	USACC		0.102	0.102				1	I	I		
	ADDIT	Switch with change		<del>                                     </del>	UEPBA	USACC		0.102	0.102			<del> </del>	<u> </u>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	AUUII	ONAL NRCs	<b>-</b>			+						-	-	<del></del>	<del></del>	-	<del>                                     </del>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00				1	I	I		
	-		-		ULPDA	USASZ		0.00	0.00	<del>                                     </del>		-		<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDBY	LIBETI		0.00	0.83				1	I	I		
	OFFIC	Premise N PREMISES EXTENSION CHANNELS		<del>                                     </del>	UEPBX	URETL		8.33	0.83			<del> </del>	<u> </u>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	UFF/O		-	1	LIEDBY	LIEVEN	40.00	40.57	20.00	05.00	^ = 7	-		<del>                                     </del>	<del>                                     </del>	-	<del> </del>
	-	2 Wire Analog Voice Grade Extension Loop – Non-Design	<b>—</b>		UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57	-	-	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
	-	2 Wire Analog Voice Grade Extension Loop – Non-Design	<b>—</b>		UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57	-	-	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
	-	2 Wire Analog Voice Grade Extension Loop – Non-Design	<b>—</b>		UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57	-	-	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
	-	2 Wire Analog Voice Grade Extension Loop – Design	<b>—</b>		UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01	-	-	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
-	-	2 Wire Analog Voice Grade Extension Loop – Design	-		UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01	1	-	<del>                                     </del>	1	<del>                                     </del>	<del> </del>
	INTER	2 Wire Analog Voice Grade Extension Loop – Design  OFFICE TRANSPORT	<u> </u>	3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01	1		-	-	-	<del></del>
	INTER	UFFIGE IKANSPUKI	L	<u> </u>	l							1	ı		L	L	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	ibit: A
ONBONDE	The state of the s										Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
	Literation Transport De l'installa O'Mina Visina Constalla Francis						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	05.00	47.05	04.70								
<b></b>	Termination			UEPBX	U1TV2	25.32	47.35	31.78			-					<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
2 WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBA	UTTVIVI	0.0091	0.00	0.00			-					<b>+</b>
	Port/Loop Combination Rates										<del> </del>		1	1		-
ONE	2-Wire VG Loop/Port Combo - Zone 1		1		+	10.94										<del> </del>
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05					1					<b>†</b>
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80					1					<b>†</b>
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								ļ
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400		0.45	1.01								
ADDI	Conversion - Switch with Change TIONAL NRCs			UEPRG	USACC		8.45	1.91			-					<del>                                     </del>
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		+						1					-
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	OLI IKO	00/102	0.00	0.00	0.00								<del> </del>
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.00	7.00			1					
	Premise			UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01	ĺ					
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54	ļ		ļ	ļ		ļ
INTE	ROFFICE TRANSPORT	ļ	<u> </u>								ļ					<b> </b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEBBO		05.00	47.0-	04 =0				1				
	Termination	<b>!</b>	-	UEPRG	U1TV2	25.32	47.35	31.78		-	<b></b>		<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	1		UEPRG	U1TVM	0.0091	0.00	0.00				1				
0.1477		-	-	UEPKG	UTTVIVI	0.0091	0.00	0.00		-	<del>                                     </del>		<b> </b>	<b> </b>	-	1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates	<del>                                     </del>	-		+						<b> </b>	-				<del>                                     </del>
UNE	2-Wire VG Loop/Port Combo - Zone 1	<del>                                     </del>	1		+	10.94				<b> </b>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	l	<del>                                     </del>
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	2		+	15.05							<b> </b>	<b> </b>		<del>                                     </del>
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 3	<del>                                     </del>	3		+	25.80							<b> </b>	<b> </b>		<del>                                     </del>
UNF	Loop Rates		Ť			20.00										
15	2-Wire Voice Grade Loop (SL 1) - Zone 1	l –	1	UEPPX	UEPLX	9.77				İ			İ	İ	İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEPPX	UEPLX	13.88				l		İ	İ	İ	l	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	i –		UEPPX	UEPLX	24.63							1	1		
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	i –											1	1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73						<u> </u>
$oxed{oxed}$	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73			ļ	ļ		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u> </u>	<u> </u>	UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73			l	l	<u> </u>	<u></u>

UNBI	NDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
3.450	.,,,,,,,	Otte EEEMERT O T TORIGO										Svc Order	Svc Order	Incremental			
												I .	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65		12.73						ļ
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						ļ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	4.47	474.04	100.05	75.00	40.70						
		Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						<b>.</b>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVA	4.47	474.04	100.05	75.00	40.70						
	<del>                                     </del>	Room Calling Port	-		UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73	<del> </del>	1	<del>                                     </del>	<del>                                     </del>	-	<del> </del>
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	10.70			I	I		
	<b>!</b>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<b>-</b>	-	UEPPX	UEPXO	1.17	174.81 174.81	100.65	75.88 75.88	12.73 12.73	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	LOCAL	- NUMBER PORTABILITY	<b>-</b>	-	OLFFA	UEFAS	1.17	1/4.81	100.05	75.88	12./3	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	LUCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			<b> </b>	-				<del> </del>
	FEATU		-		UEFFA	LINPOP	3.13	0.00	0.00			1	1	-	-		+
	FLATO	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00			<u> </u>	1				-
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	2.20	0.00	0.00			<b>†</b>	<b>-</b>				<del> </del>
	INOMINE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						<u> </u>	1				-
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	00/102		0.40	1.01			1	1	1			<b>†</b>
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
	ADDIT	IONAL NRCs			02.17	00/100		0.10				İ					
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										i e					<b>†</b>
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination			UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination			UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT	-			_						1					
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	25.32	47.35	31.78					I	I		
	<b>!</b>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<b>-</b>	-	OLFFA	UTIVZ	25.32	41.35	31.78	1		<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile for Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00					I	I		
	2-W/ID	To Fraction Mille  VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T		OLFFA	O I I VIVI	0.0091	0.00	0.00	1	<b> </b>	1	<b>—</b>	t	t	<b>l</b>	<del>                                     </del>
		ort/Loop Combination Rates	i			+ -				1		1	<del>                                     </del>	<b>I</b>	<b>I</b>		<b>†</b>
		2-Wire VG Coin Port/Loop Combo – Zone 1	<b>†</b>	1		+ -	10.94			1		1	<del>                                     </del>	<b>I</b>	<b>I</b>		<b>†</b>
	<b> </b>	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+ +	15.05							<u> </u>	<u> </u>		
	i e	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	25.80				İ			1	1	İ	
	UNE L	pop Rates	1	É		1					l			1	1	l	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77					İ					
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88					İ					
	L	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37						<u> </u>
	1	2-Wire Coin 2-Way with Operator Screening and Blocking:						==						I	I		
	-	900/976, 1+DDD, 011+, and Local (FL)	<b>.</b>		UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37	ļ		<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
1	1	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	50.01	00.40	07.50	8.37			I	I		
	<u> </u>	[(AL, FL)	l		UEPCU	UEPKK	1.17	53.31	26.46	27.50	8.37	1	1	1	1	l	

ATTECOPY RATE ELEMENTS In an application of the part List December of the part List December of Special Register. The part List December of Special Regist	UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
RATE ELEMENTS   Page												Svc Order	Svc Order			Incremental	Incremental
RATE ELEMENTS   Page												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
AMERICAN PARTECON RATE ELEMENTS			Intan:														
Beautiful   Beau	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
15   April   Disc 1st   Disc 1s			m						- (17			per Lor	per Lor				
Proceedings   Proceedings   Procedings   P																	
New York Control (New York)   New														1St	Addi	DISC 1St	DISC Add I
New York Control (New York)   New	ı						_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
E-Vitre Cord Contract of the Cyper Land Contract of							Rec					SOMEC	SOMAN			SOMAN	SOMAN
DODOTO 1.1000, OFFICE CONTROL OF CONTROL O		2-Wire Coin Outward with Operator Screening and Blocking:						101	71441		71441		00				
2-Wise Can Consideration (Fig. 1997)   1.000					LIEPCO	LIEPOE	1 17	53.31	26 46	27 50	8.37						
MODIFICATION   MERCINE COLOR   MERCINE   MER					021 00	021 01	1.17	00.01	20.40	27.00	0.01	<b>†</b>					<b>†</b>
Symbol 2 Nation   Symbol 2 N					LIEDCO	LIEPCO	1 17	53 31	26.46	27.50	8 37						
2-Vive Core Dutamed Sharefuler with 500/976 (all States encapt)   UEPCO   UEPCR   1.17   S.3.1   26.46   27.50   8.37			1									<b>†</b>	-	-	<del>                                     </del>		<del>                                     </del>
LAD			-	-	UEPCO	UEPCK	1.17	33.31	20.40	27.50	0.37	<b>-</b>	-	-	-		<del> </del>
ADDITIONAL UNIF COIN PROTECT, COPE (1986)   UPPCO					LIEDOO	LIEDOD	4 47	50.04	00.40	07.50	0.07						
UNE COAL NOTICE CORNEL COADS   CORNEL COADS   COADS	400		-	-	UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						-
Continues   Cont	ADDI				LIEBOO	LIBEOU	4.00			0.00							ļ
Local Number Pertiability (1 per port)					UEPCO	URECU	1.86	0.00	0.00	0.00	0.00	ļ					
NONECURRING CHARGES - CURRENTLY COMBINED	LOCA																
2-Wire Voto Grade Long / Line Port Combination - Conversion   UEPCO USACC   0.102					UEPCO	LNPCX	0.35										
Selfch-aeis   UPPO	NON																
2-Wive Vote Grided Loop / Line Port Combination - Conversion   UEPCO USACC   0.102		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
Seitch with change   UIFCO   UISACC   0.102			1	1	UEPCO	USAC2		0.102	0.102				1	I	1	l	
Seitch with change   UIFCO   UISACC   0.102		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDITIONAL NRCs				1	UEPCO	USACC		0.102	0.102					1			
2-Wire Voice Grade Loop-Line Port Combination - Subsequent   UEPCO USAS2	ADDI				Ì				. ,-	i i				1		ĺ	
Activity																	
Unit pounded Miscelaneous Rate Element, Top Loop at Earl User					LIEPCO	USAS2		0.00	0.00								
Premise   Dept.   De					021 00	00/102		0.00	0.00								+
Wilter Voice Canade Long (SL2) - Zone 1					LIEDCO	LIDETI		0 22	0.03								
With Port/Loop Combination Rates	2 14/15		ELIMET	ODT /		UKEIL		0.33	0.63			<b>-</b>	-	-	-		<del> </del>
2-Wire VG Loop(I) TransportPrO Combo - Zone 1			E LINE I	JORT (	KES)	_						-					<del>                                     </del>
2-Wire Vol. Loop/10 TransportPort Combo - Zone 2   2   18.80	UNE		-	4		-	40.04										-
2.Wire Voice Grade Loop (SL2) - Zone 3   3						1						ļ			ļ		
Net Loop Rates																	<b>.</b>
2-Wire Voice Grade Loop (SL2) - Zone 1				3			32.27										ļ
2-Wire Voice Grade Loop (SL2) - Zone 2   2   UEPFR   UECF2   17.40	UNE																
2-Wire Voice Grade Loop (SL2) - Zone 3   3 UEPFR   UECP2   30.87																	
2-Wire voice Grade Line Port Rates (Res)																	
2-Wire viole unbundled port of residence   UEPR   UEPR   1.40   174.81   100.65   75.88   12.73				3	UEPFR	UECF2	30.87										
2-Wire voice unbundled port with Caller ID - res   UEPR	2-Wir	e Voice Grade Line Port Rates (Res)															
2-Wire voice unbundled port outgoing only - res		2-Wire voice unbundled port - residence			UEPFR		1.40	174.81	100.65	75.88	12.73						
2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID - res (LUM)  INTEROFFICE TRANSPORT  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFR U1TV2 25.32 47.35 31.78  UEPFR U5V2 25.32 47.35 31.78  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFR U5VX 0.0091  FEATURES  All Features Offered UEPFR U5VX 0.0091  LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY UEPFR U5VY 2.26 0.00 0.00  LOCAL NUMBER PORTABILITY UEPFR U5VX 0.35  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED Combination - Conversion - Switch-wai-s UEPFR USAC2 UEPFR USAC2 16.97 3.73  UEPFR USACC 16.97 3.73		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)																	
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		2-Wire voice unbundled Florida Area Calling with Caller ID - res	1	1	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		1	I	1		
INTEROFFICE TRANSPORT			İ	1				-					ĺ			İ	1
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFR   U1TV2   25.32   47.35   31.78	1		1	1	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		1	I	1		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination   UEPFR   U1TV2   25.32   47.35   31.78	INTE		<b>†</b>	t		1	0		.00.00	. 5.56	.20	1	<b>†</b>	<b>†</b>	t	l	t
Termination	1.312		t	<del>                                     </del>								t	<u> </u>	<del>                                     </del>	<u> </u>	<b> </b>	<del>                                     </del>
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile of Fraction Mile	1		1	1	LIEPER	111T\/2	25 32	17 35	21 70				1	I	1		
OF Fraction Mile				-	OLITIK	OTTVZ	20.02	47.00	31.70								-
FEATURES					LIEDED	11 5 7 7	0.0001										
All Features Offered	FEAT				UEPFR	ILSAA	0.0091										
LOCAL NUMBER PORTABILITY	FEAT											ļ			ļ		-
Local Number Portability (1 per port)					UEPFR	UEPVF	2.26	0.00	0.00			ļ			ļ		-
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	LOCA					LLIBOY											ļ
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   UEPFR					UEPFR	LNPCX	0.35					ļ		<b></b>			<b>_</b>
Combination - Conversion - Switch-as-is	NON					1						ļ					ļ
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   UEPFR				1		1											
Combination - Conversion - Switch-With-Change					UEPFR	USAC2		16.97	3.73			1					
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				1		1								_			
End User Premise			<u> </u>		UEPFR	USACC		16.97	3.73					<u> </u>			<u> </u>
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)		End User Premise	1	1	UEPFR	URETN		11.21	1.10				1	I	1		
UNE Port/Loop Combination Rates         1         13.64	2-WIF		E LINE F	PORT (	BUS)												
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				Г ,	,					i i				1		ĺ	
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 18.80			1	1	İ	1	13.64			i		1	İ	1	1	İ	1
												1		1		İ	
	<b> </b>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	t	3		1	32.27					1	l .	1	1	<b>i</b>	<del> </del>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
011201122		I	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.0071.00.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40 30.87										
0.14/:	2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFB	UECF2	30.87					-	-				
2-wire	Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus	-		UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller + E484 ID - bus	1	<u> </u>	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73						
<del>                                     </del>	2-Wire voice unbundled port with Callet + E464 ID - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73						
<del>                                     </del>	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
LOCAL	NUMBER PORTABILITY			025	02. 5.			100.00	7 0.00	.20						
LOOAL	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT	t	t —			5.50								İ		
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	i –		İ						İ	1		İ		
	Termination	1		UEPFB	U1TV2	25.32	47.35	31.78								, !
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1													
	or Fraction Mile			UEPFB	1L5XX	0.0091										i l
FEATU	RES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								i
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															ı l
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															ı l
	End User Premise	<u> </u>	<u> </u>	UEPFB	URETN		11.21	1.10								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (	РВХ)												<b></b>
UNE P	ort/Loop Combination Rates	<u> </u>	1		+	42.04					-	-				
<b>—</b>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			13.64 18.80										
<b></b>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	3		-	32.27										
LINE L	pop Rates	1	3		1	32.21										
ONE E	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		Ť													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						i l
	Line Side Unbundled Outward PBX Trunk Port - Bus	i	1	UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus		i –	UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73				1		1
	2-Wire Voice Unbundled PBX LD Terminal Ports	<u></u>		UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															, !
	Capable Port	ļ	<u> </u>	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73				ļ		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		LIEDED	LIEDY"											1
$\vdash$	Administrative Calling Port	ļ	<u> </u>	UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		HEDED	LIEDVAA		474.01	100.05	75.00	10 =0						1
	Room Calling Port	<del>                                     </del>	1	UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	1		UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						1
$\vdash$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<del>                                     </del>	<del>                                     </del>	UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73	-	-		<del> </del>		$\overline{}$
LOCAL	. NUMBER PORTABILITY	<del>                                     </del>	<del>                                     </del>	OLFIF	OLFAG	1.40	1/4.01	100.05	75.08	12.73	-	-		<del> </del>		
LOCAL	Local Number Portability (1 per port)	<b>†</b>	<b>†</b>	UEPFP	LNPCP	3.15	0.00	0.00	<del>                                     </del>					<b> </b>		
INTER	OFFICE TRANSPORT	<b>1</b>	<del>                                     </del>	0=111		5.15	0.00	0.00			<b>-</b>	<b>-</b>				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	†	i –											i		
	Termination	1		UEPFP	U1TV2	25.32	47.35	31.78			1	1				, l
	L				•								1			

UNBI	JNDLEI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
0.1.2				1		1					S	vc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											'		p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Disco					Rates (\$)		
							1100	First	Add'l	First Ad	ld'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
		or Fraction Mile			UEPFP	1L5XX	0.0091										
	FEATU																
		All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
-		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
1		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		UEPFP	LIDETN		44.01		j l							
LIMBU	NDI ED 5	End User Premise ORT/LOOP COMBINATIONS - COST BASED RATES	<del>                                     </del>	1	UEPFP	URETN	-	11.21	1.10	<del>                                     </del>							
ONBU			CDODE	<u> </u>		+				<del>                                     </del>					-		
-		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ort/Loop Combination Rates	TOKI	1		+	-			<del>                                     </del>							
-	UNE PO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	20.95										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2		+	26.11										
-	+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	<del>                                     </del>	3	1	+	39.58			<del>                                     </del>	+				<del>                                     </del>		
	UNFIC	op Rates	1			+	33.30										
-	ONE EC	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24								1		
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	17.40										
-	+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
	UNF Po	ort Rate		Ŭ	OLITA	OLODI	00.07										
	0.1.2.1	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED					<b>4</b>										
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1		7.85	1.87								ı
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion													Î		
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								ı
	ADDITI	ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															ı
		End User Premise			UEPPX	URETN		11.21	1.10								
		one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group	1		l	1											ı l
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	1	DID Numbers, Non- consecutive DID Numbers , Per Number	<b></b>	<b>!</b>	UEPPX	ND5	0.00	0.00	0.00								<u> </u>
⊢—	1	Reserve Non-Consecutive DID numbers	<b>!</b>	1	UEPPX	ND6	0.00	0.00	0.00	<del>                                     </del>					ļ		
-	1.004	Reserve DID Numbers NUMBER PORTABILITY	<b>!</b>	<u> </u>	UEPPX	NDV	0.00	0.00	0.00	<del>                                     </del>					-		
	LOCAL		1	1	UEPPX	LNPCP	2.45	0.00	0.00								
$\vdash$	2-WID	Local Number Portability (1 per port)  ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CID	I DOD'		LINPUP	3.15	0.00	0.00	<del>                                     </del>					-		
-		ort/Loop Combination Rates	IAE SIDI	LFUKI	I	+	<del>                                     </del>									-	
-	JIVE PO	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del>                                     </del>	<del>                                     </del>		+	+ -			<del>                                     </del>	-						
		UNE Zone 1		1	UEPPB UEPPI		22.63										ı
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<del>                                     </del>	<u> </u>	OLITO OLFFI	+	22.03										
		UNE Zone 2	1	2	UEPPB UEPPR	: 1	29.05										ı l
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 3	1	3	UEPPB UEPPR	: [	45.84										ı l
	UNE Lo	op Rates	1	ΙŤ		1				i					İ		
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25										
				i –											1		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPR	USL2X	21.67										ı l
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	Ì	3	UEPPB UEPPR	USL2X	38.46										
	UNE Po	ort Rate					<u> </u>										
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09					_			
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
										-							

UNBUNDI	ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Fyhi	bit: A
CHECHEL				1			I					Svc Order	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""												Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ		ļ				1		Nonrec	rrin a	Nonrecurring	Disconnect			000	Potos (¢)		
		<u> </u>		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port							FIISL	Addi	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOIVIAIN	JOWAN
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00								ĺ
ADDI	TIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at											1					
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
В-СН	ANNEL USER PROFILE ACCESS:	ļ		LIEDDD	HEDDD	114110.4	0.00	0.00	0.00								-
-	CVS/CSD (DMS/5ESS) CVS (EWSD)	1	1	UEPPB	UEPPR UEPPR	U1UCA U1UCB	0.00	0.00	0.00			-	-				<del></del>
	CSD (EWSD)	<u> </u>	-	UEPPB UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1					<del></del>
R-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	, TNI	OLFFB	JLFFIX	01000	0.00	0.00	0.00			<u> </u>		<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	R TERMINAL PROFILE	1	· ··•,	1		<b>†</b>											<u> </u>
COL	User Terminal Profile (EWSD only)	<b>†</b>	t	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					1	1	1	
VERT	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI			<u> </u>				4/4/0.4 :1					<u> </u>	l			
	JNE-P DS1 combination rates below for in this rate exhibit appl													nt.			-
	lests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T Port/Loop Combination Rates	runk P	ort arte	r the effec	tive date c	tnis amend	ment snall be p	provided pursu	ant to a separ	ate agreement	or tariff at Bei	isoutn's ai	scretion.				<del></del>
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											1					<del></del>
	Zone 1		1	UEPPP			153.48										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			183.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			261.12										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38										
UNE	Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPPP		UEPPP	82.74	488.36	276.65			-					-
NON	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	-	UEFFF		UEPPP	02.74	400.30	270.00			1					<del></del>
IVOIVI	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38								
ADDI	TIONAL NRCs	1		02		00/101	0.00	0	01.00			1					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		i –			1								1	1	1	
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.5412									
1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -						İ										
	Outward Tel Numbers (All States except NC)	<u> </u>	<u> </u>	UEPPP		PR7TO		12.71	12.71								1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		l		L										1	1
	Subsequent Inward Tel Numbers	ļ	<u> </u>	UEPPP		PR7ZT		25.42	25.42			ļ					<b>├</b>
LOCA	AL NUMBER PORTABILITY	<u> </u>	<u> </u>	LIEDDE		LAUDON	4					1		ļ	ļ	ļ	<del></del>
INITE	Local Number Portability (1 per port)  RFACE (Provsioning Only)	<del>                                     </del>	<del>                                     </del>	UEPPP		LNPCN	1.75					<del>                                     </del>	-			-	<del>                                     </del>
INTE	Voice/Data	1	<del>                                     </del>	UEPPP		PR71V	0.00	0.00	0.00			<b> </b>	-	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
+	Digital Data	<b>-</b>	<del>                                     </del>	UEPPP		PR71D	0.00	0.00	0.00					<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>
<u> </u>	Inward Data	<b>†</b>	t	UEPPP		PR71E	0.00	0.00	0.00					<b> </b>	<b> </b>	<b> </b>	<b>—</b>
New	or Additional "B" Channel	t	t	1			5.50	0.00	3.30			1		1	1	1	
1.2	New or Additional - Voice/Data B Channel	1	l –	UEPPP		PR7BV	0.00	15.48					İ				
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48									
CALL	TYPES							_									

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
																Disc Add'l
													1st	Add'l	Disc 1st	DISC Add I
						_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The U	NE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	lded base in place a	s of 10/2/03 ι	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	late of t	this amendment sha	II be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	discretion.						
UNE P	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		125.69										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		155.49										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		233.33										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38										
UNE P	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIPOL	AR 8 ZERO SUBSTITUTION	ļ														
	B8ZS -Superframe Format			UEPDC	CCOSF			655.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s								
Altern	ate Mark Inversion															
$\square$	AMI -Superframe Format	<u> </u>	<u> </u>	UEPDC	MCOSF		0.00	0.00				ļ				
$\square$	AMI - Extended SuperFrame Format		<u> </u>	UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges	<u> </u>	<u> </u>		1							ļ		ļ		
$\longrightarrow$	Telephone Number for 2-Way Trunk Group		L	UEPDC	UDTGX	0.00					ļ					
	Telephone Number for 1-Way Outward Trunk Group	ļ	<b> </b>	UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID	ļ	<b> </b>	UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group	1	1									1				
	of 20 DID Numbers	ļ	<b> </b>	UEPDC	NDZ	0.00	0.00	0.00								
$\vdash$	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
$\vdash$	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
$\vdash$	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
<del></del> _	Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1	1									1				
$\vdash$	Termination)	<u> </u>	<b>!</b>	UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	-	ļ		<b> </b>	-	-
	Intereffice Channel Milesea Additional and a control of the contro	1	1	LIEDDO	41.010.0	0.4050	0.00	0.00				1				
$\Box$	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u> </u>	<u> </u>	UEPDC	1LNOA	0.1856	0.00	0.00		l	I	l		l	l	l

LIND	IINDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
UND	UNDLE	D NETWORK ELEMENTS - FIORIDA			I	1	1					Cue Ouden	Cua Ondan				
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	7	BCS	11000			DATES (6)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring		Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															ł
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25															ł
		miles			UEPDC	1LNOB	0.1856	0.00	0.00								<u>                                     </u>
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															ĺ
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							ł
																	ĺ
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								ĺ
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	1	Central Office Termininating Point			UEPDC	CTG	0.00										
	4-WIRI	DS1 LOOP WITH CHANNELIZATION WITH PORT				1						ĺ					1
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	5													1
		system can have up to 24 combinations of rates depending on			ber of ports used							İ					1
		NE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit apr	nly to the embe	dded base in r	place as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	<del>                                     </del>
		sts for 4-Wire DS1 Loop with Channelization with Port after the											I	I turni rates	or a separate	ugreement.	<del>                                     </del>
<b>-</b>		S1 Loop	e enect	I ve dat	e or tills amendmen	It shall be pro	Jvided pursual	It to a separate	agreement or	tariii at belloo	Lins discreti	J					<del></del>
-	ONLD	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								<del>                                     </del>
	+	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00			1					-
-	+																<del>                                     </del>
-		4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	178.38	0.00	0.00								<b> </b>
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	15)														<b> </b>
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00								<b> </b>
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00								<b></b>
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00								1
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00								1
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00								l
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00								l
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00								l
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00								ĺ
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00								ĺ
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00								
	Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a S	/stem				ĺ					1
	A Mini	mum System configuration is One (1) DS1, One (1) D4 Channe	l Bank.	and U	To 24 DSO Ports v	vith Feature A	Activations.					ĺ					1
		les of this configuration functioning as one are considered Ac										i e					
		NRC - Conversion (Currently Combined) with or without				1						i e					
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24								ĺ
	System	n Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat								1			1		
		lot Currently Combined) in all states, except in Density Zone 1				1		T T				1			1		
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	J. 10p	1		+	<del> </del>	t	<b> </b>	<u> </u>	<b> </b>	<del> </del>	<del>                                     </del>	<b> </b>	t		
1		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24	1					i
-	Pinola	r 8 Zero Substitution			OLFIVIG	VOIVID4	0.00	720.11	400.21	145.52	17.24						<del>                                     </del>
-	ырога	Clear Channel Capability Format, superframe - Subsequent				+	1	<del> </del>		1		1	-		<del>                                     </del>		<b>—</b>
		Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s								ĺ
-	+				UEPIVIG	CCOSF	0.00	0.001	800.008								<del>                                     </del>
		Clear Channel Capability Format - Extended Superframe -															ĺ
	1	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s								<b> </b>
	Alterna	ate Mark Inversion (AMI)															<b></b>
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								<b></b>
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1						ļ	ļ				
	Excha	nge Ports		L		1						ļ	ļ				
		Line Side Combination Channelized PBX Trunk Port - Business	1									1					i
L		(E:4/1/2004)	<u></u>	<u></u>	UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00	<u> </u>					<u> </u>
		Line Side Outward Channelized PBX Trunk Port - Business															
1	1	(E:4/1/2004)	1		UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00	1	l	l	1		i
		Line Side Inward Only Channelized PBX Trunk Port without DID				1						Ì	İ				(
		(E:4/1/2004)			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00	1			1		l
	1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port				1		2.00	2.00	2.00	3.00	İ	İ	İ			
1	1	(E:4/1/2004)	1		UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	1	l	l	1		i
	Featur	e Activations - Unbundled Loop Concentration		1		1	5.71	3.50	3.50	3.50	5.50	1	<del> </del>	<b> </b>	t		
	. Juiul	C C C L. C. C. C. C. C. C. C. C. C. C. C. C. C.		1	l	1	1	1	1	1	1	1		1		1	

UNBUN	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>						-		Nonrec	urrina	Nonrecurring	Disconnect		l	088	Rates (\$)		
<b>—</b>				1			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4						FIISL	Add I	First	Auu i	JOIVILO	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						ı l
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						i l
	Teleph:	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
$\vdash$		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
$\vdash$	! 1	Reserve DID Numbers		ļ	UEPPX	NDV	0.00	0.00	0.00	1							
	Local r	lumber Portability Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
$\vdash$	FΕΔΤΙΙ	RES - Vertical and Optional	<del>                                     </del>	<del>                                     </del>	OLFFA	LINFOF	3.15	0.00	0.00	<del>                                     </del>		<b> </b>	<b> </b>		<del> </del>		$\overline{}$
		witching Features Offered with Line Side Ports Only				+				<del> </del>							
<del>                                     </del>	_ocar c	All Features Available		1	UEPPX	UEPVF	2.26	0.00	0.00								
UNBUNI	OLED (	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S		OLITA	OLI VI	2.20	0.00	0.00								
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C	Usage	rates in	the Port section of	f this rate exh	nibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
			urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ed sections. I	Additional NR	Cs may
		lso and are categorized accordingly.															
		tet Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
+-1	JNE PO	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				-				-							
		Non-Design	1	1	UEP91		10.94										ı l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF91		10.54										
		Non-Design		2	UEP91		15.05										ı l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 0.		.0.00										
		Non-Design		3	UEP91		25.80										ı l
	JNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
		Design		1	UEP91		13.41										i
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ı l
		Design		2	UEP91		18.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDO4					1							, l
<del>     </del>	INIT I	Design Pote	ļ	3	UEP91	+	32.04			-					<b></b>		
<b>├</b> ──	JNE LO	op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	4	UEP91	UECS1	0.77			<del>                                     </del>					-		
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	<b>!</b>	2	UEP91	UECS1	9.77 13.88			<del>                                     </del>		-	-	-		-	
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>	3	UEP91	UECS1	24.63			<del>                                     </del>					<del> </del>		
+		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	<b>-</b>	1	UEP91	UECS2	12.24			t		<b>-</b>	<b>-</b>		<b> </b>		
$\vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP91	UECS2	17.40			<b>I</b>		<b> </b>	<b> </b>		<b> </b>		
		2-Wire Voice Grade Loop (SL 2) - Zone 3	l	3	UEP91	UECS2	30.87			1					1		
	JNE Po			i –													
-	All Stat	es (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local										1					, ——
$\perp$		Area		<u> </u>	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37						
1 1		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1		l	l				I		1	1				, l
$\vdash$		Local Area	ļ	<u> </u>	UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						
1 1		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDO4	LIEDVAA		400 10	00.10		40.00	1	1				ı l
$\vdash$		Note 2, 3 Basic Local Area	ļ	├	UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81				-		
1 1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		UEP91	UEPYZ	1.17	120.40	96 40	GE 44	13.81	1	1				ı l
$\vdash$		Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del>                                     </del>	<del>                                     </del>	OLFSI	UEPTZ	1.17	139.49	86.10	65.41	13.81				<del> </del>		
		- Basic Local Area	l		UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						( I
		20010 20001 / 1100	<u> </u>	1	0=101	JUL 10	1.17	JJ.J1	20.70	21.30	0.37				·		

CATEGORY   RATE ELEMENTS   Infert   Zone   BCS   UBOC   RATE   South   South   Charge   Cha	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
CATEGORY   RATE REMEMTS   Interest   Inter		T										Svc Order	Svc Order				Incremental
CATEGORY   RATE ELEMENTS												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Mark   Color   Mark			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Description   Description	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR				Order vs.	Order vs.
Text			""									P =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Page																	Disc Add'l
Money   First   April   Apri																Disc 1st	DISC Add I
Description   Print   April   Print							Pec										
Bases Loop Area							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Georgia and Finds Only																	ı l
2-Win Visco Guide Prot (Februs 20)   UEP91   UEP94   UEP94   1.77   53.31   20.66   27.90   5.37					UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
2-Wes Votos Guade Port Centres 80 termination   UEP91   UEP94   1.77   53.31   28.46   27.50   3.37	Georgi																
2. Viviv Vaca Grafe Prof. Clembra van Claud (2)   UEP91   UEP92   UEP93   UEP94   1.77   123.49   86.10   66.41   13.81   UEP94   UEP93   UEP94   UE																	
2-Wine Voca Grade Pert, Diff Serving Wine Center 2-3 800   USP91																	
Contest/2.5   Contest/2.5					UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
2-Wire Yook Grade Prof. Drill Senting Wire Center 23 - 800   UEPH1   UEPH2   1.17   136.49   86.10   65.41   13.81																	ı l
Service Term					UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
2-Wiew Voices Grade Port terminated in on Megalink or equivalent   UEP91   UEP10   1.17   53.51   28.46   27.50   8.37																	ı l
Depth   Control   Contro	$\vdash$	Service Term	<b>—</b>	<b>!</b>	UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81	<u> </u>	-	-	-		
Dept   Control Front Front   Control Front		O Miles Vision Condo Dort torrains to the control of the control o			LIEDO4	LIEDUS		50.01	00.40	07.50	0.07						, !
Cores instroom Funtionality, per port   UEP91 URECS   0.7384   URECS   0	<del></del>		-	├								<b>}</b>	-	-	<del> </del>		
Correct intercore Trustiantisty, per port   UEP91 URECS   0.7384	1			-	UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	<b> </b>		<b> </b>	<del>                                     </del>		
Cocal Number Portability (1 per port)	Local			-	LIEDO4	LIDEOO	0.7004					1					
			-	-	UEP91	URECS	0.7384					-					
Reatures   All Standard Features Offered, per port   UEP91   UEPVF   2.26	Local			-	LIEDO4	LNDCC	0.05					-	-				
All Standard Features Offered, per port   UEP91   UEPVS   2.26	Footur				UEP91	LINPCC	0.35					<b> </b>	-				
All Select Features Offered, per port   UEP91 UEPVC 2.26   NARS	reatur				I IED01	LIEDVE	2.26					<b> </b>	-				
All Centres Control Features Offered, per port								270.70		-		1	1				
NARS	<del> </del>							370.70		<del> </del>		<del> </del>			1		
Unbundled Network Access Register - Combination   UEP91	NARS	All defilies control realures offered, per port			OLI 31	OLI VO	2.20					<b>†</b>					
Unbundled Network Access Register - Indial   UEP91   UARTX   0.00   0.	ItARO	Unbundled Network Access Register - Combination			UFP91	UARCX	0.00	0.00	0.00	0.00	0.00	1	1				
Unbundled Network Access Register - Outdial   UEP91   UAROX   0.00   0												1	1				
Miscellaneous Terminations												İ					
2-Wire Trunk Side Trunk Side Trunk Side Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Pacifies Termination - Voice Grade UEP91 MinGBC Interoffice Channel Realities Termination - Voice Grade UEP91 MinGBC Enter Logo Channel mileage, per mile or fraction of mile UEP91 MinGBM 0.0091  Feature Activation (SDC) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D4 Channel Bank Centrex Loop Slot UEP91 IPOWS 0.66 Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot UEP91 IPOWS 0.66 Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot UEP91 IPOW7 0.66 UEP91 IPOW7 0.66  Feature Activation on D4 Channel Bank Fx Tinnk Side Loop Slot UEP91 IPOW7 0.66 UEP91 USAC2 0.00 618.82 UEP91 USAC2 0.00 618.82 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UEP91 USAC2 UEP91 IPOW7 UE	Miscel										0.00	İ					
Interoffice Channel Mileage - 2-Wire																	
Interoffice Channel Facilities Termination - Voice Grade   UEP91   MFGBC   25.32		Trunk Side Terminations, each			UEP91	CENA6	8.73								Î		
Intereffice Channel mileage, per mile or fraction of mile Feature Activations (SS) Centrex Loop Sol channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Fx Trunk Loop Slot Feature Activation on D-4 Channel Bank Fital Line Loop Slot Feature Activation on D-4 Channel Bank Fital Line Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFeature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IFEATURE Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPQWQ 0.66 IPQ	Interof	fice Channel Mileage - 2-Wire															
Feature Activation on D-4 Channel Bank Fature Activation on D-4 Channel Bank Fature Activation on D-4 Channel Bank Fature Activation on D-4 Channel Bank Fature Side Loop Slot   UEP91   1PQWS   0.66																	i
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank EX line Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank EX Trunk Side Loop Different Wire Center  UEP91 1PQWP 0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWP 0.66 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWV 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66  Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-Ass with allowed changes, per port Conversion - Currently Combined Switch-Ass with allowed Changes, per port New Centrex Standard Common Block UEP91 MIACS New Centrex Standard Common Block UEP91 MIACS Secondary Block, per Block UEP91 MIACS Secondary Block, per Block UEP91 MIACS UE					UEP91	M1GBM	0.0091										i
Feature Activation on D-4 Channel Bank FX line Side Loop Slot			е														
Feature Activation on D-4 Channel Bank FX line Side Loop Slot   UEP91   1PQW6   0.66     Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot   UEP91   1PQW7   0.66     Feature Activation on D-4 Channel Bank Centrex Loop Slot   UEP91   1PQWP   0.66	D4 Cha																
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  LEP91  LP91  LP94  LP91  LP94  LSAC2  LP94  LP94  LP94  LSAC2  LP94  LP94  LP94  LSAC2  LP94  LP94  LSAC2  LP94  LSAC2  LP94  LSAC2  LP94  LSAC3  LP94  LSAC4  LP94  LSAC5  LP94  LSAC5  LP94  LSAC6  LSAC6  LSAC6  LP94  LSAC6		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  LEP91  LP91  LP91  LP91  LP90  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC2  LP91  LSAC3  LP91  LSAC3  LP91  LSAC3  LP91  LSAC4  LP91  LSAC5  LP91  LSAC5  LP91  LSAC6  LP91  LSAC6  LP91  LSAC6  LP91  LSAC7  LP91  LSAC7  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  LP91  LSAC8  L																	ı l
Slot					UEP91	1PQW6	0.66										
Feature Activation on D-4 Channel Bank Centrex Loop Slot   UEP91   1PQWP   0.66						45014											i l
Different Wire Center	<b></b>	0.00		-	UEP91	1PQW7	0.66					1					
Feature Activation on D-4 Channel Bank Private Line Loop Slot					LIEDOA	4 DOWD	0.00										i l
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP91   1PQWQ   0.66   Slot   UEP91   1PQWQ   0.66   Slot   UEP91   1PQWQ   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   USAC2   UEP91   USAC2   UEP91   USAC2   UEP91   USAC2   UEP91   USAC3   UEP91   USAC4   UEP91   USAC5   UEP91   USAC6   UEP91   USAC6   UEP91   USAC7   UEP91   USAC7   UEP91   USAC8   UEP91   USAC	<b></b>	Different wire Center			UEP91	IPQWP	0.00					<b> </b>	-				
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP91   1PQWQ   0.66   Slot   UEP91   1PQWQ   0.66   Slot   UEP91   1PQWQ   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   1PQWA   0.66   Slot   UEP91   USAC2   UEP91   USAC2   UEP91   USAC2   UEP91   USAC2   UEP91   USAC3   UEP91   USAC4   UEP91   USAC5   UEP91   USAC6   UEP91   USAC6   UEP91   USAC7   UEP91   USAC7   UEP91   USAC8   UEP91   USAC		Feature Activation on D-4 Channel Bank Private Line Loop Slot			I IEDQ1	1POW//	0.66										ı l
Slot					OLI 31	11 Q V V	0.00					<b>+</b>					
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP91   1PQWA   0.66					LIEP91	1POWO	0.66										ı l
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   Conversion - Currently Combined Switch-As-Is with allowed changes, per port   UEP91												<b>†</b>					
Conversion - Currently Combined Switch-As-Is with allowed changes, per port   UEP91   USAC2   21.50   8.42	Non-Re				OLI 01	11 000070	0.00					1	1				
Changes, per port												İ					
New Centrex Standard Common Block					UEP91	USAC2		21.50	8.42								i l
New Centrex Standard Common Block					UEP91												
New Centrex Customized Common Block					UEP91	M1ACS	0.00	618.82									
Secondary Block, per Block							0.00										
UNE-P CENTREX - 5ESS (Valid in All States)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Secondary Block, per Block				M2CC1		71.31									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-					UEP91	URECA	0.00	66.48									
UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					•												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo																	
	UNE P																
I I INOn-Design I I 1 IIIEP95 I I 1094 I I I I I I I I I I I I I I I I I I I			1	١.			40			I							1
1		Non-Design		1	UEP95		10.94			1							

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
1											1	Submitted	Charge -	Charge -	Charge -	Charge -
1		to to at									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		15.05										
.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	•														
	Non-Design		3	UEP95		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Design		1	UEP95		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design	ļ	2	UEP95		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE		00.01										
	Design Lagrange Batte	₩	3	UEP95	+	32.04					-		-	1	<b> </b>	1
UNE	Loop Rate	+	4	UEP95	LIECC4	9.77			<del>                                     </del>		1		-	1	<del>                                     </del>	1
	2-Wire Voice Grade Loop (SL 1) - Zone 1	₩	1	UEP95	UECS1 UECS1	13.88			<u> </u>		-		-	1	<b> </b>	1
$\longrightarrow$	2-Wire Voice Grade Loop (SL 1) - Zone 2	1							<del>                                     </del>					-		-
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	3	UEP95 UEP95	UECS1 UECS2	24.63 12.24					-		-	1		1
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	<del>                                     </del>	2	UEP95 UEP95	UECS2	17.40			<del>                                     </del>		-		-	1	-	1
	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	<del>                                     </del>		UEP95	UECS2	30.87					1					
LINE	Port Rate	+	3	OLF 93	ULCGZ	30.67					<b>-</b>					<b>-</b>
	tates	+	+		+ +						<b>-</b>					<b>-</b>
All 3	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	<del>                                     </del>	UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37					1	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						<b>+</b>
	2-Wire Voice Grade Port (Centrex doo termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	OLI 95	OLITB	1.17	33.31	20.40	21.50	0.57						
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	OL1 00	OLI III	1.17	00.01	20.40	27.00	0.01						
.	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02. 00	02		100.10	00.10	00.11	10.01				1		İ
.	Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1													
	- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
.	Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
AL, I	(Y, LA, MS, SC, & TN Only														ĺ	
FL &	GA Only														ĺ	
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3		1	UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l	1 1				]							
	Term 2,3	1	1	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81				ļ		
							=0.04									
$\!\!\!+\!\!\!-$	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP95 UEP95	UEPH9 UEPH2	1.17 1.17	53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term	1	+	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37	-			1	-	1
Loca	I Switching  Centrex Intercom Funtionality, per port	1	1	UEP95	URECS	0.7384			<del>                                     </del>					-		-
1 000	I Number Portability	<del>                                     </del>	+	OLF 90	UNEUS	0.7384					<del>                                     </del>			1		1
Loca	Local Number Portability (1 per port)	<del>                                     </del>	+	UEP95	LNPCC	0.35			<del> </del>		<del>                                     </del>			1		1
Featu		<del>                                     </del>	1	OL1 33	LIVIOU	0.33			<u> </u>		<del>                                     </del>		<b>l</b>	1	1	ł
1 eatt	All Standard Features Offered, per port	1	<del>                                     </del>	UEP95	UEPVF	2.26			<del>                                     </del>					1	<del> </del>	1
+-	All Select Features Offered, per port	t -	1	UEP95	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port	1	1	UEP95	UEPVC	2.26	510.10						<b> </b>		<b>i</b>	1
NAR		1	1		1	2.23							i	Ì	i	İ
	Unbundled Network Access Register - Combination	1	1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			i	Ì	i	İ
	Unbundled Network Access Register - Indial	1	1	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00			İ	1	İ	İ
	Unbundled Network Access Register - Outdial	1	1	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					ĺ	
													1	1	1	
	ellaneous Terminations		Ш.		<u> </u>						<u></u>		<u> </u>	<u></u>		
				UEP95	CEND6	8.73										

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del></del>					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		$\overline{}$
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wir	e Digital (1.544 Megabits)								1.114							
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										,
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Interc	office Channel Mileage - 2-Wire	ļ														
-	Interoffice Channel Facilities Termination  Interoffice Channel mileage, per mile or fraction of mile	-		UEP95 UEP95	M1GBC M1GBM	25.32 0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20		UEP95	MIGBIN	0.0091			+							
	nannel Bank Feature Activations	Î														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66			† †							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>		UEP95	1PQW6	0.66								ļ		,
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOE	40000											,
	Slot	-		UEP95	1PQW7	0.66			+		-					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										, [
	Director Title Oction	<b>†</b>		OLI 33	11 (477)	0.00			+							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP95	1PQWA	0.66										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex	-			1											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	Conversion of Existing Centrex Common Block, each	1		UEP95	USACN	0.00	5.17	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82		† †							
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Addit	ional Non-Recurring Charges (NRC)	ļ														
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
<del> </del>	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF95	UKEIL		0.33	0.63	+ +							
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE-	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	ļ														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD		40.04										
$\vdash$	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	+	10.94			+							
	Non-Design		2	UEP9D		15.05										.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1									İ		
	Non-Design		3	UEP9D		25.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDOD		40.44										, [
<b>—</b>	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	7	UEP9D	+	13.41			<del>                                     </del>							
	Design		2	UEP9D		18.57										, [
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>†</b>		02. 00	1	10.07			+							
	Design	<u></u>	3	UEP9D		32.04			<u> </u>		<u> </u>			<u> </u>		<u>.                                    </u>
UNE	Loop Rate			•				_								
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9D	UECS1	9.77										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2	<b> </b>	2	UEP9D UEP9D	UECS1	13.88 24.63			<del>                                     </del>		-					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D UEP9D	UECS1	12.24	-		+		<del>                                     </del>					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<b>†</b>	2	UEP9D	UECS2	17.40			+		<del>                                     </del>					
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	30.87										
	Port Rate															
ALL S	STATES				1											
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<u> </u>		UEP9D	UEPYA	1.17					1			l		

ART ELEMENTS  RATE ELEMENTS  RATE SELECTION  R	UNBUNDLE	D NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhi	bit: A
Note   Contact   First   Ade    South   Sout	CATEGORY	RATE ELEMENTS	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
Note   Contact   First   Ade    South   Sout					+	_	Nonred	curring	Nonrecurring	Disconnect		L	OSS	Rates (\$)		
March   Marc						Rec					SOMEC	SOMAN			SOMAN	SOMAN
SWR Visio Grade Prof. Centrol. FEBS-PEDS-Black Local   UEPVD   UEPVD   117   53.51   26.46   27.50   5.37				LIEP9D	UEPYB	1 17	53.31	26 46	27.50	8 37						
2-We Vice Grade Prof. (Centrer. (FES-MEXISO)) Basic Local   18PHD   177   53.31   78.46   77.50   8.37																
2-WW Vace Grade Prut (Center / EBS-MAD(0))3 Seast Local   VEPAD   UEPVE   1.77   53.31   26.46   27.50   8.37		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local														
Area   2007		7.1.04		UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
Ave.   Ave.		Area		UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
Area 2-Wire Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3.4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)3.4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page Votes Grade Pert (Centreex EBS-M6009)4 Basic Local 4-Page		Area		UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
Area		Area		UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
Area     UEPO   UEPVU   1.17   53.31   26.46   27.50   8.37				UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
2-Vitre Voce Grade Port (Centrex (EBS-M8216))3 Basic Local				LIEPAD	LIEPYLI	1 17	53 31	26.46	27 50	8 37						
2-Vitro Votos Grade Port (Centrex Vitro Carlier Vitro Vitro Carlier Vitro Vitr		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local														
2-Wire Voice Grade Port (Centrew With Caller ID) Basis Local   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   53.31   28.46   27.50   8.37   VEP9D   VEPYH   1.17   139.49   88.10   68.41   13.81   VEP9D   VEPYH   1.17   139.49   88.10   68.41   13.		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local														
2-Wire Voice Grade Port (Centrex/Galler DMeg Wig Lamp Indication))4   UEP9D UEPYU 1.17   53.31   28.46   27.50   8.37		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local														
2-Wire Voice Grade Port (CentrewMgWng Lamp Indication) 4   UEPRO UEPYJ 1.17   53.31   26.46   27.50   8.37				UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
Basic Local Area   UEP9D   UEPYJ   1.17   53.31   26.46   27.50   8.37				UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
2,3-8asic Local Area		Basic Local Area		UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						
Basic Local Area   UEPPD   UEPYD   1.17   53.31   26.46   27.50   8.37		2,3-Basic Local Area		UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
Basic Local Area   UEPD   UEPY   1.17   53.31   26.46   27.50   8.37				UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3.4   UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD D UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD UEPYD 1.17 139.49 86.10 65.41 13.81   UEPPD UEPYD UEP				UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4   UEP9D UEPYR 1.17 139.49 86.10 65.41 13.81   UEP9D UEPYR 1.17 139.49 86.10 65.41   13.81   UEP9D		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4   UEP9D UEPYS 1.17 139.49 86.10 65.41 13.81		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4   Basic Local Area   UEP9D   UEPY4   1.17   139.49   86.10   65.41   13.81		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4														
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3   UEP9D   UEPY5   1.17   139.49   86.10   65.41   13.81				UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
Basic Local Area				UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
Basic Local Area		Basic Local Area		UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
Basic Local Area		Basic Local Area		UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
Term 2,3		Basic Local Area		UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port terminated in on Megalink or equivalent   Basic Local Area   UEP9D   UEPY9   1.17   53.31   26.46   27.50   8.37				UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port Terminated on 800 Service Term Basic   UEP9D   UEPY2   1.17   53.31   26.46   27.50   8.37		2-Wire Voice Grade Port terminated in on Megalink or equivalent														
FL & GA Only		2-Wire Voice Grade Port Terminated on 800 Service Term Basic														
2-Wire Voice Grade Port (Centrex)   UEP9D   UEPHA   1.17   53.31   26.46   27.50   8.37	FL & 6			DEPSD	UEP Y2	1.17	53.31	26.46	27.50	8.37		<del>                                     </del>	<del>                                     </del>			<del>                                     </del>
2-Wire Voice Grade Port (Centrex 800 termination)   UEP9D   UEPHB   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-PSET)4   UEP9D   UEPHC   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5009)4   UEP9D   UEPHD   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   53.31   26.46   27.50   8.37     2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   2-Wire Voice Grade Port (Centrex / EBS-M5209)4   UEP9D   UEPHE   1.17   2-				UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		<u> </u>				
2-Wire Voice Grade Port (Centrex / EBS-M5009)4																
2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPHE 1.17 53.31 26.46 27.50 8.37																
	$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	ļ	UEP9D UEP9D	UEPHE UEPHF	1.17 1.17	53.31 53.31	26.46 26.46		8.37 8.37			1	ļ		1

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	oit: A
0.1.201122											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
	0 M/2 - 1/2 - 0 - 1 - D - 1 / 0 - 1/2 - / 1/4 - 0 M/0 /EBO ME000)0 0 4			LIEDOD	LIEDLIE	4.47	100 10	00.40	05.44	40.04						
<b>—</b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Port (Certifex/differ SWC /EBS-W5216)2,3,4			UEP9D	UEPHO	1.17	139.49	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLITII	1.17	100.40	00.10	00.71	10.01						
	Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						1
	1011112,0			02.05	UZ: TIZ		100.10	00.10	00	10.01						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										1
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	e Trunk Side															
H	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)			LIEBAB	1											
<del></del>	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95	15.00				-					
<b>—</b>	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69				-					
Interd	office Channel Mileage - 2-Wire	-		LIEDOD	MICEC	05.00						ļ		<b> </b>		
	Interoffice Channel Facilities Termination			UEP9D	M1GBC M1GBM	25.32 0.0091			<b></b>							
Ecoto	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVITOBIVI	บ.บบษา					<del>                                     </del>	<b> </b>		<b> </b>		
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	,e			1 -				<del>                                     </del>		<b>H</b>			<b>l</b>		
5401	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66					<u> </u>	<b> </b>		<b> </b>		
$\overline{}$	- Sataro , Saration on D 4 Onamior Bank Sonitox Ecop Sist	<u> </u>	1	01.00		0.00				1		·				

CATEGORY   RATE ELEMENTS   Internal South   Compare	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATTEMPT OF THE LEMENTS IN THE PLANT OF THE P												Svc Order	Svc Order				
RATE ELRIENTS   No.   No												1					Charge -
ANTECHNIC ANTECHNICAL STATE ALEMPITS																	
Part   Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
Second Column   Second Colum			m						- (1)			per Lor	per Lor				Electronic-
Faster Attribute on D-C Charmel Bask Fixture Sets Loss Set   USPSD																	
Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop Side   Feature Advances on D4-Charmel Barry X Fund Side Loop														1st	Addi	Disc 1st	Disc Add'l
Peace Activation on D-4 Channel Basic Inco Start   SPERC   S								Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Position Activation on D.4 Channel State Y From State Loop State   State   Position Activation on D.4 Channel State Y From State Loop State   State							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Section   Committee   Commit																	
SOI		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
Section   Sect		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
Defend with Character Character Date   Defended   Def		Slot			UEP9D	1PQW7	0.66										
Feature Activation on D.4 Channel Brain Prince Loop Start   SPRID		Feature Activation on D-4 Channel Bank Centrex Loop Slot -									Î						
Feature Activation on D-4 Channel Bank Type LeviTrunk Loop   LePage   LeP		Different Wire Center			UEP9D	1PQWP	0.66										
Feature Activation on D-4 Channel Bank Type LeviTrunk Loop   LePage   LeP																	
Set		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
Feature Activation on D.4 Channel Barry WATS Loop & 10   16   16   17   17   18   18   18   18   18   18		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop									Î						
Non-Recurring Changes (MPC) Associated with UNE-P Centers   NRC Centration Currently Changes (MPC) Associated with UNE-P Centrate   NRC Centration Currently Changes (MPC) Associated with UNE-P Centration Currently (MPC)   USAC2   21.00   8.42		Slot			UEP9D	1PQWQ	0.66										
NRC Conversion of uniform Common Biol. Act   NRF PRIOR   NRF Common Biol. Act   NRF Commo		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Changes, per port	Non-F																
Commission of metaling Centres Common Block		NRC Conversion Currently Combined Switch-As-Is with allowed															
Conversion of estating Centres Common Block																<u></u>	<u></u>
New Centres Customized Common Block   UEPBD   MIACC   0.00   618.82									8.32								
NAF Establishment Change, Net Concasion		New Centrex Standard Common Block			UEP9D		0.00	618.82									
Additional Non-Recurring Charges (NRC)																	
Unbounded Miscellaneous Rate Element, Tag Loop at End Use   UEPBD   URETL   8.33   0.43					UEP9D	URECA	0.00	66.48									
Premise	Additi	onal Non-Recurring Charges (NRC)															
Unbundled Miscellaneous Rate (Bermet, Tag Design Loop at Ref User Premise   UPPOD   URETN   11.21   1.10																	
End Use Premise   UNP.P. ENTREX - EWS) (Valid in AL, FL, KY, LA, MS & TN)					UEP9D	URETL		8.33	0.83								
UNE POENTREX EWSD (Valid in AL, FL, KY, LA, MS & TN)  2-Wire Vot Loop2-Wire Vote Grade Port (centrex) Combo Non-Design  2-Wire Vot Cop2-Wire Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Non-Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Vote Grade Port (Centrex) Port Combo Design Vote Grade Dog Vote Vote Grade Port (Centrex) Port Combo Design Vote Grade Loop (SL 1) - Zone 1  UNE Loop Rie  UNE Loop Rie  UNE Loop Rie  UNE Loop Grade Loop (SL 1) - Zone 2  2 Usepse UGS1 1 - Zone 1  2 Usepse UGS1 2 - Zone 1  2 Usepse UGS3 2 - Zone 1  2 Usepse UGS3 2 - Zone 1  2 Usepse UGS3 2 - Zone 1  2 Usepse UGS3 2 - Zone 1  2 Usepse UGS3 2 - Zone 1  2 Usepse UGS3 2 - Zone 1  2 Usepse UGS3 2 - Zone 2  2 Usepse UGS3 2 - Zone 2  2 Usepse UGS3 2 - Zone 3  3 Usepse UGS3 2 - Zone 3  3 Usepse UGS3 2 - Zone 3  3 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 3 - Zone 4  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 - Zone 3  4 Usepse UGS3 2 -		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
2-Wire Vot Loop/2-Wire Votes Grade Port (Centres) Combo   1   UEP9E   10.94					UEP9D	URETN		11.21	1.10								
Number   N																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design   1 UEP9E   10.94																	
Non-Design   1   UEPBE   10.94	UNE F																
2   Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design   3   UEP9E   25.80			1														
Non-Design   2   UEPRE   15.05				1	UEP9E		10.94										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo   Non-Design   Non-Des																	
Non-Design   3   UEP9E   25.80				2	UEP9E		15.05										
UNE Port/Loop Combination Rates (Design)																	
2-Wire Volce Grade Fort (Centrex) Port Combo   1 UEPBE   13.41				3	UEP9E		25.80										
Design   1 UEP9E   13.41	UNE F																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   3 UEP9E   32.04   32.04   3 UEP9E		1															
Design   2   UEP9E   18.57				1	UEP9E		13.41										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3 UEP9E 32.04  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP9E UECS1 9.77 1 UEP9E UECS1 13.88 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9E UECS1 13.88 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9E UECS1 13.88 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS1 24.63 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS2 12.24 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 17.40 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area UEP9E UEPYH 1.17 139.49 86.10 65.41 13.81  UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81				_													
Design   3   UEP9E   32.04				2	UEP9E		18.57										<b></b>
UNE Loop Rate				_													
2-Wire Voice Grade Loop (St. 1) - Zone 1				3	UEP9E		32.04										<b></b>
2-Wire Voice Grade Loop (SL 1) - Zone 2   2   UEP9E   UECS1   13.88	UNE L		<b>—</b>		LIEBOE	LIEGO:				-	ļ	-		-	-	<b> </b>	<b>├</b>
2-Wire Voice Grade Loop (SL 1) - Zone 3   3   UEP9E   UECS1   24.63			<b>—</b>							-	ļ	-		-	-	<b> </b>	<b>├</b>
2-Wire Voice Grade Loop (SL 2) - Zone 1										<del>                                     </del>		-	-	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9E UECS2 17.40 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 30.87  UNE Port Rate  AL, FL, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9E UEPYB 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYB 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area UEP9E UEPYM 1.17 139.49 86.10 65.41 13.81  2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81			<b>—</b>							-	ļ	-		-	-	<b> </b>	<b>├</b>
2-Wire Voice Grade Loop (SL 2) - Zone 3   3   UEP9E   UECS2   30.87			<b>—</b>							-	ļ	-		-	-	<b> </b>	<b>├</b>
UNE Port Rate   AL, FL, KY, LA, MS, & TN only   LEPYA   1.17   53.31   26.46   27.50   8.37   LEPYA   2Wire Voice Grade Port (Centrex 800 termination)Basic Local   LEP9E   UEPYB   1.17   53.31   26.46   27.50   8.37   LEPYA   2Wire Voice Grade Port (Centrex with Caller ID)1Basic Local   LEP9E   UEPYB   1.17   53.31   26.46   27.50   8.37   LEPYA   2Wire Voice Grade Port (Centrex with Caller ID)1Basic Local   LEP9E   UEPYH   1.17   53.31   26.46   27.50   8.37   LEPYA   2Wire Voice Grade Port (Centrex from diff Serving Wire   LEPYH   1.17   139.49   86.10   65.41   13.81   LEP9E   LEPYH   1.17   139.49   86.10   65.41   13.81   LEP9E   LEPYH   2Wire Voice Grade Port terminated in on Megalink or equivalent   LEP9E   LEPYZ   1.17   139.49   86.10   65.41   13.81   LEPYZ   1.17										<del>                                     </del>		-	-	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
AL, FL, KY, LA, MS, & TN only    2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   1.17   53.31   26.46   27.50   8.37	likir -			3	UEP9E	UECS2	30.87			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		<del></del>
2-Wire Voice Grade Port (Centrex ) Basic Local Area   UEP9E   UEPYA   1.17   53.31   26.46   27.50   8.37			-	-		+				<del></del>	-	-		<del></del>	<del></del>	-	<del></del>
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  UEP9E UEPYB 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area UEP9E UEPYM 1.17 139.49 86.10 65.41 13.81  2-Wire Voice Grade Port Enrinated in on Megalink or equivalent	AL, FI		-	-	LIEDGE	I IEDVA	1 17	E2 24	26 46	27 50	0 27	-		<del></del>	<del></del>	-	<del></del>
Area			<b>-</b>	-	OLF 3L	OLF IA	1.17	ا د.دد	20.46	21.30	0.37	-	-	<del></del>	<del></del>	-	<del></del>
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  UEP9E  UEPYH  1.17  53.31  26.46  27.50  8.37  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800  Service Term - Basic Local Area  UEP9E  UEPYZ  1.17  139.49  86.10  65.41  13.81					LIEDOE	LIEDVD	1 17	52 24	26.46	27.50	0 27		1	I	I		1
Area UEP9E UEPYH 1.17 53.31 26.46 27.50 8.37			<del>                                     </del>		OLF 3L	ULFID	1.17	03.31	20.46	21.30	0.37	<del>                                     </del>	<b>-</b>	+	+	<b> </b>	<del>                                     </del>
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area UEP9E UEPYM 1.17 139.49 86.10 65.41 13.81  2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81					LIEDGE	LIEDVU	1 17	52 24	26.46	27 50	0 27		1	I	I		1
Center)2,3 Basic Local Area			<b>-</b>	-	OLF 3L	ULFIN	1.17	03.31	20.46	21.30	0.37	-	-	<del></del>	<del></del>	-	<del></del>
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area UEP9E UEPYZ 1.17 139.49 86.10 65.41 13.81					LIEDGE	I IEDVM	1 17	120 40	06 10	SE 11	12.04			1	1		1
Service Term - Basic Local Area			<del>                                     </del>		OLF 3L	OLF TIVI	1.17	139.49	00.10	05.41	13.81	<del>                                     </del>	<b>-</b>	+	<del>                                     </del>	<b> </b>	<del>                                     </del>
2-Wire Voice Grade Port terminated in on Megalink or equivalent					LIEPGE	HEDV7	1 17	130 /0	86 10	65 //1	12.91		1	I	I		1
	+			<del>                                     </del>	OLI SL	ULFIZ	1.17	133.49	00.10	05.41	13.01			<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
		- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		1	I	I		1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															ı l
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
Florid																
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															ı l
	Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ı l
$\vdash$	Term 2,3	ļ	<b>—</b>	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81	<u> </u>	-				
	O Mine Vision Condo Dont townsing to 12 or 14 or 12 or 14	l		LIEDOE	LIEDUS		50.01	00.40	07.50	0.07						ı
<del></del>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<b> </b>	<b>—</b>	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37	<b>}</b>	-				
1	2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37	<b> </b>	-				
Local	Switching	-		UEP9E	URECS	0.7384					-					
Local	Centrex Intercom Funtionality, per port  Number Portability			UEP9E	URECS	0.7384					<b> </b>	-				
Local	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			-		1	1				
Featur				UEP9E	LINFCC	0.33			-		1	1				
reatui	All Standard Features Offered, per port			UEP9E	UEPVF	2.26			-		1	1				
<del>                                     </del>	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70		<del> </del>		<u> </u>					
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26	370.70				<b>†</b>					
NARS	741 Gentlex Control / Catalog Cherea, per port			OLI OL	OLI VO	2.20					1	1				
10.00	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	İ					
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	İ					
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Intero	ffice Channel Mileage - 2-Wire					0.5.00										<b></b>
<b>—</b>	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP9E	M1GBM	0.0091					1					
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e									<b> </b>	-				
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66			-		1	1				
	1 eature Activation on 5-4 Channel Bank Centrex Loop Slot			OLF3L	IFQWS	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										i l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02	4.1.5	0.00					1	1				
	Slot			UEP9E	1PQW7	0.66										i l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										ı l
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										ı
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP9E	1PQWQ	0.66			L		<u> </u>					
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ	ļ						1		ļ					
	NRC Conversion Currently Combined Switch-As-Is with allowed	1						_	I							, !
$\vdash$	changes, per port	ļ		UEP9E	USAC2		21.50	8.42	-							
<del></del>	Conversion of Existing Centrex Common Block, each	-		UEP9E	USACN	2.22	5.17	8.32	<del>                                     </del>		<b> </b>	-				
<del></del>	New Centrex Standard Common Block	-		UEP9E	M1ACS M1ACC	0.00	618.82		<del>                                     </del>		<b> </b>	-				<del></del>
$\vdash$	New Centrex Customized Common Block	<del>                                     </del>	$\vdash$	UEP9E UEP9E	URECA	0.00	618.82		<del>                                     </del>		<del> </del>	1				
V 44:1:	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)	-		UEF9E	UKECA	0.00	66.48		+							
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+				<del>                                     </del>		<del>                                     </del>					$\overline{}$
1 1	Premise	1		UEP9E	URETL		8.33	0.83	I							, !
	1				,		3.50	0.00	1		1					

UN	BUND	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-	
												1st	Add'l	Disc 1st	Disc Add'l		
-						Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)				
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Haland Ball Manager Data Flagger Transportation of						FIISL	Auu i	FIISL	Auu i	JOINIEC	SOWAN	JOWIAN	JOWIAN	SOWAN	SOWAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at														'	
		End Use Premise			UEP9E	URETN		11.21	1.10							'	
	Not	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														1	
	Not	2 - Requres Interoffice Channel Mileage															
	Not	3 - Installation is combination of Installation charge for SL2 Loc	op and	Port				Ť			•						
	Not	4 - Requires Specific Customer Premises Equipment															
	Not	: Rates displaying an "R" in Interim column are interim and sub	rate tru	e-up as set forth in (								1					

LINIBI	INDI E	D NETWORK ELEMENTO															
UNR	NULE	D NETWORK ELEMENTS - Georgia			1							Ta - :	la - ·		ment: 2		bit: A
														Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				L		L	<u> </u>		l			<u> </u>	L		<u> </u>		
		one" shown in the sections for stand-alone loops or loops as				ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deavera	iged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	elect e	ther the state specific Commission ordered rates for the servi	ice orde	ring cl	narges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	ally. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rat	e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E					ū										
		OSS - Electronic Service Order Charge, Per Local Service				l			l			l					
1		Request (LSR) - UNE Only	1			SOMEC		3.50	0.00	3.50	0.00	1					
	t	OSS - Manual Service Order Charge, Per Local Service Request					1	0.00	3.30	5.50	5.50	İ	1	i e	1	i e	i e
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
UNF S	FRVICE	DATE ADVANCEMENT CHARGE				00.00			0.00	0.10	0.00	<b>†</b>	<b>†</b>		1		
O.V.E. O		The Expedite charge will be maintained commensurate with	BallSou	th's F(	C No 1 Tariff Section	n 5 ae annli	cable					<b>+</b>					
	INOIL.	The Expedite charge will be maintained commensurate with	Lenoou	11131	l	л э аз аррп	Cable.					<b>+</b>					
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC.												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
		LINE Expedite Charge per Circuit or Line Assignable LISOC per			U1TUD, U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per				00400		200.00									
LINIDI	<u>                                     </u>	Day	<del>                                     </del>		U1TUA	SDASP	-	200.00				+	<del>                                     </del>		1		
ONBU		EXCHANGE ACCESS LOOP	<del>                                     </del>	-		<b> </b>	1					1	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP			LIEANII	LIEALO	40 = 1	40.00	0.00	F 2.	4 ===	ļ	-		<b>!</b>		
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	ļ	-		<b>!</b>		
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ		UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72	ļ	-		ļ		
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<u> </u>	3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72	ļ	1	ļ	ļ	ļ	ļ
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
1	1	Premise	1		UEANL	URETL		8.33	0.83				1	l		l	l
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12					İ	1	İ	İ
	1	Loop Testing - Basic Additional Half Hour	İ	i –	UEANL	URETA		13.62	13.62			İ		İ	i e	İ	İ
		11 3			1										1		

IINR	IINDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
OIAD	ONDEL	I THE TWORK ELLINENTS - Georgia	1	1		1	1					Cyo Ordor	Cvo Ordor	Incremental		Incremental	Incremental
												1					
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OAIL	OOK	NATE ELEMENTO	m		200	0000			ιατι ΔΟ (ψ)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch		i e													
		(UVL-SL1)			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST					ĺ										
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		57.79									
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1			UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIFO	LIDETI		0.00	0.00								
<u> </u>	+	Premise  Manual Order Coordination 2 Wire Unbundled Copper Loop -	-	-	UEQ	URETL		8.33	0.83				<b> </b>	<b> </b>	1		
					UEQ	USBMC		40.00	18.92								
	+	Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for		-	UEQ	USBINIC		18.92	18.92			-					
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	+	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		25.12	25.12			1					
	+	Loop Testing - Basic Ist Hall Hour		1	UEQ	URETA		13.62	13.62			1					
-		CLEC to CLEC Conversion Charge Without Outside Dispatch		<u> </u>	OLQ	OKLIA	<del>                                     </del>	10.02	13.02								
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
UNBU	INDI ED I	EXCHANGE ACCESS LOOP		1	OL Q	ORLIVO		14.20	7.72			1					
ONE		ANALOG VOICE GRADE LOOP										1					
		pop Rates for Line Splitting (In Ga. PSC ordered the line spli	ttina lo	OD US	OCs match the lower	r port- loop c	ombo rates UEI	PLX)									
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	Ĭ		UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- 1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	- 1		UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
-		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		-													
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1.1E A	LIEALO	44.57	70.05	04.05	40.00	7.07						
-	+	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
-	+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	16.95	79.00	24.00	10.92	1.01	1					
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
-		Order Coordination for Specified Conversion Time (per LSR)		- 3	UEA	OCOSL	33.00	57.79	24.03	10.32	7.07						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	02/1	00002		01.10				1					
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									_						
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	ĺ	87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP						•	•								
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12			ļ			
	-	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	-	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		57.79	00.00								
<u> </u>	0.1405	CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.72	36.36						1		
<u> </u>	2-WIRE	E ISDN DIGITAL GRADE LOOP		4	LIDN	1141.07	04.00	400.00	25.05	40.00	0.07	-			1		
<u> </u>	+	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN UDN	U1L2X U1L2X	21.89 25.27	180.06 180.06	35.25 35.25	18.23 18.23	6.97 6.97		-		-	-	
<b></b>	+	2-Wire ISDN Digital Grade Loop - Zone 2  2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X U1L2X	25.27 40.17	180.06	35.25	18.23	6.97		<b> </b>	<b> </b>			
<del></del>	+	Order Coordination For Specified Conversion Time (per LSR)	<b>H</b>	3	UDN	OCOSL	40.17	57.79	33.25	10.23	0.97	<b>H</b>		l	1		
		5.35. 555 diriation 1 of opcomed conversion time (per Lott)		1	0011	JUUGE	1	51.19	1	1		1	l	1	1	ı	

CATEGORY   BATE RENEWED   BCS   USO   BCS   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   BATE (8)   USO   US	UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	ibit: A
ATE BLEMENTS ATE B													Svc Order	Svc Order				
## PATE PLEMENTS   Interest   Part																		
CATEGORY   RATE ELEMENTS																		
Billion	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								l .
Secretaries   Secretaries				m			-			(+)			per LSK	per LSK				
Page																		
CITYCL OF PROCESSION CONTROL COUNTY															1St	Addi	DISC 1St	DISC Add I
Compared C								_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
2     2     2     2								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
S. Wiley Unknowled ASE, Logo including namula service rigidy   1		i	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
Signifity regeneration - Zona 1		2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	i												
2 View Linkmorded ADS Loop including menute services requiry   2 UAL			2 Wire Unbundled ADSL Loop including manual service inquiry															
S. Rodiny recentaints. Plans 2   1   2   144   114.294   12.297   14.49   31.55   0.00   0.00			& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
2 Year Unbounded ASSL Log michalling namual service requiry   1			2 Wire Unbundled ADSL Loop including manual service inquiry															
Stating reservation 1.70m   Stating reservation 1.70m				I	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
Order Concentration for Specified Commentation Time (per LSR)  2 New Elbusheded ASS, Loss without manual service requiry 6 Instity reservators. Zince 1 Instity reservators. Zince 2 Institute zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 2 Instity reservators. Zince 3 Instity reservators. Zince 2 Institute zince																		
2 Vive Unbunded ADSL. Logs without manual service inquiry 6   1   UAL				- 1	3			20.62		31.55	0.00	0.00						
Testilla reservation - Zone 1						UAL	OCOSL		57.79									
2 Wint Unbunded ASSL Lose without manual service inquiry & feeling reservation 2 one 2 o	1	1		1											_	_		
Teality reservation - Zone 2   1		ļ			1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00			1	1		ļ
2 Wife Unbunded ASSL Loop without manual service inquiry 6   1   3   UAL   UAL 2W   20.62   44.68   31.55   0.00	l				_	l	_ [ ]				1 .	_			1	1		
Section Rependent - Zone 3   3   July   UNLEW   2062   4469   31.55   0.00   0.00		ļ			2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00			1	1		ļ
Order Coordination for Specified Conversion Time (per LSR)		1		l .	_	l	_ [ ]				l .	_	1	1	I	I		
CLEG GLEC Convenient Change without outside dispatch   1   UAL   UREWO   44.69   29.29				ı	3			20.62		31.55	0.00	0.00						
2 Wife Unbunded FIDS. Loop including manual service inquiry   1																		ļ
2 Wire Unbursded HDSL Loop including manual service inquiry   1				<u> </u>		UAL	UREWO		44.69	29.29								ļ
Stacility reservation - Zone 1		2-WIRE		(IIBLE I	LOOP													ļ
2 Vivic Unbundled HDSL Loop including manual service inquiry   1 2 UHL				١.	١.	l		= 00										
Stability reservation - Zone 2					1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						-
2 Vivir Unbundled HDSL Loop Including manual service inquiry   1   3   UHL   UHL2X   14.48   44.69   31.55   0.00   0.0						l		0.00	44.00	04.55	0.00	0.00						
Stacility reservation - Zone 3		<u> </u>			2	UHL	UHLZX	9.09	44.69	31.55	0.00	0.00	-	-				
Order Coordination for Specified Conversion Time (per LSR)				١.	2		LILILOV	44.40	44.00	24.55	0.00	0.00						
2 Wire Unburided HOSL Loop without manual service inquiry and facility reservation - Zone 1		<u> </u>		'	3			14.48		31.55	0.00	0.00	-	-				<del>                                     </del>
and facility reservation - Zone 1		<u> </u>		1		UNL	UCUSL		57.79		-				-	-		-
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   1 2 UHL					1	шы	LIHI 2\\\/	7 88	11 60	31 55	0.00	0.00						
and facility reservation - Zone 2				<del>- '</del> -	<u> </u>	OFIL	OTILZVV	7.00	44.03	31.33	0.00	0.00						-
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3   1   3   UHL   UHL4W   14.48   44.69   31.55   0.00					2	ПНІ	LIHL 2W/	9.09	44 69	31 55	0.00	0.00						
and facility reservation - Zone 3		<u> </u>		<u> </u>		OFFIC	OTILLEVV	0.00	44.00	01.00	0.00	0.00						<del> </del>
Order Coordination for Specified Conversion Time (per LSR)				1	3	UHI	UHI 2W	14 48	44 69	31.55	0.00	0.00						
CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   44.69   31.55				<u> </u>	Ŭ					01.00	0.00	0.00						
4-Wire High Bit RATE Digital Subscriber Linke (HDSL) COMPATIBLE LOOP		1								31.55								
and facility reservation - Zone 1		4-WIRE		TIBLE	LOOP													
4-Wire Dribundled HDSL Loop including manual service inquiry and facility reservation - Zone 2			4 Wire Unbundled HDSL Loop including manual service inquiry															
And facility reservation - Zone 2			and facility reservation - Zone 1	- 1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3			4-Wire Unbundled HDSL Loop including manual service inquiry															
And facility reservation - Zone 3	L	<u> </u>			2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00					<u> </u>	
Order Coordination for Specified Conversion Time (per LSR)																		
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		ļ		1	3			19.07		31.55	0.00	0.00						ļ
and facility reservation - Zone 1						UHL	OCOSL		57.79									ļ
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	l					l	[				1 .	_			1	1		
and facility reservation - Zone 2		ļ			1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00			1	1		ļ
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		1		l .	_	l	[ ]								I	I		
and facility reservation - Zone 3	<u> </u>	<u> </u>			2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00			-	-	<b> </b>	<b>_</b>
Order Coordination for Specified Conversion Time (per LSR)		1			_	l		40.0=	44.00	04.55		2.00			I	I		
CLEC to CLEC Conversion Charge without outside dispatch   I	<del>                                     </del>	<del>                                     </del>			3			19.07		31.55	0.00	0.00			<del>                                     </del>	<del>                                     </del>	-	1
4-Wire DS1 Digital Loop - Zone 1	<del>                                     </del>	<del>                                     </del>		-	-					24 55	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>	-	1
4-Wire DS1 Digital Loop - Zone 1	<b>-</b>	4-WID:		+ '	-	UITL	UKEWU		44.69	31.05	<del>                                     </del>		-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
4-Wire DS1 Digital Loop - Zone 2   2 USL	-	vvirke		1	1	LISI	LISLYY	/1 D2	211 02	72 40	38 34	7 20	<b>-</b>	<b>-</b>	+	+		<del>                                     </del>
4-Wire DS1 Digital Loop - Zone 3   3 USL	<del>                                     </del>	<del>                                     </del>		1											t	t	l	<del>                                     </del>
Order Coordination for Specified Conversion Time (per LSR)	<b>-</b>	<b>†</b>		<del>                                     </del>											t	<del>                                     </del>		<del>                                     </del>
CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>	<b>†</b>		<del>                                     </del>	-			02.03		12.43	30.24	7.20			t	<del>                                     </del>		<del>                                     </del>
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP     UDL     196.66     37.00     18.82     7.20       4 Wire Unbundled Digital 19.2 Kbps     UDL     UDL19     28.36     196.66     37.00     18.82     7.20       4 Wire Unbundled Digital 19.2 Kbps     UDL     UDL19     28.36     196.66     37.00     18.82     7.20	<b>-</b>	<b>1</b>	CLEC to CLEC Conversion Charge without outside dispatch	<b>†</b>						42 97	<b>I</b>		<b>-</b>	<b>-</b>	<b>I</b>	<b>I</b>		<b>†</b>
4 Wire Unbundled Digital 19.2 Kbps     1 UDL     UDL19     21.86     196.66     37.00     18.82     7.20       4 Wire Unbundled Digital 19.2 Kbps     2 UDL     UDL19     28.36     196.66     37.00     18.82     7.20		4-WIRF					0.1.2770		100.01	72.01	<u> </u>				<u> </u>	<u> </u>		
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL19 28.36 196.66 37.00 18.82 7.20		T		1	1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20	1	1	İ	İ		
		i –	4 Wire Unbundled Digital 19.2 Kbps	İ			UDL19	38.22	196.66	37.00		7.20	İ	İ				

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	oit: A
1												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			-	-			ı	Nonrec		Nonrecurring	Dissennest			220	Rates (\$)		
			-			-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00		7.20	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		<u> </u>	UDL	UDL56	28.36	196.66	37.00		7.20	1					
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)		-	UDL	OCOSL		57.79									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual	١.			LIOL DD	40.00	44.00	04.55	0.00	0.00						
		service inquiry & facility reservation - Zone 1	ı	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
$\vdash$		2 Wire Unbundled Copper Loop-Designed including manual	<del>- '-</del>		UUL	OOLF'D	13.08	44.09	31.35	0.00	0.00	<del>                                     </del>			<b> </b>		$\vdash$
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ŭ	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00	1					
		2-Wire Unbundled Copper Loop-Designed without manual			002	0020		10.02	10.02								
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without outside dispatch	١.			LIDEIMO		44.00	04.55								
$\vdash$	4 WIDE	(UCL-Des) COPPER LOOP		-	UCL	UREWO		44.69	31.55			-					
	4-WIKE	4-Wire Copper Loop-Designed including manual service inquiry	-			-						-					
		and facility reservation - Zone 1	1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry	<u> </u>	<u> </u>	002	OOL-10	10.00	44.00	01.00	0.00	0.00	1					
		and facility reservation - Zone 2	- 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1	ı	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry	١,	_			40.00	44.00	04.55	0.00	0.00						
-		and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	l .	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	30.33	18.92	18.92	0.00	0.00						
		CLEC to CLEC conversion Charge without outside dispatch	1		UCL	UREWO		44.69	31.55								
LOOP N	IODIFIC				1												
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,								1				
		pair less than or equal to 18k ft, per Unbundled Loop	I		UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	Ι.		l	l							1				
$\vdash$		less than or equal to 18K ft, per Unbundled Loop	- 1	-	UHL, UCL, UEA	ULM4L		0.00	0.00	1			ļ		<b> </b>		<u> </u>
			1		UAL, UHL, UCL, UEQ, ULS, UEA,	1											
		Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,								1				
		per Unbundled Loop			UEPSB	ULMBT		17.91									
SUB-LC	OPS	por ondanaios Loop	<del>                                     </del>		02.00	C LIVID I		17.31									-
		op Distribution	l		İ	1											
	Ī	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	i –			1		İ									
		Up	<u> </u>	L	UEANL	USBSA		255.76		<u>                                       </u>		<u></u>	<u></u>		<u> </u>		l

UNRUNE	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
SINDOINE	TEL TOTAL ELEMENTO OCOIGIA		1			I					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											I .					_
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	NATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
_						<u> </u>	Manua		Managarinia.	. Dianamant	<u> </u>		000	Rates (\$)		
<del></del>		-				Rec	Nonrec		Nonrecurring		001450	001111			0011411	001441
<b></b>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O L L			LIEANII	USBSB		7.00									1 '
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-		UEANL	02B2B		7.29									<b></b>
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			LIEANII	110000		475.00									1
$\vdash$	Facility Set-Up	-		UEANL	USBSC		175.09									<del></del>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			LIEANII	LIODOD		54.04									1
$\vdash$	Set-Up			UEANL	USBSD		51.61									<b></b>
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															1 '
$\vdash$	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						<b></b>
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															1
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						<b></b>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						<b></b>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						L
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								<u> </u>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								<u> </u>
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						[
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						[
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						[
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	·					l i										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	L	UEF	USBMC	<u>                                      </u>	18.92	18.92	<u> </u>		<u></u>	<u></u>	<u>                                      </u>	<u> </u>		1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								1
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62			Ì					
Un	bundled Network Terminating Wire (UNTW)			ĺ							Ì					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28			Ì					
Ne	twork Interface Device (NID)															1
	Network Interface Device (NID) - 1-2 lines	- 1		UENTW	UND12	l i	32.86	20.69								
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		56.03	43.86			Ì					
	Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		2.45	2.45			Ì					
	Network Interface Device Cross Connect - 4W	1	1	UENTW	UNDC4		2.45	2.45			1					ſ
UNE OTHE	ER, PROVISIONING ONLY - NO RATE	1	1	İ			_				1					
	NID - Dispatch and Service Order for NID installation	1	1	UENTW	UNDBX	0.00	0.00				1					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	t	t	UENTW	UENCE	0.00	0.00		i				i	t		
	and the second s	t	t	UEANL,UEF,UEQ,U	1	2.20	2.20		i				i	t		
	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00				I		1	1		1
UNE OTHE	ER, PROVISIONING ONLY - NO RATE		t –	T		5.50	3.30				İ	1		1		
				1				1		1					1	

LIMBI	INDLE	D NETWORK ELEMENTS - Georgia												Attack	ment: 2	Exhi	-: A
UND	JNDLE	D NETWORK ELEMENTS - Georgia		1	ı		ı					Cur Ouden	Cur Onder				
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JOINT	NATE ELEMENTS	m	20116	B00	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1			1													
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	0 4 D 4 O	no rate TY UNBUNDLED LOCAL LOOP	-		USL	CCOEF	0.00	0.00									
HIGH	CAPACI			ļ								-					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.97										
-		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	10.97										
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			ULS	OLSEA	255.56	1,733.23	131.50	112.51	73.00						
		month			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	10.07										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP	MAKE-U							1,1001_0									
	T	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	1	Loop Makeup - Preordering With Reservation, per spare facility		1													
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE S		G AND LINE SPLITTING															
		<ol> <li>The Line Sharing monthly recurring rates for all installation</li> </ol>					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND	)")											
<u> </u>		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
-		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	-														
-		1: Above will apply to USOCS: ULSDT and ULSCT  E 2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1111 00	C amplian ambuta si	ita imatall		b-f	O-t-b 4 200	00		-					
-		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC an	d ULSC	c applies only to cil	rcuits instail	ed and inservic	e on or before	October 1, 20	U3		-					
-		TERS-CENTRAL OFFICE BASED	-			-											
-	SELII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
-	+	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	1	Line Sharing Splitter, Per System, 8 Line Capacity		t	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00				1		
	†	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		<del>                                     </del>			11.00	2.00	2.00	2,00	5.00				İ		
1	1	deactivation (per LSOD)	1		ULS	ULSDG		66.34	0.00	51.20	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
L	<u></u>	OBSOLETE see **NOTE 2	<u> </u>	<u></u>	ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1														
	ļ	(E:10/2/2003)	ļ	<u> </u>	ULS	ULSDT	2.76	10.51	7.70	7.00	4.20				ļ		
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1											
		Central Office Located (50% of UCLND) - please see NOTE 1				LII ODT		40 = 1	7	7.00	4.00						
<u> </u>	1	(E:10/2/2004)	-	<u> </u>	ULS	ULSDT	5.51	10.51	7.70	7.00	4.20				ļ		
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1											
	1	Central Office Located (75% of UCLND) - please see NOTE 1	1		ULS	ULSDT	0.07	40.54	7 70	7.00	4.00	1					
-	+	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line	-	1	ULO	ULSDI	8.27	10.51	7.70	7.00	4.20						
1	1	Rearrangement(BST Owned Splitter	1		ULS	ULSDS		36.23	13.23	16.94	1.69						
<b>-</b>	1	Line Sharing - per Subsequent Activity per Line	<del>                                     </del>	<del>                                     </del>	OLO	ULUDO		30.23	13.23	10.94	1.09	-			<del> </del>		
1	1	Rearrangement(DLEC Owned Splitter	1		ULS	ULSCS		36.23	13.23	16.94	1.69						
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	<del>                                     </del>	<b>†</b>	010	JLUUJ		30.23	13.23	10.34	1.09				<b> </b>		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
	1	1		1	1	12200	0.01	17.02	5.50	0.00	7.00	L			L		

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
0.475	2001	DATE EL EMENTO	Interi	<b>-</b>	500	11000			DATEO (A)			Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	1	Line Share Service, TRO per line activation, CLEC owned		1	020	02001	0.01	11.02	0.00	0.00	11.00						
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
	LINE S	PLITTING															
-	END U	SER ORDERING-CENTRAL OFFICE BASED	-	├	UEPSR UEPSB	UREOS	0.61			<del>                                     </del>		1		-	-		
-	<u> </u>	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	-	<del>                                     </del>	UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30	<b> </b>	-				<del>                                     </del>
	<del>                                     </del>	Line Splitting - per line activation BST owned - virtual		<del>                                     </del>	UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						<del>                                     </del>
	MAINT	ENANCE		t			3.0203	200	.2.10	7.50	50						
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
L	<u> </u>	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
-	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1		-				-							
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			01177	120701	0.0007			1							
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		LIATIO	U1TR2	40.07	40.40	10.10	40.50	F 00						
	1	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade		1	U1TVX	UTIR2	12.87	48.46	19.48	16.58	5.00						
		Per Mile per month			U1TVX	1L5XX	0.0057										
	1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			OTTVX	120701	0.0007			1							
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	U1TD5	7.83	40.40	10.10	40.50	5.00						
	<u> </u>	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			UTIDX	U11D5	7.83	48.46	19.48	16.58	5.00						
		per month			U1TDX	1L5XX	0.0057										
	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			027	120701	0.0001			1							
		Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per							<u> </u>								
<u> </u>	ļ	month		<u> </u>	U1TD1	1L5XX	0.1154										<b>_</b>
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
<b> </b>	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<u> </u>	<del>                                     </del>	ועווט	UTIFT	34.19	111.03	80.28	31.36	21.73	-					<del>                                     </del>
		Imonth			U1TD3	1L5XX	2.53										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
-	<b>.</b>	month		<u> </u>	U1TS1	1L5XX	2.53			<u> </u>							$\vdash$
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK	FIBER	TGTTIIITAUUT		<b>†</b>	01101	01113	330.07	320.47	00.32	00.77	52.61	<del>                                     </del>					<del>                                     </del>
	T	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		t		1		1		1							
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29				<u></u>						
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDESY	41.50/	40.0			1							
-	<b> </b>	Thereof per month - Local Loop  NRC Dark Fiber - Local Loop	-	<b> </b>	UDF, UDFCX UDF, UDFCX	1L5DL UDFL4	46.84	1,745.99	87.54	73.64	18.70	-					<del>                                     </del>
	1	INIVO DAIK FIDEI - LOCAI LOOP	<u> </u>	1	ひいて、ひいさし入	UUFL4		1,745.99	87.54	13.04	18.70	<u> </u>	1	l	l	l	

CATEGORY   RATE LEMENTS   Main   Sone   BCS   USOC   RATES (b)   Section   South Control (Monthless of Contr	Exhibit: A	Fyhi	ment: 2	Attach												INBUNDLED NETWORK ELEMENTS - Georgia
CATEGORY   RATE ELEMENTS   Interest   December   RATE   Solution   Charges					Svc Order	Svc Order						1	1			The state of the s
ATTEMPTION   Part   P		Charge -														
CATEGORY															Intori	
Box Access Ten Diol's Screening   Box		Order vs.	I I		-				RATES (\$)			USOC	BCS	Zone		ATEGORY RATE ELEMENTS
Table   No.   Table   No.		Electronic-			per Lore	per Lore									m	
No.   No.		Disc 1st														
Processor   Proc	Tot Diso Add I	D130 131														
December   December											Poc					
SSC Access for tops Screening, Reservation Change Per BOX	IAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	1100					
Available   Avai		<b></b>														
Number Reserved   Native Reserved   NATIVE   N		<b></b>	ļ								0.0008543		OHD			
SXX Accoss from Digit Screening, Peril SXX No. Essablished WIVD   OHD   Soft A 4,24   0,51   OHD   SXX Accoss fro Digit Screening, Customized A 5 error   OHD   SIFTX   5,56   0,76   4,24   0,51   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, Customized A 5 error   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   OHD   SIFTX   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Screening, WPT1 No. Desired: OHD   S5X Accoss from Digit Sc		l .											0.15			
POTS   Translations		<del></del>	ļ	ļ					0.43	2.50		N8R1X	OHD			
DAY ACCOSE TO DUES Consenting, Per SEX No. Established Willip   POTE Translations   DAY ACCOSE TO DUES Consenting, Multiple InstitutATA CKE     DAY ACCOSE TO DUES Consenting, Multiple InstitutATA CKE     DAY ACCOSE TO DUES Consenting, Multiple InstitutATA CKE     DAY ACCOSE TO DUES Consenting, Multiple InstitutATA CKE     DAY ACCOSE TO DUES Consenting, WSFL No. Congrep Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Congrep Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES Consenting, WSFL No. Disease Per Accounts     DAY ACCOSE TO DUES CONSENTING PER ACCOUNTS     DAY ACCOSE TO DUES CONSENTING PER ACCOUNTS     DAY ACCOUNTS		l .					0.54	4.04	0.70	5.05			OUD			
DOTS Translations	$-\!+\!-\!-$		<del>                                     </del>	<u> </u>	-	-	0.51	4.24	0.76	5.65		+	ОНО			
BOX. Access Tem Digit Sceneming, Chicarol Reliable Internal AT ACK   Chicarol Reliable Internal AT ACK   Chicarol Reliable Internal AT ACK   Chicarol Reliable Internal Reli		l .					0.51	4 24	0.76	E 65		NOCTY	OHD			
Per 30X Number		<del></del>	<del>                                     </del>	-			0.51	4.24	0.76	5.65		INOF I A	ОПО			
SIX Access fron Digit Seriorence, Multiple InterCATA CXR   DATE		l .							1 25	2.50		NOECY	OHD			
Routing Per CORR Requested Per RXX No.	$\overline{}$		+	<del>                                     </del>				<del>                                     </del>	1.25	2.50	<del>                                     </del>	1401 07	מווס	H	<u> </u>	
BOX. Access Ten Digit Screening, Califfanting and Destination   OHD   NBFAX   2.83   0.43		1		'					1.68	2.93		N8FMX	OHD		1	
BXX Access Far Digit Screening, and End Mark 1	$\overline{}$		<del>                                     </del>													
Featurus   Since   Access for Digit Screening, wiRE, No. Delivery   OHD   0.0008543   0.	$\overline{}$		<del>                                     </del>						3.70	2.00			- ·-			8XX Access Ten Digit Screening. Call Handling and Destination
B8X Access Ten Digit Screening, wPET No. Delivery   OHD   0.000843		1	]	'						2,50		N8FDX	ОНД		1	
SIX Access For Digit Screening, WPOTS No. Delivery   OHD   0.0008643		ſ			İ	İ				0	0.0008543				1	
LINE INFORMATION DATA BASE ACCESS (LIDB)													OHD			
UIDB Vigilation Per Query																
SIGNALING (CCST)   SIGNALING (CCST)   SIGNALING (CCST)   SIGNALING (CCST)   SIGNALING (CCST)   Signaling Connection, Per 58Ktps Facility   UDB   TPP++ 8.73   34.77   16.91   16.91											0.0000682		OQT			LIDB Common Transport Per Query
SIGNALING (CCS7)   Signaling Connection, Per 56thops Facility   UDB   TPP++											0.0266962					
CCS7 Signaling Termination, Per STP Port							39.35	39.35	33.24	33.24		NRBPX	OQT, OQU			LIDB Originating Point Code Establishment or Change
CCS7 Synaling Termination, Per STP Port		L														
CCST Signaling Usage, Per TCAM Message		<u> </u>					16.91	16.91	34.77	34.77						
CCSF Signaling Usage, Per TCAP Message		<b></b>										PT8SX				
CCST Signaling Connection, Per link (A link) (game as E.3.1)		<del></del>														
CCST Signaling Connection, Per link (B link) (also known as D link) (Same as E 3.3)		<b></b>	ļ					10.01	0.4.			700				
Ilink  (same as E.3.1)	$-\!+\!-\!-$	<del></del>		ļ			16.91	16.91	34.77	34.77	8.73	TPP++	UDB			
CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)		1					10.01	40.04	24.77	24.77	0.70	TDD	LIDD			
CCS7 Signaling Usage Surrogate, per link   UDB   STU56   907.44	$-\!+\!-\!-$		<del>                                     </del>	<u> </u>	-	-	16.91	16.91	34.77	34.77		IPP++				
CCS7 Signaling Point Code, Establishment or Change, per STP affected   UDB   CCAPO   28.15   28.15   33.32	-		<del>                                     </del>	<u> </u>				<b>+</b> + + + + + + + + + + + + + + + + + +				STI IEE				
Selective   Service     Service			+					<del>                                     </del>			507.44	31030	ODB			
E911 SERVICE   Local Channel - Dedicated - 2-wr Voice Grade   7,74   121.07   53.30   46.40   13.37		l .					33 32	33 32	28 15	28 15		CCAPO	LIDB			
Local Channel - Dedicated - 2-wr Voice Grade   7,74   121.07   53.30   46.40   13.37	-		+	<del></del>			00.02	00.02	20.10	20.10		00/11/0	ODD			
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile   0.0057   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   16.58   5.00   12.87   48.46   19.48   11.20   40.36   26.12   12.87   12.87   19.46   111.20   40.36   26.12   12.87   19.46   111.20   40.36   26.12   12.87   19.46   111.20   40.36   26.12   12.87   19.46   111.20   40.36   26.12   12.87   19.46   111.20   40.36   26.12   12.87   19.47   1	$\overline{}$		<del>                                     </del>				13.37	46 40	53.30	121 07	7 74					
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination							.0.07	.5.40	33.00	.207		1	1		l	
Termination			<del>                                     </del>					1					1			
Local Channel - Dedicated - DS1 - Zone 1		1	]	'			5.00	16.58	19.48	48.46	12.87				1	
Local Channel - Dedicated - DS1 - Zone 3   164.70   149.46   111.20   40.36   26.12		ſ			İ	İ									1	
Local Channel - Dedicated - DS1 - Zone 3   164.70   149.46   111.20   40.36   26.12							26.12	40.36			56.30				L	Local Channel - Dedicated - DS1 - Zone 2
Interoffice Transport - Dedicated - DS1 Per Facility Termination  CALLING NAME (CNAM) SERVICE  CNAM For DB Owners - Service Establishment  OQV  22.90  CNAM For DB Owners - Service Establishment  OQV  22.90  CNAM For DB Owners - Service Provisioning With Point Code Establishment  OQV  959.77  ON 983  251.47  184.91  CNAM For DB Owners - Service Provisioning With Point Code Establishment  OQV  331.89  237.45  CNAM for DB Owners, Per Query  OQV  ONAM for Non DB Owners, Per Query  OQV									111.20	149.46						Local Channel - Dedicated - DS1 - Zone 3
CALLING NAME (CNAM) SERVICE											0.1154					Interoffice Transport - Dedicated - DS1 Per Mile
CALLING NAME (CNAM) SERVICE		1											]		l	
CNAM For DB Owners - Service Establishment		<b></b>					21.73	31.36	80.28	111.03	34.19	1				
CNAM For Non DB Owners - Service Establishment			┸					$oxed{\Box}$						$oxed{oxed}$		
CNAM For DB Owners - Service Provisioning With Point Code		<b></b>	<b></b>	<b></b>								4		$\sqcup \sqcup$	<b>!</b>	
Establishment		<del></del>		<b></b>				20.32		22.90		+	UQV	$\sqcup$	ļ	
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment		1		'			404.01	054 4-	700.00	050 7-			001/		1	
Code Establishment	-		+	<del>                                     </del>			184.91	251.47	709.83	959.77		+	UQV	$\vdash \vdash \vdash$	<b> </b>	
CNAM for DB Owners, Per Query		1		'			404.04	057.05	007.45	224 02			001/		1	
CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per	$\overline{}$	<del></del>	+	<del>                                     </del>			184.91	257.65	237.45	331.89	0.0000004	+		$\vdash$	<del>                                     </del>	
CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per	-+	<del>                                     </del>	+	<del>                                     </del>	-	-		1				+		$\vdash$	<b>!</b>	
Character Based User Interface (CHUI)  SELECTIVE ROUTING  Selective Routing Per Unique Line Class Code Per Request Per	-+	<del>                                     </del>	+	<del>                                     </del>	-	-		<del>                                     </del>			0.0009924	+	UUV	$\vdash$	<b>!</b>	
SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per		1		'					505.00	595.00		CDDCH	oov		1	
Selective Routing Per Unique Line Class Code Per Request Per	$\overline{}$		+	<del>                                     </del>				<del>                                     </del>	393.00	393.00	<del>                                     </del>	CDDCU	UUV	$\vdash$	<del>                                     </del>	
			<del>                                     </del>	<del>                                     </del>	<b>-</b>	<b>-</b>						+	<b>†</b>		1	
T TOWNOTE THE PROPERTY OF THE		1		'			6.34	12.68	61.15	102.19			1		1	Switch
VIRTUAL COLLOCATION	-+		<del>                                     </del>	$\vdash$			0.04	12.00	01.10	102.13		+	<b>+</b>		<del>                                     </del>	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OATEOOKT	KATE EEEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		L 51	B'					Diac iat	Disc Add I
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line						11130	Addi	11131	Addi	COMILO	COMPAR	OOMAN	OOMAN	OOMAN	COMPAR
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	/E CARRIER ROUTING			OLI OK OLI OB	1 2 120	0.0107	0.00	0.00								
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user Query NRC, per query	-		SRC SRC	SRCLP	0.0020368	2.06	2.06								
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	-		SRC	+	0.0020300										
1	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		-	A1N A1N	CAMDP CAM1P		8.15 8.15	8.15 8.15	9.16 9.16	9.16 9.16						
	AIN SMS Access Service - Port Conflection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User	-		AIN	CAIVITE		0.15	0.15	9.10	9.10						
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute					0.0038 1.81										
	AIN SMS Access Service - Session, Per Militate AIN SMS Access Service - Company Performed Session, Per	1				1.01										
	Minute					0.8323										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			0444	D 4 DOO		44.44	44.44	44.00	44.00						
	Initial Setup  AIN Toolkit Service - Training Session, Per Customer	-		CAM	BAPSC BAPVX		41.41 4,236.62	41.41 4,236.62	41.63	41.63						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI VX		4,230.02	4,230.02								
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay	ļ			BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ (1 11V)		0.10	0.10	0.10	0.10						
	DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	ļ			BAPTC		33.98	33.98	14.09	14.09						
	DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Query Charge, Per Query				5, 11 11	0.0271438	00.00	00.00	1 1100	1 1.00						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.04										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				+	0.04										
	Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	6.46	8.98	8.98								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	<b>†</b>	<b>†</b>	0,	2.11 20	0.04	0.10	5.15	5.71	5.71						
	Service Subscription			CAM	BAPES	0.22	8.98	8.98								
	XTENDED LINK (EELs)		L								<u></u>					
	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t															
	The monthly recurring and the Switch-As-is Charge and not to ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					OHE COMBINATI	ONS PROVISIONS	as current	ly combined N	ICLWOIK EIGING						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)  Svc Order Submitted Elec Manually per LSR Per LSR Processing Pro	Exhibit	Exhibit: A	Exhib	Fy	ent: 2	Attachr	I											BUNDLED NETWORK ELEMENTS - Georgia	JNBUNDI F
RATE ELEMENTS							Svc Order	Svc Order											
ATTECONY   RATE ELEMENTS   In min   Rate   Rock   BCS   BC	Charge - C	Charge - Ch	Charge -	Charge -	Charge -														
CATEGORY   NATE ELEMENTS   March   SCORE   S																	Intori		
Page   Non-securing Disconnect   Security							- 1				RATES (\$)			USOC	BCS	Zone		EGORY RATE ELEMENTS	CATEGORY
Part   Non-recurring   Non-recurring Disconnect   SOSS Bases (S)							per Lore	per Lore									m		
Part 2 View Viol Loop (SL2) in Combination - Part Mele																			
First Avere VS Loop (SLZ) in Continuation - Zene 2   3 MOVX	Disc 1st Di	513C 13t D13	Disc 1st	Diac iat															
First ZWWe VELLOUS (SCI in Combination - Zero 1   3 UNDXX													Rec						
Interestinal Transport - Decisional C-95 cerebrations - Per Mallo per motion   Per Mallo per motion   Per Mallo per motion   Per Mallo	SOMAN S	SOMAN S	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC						<u> </u>					
Der month     Der month     DeCK   1LSOC   0.1164									6.86	18.42	36.38	195.94	33.08	UEAL2	UNCVX	3 (			
Insertifies Transport - Decidental - DST contribution - Facility   LACTX					ļ								0.4454	41.500	LINIOAY	I.			
Temmoration per month	<del> </del>												0.1154	1L5XX	UNCTX				
10 Columentarium System in combination Per March*   UNICX   8611   69.75   27.73   2.00   16.86   1.04					ļ				27.07	42.00	45.70	97.76	24.10	LIATEA	LINICAV	l,			
Vision Grades COCI - Per Month   Sizon Additional 2-Viver VG Loop (SL 2) in Combination - Zone 1   UNIONX   USAL2   11.57   195.94   36.38   18.42   6.86	<del>                                     </del>								21.51	43.00	40.73					- '			
Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 1	<del>                                     </del>								1 04	16.86	2 90								
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2									1.0-7	10.00	2.00	27.00	0.4000	15170	011017	ľ		Voice Grade Goor 1 of Month	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2					ļ				6.86	18.42	36.38	195.94	11.57	UEAL2	UNCVX	1 (		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone	
Each Additional 2-Wire VG Loop (SL 2) in Contribution - Zone 3	1 1		-																
Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade Loop in Combination - Zone 1   1   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 2   2   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   21.88   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   21.88   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   17.80   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   U	<u>                                       </u>							<u></u>	6.86	18.42	36.38	195.94	16.95	UEAL2	UNCVX	2 (		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	
Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade COCI - Per Month   Notice Grade Loop in Combination - Zone 1   1   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 2   2   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   21.88   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   21.88   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     Interestination - Per Month   UNCX   UEAL4   17.80   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   17.80   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   UNCXX   UEAL4   21.88   195.94   36.38   18.42   6.86     Additional - Avive Analog Voice Grade Loop in Same DS1   U																			
Nonrecurring Currently Cortibined Network Elements Swarch - Apr   UNCIX   UN																			
Scharge									1.04	16.86	2.90	27.33	0.4689	1D1VG	UNCVX	ī			
EXTENDED 4-WIRE VOICE GRADE EXPENDED LOOP WITH DEDICATED DSI INTERCEPTICE TRANSPORT					ļ														
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1									6.61	6.61	5.70	5.70				Į			
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		$\longrightarrow$												DRT	ROFFICE TRANSP	INTER	ED DS1	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	EXTE
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2					ļ								4= 00			. l.			
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.38 18.42 6.86									6.86	18.42	36.38	195.94	17.80	UEAL4	UNCVX	1 (		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.38 18.42 6.86					ļ				0.00	40.40	20.20	405.04	04.00	LIEAL 4	LINCVIV	ا م		First 4 Wise Apples Vales Conda Less is Combination 7555	
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154	<del> </del>	$\longrightarrow$	<del></del>						6.86	18.42	36.38	195.94	21.68	UEAL4	UNCVX	2 (		First 4-vvire Analog Voice Grade Loop in Combination - Zone 2	
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154					ļ				6.06	10.40	26.20	105.04	20.25	LIEAL 4	LINCVV	2 1		First 4 Wire Angles Voice Crade Lean in Combination - Zone 3	
Per Month									0.00	10.42	30.30	195.94	30.23	ULAL4	UNCVA	3 (			+
Interoffice Transport - Decicated - DS1 - Facility Fermination Per   UNC1X					ļ								0 1154	11 5XX	LINC1X	l,			
Month	<del>                                     </del>	-			$\overline{}$								0.1104	120701	ONOTA				
10 Channel System in combination Per Month					ļ				27.97	43.80	45.73	87.76	34.19	U1TF1	UNC1X	lu			
Additional 4-Wire Analog Voice Grade Loop in same DS1																			
Interoffice Transport Combination - Zone 1									1.04	16.86	2.90	27.33	0.4689	1D1VG	UNCVX	l		Voice Grade COCI in combination - per month	
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2   UNCVX   UEAL4   21.88   195.94   36.38   18.42   6.86																		Additional 4-Wire Analog Voice Grade Loop in same DS1	
Interoffice Transport Combination - Zone 2   2 UNCVX   UEAL4   21.68   195.94   36.38   18.42   6.86									6.86	18.42	36.38	195.94	17.80	UEAL4	UNCVX	1 l			
Additional 4-Wire Analog Voice Grade Loop in same DS1					ļ														
Interoffice Transport Combination - Zone 3   JUNCVX   UEAL4   30.25   195.94   36.38   18.42   6.86									6.86	18.42	36.38	195.94	21.68	UEAL4	UNCVX	2 l			
Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   0.4689   27.33   2.90   16.86   1.04					ļ														
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X																			
Is Charge									1.04	16.86	2.90	27.33	0.4689	1D1VG	UNCVX	'			-
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT								1	C C4	6.64	E 70	E 70		LINICCC	LINC1V	Ι,			
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+	$\longrightarrow \vdash$	$\longrightarrow$					-	10.0	0.01	5.70	5.70	-			1 1 1 2 C	ATED		EYTE
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97  1/0 Channel System in combination Per Month UNC1X MQ1 69.75 86.10  OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 0.9963 27.33 2.90 16.86 1.04  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 21.86 195.94 36.38 18.42 6.86  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86	+	+	$\longrightarrow$											J. J. I	ILKOFFICE IKAN	731 1141	AILDI	EXTENDED TWINE 30 RBF3 EXTENDED DIGITAL EOOF WITH DEL	LATE
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97  1/0 Channel System in combination Per Month UNC1X MQ1 69.75 86.10  OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1DIDD 0.9963 27.33 2.90 16.86 1.04  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 21.86 195.94 36.38 18.42 6.86  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86								1	6.86	18 42	36.38	195 94	21.86	UDL56	UNCDX	1 l		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86	<del>                                     </del>		+						0.00	10.72	30.30	133.34	21.00	00200	J. 100/1	• '		1. II St. 4 VIII O OOROPO DIGITALI OTAGE LOOP III OOIIIDIIIIAIIOII - ZOITE	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86								1	6.86	18.42	36.38	195.94	28.36	UDL56	UNCDX	2 1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
Interoffice Transport - Dedicated - DS1 combination - Per Mile   UNC1X	1								2.30		22.30			1	-			2. 2.2.4.5 3 2	1
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154   UNC1X   1L5XX   0.1154   UNC1X   UTF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UTF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UTF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UTF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UTF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UNC1X   UNC1X   MQ1   69.75   86.10   UNC1X   UNC1								1	6.86	18.42	36.38	195.94	38.22	UDL56	UNCDX	3 (		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month																1			Ì
Termination Per Month													0.1154	1L5XX	UNC1X	U			
1/0 Channel System in combination Per Month																T			
OCU-DP COCÍ (data) per month (2.4-64kbs)									27.97	43.80	45.73								
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 1   UNCDX   UDL56   21.86   195.94   36.38   18.42   6.86	$\bot$																		
Interoffice Transport Combination - Zone 1	<b>↓</b>								1.04	16.86	2.90	27.33	0.9963	1D1DD	UNCDX	l			
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2  UNCDX UDL56  28.36  195.94  36.38  18.42  6.86								1				,		LIDI 50	LINODY	, l.			
Interoffice Transport Combination - Zone 2									6.86	18.42	36.38	195.94	21.86	UDL56	UNCDX	1 (			
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1									0.00	40.40	20.00	105.01	00.00	LIDI EC	LINCDY	, l.			
	+		$\longrightarrow$					-	6.86	18.42	36.38	195.94	28.36	UDL56	UNCDX	2 (			
								1	6 96	19.42	36 30	105 04	38 33	LIDL 56	LINCDX	3 1			
Additional OCU-DP COCI (data) - in combination per month (2.44	+	+	$\longrightarrow$						0.00	10.42	30.30	133.34	50.22	JDL30	OHODA				
64kbs) UNCDX 1D1DD 0.9963 27.33 2.90 16.86 1.04								1	1.04	16.86	2.90	27.33	0.9963	1D1DD	UNCDX	lı			

UNBUNDL	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC ISL	DISC Add I
							Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN		ISPORT											1
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154						1			I	
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER	OFFICE TRANSPO	ORT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						1
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						1
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3	INTER	OFFICE TRANSPO	DRT											
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile														l	
	Per Month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month		L	UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						<u> </u>
	3/1Channel System in combination per month			UNC3X	MQ3	121.90										
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional DS1Loop in DS3 Interoffice Transport Combination -												I		l	
	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						<u> </u>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-									-			I		l	
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI														
oxdot	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						<u> </u>
$\vdash$	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		ļ	ļ		ļ	<b></b>
1 1	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						L

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-			1		Monroe	in a	Monroourring	Dissennest	-		220	Botos (\$)		
-					+	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				1		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
	Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility			0.1017	120701	0.000										
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			LINCVY	1L5XX	0.0057						1				
<del>                                     </del>	Interoffice Transport - 4-wire VG - Dedicated - Facility	1		UNCVX	ILOAA	0.0057			<del>                                     </del>		<del>                                     </del>			<b> </b>	<del> </del>	
	Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60		1				
	Nonrecurring Currently Combined Network Elements Switch -As-			J	51114	10.70	00.55	33.01	75.72	21.00	<b>-</b>	<b> </b>				
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	UNCCC		F 70	F 70	6.61	6.61						
EVTER	Is Charge IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INIT	EDOEE	UNC3X	UNCCC	-	5.70	5.70	0.01	0.01	-					
LATEN	STS-1 Local Lolp in combination - per mile per month	3-1 1141	LKOFF	UNCSX	1L5ND	10.97										
	STS-1 Local Loop in combination - Facility Termination per			0.100/1	120112	10.07										
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTEN	Is Charge	TDAN	CDODT	UNCSX	UNCCC		5.70	5.70	6.61	6.61						
EXIEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1	IKAN	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - per mile					:=:		22.00		2.00						
	per month			UNC1X	1L5XX	0.1154						1				
	Interoffice Transport - Dedicated - DS1 combination - Facility					İ										
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINGNIV	1141.037	40.00	405.01	20.00	10.10	0.00		1				
<del>                                     </del>	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86			-			
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0011/	JILZA	20.20	133.34	30.30	10.42	0.00	<b>-</b>	<b> </b>				
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per					.2	700.04	33.30	.5. /2	0.30						
	month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1			ļ	ļ	
$\vdash$	First DS1 Loop Combination - Zone 2	<u> </u>	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86		<b> </b>		<b> </b>	-	
	First DS1 Loop Combination - Zone 3	<u> </u>	J 3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	1	l		L	L	

ACTECOPY   RATE ELEMENTS   Intelligent   Processing   P	UNBII	NDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
APPLICATION   No.   Part   Part     Part   Part     Part     Part     Part     Part     Part     Part   Part   Part     Part   Part   Part     Part     Part     Part     Part     Part     Part     Pa	5.450	.,,,,,,,	ottit EEEmEit o otorgia				1						Svc Order	Svc Order				
CATEGORY   RATE ELEMENTS   Most   Box							1						1					Charge -
CATEGORY   RATE ELEMENTS																		Manual Svc
Bustonia   Bustonia	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Section   Sect				m						- (1)			per Lor	per LSK				
Recommendation   Reco																		
Micros   M																	DISC ISL	DISC Add I
Internative Transport Decisional STES Combination - Not Nat   NACO   NAT   N								Boo	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
Dec Note   Dec Note								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interdisc Tangent - Continued - STS - Continued - State   Continued - Continued			Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
Termination per month						UNCSX	1L5XX	2.53										
31 Claraned Spetien in conclusion per month   0MCSS   003   (21.96)																		
DSI COCCI in combination per month									325.91	77.07	49.56	32.88						
Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 1 Combination - Zone 2 Combination - Zone 2 Combination - Zone 2 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the same STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-1 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-2 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-2 Interoffice Transport Combination - Zone 3 Additional Districtory in the STS-2 Interoffice																		
Continuation 2-Discapt in the same STS-1 Interoffice Transport   Discapt in the same STS-1 Int						UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
Additional DSTLope in the same STS-1 interedillor Transport   2 UNCTX						11041	1101.307	44.00	000 45	70.44	07.04	0.00						
Combination - John Seams 975-1 Interoffice Transport					1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
Additional DS Lacy in the same STS*1 Intendifical Transport   Section 1						11041	1101.307	40.44	000 45	70.44	07.04	0.00						
Continuation - Zoolina   3   NACTIX   USUXX   E2.03   200.45   77.44   37.91   6.86   NACTIX   NATIONAL   NA	-				2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
OST COC in contraination per month		l			2	LINC1V	LIELVY	62.02	200 45	70.44	27.04	6 06			1	1		
Nonescuring Currently Combined Newton Elements Switch 1-kg   INCSX	$\vdash$	<del>                                     </del>		<b>H</b>	٥								<b>H</b>		t	t	l	<del>                                     </del>
INCOM   UNICOX   UN	$\vdash$	<del>                                     </del>				014017	30101	1.35	21.33	2.90	10.00	1.04	<b>H</b>		t	t	l	<del>                                     </del>
EXTENDED 4-WIRE SE KRPS DIGITAL EXTENDED LOCO WITH SK RPS INTEROFFICE TRANSPORT   1 UNCDX UDL66   21.86   196.04   50.38   18.42   6.86	1	1				UNCSX	UNCCC		5 70	5.70	6.61	6.61		1	I	I		
4-wev 68 Abpt Local Log in combination - Zone 1   1   IRACDIX   UDL56   23.6   165.44   36.38   18.42   6.86		EXTEN		SPS INT	EROFF		3.1000		5.70	5.70	0.01	0.01	<del>                                     </del>	<b>†</b>	<b>I</b>	<b>I</b>		1
H-wire 68 kipps Local Loop in combination - Zone 2   2 LINCOX   UDL66   32.36   195.04   36.38   194.42   6.86							UDL56	21.86	195.94	36.38	18.42	6.86			<u> </u>	<u> </u>		
4-wire Selbops Local Loop in combination - Zone 3 3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86																		
Interesting Transport - Dedicated - A-wire 56 kips combination -   UNCDX   LISOX   0.0657															t			
Intereffice Transport - Dedicated - 4-were 68 kbps combination - Facility Termination per month   UNCDX   UNcdX   UNCDX   UNCDX   UNCDX   UNCDX   UNCDX   UNCDX   UNCDX   UNcdX   UNCDX   UNCDX   UNCDX   UNCDX   UNCDX   UNCDX   UNCDX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   UNcdX   Un																		
Facility Termination per month   UNCDX   UTDS   7.83   66.53   33.61   43.42   27.60			Per Mile per month			UNCDX	1L5XX	0.0057										
Nonneuring Currenity Combined Network Elements Switch - Ap-   Is Charge			Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
Scharge   UNCOX UNCCC   S.70						UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT   1   1   UNCDX   UDL64   21.86   195.94   36.38   18.42   6.86			Nonrecurring Currently Combined Network Elements Switch -As-															
4-wire 64 ktps Local Loop in Combination - Zone 2							UNCCC		5.70	5.70	6.61	6.61						
4-wire 64 ktyps Local Loop in Combination - Zone 3   3 UNCDX UDL64   28.36   196.94   36.38   18.42   6.86		EXTEN		BPS INT														
A-wire 64 kbps Local Loop in Combination - Zone 3   3 UNCDX   UDL64   38.22   195.94   36.38   18.42   6.86																		
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month   UNCDX   U1TD6   7.83   66.53   33.61   43.42   27.60																		
Per Mile per month					3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Dedicated - 4-wire 64 kbps combination - Dedicated - 4-wire 64 kbps combination - Dedicated - 4-wire 64 kbps combination - Dedicated - 4-wire 64 kbps combination - Dedicated - 4-wire 64 kbps combination - Dedicated - 4-wire 64 kbps combination - Dedicated - DS1 combination - Zone 1						LINIODY	41.5307	0.0057										
Facility Termination per month   UNCDX   U1TD6   7.83   66.53   33.61   43.42   27.60						UNCDX	1L5XX	0.0057										
Nonrecurring Currently Combined Network Elements Switch -As-   UNCDX						LINCDV	LIATOS	7.00	66.53	22.64	42.42	27.60						
Is Charge   UNCDX						UNCDA	UTIDO	1.03	00.33	33.01	43.42	27.00	-					
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/ MUX						LINCDY	LINICCC		5.70	5.70	6.61	6.61						
First 2-wire VG Loop (SL2) in Combination - Zone 1	<b>—</b>	FXTEN		RANSP	ORT w		UNCCC		5.70	5.70	0.01	0.01			<del>                                     </del>	<del>                                     </del>		
First 2-wire VG Loop (SL2) in Combination - Zone 2		-AILN					UEAL2	11 57	195 94	36.38	18 42	6.86	<del>                                     </del>	<b>†</b>	<b>I</b>	<b>I</b>		1
First New Yor Loop (SL2) in Combination - Zone 3   3 UNCVX   UEAL2   33.08   195.94   36.38   18.42   6.86		<b> </b>													<u> </u>	<u> </u>		
First Interoffice Transport - Dedicated - DS1 combination - Per   UNC1X															<u> </u>	<b>†</b>		
Mile							1								t	t		
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		l				UNC1X	1L5XX	0.1154							1	1		
Facility Termination per month			First Interoffice Transport - Dedicated - DS1 combination -															
Per each Voice Grade COCI - Per Month per month		<u></u>	Facility Termination per month	<u></u>					87.76	45.73	43.80	27.97	<u></u>	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>
3/1 Channel System in combination per month																		
Per each DS1 COCI in combination per month									27.33	2.90	16.86	1.04						
Each Additional 2-Wire VG Loop(SL 2) in the same DS1																		
Interoffice Transport Combination - Zone 1						UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	1												1	I	I		
Interoffice Transport Combination - Zone 2   2 UNCVX   UEAL2   16.95   195.94   36.38   18.42   6.86		<b>!</b>			1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			ļ	ļ		
Each Additional 2-Wire VG Loop(SL2) in the same DS1   Interoffice Transport Combination - Zone 3		l				1 10 0		40.00	405.04	00.00	40.0	0.00			1	1		
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL2   33.08   195.94   36.38   18.42   6.86	-	-		-	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	-	-	1	<del>                                     </del>		-
Each Additional Voice Grade COCI in combination - per month		1			2	LINCVA	LIEALO	22.00	405.04	20.00	40.40	0.00		1	I	I		
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month  Each Additional DS1 Interoffice Channel per mile in same 3/1  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month  UNC1X  U1TF1  34.19  87.76  45.73  43.80  27.97	<u> </u>	-			3										<del>                                     </del>	<del>                                     </del>		
Channel System per month	<u> </u>	-		-	-	OINCVA	טאוטו	0.4689	21.33	2.90	10.86	1.04		-	+	+		
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97		1				LINC1X	11 5XX	0.1154							1	1		
same 3/1 Channel System per month   UNC1X U1TF1   34.19   87.76   45.73   43.80   27.97	<b>-</b>					OINOIA	ILUAA	0.1154			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
		1				UNC1X	U1TF1	34 19	87 76	45 73	43.80	27 97			1	1		
	$\vdash$		Each Additional DS1 COCI combination per month	<b>-</b>		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	<b>-</b>		t	t		<b> </b>

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
0.1.201.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAV	1111000		5.70	F 70	0.04	0.04						í
EVT	Is Charge  ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FERNE	ICE TO	UNC1X	UNCCC		5.70	5.70	6.61	6.61						<del></del>
EATE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKOFF	ICE IK	ANSPORT W/ 3/1 WI	1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -		+ '-	ONOVA	OLAL	17.00	190.94	30.30	10.42	0.00						
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -									0.00						i e
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						í
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month			UNC1X	1L5XX	0.1154										l .
	First Interoffice Transport - Dedicated - DS1 - Facility															i
	Termination Per Month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month	<b></b>	<b>_</b>	UNC1X	MQ1	69.75	86.10									<b></b>
<b></b>	Per each Voice Grade COCI in combination - per month	<b>.</b>	+	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
$\vdash$	3/1 Channel System in combination per month	<del>                                     </del>	1	UNC3X	MQ3	121.90	07.00	0.00	10.00	1.01		<b> </b>		<b>!</b>		<b>——</b>
<b></b>	Per each DS1 COCI in combination per month  Additional 4-Wire Analog Voice Grade Loop in same DS1	-	+	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						<del></del>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						í
	Additional 4-Wire Analog Voice Grade Loop in same DS1		+ '	ONCVA	ULAL4	17.00	193.94	30.30	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						í
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1 -	ONOVA	O L / L -	21.00	100.04	00.00	10.42	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						í
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i e
	Channel System per month			UNC1X	1L5XX	0.1154										ł
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ł
EVE	Is Charge	DO INT	FDOFF	UNC1X	UNCCC		5.70	5.70	6.61	6.61						<del></del>
EXII	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	SPS INT	EROFF	ICE TRANSPORT W	/ 3/1 MUX											<del></del>
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		+ '	ONCDX	ODESO	21.00	193.94	30.30	10.42	0.00						
	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		<u> </u>	0.1057	02200	20.00	100.01	00.00	10.12	0.00						
	Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						ł
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													í .
	Mile Per Month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.1154										<u> </u>
	First Interoffice Transport - Dedicated - DS1 - combination															ı
	Facility Termination Per Month	ļ	<b> </b>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		ļ
$\vdash$	Per each 1/0 Channel System in combination Per Month	<u> </u>	1	UNC1X	MQ1	69.75	86.10									
$\vdash$	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<del>                                     </del>	1	UNCDX UNC3X	1D1DD MQ3	0.9963	27.33	2.90	16.86	1.04		<b> </b>		<b>!</b>		<del></del>
$\vdash$	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	+	+-	UNC3X UNC1X	UC1D1	121.90 7.35	27.33	2.90	16.86	1.04				<b> </b>		
$\vdash$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	+	UNCTA	OCIDI	7.35	21.33	2.90	10.86	1.04	-					
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86		1				i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	t	<del>                                     </del>	5.10DA	35230	21.00	130.34	30.30	10.42	0.00	<b>-</b>	<b> </b>				(
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ł .
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	† –	-	1			22.30		2.30				İ		i
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1				ł .
	OCU-DP COCI (data) COCI in combination per month (2.4-															i
	64kbs)	<u> </u>	<u></u>	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						ı
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1							-						·
	Channel System per month	<b></b>	<b>_</b>	UNC1X	1L5XX	0.1154										<b></b>
	Each Additional DS1 Interoffice Channel Facility Termination in	1		LINIOAN								1				i
$\vdash$	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system	+	+	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				<b> </b>		
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						ı
	Combination per month		1	OIVOIA	TOC ID I	1.33	21.33	2.90	10.00	1.04	1	l		1		

IINBIINDI	.ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	ibit: A
UNBUNDL	LED NET WORK ELEMENTS - Georgia	I			1	I					Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	LIDI 04	00.00	405.04	00.00	18.42	6.86						
<b>—</b>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	-					<b>+</b>
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
$\vdash$	First Interoffice Transport - Dedicated - DS1 combination - Per	1	3	UNCDA	ODL04	30.22	195.94	30.30	10.42	0.00	1					-
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	120/01	0.1104					1					<b>†</b>
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1			1									İ	l	
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						ļ
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-		UNCDX	טטוטו	0.9963	21.33	2.90	16.86	1.04	-					<b>+</b>
	Channel System per month			UNC1X	1L5XX	0.1154										
<b>—</b>	Each Additional DS1 Interoffice Channel Facility Termination in		-	ONOTA	TESTA	0.1154										-
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	04.10	07.70	40.70	40.00	27.07	1					
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
$\vdash$	Transport - Zone 2	ļ	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				ļ	ļ	ļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	_	LINIONIN		40 :-	405.01	00.00	40.10	0.00		1				
$\vdash$	Transport - Zone 3	-	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	-			-		<del> </del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	1		UNC1X	1L5XX	0.1154						1				
$\vdash$	First Interoffice Transport - Dedicated - DS1 combination -	+	-	ONCIA	ILOAA	0.1154			-		-	-	-		-	<del>                                     </del>
	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination - per month	<del>                                     </del>		UNC1X	MQ1	69.75	86.10	40.13	45.00	21.31	<b>-</b>	<b>-</b>		<b> </b>		<del>                                     </del>
	1 5. 545.1 S.I.Millo Oystoni 170 in combination per month			5.1517		00.70	55.10									
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		1				
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90	00							İ	İ	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														l	
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				I											
$\vdash$	Combination - Zone 3	<b>_</b>	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						<b></b>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINICALY	110404	4.00	07.00	0.00	10.00	4.6.		1				
$\sqsubseteq$	system combination- per month	<u> </u>	L	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	L	l			l	

UNBUN	IDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
3231												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	PRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ													
$\perp$							Rec	Nonrec		Nonrecurring					Rates (\$)		
-		F		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAN	41.500/	0.4454										
-		Channel System per month		1	UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
$\vdash$		same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system		<del>                                     </del>	UNCIA	UTIFT	34.19	07.70	45.73	43.00	21.91	-					
		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						ı
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCIX	OCIDI	7.35	21.33	2.90	16.86	1.04	-					
		Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						ı
	VTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDAN	EDODT		UNCCC		5.70	5.70	0.01	0.01	<b>-</b>	-				
-	- A I LIV	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	INAIN	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1					
+		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	1	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	<b>H</b>			<del>                                     </del>		
+		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	<del>                                     </del>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	<u> </u>	<b> </b>				
+		First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>		5.101/	JOLAK	02.03	200.40	70.44	37.31	0.00	<u> </u>	<b> </b>		<b> </b>		
		Mile Per Month	l	1	UNC1X	1L5XX	0.1154						1				
+		First Interoffice Transport - Dedicated - DS1 combination -	<b>-</b>	t	5.101A	TEO/A	5.1154			<del>                                     </del>		<b>-</b>	<b>-</b>				
		Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
		3/1 Channel System in combination per month		1	UNC3X	MQ3	121.90	07.70	40.70	40.00	21.01	<b>†</b>	1				
		Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1					
		Each Additional DS1 Interoffice Channel per mile in same 3/1		1	0.10.1%	00.5.	7.00	27.00	2.00	10.00	1101	<b>†</b>	1				
		Channel System per month			UNC1X	1L5XX	0.1154										1
		Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	120/01	0.1101										
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI in the same 3/1 channel system		1													
		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1													
		1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
E	XTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															ı
		per month			UNCDX	1L5XX	0.0057										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	l														
		Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			1101.04	24.00	10=01		10.10							
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
$\vdash$		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
$\vdash$		First 4-wire 64 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	-	ļ		-		
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	l	1	LINCDY	11.5	0.0057						1				
$\vdash$		per month	<b> </b>	1	UNCDX	1L5XX	0.0057					-	ļ		-		
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	l	1	LINCDY	LIATEC	7.00	00.50	22.24	40.40	07.00		1				
+		Termination per month	<del>                                     </del>	1	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	-					
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
ADDITIO	A IAIA	IS Charge IETWORK ELEMENTS	<del>                                     </del>	+	OINCDA	UNCCC		5.70	5.70	10.0	10.0		<b> </b>		<b> </b>		
		IETWORK ELEMENTS  Used as a part of a currently combined facility, the non-recurr	na cha	raes do	notanniv but a 9	Switch Ae le c	harne does ann	ılv					<b> </b>		<b> </b>		
		used as a part of a currently combined facility, the hon-recurr								<del>                                     </del>		<b>H</b>			<b>l</b>		
		curring Currently Combined Network Elements "Switch As Is"					As is onarge t	1003 1101.					<b> </b>				
	.511130	Nonrecurring Currently Combined Network Elements Switch -As-	- Inai ge	1,0110 6	pp55 to 64617 6611												
		Is Charge - 2 wire/4-Wire VG	l	1	UNCVX	UNCCC		5.70	5.70	6.61	6.61		1				ı J
		. •			1									1			

UNRIII	NDI F	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: A
314001	1255	ALTHORIC LLLINLINTO - Georgia		ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
$\vdash$		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
$\vdash$		Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV			5.70	5.70	0.04	0.04						
$\vdash$		Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-		ļ	UNC3X	UNCCC		5.70	5.70	6.61	6.61						
		Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
<del></del>	Intion	al Features & Functions:			UNCOA	UNCCC		5.70	5.70	0.01	0.01	-					
<del>    '</del>	эрион	arreatures & runctions.			U1TD1,	+											
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OL	OI	OI	OI						
		croar charmer capability Extended Frame option per 201	Ė		U1TD1.	0002.		0.	0.		0.						
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI		1				
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			-	-		-						
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62S	23.78\$	2.03\$	0.79S						
		•		i –	U1TD3, ULDD3,										1		
		C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3	<u> </u>	218.74S	7.66S	0.7591S	0S	<u></u>	<u> </u>				<u> </u>
1	MULTIF	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
$\perp$		Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
$\vdash$		month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
+	_	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	1.00	15.01	11.39	0.01	0.01	-					
		used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
+-+	_	Voice Grade COCI - DS1 to DS0 Channel System - per month			ULA	IDIVG	0.4009	11.90	11.39	0.01	0.01						
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
+		DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90	11.00	11.00	0.01	0.01	1					
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
		DS1 COCI used with Loop per month		t	USL	UC1D1	7.35	15.81	11.39	6.61	6.61				İ		İ
		DS1 COCI (used for connection to a channelized DS1 Local	1	i –	ĺ		50		30		2.31				İ		ĺ
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61		1				
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															l
$\sqcup \sqcup$		month		<u> </u>	ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s	ļ	ļ				ļ		ļ
<b>⊢</b> —↓2	2-WIRE	VOICE GRADE LINE PORT RATES (RES)		<u> </u>	LIEBOD	LUEDE:											
$\vdash$		Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28	-			ļ		<b> </b>
		Fushers a Darte - O.Wiss Apples Line Dart with Collecting			LIEDOD	UEPRC	4.00	0.40	0.04	4.07	4.00						
$\vdash$		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	-	<u> </u>	UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28	-			-		
		Evolungo Porto - 2 Wiro Anglog Line Port outgoing only - De-			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28		1				
+		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port		<del>                                     </del>	UEFSK	UEPKU	1.09	2.42	∠.31	1.37	1.28		<b> </b>		-		-
		with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
$\vdash$	-	Exchange Ports - 2-Wire Voice Georgia basic dialing port	-	<del>                                     </del>	OLI OIX	OLFAF	1.09	2.42	2.31	1.37	1.20	<del>                                     </del>					
		without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28		1				
$\vdash$		2-Wire voice unbundled Georgia basic dialing port for use with	t	<del>                                     </del>	021 010	JL1 110	1.09	2.42	2.31	1.37	1.20	<del>                                     </del>	<b> </b>				1
		Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28		1				
			<b>T</b>	1		1	50				20	İ			i		İ
$\vdash$		2-Wire voice unbundled Georgia basic dialing port - outgoing															

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	ibit: A
ONDONDE											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					+		Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
<del>                                     </del>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
<b>—</b>	2-Wire voice unbundled Low Usage Line Port without Caller ID						THOL	Addi	11130	Addi	JOHILO	JOHAN	JONIAN	JOWAN	JOHIAN	JOWAN
	Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID capability,															
	Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
L	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
2 WID	E VOICE GRADE LINE PORT RATES (BUS)		<u> </u>	UEPSR	UEPVF	0.775	0.00	0.00								-
Z-VVIK	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	UEPB1	1.09	0.40	2.24	1.37	1.28						
<b>—</b>	Caller ID - Bus  Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						-
	without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI OD	OLI WE	1.00	2.72	2.01	1.07	1.20						
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)			LIEBOE	LUEDDD	1.00		10.00	11.10							
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	-	-	UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus  2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP UEPSP	UEPPC UEPPO	1.09 1.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83 0.83						-
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83	İ					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83	İ					
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDOD	HEDVE	4.00	00.00	10.00	44.40	0.00						
<b>—</b>	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83						-
	Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.00	20.00	10.00	11.40	0.00						
	Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way							40								
	Oudial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						
<del>                                     </del>	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	1	<del>                                     </del>	OLFOF	OLF WI	1.09	20.08	13.03	11.48	0.83	<b>+</b>		<b> </b>			<del>                                     </del>
	Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						
	Subsequent Activity	l		UEPSP	USASC	0.00	0.00	0.00	0	5.50						
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00		_						
EXCH	ANGE PORT RATES (COIN)															$oxed{oxed}$
110	Exchange Ports - Coin Port			udii alaat	almanda e cole ci	1.09	2.42	2.31	1.37	1.28	atad cold. a	union IODA:				
INUIE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to o	circuit switche	u voice and/or	circuit Switche	eu data transm	ussion by B-Ch	iaimeis assoc	iated with 2	-wire i2DN b	orts.			

UNBUND	LED NF	TWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
1			1									Submitted	Submitted		Charge -	Charge -	Charge -
1												Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
1														1st	Add'l	Disc 1st	Disc Add'l
1																Disc 1st	DISC Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		ess to B Channel or D Channel Packet capabilities will be	availal	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/	New Business	s Request Pro	cess.	
		L EXCHANGE SWITCHING(PORTS)															
		PORT RATES	L	L		<u> </u>	L				L		L				
		rt rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
Req		r 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effecti			5.50										
+		ange Ports - 2-Wire DID Port ange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45		-				
		bility (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
		lange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36	-					
		eatures Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00	45.07	10.30	1			-		-
		ange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		<del> </del>						
NO.		smission/usage charges associated with POTS circuit st	witched	usage						ission by R-C	l hannels associ	iated with 2	wire ISDN -	orts.	t		<del>                                     </del>
		ess to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		PORT RATES (continued)							, • αρασι								
		ange Ports - 4-Wire ISDN DS1 Port with Detailed E911	i e				İ	İ		İ	i				1		
. 1		tor Capability (E:4/1/2004)	1		UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69		1		I		
		ange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		sical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
	Virtua	al collocation - Special Access & UNE, cross-connect per		i i													
	DS1				UEPEX UEPDX	CNC1X	0.3726										
Deta		1 with Locator Capability (required with UEPEX port)															
		undled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		tor Capability - Initial Profile Establishment per CLEC per															
	State				UEPEX	UEP1A	0.00	1,818.00									
		undled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		tor Capability - Subsequent Profile Changes, Additions,				l											
<del></del>	Delet				UEPEX	UEP1B	0.00	176.57									
New		itional PRI Telephone Numbers															
		undled Exchange Ports, 4-Wire ISDN DS1 Port - E911 tor Capability 2-way Telephone Numbers, per number in															
		ror Capability 2-way releptione Numbers, per number in profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
		undled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLFLX	OLFIC	0.0703	0.30			<del> </del>						
		tor Capability - Outdial Telephone Numbers, per number in															
		profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
		undled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			02. 2/	025	0.0100	2	.02			1			1		1
	Telen	phone Numbers - Inward Data Only Option [New or															
		tional]			UEPDX	UEP1E	0.00	0.50									
	Exch	ange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
.	Inwar	rd Tel Numbers [Customer Testing Purposes]	1		UEPEX	PR7ZT	0.00	21.43	21.43		I				I		1
LOC		IBER PORTABILITY															
		l Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INT		(Provsioning Only)															
		e/Data			UEPEX	PR71V	0.00	0.00	0.00								
	5	al Data			UEPEX	PR71D	0.00	0.00	0.00								
		rd Data	ļ	<u> </u>	UEPDX	PR71E	0.00	0.00	0.00		ļ				1		
New		itional Channel	<b>!</b>	<b>—</b>	LIEBEV .	DD=0::									ļ		1
		or Additional - Voice/Data "B" Channel	ļ	<b>.</b>	UEPEX	PR7BV	0.00	28.71			-				-		-
		or Additional - Digital Data "B" Channel	ļ	<b>.</b>	UEPEX UEPDX	PR7BF PR7BD	0.00	28.71			-				-		-
		or Additional Inward Data "B" Channel	-	<b>—</b>	UEPDX	PR7BS	0.00	28.71			<del>                                     </del>	-	-		1		1
		or Additional Useage Sensitive Voice Data "B" Channel		1	UEPEX UEPEX	PR7BU	0.00				<del>                                     </del>				<del>                                     </del>		-
		or Additional Useage Sensitive Digital Data "B" Channel or Additional PRI "D" Channel	-	<b>—</b>	UEPEX	PR7EX	0.00	28.71		-	<del></del>	-			<del></del>		-
CVI	LL TYPES		<del>                                     </del>		ULFEA	FR/EA	0.00	20./1			<del>                                     </del>				<del>                                     </del>		
CAL	Inwar		<del>                                     </del>		UEPEX UEPDX	PR7C1	0.00	0.00	0.00		<del>                                     </del>				<del>                                     </del>		
-+	Outw		<b> </b>		UEPEX	PR7CO	0.00	0.00	0.00		<del>                                     </del>	<b>-</b>			t		<b>-</b>
-+	Two-		<b>-</b>		UEPEX	PR7CC	0.00	0.00	0.00		<b>-</b>		<u> </u>		<b>-</b>		
		D PORT with REMOTE CALL FORWARDING CAPABILITY	,				0.00	5.50	0.00		<u> </u>				<u> </u>		<del>                                     </del>
UNF	RONDEL																
		D REMOTE CALL FORWARDING SERVICE - RESIDENCE															

UNRI	INDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
3,450		S ITE I TO THE ELEMENTO OCCUPA		1	l		1					Svc Order	Svc Order	Incremental		Incremental	Incremental
1				1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st			
														1St	Add'l	Disc 1st	Disc Add'l
				1			Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with			LIEDVO			0.04	0.04								
	LIMBUR	allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31	1							
<b>—</b>	ONBON	IDLED REMOTE CALL FORWARDING - Bus		<del>                                     </del>		+				<b>-</b>		-			<del>                                     </del>		
1		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28				I		
$\vdash$	<b>H</b>	onbundied Remote Call Forwarding Service, Area Calling - Bus	<b>H</b>	<del>                                     </del>	OLF VD	ULINAU	1.09	2.42	2.31	1.37	1.28	1		<del> </del>	t	<b>l</b>	
1		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28				I		
<b>—</b>		Unbundled Remote Call Forwarding Service, Local Calling - Bus		<b>†</b>	UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28	<del>                                     </del>		<b> </b>	<del>                                     </del>		
-		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28	<b>†</b>					
		Unbundled Remote Call Forwarding Service Expanded and			OLI VD	OLIVIIV	1.00	2.72	2.01	1.07	1.20	1					
		Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring										İ					
		Unbundled Remote Call Forwarding Service - Conversion -				1						İ					
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with		1													
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBUN	IDLED L	OCAL SWITCHING, PORT USAGE												ĺ			
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0006153										
		End Office Trunk Port - Shared, Per MOU					0.0001226										
	Tander	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972										
		Tandem Trunk Port - Shared, Per MOU				ļ	0.0001557										
	-	Tandem Switching Function Per MOU (Melded)					0.000017904					1					
		Tandem Trunk Port - Shared, Per MOU (Melded)		1		-	0.00002868			-		<b> </b>	-				
	Comm	Melded Factor: 18.42% of the Tandem Rate on Transport		1		-				-		<b> </b>	-				
_	Commi	Common Transport - Per Mile, Per MOU				1	0.0000027					<b> </b>					
$\vdash$	<b>H</b>	Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU	<b>H</b>	<del>                                     </del>	1	+	0.0000027			t		1		<del> </del>	t	<b>l</b>	<b></b>
UNRUN	IDI ED E	PORT/LOOP COMBINATIONS - COST BASED RATES	<b>-</b>	<b>†</b>		+	0.0001914			t		<del>                                     </del>		<b> </b>	<del>                                     </del>		
5.4501		ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.	<b>I</b>		1	<b>-</b>		<b>I</b>		
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.			<u> </u>		
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combinatio	ns.	İ	
		st and additional Port nonrecurring charges apply to Not Curr														l	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)										,	ĺ				
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
<u> </u>	UNE L	pop Rates															
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56			L		<u> </u>		ļ	L	ļ	
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86			1		ļ		ļ	1		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66			ļ		ļ			ļ		
	2-Wire	Voice Grade Line Port Rates (Res)		<u> </u>	LIEBBY	Lusas:						ļ			ļ		
<u> </u>		2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28	-			-		
<b>├</b>		2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28			ļ	-	<b> </b>	
<u> </u>	-	2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28	<b> </b>		<del>                                     </del>	<del>                                     </del>	<b> </b>	ļ
1		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.0040	40.05	7.00	4.07	1.28				I		
$\vdash$	-	(LUM)  2-Wire voice unbundled Georgia basic dialing port without Caller		<del>                                     </del>	UEPKA	UEPAP	0.9019	10.05	7.36	1.37	1.28	<del>                                     </del>	-		<del>                                     </del>		
		ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28				I		
	1	In capability - 162		1	ULPRA	UEFWC	0.9019	10.05	7.36	1.37	1.28	<u> </u>	l .	1	1	l	

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		1	1			_ 1	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port for use with															
-	<u> </u>	Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
		lonly			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Low Usage Line Port without Caller ID									-						
		Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia     2-Wire Voice Grade Unbundled Port with Caller ID, Georgia	-		UEPRX UEPRX	UEPRV	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
	FEATU		1	1	OLFKX	OLFKO	0.9019	10.03	7.30	1.37	1.20						
		All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
-	NOND	Local Number Portability (1 per port)	-	1	UEPRX	LNPCX	0.35										
-	NONKI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<b>-</b>	<del>                                     </del>		+											
		Switch-as-is			UEPRX	USAC2		0.10	0.10	<u>                                       </u>			<u> </u>				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -									·						
	ADDIT	Switch with change ONAL NRCs	-	-	UEPRX	USACC		0.10	0.10								
	ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				İ											
	055/0	Premise			UEPRX	URETL		8.33	0.83								
-	OFF/O	N PREMISES EXTENSION CHANNELS  2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	<b>-</b>	2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
		2 Wire Analog Voice Grade Extension Loop – Design	ļ	3	UEPRX	UEAED UEAED	16.95 33.08	79.85 79.85	24.65 24.65	18.92 18.92	7.87 7.87						
-	INTER	2 Wire Analog Voice Grade Extension Loop – Design  OFFICE TRANSPORT		3	UEPRX	UEAED	33.06	79.00	24.05	10.92	7.07						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
	2-WIRE	or Fraction Mile  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1	UEPKA	UTTVIVI	0.0057	0.00	0.00								
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	ļ	2-Wire VG Loop/Port Combo - Zone 2	ļ	2		+	15.76										
-	UNF	2-Wire VG Loop/Port Combo - Zone 3	<b> </b>	3		+	32.56										
	J.112 E.	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>†</b>	1	UEPBX	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86										
<u> </u>	O /h/:	2-Wire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPBX	UEPLX	31.66										
-	∠-vvire	Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus	<b>-</b>	<u> </u>	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port for use with		1			3.0019	10.00	7.50								
		Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	0.0010	10.05	7.00	4 27	4.00						
-	LOCAL	Capability   NUMBER PORTABILITY	-	<del>                                     </del>	OLFDA	UEFBE	0.9019	10.05	7.36	1.37	1.28						
	LUGAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	RES															
-	NOND	All Features Offered	-	1	UEPBX	UEPVF	0.775	0.00	0.00								
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	1		1						l	l		l		

UNBUN	NDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
OI4DOI	1DLL	NETWORK ELEMENTO Georgia			1							Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>																	
							Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	001111	001141
$\vdash$		2 Wire Voice Crade Loop / Line Bort Combination Conversion						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10								1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI DX	UUAUZ		0.10	0.10				<b>†</b>				
		Switch with change			UEPBX	USACC		0.10	0.10								1
-	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS		1	UEDDV		10.51	40.00		= 0.1	. =0						
-		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						──
-		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX UEPBX	UEAEN	15.85 31.97	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72		-				<del></del>
$\vdash$		2 Wire Analog Voice Grade Extension Loop – Non-Design  2 Wire Analog Voice Grade Extension Loop – Design	-	1	UEPBX	UEAEN	11.57	79.85	24.65	18.92	7.87	}		<b> </b>	<del> </del>	<del> </del>	$\vdash$
		2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						<del> </del>
		2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87		1				
	NTER	OFFICE TRANSPORT					00.00			7,010							
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE P	ort/Loop Combination Rates					10.10										
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
-		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			15.76 32.56						-				
<del>     </del>	INF L	pop Rates		3			32.56					ł	1				$\vdash$
<u> </u>	OIAL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56						<b>†</b>				
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86						1				
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66										
1	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
l l	LOCAL	NUMBER PORTABILITY															
<u> </u>		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU				LIEDDO	UEPVF	0.775	0.00	0.00								
<b>—</b>	NONDE	All Features Offered  CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPRG	UEPVF	0.775	0.00	0.00				-				<del></del>
<del>                                     </del>	NOINE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1								ł	1				$\vdash$
		Conversion - Switch-As-Is			UEPRG	USAC2		0.10	0.10								[
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1			50	30			1			İ	İ	
L_		Conversion - Switch with Change	<u></u>	L	UEPRG	USACC		0.10	0.10			<u> </u>	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -									<u> </u>						
$\vdash \vdash$		Subsequent Activity		<u> </u>	UEPRG	USAS2	0.00	0.00	0.00			ļ					<b>↓</b>
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.70	0.70								1
$\vdash$		Group Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	<u> </u>	<b>-</b>	+		6.70	6.70			1	1	-			$\vdash$
		Premise			UEPRG	URETL		8.33	0.83								[ ]
	OFF/O	N PREMISES EXTENSION CHANNELS		<del>                                     </del>	021110	OILLIE		0.00	0.03			1	<b>-</b>				<del>                                     </del>
		Local Channel Voice grade, per termination	l	1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87		1		1	1	
		Local Channel Voice grade, per termination	1	2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87	Ì		1			
		Local Channel Voice grade, per termination			UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						ldot
$\vdash$		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02	ļ					<b>↓</b>
$\vdash$	NTER	DEFICE TRANSPORT	<b>.</b>	<u> </u>	<del>                                     </del>							ļ		<b> </b>	<b>.</b>	<b>.</b>	$\vdash$
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00						1
$\Box$		Tominaudi	<u> </u>	1	OLFING	01172	12.07	40.40	19.48	10.08	5.00		1	l	1	1	

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	bit: A
ON BONDE	The state of the s										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p = = = = = = = = = = = = = = = = = = =	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															<b>——</b>
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	1	1			10.46										<b></b>
<b></b>	2-Wire VG Loop/Port Combo - Zone 1		2		_	15.76					-					<del>                                     </del>
h	2-Wire VG Loop/Port Combo - Zone 3	1	3		+	32.56					1					
UNF	Loop Rates	1	- 3			32.30										
OITE !	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	31.66										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
<b></b>	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						<b>——</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						1
<b></b>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	UEPPX	UEPAE	0.9019	10.05	7.30	1.37	1.28						<b></b>
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						1
<del>                                     </del>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFA	ULFAL	0.9019	10.03	7.30	1.37	1.20				1		
	Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLI I X	OLI XIVI	0.0010	10.00	7.00	1.07	1.20	1					
	Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD						40.05	= 00								
$\vdash$	Terminal Ports	<b>!</b>	<u> </u>	UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28		<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
$\vdash$	2-Wire voice unbundled Georgia basic dialing port - PBX LD	1	<del>                                     </del>	ULPFA	UEFFI	0.9019	10.05	7.36	1.3/	1.28		<b> </b>	<b> </b>	<del> </del>	<b> </b>	<del>                                     </del>
	DDD Terminal Port	1		UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28		1				1
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l	1	OLI I A	JEITO	0.3013	10.03	7.30	1.37	1.20						
	Terminal Switchboard Port	1		UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28		1				1
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	<b>1</b>	t			3.00.0				20				1		
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						[ ]
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way		i –											1		
	Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						1
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES	ļ	<u> </u>											ļ		<b></b>
	All Features Offered	<b>!</b>	<u> </u>	UEPPX	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	<u> </u>													$\vdash$
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		LIEDDY	LICACO		0.40	0.40				1				1
$\vdash$	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del>                                     </del>	<b>├</b>	UEPPX	USAC2		0.10	0.10			1		-	<b> </b>	-	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		0.10	0.10								
ADDI:	TIONAL NRCs	<del>                                     </del>	<del>                                     </del>	OLFFA	USACC		0.10	0.10			<b>H</b>		<b>l</b>	<del> </del>	<b>l</b>	1
		<del></del>	L	l .	1	J			1	1	1		l	1	l	

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400	0.00	0.00	0.00								l l
		Subsequent Activity		1	UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70								l l
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				_		0.70	6.70			1	-				
		Premise			UEPPX	URETL		8.33	0.83								l l
-	OFF/O	N PREMISES EXTENSION CHANNELS		1	OLITA	OKLIL		0.33	0.03			1	<b>-</b>				<del>                                     </del>
	01170	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87	1	1				<b>—</b>
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02					ĺ	
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE P	ort/Loop Combination Rates		<b>.</b>			10.10										ļ
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
-		2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		2	-		15.76 32.56						-				-
	LINEL	pop Rates		3	-		32.56						-				-
	ONL L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56					1	1				1
-		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86					1	1	1	1	1	-
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	31.66										<del>                                     </del>
	2-Wire	Voice Grade Line Ports (COIN)		l u	021 00	OLI EX	01.00										
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 900/976															
		Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEBS !	0.0040	40.0-	7.00	4.0-	1.00						
		(GA, KY, MS)		<u> </u>	UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28			<del>                                     </del>	<del>                                     </del>	<b>.</b>	<del>                                     </del>
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
<b>-</b>	-	2-Wire 2-Way Smartline with 900/976 (all states except LA)	-	<del>                                     </del>	UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>
<b> </b>	<b>-</b>	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	<b>-</b>	t	02100	OLI ON	0.5019	10.05	1.30	1.37	1.20	<b>-</b>	<b>-</b>	<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>
1		LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
<b>-</b>	ADDIT	ONAL UNE COIN PORT/LOOP (RC)	<b>†</b>	<del>                                     </del>		52. OK	5.5519	10.00	7.50	1.07	1.20	<del>                                     </del>	<del>                                     </del>				<b>†</b>
		UNE Coin Port/Loop Combo Usage (Flat Rate)		t —	UEPCO	URECU	3.59	0.00	0.00	0.00	0.00			İ	İ	İ	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -									_						
		Switch-as-is		<u> </u>	UEPCO	USAC2		0.10	0.10								<u> </u>
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change		<u> </u>	UEPCO	USACC		0.10	0.10								ļ
<u> </u>	ADDIT	ONAL NRCs		<u> </u>	ļ												<b> </b>
1		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110400		0.00	0.00								'
<u> </u>		Activity		<del>                                     </del>	UEPCO	USAS2		0.00	0.00			-	-	-	-	-	-
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
<b></b>	2-WIDE	Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I FIINF	POPT /		ONLIL		0.33	0.63			<del>                                     </del>		<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
	T-AAIL/E	. VOICE LOCI / ZWINE VOICE GRADE IO TRANSPORT/ Z-WIRE	L LINE I	OK I (	NEO)	1						I	I	I	I	I	

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0.1.201.122		I									Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		<b>-</b>	-		+		Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)	l .	
		<del> </del>			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates						11100	Addi	11130	Addi	COMEC	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	i e	1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92									ĺ	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	16.95						ļ				
0.14/:-	2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFR	UECF2	33.08						ļ				-
2-Wir	e Voice Grade Line Port Rates (Res)	ļ	-	UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44		1				<b>—</b>
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	<b>-</b>	-	UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44		<b> </b>				<del></del>
+	2-Wire voice unbundled port outgoing only - res		-	UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44	<u> </u>	<u> </u>			1	<del> </del>
	2-Wire voice unburidled port outgoing only 1 res  2-Wire voice unburidles res, low usage line port with Caller ID	1		OLITIK	OLI IKO	1.03	100.03	40.00	41.03	13.44		1				<del></del>
	(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						1
	2-Wire voice unbundled Georgia basic dialing port, without	1									İ	†				
	Caller ID capability - res	<u> </u>		UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTE	ROFFICE TRANSPORT											ļ				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.00	40.07	40.40	10.10	40.50	5.00						
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ļ	-	UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00		1				<b>—</b>
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEAT	TURES		-	OLFIK	TLOAA	0.0037	0.00	0.00			<u> </u>	<u> </u>			1	<del> </del>
1 1	All Features Offered	1		UEPFR	UEPVF	0.775	0.00	0.00				1				<del></del>
LOCA	AL NUMBER PORTABILITY			02	02. 11	00	0.00	0.00			İ	İ				
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35						İ				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86				ļ				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.40	4.40								
2 14/15	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	 E I INE I	ODT /	UEPFR BUEY	URETN		11.19	1.10				<b>.</b>				-
	Port/Loop Combination Rates	T LINE	I NO	l l							ł	1				
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	25.53						<b>+</b>				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92					İ	İ				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	i e	3			47.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	16.95		· · · · · ·								
	2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFB	UECF2	33.08									ļ	
2-Wir	e Voice Grade Line Port (Bus)	<u> </u>		LIEDED	LIEDS:	1.00	/00.0-	10.0-			<u> </u>		ļ			1
	2-Wire voice unbundled port without Caller ID - bus	1	<u> </u>	UEPFB UEPFB	UEPBL UEPBC	1.09 1.09	166.05	43.66 43.66	41.89 41.89	15.44 15.44	ļ	ļ	-	<del> </del>	<del>                                     </del>	<del></del>
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	<del>                                     </del>		UEPFB UEPFB	UEPBC	1.09	166.05 166.05	43.66	41.89	15.44 15.44	1	1	-			<del></del>
+	2-Wire voice unburidled incoming only port with Caller ID - Bus	<del>                                     </del>		UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44	<b>+</b>	<u> </u>	-	<del> </del>	<del> </del>	<del></del>
	2-Wire voice unbundled Georgia basic dialing port, without	<b>1</b>		02110	02.01	1.03	100.03	45.00	41.09	10.44	1	1				<b>†</b>
	Caller ID capability - bus	1		UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						1
	2-Wire voice unbundled Georgia basic dialing port for use with										İ	İ		1	1	
	Caller ID - bus	<u> </u>		UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44	<u> </u>	<u> </u>	<u> </u>			<u> </u>
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										——
INTE	ROFFICE TRANSPORT	<u> </u>									<u> </u>		ļ			
( l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDER	11477/0	40.07	40.40	40.40	40.50	F 00						1
	Termination	i .	<u> </u>	UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00	1	L	l	L	L	

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: A
													Incremental	Incremental	Incremental	Incremental
											Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				41 = 204											
EEA	or Fraction Mile	-		UEPFB	1L5XX	0.0057	0.00	0.00								
I LA	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110 4 00		7.05	4.00								
$\vdash$	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>	UEPFB	USAC2		7.85	1.86								
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise	<u> </u>		UEPFB	URETN		11.19	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (I	PBX)												
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	1		+	25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates  2-Wire Voice Grade Loop (SL2) - Zone 1	ļ	1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	33.08										
2-Wii	e Voice Grade Line Port Rates (BUS - PBX)															
								40.00								
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	-	<u> </u>	UEPFP UEPFP	UEPPC UEPPO	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus	-		UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-	<u> </u>	UEPFP UEPFP	UEPXC	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITI	OLI AD	1.00	100.00	40.00	41.00	10.44						
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDVI	4.00	400.05	40.00	44.00	45.44						
<b>-</b>	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-		UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port		<u> </u>	UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire voice unbundled Georgia basic dialing port - 1-Way	<b> </b>	<b></b>	UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		i –													
	Trunk	ļ	ļ	UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOC	AL NUMBER PORTABILITY  Local Number Portability (1 per port)	<b> </b>	<u> </u>	UEPFP	LNPCP	3.15	0.00	0.00								
INTF	ROFFICE TRANSPORT	1	<del>                                     </del>	ULFFF	LINEUE	3.15	0.00	0.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		İ													
	Termination	ļ	ļ	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00								
FFAT	TURES	<del>                                     </del>	<del>                                     </del>	ULFFF	ILOAA	0.0057	0.00	0.00								
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		7.05	1.00								
<del>                                      </del>	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>	UEFFF	USACZ		7.85	1.86								
	Combination - Conversion - Switch with change		L	UEPFP	USACC		7.85	1.86	<u>                                       </u>		<u> </u>					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise		l	UEPFP	URETN		11.19	1.10								

UNBL	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		1	
												I .	Submitted		Charge -	Charge -	Charge -
1			lutur.									Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	US	oc		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																1	
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNBU	NDLED F	PORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			17.05					i e					
	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			22.44					İ					
	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			38.56					İ					
	UNE L	pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD	1 11.57										
	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD	1 16.95					i e					
	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD						i e					
	UNE P	ort Rate		Ť								i e					
	1	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD	1 5.48	174.55	13.64	59.31	4.27	1		İ	1	İ	1
	NONRE	CURRING CHARGES - CURRENTLY COMBINED				122:2	0.10	11 1100	15.01	22.01				İ		t	
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -				_		1	<b>i</b>	t		1		<b>i</b>		<b>†</b>	t
l	1	Switch-as-is			UEPPX	USAC	1	6.66	1.86	I						I	
	+	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLITA	00/10	·	0.00	1.00			1	<b>†</b>			-	<b>†</b>
		with BellSouth Allowable Changes			UEPPX	USA10		6.66	1.86								
	ADDIT	ONAL NRCs			OLITA	00/111		0.00	1.00			1	<b>†</b>			-	<b>†</b>
	ADDIII	Unbundled Miscellaneous Rate Element, Tag Designed Loop at										<b>†</b>					-
		End User Premise			UEPPX	URET	N.	11.19	1.10								
	Telenh	one Number/Trunk Group Establisment Charges			OLITA	OKLI	·	11.13	1.10			<b>†</b>					-
	relepii	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00			<b>†</b>					-
-	+	DID Numbers, Establish Trunk Group and Provide First Group			ULFFX	ועטו	0.00	0.00	0.00				1		1		
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
-	+	Additional DID Numbers for each Group of 20 DID Numbers	-	-	UEPPX	ND4	0.00		0.00			ł	<b>-</b>			-	
-	+	DID Numbers, Non- consecutive DID Numbers , Per Number	-	-	UEPPX	ND5	0.00		0.00			ł	<b>-</b>			-	
-	+	Reserve Non-Consecutive DID numbers	-	-	UEPPX	ND6	0.00		0.00			ł	<b>-</b>			-	
-	+	Reserve DID Numbers	-	-	UEPPX	NDV	0.00		0.00			ł	<b>-</b>			-	
-	LOCAL	NUMBER PORTABILITY		-	UEPPX	NDV	0.00	0.00	0.00								
-	LUCAL			-	LIEDDY	LNIDO	0.45	0.00	0.00								
-	0.14//DE	Local Number Portability (1 per port)	NE OIDE	DODT	UEPPX	LNPCI	3.15	0.00	0.00								
-		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT		_											
	UNE P	ort/Loop Combination Rates				_				-		-		-			
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDDD LIED	DD	40.44										
-	+	UNE Zone 1		1	UEPPB UEP	PK	19.44										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_													
		UNE Zone 2		2	UEPPB UEPF	PR	24.45										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	l												
	<u> </u>	UNE Zone 3		3	UEPPB UEPF	PR	38.09										
	UNE L	pop Rates															
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPP	R USL2>	14.25										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPF												
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPP	R USL2	32.90										
	UNE P	ort Rate															
	1	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPI	R UEPP	5.19	161.36	141.68	43.68	8.37		L	ļ		L	ļ
	NONRE	CURRING CHARGES - CURRENTLY COMBINED						ļ		<b></b>		ļ		ļ		<b></b>	<b></b>
l	1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port				_	_			I						I	
	1	Combination - Conversion			UEPPB UEPPF	R USAC	3 0.00	42.52	26.99	ļ		ļ			ļ	ļ	ļ
ļ	ADDIT	ONAL NRCs						ļ		<b></b>		ļ		ļ		<b></b>	<b></b>
1	1	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1		l	_				I						I	
	4	Non Feature/Add Trunk			UEPPB UEPP	R USAS	3	0.00		L		<b></b>				L	<b></b>
1	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			l	_				I						I	
	1	End User Premise			UEPPB UEPP	R URET	N	11.19	1.10	ļ			L	ļ		L	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User								1		1				1	
		Premise			UEPPB UEPP	R URET	-	8.33	0.83								ļ
	LOCAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPPB UEPP	R LNPC	( 0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:															
1		CVS/CSD (DMS/5ESS)			UEPPB UEPP	R U1UC	0.00	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1			1		Nonne		l Names according	Dianamant			220	Datas (ft)		
		-	1			+	Rec	Nonrec	urring Add'l	Nonrecurring First		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	CVS (EWSD)	1	+	UEPPB	UEPPR	U1UCB	0.00	First 0.00	0.00	FIRST	Add'l	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SOWAN
	CSD		1		UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	L TN)	OLITE	OLITIK	01000	0.00	0.00	0.00								
	TERMINAL PROFILE	1	1			1											
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
4 MUDE	Interoffice Channel mileage each, additional mile	K DODT	1	UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNINE-P DS1 combination rates below for in this rate exhibit apple.			Ided baca	in place a	e of 10/2/02	until 4/1/04 A4	or 4/1/04 these	rates shall re	vert to tariff rot	es or a consta	to commore	al agraces	nt .	-		
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 7														<del> </del>		
	ort/Loop Combination Rates	I	I		nive date c		incite onan be i	oroviaca parse	idiit to a sepai	l agreement	or tarm at Ber		1				
0.1.2.1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1											
	Zone 1		1	UEPPP			106.15										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1															
	Zone 2		2	UEPPP			111.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			127.15										
UNE Lo	oop Rates		<u> </u>														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2	-	3	UEPPP		USL4P USL4P	46.41 62.03										
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate	1	3	UEPPP		USL4P	62.03					-					
UNLF	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1	UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						
NONRE	ECURRING CHARGES - CURRENTLY COMBINED			OL:		02	00.10	000.10	1011.12	70	21.00						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
ADDITI	IONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																ı
	Inward/two way Tel Nos. (except NC)		ļ	UEPPP		PR7TF		0.50									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			LIEDDD		DD7TO		40.70									
<b>—</b>	Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	-	<del> </del>	UEPPP		PR7TO		10.72				-					
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43									1
LOCAL	NUMBER PORTABILITY			OLITI		110/21		21.40									
	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75								İ		
INTER	FACE (Provsioning Only)	1								<u> </u>							
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00		_						
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
<u> </u>	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00								
New or	r Additional "B" Channel	1	1	LIEDOD		DDZD\/	0.00	10.50									
$\vdash$	New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel	1	1	UEPPP		PR7BV PR7BF	0.00	13.59 13.59				1					
<del>                                      </del>	New or Additional Inward Data B Channel	<del>                                     </del>	1	UEPPP		PR7BD	0.00	13.59		1		<del>                                     </del>			<del> </del>		
CALL 1		<del>                                     </del>	1	OLI II		. 17700	0.00	15.55									
J. 122	Inward	t -		UEPPP		PR7C1	0.00	0.00	0.00								
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00	İ					İ		
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage								•								
	Fixed Each Including First Mile			UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.1154										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT				To other	1 40/0/22		4/4/04 //				<u> </u>	-1				
I he UN	NE-P DS1 combination rates below for in this rate exhibit applests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef	y to the	embec	this amor	in place a	IS 01 10/2/03 I	untii 4/1/04. Aft	er 4/1/U4 these	rates shall re	vert to tariff rat	es or a separa	e commerc	iai agreeme	nt.			
	sts for 4-wire DS1 Digital Loop with 4-wire DDI1S after the en	Tective	ate of	uns amen	unient sna	ne provide	u pursuant to a	a separate agre	ement or tarif	at DeliSouth's	discretion.	<del>                                     </del>			<del> </del>		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del>                                     </del>	1	UEPDC		<del>                                     </del>	82.22			1		<b>H</b>			<del>                                     </del>		
	23. 2.g Loop/411 DDITO HUIKT OIL ONE ZOILE I			02.00		1	02.22						L		1		

UNBUND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
3.130.11	Octorgia										Svc Order	Svc Order	Incremental			Incremental
			ĺ								I .	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(*)			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec		curring	Nonrecurring	g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		87.61										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
UN	E Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	ļ		UEPDC	USLDC	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2	1		UEPDC	USLDC	46.41										
	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	62.03					1					
UN	## Port Rate  4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1		LIEDDO	UDD1T	41.20	200.05	405.00	80.17	7.00	-					-
NO	NRECURRING CHARGES - CURRENTLY COMBINED	1		UEPDC	ווטטטוו	41.20	392.25	185.06	80.17	7.86	-					-
NO	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-			+						<b> </b>	-				
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79								
<del> </del>	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<del>                                     </del>		OLFDC	USAC4		132.19	00.79			<u> </u>					1
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79					1	1		
<del>                                     </del>	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	<b>-</b>	02.1 00	30,000		102.19	00.79	1		<del>                                     </del>	<b>-</b>	t	<del>                                     </del>		<del> </del>
	- Conversion with Change - Trunk (E:4/1/2004)		1	UEPDC	USAWB		132.19	66.79					I	I		
AD	DITIONAL NRCs	1			30,		102.10	33.73					<u> </u>	<u> </u>		1
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				İ	İ	İ	1		İ			1	1	İ	İ
	Service Activity Per Service Order		1	UEPDC	USAS4		0.00	0.00					I	I		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1	Ì				1	1		l			1	1	l	İ
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				l											
L	Activation / Chan - 2-Way DID w User Trans	ļ		UEPDC	UDTTE		13.95	13.95								
BIF	POLAR 8 ZERO SUBSTITUTION	1		LIEBBO	00005		0.00									
$\vdash$	B8ZS -Superframe Format B8ZS - Extended Superframe Format	1		UEPDC UEPDC	CCOSF		0.00i 0.00i	392.25s			-					-
A 14	ernate Mark Inversion	-		UEPDC	CCOEF		0.001	392.25s			<b> </b>	-				
Alt	AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00			1	1	1	1		
<b>—</b>	AMI - Extended SuperFrame Format	1		UEPDC	MCOPO		0.00	0.00			1	1	1	1		
Tel	ephone Number/Trunk Group Establisment Charges			OLI DO	WICCI C		0.00	0.00			<b>†</b>		-			
10.	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00					1					
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					i e					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	İ	1		İ			1	1	İ	İ
	DID Numbers, Establish Trunk Group and Provide First Group			-	1	2.30	İ	1		İ			1	1	İ	İ
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00					I	I		
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00					İ					1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
De	dicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities														I	
	Termination)	1	<u> </u>	UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73			L	L		ļ
			1	l	1			I					I	I		
$\vdash$	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00					1	1		ļ
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1										I	I		
$\vdash$	Termination)	1	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00	ļ	-		-	-	-	<b> </b>	ļ
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBBO	41 1100	0.44=-	0.00						1	1		
$\vdash$	miles	-		UEPDC	1LNOB	0.1154	0.00	0.00			-		-	-		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		l	LIEDDC	1LNO3	0.00	0.00	0.00					1	1		
$\vdash$	Termination)	1	<del>                                     </del>	UEPDC	ILINU3	0.00	0.00	0.00	1		<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>		-
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.1154	0.00	0.00					I	I		
$\vdash$	Local Number Portability, per DS0 Activated	+	<del>                                     </del>	UEPDC	LNPCP	3.15	0.00	0.00	1		1	<del>                                     </del>	+	+	<b> </b>	<del> </del>
$\vdash$	Central Office Termininating Point	<del>                                     </del>	<del>                                     </del>	UEPDC	CTG	0.00	<b> </b>	+	1		1	<del>                                     </del>	+	+	<b> </b>	1
	Dential Office Tellillilliating Folia	1	<u> </u>	OLI DO	010	0.00	l	1	1	l	L	1	1	I	l	

NBUNDL	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			Incrementa
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
4-WI	IRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations									İ					1
Each	h System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
The	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this rate	e exhibit app	ly to the embe	dded base in p	lace as of 10/2	/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	uests for 4-Wire DS1 Loop with Channelization with Port after th														Ī	1
	DS1 Loop					1										1
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46.41	0.00	0.00								1
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	62.03	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00					İ		İ	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00					İ		İ	<u> </u>
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00					İ		İ	<u> </u>
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00					<b>i</b>	<b>†</b>	<b>i</b>	<b>—</b>
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00					<b>i</b>	<b>†</b>	<b>i</b>	<b>—</b>
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	430.40	0.00	0.00					<b>i</b>	<b>†</b>	<b>i</b>	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00					<b>i</b>	<b>†</b>	<b>i</b>	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00			<b>†</b>					<del>                                     </del>
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								-
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1.032.96	0.00	0.00								-
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00								-
Non	-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	aliztio					0.00								-
	inimum System configuration is One (1) DS1, One (1) D4 Channe						Stein									-
	tiples of this configuration functioning as one are considered Ac															-
inuit	NRC - Conversion (Currently Combined) with or without	I all	1 1110 11	l	I	l .										-
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
Syst	tem Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat					0.57								-
	(Not Currently Combined) in all states, except in Density Zone 1				l carron carro		i				<b>†</b>					<del>                                     </del>
14011	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	0. 10p	1 11107	I							<b>-</b>					1
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
Rinc	plar 8 Zero Substitution			OLI WO	VOIVID4	0.00	373.04	200.01	03.43	0.55	<b>-</b>					1
Бірс	Clear Channel Capability Format, superframe - Subsequent				<b>†</b>						<b>†</b>					<del>                                     </del>
	Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s								
	Clear Channel Capability Format - Extended Superframe -			OLI MO	00001	0.00	0.001	002.200								-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
Alto	rnate Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.001	552.255								-
Aite	Superframe Format		-	UEPMG	MCOSF	0.00	0.00	0.00					1		1	1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								-
Excl	hange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	021 1010		0.00	0.00	0.00			<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	hange Ports	******			<del> </del>									<b>+</b>		<del>                                     </del>
EXCI	Line Side Combination Channelized PBX Trunk Port - Business				1	<del>                                     </del>	<del>                                     </del>	<u> </u>			<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	(E:4/1/2004)			UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00		1		I		
	Line Side Outward Channelized PBX Trunk Port - Business	<del>                                     </del>	<del>                                     </del>	OLI I A	JLI UX	1.09	0.00	0.00	0.00	0.00	t	<b>-</b>	<u> </u>	t	<b> </b>	<del></del>
	(E:4/1/2004)		1	UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID	<b>-</b>	_	OLFFA	JLFUA	1.09	0.00	0.00	0.00	0.00	-	-	-	<del></del>	-	<del>                                     </del>
	(E:4/1/2004)		1	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00	1	1	l	1		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-	<del>                                     </del>	UEFPA	UEPIA	1.09	0.00	0.00	0.00	0.00	<del>                                     </del>	<u> </u>		<del>                                     </del>		<del>                                     </del>
	(E:4/1/2004)			UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00		1		I		
Eact	ture Activations - Unbundled Loop Concentration	-		ULPPA	DEFDIN	5.50	0.00	0.00	0.00	0.00	-		-	<del>                                     </del>	-	<del>                                     </del>
reat		-	<del>                                     </del>		<del>                                     </del>				-		<del>                                     </del>	<u> </u>		<del>                                     </del>		<del>                                     </del>
	Feature (Service) Activation for each Line Port Terminated in D4 Bank		1	UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95						
	Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>		OLFFA	I F CQ V V IVI	0.4009	12.90	0.80	1.90	1.95	<del>                                     </del>	<b>-</b>	1	<del>                                     </del>	1	<del>                                     </del>
	D4 Bank			UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34		1		I		
Tala	phone Number/ Group Establishment Charges for DID Service	-		ULPPA	IFUVVU	0.4689	38.09	9.18	20.77	5.34	-		-	<del>                                     </del>	-	<del>                                     </del>
rele		-		UEPPX	NDT	0.00	0.00	0.00			-		-	<del>                                     </del>	-	<del>                                     </del>
	DID Trunk Termination (1 per Port)  Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-	-		NDT						1	-	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>
		-		UEPPX	NDZ ND4	0.00	0.00	0.00			-		-	<del>                                     </del>	-	<del>                                     </del>
	DID Numbers - groups of 20 - Valid all States  Non-Consecutive DID Numbers - per number	-		UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00			-		-	<del>                                     </del>	-	<del>                                     </del>
	Reserve Non-Consecutive DID Numbers - per number	<u> </u>	-								-		-	-	-	<del>                                     </del>
		1	1	UEPPX	ND6	0.00	0.00	0.00	i l	1	1	1	I	1	1	1

HINDH	NDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
UNDU	NDLE	D NETWORK ELEMENTS - Georgia			I	1	ı					Cua Order	Svo Ordor	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -		Charge -
												Elec				Charge -	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	Manually	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc	Manual Svc
OA!LO	0	NATE ELEMENTO	m		500	0000			ικτι ΔΟ (ψ)			per LSR	per LSR			Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.775	0.00	0.00								
UNBUN		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC								l		<u> </u>					
		ures shall apply to the Unbundled Port/Loop Combination - C											l				
	3. End	Office and Tandem Switching Usage and Common Transport	Usage i	ates ir	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excer	t for UNE C	oin Port/Lo	op Combinat	ions.	A -1 -17471 -1 -17	
		first and additional Port nonrecurring charges apply to Not Co	urrentiy	Comb	inea Compos. For	Currently Co	mbinea Combo	s, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combin	ea sections.	Additional NF	ccs may
-		also and are categorized accordingly.					et 6et								1	ı	
		ket Rates for Unbundled Centrex Port/Loop Combination will		tiatea	on an individual Ca	se Basis, un	til further notic	e.				-					
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7									<b> </b>					
		ort/Loop Combination Rates (Non-Design)										<b> </b>					
-	ONL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-									1					
		Non-Design	1	1	UEP91		10.46										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 31		10.40					1					
		Non-Design		2	UEP91		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.		10.70										
		Non-Design		3	UEP91		32.56										
	UNE P	ort/Loop Combination Rates (Design)		_			00					İ					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		33.98										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	14.86										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.66										
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	16.95										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08										
-	UNE P	orts tes (Except North Carolina and Sout Carolina)	-									1					
	All Sta				UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28	<b> </b>					
<del></del>		2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<b>—</b>		OLF31	OLFTA	0.9019	10.05	1.30	1.37	1.28	1		l	1		
		Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28		1				
<b>-</b>		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	<b>-</b>	<b>-</b>	02101	JE1 1D	0.3019	10.03	7.30	1.57	1.20	<del>                                     </del>	<b>-</b>		1		
		Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28		1				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					5.55.0	. 2700	. 700					İ			
		Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area	<u></u>	L	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15		<u></u>				<u>                                      </u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						
1		2-Wire Voice Grade Port Terminated on 800 Service Term -	1														
		Basic Local Area			UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						
ļ	Georgi	a and Florida Only				L								ļ			
<u></u>		2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28						
<u> </u>		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28			<b> </b>			
<u> </u>		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28			<b> </b>			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEDLIM	0.0010	00.07	20.22	20.00	0.15		1				
<b>—</b>		Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	<b>-</b>	<u> </u>	UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15	<del>                                     </del>	-	-	1	-	<b> </b>
		Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15		1				
		COLUMN TOTAL			OE1 31	JULITIE	0.5019	02.27	20.30	20.29	5.15				1		1

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
CITEOILE											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						
Local	Switching															
L	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
Local	Number Portability				LUBOO											
F	Local Number Portability (1 per port)	-	-	UEP91	LNPCC	0.35										
Featu	All Standard Features Offered, per port	-	-	UEP91	UEPVF	0.775										
<b></b>	All Select Features Offered, per port			UEP91	UEPVF	0.775	0.00		-							
<b>-</b>	All Centrex Control Features Offered, per port	-		UEP91	UEPVS	0.00	0.00				-					
NARS		1	<b>-</b>	OLF31	OLF VC	0.00			t	<del> </del>	<b>H</b>		l	t	<b>l</b>	<del> </del>
INAKS	Unbundled Network Access Register - Combination	<del>                                     </del>	<b>-</b>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	<b>-</b>	<b>-</b>	<b> </b>	<del>                                     </del>		
<del>                                     </del>	Unbundled Network Access Register - Indial	<del>                                     </del>	<b>-</b>	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	<b>-</b>	<b>-</b>	<b> </b>	<del>                                     </del>		
	Unbundled Network Access Register - Outdial	<del>                                     </del>	<del>                                     </del>	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		<b> </b>		<b>+</b>		
Misce	ellaneous Terminations			OLI OI	O/WOX	0.00	0.00	0.00	0.00	0.00	1					
	e Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade		ĺ	UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057										
Featu	ire Activations (DS0) Centrex Loops on Channelized DS1 Servi	се														
D4 CI	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBOA	40014/0	0.4000										
<b></b>	Different Wire Center			UEP91	1PQWP	0.4689			-							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot			OLF91	IFQVVV	0.4009			<del> </del>							
	Slot			UEP91	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI OI	11 00071	0.4000					1					
11011-1	Conversion - Currently Combined Switch-As-Is with allowed				1				<u> </u>	1				<u> </u>		
	changes, per port		1	UEP91	USAC2		0.10	0.10	I			1		I		
	New Centrex Standard Common Block	1	Ì	UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92			l	1	l	ĺ
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00									
Addit	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1												_		
	Premise	ļ		UEP91	URETL		8.33	0.83	<b></b>					<b></b>		
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
11875	End Use Premise	<b> </b>	<u> </u>	UEP91	URETN		11.19	1.10	<del>                                     </del>	<del> </del>		ļ	<b> </b>	<del>                                     </del>	<b> </b>	<b> </b>
	P CENTREX - 5ESS (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	<u> </u>		+				<del>                                     </del>	-	1		-	<del>                                     </del>	-	-
	Port/Loop Combination Rates (Non-Design)	<del>                                     </del>	-		+				+			<b> </b>		+		
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del>                                     </del>	<b>-</b>		+				t	<del> </del>	<b>H</b>		l	t	<b>l</b>	<del> </del>
	Non-Design		1	UEP95		10.46			I			1		I		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>1</b>	<u> </u>		1	10.40			<u> </u>	1				<u> </u>		
	Non-Design		2	UEP95		15.76			1					1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	Ì		1				1	İ			l	1	l	ĺ
	Non-Design	<u></u>	3	UEP95	<u>                                       </u>	32.56			<u> </u>	<u> </u>	<u></u>	<u></u>	<u> </u>	L	<u></u>	<u> </u>
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		l					1					1		
	Design		1	UEP95		12.47			1					1		

UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· .		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							Rec	Nonrec		Nonrecurring					Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOF		47.05										l .
-		Design		2	UEP95	+	17.85										<del></del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3	UEP95		33.98										l .
-	LINEL	Design pop Rate		3	UEF95	+	33.90					1	-				<b>——</b>
-	ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56					1					
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86					1					<b>—</b>
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66					1	1				
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57					1					<b>—</b>
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95					1	1				
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08			i				i	i		
	UNE P	ort Rate		Ť		1	22.00							İ			
	All Sta					1											ſ
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28						ſ
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
		Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						1
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
		Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															l .
		- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															l .
		Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						<del></del>
	FL & G			-	LIEBOE	LIEBLIA	0.0040	40.05	7.00	4.07	4.00						+
		2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA UEPHB	0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						<del></del>
	-	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP95 UEP95	UEPHB	0.9019 0.9019	10.05	7.36	1.37	1.28						+
-				-	UEF95	UEPHH	0.9019	10.05	7.30	1.37	1.20	-	-				<b>——</b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						l .
-		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	OLF 93	OLFIIIVI	0.5015	02.21	20.90	20.29	9.13	1					
		Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						l .
		16111 2,0			OLI SO	OLITIZ	0.0010	02.27	20.00	20.20	0.10	<b>-</b>					<b>—</b>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						l .
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local S	Switching				1											
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP95	UEPVF	0.775										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
	NARS					1											<del></del>
	ļ	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<b></b>
<b>├</b>	-	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	-	-	ļ	<b> </b>		<del></del>
-	Micar	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
<b>—</b>		aneous Terminations		-		+						1	1	<b> </b>	-		<del></del>
<b>-</b>	∠-vvire	Trunk Side Trunk Side Terminations, each		<b>-</b>	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45	<del>                                     </del>		1	<b> </b>		
<b>—</b>	4-Wiro	Digital (1.544 Megabits)			OLF 30	CLINDO	5.50	122.20	10.05	54.62	3.45	<b>—</b>	<b>H</b>	<del>                                     </del>	<b>l</b>		
<b>—</b>	vvii 6	DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33	<b>—</b>	<b>H</b>	<del>                                     </del>	<b>l</b>		
<b>—</b>	1	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95	93.00	05.01	2.33	<b>—</b>	<b>H</b>	<del>                                     </del>	<b>l</b>		
	Interof	fice Channel Mileage - 2-Wire		<del>                                     </del>	02.00		0.00	10.93									<b></b>
		Interoffice Channel Facilities Termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
	l –	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0057	.56	.0.10	. 5.50	5.50			İ	İ		
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	е														ſ
		innel Bank Feature Activations				1											ſ
	•													•	•		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)  Svc Order Svc Order Submitted Elec Manual Sv Order vs. Electronic- 1st Add'l Disc 1st Disc Ad	UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
## RES   USO   PATE   C. MENTALY   Manual 2 for 1 M												Svc Order	Svc Order			1	Incremental
## PATE FLEMENTS   Internal Part   Pa												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
## CATEGORY   RATE GLEMENTS   More   BCS   U9O   RATES (9)   More   RATES (9)   More   RATES (9)   More   RATES (9)   More   RATES (9)   More   RATES (9)   More   RATES (9)   More   RATES (9)   RATE			Intori														Manual Svc
Section   Sect	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
Peace Associate on D-1 Counted Bank Parisin Line Loop Stat.   CoPPs			m									po. 2011	po. 20.1				Electronic-
Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Contens Load State   Pacient Actions on D-4 Cyanned Bank Private Load State   Pacient Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private B																	
Part																Disc 1st	Disc Add I
Pestuar Actions on D.4 Charmer State Common Leg Series   Useries   Propert   Address							Poc	Nonrec	urring		g Disconnect						
Pedition Activation on D.4 Charmed Bank F. Fland. Sole Long   1,000								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation to D-4 Channel Basin Channel Sales   Transport   Transport   Transport		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
Feature Activation on the Chrismie Basin Karnes Logo Stri																	
State   Property   Company   Compa					UEP95	1PQW6	0.4689										
Feature Activation on 1-4 Channel Bank Phress Lines Logs Stor   UEP96   IPOWY   0.4699																	
Different Wish Context					UEP95	1PQW7	0.4689										
Fostum Activation on D-4 Channel Bank Phress Line Loop Stot   PROVIDED   Provided Channel State Plant Full Full Full Loop   Provided Channel State Plant Full Loop   Provided Channel State Plant Full Loop   Provided Channel State Plant Full Full Full Loop State   Provided Channel State Plant Full Full Full Loop State   Provided Channel State Plant Full Full Full Full Full Full Full Ful																	
Section Activation on De A Channel Start Tiple Lasel Trust Loop   Section		Different Wire Center			UEP95	1PQWP	0.4689										
Section Activation on De A Channel Start Tiple Lasel Trust Loop   Section					LIEDAE												
Size					UEP95	1PQWV	0.4689										
Feature Activation on D 4 Channel Bask WATS Loop Size			1		LIEDOS	4001410	0.4000								I	I	
Non-Accurring Charges (NRC) Associated with UMEP Centrex   NRC		C.C.	<del>                                     </del>	-						1	-	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
NRC Conversion Currently Combined Swetch-Acts with allowed changes, per year.   NRC Combined Swetch-Acts with allowed changes, per year.   NRC Combined Swetch-Acts with allowed changes.   NRC Combined Swetch-Acts with allowed chang	No.		<del> </del>	+	UEP93	IPQWA	0.4689			1		-	-		<del>                                     </del>	<del>                                     </del>	-
Changes, per port	Non		<del> </del>	+		+	<del>                                     </del>			1		-	-		<del>                                     </del>	<del>                                     </del>	-
New Center Standard Cummon Block			1		LIED05	LISACS		0.10	0.10						I	I	
New Centres Custominated Common Block			1	<del>                                     </del>			0.00			48.00	5.02	<del>                                     </del>	<b>-</b>	1	<del>                                     </del>	<del>                                     </del>	
NAME Stablishment Change, Rev Consolon			<del>                                     </del>	<b>!</b>								<b>H</b>		<del> </del>	t	t	
Additional Non-Recurring Charges (IRIC)   Ultravoided Miscales and Element, Tag Loop at End Use Priemble   Ultravoided Miscales and Element, Tag Design Loop at Ultravoided Miscales and Elem	-		<b>†</b>						31.39	40.33	5.32	<b>-</b>		<b> </b>	<del>                                     </del>	<del>                                     </del>	
Unbounded Miscellaneous Rate Element, Tag Loop at End Use   Permise   ULEPAS   URETL   0.33   0.83	Δdd				OLI 33	OILLOA	0.00	0.00				1		1			
Premise	Aud		1									<b>-</b>					
Unbundled Macellaneous Rate Element, Tag Design Loop at Entert, Tag Design Loop at Entert (Tag Design Loop at Entert)   UP95   URETN   11.19   1.10					UFP95	URFTI		8.33	0.83								
End Use Premise   UNEP CENTREX - DMS100 (Valid in All States)   URPS   URETN   11.10					02.00	0.12.12		0.00	0.00								
UNE POTILOGO (Valid in All States)					UEP95	URETN		11.19	1.10								
2-Wire VG Loop/2-Wire Voice Grade Port (Centres) Combo   1	UNE							-									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	UNE	Port/Loop Combination Rates (Non-Design)	i														
2.Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design   2. UEP9D   15.76		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
Non-Design   2   UEP9D   15.76				1	UEP9D		10.46										
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design																	
Non-Design				2	UEP9D		15.76										
UNE Port/Loop Combination Rates (Design)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Design   1   UEP9D   12.47				3	UEP9D		32.56										
Design	UNE																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo   2		. ,	-														
Design   2   UEP9D   17.85				1	UEP9D		12.47										
2-Wire Voice Grade Loop (St. 1) - Zone 1					LIEDOD		47.05										
Design   3   UEP9D   33,98			-		UEP9D	-	17.85					-					
UNE Loop Rate			1	2	LIEDOD		33.00								I	I	
2-Wire Voice Grade Loop (SL 1) - Zone 1	LINE		<del>                                     </del>	3	OLI 3D	1	33.30			1	<b> </b>	<b>H</b>		<del> </del>	t	t	
2-Wire Voice Grade Loop (SL 1) - Zone 2	UNE		<del>                                     </del>	1	LIEP9D	LIECS1	0.56			1	<b> </b>	<b>H</b>		<del> </del>	t	t	
2-Wire Voice Grade Loop (SL 1) - Zone 3   3   UEP9D   UECS1   31.66	-		<b>†</b>							1		<b>-</b>		<b> </b>	<del>                                     </del>	<del>                                     </del>	
2-Wire Voice Grade Loop (SL 2) - Zone 1			<b>1</b>							1		<del>                                     </del>	<b>-</b>		<b>I</b>	<b>I</b>	
2-Wire Voice Grade Loop (SL 2) - Zone 2   2   UEP9D   UECS2   16.95			<b>1</b>							1		<del>                                     </del>	<b>-</b>		<b>I</b>	<b>I</b>	
2-Wire Voice Grade Loop (SL 2) - Zone 3   3   UEP9D   UECS2   33.08			<b>†</b>											1	<u> </u>	<u> </u>	
UNE Port Rate   ALL STATES   UEP9D   UEPYA   0.9019   10.05   7.36   1.37   1.28   UEP9D   UEPYA   0.9019   10.05   7.36   1.37   1.28   UEP9D   UEPYA   0.9019   10.05   7.36   1.37   1.28   UEP9D   UEPYA   0.9019   10.05   7.36   1.37   1.28   UEP9D   UEPYA   0.9019   10.05   7.36   1.37   1.28   UEP9D   UEPYA   0.9019   10.05   7.36   1.37   1.28   UEP9D   UEPYC   UEPYC   UEPYC   UEPYC   UEPYC   UEPYC   UEPYC   UEPYC			t								İ			İ	1	1	
ALL STATES	UNE		1	Ť	-	1					l		İ	İ	1	1	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	ALL																
Area					UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local   UEP9D   UEPYC   0.9019   10.05   7.36   1.37   1.28		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
Area			<u> </u>		UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local   UEP9D															1	1	
Area			ļ		UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local   UEP9D   UEPYE   0.9019   10.05   7.36   1.37   1.28			1														
Area			<u> </u>		UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28			ļ	L	L	
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			1												I	I	
	$\vdash$		<b>!</b>	-	UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28			-	<del>                                     </del>	<del>                                     </del>	
			1	1	LIEDOD	LIEDYE	0.0040	40.0-	7.00	4.6=	1.00		1		I	I	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			021 00	OLI II	0.5015	10.00	7.00	1.07	1.20						
	Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local							=								
<b>H</b>	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLF3D	OLFIW	0.5015	10.03	7.30	1.57	1.20						
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLI OD	OLI 10	0.5015	OZ.ZI	20.00	20.25	0.10						
	Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
$\vdash$	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEF14	0.9019	02.21	20.90	20.29	9.15						
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLI 17	0.5015	OZ.ZI	20.00	20.20	0.10						
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	0.0040	40.05	7.00	4.07	4.00						
<del>                                     </del>	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & 0	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHB UEPHC	0.9019 0.9019	10.05 10.05	7.36	1.37	1.28 1.28						
<del>                                      </del>	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36 7.36	1.37 1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<b>—</b>	UEP9D UEP9D	UEPHT UEPHU	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	1					
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5208)4  2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDLEA	0.0045	10.0=	7.00	1.0-	4.00						
	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		$\vdash$	UEP9D UEP9D	UEPHW UEPHJ	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-					
	12 This Take Grade For (Controving Wig Early Indication)4		1	021 00	JE1 110	0.0019	10.03	1.30	1.37	1.20	1	1		l		

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDLINA	0.0040	00.07	00.00	20.29	0.45						l l
	<u> </u>	2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15		-				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	<u> </u>	2-Wile Voice Glade Folt (Centrexuller SWC/EB3-F3E1)2,3,4	-		OLF9D	OLFTIO	0.9019	02.21	20.90	20.29	9.13	1			-		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	1	2-ville voice Grade i ort (Centrexullier GVVG /EBG-IVISGGS)2,5,4			OLI 3D	OLITII	0.3013	02.21	20.30	20.23	9.15	<b>†</b>					<del>                                     </del>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
						0 = 1 1 1 1	0.00.0										
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
		, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
-		Term 2,3	-	-	UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2 Mine Veine Conda Bost terraineted in our Manalink or anniculant			UEP9D	UEPH9	0.9019	10.05	7.00	4.07	1.28						
	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH9 UEPH2	0.9019	10.05	7.36 7.36	1.37	1.28		-				
	Local S	Switching	-		UEP9D	UEPHZ	0.9019	10.05	7.30	1.37	1.20	1			-		
	LUCAI	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
	Local N	Number Portability			OLI OD	ORLOG	0.4201					1					<b>†</b>
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						ļ
	ļ	Unbundled Network Access Register - Outdial		<u> </u>	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00				ļ		<b> </b>
		laneous Terminations		<b></b>		1				-					-		<b>_</b>
	2-Wire	Trunk Side		-	LIEDOD	OFNES		400.00	10.0=	F1.00	0.15				<del>                                     </del>		<del>                                     </del>
	4-141:	Trunk Side Terminations, each	1	-	UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45	1	-		<del>                                     </del>	-	<del>                                     </del>
<b>-</b>	4-vvire	Digital (1.544 Megabits) DS1 Circuit Terminations, each	<del>                                     </del>	<del>                                     </del>	UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33		-	<del> </del>	+	<b> </b>	<del> </del>
	<b>-</b>	DS0 Channels Activiated per Channel		<del>                                     </del>	UEP9D	M1HDO	0.00	13.95	93.00	05.01	2.33			<b> </b>	<del>                                     </del>		<del>                                     </del>
<b>-</b>	Interof	fice Channel Mileage - 2-Wire	<b>-</b>		021 00		0.00	15.35		t		<b>-</b>		<b> </b>	<del>                                     </del>		<del>                                     </del>
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00				<u> </u>		<b>†</b>
	t	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057	.5. 70			5.50			İ	1	İ	
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
	ļ	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										<u> </u>
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								_					_		
	<u> </u>	Slot			UEP9D	1PQW7	0.4689			L				ļ	L		ļ
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -								I					I		
	<u> </u>	Different Wire Center			UEP9D	1PQWP	0.4689										<b>!</b>
	1	Factors Astination on D.4 Observal Book Britania (1991)			LIEDOD	4000407	0.4000			I					I		
	<del>                                     </del>	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	UEP9D	1PQWV	0.4689			<del>                                     </del>					<del>                                     </del>		
l	1	ISlot		1	UEP9D	1PQWQ	0.4689			I			1		I		
	<u> </u>	Joiot	l	Ц	OLFAD	IFUVVU	0.4689			L	L	1	L	L	L	L	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			02. 02	J. 1.2.114							1				
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port		1											i
	- Requires Specific Customer Premises Equipment				1									İ		
	Rates displaying an "R" in Interim column are interim and sub	ject to I	rate tru	e-up as set forth in	General Term	ns and Conditio	ns.									

Version 3Q03: 11/12/2003 Page 115 of 348

UNBUNDLED NETWORK ELEMENTS - Kentucky  CATEGORY RATE ELEMENTS			T .									Attach	ment: 2	Exhi	
CATEGORY DATE ELEMENTS		1								-	1_				
CATEGORY DATE ELEMENTS	1									1	1	Incremental	Incremental		
CATEGORY DATE ELEMENTS											Submitted	Charge -	Charge -	Charge -	Charge -
	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
KATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
												1st		DISC 1St	DISC Add I
					Rec	Nonre			Disconnect				Rates (\$)		
		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or lo	ons as nart of	a com	hination refers to Ge	ngranhically	Deaveraged II	NF Zones To	view Geogran	hically Deavers	aged LINE Zone	- Designation	ons by Cent	ral Office refe	er to internet V	Nehsite:	l .
http://www.interconnection.bellsouth.com/become a clec/ht				ograpinoany	Deaveragea o	INE Edites. To	view ocograp	mouny Deaver	agea one zon	Designation	ono by oon	rai Omoc, reio	. to internet t	vebolte.	
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it pr															
elect either the state specific Commission ordered rates for the	e service orde	ering ch	narges, or CLEC may	elect the reg	gional service o	ordering charg	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
each of the 9 states.  NOTE: (2) Any element that can be ordered electronically will	he billed see		to the COMEC sets lie	4	atamam. Diasa	a mafam ta Dalli	Cauthla Lasal	Onderine Hend	h a a la /I OUI) 4 a		.f =			II. Fanthaa	
that cannot be ordered electronically at present per the LOH,		•						•	` '		•			•	
SOMAN, will be applied to a CLECs bill when it submits an L			e in this category ren	ects the cha	irge mai would	i be billed to a	CLEC once en	ectronic orden	ng capabilities	come on-n	ne ioi that e	element. Othe	erwise, the ma	inual ordenni	g charge,
OSS - Electronic Service Order Charge, Per Local Service		T													
Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	<u> </u>	<u> </u>				
OSS - Manual Service Order Charge, Per Local Service F	equest														
(LSR) - UNE Only		ļ		SOMAN		7.86	0.00	0.99	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE  NOTE: The Expedite charge will be maintained commensurate	a with BallCar	ith's E	C No 4 Toriff Contin	n E ao annii	achic										
NOTE: The Expedite charge will be maintained commensural	e with belison	IIIISF	l No.1 Tariii, Sectio	п з аз арріп	sable.										
			UAL, UEANL, UCL,												
			UEF, UDF, UEQ,												
			UDL, UENTW, UDN,												
			UEA, UHL, ULC,												
			USL, U1T12, U1T48,												
			U1TD1, U1TD3, U1TDX, U1TO3,												
			U1TS1, U1TVX,												
			UC1BC, UC1BL,												
			UC1CC, UC1CL,												
			UC1DC, UC1DL,												
			UC1EC, UC1EL,												
			UC1FC, UC1FL,												
			UC1GC, UC1GL, UC1HC, UC1HL,												
			UDL12, UDL48,												
			UDLO3, UDLSX,												
			UE3, ULD12,												
			ULD48, ULDD1,												
			ULDD3, ULDDX,												
			ULDO3, ULDS1,												
			ULDVX, UNC1X, UNC3X, UNCDX,												
			UNCNX, UNCSX,												
			UNCVX, UNLD1,												
			UNLD3, UXTD1,												
			UXTD3, UXTS1,												
UNE Expedite Charge per Circuit or Line Assignable USC	C, per		U1TUC, U1TUD,												
Day		1	U1TUB, U1TUA	SDASP		200.00			-						
UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP		+								-	-				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone	1	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	<del>                                     </del>	<del>                                     </del>				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
2-Wire Analog Voice Grade Loop - Service Level 1- Zone Unbundled Miscellaneous Rate Element, Tag Loop at En		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	1	1				
Premise	u 0361		UEANL	URETL		8.33	0.83								
Loop Testing - Basic 1st Half Hour	1	<b>†</b>	UEANL	URET1		46.88	46.88								
Loop Testing - Basic Additional Half Hour		L	UEANL	URETA		24.16	24.16								

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
1												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
<b>—</b>		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		00.04	00.04								
-	2 W/IDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01								
	Z-VVIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed 20ne 1	<del>l i</del>		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65	-					
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65	1			-		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>- '</del> -	3	ULQ	ULQZX	13.19	44.37	20.09	23.04	0.03					1	
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -					<u> </u>	5.00	3.00						<u> </u>		<u> </u>
		Non-Designed (per loop)			UEQ	USBMC		9.00	9.00						1		1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			,		1	2.00	2.00					İ	1		1
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	ļ	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.			40.50	40.00									
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
-		Zone 2	-	2	UEPSK UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		UEFSK UEFSB	UEADS	15.54	40.00	22.51	20.03	7.05	1			-		-
		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OL/ (LO	01.11	40.00	22.01	20.00	7.00						
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
UNBUN	DLED E	EXCHANGE ACCESS LOOP		Ŭ	02. 0 02. 03	027.20	0	10.00	22.01	20.00	7.00						
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
l		Ground Start Signaling - Zone 1	<u></u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88	<u></u>		<u> </u>	<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
1 T		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				Ι Τ								_		_
$\vdash$		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88			ļ	1	ļ	1
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		23.01							ļ		ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.,		LIEADO	40.0-	404.00	04.0=	70.0-	44.00				1		1
$\vdash$		Battery Signaling - Zone 1	├	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88	-			<del>                                     </del>	-	<del>                                     </del>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				1		1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		UEA	UEAK2	17.45	134.89	81.87	73.65	14.88				<del>                                     </del>		<del>                                     </del>
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88				1		1
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)	1	٥	UEA	OCOSL	33.22	23.01	01.07	73.05	14.08	<b>H</b>		l	t	<del> </del>	t
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>		UEA	UREWO		87.72	36.36			<b>-</b>			<del>                                     </del>	<b> </b>	<del>                                     </del>
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10						<u> </u>	1	<u> </u>
	4-WIRE	ANALOG VOICE GRADE LOOP			- " -	1			0						<u> </u>	1	<u> </u>
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66			İ	1	İ	1
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	34.25	164.11	112.36	78.91	18.66			l	1	İ	1
		4-Wire Analog Voice Grade Loop - Zone 3	l		UEA	UEAL4	85.06	164.11	112.36	78.91	18.66					1	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	İ	87.72	36.36								

CATEGORY RATE ELEMENTS Intering Manual Sv. Cates (\$)  RATE ELEMENTS BCS USOC RATES (\$)  Svc Order Submitted Elect Manually per LSR per	UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
ATE ELEMENTS   North   Dec   BCS   USOC   FATES (8)   Security   S	CHECHEL	NETWORK ELEMENTO Romadky	1									Svc Order	Svc Order				Incremental
## PATE SILMENTS   Inter- ## PATE SILMENTS																	
CATEGORY   RATE ELEMENTS			In terms														Manual Svc
Part   Section	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				
1			m						.,			per Lor	per Lor				
Part   Part																	
APPRIL   SOM NOTATE   SOM NOTE   SOM NOTAT														151	Addi	DISC ISL	DISC Add I
APPRIL   SOM NOTATE   SOM NOTE   SOM NOTAT							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Service (150%) Positiol Granted Lorder - Zenez 1			i –				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SWING SERV Digital Granes Lock - Zone 2	2-WI	RE ISDN DIGITAL GRADE LOOP	i														
2-years   SVA Project Grade Love - Zeron 3   3   20   3		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83				Î		
Order Construction For Specified Conversion Tree (per LSR)		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83				Î		i T
CLECT TO CLEC Commerce Congregal and an access descent (COPP)   Commerce		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83				Î		i T
3. WINE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP   2. Wine Unbrunded ADSL. Loop encluding means as service requiry   2. UML		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01							Î		i T
2 Vivo Unborded ADSL Loop including menual service inquity   1		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16						Î		i T
Stadily searchines - Zone 1   1   UAL	2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	PATIBLE	LOOP	)												i T
2   West Unbounded ADSL Loop including manual service requiry   2   UAL   UAL   VA		2 Wire Unbundled ADSL Loop including manual service inquiry															i
Statify reparation - Zone 2   14.7     2   UAL		& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						ł
2 Wine Unbanded ASSL Loop including manual service inquiry 8		2 Wire Unbundled ADSL Loop including manual service inquiry															i
A finality reservation - Zeron 3   3   UAL   UAL				2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
Other Conferentiation for Specified Convenience Trime (per LSR)			1														ı ———
2 Viver Unburndled ADSL Loop without manual service inquity &   1 UAL   UAL			<u> </u>	3			12.87		79.73	69.02	11.47						
Solity reservation - Zone 1					UAL	OCOSL		23.01									í .
2   Virtie Unburneded ADSL Loop without manual service inquiy 8   2   UAL   UAL2W   11.79   121.18   60.00   60.00   11.54   1																	ł
Tacility reservation - Zone 2   2   UAL   UAL 2W   11.79   121.18   69.00   69.09   11.54   1.54   1.55				1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						l .
2 Wire Unburnded A/SSL Loop of Montal manual service inquiry & 3 UAL UA,2W 12.87 121.18 68.00 69.09 11.54																	í
Facility reservation - Zone 3				2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						l
Order Coordination for Specified Conversion Turns (per LSR)   UAL   UA																	1
CLEC to CLEC Convention Charge without outside dispatch   UAL   UREWO   86.20   40.40				3			12.87		69.00	69.09	11.54						
2 Wine Unburdled FUSE Loop Including manual service inquiry   1 UHL		Order Coordination for Specified Conversion Time (per LSR)															
2 Wife Unburdied HDSL Loop including manual service inquiry   1					UAL	UREWO		86.20	40.40								
Stacilly reservation - Zone 1   1 UHL	2-WI		ATIBLE	LOOP													
2 Wire Unburided HDSL Loop including manual service inquiry   2 UHL																	ł
Stacility reservation - Zone 2				1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 3   JHL   JHL2X   10.61   151.54   89.29   69.09   11.54																	í
Stability reservation - Zone 3				2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
Order Coordination for Specified Conversion Time (per LSR)																	ł
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1   2 UHL   UHL2W   8.75   130.74   78.56   69.09   11.54				3			10.61		89.29	69.09	11.54						<b></b>
and facility reservation - Zone 1				-	UHL	OCOSL		23.01									<b></b>
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2				١.,	l		0.75	400 74	70.50	00.00	44.54						i I
and facility reservation - Zone 2	<b>—</b>		<u> </u>	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54	-					
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3						11111 0147	0.50	400.74	70.50	00.00	44.54						í
and facility reservation - Zone 3					UHL	UHLZVV	9.56	130.74	78.56	69.09	11.54						
Order Coordination for Specified Conversion Time (per LSR)						11111 0147	40.04	400.74	70.50	00.00	44.54						í
CLEC to CLEC conversion Charge without outside dispatch   UHL   UREWO   86.14   40.40	<b>—</b>	and facility reservation - Zone 3	<u> </u>	3			10.61		78.56	69.09	11.54	-					
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	<b>—</b>		-						40.40								
A Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	4_14/1		TIRLE		UIIL	UKEWU		80.14	40.40	<del>                                     </del>		-	-			-	
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2   UHL   UHL4X   13.95   185.75   123.50   74.95   14.69	4-1/1		TIBLE	LOUP		+				<del>                                     </del>		-	<b> </b>		<del> </del>		
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2   1   2   UHL   UHL4X   15.68   185.75   123.50   74.95   14.69			1	4	luui	LIHLAV	12.05	105 75	122 FA	74.05	11.60	1	1				1
and facility reservation - Zone 2	$\vdash$		1	+	OI IL	UI IL4A	13.95	100.75	123.30	74.95	14.09	<b>-</b>			1		
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3			1 .	2	шы	LIHL 4X	15.69	185 75	123 50	74 95	14 60	1	1				1
and facility reservation - Zone 3   3 UHL   UHL4X   16.98   185.75   123.50   74.95   14.69	<del>                                     </del>		<del>- '</del> -	-	OI IL	JI ILTA	15.00	103.73	120.00	74.55	17.05				<del> </del>		
Order Coordination for Specified Conversion Time (per LSR)			1	2	шы	LIHLAY	16 09	195 75	123 50	7/ 05	1/1 60	1	1				1
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1			<del>                                     </del>				10.30		120.00	74.33	17.05		<b> </b>				
and facility reservation - Zone 1			<del>                                     </del>	<del>                                     </del>	U. IL	CCCCL		20.01		t			<b> </b>				
A-Wire DS1 Digital Loop - Zone 2   2 UHL				1	UHL	UHL4W	13.95	164 95	114 04	77 32	15.80						l .
and facility reservation - Zone 2			l	<del>                                     </del>		3	.0.00	.000		02	.0.00						(
A-Wire DS1 Digital Loop - Zone 3   3 UHL   UHL4W   16.98   164.95   114.04   77.32   15.80				2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						l .
and facility reservation - Zone 3   3 UHL			l	T -		1				11.02					İ		(
Order Coordination for Specified Conversion Time (per LSR)			1	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	1	1				1
CLEC to CLEC Conversion Charge without outside dispatch			1	Ť						152		1			İ		í
4-Wire DS1 Digital Loop - Zone 1   1 USL			1						40.40	1		İ			İ		í
4-Wire DS1 Digital Loop - Zone 1	4-WI														1		1
4-Wire DS1 Digital Loop - Zone 2   2 USL   USLXX   114.10   306.69   174.44   65.83   14.55			Ì	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						1
				2	USL	USLXX	114.10	306.69	174.44		14.55						i
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 23.01				3	USL		297.76		174.44	65.83	14.55						ı
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									1

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		,,										Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			1			1	1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.59	157.81	106.06	78.91	18.66						<b></b>
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<del> </del>		UDL UDL	UDL19 UDL56	36.37 27.59	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						<del></del>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		UDL	UDL56	32.48	157.81	106.06	78.91	18.66						<del></del>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1		UDL	UDL56	36.37	157.81	106.06	78.91	18.66						<del></del>
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UDL	OCOSL	00.07	23.01		70.01	10.00						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						<b></b>
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	1		UDL UDL	OCOSL	1	23.01	40.75								<del></del>
$\vdash$	2-WID:	CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP	1		UDL	UREWO	<del>                                     </del>	102.13	49.75								<del>                                     </del>
$\vdash$	Z-VVIKE	2-Wire Unbundled Copper Loop-Designed including manual	1			1	1										<del>                                     </del>
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						1
		2-Wire Unbundled Copper Loop-Designed including manual								33.33							
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						ĺ
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								<b>——</b>
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						ĺ
		2-Wire Unbundled Copper Loop-Designed without manual	1	-	UCL	UCLFVV	10.02	120.15	67.97	69.09	11.54						<del></del>
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						ĺ
		2-Wire Unbundled Copper Loop-Designed without manual		_	002	002. 11	11110	120.10	01.01	00.00	11.01						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						ĺ
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch															ĺ
	4 14/100	(UCL-Des)	1		UCL	UREWO	1	97.23	42.48								<del>                                     </del>
	4-WIRE	4-Wire Copper Loop-Designed including manual service inquiry	1			+	+										<del></del>
		and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						ĺ
		4-Wire Copper Loop-Designed including manual service inquiry		Ė	002	002.0	10.02	17 0.01		7 1.00	1 1.00						
		and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						ĺ
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		4-Wire Copper Loop-Designed without manual service inquiry			UCL	LICL AW	40.00	440.50	07.00	74.05	44.00						ĺ
$\vdash$		and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry	+	Т	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69	-					<del>                                     </del>
		and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						ĺ
		4-Wire Copper Loop-Designed without manual service inquiry	t e	Ė		1	155		000		55				1		
	L	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00		· · · · ·						
		CLEC to CLEC Conversion Charge without outside dispatch					1		40								1
LOOP N	AODIE!	(UCL-Des)			UCL	UREWO	1	97.23	42.48								<del></del>
LOOP N	WODIFI(	ATION	1	-	UAL, UHL, UCL,	-	+						-				<del></del>
					UEQ, ULS, UEA,		1										1
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,		1										1
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L	1	9.24	9.24								1
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
$\square$		less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L	1	9.24	9.24						ļ		1
					UAL, UHL, UCL,		1										1
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA, UEANL, UEPSR,		1										1 '
		per unbundled loop			UEPSB	ULMBT	1	10.47	10.47								1
		Err amaning took	1		1 05	150	·	10.77	10.77	ı				1		1	-

UNBII	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
3.120		The state of the s										Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.t	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							,										
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LC		and Principle of the second		-													
$\vdash$	Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										-					
		Up	١.		UEANL	USBSA		207.91	207.91								
		ОР			UEAINL	USBSA	-	207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ,		UEANL	USBSB		12.50	12.50								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>	-	OLANE	OODOD		12.50	12.50								
		Facility Set-Up	l ,		UEANL	USBSC		80.87	80.87								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		02/11/2	00200		00.01	00.01								
		Set-Up	l ı		UEANL	USBSD		45.04	45.04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			<u> </u>	-											
		Zone 1	- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	- 1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	- 1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_					=0.00	0= 04	40.00						
		Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	LIFANI	USBN4	25.00	400.04	56.32	CF 04	40.00						
$\vdash$		Zone 3		3	UEANL	USBIN4	25.60	102.31	56.32	65.24	10.88	-					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
$\vdash$		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
		Oub-Loop 2-vviile intrabuliding Network Cable (INC)	<u> </u>	-	OLANE	OODINZ	2.51	00.55	22.30	33.01	7.50						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
		()			<u> </u>												
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
igsquare		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
			1		l								1		I		
$\vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u> </u>	UEF	USBMC		9.00	9.00								
<u> </u>		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS4X	7.09	102.31	56.32	65.24	10.88			<b>.</b>	<del>                                     </del>	-	<b> </b>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS4X	8.66	102.31	56.32	65.24	10.88	-	-	<del> </del>	1	-	<del> </del>
$\vdash$		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88				<del>                                     </del>		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00						1		
$\vdash$		Loop Testing - Basic 1st Half Hour	-	-	UEF	URET1	<del>                                     </del>	46.88	46.88					-	<del></del>	-	
$\vdash$		Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour	<del>                                     </del>		UEF	URETA	+	24.16	24.16					<del>                                     </del>	t	l	<del>                                     </del>
	Unhun	dled Network Terminating Wire (UNTW)	l	l —	021	SINEIA	<del>                                     </del>	24.10	27.10			<b>-</b>	<b>†</b>		<b>I</b>		<b> </b>
	J	Unbundled Network Terminating Wire (UNTW) per Pair	<b> </b>		UENTW	UENPP	0.53	23.51	23.51					1	<u> </u>		1
	Netwo	k Interface Device (NID)	<b> </b>				5.55	20.01	20.01					1	<u> </u>		1
		Network Interface Device (NID) - 1-2 lines	i e		UENTW	UND12	1	73.53	49.47					İ	1	İ	İ
		Network Interface Device (NID) - 1-6 lines	1	Ì	UENTW	UND16	1	115.96	91.91			İ	İ	İ	1	l	İ
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56								
UNE OT	THER, F	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00	•								
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
			1		UEANL,UEF,UEQ,U								1		I		
		Unbundled Contract Name, Provisioning Only - No Rate	ļ		ENTW	UNECN	0.00	0.00						ļ	<b>.</b>		
UNE OT	HER, F	ROVISIONING ONLY - NO RATE	l	<u> </u>											L		l

LINIDIIN	IDI EI	D NETWORK ELEMENTS - Kentucky												Attack	ment: 2	Exhi	L:4. A
UNDUN	IDLE	NETWORK ELEWENTS - Remucky	1	1	I		1					Sua Ordar	Cua Ordar				
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
$\perp$							Rec	Nonred		Nonrecurring					Rates (\$)		
$\perp$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility					0.20										
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP M	ΔKF-II				OBLOX	0020.	020.01	001.00	000.00	170.00	120.12						
<u> </u>	AIL-U	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
+		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWNER		25.40	25.40								
		queried (Manual).			UMK	UMKLP		24.85	24.85								
-		Loop MakeupWith or Without Reservation, per working or			OIVIIC	OWINE		24.00	24.00								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE CH	ADIMO	S AND LINE SPLITTING	-	-	UIVIK	UIVIKIVIQ		0.07	0.67			-					
		1: The Line Sharing monthly recurring rates for all installation	ne comi	alotod f	rom October 02, 200	2 through m	idnight Octobo	r 01 2004 chal	l ha hillad as f	ollowe:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lanight Octobe	1 01, 2004 Silal	i be billed as i	ollows.							
		1: 10/02/2003 – 10/01/2004: 25 % of the rate for UCLND	Jpper io	T IIOI	I-designed ( OCLIVD	'											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	-	-													
		1: Nove will apply to USOCS: ULSDT and ULSCT	-	-													
		2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1111 00	C amplian ambuta si				0-4-14 00	22							
		E2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	d ULSC	c applies only to cit	rcuits installe	ed and inservic	e on or perore	October 1, 20	J3							
		ERS-CENTRAL OFFICE BASED	-														
5	PLIII		-			1 II OD 4	400.00	070.05	0.00	050.55	0.00						
$\vdash$		Line Sharing Splitter, per System 96 Line Capacity	-		ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
$\vdash$		Line Sharing Splitter, per System 24 Line Capacity	<b>!</b>	<del>                                     </del>	ULS	ULSDB	49.71	379.05	0.00	358.55	0.00	-			-		
$\vdash$		Line Sharing Splitter, Per System, 8 Line Capacity	-	<u> </u>	ULS	ULSD8	16.94	377.71	0.00	357.29	0.00	<b>.</b>					
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				000		4=0.0-									
<del></del>	NIP	deactivation (per LSOD)	-	<u> </u>	ULS	ULSDG		173.62	0.00	100.40	0.00	<b>.</b>					
F	ט עא:	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	-	<u> </u>		-						<b>.</b>					
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	·														
		Central Office Located (50% of UCLND) - please see NOTE 1															
$\perp$		(E:10/2/2004)		<u> </u>	ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
1 [	_	Line Share Service, TRO per line activation, BST owned splitter -	1		<u> </u>										I		
		Central Office Located (75% of UCLND) - please see NOTE 1	1			1						1					
		(E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90				<u> </u>		
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)	<u> </u>	<u>L_</u>	ULS	ULSDS		32.90	16.43	<u> </u>		<u></u>			<u> </u>		
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)	<u> </u>	L_	ULS	ULSCS		32.90	16.43	<u>                                      </u>		<u> </u>			<u> </u>		
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
1 1		OBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	1	ı		1	1	i

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
-								Nonrec	rina	Nonrecurring	Disconnect			000	Rates (\$)	l	J
$\vdash$						+	Rec	First	urring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				1		FIISL	Add I	FIISL	Addi	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOMAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned			020	0200.	2.00		10.01	20.0.		1					
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61	27.00	04.00	04.40	0.07	<b></b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>
		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	37.02 37.02	21.20 21.20		9.87 9.87	<b> </b>	1	1	1	1	-
	NA A INIT	ENANCE		-	UEPSK UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87	-	-	-	-	-	
$\vdash$	WIAINI	No Trouble Found - per 1/2 hour increments - Basic				+		80.00	55.00	+		1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		No Trouble Found - per 1/2 hour increments - Overtime				+		120.00	82.50						-	-	
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			1					
UNBUN	DLED I	DEDICATED TRANSPORT						.00.00				1					
		OFFICE CHANNEL - DEDICATED TRANSPORT										i e			t	t	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month		-	U1TVX	1L5XX	0.01					1			1	1	<u> </u>
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	25.00	47.34	31.70	22.11	0.75	1	1	1	1	1	
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	TESTON	0.0113								-	-	
		Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1	20.07		570		3.70	1		1	1	1	1
		per month			U1TDX	1L5XX	0.0115							I	I	I	
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						ļ
]		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1								_	_	_	
$\vdash$		month			U1TD1	1L5XX	0.23					ļ		ļ	ļ	ļ	<u> </u>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			114704					20.5-				I	I	I	
$\vdash$		Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49	1	-	-	-	-	<del> </del>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATES	1L5XX	4.97							1	1	1	
$\vdash$		month Interoffice Channel - Dedicated Transport - DS3 - Facility		-	U1TD3	IL5XX	4.97			-				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75			I	I	I	
$\vdash$		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			0.100	01113	1,175.15	333.40	213.24	09.57	01.75	<del>                                     </del>	<b>H</b>	t	t	t	<del>                                     </del>
		month			U1TS1	1L5XX	4.97							1	1	1	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				. 20,01								1	1	1	i e
		Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75			I	I	I	
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	30.74										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1								I	I	I	
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01	<b>200</b>	100			ļ		<b></b>	<b>.</b>	<b>.</b>	<u> </u>
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67		1	1	1		

IINRI	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ONDO	NULL	I NETWORK ELEMENTS - Remucky	1	l		1	ı					Svc Order	Svc Order	Incremental			
												1					
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	JUKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			-				Nonred	urring	Nonrecurring	Disconnect	1		088	Rates (\$)	l	
-	1		-	-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
9VV A	CCESS.	I FEN DIGIT SCREENING						FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
OAA A	I	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0006478										
-	1	8XX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OLID	+	0.0000478										
		Number Reserved			OHD	N8R1X		4.14	0.70								
	1	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	HOICIX		7.17	0.70								$\vdash$
		POTS Translations			OHD			8.78	1.18	7.08	0.86						
	1	8XX Access Ten Digit Screening, Per 8XX No. Established With			OTID	+		0.70	1.10	7.00	0.00	<b>†</b>					
		POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
	1	8XX Access Ten Digit Screening, Customized Area of Service		<b>-</b>	OTID	1401 17		0.70	1.10	7.00	0.00						
		Per 8XX Number			OHD	N8FCX		4.14	2.07								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR		<b>t</b>		1.0. 0/		7.17	2.01					<b> </b>	<b>†</b>	<b> </b>	
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78						1		1
	<b>†</b>	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70					i	1	i	
	1	8XX Access Ten Digit Screening, Call Handling and Destination							50						<u> </u>		
		Features			OHD	N8FDX		4.14	4.14								
		8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD	110. 57	0.0006478										
	1	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										
LINE I	NFORM	ATION DATA BASE ACCESS (LIDB)															
	1	LIDB Common Transport Per Query			OQT		0.000023										
	1	LIDB Validation Per Query			OQU		0.0137322										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59		İ					
SIGNA	LING (C				,												
	1	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
	1	CCS7 Signaling Connection, Per link (A link)		i i	UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 S	ERVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98						$ldsymbol{ldsymbol{\sqcup}}$
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility													1		1
	1	Termination		<u> </u>			29.11	47.34	31.78	22.77	8.75				ļ		
	<b> </b>	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07				<b></b>		<b></b>
	1	Local Channel - Dedicated - DS1 - Zone 2		<u> </u>			43.39	209.60	176.51	30.21	21.07						<b></b>
<u> </u>	1	Local Channel - Dedicated - DS1 - Zone 3	<b>—</b>			1	164.50	209.60	176.51	30.21	21.07	-		<b> </b>	-	<b> </b>	<b>├</b>
	1	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>		1	0.23								<b>_</b>		
		Land Was Taxania Ballanda Ball						,							1		1 !
C 4	NO PLAT	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>		-	96.04	105.52	98.46	23.09	20.49	-			<del>                                     </del>		<b>├</b>
CALLI	NG NAN	IE (CNAM) SERVICE	<b>—</b>	<b>-</b>	001/	-		05.01	25.34	00.00	00.00	-		-	<del>                                     </del>	-	$\vdash$
-	╂	CNAM For DB Owners - Service Establishment	<b>—</b>	<b>-</b>	OQV	-		25.34		23.30	23.30	-		-	<del>                                     </del>	-	<del>                                     </del>
-	╂	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	<b>—</b>	<b>-</b>	OQV	-		25.34	25.34	23.30	23.30	-		-	<del>                                     </del>	-	<del>                                     </del>
1	1	Establishment		1	OQV			1,591.54	1,177.08	431.95	317.61				I		1
<b>-</b>	+		-	-	UQV	+		1,591.54	1,177.08	431.95	317.61			-	<del></del>	-	$\vdash$
1	1	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment		1	oqv			546.40	393.74	438.93	317.61				I		1
<b></b>	+	CNAM for DB Owners, Per Query	<del>                                     </del>	<del>                                     </del>	OQV	+	0.0010348	546.40	393.74	438.93	317.07			<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
<u> </u>	+	CNAM for Non DB Owners, Per Query	-	-	OQV	+	0.0010348							-	<del></del>	-	<del></del>
<del>                                     </del>	+	CNAM (Non-Databs Owner), NRC, applies when using the	<b>-</b>	-	UUV	-	0.0010348					-		-	<del></del>	-	<del></del>
1		Character Based User Interface (CHUI)		1	oqv	CDDCH		595.00	595.00						I		1
SEL EC	TIVE P	OUTING	<b>—</b>	<b>-</b>	UUV	СРРСП		J95.0U	595.00			<b>H</b>		l	t	l	<del>                                     </del>
JEEE	I I I	Selective Routing Per Unique Line Class Code Per Request Per	<b>-</b>	<b>-</b>		+						<b>-</b>			<del>                                     </del>		<del>                                     </del>
		Switch						93.53	93.53	15.58	15.58						1
L	1	[ <del>- · · · · · · · · · · · · · · · · · · </del>			L			55.55	55.55	10.00	10.00	<u> </u>		·	1	·	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
	,										Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	OCATION						11131	Addi	11130	Addi	OOMEO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL COL	LOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIVE	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user Query NRC, per query	-		SRC SRC	SRCLP	0.0037502	2.06	2.06								
	JTH AIN SMS ACCESS SERVICE			SKC		0.0037502										
AIN - BELEGOO	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	1		A1N	CAMSE		43.55	43.55	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	-				0.666										
	Minute					0.4608										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE					0.4606										
AIN BEEEGO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM		0.04	0.04	40.00	10.00						
	DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-			BAPTM		8.64	8.64	10.03	10.03						
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 11 10		01.01	01.01	10.00	10.00						
	DN, CDP				BAPTC		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	l														
	DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1														
$\square$	Subscription, Per Node, Per Query	<b>_</b>				0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes	1				0.07										
$\vdash$	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	$\vdash$		1	0.07								<del> </del>		
	Subscription	1		CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			07.111	5,0	7.07	0.01	0.0.	0.00	0.00						
	Subscription	1		CAM	BAPLS	3.26	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	i –														
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit													l		
	Service Subscription	ļ	ш	CAM	BAPES	0.11	9.56	9.56								
	(TENDED LINK (EELs)	Щ.	لببا		<u> </u>	<u> </u>										
	The monthly recurring and non-recurring charges below will													-		
	The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT						uns provisione	u as Current	iy Combined N	erwork Eleme	ııs.					
EATEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	12003		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				<b> </b>		
	1 1131 Z 11110 13 LOOP (OLZ) III OOIIIDIIIAIIOII - ZOITE I		_ ' _	01101/	ULALL	12.07	120.22	00.40	55.05	1.04				l		

ATECOPY  RATE ELEMENTS  Minds  Core  BCS  USOC  RATES (8)  RATES (	UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATTECHNIS   Share   See   SCS   USOC   FATES (3)   Charges   Share   Charge	CHECHEL	RETWORK ELEMENTO ROMAGNY				1	1					Svc Order	Svc Order				
## RATE CLEMENTS   Internal Property   Section   Property   Proper												1					
CATEGORY   RATE ELEMENTS   Mark   Zong   DCS   USDC   SATE (5)   Mark   Color												1					
Record   R	CATEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES (\$)				,				
Procedure   Proc	OATEGORT	NATE ELEMENTO	m	20110	500	0000			πατ ΔΟ (ψ)			per LSR	per LSR				
Part 2-War Vol. Lags (SU.) in Communication Part 2-War Vol. Lags																	
Miles														1st	Add'l	Disc 1st	Disc Add'l
Miles						+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
First 2 Year Vol Cotton (St.) of Commission - Zeno 2						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
First 2 Vive Yol Code (BLS) in Cerebration - Part Man   DelCIX   1,000   1,0		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	LINCVX	LIEAL 2	17 45					COMILO	COMPAR	COMPAR	COMPAN	OOMAN	COMPAR
Instablish Transport Conditional District Production   Dec. of 1972   Dec. of 1												<b>†</b>	1				
Memorian   Memorian				l u	ONOVA	OLALE	00.22	120.22	00.40	00.00	7.04	<b>†</b>	1				
Interestive Transport - Declarated - OST contribution - Facility   DACKX   Control					UNC1X	11.5XX	0.19										1
Transaction per month																	
10 Charantelization System in componation Per Name   10 No. No. No.   10 No.   13 No.   13 No.   13 No.   14 No.   14 No.   14 No.   14 No.   15					UNC1X	U1TF1	79.02	181 24	123 53	56.72	22.32						1
Victor Grade COCCI - Per Morth   Cash Additional 2-Wive VG Locg (St. 2) in Combination - Zune 1   1, MNCVX   UEAL2   17,75   125,22   60,48   59,89   7,84																	
Each Additional 2 Niver VGL Loop (St. 2) in Combination - Zone 2   2 UNCVX																	
Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 2 2 UMCVX UEAL2 17.45 125.22 60.46 59.60 7.84    Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84    Non-recording Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84    Non-recording Continuation - Zone 2 UMCVX UEAL4 101VG 8.88 8.88 8.98 11.17 11.17    LOCK Standard - Wire Analog voice Grade Loop in Combination - Zone 1 1 UMCVX UEAL4 29.28 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Sone DS1 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Sone DS1 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Sone DS1 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 1 UMCVX							0.02	-									
Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 2 2 UMCVX UEAL2 17.45 125.22 60.46 59.60 7.84    Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84    Non-recording Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84    Non-recording Continuation - Zone 2 UMCVX UEAL4 101VG 8.88 8.88 8.98 11.17 11.17    LOCK Standard - Wire Analog voice Grade Loop in Combination - Zone 1 1 UMCVX UEAL4 29.28 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Sone DS1 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Sone DS1 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Sone DS1 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84    First 4-Wire Analog voice Grade Loop in Combination - Zone 3 1 UMCVX		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125,22	60.48	59,69	7.84		1				i
Each Additional 2-Wire VD Loop (St. 2) in Combination - Zone 3		2010				1	01		22.10	22.00					İ		
Each Additional 2-Wire VD Loop (St. 2) in Combination - Zone 3		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		1				i
Vision   V					-	T -			22.10	22.30					İ		
Vision   V		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						i - 1
Norsecuring Currenty Combined Network Elements Switch -As-  UNCICK   B. 68   B. 96   11.17   11.17															İ		
Is Change						1											ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 29.26 125.22 60.48 59.69 7.84  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 34.25 125.22 60.48 59.69 7.84  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele UNC1X UNc1X UNC1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X Un					UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTE	ROFFICE TRANSPO	RT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2																	ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3																	
Interdifier Transport - Dedicated - DS1 combination - Per Mile   UNC1X		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
Interdifier Transport - Dedicated - DS1 combination - Per Mile   UNC1X																	
Per Month		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
Interoffice Transport - Declicated - DS1 - Facility Termination Per   UNC1X		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
Month					UNC1X	1L5XX	0.19										
1/10 Channel System in combination Per Month   UNC1X   MO1   113.33   67.26   14.74   1.86   1.67   Voice Grade COC in combination per month   UNC1X   MO1   10.22   6.71   4.84		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
Voice Grade COCI in combination - per month   UNCVX   101VG   0.62   6.71   4.84		Month			UNC1X	U1TF1		181.24	123.53	56.72	22.32						1
Additional 4-Wire Analog Voice Grade Loop in same DS1   1 UNCVX										1.86	1.67						
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	0.62	6.71	4.84								
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCVX   UEAL4   34.25   125.22   60.48   59.69   7.84																	ł
Interoffice Transport Combination - Zone 2				1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84																	1
Interoffice Transport Combination - Zone 3				2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   0.62   6.71   4.84				_		l											1
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X UNCC   8.98   8.98   11.17   11.17				3						59.69	7.84						
Is Charge	L				UNCVX	1D1VG	0.62	6.71	4.84								<b> </b>
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					LINIOAN			0.00	0.00	44.47	44.47						1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32  Interoffice Transport - Dedicated - DS1 - combination Per Month UNC1X UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32  Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84				<u> </u>				8.98	8.98	11.17	11.17						<b> </b>
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	EXTE	NDED 4-WIKE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	I EKUFFICE TRANS	PUKI				-	-	<del>                                     </del>	ļ		<del> </del>		<b></b>
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		First 4 Wire F6Khan Digital Crade Lane in Combinedia 2 2 2 4		_	LINICDY	LIDLEC	07.50	405.00	00.40	50.00	7.04						i - 1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32  1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67  OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84	$\vdash$	First 4-vvire pondps Digital Grade Loop in Combination - Zone 1	<b>-</b>	1	UNCDX	UDLOB	27.59	125.22	60.48	59.69	7.84	-	-	-			<del>                                     </del>
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32  1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67  OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84		First 4 Wire 56Khas Digital Grade Lean in Combination 7 2		2	LINCDY	LIDLES	20.40	105.00	60.40	E0.60	7.04						i - 1
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   U1TF1   79.02   181.24   123.53   56.72   22.32   UNCDX   10 Channel System in combination Per Month   UNC1X   MQ1   113.33   57.26   14.74   1.86   1.67   UNC1X   UNC1X   MQ1   113.33   57.26   14.74   1.86   1.67   UNCDX   UNCDX   1D1DD   1.32   6.71   4.84   UNCDX	$\vdash$	ir irst 4-vviile bortups Digital Grade Loop in Combination - Zone 2	-	_	OINCDA	UDLOB	3∠.48	125.22	bU.48	59.69	7.84	-					
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   1L5XX   0.19   UNC1X   U1TF1   79.02   181.24   123.53   56.72   22.32   UNCDX   10 Channel System in combination Per Month   UNC1X   MQ1   113.33   57.26   14.74   1.86   1.67   UNC1X   UNC1X   MQ1   113.33   57.26   14.74   1.86   1.67   UNCDX   UNCDX   1D1DD   1.32   6.71   4.84   UNCDX		First 4 Wire F6Khan Digital Crade Loop in Combination 7 2		2	LINICDY	LIDI EG	26.27	125.00	60.40	50.00	7.04		1				i '
Per Month   UNC1X   1L5XX   0.19	$\vdash$		<b>-</b>	3	OINCDA	UDLOB	30.37	125.22	bU.48	59.69	7.84	-	<b> </b>		-		
Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   79.02   181.24   123.53   56.72   22.32				1	LINC1Y	11 5YY	0.10						1				, '
Termination Per Month	$\vdash$		-	1	DINOIA	ILUAA	0.19					<del>                                     </del>					
1/0 Channel System in combination Per Month				1	LINC1Y	LI1TE1	79.02	191 24	123 52	56.72	22.22		1				i '
OCU-DP COCI (data) per month (2.4-64kbs)	<del>                                     </del>			<del>                                     </del>								<b>H</b>			<del>                                     </del>		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 1   UNCDX   UDL56   27.59   125.22   60.48   59.69   7.84     Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   32.48   125.22   60.48   59.69   7.84     Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				<del>                                     </del>						1.00	1.07		<b> </b>				
Interoffice Transport Combination - Zone 1			<b>†</b>	<b>†</b>	5.10DA	10100	1.02	0.71	7.04			<del>                                     </del>	<b> </b>		<b> </b>		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2  UNCDX UDL56  32.48  125.22  60.48  59.69  7.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	UNCDX	UDL56	27.59	125.22	60 48	59.69	7 84		1				i
Interoffice Transport Combination - Zone 2				<u> </u>		1	255	.20.22	33.10	55.55	5-				<b>i</b>		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						i
				ΙĪ		1	320	.20.22	33.10	55.55	5-				i		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		1				, '

CATEOOPY   RATE ELEMENTS   Intelligence   RATE   Decided   RATE   Decide	JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
RATE ELEMENTS Intelligence of the company of the co							1					Svc Order	Svc Order				
RATE ELEMENTS   Some   Box   USOC   RATE   ()   Per   Some   Color   C			1	1								II .					Charge -
CATEGORY   RATE ELEMENTS   Image: Book   BCS   USC   Section   Part Last   Order vs.   O			Inter!	1													Manual Svc
Becommon   Becommon   Becommon   Becommon   Becommon   Becommon   Becommon   Becommon   Section   Becommon   Sec	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color Color (Second Color (Se			m						.,,			per Lor	per Loix				Electronic-
Record Could proceed (County County)																	
Michael   Mich														1St	Addi	DISC 1St	Disc Add'l
Additional COLLINE COCK   SOURCE   SO							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Gelacy   Discount							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonmenturing Currents All Princes States As   Inches		Additional OCU-DP COCI (data) - in combination per month (2.4-															
In Charge		64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
Prof. 4-Wile 6 MCRop Digital Crade Loop in Combination - Zene 1		Nonrecurring Currently Combined Network Elements Switch -As-															Î
First 4-Wire 6840gs Digetal Carde Loop in Combination - Zone 1 1 (MCDX UDL64 2756 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 60.60 7.84 125.22 60.46 125.22 125								8.98	8.98	11.17	11.17						
First A-Wise SHopps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 32.46 125.22 60.46 59.69 7.84    First A-Wise SHopps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 35.37 125.22 60.48 59.69 7.84    Interface Transport - Discontine - Per Mell UNCDX LLSXX 0.19    First A-Wise SHopps Digital Grade Loop in Combination - Per Mell UNCDX LLSXX 0.19    First Combi	EXTE	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
First A-Wise SHopps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 32.46 125.22 60.46 59.69 7.84    First A-Wise SHopps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 35.37 125.22 60.48 59.69 7.84    Interface Transport - Discontine - Per Mell UNCDX LLSXX 0.19    First A-Wise SHopps Digital Grade Loop in Combination - Per Mell UNCDX LLSXX 0.19    First Combi																	
First 4-Wire 6HQbs Digital Grade Loop in Commission - Zene 3   JANCDX		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
First 4-Wire 6HQbs Digital Grade Loop in Commission - Zene 3   JANCDX																	
Interesting Transport Conditional Configuration - Per Mile   Per Month   Per		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Interesting Transport Conditional Configuration - Per Mile   Per Month   Per																	
Per Month				3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Interedifice Transport - Desication - 19 St combination - Facility   UNCIX   U1TF1   79.02   181.24   125.55   56.72   22.32											·						
Termination Per Month					UNC1X	1L5XX	0.19										
10 Channel System in combination re PManth																	
OCULPO COCI (data) = nomination - per month (24-64bb)																	
Additional 4-Wire 64Kbps Digital Confide Loop in same DST   1 UNCDX UDL64   27.59   125.22   60.48   59.69   7.84										1.86	1.67						
Interestice Transport Combination - Zone 1					UNCDX	1D1DD	1.32	6.71	4.84								
Additional 4-Wine 64Rhps Digital Grade Loop in same DS1   2   UNCDX   UDL64   32.48   125.22   66.48   59.69   7.84																	
Interdifice Transport Combination - Zone 2				1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
Additional 4-Wire 64Rtpp Digital Corde Loop in same DS1   Interferice Transport Combination - 2 not 3   3 UNCDX   UDL64   36.37   125.22   60.48   59.69   7.84																	
Interdifice Transport Combination - Zone 3   3 UNCDX   UDL64   36.37   125.22   60.48   59.69   7.84				2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Additional OCU-DP COCI (data) - in combination - per month   UNCOX   1D1DD   1.32   6.71   4.94																	
C24-64bbs				3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Nonrecurring Currently Combined Network Elements Swirtch As- Is Charge   Street Part																	
INCIX   UNCI					UNCDX	1D1DD	1.32	6.71	4.84								
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT   1 UNCIX USLXX   86.47   210.70   114.60   63.96   17.97			i														
A-Wire DSI Digital Loop in Combination - Zone 1				<u></u>				8.98	8.98	11.17	11.17						
A-Wire DS1 Digital Loop in Combination - Zone 2	EXIE		ED DS1				00.47	040.70	111.00	00.00	47.07						
A-Wire DS1 Digital Loop in Combination - Zone 3   JUNCTX   USLXX   297.76   210.70   114.60   63.96   17.97												1					
Interoffice Transport - Dedicated - DSI combination - Per Mile   Per Month   UNC1X   1L5XX   0.19												-					-
Per Month				3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	-					-
Interoffice Transport - Dedicated - DSI combination - Facility   UNC1X					LINICAV	41 EVV	0.40										
Termination Per Month					UNCIX	ILOXX	0.19					-					-
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   8.98   8.98   11.17   11.17					LINICAV	LIATEA	70.00	404.04	400.50	FC 70	20.20						
Is Charge			-	-	UNCIA	UTIFT	79.02	101.24	123.33	30.72	22.32	ł	-	-	-		-
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			1		LINICAV	LINICCC		0.00	0.00	11 17	11 17						
First DS1Loop in Combination - Zone 1	EVTER		ED D63	INITED	DEFICE TRANSPOR			0.90	0.90	11.17	11.17	1		-	-		
First DS1Loop in Combination - Zone 2	LATE		LD D33				86.47	210.70	11/160	63.06	17 07	1		-	-		
First DS1Loop in Combination - Zone 3   3 UNC1X   USLXX   297.76   210.70   114.60   63.96   17.97			-									1		-	-		
Interoffice Transport - Dedicated - DS3 combination - Per Mile   Per Month   UNC3X   1L5XX   4.09     UNC3X   1L5XX   4.09     UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X   1L5XX   4.09   UNC3X	<del>-  </del>		<u> </u>											<del>                                     </del>	<del>                                     </del>		<del> </del>
Per Month	-		<del>                                     </del>	-	011017	COLAA	231.10	210.70	117.00	00.90	17.37			<b>+</b>	<b>+</b>		
Interoffice Transport - Dedicated - DS3 - Facility Termination per month	1		1		UNC3X	1L5XX	4 09							1	1		
month			<del>                                     </del>	$\vdash$	2.7007.		4.00					<b>†</b>	<b>-</b>	t	t		
3/1Channel System in combination per month	1		1	1	UNC3X	U1TE3	966 89	350 56	141 58	48 00	23 39		1	I	I		
DS1 COCI in combination per month			1	<b>t</b>								1		t	<b>†</b>		<b>i</b>
Additional DS1Loop in DS3 Interoffice Transport Combination -			<b>i</b>							2	0.00			1	1		i
Zone 1			l	i –			50	··		İ		1	1	İ	İ		İ
Additional DS1Loop in DS3 Interoffice Transport Combination -   2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97	1		1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97			1	1		
Zone 2	1		l	i –		1						1	1	İ	İ		İ
Additional DS1Loop in DS3 Interoffice Transport Combination -	1		1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		1	I	I		
Zone 3   3 UNC1X   USLXX   297.76   210.70   114.60   63.96   17.97												1					ĺ
Additional DS1 COCI in combination per month	1		1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		1	I	I		
Nonrecurring Currently Combined Network Elements Switch -As-   UNC3X   UNCCC   8.98   8.98   11.17   11.17			l									1	1	İ	İ		İ
Is Charge				İ								İ					1
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT  2-WireVG Loop in combination - Zone 1 1 UNCVX UEAL2 12.67 125.22 60.48 59.69 7.84	1	Is Charge	1					8.98	8.98	11.17	11.17			1	1		
	EXTE	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	E INTE	ROFFICE TRANSPO												
2 Mirch/C Lean in combination 7 and 2 1 UNICNV UEAL2 47 45 405 00 50 40 50 00 7 04																	
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						

UNBUNDI	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	1	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec			Manual Svc	Manual Svc	Manual Svc
OATE CONT	NATE ELEMENTO	m	20110	500	0000			ιστι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	1	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
		1	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
<b>—</b>	Month Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.01										
	Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVE	Is Charge	CDAD	E INTE	UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXI	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE 4-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01										
<del>     </del>	Interoffice Transport - 4-wire VG - Dedicated - Facility	<del>                                     </del>	<del>                                     </del>	OINCVA	ILOAA	0.01						<del>                                     </del>				
	Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
FYT	Is Charge ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DEFICE	UNCVX	UNCCC		8.98	8.98	11.17	11.17						
LAI	DS3 Local Loop in combination - per mile per month	INTERC	JEFFICE	UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	-	-	UNC3X	1L5XX	4.09										
	Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVE	Is Charge ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	FROFE	UNC3X	UNCCC		8.98	8.98	11.17	11.17						
EXI	STS-1 Local Lolp in combination - per mile per month	3-1 INI	EKUFF	UNCSX	1L5ND	9.25										
	STS-1 Local Loop in combination - Facility Termination per				1											
	month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			ONCOX	ILJAA	4.09										
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
EYT	Is Charge ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TPAN	SPORT	UNCSX	UNCCC		8.98	8.98	11.17	11.17						
LXI	First 2-Wire ISDN Loop in Combination - Zone 1	110/410	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 3	-	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility											İ				
	Termination per month		<u> </u>	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1				
	1/0 Channel System in combination - per month  2-wire ISDN COCI (BRITE) - in combination - per month	-	<u> </u>	UNC1X UNCNX	MQ1 UC1CA	113.33 2.84	57.26 6.71	14.74 4.84	1.86	1.67		-				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1			2.04	0.71									
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	-	ONONA	UILZX	25.08	125.22	00.48	59.69	7.84	<b>†</b>	<b>-</b>				
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINIONIV	110404	00:	0.71	4.01								
+	month Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	1	UNCNX	UC1CA	2.84	6.71	4.84			-	<del>                                     </del>				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSP	ORT											
	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2		1 2	UNC1X UNC1X	USLXX	86.47	210.70 210.70	114.60 114.60	63.96	17.97						
	Filst Do Loop Combination - Zone 2	<u> </u>	- 2	UNCIA	USLXX	114.10	210.70	114.60	63.96	17.97	l	L	l	L		

CATEGORY   RATE ELEMENTS   Interior	er Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Sv Order vs. Electronic Add'I	al Incremental Charge - C Manual Svo Order vs. Electronic- Disc 1st	Charge -
CATEGORY   RATE ELEMENTS   Interigration   Zone   BCS   USOC   RATES (\$)	d Charge - y Manual Svo Order vs. Electronic- 1st	Charge - Manual Sv Order vs. Electronic Add'I	Charge - c Manual Svo Order vs Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Interf	Manual Svo Order vs. Electronic- 1st	Order vs. Electronic Add'l	order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Miles   Zone   BCS   USOC   RATES (\$)   Per LSR   Per LS	Order vs. Electronic- 1st	Order vs. Electronic Add'l	Order vs Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Rec	Electronic- 1st	Electronic Add'I	- Electronic- Disc 1st	Electronic- Disc Add'l
First DS1 Logo Combination - Zone 3	1st OSS	Add'l	Disc 1st	Disc Add'l
First DS1 Logo Combination - Zone 3	OSS	S Rates (\$)		
First DS1 Logo Combination - Zone 3			SOMAN	SOMAN
First DS1 Loop Combination - Zone 3	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Transport - Dedicated - STS-1 combination - Per Mile   Per Month   UNCSX				
Per Month				
Interoffice Transport - Dedicated - STS-1 combination - Facility   UNCSX				
Termination per month				
3/1 Channel System in combination per month				
DS1 COCI in combination per month				
Combination - Zone 1				
Additional DS1Loop in the same STS-1 Interoffice Transport   2 UNC1X				
Combination - Zone 2				
Additional DS1Loop in the same STS-1 Interoffice Transport   3 UNC1X				
Combination - Zone 3   3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97				
DS1 COCI in combination per month				
Nonrecurring Currently Combined Network Elements Switch -As-   UNCCC   S.98   S.98   S.98   S.11.17   S. Charge   UNCSX   UNCCC   S.98   S.9				
Is Charge				
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT				
4-wire 56 kbps Local Loop in combination - Zone 1				<u> </u>
4-wire 56 kbps Local Loop in combination - Zone 2   2 UNCDX   UDL56   32.48   125.22   60.48   59.69   7.84			1	
4-wire 56 kbps Local Loop in combination - Zone 3   3 UNCDX   UDL56   36.37   125.22   60.48   59.69   7.84				
Per Mile per month				
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month   UNCDX   U1TD5   17.25   98.09   53.67   56.31   22.42				
Facility Termination per month				
Nonrecurring Currently Combined Network Elements Switch -As-   UNCDX				
Is Charge				
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT				
4-wire 64 kbps Lcoal Loop in Combination - Zone 1   1 UNCDX   UDL64   27.59   125.22   60.48   59.69   7.84		-	_	
4-wire 64 kbps Lcoal Loop in Combination - Zone 2   2 UNCDX   UDL64   32.48   125.22   60.48   59.69   7.84     4-wire 64 kbps Lcoal Loop in Combination - Zone 3   3 UNCDX   UDL64   36.37   125.22   60.48   59.69   7.84	+	-	+	
4-wire 64 kbps Looal Loop in Combination - Zone 3   3 UNCDX UDL64   36.37   125.22   60.48   59.69   7.84	_	-	+	1
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month UNCDX 1L5XX 0.01	-	+	+	1
Per Mile per month         UNCDX         1L5XX         0.01				
Interoffice Transport - Dedicated - 4-wire 64 khns combination -				
Introfolio Transport - Dedicated - 4-wife of Rupp combination -				
Facility Termination per month   UNCDX   U1TD6   17.25   98.09   53.67   56.31   22.42				
Nonrecurring Currently Combined Network Elements Switch -As-				
Is Charge				
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX				
First 2-wire VG Loop (SL2) in Combination - Zone 1		-	_	ļ
First 2-wire VG Loop (SL2) in Combination - Zone 2	+	-	+	
First 2-wire v6 Loop (SL2) in Combination - 20ne 3	+	+	+	
Mile   UNC1X   1L5XX   0.19	1	1		
First Interoffice Transport - Dedicated - DS1 combination -	1		1	
Facility Termination per month   UNC1X   U1TF1   79.02   181.24   123.53   56.72   22.32	1			
Per each DS1 Channelization System Per Month         UNC1X         MQ1         113.33         57.26         14.74         1.86         1.67				
Per each Voice Grade COCI - Per Month per month UNCVX 1D1VG 0.62 6.71 4.84				
3/1 Channel System in combination per month UNC3X MQ3 158.20 115.48 56.53 15.12 5.30 5.30				
Per each DS1 COCI in combination per month UNC1X UC1D1 11.80 6.71 4.84	$\perp$			ļ
Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1		
Interoffice Transport Combination - Zone 1 1 UNCVX UEAL2 12.67 125.22 60.48 59.69 7.84	+	+	+	<del> </del>
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL2 17.45 125.22 60.48 59.69 7.84	1	1		
Interollice Transport Combination - Zone 2	+	+	+	<del>                                     </del>
Later Additional 2-vivie ve Eucopicat 2 in the same DS1	1			
Each Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   0.62   6.71   4.84	+	1	1	1
Each Additional DS1 Interoffice Channel per mile in same 3/1		1		İ
Channel System per month UNC1X 1L5XX 0.19	1			<u></u>
Each Additional DS1 Interoffice Channel Facility Termination in				1
			1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Fook Additional DC4 COCI combination nor month	ļ		UNC1X	UC1D1		First	Add'I 4.84	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	ОСТОТ	11.80	6.71	4.84								$\overline{}$
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						, !
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	EROFF	CE TR													
	First 4-Wire Analog Voice Grade Local Loop in Combination -															1
	Zone 1	ļ	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						<del>                                     </del>
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						i
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_	ONOVA	OL/ IL-I	04.20	120.22	00.40	00.00	7.04						
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															_ <del></del>
$\vdash$	Mile Per Month	-		UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
<del>                                     </del>	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67						
	Per each Voice Grade COCI in combination - per month	<u> </u>		UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								<b></b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		١,	1110000		00.00	405.00	00.40	50.00	7.04						ł
$\vdash$	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	<b>.</b>	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						ł
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		OTTO TA	027121	01.20	120.22	00.10	00.00	7.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						ł
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i
<b>—</b>	Channel System per month	1		UNC1X	1L5XX	0.19										<del></del>
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
<b> </b>	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	0.62	6.71	4.84	30.72	22.02						
	Nonrecurring Currently Combined Network Elements Switch -As-	-		-			-	-								i
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											<b>-</b>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						i
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	'	UNCDX	UDL36	27.59	125.22	60.46	59.69	7.04						
	Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						i
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					İ										i
	Zone 3	ļ	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						<b></b>
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINCAV	11 5 7 7	0.40										i
<del>                                     </del>	Mile Per Month  First Interoffice Transport - Dedicated - DS1 - combination	<del>                                     </del>	-	UNC1X	1L5XX	0.19			+		1					
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67						<u> </u>
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						<b>——</b>
	Per each DS1 COCI in combination per month  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>-</b>		UNC1X	UC1D1	11.80	6.71	4.84								
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						l
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		T .	- +	1	255	.20.22	33.10	55.50	7.54						i
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIDLE?				=0.4-							l
	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) COCI in combination per month (2.4-	<del>                                     </del>	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	-					
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i
	Each Additional DS1 Interoffice Channel per mile in same 3/1		<del>                                     </del>	J. 100/1	10100	1.02	0.71	7.04								í
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.19										<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in				I											
	same 3/1 Channel System per month	L	l	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32				<u> </u>		

Svc Order   Svc Order   Incremental   Incremental   Incremental   Incremental   Charge -	UNBU	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ANTE BLEMENTS	3.450												Svc Order	Svc Order				
RATE GLENKY  RATE													1					
AFFECRATION IN ALTER ELEMENTS IN CORPUS AND STATE OF THE				Intori														
Second   Company   Compa	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
Second   Company   Compa				""									p = = = = = = = = = = = = = = = = = = =	p				
Second   Company   Compa																		
Sept   Sept				ļ			ļ											
Gash Additional Gift COCH in the same 31 decimal agreement   Section   Sec								Rec										
Semination per month   UNION	-	ļ	Foot Additional DC4 CCCI in the same 2/4 sharped system	-	-		+		First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonequiring Currency Completes Network Enterior Selection - 1   UNCX						LINC1V	LIC1D1	11 90	6 71	1 91								
SCHOOLD   SUPPLY	-	1				UNCIX	OCIDI	11.00	0.71	4.04	1		1		1	1		
EXTENDED 4-WINE & RAPES MONTAL, LOOP WITH EDUCATED DST INTERCEPTICE. TRANSPORT of YM NUX.						LINC1X	LINCCC		8 98	8 98	11 17	11 17						
Fig. 4 vive Galdeno Digital Grants Loop in a DST Intereffice   1		EXTEN		INTERC	FFICE				0.00	0.00			1					
Transport Confinition - Zoue 1   1   NECOX   U.C.64   27.59   125.22   60.48   59.69   7.84				1	1		1				t				t			
Transport Combination - Zone 2   2 UNCOX   UUG64   32 48   192 22   60.48   59.69   7.74			Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
First A-We 6450s Dalled Gede Loop in QST Interesting   Trainperfor Commission - Devices - DST Commission - Per			First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
Transport Combination - Zeros   3 UNCDX   UUG.64   38.37   192.62   60.48   59.69   7.94					2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Fest Intereffice Transport - Deficated - DST combination - Per Mine Per Mem   UNCIX   ULTF1   7902   181.24   123.55   56.72   22.32																		
Mile Per Menth					3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
First Interdiffice Transport Conditional Conference of Part Media							1											
Facility Termination Fee Munth    MINCIX   MITTI   79.02   1812.4   122.55   56.72   22.25	<u> </u>	ļ		<b>_</b>		UNC1X	1L5XX	0.19			-				-	-		
Per each Channel System (10 in combination per morth		1				LINICAV	LIATEA	70.00	404.04	400.50	FC 70	20.00			I	I		
Per sech OCUP COCI (data) in continuation - per month (2-4   4.64   4.	-	1		-	-								-		-	-		
Microx   M	-	1				UNCIX	IVIQ I	113.33	57.20	14.74	1.00	1.07	1		1	1		
ST Channel System in combination per month   UNCXX   M33   198.20   115.84   56.63   15.12   5.30						UNCDX	1D1DD	1 32	6.71	4 84								
Additional 4-Wire 64Rbps Digital Grafus Loop in same DST   UNCDX UDL64 27.59 125.22 60.48 59.69 7.84		1									15.12	5.30	1					
Interoffice Transport Combination - Zone 1   1 UNCDX   UDL64   27.59   125.22   60.48   59.89   7.84		1													t			
Additional 4-Wine 64Kbps Digital Grade Loop in same DST   2 UNCDX   UDL64   32.48   125.22   60.48   59.69   7.84					1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
Additional A-Wire 6405ps Digital Grade Loop in same DS1   InterOffice Transport Combination - 2 per Growth (2-644bb)   Additional OCU-PP COCI (data) - DS1 to DS0 Channel System combination - per month (2-644bb)   UNCIX   ULIX   ULIX   ULIX   USS3   56.72   22.32   USS3   Channel System per month   UNCIX   ULIX   ULIX   USS3   Channel System per month   UNCIX   ULIX   UNCIX   UCID1   UNCIX   UCID1   UNCIX   UCID1   UNCIX   UCID1   UNCIX   UCID1   UNCIX   UCID1   UNCIX   UNCIX   UCID1   UNCIX   UNCIX   UCID1   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UCID1   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UNCIX   UCID1   UNCIX   UN			Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
Interoffice Transport Combination - Zone 3			Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System   Channel System per morth (2-464bbs)   Channel System per morth   Ch																		
Combination - per month (24-6kbs)   Life Channel per mile in same 3/1					3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
Each Additional DSI Interoffice Channel Facility Termination in same 3/1   UNCIX 1L5XX 0.19   UNCIX 1L5XX 0.19   Each Additional DSI Interoffice Channel Facility Termination in same 3/1 Channel System per month   UNCIX UTTF1 79.02 181.24 123.33 56.72 22.32   Section 1.5							1											
Channel System per month						UNCDX	1D1DD	1.32	6.71	4.84								
Search Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month   UNC1X						LINICAV	41.577	0.40										
Same 3/1 Channel System per month	-	1		-	-	UNCIX	ILDAX	0.19			-		-		-	-		
Each Additional DST COCI in the same 3f channel system combination per month   UNC1X   UC1D1   11.80   6.71   4.84						LINC1Y	LI1TE1	79.02	181 24	123 53	56.72	22.32						
Combination per month		1				ONOTA	01111	75.02	101.24	120.00	30.72	22.02	1					
Nonrecurring Currently Combined Network Elements Switch -As Is Charge   UNC1X   UNCCC   8.98   8.98   11.17   11.17						UNC1X	UC1D1	11.80	6.71	4.84								
Scharge   UNCIX   UNCCC   8.98   8.98   11.17   11.17		1							-		t				t			
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X 18.44 125.22 60.48 59.69 7.84						UNC1X	UNCCC		8.98	8.98	11.17	11.17						
Transport - Zone 1		EXTEN		RT w/ 3/	1 MUX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   2 UNCNX																		
Transport - Zone 2					1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   3 UNCNX U1L2X   42.87   125.22   60.48   59.69   7.84		1			_										I	I		
Transport - Zone 3   3 UNCNX		<u> </u>		<b>!</b>	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84			<del>                                     </del>	<del>                                     </del>		-
First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		1			2	LINCNY	1111.2	42.07	125 22	60.40	50.60	7 04			I	I		
Mile per month   Nile	-	<del>                                     </del>		<del>                                     </del>	3	OINOINA	UILZA	42.07	123.22	00.48	59.69	7.84	<del>                                     </del>		<del> </del>	<del> </del>	<b> </b>	
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  UNC1X  U1TF1  79.02  181.24  123.53  56.72  22.32  Per each Channel System 1/0 in combination - per month  UNC1X  MQ1  113.33  57.26  14.74  1.86  1.67  Per each 2-wire ISDN COCI (BRITE) in combination - per month  UNC1X  UC1CA  2.84  6.71  4.84  3/1 Channel System in combination per month  UNC3X  MQ3  158.20  115.48  56.53  15.12  5.30  Per each DS1 COCI in combination per month  UNC1X  UC1D1  11.80  6.71  4.84  UC1D1  11.80  6.71  4.84  DEDICATED TO STAN STAN STAN STAN STAN STAN STAN STAN		1				UNC1X	1L5XX	0.19			1				I	I		
Facility Termination per month		i –					1	20			1				1	1		İ
Per each Channel System 1/0 in combination - per month		1				UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			I	I		
3/1 Channel System in combination per month   UNC3X MQ3 158.20 115.48 56.53 15.12 5.30																		
3/1 Channel System in combination per month   UNC3X MQ3 158.20 115.48 56.53 15.12 5.30																		
Per each DS1 COCI in combination per month		ļ		ļ														
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		ļ		ļ							15.12	5.30						
Combination - Zone 1	<u> </u>	<u> </u>				UNC1X	UC1D1	11.80	6.71	4.84			1				ļ	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   2   UNCNX   U1L2X   25.08   125.22   60.48   59.69   7.84		1		1		LINICALY	LIALOV	40.44	405.00	60.40	50.00	7.4		1	I	I		
Combination - Zone 2		<del>                                     </del>		-	1	UNCNX	UTLZX	18.44	125.22	60.48	59.69	7.84	-		<del>                                     </del>	<del>                                     </del>		<u> </u>
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84 59.69 7.84		1			2	LINCNX	1111 2Y	25.00	125 22	60.49	50.60	7.94			I	I		
Combination - Zone 3   3 UNCNX   U1L2X   42.87   125.22   60.48   59.69   7.84	<b>-</b>	<b>†</b>		<del>                                     </del>		OINOINA	UILZA	23.00	120.22	00.40	39.69	1.04			<del>                                     </del>	<del>                                     </del>		<del> </del>
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		1			3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84			I	I		
		1			Ť		1	01		22.10	22.00			İ	1	1	İ	
		1		1		UNCNX	UC1CA	2.84	6.71	4.84	I			1	I	I		

UNBU	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N		T. N	D'				D-1 (A)		
-							Rec	Nonrec		Nonrecurring					Rates (\$)		
-	1	Foot Additional DC4 Interesting Channel and will in access 2/4		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	1	Each Additional DS1 Interoffice Channel Facility Termination in		<u> </u>	UNCIA	ILSAA	0.19										
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-		Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	73.02	101.24	125.55	30.72	22.52						
		combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	00.5.	11.00	0									
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	i	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		First Interoffice Transport - Dedicated - DS1 combination - Per													l		
	ļ	Mile Per Month		ļ	UNC1X	1L5XX	0.19										
		First Interoffice Transport - Dedicated - DS1 combination -				1											
		Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
-		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.19										
		Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in		-	UNCIX	ILSAA	0.19										
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-		Each Additional DS1 COCI in the same 3/1 channel system			UNCIA	011111	19.02	101.24	123.33	30.72	22.32						
		combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			0.1017	00.5.	11.00	0									
		1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	i	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		i													
		3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			LINCDY	11.5	0.04										
$\vdash$	<del>                                     </del>	per month	-	<del>                                     </del>	UNCDX	1L5XX	0.01			<del>                                     </del>					-		
1	1	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42	1	1				
$\vdash$	<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-		t	OINODA	פטווט	11.23	90.09	33.67	30.31	22.42				<b>l</b>		
1	1	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17	1	1				
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :		211000		5.50	3.30	/	11.17						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	t	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84				İ		
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile					İ	İ		l i							
		per month			UNCDX	1L5XX	0.01								<u> </u>		
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	<u> </u>	Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
1	1	Nonrecurring Currently Combined Network Elements Switch -As-	1			l		_		[ ]		1	1				
455:-		Is Charge		1	UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDIT		IETWORK ELEMENTS	<u> </u>	<u> </u>	mat annie best - 2	Servitado A - 1 - 1		de .		ļ							
-		used as a part of a currently combined facility, the non-recurr								<del>                                     </del>							
<b>—</b>		used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is"					As is Charge of	ioes not.		<del>                                     </del>		-		-		-	
<b>-</b>	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As is"  Nonrecurring Currently Combined Network Elements Switch -As-		Tone a	ppiles to each com	ibiliation)				<del>                                     </del>		<b> </b>	<b> </b>		<b> </b>		
1	1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17	1	1				
	ı	10 0.16.go 2 1.110/4 11110 10	I	I	0.10 1/1	1311000	l l	5.30	0.30	11.17	11.17	L	L		L		1

CATEGORY   RATE ELEMENTS   Intel   Zone   BCS   USOC   RATE (B)   Section   Companies	UNBUN	IDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	ibit: A
CATEGORY   RATE ELEMENTS   Minds   M	J.1201		TELLIONIC ELEMENTO - Nemucky		1		1						Svc Order	Svc Order				
Part   Part					1								II .			l .		Charge -
CATEGORY   RATE ELEMENTS   Image: Control   Category				to read														
Recommendation	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)						l .		Order vs.
Non-counting Common Nations Remarks Switch As   Non-counting Discounted   Non-counting Common Nations Remarks Switch As   No				m						(1)			per Lor	per Lor				Electronic-
Normalizing Cumming Combined Network Elements Switch - April   No.   N																l .		Disc Add'l
No.   Security Cores of Continue Network Elements Soutch As   UNCDX																	DISC 1St	DISC Add I
Separating Currently Contributed Neurosis Institutes of South So								Poc	Nonre	curring								
S. Change - Solid Allows   Service								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Noncounting Currently Combined Network Elements Switch - April 1, 1177   111																		
S Charge - CBST						UNCDX	UNCCC		8.98	8.98	11.17	11.17						
National Processing Contribution National Section - New 1st Change, - 1935   1.1.1.7   11.1																		
In Change, Disa   Control Capability Control of Network Elements Switch As   NACCC   8.88   8.88   11.17   11.17						UNC1X	UNCCC		8.98	8.98	11.17	11.17						
Noncentral Control (Control						LINICOV	LINICCO		0.00	0.00	44.47	44.47						
Scharge - 5781						UNC3X	UNCCC		8.98	8.98	11.17	11.17	<b> </b>					<b>+</b>
Claser Channel Capability Extended Frame Option - per DS1						LINICSY	LINICCC		9.09	9.09	11 17	11 17						
Clear Channel Capability Extended Frame Option - per DS1	-	ntion				ONCOX	014000		0.30	0.30	11.17	11.17	1		1		1	-
Clear Channel Capability Extended Frame Option - per DR1   U.DD1.WICK   COCEF   0   0   0   0   0   0   0   0   0		puon	ar reactives a randitions.		<b>-</b>	LI1TD1	+						1					<del> </del>
Class Channel Capability Super Familicyten - per DS1			Clear Channel Capability Extended Frame Option - per DS1	1			CCOEF		01	01	OI	01						
Clear Channel Capability Super FrameOption - per 051   1   ULDDI LURCIX   CCOSF   01   01   01   01   01   01   01   0													İ					
Clear Channel Cigability (SF-ESF) Option - Subsequent   LUDDI , UTITO1, LNDS, NRCC   184,918   23,828   1,998   0,788			Clear Channel Capability Super FrameOption - per DS1	- 1			CCOSF		01	01	01	01						
C-bit Parity Option - Subsequent Activity - per DS3						ULDD1, U1TD1,												
C-air Party Option - Subsequent Analyse per DS3   1 UEs, UNCX   NRCC3   20.708   7.208   68245   0.8			Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
WULTIPIEXERS   Dis DSi Channel System per month   UNCIX   MO1   113.33   07.26   14.74   1.86   1.67																	ĺ	
SS 10 DSQ Channel System per month				i		UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
COLUPP COCT (data) - DS1 to DS0 Channel System - per	N	/IULTI																
Month (2.4-64/6s) used for a Local Loop						UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
OCU-OP COCI (data) - DS1 to DS0 Channel System - per month																		
month (24-84bts) used for connection to a channelized DS1   Local Channel in the same SWC as collocation   U1TUD   1D10D   1.32   10.07   7.08						UDL	1D1DD	1.32	10.07	7.08								
Local Channel in the same SWC as collocation   U1TUD   1010D   1.32   10.07   7.08																		
2-wire ISDN OCCI (BRITE) - ISS1 to DS0 Channel System - per month for a Local Loop   2-wire ISDN OCCI (BRITE) - ISD1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   UITUB   UCICA   2.84   10.07   7.08						LIATUD	10100	4.00	40.07	7.00								
month for a Local Loop   Local Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUB   U1TUC   Local Channel   U1TUC   U1TUC   Local Channel   U1TUC   U1TUC   Local Channel   U1TUC   U1TUC   U1TUC   U1TUC   Local Channel   U1TUC   U1					-	UTTUD	טטוטו	1.32	10.07	7.08			1					
2-wire ISDN OCCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   UEA						LIDNI	LICACA	2.04	10.07	7.00								
month used for connection to a channelized DS1 Local Channel   nthe same SWC as collocation   UTIUB   UCICA   2.84   10.07   7.08					-	UDIN	UCTCA	2.84	10.07	7.08	-		<b> </b>					<del> </del>
In the same SWC as collocation																		
Vicice Grade COCT - DS1 to DS0 Channel System - per month   UEA   ID1VG   0.6228   10.07   7.08						LITTUR	LIC1CA	2 84	10.07	7.08								
USEA   TOTAL   LOCAL   LOOP   USEA   LOCAL   LOOP   USEA   LOCAL   LOOP   USEA   LOCAL   LOOP   USEA   LOCAL   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   LOOP   USEA   USEA   LOOP   USEA   U						01102	00.07	2.01	10.01	7.00								<b>†</b>
Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   UNIXX   M03   158.20   115.48   56.53   15.12   5.30						UEA	1D1VG	0.6228	10.07	7.08								
Same SWC as collocation   U1TUC   101VG   0.6228   10.07   7.08																		
DS3 to DS1 Channel System per month			used for connection to a channelized DS1 Local Channel in the															
STS-1 to DS1 Channel System per month			same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
DS1 COCI used with Loop per month																		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month											15.12	5.30						
Channel in the same SWC as collocation) per month						USL	UC1D1	11.80	10.07	7.08								ļ
DS1 COCI used with Interoffice Channel per month					1	l <u>_</u>	l	l	l	_	I			1				
DS3 Interface Unit (DS1 COCI) used with Local Channel per month  UNDIT U					<u> </u>													<b>_</b>
MOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS						U1TD1	UC1D1	11.80	10.07	7.08	<del>                                     </del>	-	ļ	<b> </b>	<b>!</b>	1	<b>.</b>	<b>├</b>
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled Fe, low usage line port with Caller ID (LUM)  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13					1	LII DD4	LIC4D4	44.00	40.07	7.00	1			1				
Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  Exchange Ports - 2-Wire Valler ID - Res.  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPRC  UEPSR  UEPRC  1.49  3.74  3.63  2.23  2.13	LIMBUING	ו בה י			-	ULUUT	UCTD1	11.80	10.07	7.08	<b>-</b>		1			1	-	<del>                                     </del>
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  UEPSR UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRC 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13  UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13  UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13  UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13  UEPSR UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13				<b>-</b>	<u> </u>		+		<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	-		1		<del>                                     </del>
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY I A	L S. TNI 41	he desired features	will need to b	ne ordered usi	ng retail IISOC	<u> </u>	<del>                                     </del>		<u> </u>		<del> </del>	1	<del> </del>	<del>                                     </del>
Exchange Ports - 2-Wire Analog Line Port With Caller ID - Res.				.,	, [	inc aconeu realares	I I I I I I I I I I I I I I I I I I I	Jo Stuered USII	l retail 0300	Ĭ	<b>—</b>					1		<del>                                     </del>
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.						UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13			1		1	
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			<u> </u>		Ì		1		1	2.30					İ		İ	
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.																		
dialing Parity Port with Caller ID - Res.					<u> </u>	UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13  UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13																		
with Caller ID (LUM)  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID  UEPSR  UEPAP  1.49  3.74  3.63  2.23  2.13  UEPSR  UEPWE  1.49  3.74  3.63  2.23  2.13						UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						
Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13 2-Wire voice unbundled Low Usage Line Port without Caller ID																		
without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13 2-Wire voice unbundled Low Usage Line Port without Caller ID					<u> </u>	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13			ļ	ļ.	ļ	ļ
2-Wire voice unbundled Low Usage Line Port without Caller ID					1							_		1				
					ļ	UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13			ļ	ļ	ļ	<b></b>
					1	LIEDOD	LIEDDE	1 40	0.74	2.00	0.00	0.40		1				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU	Subsequent Activity	-	-	UEPSR	USASC	0.00	0.00	0.00	1							<b></b>
FEATU	All Available Vertical Features	-		UEPSR	UEPVF	0.00	0.00	0.00	-							
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)			OLFOR	OLF VI	0.00	0.00	0.00	<del> </del>							
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -								t							
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						i l
	Exhange Ports - 2-Wire VG unbundled incoming only port with			OLFOD	OLF DIVI	1.49	3.14	3.03	2.23	2.13						
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						i I
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan													İ		
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						l
	2-Wire voice unbundled Incoming Only Port without Caller ID															i I
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
FEATU	Subsequent Activity	-	1	UEPSB	USASC	0.00	0.00	0.00	1							
FEATU	All Available Vertical Features		1	UEPSB	UEPVF	0.00	0.00	0.00								
EXCHA	NGE PORT RATES (DID & PBX)	1		OLFOD	OLF VI	0.00	0.00	0.00								
EXOLIP	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89 0.89						<b></b>
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPSP UEPSP	UEPXA	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89						-
	2-Wire Voice Unbundled PBX Toli Terminal Floter Forts  2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area									0.00						
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling			UEPSP	UEPXJ	1.49	20.05	18.17	15.38	0.89						1
	Port Without LUD  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	1	ULFOF	UEFAJ	1.49	39.05	10.17	15.38	0.89						$\vdash$
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-			22.20		13.30	2.30						$\overline{}$
	Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						ł
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89						
	Subsequent Activity	ļ	1	UEPSP	USASC	0.00	0.00	0.00								<b></b>
FEATU		-	-	HEDOD HEDOE	LIED\/E	0.00	0.00	0.00	1							<del>                                     </del>
EXCHA	All Available Vertical Features NGE PORT RATES (COIN)	1	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	<del> </del>		-					$\vdash$
LAGIA	Exchange Ports - Coin Port					1.49	3.74	3.63	2.23	2.13						$\vdash$
Local S	Switching Features offered with Port							2.30		=:70						
	Transmission/usage charges associated with POTS circuit s															
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	oxdot
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	101.60	188.36	95.15	61.92	22.67						
	OCAL EXCHANGE SWITCHING(PORTS)	ļ			1				ļ			ļ				<b></b>
EXCHA	INGE PORT RATES	<u> </u>									L	l		l		

UNBUND	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
		T				1					Svc Order	Svc Order	Incremental		1	
											I .	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
			<b>†</b>				Nonre	curring	Nonrecurrin	g Disconnect	İ		oss	Rates (\$)		
		<b>†</b>			†	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The	DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	SDN Port	in this	s rate exhibit apply t	o the embed	lded base in pla										
	quests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															†
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16							1
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	†									i e					†
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1		UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17	İ					1
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00			İ					1
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	†		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			i e					†
NO.	TE: Transmission/usage charges associated with POTS circuit s	witched							ission by B-C	hannels assoc	iated with 2	-wire ISDN	oorts.			1
	TE: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	ress	1
	CHANGE PORT RATES (continued)	I	1	J oug.: Di iuiton	1	1	1 114100 101 1110	paonor oupus.		T	1	I		1	1	1
-/:	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1			1				i				i		1	1
	Locator Capability (E:4/1/2004)	1	1	UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67					I	
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	<del>                                     </del>	UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67	<b>†</b>	<u> </u>		<b>†</b>	t	†
	Physical Collocation - DS1 Cross-Connects	1	<del>                                     </del>	UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57	<b>†</b>	<u> </u>		<b>†</b>	t	†
	Virtual collocation - Special Access & UNE, cross-connect per	<b>†</b>	<b>t</b>	CLILA OLIDA	1 11 1	1.40	77.23	31.90	12.01	11.57	<del> </del>	<b>-</b>	<b> </b>	<del> </del>	<del> </del>	+
	DS1		1	UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57	1				1	
Det	ailed E911 with Locator Capability (required with UEPEX port)	-		OLI LX OLI DX	CINCIX	1.40	44.23	31.30	12.01	11.57	<b>†</b>					+
Det	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1			1					1		1		1		+
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	+	-	UEPEX	UEPTA	0.00	1,011.00		130.09		ł	<b>-</b>	-		-	+
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
Na	w or Additional PRI Telephone Numbers	-	-	UEPEA	UEPIB	0.00	175.62				-					+
Nev		-			+	-					<b> </b>	1				+
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-	-	UEPEA	UEPIC	0.07	0.54				-					+
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	-	-	UEPEX	UEPID	0.07	12.71	12.71			-					+
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.54									
		-	-	UEPDX	UEPTE	0.00	0.54									+
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPEX	PR7ZT	0.00	25.41	25.41								
1.0	Inward Tel Numbers [Customer Testing Purposes]  CAL NUMBER PORTABILITY	-	-	UEPEX	PR/ZI	0.00	25.41	25.41			-					+
LU		-	-	UEPEX UEPDX	LNPCN	4.75					-					+
INT	Local Number Portability (1 per port)	+	-	OLFEN UEPUX	LINECIN	1.75				1	1	<u> </u>	-	-	<del>                                     </del>	+
INI	ERFACE (Provsioning Only)	+	-	LIEDEV	DD7417	0.00	0.00	0.00		-	-			-	<del>                                     </del>	+
	Voice/Data	1	-	UEPEX UEPEX	PR71V PR71D	0.00	0.00	0.00	-	1	<b>}</b>	<del>                                     </del>	<b> </b>	1	<del>                                     </del>	+
	Digital Data	1	-			0.00	0.00	0.00	-	1	<b>}</b>	<del>                                     </del>	<b> </b>	1	<del>                                     </del>	+
	Inward Data	+	-	UEPDX	PR71E	0.00	0.00	0.00	-	1	ļ	-	-	1	1	+
Nev	w or Additional Channel	1	<u> </u>	LIEDEV	DDZDV	0.00	45.70		ļ	ļ	<u> </u>	-	<b>.</b>	ļ	-	+
	New or Additional - Voice/Data "B" Channel	1	<u> </u>	UEPEX	PR7BV	0.00	15.48		ļ	ļ	<u> </u>	-	<b>.</b>	ļ	-	+
	New or Additional - Digital Data "B" Channel	1	<u> </u>	UEPEX	PR7BF	0.00	15.48		ļ	ļ	<u> </u>	-	<b>.</b>	ļ	-	+
	New or Additional Inward Data "B" Channel	1	<u> </u>	UEPDX	PR7BD	0.00	15.48		ļ	ļ	<u> </u>	-	<b>.</b>	ļ	-	+
	New or Additional Useage Sensitive Voice Data "B" Channel	1	<u> </u>	UEPEX	PR7BS	0.00	15.48		ļ	ļ	<u> </u>	-	<b>.</b>	ļ	-	+
	New or Additional Useage Sensitive Digital Data "B" Channel	1		UEPEX	PR7BU	0.00	15.48			ļ	<b> </b>			ļ		4
	New or Additional PRI "D" Channel	<del>                                     </del>	<b>_</b>	UEPEX	PR7EX	0.00	15.48			ļ	ļ			ļ	-	4
CA	LL TYPES	1		HEREY HERE::	DD=0.4					ļ	<b> </b>			ļ		4
	Inward	1	<u> </u>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	ļ	ļ	<u> </u>	-	<b>.</b>	ļ	-	+
	Outward	1		UEPEX	PR7CO	0.00	0.00	0.00		ļ	<b> </b>			ļ		4
	Two-way	Ļ	<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00			ļ		ļ		<b>.</b>	1
	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILIT		<u> </u>	ļ	1						ļ		ļ		<b>.</b>	1
UN	BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	<u> </u>		ļ	1				ļ				ļ		L	1
	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1.49	3.74	3.63	ļ			L	ļ		L	1
		1	1												I	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	3		UEPVR	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.49	3.74	3.63								

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
													Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc		Manual Svc
OAT LOOK	KATE ELEMENTO	m	20110	500	0000			τοτι Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
													1st	Add'l	DISC 1St	DISC Add 1
						Rec	Nonred			Disconnect				Rates (\$)		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	1		UEPVR	UERTR	1.49	First 3.74	Add'l 3.63	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non	-Recurring			UEFVK	UERIR	1.49	3.74	3.03								
i i i i i i i i i i i i i i i i i i i	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with		1		i e											
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNB	BUNDLED REMOTE CALL FORWARDING - Bus	ļ														
	Unbounded Bornets Call Farmendian Continue Asso Calling Burn			LIED//D	UERAC	4.40	0.74	2.02								
-	Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u> </u>		UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	t	UEPVB	UERTE	1.49	3.74	3.63					1	1		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1	i i	UEPVB	UERTR	1.49	3.74	3.63	İ	ĺ	İ	İ				
	Unbundled Remote Call Forwarding Service Expanded and	İ								1			1	1		
	Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
Non-	-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACC		0.10	0.10								
LINDLINDI E	allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE	<u> </u>		UEPVB	USACC		0.10	0.10								
	Office Switching (Port Usage)															
Liid	End Office Switching Function, Per MOU				1	0.0011971										
	End Office Trunk Port - Shared, Per MOU					0.0002112										
Tano	dem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port - Shared, Per MOU	ļ				0.0002416										
	Tandem Switching Function Per MOU (Melded)	ļ				0.000094381										
$\vdash$	Tandem Trunk Port - Shared, Per MOU (Melded)  Melded Factor: 48.65% of the Tandem Rate	1	1			0.000117538										
Com	nmon Transport	1	1													
Com	Common Transport - Per Mile, Per MOU	1	1		1	0.000003										
	Common Transport - Facilities Termination Per MOU	1				0.0007466										
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES				1											
	t Based Rates are applied where BellSouth is required by FCC a															
	tures shall apply to the Unbundled Port/Loop Combination - Cos															
End	Office and Tandem Switching Usage and Common Transport U	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	ort network elei	ments except	or UNE Coi	n Port/Loop	Combination	ns.		
	first and additional Port nonrecurring charges apply to Not Curl	rently C	ompine	ea Compos. For Cur	rentiy Combi	nea Combos ti	ne nonrecurrin	g cnarges sha	iii pe tnose idei T	ntified in the N	onrecurring	- Currently	Compined se	ections.		
	Port/Loop Combination Rates	1	<del>                                     </del>		1				+	1	1	1	<del> </del>	<del> </del>		
JAL	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	15.52				İ			İ	İ		
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPRX	UEPLX	14.37			ļ							
0.757	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	30.59			1	-	-	-	<del>                                     </del>	<del>                                     </del>		<b> </b>
Z-VVI	ire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence	-	<del>                                     </del>	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67						<b> </b>
<del>                                     </del>	2-Wire voice unburidled port vith Caller ID - res	<del>                                     </del>	<del>                                     </del>	UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with caller 15 - res  2-Wire voice unbundled port outgoing only - res	<u> </u>	t	UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67			1	1		
	2-Wire voice Grade unbundled Kentucky extended local dialing	1	i i		1						İ	İ	ĺ	ĺ		
	parity port with Caller ID - res	1		UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	<u> </u>	<u> </u>	UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67			ļ	ļ		
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan	1		LIEDDY	LIEDWE		04.00	45		0.5-						
$\vdash$	without Caller ID  2-Wire voice unbundled Low Usage Line Port without Caller ID	<del>                                     </del>	<b>!</b>	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67	-	-				<b> </b>
	Capability	1		UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67						
	Оприонну	1	1	OEI IV	DEI IVI	1.13	21.29	13.49	2.00	2.07	1	1	ı	ı		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
	_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	<u> </u>				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
		1	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU	IRES	1			1			71441		71441	0020	00			00	
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0.10	0.10								
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-		UEFRA	USACZ		0.10	0.10	1							
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDIT	IONAL NRCs			-												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						i									
	Activity		<u> </u>	UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDET:			2.5-								J
055/0	Premise	<b>.</b>	<u> </u>	UEPRX	URETL		8.33	0.83						<b>!</b>		
OFF/O	N PREMISES EXTENSION CHANNELS  2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
<del>                                     </del>	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Design	1	1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
<del> </del>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<u> </u>		UEPRA	01172	23.95	96.09	55.67	30.31	22.42	-					
	or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOR	O T T VIVI	0.0000	0.00	0.00								
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			31.74										
UNE L	oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPBX	UEPLX	9.64										
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	14.37			1							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - bus	ļ		UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67						
<del>                                     </del>	2-Wire voice unbundled incoming only port with Caller ID - Bus	<b>t</b>	<b>†</b>	UEPBX	UEPBN UEPB1	1.15	21.29	15.49	2.85	2.67	<b>-</b>					
	2-Wire Voice Unbundled Kentucky Business Dialing Plan	1	1		32.2.	0	220	.0.40	2.00	2.07				İ		
	without Caller ID	<u> </u>	L	UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67	<u></u>					
	2-Wire voice unbundled Incoming Only Port without Caller ID															
<u> </u>	Capability	<u> </u>	<u> </u>	UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						
LOCAL	NUMBER PORTABILITY	<b>.</b>	<u> </u>	LIEDDY	LNDCV	0.05								<b>!</b>		
FEATU	Local Number Portability (1 per port)	<del>                                     </del>	<del>                                     </del>	UEPBX	LNPCX	0.35										
FEATO	All Features Offered	<del>                                     </del>	<del>                                     </del>	UEPBX	UEPVF	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>			<del> </del>		
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	t	52. D/(	JE1 VI	0.00	5.00	0.00						1		
13741	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	t		1											
	Switch-as-is		<u>L</u>	UEPBX	USAC2		0.10	0.10	<u> </u>							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
	Switch with change	ļ	<u> </u>	UEPBX	USACC		0.10	0.10			1					
ADDIT	IONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<b> </b>	<b>!</b>		+				<del>                                     </del>		-					
	Activity			UEPBX	USAS2		0.00	0.00								J
	, warry	·	1	JOET DA	00/102		0.00	0.00	1	1	1	1	1	1		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
	2 2										Svc Order	Svc Order	Incremental		1	
											1	Submitted		Charge -	Charge -	Charge -
		Inter'			1 1						Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
															Disc 1st	
													1st	Add'l	DISC 1St	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPBX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS															Ì
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65			Î			
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65			ĺ			
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88			Î			ĺ
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88			Î			ĺ
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						1
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility												Î			Î
	Termination	1		UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42		1			I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00								
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)										İ					1
	Port/Loop Combination Rates										İ					1
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										1
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	30.59										
2-W	re Voice Grade Line Port Rates (RES - PBX)		Ŭ	02.110	02. 2.	00.00					<b>†</b>				-	<del>                                     </del>
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+						<b>†</b>				-	<del>                                     </del>
	Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
LOC	AL NUMBER PORTABILITY			OLI IKO	OLITO	1.10	21.20	10.40	2.00	2.07	<b>†</b>				-	<del>                                     </del>
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FFΔ	TURES			OLI IKO	LIVI OI	0.10	0.00	0.00								<del>                                     </del>
/-	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			<b>†</b>				-	<del>                                     </del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IKO	OLI VI	0.00	0.00	0.00			<b>†</b>				-	<del>                                     </del>
1101	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1				1	1
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		0.40	1.01								<del>                                     </del>
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADD	ITIONAL NRCs			OLI IKO	OOACC		0.40	1.31								1
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															<del>                                     </del>
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI IKO	00/102	0.00	0.00	0.00								<del>                                     </del>
	Group						7.86	7.86							1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.00	7.00								<del>                                     </del>
	Premise	1		UEPRG	URETL		8.33	0.83				1			I	
OFF	ON PREMISES EXTENSION CHANNELS	<del>                                     </del>		OLI NO	OINETE		0.33	0.03	<del>                                     </del>		<b>H</b>		<del>                                     </del>	1	<del>                                     </del>	<del></del>
Orr	Local Channel Voice grade, per termination	1	1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88	<del>                                     </del>	<b>-</b>	1	1	+	<del>                                     </del>
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88	<del> </del>		<del> </del>	t	<del>                                     </del>	<del>                                     </del>
	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	1		UEPRG	P2JHX P2JHX	33.22	134.89	81.87	73.65	14.88	<del>                                     </del>	<b>-</b>	1	1	+	<del>                                     </del>
<del>-  </del>	Non-Wire Direct Serve Channel Voice Grade	1	1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80	<del> </del>		<del> </del>	t	<del>                                     </del>	<del>                                     </del>
	Non-Wire Direct Serve Channel Voice Grade	<del>                                     </del>	2	UEPRG	SDD2X SDD2X	18.12	170.06	78.10	119.62	15.80	<b>H</b>		<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X SDD2X	29.64	170.06	78.10	119.62	15.00	<del>                                     </del>	-	-	<del> </del>	<del></del>	<del>                                     </del>
INITE	ROFFICE TRANSPORT	1	J	OLI INO	ODDZA	23.04	170.00	70.10	119.02	13.00	<del>                                     </del>	<b>-</b>	1	1	+	<del>                                     </del>
IINTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+ -				<del>                                     </del>		<del>                                     </del>	<b>-</b>	1	1	+	<del>                                     </del>
	Termination	1		UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42		1			I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-	ULPRU	UTIVZ	23.95	90.09	33.67	30.31	22.42	<del>                                     </del>	-	-	<del> </del>	<del></del>	<del>                                     </del>
		1		LIEDDG	U1TVM	0.0005	0.00	0.00				1			I	
0.140	or Fraction Mile	-		UEPRG	UTTVIVI	0.0095	0.00	0.00	<del>                                     </del>		-		-	-	<del>                                     </del>	<del>                                     </del>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1	-								1	-	<del>                                     </del>	+	<del>                                     </del>	<del>                                     </del>
UNE	Port/Loop Combination Rates	<b>}</b>	-			10.70					-	-	<b> </b>	1	<del>                                     </del>	<del> </del>
	2-Wire VG Loop/Port Combo - Zone 1	<b>}</b>	1			10.79					-	-	<b> </b>	1	<del>                                     </del>	<del> </del>
	2-Wire VG Loop/Port Combo - Zone 2		2		$\perp$	15.52					ļ			ļ	<b></b>	<b></b>
1	2-Wire VG Loop/Port Combo - Zone 3	1	3		[	31.74					1			1	l	

IINRI	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	ibit: A
ONDO	MULL		1		l	1 1						Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ							I	B'						
	1		1				Rec	Nonrec First		Nonrecurring First		SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
-	LINE L	L pop Rates	1					FIRST	Add'l	FIRST	Add'l	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	OIVE EX	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	9.64										<del>                                     </del>
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	i -		UEPPX	UEPLX	14.37					İ			t		
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
	ļ	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling			UEPPX	UEPOA											
$\vdash$	<del>                                     </del>	Port  2-Wire Voice Unbundled PBX LD Terminal Ports	<del>                                     </del>		UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67	<b>+</b>		<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
	1	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	t		UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	1	t	1	<b>†</b>	1	
<b>—</b>	†	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<b>†</b>		UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67			1	1	1	
	1	2-Wire Voice Unbundled PBX LD DDD Terminals Port	i –		UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67	Ì			1		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area							.= .0								
	ļ	Calling Port without LUD	<u> </u>	-	UEPPX UEPPX	UEPXF UEPXG	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67				1		
-	<b>-</b>	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port	<u> </u>	-	UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		-		-		-
	1	2-Wire Voice Unbundled 1-BX Kentucky Fremium Calling Fort	1		OLITA	OLI XII	1.10	21.23	10.40	2.00	2.07						
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
	i e	2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling															
		Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port	ļ		UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	UEPXM	4.45	24.20	45.40	2.05	0.07						
-	<b>-</b>	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<u> </u>	-	UEPPX	UEPXIVI	1.15	21.29	15.49	2.85	2.67		-		-		-
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU																
-	NOND	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
	NONRE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>	-											1		
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91						1		
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	t		J_11/	00,102		0.40	1.31			1	t	1	<b>†</b>	1	
1	1	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91						I		
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						= 00									
-	<del>                                     </del>	Group	<del>                                     </del>					7.86	7.86			-			<del>                                     </del>		<del>                                     </del>
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83						I		
<b>-</b>	OFF/O	N PREMISES EXTENSION CHANNELS	<b> </b>		OLI I A	JINETE		0.33	0.03						<del> </del>		<del>                                     </del>
	30	Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88			İ	1	İ	
		Local Channel Voice grade, per termination			UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		_	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
<u> </u>	<u> </u>	Non-Wire Direct Serve Channel Voice Grade	<u> </u>	2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80		1				
<u> </u>	INTER	Non-Wire Direct Serve Channel Voice Grade	<del>                                     </del>	3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00	ļ	1	<del> </del>	1	<del>                                     </del>	1
-	INTER	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>			+ +		-				1	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del> </del>	+
	1	Termination			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42				I		
		· · · · · · · · · · · · · · · · · · ·				1											

CATEGORY   RATE ELEMENTS   BEG   USOC   REGION   Secretary   Company   Com	UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	ibit: A
ACTEORY RATE ELEMENTS   New Zone   DCS   USOC   PATES (8)   Security   Securi	ONDONDE	RETWORK ELEMENTO Remarky	1		1							Svc Order	Svc Order				Incremental
## PATE PLEMENTS   Inter- ## PATE ACT   PATE PLEMENTS   Inter- ## PATE																	Charge -
## CATEGORY   RATE ELEMENTS   May   Zond   BCS   USDC   SATES   STATES   Details   Det			Interi														
Best Person   Best Person	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
Tell			- ""									P =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Recommendation																	Disc Add'l
																2.00 .01	2.007.00.
Insertitive Transport Pedicators 2: Wire Vision Grades Per Mills   School							Rec										
Information			ļ	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description					LIEDDY	11477.04	0.0005	0.00	0.00								
With Provided Control Contro	2 14/1		DT	1	UEPPX	UTIVM	0.0095	0.00	0.00			<b> </b>					
2-Min VP GOAT PORTLOSS CRITICAL PROTECT STORE 2   2   1   1   1   1   1   1   1   1			KI	<del> </del>									-				-
Description   Description	ONE		<del>                                     </del>	1			10.70					1	1				-
E-Yerry VIC Code Profits Control - Earn 3   3	$\vdash$					+ -											
UPECO   UPEN   1.50   UPEN   1.50   UPEN   1.50   UPEN   1.50   UPEN   1.50   UPEN			1									1	1				<b>†</b>
2-West Order Loop (Sts) - Zone 1   1   UPPCO   UPPCX   564	UNE			Ť			0					İ					
2-Wire Visco Grant Long (R.1.) - Zone 2   2. MEPOO UEPKX   14.37			1	1	UEPCO	UEPLX	9.64					İ					
2-Wire Vision Grante Lucy (SL1): Zum 3   3 MEPCO   UFPIX   30:59				2	UEPCO	UEPLX	14.37										
2-Wine Coin - 2-Way without Operator Screening and without   UEPCO   UEPRE   1.15   21.26   15.49   2.85   2.67			1														
Blocking (AL, KY, LA, MS)	2-Wi	re Voice Grade Line Ports (COIN)															
2-Wine Coin 2-Way with Operator Screening and Blocking; 011, 00078; 1-1000 (JL, KY, LA, MS)   UEPCO   UEPRA   1.15   21.29   15.49   2.85   2.67																	
2-Wire Coin 2-Way with Operator Screening and Blocking ()   UEPCO   UEPRA   1.16   21.29   15.49   2.85   2.67																	<u> </u>
Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   1-100   Depart   Depart   1-100   Depart   1-100   Depart   D					UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67						
2-Wire Coin 2-Winy with Operator Screening and Off Blocking (NO)   UEPCO   UEPCD   1.15   21.29   15.49   2.85   2.67					l		. 1			_	_						
IRYO   2-Wire Coin Cutter Screening & Blocking:   UEPCO   UEPRA   1.15   21.29   15.49   2.85   2.67			ļ	ļ	UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						
2-Wire Cond 2-Way with Operator Screening & Blocking:   UEPCO   UEPCD   1.15   21.29   15.49   2.85   2.67																	
S00976; 1-DDD, 011-8, Local (AL, KY, LA, MS)			1		UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						ļ
2-Vitre Coin Outward without Blocking and without Departor   UEPCO UEPRN   1.15   21.29   15.49   2.85   2.67					LIEDOO	LIEDOD	4.45	24.20	45.40	2.05	0.07						
Screening (KY, LA, MS)			1	1	UEPCU	UEPCD	1.15	21.29	15.49	2.85	2.67	<b> </b>	-				<b>+</b>
2-Wire Coin Outward with Operator Screening and Blocking (CA, KY, MS)   2-Wire Coin Outward with Operator Screening and Blocking   UEPCO   UEPCN   1.15   21.29   15.49   2.85   2.67					LIEDCO	HEDDNI	1 15	21 20	15.40	2.95	2.67						
CA, KY, MS    UEPCO   UEPR  1.15   21.29   15.49   2.85   2.67	<del> </del>		1	1	OLFCO	OLFKIN	1.13	21.29	13.49	2.00	2.07	ł	1				-
2-Wire Com Outward with Operator Screening and Blocking:   UEPCO   UEPRH   1.15   21.29   15.49   2.85   2.67					LIEPCO	UEPR.I	1 15	21 29	15 49	2 85	2 67						
O11, 900976, 1+DDD (AL, KY, LA, MS)					021 00	OLI III	1.10	21.20	10.40	2.00	2.07						
2-Wire Con Outward Operator Screening & Blocking; 900976,   1-10DD, 011+, and Local (AL, KY, LA, MS)   UEPCO   UEPCN   1.15   21.29   15.49   2.85   2.67					UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
2-Wire 2-Way Smartline with 900976 (all states except LA)			1														
2-Wire Coin Outward Smartline with 900976 (all states except LA)		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
LA   UEPCO					UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
ADDITIONAL UNE COIN PORTLOOP (RC)																	
UNE Coin Port/Loop Combo Usage (Flat Rate)   USPCO   USECU   2.57   0.00   0.					UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						ļ
LOCAL NUMBER PORTABILITY	ADD																
Local Number Portability (1 per port)				ļ	UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
NONRECURRING CHARGES - CURRENTLY COMBINED	LOC		1		LIEBOO	LLIBOY											ļ
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-assis - Switch-assis - Switch with change   UEPCO   USACC   US	NON		1	1	UEPCO	LNPCX	0.35										
Switch-as-is	NON		1	<del> </del>									-				-
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			1		LIEPCO	LISAC2		0.10	0.10								
Switch with change			_		02.1 00	JUAUZ	+	0.10	0.10			<del>                                     </del>		<b> </b>		<b> </b>	<del>                                     </del>
ADDITIONAL NRCS					UEPCO	USACC	l	0.10	0.10								
2-Wire Voice Grade Loop/Line Port Combination - Subsequent   Activity   UEPCO   USAS2   0.00   0.0	ADD		1			0000	+	5.10	0.10					1		1	
Activity			1			1	İ					1		İ	l	İ	
Unbundled Miscellaneous Rate Element, Tag Loop at End User   Premise   UEPCO   URETL   8.33   0.83					UEPCO	USAS2	l	0.00	0.00								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates							i										
UNE Port/Loop Combination Rates						URETL		8.33	0.83								
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			E LINE I	PORT (	RES)												
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 18.68 34.45	UNE																<u> </u>
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3   3   34.45   34.45	$\vdash$		L		ļ							ļ		ļ		ļ	ļ
UNE Loop Rates	$\vdash \vdash \vdash$		1			+							-	ļ	<b> </b>	ļ	<b>_</b>
2-Wire Voice Grade Loop (SL2) - Zone 1	1150		<u> </u>	3	<del>                                     </del>	+	34.45					<b> </b>		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del> </del>
2-Wire Voice Grade Loop (SL2) - Zone 2	UNE		+	1	LIEDED	LIECES	12.07					<del> </del>	1	<b> </b>	-	<del>                                     </del>	1
2-Wire Voice Grade Loop (SL2) - Zone 3   3   UEPFR   UECF2   33.22	$\vdash$		1									<del>                                     </del>	-		-		<del>                                     </del>
2-Wire Voice Grade Line Port Rates (Res)	<del>                                     </del>		<del>                                     </del>					-				1	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
2-Wire voice unbundled port - residence	2-Wi		<del>                                     </del>	-	OLI I IX	OLOI Z	33.22					<del>                                     </del>	<b>-</b>	<b> </b>		<b> </b>	<del>                                     </del>
2-Wire voice unbundled port with Caller ID - res   UEPFR   UEPRC   1.23   128.96   64.11   61.92   9.97					UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
												<b>†</b>		İ	İ	İ	
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97	<b>†</b>		İ	İ	İ	

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.100		NETWORK ELEMENTO Romadky		l .								Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Intent									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundles res, low usage line port with Caller ID				1											
		(LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan			LIEDED	LIEDWE	4.00	400.00	04.44	04.00	0.07						
	INTER	without Caller ID DFFICE TRANSPORT			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97	-					-
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	OLFIK	UTIVZ	23.93	30.03	33.07	30.31	22.42				-		
		or Fraction Mile			UEPFR	1L5XX	0.0095										
-	FEATU			<b>-</b>	OLITIK	TEOAX	0.0033										
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		İ													
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (	BUS)												
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		$\perp$	13.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		+	34.45										
	UNE L	pop Rates  2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFB	UECF2	12.67										
-		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	33.22			-					-		
	2-Wire	Voice Grade Line Port (Bus)		3	OLFIB	OLCI 2	33.22										
	2 ******	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Business Dialing Plan															
		without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
	LOCAL	NUMBER PORTABILITY				1											
<u> </u>		Local Number Portability (1 per port)		<u> </u>	UEPFB	LNPCX	0.35			ļ					ļ		
<u> </u>	INTER	DFFICE TRANSPORT		ļ		+				-			ļ	ļ	-	<b> </b>	ļ
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	LIEDED	LIATVO	20.0-	20.22	50.07	50.01	00 :0		1		I		
<del>                                     </del>	-	Termination	-	<u> </u>	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42			<b> </b>	<del>                                     </del>	-	<del>                                     </del>
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		1	UEPFB	1L5XX	0.0095			I			1		I		
<del>                                     </del>	FEATU			<u> </u>	ULFFD	ILOAA	0.0095			<del>                                     </del>				<del> </del>	<del>                                     </del>	-	<del> </del>
<del>                                     </del>		All Features Offered	<b>—</b>	<b>-</b>	UEPFB	UEPVF	0.00	0.00	0.00	t				<del>                                     </del>	t	<b>l</b>	<del>                                     </del>
<b>-</b>	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del>                                     </del>	l —		32. 71	0.00	0.00	0.00	<b>I</b>		<b>-</b>	<b>†</b>		<b>I</b>		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				1				İ	1		İ
1		Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		9.03	1.87	I			1		I		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		İ		1			-					1			1
<u> </u>	<u></u>	Combination - Conversion - Switch with change	<u> </u>	L	UEPFB	USACC		9.03	1.87	<u> </u>		<u></u>	<u></u>	<u> </u>	L	<u> </u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (	PBX)												
	UNE P	ort/Loop Combination Rates		<u> </u>		1				L				ļ	L		ļ
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	l	1			13.90			L					L		

CATEGORY   RATE ELEMENTS   Internal Property   Part   Security	UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
RATE BLEMENTS   No. 10   No. 1						1						Svc Order	Svc Order				
RATE ELEMENTS   Sheet				1		1						1					Charge -
CATEGORY   RAYE ELEMENTS   M   Zone   BCS   UBC   RAYES (D)   Park   Park   Park   Defense   Other val.   O			Inter'	1		1											Manual Svc
Bestoning   Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Section   Sect			m									per Lore	por Lore				Electronic-
Section																	Disc Add'l
Mile   Mile																D100 10t	DISC Add I
SWAN VS   LONG   Transport Centre - Case 2   2   15.65   First   Add   SWAN							Rec										
Solver VS. Loop(ID)   TemporPer Contact 2, 2002   1   1   1   1   1   1   1   1   1								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNIT LOOP ROSE   U.   U.   U.   U.   U.   U.   U.   U																	
2-Wine Value Clark Long (ELG) - Zoor 1				3			34.45										
2-Wire Vision Clarect Long (SE) - Zone 2   2 (1899P)   UECP2   17.46	UNE L																
2-Wire Viceo Broad Loop (SL) - Zure 9   3 UEPPP   UEPPC   125   164.27   76.66   75.06   8.75			ļ														
Department			ļ														
Line Side Unknowled Combination 2-Way PBX Trank POT- Bus   UEPPP   UEPPC   1.53   164.27   78.56   78.56   8.73	- 100			3	UEPFP	UECF2	33.22										
Line Site Unbursted Contemp RPX Trank Port Bus   UEPPP   UEPPD   1.23   164.27   78.65   75.05   8.73	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Line Site Unbursted Contemp RPX Trank Port Bus   UEPPP   UEPPD   1.23   164.27   78.65   75.05   8.73		Live Cite Hele and Local Conference Of West BRY To all Boats Breat			LIEDED	LIEDDO	4.00	404.07	70.05	75.05	0.70						
Line Bilds Unbrounded Protein (PRS Trank Port - Dual   UEPPP   UEPYR   1.23   164.27   78.65   75.05   8.73	<b></b>																
2-Wire Vota Unbunded PIX. D Termal Ports   UEPPP   UEPX   123   164.27   78.65   75.05   8.73	<del>                                     </del>		<del>                                     </del>												<del>                                     </del>		-
2-Wire Votor Unbunded 2-Wig Centionation PDX Usage Port   UEPPR   UEPAX   1.23   164.27   78.65   75.05   8.73	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>								-	-		<del>                                     </del>	-	-
Service Valor Unbranded PBX Toll Terminal Hords   UEPPP   UEPX6   1.23   164.27   78.65   75.05   8.73	<del></del>		-	-								-		-	<del></del>	-	-
2-Wire Vision Unbundled PBX LD Terminals Port   UEPPP   UEPX   123   164.27   78.65   75.05   8.73	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>								-	-		<del>                                     </del>	-	-
2-Wite Voice Unbundled PRIX (D Terminal Switchboard PDI)	<del>                                     </del>		<del>                                     </del>	-								-	-	-	<del></del>	-	-
2-Wire Vision Urbandied PRX LOT Emmal Switchboard IDD   UEPP   UEPXE   1.23   164.27   78.65   75.05   8.73	$\vdash$		<del>                                     </del>	<del>                                     </del>									-	<del>                                     </del>	+	<b> </b>	<del>                                     </del>
Capable Port   Capa	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	OLFIF	OLFAD	1.23	104.27	70.05	75.05	0.73	<del>                                     </del>	<b>-</b>	1	<del>                                     </del>	<b>l</b>	<del> </del>
2-Vitre Vote Urbundled 2-Way PEX Kentucky Room Area   UEPFP UEPX   1.23   164.27   78.65   75.05   8.73					LIEPEP	LIEDYE	1 22	16/1 27	79.65	75.05	g 72				1		
Calling Port without LUD   UEPFP   UEPX   1.23   164.27   78.65   75.05   8.73			ł	-	OLFIF	OLFAL	1.23	104.21	70.03	75.05	0.73	1			-		
2-Wire Voice Unbundled PEX Kentucky LUD Area Calling Port   UEPFB   UEPXB   1.23   164.27   78.65   75.05   8.73					LIEDED	HEDYE	1 23	16/1 27	78 65	75.05	8 73						
2-Wire Voice Unbundled PNX Kentucky Premium Calling Port   UEPPP   UEPNJ   1.23   164.27   78.65   75.05   8.73			<b>-</b>														
2-Wire Voice Unbundled 2-Way PRX Hotely-ky Area Calling Port   UEPFP   UEPX   1.23   164.27   78.65   75.05   8.73			<u> </u>	-								<b>-</b>					
Without LUD   UEPPP   UEPX   1.23   164.27   78.65   75.05   8.73			1		OLITI	OLI XIII	1.20	104.27	70.00	70.00	0.70	<b>†</b>					
Administrative Caling Pot					LIEPEP	UFPX.I	1 23	164 27	78 65	75.05	8 73						
Administrative Calling Port   VEPRV Voice Unbundled 2-Way PXL Hotel/Hospital Economy   VEPPP   VEPXL   1.23   164.27   78.65   75.05   8.73																	
2-Wire Votice Unbundled 2-Wig PBX Hotel/Hospital Economy   UEPFP   UEPXM   1.23   164.27   78.65   75.05   8.73					UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
Room Calling Port   UEPKM   1.23   164.27   78.65   75.05   8.73			1														
2-Wire Volore Unbundled 1-Way Outgoing PBX Hotel/Hospital   Discount Room Calling Port Room Calling Port Room					UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPFP   UEPXS   1.23   164.27   78.65   75.06   8.73			1					-									
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPFP   UEPXS   1.23   164.27   78.65   75.06   8.73		Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTAB		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	İ		UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFP   U1TV2   23.95   98.09   53.67   56.31   22.42	LOCA	L NUMBER PORTABILITY															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFP   U1TVZ   23.95   98.09   53.67   56.31   22.42		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								Ī
Termination	INTER	OFFICE TRANSPORT															Ī
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile   UEPFP   1L5XX   0.0095		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
Or Fraction Mile					UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
FEATURES																	
All Features Offered					UEPFP	1L5XX	0.0095										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch-as-is   UEPFP   USAC2   9.03   1.87	FEAT																
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   UEPFP   USAC2   9.03   1.87					UEPFP	UEPVF	0.00	0.00	0.00								
Combination - Conversion - Switch-as-is	NONR		ļ														
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch with change   UEPFP   USACC   9.03   1.87																	
Combination - Conversion - Switch with change			ļ		UEPFP	USAC2		9.03	1.87								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				1	LIEDED	110466				I			1		I		
End User Premise	<del>                                     </del>		<b> </b>	<u> </u>	UEPFP	USACC		9.03	1.87	<del>                                     </del>	-			<b>.</b>	<del>                                     </del>	<b> </b>	<b>.</b>
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES				1	LIEDED	LIDETN		44.04	4.40	I			1		I		
2-Wire VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	IIMBIINDI ED		<del>                                     </del>	<del>                                     </del>	UEPFP	UKEIN		11.21	1.10	<del>                                     </del>		-	-		<del>                                     </del>	-	
UNE Port/Loop Combination Rates			CPOPT	<del>                                     </del>		+				<del>                                     </del>		-	-		<del>                                     </del>	-	
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1			TORI	<del>                                     </del>		+ +	-			<del>                                     </del>			-	<del>                                     </del>	+	<b> </b>	<del>                                     </del>
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2   2   2   26.08   2 - Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3   3   41.85   3	ONE P		<del>                                     </del>	1		+ +	21 20			<del>                                     </del>				<del> </del>	<del>                                     </del>		<del>                                     </del>
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3   3   41.85	<del>                                     </del>		<del>                                     </del>			+ +				<b>+</b>					<b>+</b>		
UNE Loop Rates			<b>†</b>			+ +				<u> </u>					<b>—</b>		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	UNF I		<b>†</b>	Ť		+ +	50			<u> </u>					<b>—</b>		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			<b>†</b>	1	UEPPX	UECD1	12.67			1				i	1		i
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3   3   UEPPX   UECD1   33.22     UNE Port Rate			l							t				İ	t		İ
UNE Port Rate			1														
	UNE F		Ì														
ן ן באטומוועס רטונג - ב-יעיווס שוש דטונ   באטומוועס רטונג   באטווי דטונ   באטווי דטונ   באטווי דטונ   באטווי דטונ   באטווי דטונג   באטווי דטונג   באטווי דער באיני דער באטווי דער באטווי דער באטווי דער באטווי דער באיני דער באיני דער באטווי דער באיני דער ב		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31			ĺ			ĺ

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
0.1.2.0													Svc Order	Svc Order	Incremental		Incremental	Incremental
														Submitted	Charge -	Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATE	ORY	RATE ELEMENTS	m	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								ļ										
								Rec	Nonrec		Nonrecurring					Rates (\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	NONRE	CURRING CHARGES - CURRENTLY COMBINED	-	-			1										<b></b>	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY		USA1C		7.05	4.07							'	
-	ADDIT	with BellSouth Allowable Changes	-	-	UEPPX		USATC		7.85	1.87							<b></b>	
	ADDITI	ONAL NRCs			LIEDDY		LICACA		20.05	20.05							<del></del>	
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		-	UEPPX		USAS1		32.25	32.25			-	-			<b></b>	<del></del>
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX		URETN		11.21	1.10							'	
	Tolonh	one Number/Trunk Group Establisment Charges		-	UEPPX		UKETN		11.21	1.10			-	-			<b></b>	<del></del>
	relepii	DID Trunk Termination (One Per Port)		-	UEPPX		NDT	0.00	0.00	0.00			-	-			<b></b>	<del></del>
				-	UEPPX		ND4	0.00		0.00			-	-			<b></b>	<del></del>
	1	Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number	-		UEPPX		ND5	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>		+	<del>                                     </del>	<del></del>
	<del>                                     </del>	Reserve Non-Consecutive DID numbers	<del>                                     </del>		UEPPX		ND6	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	<del>                                     </del>	Reserve Non-Consecutive DID numbers Reserve DID Numbers	<del>                                     </del>		UEPPX		NDV	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	LOCAL	NUMBER PORTABILITY	<del>                                     </del>		JLITA		1404	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	LOCAL	Local Number Portability (1 per port)		-	UEPPX		LNPCP	3.15	0.00	0.00			1	1	1		<del></del>	<del> </del>
	2-WIRE	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			LIVI OI	5.15	0.00	0.00								
		ort/Loop Combination Rates	INC OIDE	I			1						<b>-</b>	<b>-</b>				-
	O.V.	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1						1	1				
		UNE Zone 1		1	UEPPB	UEPPR		25.69									'	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	02.15	02	+	20.00					1	1				
		UNE Zone 2		2	UEPPB	UEPPR		31.92									'	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OL. I B	OL: : it		01.02										
		UNE Zone 3		3	UEPPB	UEPPR		50.21									'	
	UNE L	pop Rates		Ť														
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
		2 1110 10511 5 Ighai 01000 2005 0112 20110 1		Ė	02.75	OLITIK	OULLA	10.10										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33									'	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63						İ				
	UNE P	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		İ				
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00							'	
	ADDIT	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10							'	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User													Î		,	
		Premise			UEPPB	UEPPR	URETL		8.33	0.83							'	
	LOCAL	NUMBER PORTABILITY						<u>                                      </u>										
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	<u> </u>	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			L		ļ	ļ	<b></b> '	<b></b>
	<u> </u>	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00						L	<b></b> '	<b></b>
	USER	FERMINAL PROFILE					1	ļ								<b></b>	<b></b> '	<b></b>
	l	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					ļ	<b></b>	<b></b> '	1
	VERTI	CAL FEATURES				=										<b>_</b>	<b></b> '	<del></del>
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00							<b></b> '	<del></del>
	INTER	OFFICE CHANNEL MILEAGE					<del>                                     </del>	ļ								<b></b>	<b></b> '	<b></b>
		Interoffice Channel mileage each, including first mile and														1	1 '	1
	<u> </u>	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75				<b>_</b>	<b></b> '	<del></del>
	4 1405	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00						<b>_</b>	<b></b> '	<del></del>
<u> </u>		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			1.1.11.		1 10/0/22		4/4/04 //				<u> </u>	1-1	<u> </u>	-	<b></b> '	<b>├</b>
<u> </u>		IE-P DS1 combination rates below for in this rate exhibit apply													nt.	-	<b></b> '	<b>├</b>
Щ	reque	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort atte	r the etter	cuve date o	n this amend	ument snam be p	oroviaea pursi	ant to a separ	are agreement	or tariif at Bel	SOUTH'S di	scretion.	L			

LIMBIII	IDI EI	D NETWORK ELEMENTS - Kentucky												Attack	ment: 2	Exhi	Lis. A
UNBUI	NDLE	D NETWORK ELEMENTS - Kentucky		1		1	I					Cua Ordar	Svo Ordor	Incremental	Incremental	Incremental	Incremental
												1					
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	nev	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILO	JI ( 1	KATE EEEMENTO	m	20116	Воо	0000			IXILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates		ĺ													
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 1		1	UEPPP		170.06										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 2		2	UEPPP		197.70										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 3		3	UEPPP		381.35										
	UNE Lo	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47										
$\vdash$		4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	114.10										
<del>                                     </del>	IME D	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	297.76				-	1		-	<b> </b>		-
+	UNE PO	ort Rate			UEPPP	UEPPP	92.50	726.40	202.74	159.48	40.00						
<del>                                     </del>	NONDE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  CURRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82	1		-	<b> </b>		-
+	NONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<b>-</b>	<u> </u>		1						-	-				
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
1	ΔΠΟΙΤΙ	ONAL NRCs		<del>                                     </del>	OLI FF	USAUF	0.00	01.70	01.37						<del> </del>		
<del>                                     </del>	וווטטה	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		<b>-</b>													
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		<b>-</b>	OLITI	1 10/11		0.04				1					
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			02												
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)		ĺ	UEPPP	LNPCN	1.75										
	NTERF	ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
	CALL 1					DD=0.4											
-		Inward			UEPPP UEPPP	PR7C1	0.00	0.00	0.00								
-		Outward Two-way			UEPPP	PR7CO PR7CC	0.00	0.00	0.00			-					
<b>—</b>	ntoroff	ice Channel Mileage		-	UEPPP	PRICC	0.00	0.00	0.00			1					
<del>                                     </del>	iiiei0II	Fixed Each Including First Mile		<u> </u>	UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49				<del> </del>		
+		Each Airline-Fractional Additional Mile		<del>                                     </del>	UEPPP	1LN1B	0.23	103.32	30.40	25.09	20.49				<del> </del>		
<del>                                     </del>	4-WIRF	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<b>-</b>	<b>-</b>	OLITI	ILIVID	0.23					<b>-</b>	<b>-</b>		<b> </b>		
		IE-P DS1 combination rates below for in this rate exhibit apply	v to the	ember	lded base in place a	s of 10/2/03 i	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	ert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe												T	İ		
		ort/Loop Combination Rates		T										i	i		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	İ	147.99							l	İ		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	175.62										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
	UNE Lo	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76										
	UNE Po	ort Rate				ļ											
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)		<u> </u>	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98				ļ		ļ
$\perp$	NONRE	CURRING CHARGES - CURRENTLY COMBINED				ļ											
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								

UNB	UNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
0.12	ONDEL											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Intent									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									P =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							Rec		curring	Nonrecurring		001150	0011411		Rates (\$)	001441	001141
	+	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
	ADDITI	ONAL NRCs			OLFDC	USAWB		92.04	40.70								
-	ADDIII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -											1				
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
-	-	Activation Per Chan - Inward Trunk with DID	<b>!</b>	-	UEPDC	UDTTD		15.09	15.09			-					
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE		15.09	15.09								
<b>—</b>	RIPOL	AR 8 ZERO SUBSTITUTION	+	+	ULPDU	UUUIE		15.09	15.09			<del>                                     </del>	-				
-	BIFOL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s			ł	1				
	+	B8ZS - Extended Superframe Format	t		UEPDC	CCOEF		0.00i	730.00s			1	<u> </u>	1	1	1	1
	Alterna	ate Mark Inversion	t						. 50.000				<b>†</b>		1		
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00								
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00								
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
-	-	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	-	<u> </u>	UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00				-				
-		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00			ł	1				
-	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop			0.00	0.00	0.00				1				
	200.00	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l	Г													
		Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
		·															
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25	1		LIEDDO	41 NOS	0.4-	0.00	0.00								
-	-	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	╂	-	UEPDC	1LNOB	0.45	0.00	0.00			-					
		Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00								
-	+	Tomination)	<del>                                     </del>	1	OLI DO	ILINOS	0.00	0.00	0.00			<b>+</b>		-	<del> </del>	-	
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.45	0.00	0.00								
	1	Local Number Portability, per DS0 Activated	l		UEPDC	LNPCP	3.15	0.00	0.00			1			İ		
		Central Office Termininating Point			UEPDC	CTG	0.00										
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
-		system can have up to 24 combinations of rates depending on				L	L	<u> </u>	<u> </u>			<u> </u>	<u> </u>			l	
-		IE-P DS1 combination rates below for 4-Wire DS1 Loop with (											shall revert	to tariff rates	or a separate	agreement.	
-		sts for 4-Wire DS1 Loop with Channelization with Port after th S1 Loop	e errect	ive date	or this amendment	snall be pro	vided pursuan	ιτ το a separate	agreement or	tariit at BeliSo	utn's discretio	on.	1	-		-	-
-	UNE D	4-Wire DS1 Loop - UNE Zone 1	<del>                                     </del>	1	UEPMG	USLDC	86.47	0.00	0.00								
<b>—</b>	+	4-Wire DS1 Loop - UNE Zone 2	<del>                                     </del>	2	UEPMG	USLDC	114.10	0.00	0.00			1	<b>-</b>				
	1	4-Wire DS1 Loop - UNE Zone 3	t	3	UEPMG	USLDC	297.76	0.00	0.00				<b>†</b>		1		
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ė							l	Ì		1	ĺ	1	1
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s	ļ		UEPMG	VUM96	444.64	0.00	0.00								
<u> </u>		144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>	<b>_</b>	UEPMG	VUM14	666.96	0.00	0.00				1	ļ		ļ	ļ
-	+	192 DS0 Channel Capacity -1 per 8 DS1s	₩	-	UEPMG	VUM19	889.28	0.00	0.00		-	ļ	1	-	<del> </del>	-	
-	-	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s	1		UEPMG UEPMG	VUM2O VUM28	1,111.60 1,333.92	0.00	0.00			1	1	-		-	
Ц		200 DOU CHAIRTEI CAPACITY - 1 PET 12 DO 18		L	ULFIVIG	V UIVIZO	1,333.92	0.00	0.00	l	l	<u> </u>	1	l	I	l	l

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1													Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
$\vdash$		-			+	-	Nonro	curring	Nonrecurring	Disconnect	-		220	Rates (\$)		
		<u> </u>			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s	<u> </u>		UEPMG	VUM38	1,778.56	0.00	0.00	11130	Auu i	JOINEC	JONAN	JONAN	JOHIAN	JOHAN	JOHAN
	480 DS0 Channel Capacity - 1 per 20 DS1s	1		UEPMG	VUM4O	2,223,20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	2,667.84	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s	1		UEPMG	VUM67	3,112.48	0.00	0.00								
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chanr	eliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	ples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system con	figuration is	counted.										
1	NRC - Conversion (Currently Combined) with or without															
$\sqsubseteq$	BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
	m Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and	d .									
New (	Not Currently Combined) in all states, except in Density Zone	1 of Top	8 MSA	's												
1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			UEPMG	VUMD4	0.00	740.00	400.00	440.00	47.77						
Pinel	and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution	ļ		UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77				1		-
Біроіа	Clear Channel Capability Format, superframe - Subsequent	-			+						-					
1	Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
	Clear Channel Capability Format - Extended Superframe -	<u> </u>		OLI WIO	00001	0.00	0.001	730.003			<b>-</b>					
1	Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00i	730.00s								
Altern	ate Mark Inversion (AMI)	1		02. 11.0	0002.	0.00	0.00.	7.00.000								
	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00						t		
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	inge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excha	inge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
$\sqsubseteq$	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
1	Line Side Outward Channelized PBX Trunk Port - Business															
$\vdash$	(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
1	Line Side Inward Only Channelized PBX Trunk Port without DID			LIEDDY	UEP1X	1.15	0.00	0.00	0.00	0.00						
$\vdash$	(E:4/1/2004)  2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-		UEPPX	UEPIX	1.15	0.00	0.00	0.00	0.00	-			-		
1	(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			OLFFA	OLFDIVI	0.00	0.00	0.00	0.00	0.00				-		
1	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
1	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
1	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
i I —	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –														l	
	Kentucky Only – Calling Plan (E:4/1/2004)	ļ		UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00				1		
<u> </u>	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			HEDDY	LIEDC:									1		
Faster	Kentucky Only – Calling Plan (E:4/1/2004)	<del>                                     </del>	$\vdash$	UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00	1	-		1	-	
Featur	re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4	<b>!</b>			+	<del>                                     </del>					-	-	-	<del>                                     </del>		
<u> </u>	Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15				1		
	Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>	H	OLI I A	11 04 4 4 1 1 1	0.02	25.40	13.41	4.17	4.15	<del>                                     </del>			<del> </del>	1	
1	D4 Bank	1		UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54				I		
Telen	hone Number/ Group Establishment Charges for DID Service	i e	$\vdash$			0.02	. 5.10	.0.00	55.00					1		
1 2.39.	DID Trunk Termination (1 per Port)	1		UEPPX	NDT	0.00	0.00	0.00				İ		1	1	
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
$\vdash$	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability	<u> </u>			1									L		
<del></del>	Local Number Portability - 1 per port	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00						ļ		
	URES - Vertical and Optional	<del>                                     </del>	$\vdash$		-	<del>                                     </del>	-	-						<del>                                     </del>	<b> </b>	
·	Switching Features Offered with Line Side Ports Only	1			1	1	1	I	1		1	1	l	1	l	1
Local		1	$\vdash$	LIEDDY	LIED\/E	0.00	0.00	0.00						1		
	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE			UEPPX	UEPVF	0.00	0.00	0.00								

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
OND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE THORK ELEMENTO HOMEONY										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
-							Rec		curring	Nonrecurring					Rates (\$)		
-	<u> </u>			L				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	d to the Stand	I-Alone Unbun	dled Port section	on of this Rate	Exhibit.		L			
	3. End	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	Usage	ates II	the Port section of	this rate exh	nibit shall apply	to all combina	ations of loop/	port network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	A al aliti a m al NIC	C
		ilso and are categorized accordingly.	urrently	Comb	inea Combos. For	Currently Co	ilibilied Collibe	s, the nonrect	urring charges	Shall be those	identified in t	ne Nonrecu	rring - Curre	entry Combine	eu sections.	Additional NR	ics may
-		ket Rates for Unbundled Centrex Port/Loop Combination will	ho noge	tiotod	on on Individual Co.	aa Baaia un	til further netic	•	ı	1		1	ı	ı	1	ı	
-		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		liateu	on an murvidual Ca	Je Basis, uii	In runner mone	c.				1					
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>									<b>†</b>					
		ort/Loop Combination Rates (Non-Design)				İ											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												l		l	
	L	Non-Design		3	UEP91		31.74								ļ		
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDO4		40.00										
-	1	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91		13.82					-					
		Design		2	UEP91		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF91		10.00										
		Design		3	UEP91		34.37										
	UNE L	pop Rate		Ť	02. 0.		0					1					
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
-	UNE Po																
-	All Sta	es (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67	-					
	1	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPTA	1.15	21.29	15.49	2.00	2.07	-					
		Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			OLI 01	OLI ID	1.10	21.20	10.40	2.00	2.07	1					
		Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1									1				
	1	- Basic Local Area	<u> </u>		UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67	1		ļ		ļ	
		2-Wire Voice Grade Port Terminated on 800 Service Term -		1	LIEDO1	UEPY2	1.15	21.29	45.40	2.85	2.67		1				
-	AL KV	Basic Local Area , LA, MS, & TN Only			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67	-					
-	AL, KI	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67	1					
	1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67	1					
<b>—</b>	1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67				1		
	t	2-Wire Voice Grade Port (Centrex from diff Serving Wire									2.07			İ		İ	
L		Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67						<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	1				l	l											7
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>		UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67	1		ļ		ļ	
-	10001	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67	-			-		<b> </b>
-	Local	Switching Centrex Intercom Funtionality, per port	1		UEP91	URECS	0.8873					1		-		-	<b> </b>
<b></b>	I ocal N	lumber Portability	-	-	OLFSI	UKEUS	0.0073						<b> </b>				
-	Locail	Local Number Portability (1 per port)	<b>-</b>	<b>-</b>	UEP91	LNPCC	0.35					<b>-</b>	<b>-</b>		<b> </b>		
_	Feature			<del>                                     </del>	02.01	,,	0.00										

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
CINDONDE	Reflective Remarks					I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	<del> </del>	ļ					Monroe	urrina	Monroourring	Dissennest			220	Botos (\$)		
						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP91	UEPVF	0.00	FIISL	Add I	FIISL	Addi	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	400.00					1				
NARS				02. 0.	02. 10	0.00						1				
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wir	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interd	ffice Channel Mileage - 2-Wire			LIED04	MACEC	00.41					-				-	
$\vdash$	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	-		UEP91 UEP91	M1GBC M1GBM	29.11 0.01					-	-			-	
Foatu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20	-	OLFSI	IVITOBIVI	0.01					<del>                                     </del>	-				
	nannel Bank Feature Activations	,,,			+						1	<b>H</b>	<b>l</b>	<b>l</b>	<del> </del>	<b>l</b>
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62						<b>†</b>				
	1 catalo / otivation on b 4 channel bank control 200p clot			OLI 01	11 Q110	0.02						1				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.62										
Non I	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex			UEP91	1PQWA	0.62						-				
Non-	Conversion - Currently Combined Switch-As-Is with allowed										1	1				
	changes, per port			UEP91	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32			1	1				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP91	URETN		44.04	4.40								
HME	End Use Premise  CENTREX - 5ESS (Valid in All States)	1	-	OLF91	UKETN		11.21	1.10			}		<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						1	<b>-</b>				
	Port/Loop Combination Rates (Non-Design)				1							1			1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1								İ	İ		İ
	Non-Design		_1	UEP95		10.79					<u> </u>	<u></u>	<u> </u>	<u></u>	<u></u>	<u> </u>
İ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>	Non-Design (7)	ļ	3	UEP95		31.74					ļ					
UNE	Port/Loop Combination Rates (Design)	<b>!</b>			+						ļ		<b> </b>	<b> </b>	<b>.</b>	<b> </b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	UEP95		13.82										
$\vdash$	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLF90	+	13.82					}		<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>
	Design		2	UEP95		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	00	1	10.00					1	<del>                                     </del>				
	Design		3	UEP95	1	34.37										
UNE	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.37										

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	Disc Add 1
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										
	Port Rate															
All St																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area	<u> </u>		UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1											I			
	Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	Y, LA, MS, SC, & TN Only									Î				Î	Î	
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67				Î	Î	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67				Î	Î	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67				Î	Î	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire									Î				Î	Î	
	Center)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	i –														
	Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
		i –														
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:		UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67	İ					
Local	Switching	i –														
	Centrex Intercom Funtionality, per port	i –		UEP95	URECS	0.8873										
Local	Number Portability	i														
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35				Î				Î	Î	
Featu											İ					
	All Standard Features Offered, per port	i –		UEP95	UEPVF	0.00										
	All Select Features Offered, per port	i –		UEP95	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port	i –		UEP95	UEPVC	0.00										
NARS		i –														
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				ĺ	ĺ	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				ĺ	ĺ	
	Unbundled Network Access Register - Outdial	Ì		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30				ĺ	ĺ	
4-Wire	e Digital (1.544 Megabits)				1 1									ĺ	ĺ	
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09							ĺ	ĺ	
Intero	office Channel Mileage - 2-Wire	Ì														
	Interoffice Channel Facilities Termination			UEP95	M1GBC	29.11				ĺ				ĺ	ĺ	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.01				ĺ				ĺ	ĺ	
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce			1					ĺ				ĺ	ĺ	
	nannel Bank Feature Activations				1 1					ĺ				ĺ	ĺ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62				ĺ				ĺ	ĺ	
		1	İ		1							İ				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.62						1				I
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	İ									İ				
	Slot	1		UEP95	1PQW7	0.62						1				I
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -									ĺ				ĺ	ĺ	
				UEP95	1PQWP	0.62			1		1		i			1

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						ĺ										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					ĺ										
	Slot			UEP95	1PQWQ	0.62										ĺ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62								1		
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.102	0.102								ĺ
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27				1		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75									
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1								t	t		
	Premise			UEP95	URETL		8.33	0.83					1			1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		3.30	3.30					1	1	i	
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE-	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		10.10										
	Non-Design		2	UEP9D		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI OD	+	10.02										
	Non-Design		3	UEP9D		31.74										ĺ
LINE	Port/Loop Combination Rates (Design)			OLI 3D	+	31.74										
OIVE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	Design		1	UEP9D		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 3D		13.02										
	Design		2	UEP9D		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 9D		10.00										
	Design		3	UEP9D		34.37										
LINE	Loop Rate	-	3	OLF 9D	-	34.37					-	-	-	-		<del></del>
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	9.64					-	-	-	-		<del></del>
<b></b>	2-Wire Voice Grade Loop (SL 1) - Zone 1	-		UEP9D	UECS1	14.37					-	-	-	-		<del></del>
<b></b>	2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEP9D	UECS1	30.59					-	-	-	-		<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	-		UEP9D	UECS2	12.67							-	-		
<b></b>	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	<b>-</b>		UEP9D	UECS2	17.45						-	<del>                                     </del>	<del></del>	-	<del></del>
<b></b>	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	<b>-</b>		UEP9D	UECS2	33.22						-	<del></del>	<del></del>	-	<del></del>
LIME	Port Rate	<b>-</b>	3	OFLAD	UEUSZ	33.22						-	<del></del>	<del></del>	-	<del></del>
	PORT RATE STATES		-		+						<b>-</b>	<b>-</b>	+	+		<del>                                     </del>
ALL :	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	<del>                                     </del>	UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67	<b>-</b>	<b>-</b>	+	+	<b> </b>	<del>                                     </del>
<b></b>	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<b>-</b>	-	OLFBD	OLF TA	1.15	21.29	15.49	2.05	2.07		-	<del></del>	<del></del>	-	<del></del>
	Area		1	UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67	1	1	I	I		1
<del></del>	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	-	<del>                                     </del>	OLFSD	UEFID	1.15	21.29	15.49	2.85	2.07	-	-	<del></del>	<del></del>	-	<del></del>
	Area		1	UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67	1	1	I	I		1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-	<del>                                     </del>	OLFSD	UEFIC	1.15	21.29	15.49	2.85	2.07	-	-	<del></del>	<del></del>	-	<del></del>
	Area		1	UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67	1	1	I	I		1
		-	-	OFLAD	UEPTU	1.15	21.29	15.49	2.85	2.07		<u> </u>	<del>                                     </del>	<del>                                     </del>		<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		1	LIEDOD	UEPYE	1.15	24.20	15 40	2.05	2.67	1	1	I	I		1
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	-	-	UEP9D	UEPTE	1.15	21.29	15.49	2.85	2.67		<u> </u>	<del>                                     </del>	<del>                                     </del>		<del></del>
			1	LIEDOD	LIEDYE	4.4-	04.00	45.40	0.05	0.07	1	1	I	I		1
	Area	<b>—</b>	<b>-</b>	UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67	-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local		1	LIEDOD	LIEDYO		04.00	45.40	0.00	0.00	1	1	I	I		1
	Area	<b>—</b>	<b>-</b>	UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67	-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		1	LIEDOD	LIEDYT	4.4-	04.00	45.40	0.05	0.07	1	1	I	I		1
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	-	-	UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67			<del>                                     </del>	<del>                                     </del>		<del></del>
			l	UEP9D	UEPYU	445	21.29	15.49	2.85	2.67	l	1	I	1	1	1
	Area	l	<u> </u>	UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67	L		L	L	l	L

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
ONDO		THE THORK ELEMENTO HOMONY										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urrina	Monrocurring	n Disconnoct			088	Rates (\$)		
-				-			Rec	First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local						11130	Auu i	11130	Addi	JOINEO	JOINAIN	JONIAN	JONIAN	JONAN	JOINAIN
		Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
		Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															1
		Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						1
-		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLI 3D	OLI IVV	1.13	21.23	13.43	2.00	2.07						
		Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	ĺ														
		2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						igspace
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDY C		04.00	45.40	0.5-	0.00						1
<u> </u>		Basic Local Area  2 Wire Voice Grade Bort (Centray/differ SWC /EBS M5000)2 2 4	-		UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67	1	1				$\vdash$
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						1 1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI 3D	OLI II	1.13	21.23	13.43	2.00	2.07						
		Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
		Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															1
-		Basic Local Area		-	UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		-				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI OD	OLI 14	1.10	21.20	10.40	2.00	2.07						
		Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
		Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4				l											
_		Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	OLI 12	1.10	21.20	10.40	2.00	2.07						
		Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
		Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
	AL, KY	, LA, MS, SC, & TN Only			LIEDOD	LIEBOA	4.45	04.00	45.40	0.05	0.07						
<u> </u>		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						$\vdash$
$\vdash$		2-Wire Voice Grade Port (Centrex 500 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>	<b>-</b>				
		2-Wire Voice Grade Fort (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
L		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67	ļ					igsquare
<u> </u>		2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-	-	UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67	ļ	-				$\vdash$
-		2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4	-		UEP9D UEP9D	UEPQU UEPQV	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		<del>                                     </del>		-		$\vdash$
		2-Wire Voice Grade Port (Centrex / EBS-N5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	1					
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67	ļ					
<u> </u>		2-Wire Voice Grade Port (Centrey/Msg Wtg Lamp Indication)4	-	-	UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67	ļ	-				$\vdash$
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						[
<b>—</b>		2,0			OLI 3D	OLF QIVI	1.15	21.29	13.49	2.00	2.07	<del>                                     </del>					$\vdash$
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						[
		, , , , , ,	ĺ														
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67						

	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fxhi	bit: A
	NETWORK ELEMENTO Remadky	l									Svc Order	Svc Order	Incremental	Incremental		Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	P = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							N.		. N	B'				D-1 (A)		
$\longrightarrow$						Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	001141	001441
$\longrightarrow$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
<del></del>	2-Wile Voice Grade Fort (Centrexuller SWC/LB3-3209)2,3,4			OLFBD	ULFQQ	1.13	21.29	13.45	2.03	2.07	<u> </u>					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
	, ,,,,										İ					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
$\vdash$	2-vvire voice Grade Port (CentreX/differ SWC /EBS-M5216)2,3,4	<del>                                     </del>	$\vdash$	UEP9D	UEPQb	1.15	21.29	15.49	2.85	2.67	1	-	1	1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
$\vdash$	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<b> </b>	$\vdash$	J_1 JD	OL: 0/	1.13	21.23	15.45	2.00	2.07	1	<b>-</b>				
	Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local	Switching															
1 1	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
Local	Number Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						-				
Feature				UEP9D	LINECC	0.35						-				
reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66				İ					
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
<u> </u>	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		-				
4-Wire	Digital (1.544 Megabits)			OLI 3D	CLINDO	10.51	32.10	13.02	32.10	3.30						
4 11110	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		1				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09		00.00							
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11										
$\vdash$	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	$\vdash$								<u> </u>	1	ļ	ļ		
D4 Cha	Annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>	$\vdash$	UEP9D	1PQWS	0.62					1	1	-	-		-
$\vdash$	r eature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>		OLFAD	IFUVO	0.62					1	-	1	1		
1 1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 0000	0.02						1				
	Slot	1		UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -						İ									
	Different Wire Center			UEP9D	1PQWP	0.62										
		l											l	l		
$\vdash \vdash \vdash$	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	$\vdash$	UEP9D	1PQWV	0.62						1	ļ	ļ		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		UEP9D	1PQWQ	0.00										
$\vdash$	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	$\vdash$	UEP9D UEP9D	1PQWQ 1PQWA	0.62 0.62					1	1	-	-		-
Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex	1	$\vdash$	OLFBD	IFQVVA	0.02	-				1	<del>                                     </del>	<b> </b>	<b> </b>		
NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed	<b> </b>	$\vdash$		+						1	<b>-</b>				
	changes, per port	1		UEP9D	USAC2		0.102	0.102								
	Conversion of existing Centrex Common Block, each	ĺ		UEP9D	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
		,										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	1		Charge -	Charge -	Charge -
CATEC	ODV	DATE EL EMENTO	Interi	7	BCS	USOC			DATES (6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						
	A -1 -1:4: -	NAR Establishment Charge, Per Occasion	-	ļ	UEP9D	URECA	0.00	72.75									
	Additio	nal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-	<u> </u>		+							-				
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.21	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
$\vdash$	UNE Po	ort/Loop Combination Rates (Non-Design)	<b> </b>	<b> </b>		+				<del>                                     </del>		-	1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP9E	1	10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-                                    </del>	J_1 J_	1	10.79										
		Non-Design		2	UEP9E		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
		Non-Design		3	UEP9E	1	31.74										
	UNE Po	ort/Loop Combination Rates (Design)	ļ	<u> </u>									1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP9E		40.00										
-		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	-	UEP9E		13.82										
		Design		2	UEP9E		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI OL		10.00										
		Design		3	UEP9E		34.37										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP9E UEP9E	UECS1 UECS2	30.59 12.67										
-		2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	17.45			1							
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										
	UNE Po	ort Rate		_													
	AL, FL,	KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						24.22	.=								
$\vdash$	-	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-	-	UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67	-					
		Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		<b>†</b>	J_1 J_	OL: 111	1.13	21.29	10.43	2.00	2.07						
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
L		Service Term - Basic Local Area	<u> </u>	<u> </u>	UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEDOE	LIEDVO	4.45	04.00	45.40	0.05	0.07						
$\vdash$		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	<del>                                     </del>	<del>                                     </del>	UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67	-	<del>                                     </del>				
		Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67						
	AL, KY	, LA, MS, & TN Only	1	<u> </u>	02	322	0	220	.0.40	2.00	2.07						
		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67						
$\vdash$		Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		<del>                                     </del>	OLFSE	UEFQIVI	1.15	21.29	15.49	2.85	2.07	-	<b>—</b>				
		Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67						
			<b>†</b>	t		1	5	220	10.10	2.30	2.57						
	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L	<u>L</u>	UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local S	Switching		<u> </u>	LUEDAE	LIBEOG	0.00=-					ļ					
-	Looo' N	Centrex Intercom Funtionality, per port	<b>!</b>	<u> </u>	UEP9E	URECS	0.8873										
	Local N	lumber Portability		<u> </u>								L	L		l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
OHE OHE		I									Svc Order	Svc Order	Incremental	Incremental		
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
<u> </u>	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations	1	1		+				-		-	ļ			-	<b>├</b>
2-Wire	Trunk Side	+	-	LIEDOE	CENIDO	10.51	00.10	15.00	50.40	5.00	-					<del>                                     </del>
4 150000	Trunk Side Terminations, each	╂	1	UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30	<del>                                     </del>	ļ			-	<del>                                     </del>
4-Wire	Digital (1.544 Megabits)	+	<del>                                     </del>	UEP9E	M1HD1	74 77	404.00	77.74	00.00	2.00	-					<del>                                     </del>
<del>                                     </del>	DS1 Circuit Terminations, each	+	<del>                                     </del>			74.77	164.86	11.14	60.69	3.86	-					<del>                                     </del>
1	DS0 Channel Activated Per Channel	╂	1	UEP9E	M1HDO	0.00	15.09		ļ	-	<del>                                     </del>	ļ			-	<del>                                     </del>
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1		UEP9E	MACRO	29.11										
<b></b>				UEP9E UEP9E	M1GBC M1GBM	0.01					-					<del></del>
Footur	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	MIGBIN	0.01										
	annel Bank Feature Activations	l			-						-					<del></del>
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	-	UEP9E	1PQWS	0.62			<b> </b>		<b>-</b>	-				<del></del>
	reacure Activation on 5-4 Channel Bank Centrex Loop Slot	1		OLFBL	IFQWS	0.02					1					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
<del> </del>	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		OLI 3L	II QVV0	0.02					1					<u> </u>
	Slot			UEP9E	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		OLI 3L	II QVVI	0.02					<b>-</b>					
	Different Wire Center			UEP9E	1PQWP	0.62										
		1														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62										
Non-R	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.21	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	<u> </u>														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	-													
UNE P	Port/Loop Combination Rates (Non-Design)	1	-		-											<b>——</b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP93		10.79						1				1
		+	1	UEF93	+	10.79			<b>+</b>							<del></del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	LIEDOS		15.52										1
<del></del>	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+		UEP93	+	15.52			1		-				-	<del></del>
	Non-Design	1	3	UEP93		31.74						1				1
IINE B	Port/Loop Combination Rates (Design)	+	3	OFL 22	+	31.74			1		-	-			-	<del></del>
ONEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	<b>!</b>		+	<del>                                     </del>			1	<b> </b>	<b>H</b>				<b>l</b>	<del>                                     </del>
1 1	Design		1	UEP93		13.82										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.†	+ '-	021 00	+	10.02			1		<del>                                     </del>	<b> </b>				<b>—</b>
	Design	1	2	UEP93		18.60						1				1
	1 · · · ·				-1	.0.00			1	I.	1		1	1		

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		•										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			to to at									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
		····	m						(+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-				Manaa		Managarini	. Dianamant		l	222	Detec (6)		
				<u> </u>			Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		34.37										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37					1	1	1			<b>†</b>
-				3	UEP93	UECS1	30.59						<u> </u>				<del>                                     </del>
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3									ļ				<del></del>
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
$\Box$	UNE P	ort Rate	$\Box$	$\perp$													
	AL, KY	, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		i .	i e	1	l	
		2-Wire Voice Grade Port (Centrex ) Basic Educatived  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1		1	0	220	.0. 10	2.50	2.51	1	1	1	1	l	
1		Area	l	1	UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		1			1	1
-				+	OLF 33	OLF (D	1.15	21.29	15.49	2.65	2.07	1	<b>-</b>	<del> </del>	+	-	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOO	LIEDY"							1				1
		Area		<del>   </del>	UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67	<b>!</b>	ļ	ļ			<del></del>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent											1				
		- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
				1	UEF93	UEF19	1.15	21.29	15.49	2.00	2.07		-		-		<del></del>
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						<u> </u>
		2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49		2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49		2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		+	02. 00	02. Q	0	21120	10.10	2.00	2.01		1		1		<del>                                     </del>
		Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
-		Service Terrii		+	UEF93	UEPQZ	1.13	21.29	15.49	2.00	2.07	-	<b> </b>		1		<del></del>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35					İ	ĺ	1			
	Feature												1				
	· outur	All Standard Features Offered, per port		1	UEP93	UEPVF	0.00										<del>                                     </del>
<b>—</b>			<b>-</b>	+		UEPVF				1		1	1	1	1	<b> </b>	<del></del>
	NIADO	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00					1	<del> </del>	1	<del> </del>		<del></del>
<u> </u>	NARS			1		LUADO::						<b></b>	<b> </b>	<b>!</b>	ļ	<b> </b>	<del></del>
		Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00		0.00	1	ļ	ļ			
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00		0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						1
	Miscell	aneous Terminations															
		Trunk Side				1						İ	İ	i e	Ì	i	
		Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	İ	İ	i e	Ì	i	
<b>—</b>	4-Wire	Digital (1.544 Megabits)	<b>—</b>	+		5250	10.01	52.10	10.02	02.10	0.00	1	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	
<b>—</b>		DS1 Circuit Terminations, each	<b>-</b>	+	UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86	1	1	1	1	<b> </b>	<del></del>
<del></del>				+					11.14	60.09	3.86	1	<b>-</b>	<del> </del>	1	-	<del></del>
<u> </u>	Landa C	DS0 Channels Activated, Per Channel		+	UEP93	M1HDO	0.00	15.09				<del> </del>	<del>                                     </del>	<del>                                     </del>	}	<b> </b>	<del></del>
	interof	ice Channel Mileage - 2-Wire		<del>   </del>		1				ļ		<b></b>	ļ	ļ			<b></b>
		Interoffice Channel Facilities Termination		1	UEP93	M1GBC	29.11							ļ			
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62										
l		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						1				1
							0.02					-					

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	p	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

Version 3Q03: 11/12/2003 Page 155 of 348

	INIE: =	D NETWORK ELEMENTO												1			
UNB	JNDLE	D NETWORK ELEMENTS - Louisiana										Ι	T -		ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OAIL	00	NATE ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac iat	Disc Add I
							Rec		curring		Disconnect				Rates (\$)		
-	-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	!
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	. ,			• •								
OPER		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													1		
		(1) CLEC should contact its contract negotiator if it prefers th															
		ither the state specific Commission ordered rates for the servi f the 9 states.	ice orae	ring cr	narges, or CLEC may	elect the re	gional service o	ordering charg	je, nowever, Ci	.EC can not or	itain a mixture	of the two	regardiess i	f CLEC nas a	Interconnecti	on contract e	stabiisned in
		(2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				001150											
-	+	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		-		SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as appli	cable.										
					LIAL LIFANIL LICI												
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL, UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINIBLI	NDI ED I	Day		-	U1TUB, U1TUA	SDASP		200.00									
ONRO		EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP	<b>-</b>	<del>                                     </del>					1			1			<del>                                     </del>		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87								
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87								
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL UEANL	UEASL UEASL	12.90 23.33	36.54 36.54	16.87 16.87			-			<del>                                     </del>		
<b>-</b>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	48.43	36.54	16.87			<b>†</b>					
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>			.5.10	22.01	15.01						1		
		Premise			UEANL	URETL		8.33	0.83								
	1	Loop Testing - Basic 1st Half Hour		<u> </u>	UEANL	URET1		33.17	33.17			-					
		Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA	<u> </u>	19.28	19.28			<u> </u>	<u> </u>	<u> </u>	l		l

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
3.150		Sitt EEEMENTO Evaluation					I					Svc Order	Svc Order	Incremental			
1													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		47.50	17.56								
	2 WIDE	I(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56			-					-
	Z-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60			-					-
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	14.32	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>i</del>		UEQ	UEQ2X	16.87	35.27	15.60								
<b>—</b>		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del></del>	-	0_0	JEGZA	10.07	55.21	13.00			<b>-</b>	<b>†</b>		<b>I</b>		
		Premise			UEQ	URETL		8.33	0.83				1		I		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			,			2.00	2.00					İ	1	İ	İ
		Non-Designed (per loop)			UEQ	USBMC		7.92	7.92						1		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for												1		1	1
L		BST providing make-up (Engineering Information - E.I.)	<u> </u>		UEQ	UEQMU		13.04	13.04				<u> </u>		<u> </u>		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.			40.00										
		Zone 1		- 1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00	-					
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	10.07	0.00	0.00				-		
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OLADO	20.00	30.34	10.07	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0 02. 03	027.20	10.10	00.01		0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
UNBUN	DLED E	XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72		<u> </u>				<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72						ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			l			400 :-					1		I		
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72						-		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	-	-	UEA	OCOSL		17.56						<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	14.93	102.10	65.72				1		I		
$\vdash$		Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	1	UEA	UEAK2	14.93	102.10	05.72			-	-		+		
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72				1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<b>H</b>		OLA.	JEANA	20.00	102.10	05.72					<del> </del>	t	<del> </del>	<del> </del>
		Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72				1		I		
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.40	17.56	33.72					İ	1	İ	İ
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30			İ	İ		1		
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		_1	UEA	UEAL4	30.81	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

ATEGORY  RATE ELBRATS  BOS BUSC  RATE (S)  RAT	UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
ANTE CLEMENTS   Description	ONDO	JIVDEL	NETWORK ELEMENTO Louisiana										Svc Order	Svc Order				
RATE BLEMENTS   Binner   2000   BCS																		
Color   Colo				Interi														
Note   Section	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
2-Wile SSN DIGITAL GRADE LOOP														-	Electronic-	Electronic-	Electronic-	Electronic-
Description   Company															1st	Add'l	Disc 1st	Disc Add'l
Description   Company	-	1					+	1	Nonrec	urring	Nonrecurring Disc	connect			088	Pates (\$)		l
2   2   2   2   2   2   2   2   2   2		+						Rec					SOMEC	SOMAN			SOMAN	SOMAN
Description   Description		2-WIRE	I ISDN DIGITAL GRADE LOOP						11131	Addi	11131 /	Auui	JOHILO	JOINAIN	JONIAN	JOWAN	JONAN	JONIAN
SWING PROPRIES   Control Con					1	UDN	U1L2X	22.09	113.34	76.96								
Outer Cookinstine For Signature Conversion Tree (per LSP)																		
CLEC to CLEC Convenience Current without an arrival and accessed explaints (COP)   14.00   1					3	UDN	U1L2X	65.18	113.34	76.96								
2 Print   Commonth College   Colle																		
2 Vivr. Unknowled ADS. Loop including manual service inquiry   1 JUAL   14.00   117.06   68.36			CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
Stadily searchine Zone 1		2-WIRE		ATIBLE	LOOP	1												
2 With Chandred ARSL Log Problems ground service requiry 3 New Proposed ARSL Log Problems ground service requiry 4 New Problems ARSL Log With Chandred State (1994) 5 Reality reservation. Zero 2 2 With Unburded ARSL Log Without Instituted service requiry 5 New Problems ARSL Log Without Instituted State (1994) 6 Reality reservation. Zero 2 2 With Unburded ARSL Log Without Instituted State (1994) 7 New Problems ARSL Log Without Instituted State (1994) 7 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Problems ARSL Log Without Instituted State (1994) 8 New Probl					4	1141	LIMIOV	40.00	447.00	CO 2C								
Statily reservation   Zince   2   UAL   UALX   14.09   117.09   69.36	-	1			1	UAL	UALZX	12.29	117.08	68.36								
2 Were Unbounded ADSI. Long including measural american inquity 8 Industry reconsistants in September Convention Time (per LSP) 10 Use Coordination for September Convention Time (per LSP) 11 Use Unbounded ADSI. Long reducing measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 6 including measural american inquity 7 including measural american inquity 7 including measural american inquity 7 including measural american inquity 7 including measural american inquity 7 including measural american inquity 7 including measural american inquity 7 including measural american inquity 7 including measural american inquity 8 including measural american inquity 8 including measural american inquity 9 includi					2	LIAI	LIMION	14.00	117.00	60.26								
A facility reservation - Zone 3   3   UAL   UALZX   17.7   17.56   63.6		+				OAL	UALZA	14.05	117.00	00.30								
Order Coordination for Specified Convention Train (per LSR)					3	UAL	UAL2X	15.75	117.08	68.36								
2 Wine Unbunded ASS, Loop without manual service inquiry 6   1 UAL		1			Ť													
2 Wife Unbundled ADSL Loop without manual service inquiry & facility representant - Zone 2																		
facility representation - Zone 2   2   JAL   UALZW   14.09   92.83   56.02			facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02								
2 Wire Unburnded n ZSL Dop without manual service requiry & 3   UAL   UAL ZW   15.75   82.83   56.02																		
Seality reservation - Zone 3   JUAL   UALXW   15.76   92.88   56.02					2	UAL	UAL2W	14.09	92.83	56.02								
Order Coordination for Specified Convention Time (per LSR)																		
CLEC to CLEC Convenion Charge without outside departed   UAL   UREWO   86.07   40.34			facility reservaton - Zone 3		3			15.75		56.02								
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDS), COMPATIBLE LOOP	-	-	Order Coordination for Specified Conversion Time (per LSR)							10.01								
2 Wire Unbundled HDSL Loop including manual service inquiry   1   UHL	-	2-WIDE		TIDLE	OOB	UAL	UKEWU		86.07	40.34								
Stability reservation - Zone 1   1   UHL		Z-VVIKE		TIBLE	-00													
2 Wire Unbundled HDSL Loop including manual service inquiry 8 Isolality reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry 8 Isolality reservation - Zone 3 3 UHL UHL2X 12.74 125.50 76.77  Direct Coordination for Specified Convension Time (per LSR) 2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2X 12.74 125.50 76.77  UHL OCOSL 77.56  UHL OCOSL 9.77.56  UHL OCOSL 9.77.56  UHL OCOSL 9.77.56  UHL UHL2W 9.73 101.24 64.43 101.24 64.43 101.2					1	UHI	UHI 2X	9 79	125.50	76 77								
8 facility reservation - Zone 2 2 WHL UHLZX 11.52 125.50 76.77 3 UHL UHLZX 12.74 125.50 76.77 3 UHL UHLZX 12.74 125.50 76.77 3 UHL UHLZX 12.74 125.50 76.77 3 UHL UHLZX 12.74 125.50 76.77 4 Tong Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 3 UHL UHLZW 9.79 101.24 64.43 4 UHLZW 9.79 101.24 64.43		1				02	OT ILLY	00	120.00									
8 facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 17.56  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHL2W 11.52  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 UHL UHL2W 11.52  10.124  64.43  3 UHL UHL2W 11.52  10.124  64.43  40.43  40.44  40.					2	UHL	UHL2X	11.52	125.50	76.77								
Order Coordination for Specified Conversion Time (per LSR)			2 Wire Unbundled HDSL Loop including manual service inquiry															
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1					3			12.74		76.77								
and facility reservation - Zone 1						UHL	OCOSL		17.56									
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   UHL   UHL4W   11.52   101.24   64.43   101.24   101.24   64.43   101.24								0.70	404.04	04.40								
and facility reservation - Zone 2	-	+			1	UHL	UHL2W	9.79	101.24	64.43								
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3					2	ПНІ	LIHL 2W/	11 52	101 24	64.43								
and facility reservation - Zone 3   3   UHL   UHLZW   12.74   101.24   64.43		+				OFFE	OTILZVV	11.52	101.24	04.43								
Order Coordination for Specified Conversion Time (per LSR)					3	UHL	UHL2W	12.74	101.24	64.43								
4-Wire High Hit RATE Digital SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP					_													
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1			CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	Ì	86.00	40.34								
and facility reservation - Zone 1		4-WIRE		TIBLE I	OOP													
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2																l		
and facility reservation - Zone 2		1			1	UHL	UHL4X	16.24	153.26	104.54								
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3					0		LILIL AV	40.05	150.00	404.54								
and facility reservation - Zone 3   3   UHL   UHL4X   17.34   153.26   104.54	<u> </u>	1		1		UHL	UHL4X	76.65	153.26	104.54						-		<b> </b>
Order Coordination for Specified Conversion Time (per LSR)					3	ПНІ	LIHLAY	17 24	153.26	104.54								
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	<b> </b>	1			- 3			17.54		104.34				<b> </b>				
and facility reservation - Zone 1		1		l			00000	+	17.55									
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2					1	UHL	UHL4W	16.24	129.00	92.20								
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3								İ										
and facility reservation - Zone 3   3 UHL   UHL4W   17.34   129.00   92.20		1			2	UHL	UHL4W	16.65	129.00	92.20								
Order Coordination for Specified Conversion Time (per LSR)					l . ¯	l	[ ]	⊣	. 7									7
CLEC to CLEC Conversion Charge without outside dispatch		1		<u> </u>				17.34		92.20						ļ		
4-WIRE DS1 DIGITAL LOOP		1								40.24								
4-Wire DS1 Digital Loop - Zone 1	-	4-WIDE			-	UIL	UKEWU	+	86.00	40.34						-		
4-Wire DS1 Digital Loop - Zone 2     2     USL     USLXX     194.96     245.16     152.98        4-Wire DS1 Digital Loop - Zone 3     3     USL     USLXX     491.94     245.16     152.98	-	4-VVIRE		1	1	USI	USLXX	85.70	245 16	152 08						1		<del>                                     </del>
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 491.94 245.16 152.98		1		<b>†</b>												1		
		1																
		İ														1		

ACTEGORY RATE ELEMENTS RES RES ROTE ROTE ROTE ROTE ROTE ROTE ROTE ROTE	UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
ATE SERIENTS  RATE ELEMENTS  RATE SERIENTS  RATE SE												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
RATE FLEMENTS			1	1								I .					Charge -
CATEGORY   RAYE ELEMENTS   Image   Some   Content   Co																	
Big     Big     Big	CATEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES (\$)								
Section   Sect		10.112 ====	m			0000			== (+)			per LSR	per LSR				Order vs.
Proceedings																	Electronic-
More   1962   1,000														1st	Add'l	Disc 1st	Disc Add'l
Column   C						+		Nonrec	urring	Nonrecurring	Disconnect	1	1	OSS	Rates (\$)	l	
CLECK DISECT Comments Charge actions and state depatch   USC.						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Aware Unamented Digital Lock of Sides 2 - 2019   1		CLEC to CLEC Conversion Charge without outside dispatch			LISI	LIREWO				11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
4 Year Unbrundled Operat 12 Kipps	4-WIF				002	O. LETTO		100.00	12.00			İ					
A Wile Unbroaded Opport 192 Ribos	1			1	UDI	UDI 19	30.99	121.86	85 48			İ					
4 Vites Unburded Digital 12 Kibos   1.00												<b>†</b>					
A Vivo Unbrunded Digital Long 6th Ripps_2-Zene 1												1	<b>†</b>				
4 Year Unbunded Digital Long 68 Kips _ Zene 2												1	<b>†</b>				
A Vivi Culturalizat Digital Loop 68 (Spz. 2 Zere 3   2 UDC.   U												1	<b>†</b>				<b>——</b>
Order Coordination for Septimized Conversion Free (per LSR)   UPL   OCCSS.   17.56   8.46												1					
A Wine Introducid Organization of Response - Zone 1   1 D/DL   D/DL64   30.99   121.86   85.48				3			30.32		05.40				1				
4 Wite Unburnded Digital Loop 6 KRipes - Zone 2   2 DUCL				1			30.00		0E 10				1				
A Wile Unbounded Digital Loop 64 (Note) - Zone 3   3   DCL   DCL64   36.92   121.86   56.48													1				
Order Coordination for Specified Convention Time (per LSR)													1				
CLEC to CLEC Conversion Charge webout outside dispatch   UDL UREWO   101.07   49.67				3			30.92		05.40				1				
2 WINE Unburndled COPPER LOOP   1 U.C. U.C.PB   12.29   116.18   67.46			-						40.67			1					<del></del>
2-Wire Unburneded Capper Loop-Designed including manual service inquiry & facility reservation. Zone 3   1 UCL   UCLPB   12:29   116:18   67:46	0.14/15		-		UDL	UKEWU		101.97	49.07			-					-
Service Inquiry & Stacility reservation - Zone 1	2-9911		-			-						-					-
2/Wer Unburnded Copper Loop-Designed including manual service inquiry 8 facility reservation 2 and 2 manual service inquiry 8 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 facility reservation 2 manual service inquiry 4 manual reservation 2 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 4 manual service inquiry 5 manual service inquiry 5 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 6 manual service inquiry 7 manual service inquiry 6 manual service inquiry 7 manual service inquiry 7 manual service inquiry 7 manual service inquiry 7 manual service inquiry 7 manual service inquiry 8 manual se					LICI	LICLED	40.00	440.40	07.40								
Service incignity & facility reservation - Zone 2   2   UCL   UCLPB   14.00   116.18   67.46			-	1	UCL	UCLPB	12.29	116.18	67.46			-					-
2 Vivine Unbundled Cologor Leosop Deleganden and James Services (Local Delegander) and James Services (Local				_		LIOL DD	44.00	440.40	07.40								
Service Inquity & Facility Teservation - Zone 3				2	UCL	UCLPB	14.09	116.18	67.46								
Order Coordination for Unbundled Copper Loops (per loop)				_													
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1				3			15.75										
Service Inquiry and facility reservation - Zone 1					UCL	UCLMC		7.92	7.92								
2-Wire Unburdled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2   2   UCL   UCLPW   14.09   91.92   55.12																	
Service inquiry and facility reservation - Zone 2				1	UCL	UCLPW	12.29	91.92	55.12								
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation -Zone 3   UCL   UCLPW   15.75   91.92   55.12																	
Service inquiry and facility reservation - Zone 3				2	UCL	UCLPW	14.09	91.92	55.12								
Order Coordination for Unburdled Copper Loops (per loop)																	
CLEC to CLEC Conversion Charge without outside dispatch   UCL				3			15.75										
CUCL-Des    UCL   UREWO   91.92   42.47					UCL	UCLMC		7.92	7.92								
A-WiRE Copper Loop-Designed including manual service inquiry   1   UCL   UCL4S   22.27   138.69   90.96																	
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1  4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed michalding manual service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)  UCL UCL4S  18.95  139.69  90.96  4-Wire Copper Loop-Designed michalding manual service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)  UCL UCLMC  7.92  7.92  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1  1 UCL UCL4W  10.04  1 UCL4W  10.05					UCL	UREWO		91.92	42.47								
and facility reservation - Zone 1	4-WIF																
4-Wire Capper Loop-Designed including manual service inquiry and facility reservation - Zone 2																	
Advire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3   3   UCL   UCL4S   10.99   139.69   90.96		and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)  UCL UCLMC 7:92 7:92  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1  1 UCL UCL4W 22.27 115.43 78.63  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)  UCL UCL4W 18.95 115.43 78.63  Order Coordination for Unbundled Copper Loops (per loop)  UCL UCLMC 7:92 7:92  CLEC to CLEC Conversion Charge without outside dispatch  UCL UREWO 91.92 42.47  UCL UREWO 91.92 42.47  LOOP MODIFICATION  UAL, UHL, UCL, UEAN, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UEPSR, UENB, UENB, UEPSR, UENB		4-Wire Copper Loop-Designed including manual service inquiry															
And facility reservation - Zone 3		and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
Order Coordination for Unbundled Copper Loops (per loop)  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  5-ECL Control - Zone 3  5-ECL Control - Zone 3  5-ECL Control - Zone 3  5-ECL Control - Zone 3  5-ECL Control - Zone 3  6-ECL Control - Zone 3  6-ECL Control - Zone 3  6-ECL Control - Zone 3  6-ECL Cont		4-Wire Copper Loop-Designed including manual service inquiry															
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  5-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  6-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  7-8.63  7-8.63  7-8.63  10-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  7-92  7		and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  2 UCL UCL4W 18.95  115.43 78.63  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  2 UCL UCL4W 18.95  115.43 78.63  2 UCL UCL4W 10.99  115.43 78.63  115.44 78.63  115.44 78.63  115.44 78.63  115.44 78.63  115.44 78.63  115.44 78.63  115.44 78.63  115.44 78		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92					Î			
and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)  UCL UCL4W 10.99 115.43 78.63  UCL UCL4W 10.99 115.43 78.63  OURDING COORDING CONTROL OF THE WIRE CONTROL OF THE		4-Wire Copper Loop-Designed without manual service inquiry															
and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  3 UCL UCL4W 10.99 115.43 78.63  Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)  UCL UCLMC 7.92 7.92  CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)  UCL UREWO 91.92 42.47  UNBEWO 91.				1	UCL	UCL4W	22.27	115.43	78.63								
and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3  3 UCL UCL4W 10.99 115.43 78.63  Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)  UCL UCLMC 7.92 7.92  CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)  UCL UREWO 91.92 42.47  UNBEWO 91.		4-Wire Copper Loop-Designed without manual service inquiry				Î											
and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7.92 7.92 7.92  CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 91.92 42.47  LOOP MODIFICATION UNbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, ULMAL 0.00 0.00				2	UCL	UCL4W	18.95	115.43	78.63								
and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 7.92 7.92 7.92  CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 91.92 42.47  LOOP MODIFICATION UNbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, ULMAL 0.00 0.00		4-Wire Copper Loop-Designed without manual service inquiry															
Order Coordination for Unbundled Copper Loops (per loop)  CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)  LOOP MODIFICATION  Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unb				3	UCL	UCL4W	10.99	115.43	78.63								
CLEC to CLEC Conversion Charge without outside dispatch ((UCL-Des)  LOOP MODIFICATION  UAL, UHL, UCL, UEQ, ULS, UEA, UENL, UEPSR, pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA UHL, UCL, UEA UHL, UCL, UEA UHL, UCL, UEA ULM4L  Unbundled Loop Modification Removal of Bridged Tap Removal, Unbundled Loop Modification Removal of Bridged Tap Removal, UENL, UEA, UENL, UEA, UEANL, UEPSR, UHCL, UEA ULM4L  O.00 O.00 O.00																	
UCL   UREWO   91.92   42.47								-	-			İ					
LOOP MODIFICATION  UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UES than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA UHL, UCL, UEA ULM4L UO.00 0.00 0.00 UHL, UCL, UEA ULM4L UNDUNDLED UAL, UHL, UCL, UEA ULM4L UNDUNDLED UAL, UHL, UCL, UEA ULM4L UNDUNDLED UAL, UHL, UCL, UEA ULFANL, UEPSR, UEQ, ULS, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEQ, ULS, UEA, UEANL, UEPSR,					UCL	UREWO		91.92	42.47								
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA ULM4L ULM4	LOOP MODIF											i e					
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop  UHL, UCL, UEA  UHL, UCL, UEA  ULM4L  0.00  0.00  UNM4L  0.00  0.00  UNM4L  0.00  0.00					UAL. UHL. UCL.							i e					
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM2L 0.00 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L 0.00 UEPSB ULM4L ULM4L 0.00 ULM4L																	
pair less than or equal to 18k ft, per Unbundled Loop UEPSB ULM2L 0.00 0.00 0.00 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 0.00 0.00 ULAL, UHL, UCL, UEA, ULGQ, ULS, UEA, UEQQ, ULS, UEA, UEQQ, ULS, UEA, UEANL, UEPSR, UEANL, UEPSR,		Unbundled Loop Modification, Removal of Load Coils - 2 Wire		l								1					1
Unbundled Loop Modification Removal of Load Coils - 4 Wire  less than or equal to 18K ft, per Unbundled Loop  UHL, UCL, UEA  UAL, UHL, UCL,  UEQ, ULS, UEA,  Unbundled Loop Modification Removal of Bridged Tap Removal,  UEANL, UEPSR,			1	1		ULM2L		0.00	0.00						I		1
less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L 0.00 0.00 0.00 0.00 UAL, UHL, UCL, UEQ, ULS, UEQ, ULS, UEA, UDEANL, UEPSR, UDEANL, UEPSR, UES, UEANL, UEPSR, UES, UEANL, UEPSR, UES, UEANL, UEPSR, UEANL, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEANL, UEPSR, UEANL, UEANL, UEANL, UEANL, UEPSR, UEANL, UEA			<u> </u>					2.00	2.00			1		1	1		
UAL, UHL, UCL, UEQ, ULS, UEA, Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,			1	1	UHL UCL LIFA	ULM4I		0.00	0.00						I		1
Unbundled Loop Modification Removal of Bridged Tap Removal, UES, UES, UEANL, UEPSR,		or oqual to forting por oribunated book	<b>†</b>	<b>t</b>		J FL		3.30	0.00			1		<b>i</b>	<b>†</b>	<b> </b>	<b></b>
Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,			1	1											I		1
		Unbundled Loop Modification Removal of Bridged Tap Removal		l								1					1
I I IDECUMPANDE I I ILIEPSE ILIEMET I 1 12.15 I 12.15 I I I I I I I I I I I I I I I I I I I		per unbundled loop	1	1	UEPSB	ULMBT		12.15	12.15			I		l	1	1	1

UNRI	INDI F	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
31400	,.4DLL				1							Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			Instant									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO																	
	Sub-Lo	pop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.		LIFANII	110004		444.00	444.00								
-		Up	- 1	-	UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ,		UEANL	USBSB		10.99	10.99								
	1	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		UEANL	USBSB		10.99	10.99						1		
		Facility Set-Up	1		UEANL	USBSC		86.16	86.16								
-	1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		OL7 (IAL	00000		00.10	00.10								
		Set-Up	1 .		UEANL	USBSD		27.13	27.13								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	1	Zone 1	- 1	1	UEANL	USBN2	7.57	63.89	30.06			1	1		I		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								ĺ							
	<u> </u>	Zone 2		2	UEANL	USBN2	12.75	63.89	30.06							<u></u>	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	ļ	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92								
		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-		UEANL	USBN4	16.84	76.75	42.92								
		Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		2016 3		3	OLANE	OODIV	13.27	10.15	42.32								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54	23.71								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour	ļ		UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour	<u> </u>		UEANL	URETA	2.00	19.28	19.28								
-	ļ	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS2X	6.26	63.89	30.06	<u> </u>							
<u> </u>	-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06			-			<del>                                     </del>		
<b>—</b>	1	z vvire copper unbunuled Sub-Loop Distribution - Zone 3	+-'-	3	OLF	UUSZĀ	12.70	63.89	30.06	<del>                                     </del>			1	<del> </del>	<del>                                     </del>	<del> </del>	1
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		7.92	7.92			1	1		I		
<b> </b>	l	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.03	76.75	42.92				<del>                                     </del>		<b>-</b>		
<b>-</b>	t	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	10.71	76.75	42.92					1	1		1
	i –	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	6.08	76.75	42.92					İ	1		İ
			l											1			1
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		7.92	7.92			1	1		I		
		Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
	Unbun	dled Network Terminating Wire (UNTW)															
L	<u> </u>	Unbundled Network Terminating Wire (UNTW) per Pair	ļ		UENTW	UENPP	0.3454	14.72	14.72	ļ					1		ļ
	Netwo	rk Interface Device (NID)			LIENTAL	LINDAS		10.0-								ļ	
<u> </u>	<b>!</b>	Network Interface Device (NID) - 1-2 lines	<b> </b>	-	UENTW	UND12		42.26	27.83			<b> </b>		<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>
<u> </u>	1	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	+	-	UENTW UENTW	UND16 UNDC2		62.86 5.73	48.43 5.73	+		-	-		<del>                                     </del>	-	
<b></b>	1	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W	<del>                                     </del>	<b>-</b>	UENTW	UNDC2 UNDC4		5.73	5.73	+		<b> </b>	-	<del> </del>	+	<b> </b>	<del> </del>
LINE O	THER F	PROVISIONING ONLY - NO RATE	<del>                                     </del>	-	OLIVIVV	UNDU4		5.73	5.73	+		<b> </b>	-		+		-
JIVE U	THER, F	NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00						<del> </del>	<del>                                     </del>	-	<del> </del>
<b>-</b>	<b>†</b>	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<del>                                     </del>		UENTW	UENCE	0.00	0.00		+ +		<b>-</b>		<b> </b>	<del>                                     </del>		<del> </del>
	<u> </u>	orter of our id Ediabnoriment, From John y - No Mate			UEANL,UEF,UEQ,U	021102	0.00	0.00							<u> </u>		
	1	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00				1	1		I		
UNE O	THER. F	PROVISIONING ONLY - NO RATE	t			1	2.20	2.20						i	1	i	i
•	, •														1		ı

LINDI	INDI E	D NETWORK ELEMENTS. Louisions											-	A441		F.4.9	
UNBU	INDLE	D NETWORK ELEMENTS - Louisiana			1		1					00	00		ment: 2	Exhil	
														Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									,
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									,
HIGH (	CAPACI	TY UNBUNDLED LOCAL LOOP															,
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	10.04										
		High Capacity Unbundled Local Loop - STS-1 - Facility								Î							
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP	MAKE-L	JP															
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility gueried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE S	HARING	AND LINE SPLITTING															
	NOTE	1: The Line Sharing monthly recurring rates for all installation	is com	oleted f	from October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co															
	NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		ľ	1	ľ											
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING			T				,								
	SPLIT	TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00								
	1	Line Sharing Splitter, per System 24 Line Capacity	1	1	ULS	ULSDB	46.79	183.33	0.00	İ	1				İ		
	1	Line Sharing Splitter, Per System, 8 Line Capacity	1	1	ULS	ULSD8	15.59	183.33	0.00	İ	1				İ		
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1	1	İ					İ	1				İ		
1	1	deactivation (per LSOD)	1		ULS	ULSDG		83.98	0.00			1					,
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	1			i		2.30	İ	1				İ		
	T	Line Sharing - per Line Activation (BST Owned splitter) -	1	1	İ	1	i			İ	1				İ		
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	17.97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	3.10	17.97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter -	i –	1	T		50		.0.20	1	1	i e			i e		
		Central Office Located (50% of UCLND) - please see NOTE 1															
1	1	(E:10/2/2004)	1		ULS	ULSDT	6.20	17.97	10.29			1					,
	<b>1</b>	Line Share Service, TRO per line activation, BST owned splitter -	1	1	† · · · · · · · · · · · · · · · · · · ·	1	5.20		.0.20	<b>i</b>					<b>i</b>		
1	1	Central Office Located (75% of UCLND) - please see NOTE 1	1		İ							1					,
1		(E:10/2/2005)	l		ULS	ULSDT	9.30	17.97	10.29								
	t	Line Sharing - per Subsequent Activity per Line	l -	t	020	02001	5.50	17.57	10.23	<b> </b>		<b>-</b>			<b>†</b>		
1		Rearrangement(BST Owned Splitter)	l		ULS	ULSDS		15.91	7.95								
<b>—</b>	<del>                                     </del>	Line Sharing - per Subsequent Activity per Line	-	<del>                                     </del>	020	02000		10.01	7.55		<b>†</b>						
1		Rearrangement(DLEC Owned Splitter)	l		ULS	ULSCS		15.91	7.95								
	<b>1</b>	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1	1	32000		10.01	7.55	<b>i</b>					<b>i</b>		
		OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31								.
	<u> </u>	000011.1.000 1101111			1020	02000	0.01	77,77	10.01	L					1		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$)  Svc Order Submitted Submitted Submitted Elec Manually per LSR Per LSR Per LSR Per LSR Electronic- Electro	UNBUNE	DLEI	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
March   Part   Remembra   March   Part   Remembra   Remembra   Part   Part   Remembra   Part   Part   Remembra   Part	0.1.2011.												Svc Order	Svc Order				Incremental
ATTENDING CONTINUE NOT CONTIN													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
MILE LEMMATS   March				Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
Decrease   Decrease	CATEGOR	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
14													-		Electronic-	Electronic-	Electronic-	Electronic-
Les Salves Service, TRCD per rise activation, CLEC cented   LLS																		Disc Add'l
Les Salves Service, TRCD per rise activation, CLEC cented   LLS																		
Une Deum Servine, TRO per line activators, CLSC permed splanes celestrated that publicate (Control Office Locate) (CPS of ULL NID) - permed seasons (CPS of ULL NID) - permed se								Rec										
Solitary - Control Office Located (20% of ULXIAD) - please use   ULS			Live Olean One in TDO and in a district OLEO		-				First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE   16 - 10 20003    NOTE   16 - 10 10 10 10 10 10 10 10 10 10 10 10 10																		
Une Share Service, 1900 per line activation, CLEC convect   Share Central Cities Load (1909 of CLAND) prisons see   Share Share, 1900 per line activation, CLEC convect   share Central Cities Load (1909 of CLAND) prisons see   share Central Cities Load (1909 of CLAND) prisons see   share Central Cities Load (1909 of CLAND) prisons see   Share Share, 1900 per line activation, CLEC convect   Share Share, 1900 per line activation, CLEC convect   Share Share, 1900 per line activation, CLEC convect   Units Share, 1900 per line activation, CLEC convect   Units Share, 1900 per line activation, CLEC convect   Units Share, 1900 per line activation, CLEC convect   Units Share, 1900 per line activation, CLEC convect   Units Share, 1900 per line activation, CLEC convect   Units Share, 1900 per line activation, CLEC convects   Units Sha						111.0	LILECT	2.10	47.44	10.21								
Spitter - Constant Offices Located (97% of LOCAD) - piezos see   NOTE IL 15 1202004    Part   15 1202004    Part						ULS	ULSCI	3.10	47.44	19.31			<b> </b>	-				
NOTE 1: 1: 102/202093																		
Use Size Service, TRO per line achieuse, CLEC covered spiller - Certard Office Local Critical Covered (1964)						IIIS	LILSCT	6.20	47 44	19 31								
Section   Sect						010	02001	0.20	77.77	10.01			1	1				
NOTE 1 (EM0202005)   ULS   U																		
SNO USER CREDENING_CENTRAL_OFFICE BASED						ULS	ULSCT	9.30	47.44	19.31								ĺ
END USER ORDERING-CENTRAL OFFICE BASED   URBOY CENTRAL OFFI BASED   URBOY CENTRAL OFFI	LII	NE S	PLITTING															
Unit Spitting - per line activation SET sowed - physical   UFPSR UEPSB   URESP   O.61   17.97   10.29	EN	ND US	SER ORDERING-CENTRAL OFFICE BASED															
Line Spitting - per fine activation SST counted - virtual   UEPSR LEPSS   UERBY   0.61   17.97   10.29																		
MAINTENANCE																		
No. Trivible Found - per 1/2 hour increments - Seasce   80.00   55.00   No. Trivible Found - per 1/2 hour increments - Overlines   170.00   82.50   No. Trivible Found - per 1/2 hour increments - Overlines   170.00   82.50   No. Trivible Found - per 1/2 hour increments - Premium   170.00   170.00   No. Trivible Found - per 1/2 hour increments - Premium   170.00   No. Trivible Found - per 1/2 hour increments - Premium   170.00   No. Trivible Found - per 1/2 hour increments - Premium   170.00   No. Trivible Found - per 1/2 hour increments - Premium   170.00   No. Trivible Found - Premium   170.00   N						UEPSR UEPSB	UREBV	0.61	17.97	10.29								$lue{}$
No Trouble Found - per 1/2 hour increments - Overtime   120.00   88.50	M.A	AINT																
No Trouble Found - per 1/2 hour increments - Premium   160.00   110.00																		
INTEROFICE CHANNEL - DEDICATED TRANSPORT																		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT	UNDUNDU								160.00	110.00								
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per mornh   U1TVX   U1TVZ   U1TVX   U1TVZ   U1TVX					-								1					
Per Mile per month   Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade   U1TVX   U1TVZ   22.60   39.36   26.62	IN	IERC			<u> </u>		-							-				
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade   U1TVX   U1TVZ   22.60   39.36   26.62						LIAT//V	11.577	0.013										
Facility Termination	<del> </del>					UTIVA	ILJAA	0.013					<u> </u>			1		
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade   U1TVX						LI1TVX	U1TV2	22 60	39.36	26 62								
Rev Bat Per Mile per month   U1TTX   1.5XX   0.013						011177	01112	22.00	00.00	20.02				1				
Interoffice Channel - Dedicated Transport - 2 Wire VG Rev Bat.   Facility Termination   U1TTX   U1TR2   22.60   39.36   26.62						U1TVX	1L5XX	0.013										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month   U1TVX   U1TV4   19.81   39.36   26.62																		
Per Mile per month			Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination   U1TVX   U1TV4   19.81   39.36   26.62			Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
Facility Termination						U1TVX	1L5XX	0.013										
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination U1TDX U1TDS 15.61 39.37 26.62																		
Der month   UTDX   1L5XX   0.013						U1TVX	U1TV4	19.81	39.36	26.62								
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination   U1TDX   U1TDS   15.61   39.37   26.62																		
Termination	<b>—</b>					UTIDX	1L5XX	0.013										
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination UTIDX UTID6 15.61 39.37 26.62 UTIDX UTID6 15.61 39.37 26.62 UTIDX UTID6 15.61 39.37 26.62 UTIDX UTID6 15.61 39.37 26.62 UTIDX UTID8 UTID8 UTID8 UTID8 UTID9 UT						LUTDY	LIATOR	45.04	00.07	00.00								
Der month	-				<u> </u>	UTIDX	U11D5	15.61	39.37	26.62				-				
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month  U1TD1						LIATOX	11 5YY	0.012										1
Termination	+				1	UTIDA	ILUAA	0.013			<del>                                     </del>		<b>+</b>		-	<del> </del>		<del></del>
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month  Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						U1TDX	U1TD6	15.61	39.37	26 62								1
Month					<b>†</b>			.5.51	33.37	20.02						İ		
Termination						U1TD1	1L5XX	0.2652										1
Termination			Interoffice Channel - Dedicated Tranport - DS1 - Facility															
month			Termination	<u></u>	<u></u>	U1TD1	U1TF1	70.47	86.69	79.44	<u> </u>				<u> </u>			
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 850.45 270.69 158.05  U1TD3 U1TF3 850.45 270.69 158.05  U1TD3 U1TF3 850.45 270.69 158.05  U1TD3 U1TF3 850.45 270.69 158.05  U1TD3 U1TF3 850.45 270.69 158.05  U1TS1 U1TS1 U1TFS 830.19 270.69 158.05  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX 1L5DF 25.28 UDF, UDF14 620.60 133.88  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX UDF14 620.60 133.88										-								1
Termination per month						U1TD3	1L5XX	6.04										
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction																		
month						U1TD3	U1TF3	850.45	270.69	158.05								
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber - Interoffice Channel  Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX UDF, UDFCX UDF14  620.60  158.05  158.05  UDF, UDFCX 1L5DF 25.28  UDF, UDFCX UDF14  620.60  133.88						114704	41.5307											1
Termination	$\vdash$				-	บา I S1	1L5XX	6.04					<b> </b>		<b> </b>	<del>                                     </del>		
DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction  UDF, UDFCX UDF14 620.60 133.88  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						111701	LIATES	920 40	270.60	150.05								1
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX 1L5DF 25.28 UDF, UDFCX 1L5DF 25.28 UDF, UDFCX UDF14 620.60 133.88	DVBR EID	FP	Termination	-	-	UIISI	01115	830.19	270.69	158.05								<del></del>
Thereof per month - Interoffice Channel UDF, UDFCX 1L5DF 25.28  NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 620.60 133.88  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	DAKK FID	LI.	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1		1	+			<del>                                     </del>		<b>+</b>			<del> </del>		<del>                                     </del>
NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 620.60 133.88 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						UDF. UDFCX	1L5DF	25 28										1
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	$\vdash$			t	<b>†</b>			20.20	620.60	133 88			1	<del>                                     </del>				<b>—</b>
						. ,	7	i	320.00	.00.00			<b>†</b>		İ	İ		
						UDF, UDFCX	1L5DL	52.23										1
NRC Dark Fiber - Local Loop         UDF, UDFCX         UDFL4         620.60         133.88         133.88							UDFL4		620.60	133.88								

UNBL	INDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: A
0											Sı	vc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			lustani									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									DOI LOIK	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonred		Nonrecurring Discor					Rates (\$)		
	<u> </u>							First	Add'l	First Ad	d'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CESS 1	EN DIGIT SCREENING															
-		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		2.51	0.43								
-	<u> </u>	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	INSKIA		2.51	0.43								
		POTS Translations			OHD			5.77	0.78								
-		8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID	+		5.11	0.76	<del>                                     </del>							
		POTS Translations			OHD	N8FTX		5.77	0.78								
	<u> </u>	8XX Access Ten Digit Screening, Customized Area of Service			OTID	1401 174		0.77	0.70		-						
		Per 8XX Number			OHD	N8FCX		2.51	1.26								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR				1.01.011											
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43	i i							
		8XX Access Ten Digit Screening, Call Handling and Destination								i i							
		Features			OHD	N8FDX		2.51									
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
		query			OHD		0.0006387										
LINE I	NFORM <i>A</i>	TION DATA BASE ACCESS (LIDB)															
-		LIDB Common Transport Per Query			OQT		0.0000221										
-	<u> </u>	LIDB Validation Per Query			OQU	NDDDV	0.0135077	00.00									
CICNIA	LING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.33									
SIGNA	LING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	ł	CCS7 Signaling Termination, Fer STF Fort			UDB	F100A	0.000064					-					
		CCS7 Signaling Osage, Fer TOAF Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
	1	CCS7 Signaling Connection, Per link (8 link) (also known as D			000	1	10.77	04.00	04.00								
		link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
	İ	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911 S	ERVICE																
	ļ	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21								
	<del>                                     </del>	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				+	18.32	187.51	32.21						<b> </b>		
-	<del>                                     </del>	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	-	$\vdash$		+	18.32	187.51	32.21	<del>                                     </del>					-		
-	<del>                                     </del>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	<b>-</b>	$\vdash$		+	0.013			<del>                                     </del>						-	
		Termination					22.60	39.36	26.62								
<b>H</b>	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 1	<b>-</b>			+	39.18	172.34	149.27	<del>                                     </del>							
<b>H</b>	<b>-</b>	Local Channel - Dedicated - DS1 - Zone 2				+	121.58	172.34	149.27	<del>                                     </del>							
	<b>1</b>	Local Channel - Dedicated - DS1 - Zone 3	<b>†</b>			+	70.02	172.34	149.27	<del>                                     </del>							
	<b>†</b>	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.2652			1							
	1		1												l		
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44	]							
CALLI	NG NAM	E (CNAM) SERVICE															
		CNAM For DB Owners - Service Establishment			OQV			22.29									
		CNAM For Non DB Owners - Service Establishment			OQV			22.29	•					•			
		CNAM For DB Owners - Service Provisioning With Point Code													l		$\neg$
	ļ	Establishment			OQV			962.22	711.64								
		CNAM For Non DB Owners - Service Provisioning With Point								]							
	<del>                                     </del>	Code Establishment		$\vdash$	OQV	4		332.43	238.05	<del>                                     </del>							
	<del>                                     </del>	CNAM for DB Owners, Per Query			OQV	+	0.0010217			<del>                                     </del>					<b> </b>		
CE: E:	TIVE RO	CNAM for Non DB Owners, Per Query		<b>-</b>	OQV	+	0.0010217			<del>                                     </del>					<b> </b>		
SELEC	, IIVE K	UTING	1							<u> </u>					l		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
ONBONDED	- Education										Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per															1
	Switch						82.25	82.25								
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															1
PHYSICAL CO	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CC	Physical Collocation-2 Wire Cross Connects (Loop) for Line										-					
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						1
AIN SELECTIV	VE CARRIER ROUTING			OLI OK OLI OB	I LILO	0.0310	11.54	11.40	0.00	0.00	1					<del></del>
7	Regional Service Establishment			UEBIB	SRCEC		100,209.33				1					
	End Office Establishment			UEBIB	SRCEO		164.29	164.29								
	Query NRC, per query			UEBIB		0.0030293										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		38.30	38.30								
																1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
	AIN SMS Access Service - User Identification Codes - Per User															1
	ID Code			A1N	CAMAU		33.99	33.99	1							
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39								1
<b>+</b>	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0022	41.39	41.39	1		1					$\vdash$
<del>                                     </del>	AIN SMS Access Service - Session, Per Minute				1	0.5795			<del> </del>		1					<del></del>
	AIN SMS Access Service - Company Performed Session, Per					0.0700										<del></del>
	Minute					0.8104										1
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE					0.0.0.										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38.30	38.30								1
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Term. Attempt				BAPTT		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Off-Hook Delay				BAPTD		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTM		7.60	7.60								1
-	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		BAPTM		7.60	7.60	-		-					
	DN, 10-Digit PODP				BAPTO		33.47	33.47								1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 10		00.47	00.41			<b>-</b>					
	DN. CDP				BAPTC		33.47	33.47								1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		33.47	33.47								1
	AIN Toolkit Service - Query Charge, Per Query					0.0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															1
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			CAM	BAPMS	40.00	7.00	7.00								1
<b>-</b>	Subscription  ANN Toolkit Sonios Special Study For ANN Toolkit Sonios		<u> </u>	CAIVI	BAPIVIS	10.90	7.60	7.60	-		-					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41	I			1				1 1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	DAFLO	2.00	0.41	0.41								$\vdash$
1 1	Subscription			CAM	BAPDS	8.20	7.60	7.60	I			1				1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	t	<b>†</b>		2 20	5.20	7.50	7.50	<b>I</b>		<del>                                     </del>	<b> </b>				
1 1	Service Subscription			CAM	BAPES	0.09	8.41	8.41	1							1
ENHANCED E	XTENDED LINK (EELs)															
NOTE:	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE con	nbinations prov	visioned as ' C	Ordinarily Coml	oined' Network	Elements.					
NOTE:	: The monthly recurring and the Switch-As-Is Charge and not t	he non	recurri	ng charges below w	ill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRÉ VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPOR	RT				1							

UNRI	INDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
3.400		D ILL I WORK ELLINEITI O - Louisiana				1	1					Syc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring Di					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 207											
-		per month			UNC1X	1L5XX	0.2652			<b>-</b>							-
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
-		1/0 Channelization System in combination Per Month	-		UNC1X	MQ1	105.09	59.97	12.96								
-		Voice Grade COCI - Per Month	-		UNCVX	1D1VG	0.6497	5.91	4.26								
-		Voice crade GCG1 1 ci Month			ONOVA	IDIVO	0.0407	0.01	4.20								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			1	100		.5.00							İ	
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
						1								1			1
	<u></u>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	50.46	94.21	45.09							<u> </u>	
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-							<u> </u>								
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	INTE	ROFFICE TRANSPO	RT											
						l											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		First 4 Wiss Apples Value Conde Languis Combination 7 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
-		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	38.32	94.21	45.09								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
-		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNCVA	ULAL4	00.39	34.21	45.05	<del>                                     </del>							1
		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	120/01	0.2002										
		Month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-	İ		UNC1X			5 40	5.40								
-	EVTEN	Is Charge IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN		UNCCC		5.43	5.43								
-	EXIEN	DED 4-WIRE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	LATED	או ויפע	EROFFICE TRANS	I											
1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09								
<b>—</b>	<b>H</b>	1 1100 - 11110 JONDPS Digital Grade Loop III Combination - 20116 1	<del>                                     </del>		0.1007	30130	30.39	⊅4.∠ I	45.09	<del>                                     </del>				<del>                                     </del>	1	l	<del> </del>
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	36.78	94.21	45.09								
		Compression of the complication - Zone Z			5.13DA	CDLOG	55.76	J-1.Z1	-10.00								
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	İ														
		Per Month	1		UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - combination Facility	ĺ			1											
		Termination Per Month	<u> </u>	L_	UNC1X	U1TF1	70.47	143.58	103.88							<u> </u>	
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
1		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1							j							
		Interoffice Transport Combination - Zone 1	ļ	1	UNCDX	UDL56	30.99	94.21	45.09					ļ			ļ
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINIODY	LIDLES											
		Interoffice Transport Combination - Zone 2	<b> </b>	2	UNCDX	UDL56	36.78	94.21	45.09	<del>                                     </del>				<del>                                     </del>	1	<b> </b>	<b>.</b>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	UNCDX	UDL56	38.92	94.21	45.09								
	<u> </u>	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDLOB	38.92	94.21	45.09	<u> </u>				l .	l	l .	l

INDOINT.	DLE	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	ibit: A
3.130.11		State Evaluation									Svc Or	der Svc Orde	Incremental			
1			1									ed Submitte		Charge -	Charge -	Charge -
			l								Elec		Manual Svc		Manual Svc	
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per L		Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m								per L	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	_ 1	Nonrec	urring	Nonrecurring Discon	nect		oss	Rates (\$)		
							Rec	First	Add'l	First Add	'I SOME	C SOMAN		SOMAN	SOMAN	SOMAN
		Additional OCU-DP COCI (data) - in combination per month (2.4-														
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNC1X	UNCCC		5.43	5.43							
EX	TEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT										
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
															Î	
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	38.92	94.21	45.09			1	1			
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	Ì								İ	1				
		Per Month	1		UNC1X	1L5XX	0.2652						1			
		interoffice Transport - Dedicated - DS1 combination - Facility														
		Termination Per Month	1		UNC1X	U1TF1	70.47	143.58	103.88				1			
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96						ĺ	1
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	Ì		UNCDX	1D1DD	1.38	5.91	4.26		İ	1				
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
		Additional OCU-DP COCI (data) - in combination - per month														
		(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNC1X	UNCCC		5.43	5.43							
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT									ĺ	
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89						Î	
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89							
		Interoffice Transport - Dedicated - DS1 combination - Per Mile														
		Per Month			UNC1X	1L5XX	0.2652									
		Interoffice Transport - Dedicated - DS1 combination - Facility													ĺ	
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNC1X	UNCCC		5.43	5.43							
EX	TEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPO	RT										
		First DS1Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89							
		First DS1Loop in Combination - Zone 2			UNC1X	USLXX	194.96	169.22	100.89							
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89							
		Interoffice Transport - Dedicated - DS3 combination - Per Mile														
L		Per Month	<u></u>		UNC3X	1L5XX	6.04			<u>                                       </u>			1		<u> </u>	<u> </u>
		Interoffice Transport - Dedicated - DS3 - Facility Termination per									Ì					
		month	<u></u>		UNC3X	U1TF3	850.45	296.68	121.16	<u>                                       </u>			1		<u> </u>	<u> </u>
		3/1Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Additional DS1Loop in DS3 Interoffice Transport Combination -														
L l		Zone 1	<u></u>	1	UNC1X	USLXX	85.70	169.22	100.89	<u>                                       </u>			1		<u></u>	<u>                                      </u>
		Additional DS1Loop in DS3 Interoffice Transport Combination -														
		Zone 2	<u> </u>	2	UNC1X	USLXX	194.96	169.22	100.89				<u> </u>			<u> </u>
		Additional DS1Loop in DS3 Interoffice Transport Combination -														
L l		Zone 3	<u></u>	3	UNC1X	USLXX	491.94	169.22	100.89	<u>                                       </u>			1		<u></u>	<u>                                      </u>
		Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26		Ì					
		Nonrecurring Currently Combined Network Elements Switch -As-					İ			ĺ						
L l		Is Charge	<u></u>		UNC3X	UNCCC	<u> </u>	5.43	5.43	<u>                                       </u>			1		<u></u>	<u>                                      </u>
	TEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	E INTE	ROFFICE TRANSPO	RT										
EX				1	UNCVX	UEAL2	14.93	94.21	45.09					1		
EX		2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09				<u> </u>	<u> </u>	l	

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana											Attacl	hment: 2	Exhi	bit: A
			1								Svc C	der Svc Or	der Incrementa			
												tted Submi		Charge -	Charge -	Charge -
			Intori								Ele		lly Manual Svo		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		per			Order vs.	Order vs.	Order vs.
											,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring Disconi				Rates (\$)		
								First	Add'l	First Add	I SON	EC SOM/	N SOMAN	SOMAN	SOMAN	SOMAN
	-	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			LINOVY	41.577	0.040									
		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.013									-
		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75							
		Nonrecurring Currently Combined Network Elements Switch -As-		-	ONCVA	01172	22.00	72.00	41.73		-	-		1	1	
		Is Charge			UNCVX	UNCCC		5.43	5.43							
	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	E INTE				0.40	0.40							
		4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	30.81	94.21	45.09							
		4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38.32	94.21	45.09							
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	60.39	94.21	45.09							
	i –	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per								1		İ			1	1
	1	Month	1		UNCVX	1L5XX	0.013						- [			1
	i –	Interoffice Transport - 4-wire VG - Dedicated - Facility								1		İ			1	1
	<u> </u>	Termination per month	L		UNCVX	U1TV4	19.81	72.60	41.75	<u>                                       </u>	L			<u> </u>		<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNCVX	UNCCC		5.43	5.43							
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.04									
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51							
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04									
		Interoffice Transport - Dedicated - DS3 combination - Facility				==										
		Termination per month			UNC3X	U1TF3	850.45	296.68	121.16		_					
		Nonrecurring Currently Combined Network Elements Switch -As-	İ		LINICOV	UNCCC		5.43	5.43							
	EVTEN	Is Charge IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	EBOEE	UNC3X	UNCCC		5.43	5.43							
	EXIEN	STS-1 Local Lolp in combination - per mile per month	3-1 INT		UNCSX	1L5ND	10.04				_					
		STS-1 Local Loop in combination - Facility Termination per			UNCOX	TESIND	10.04				_					
		Imonth			UNCSX	UDLS1	374.56	188.45	125.51							
		Interoffice Transport - Dedicated - STS-1 combination - per mile			ONOON	ODEOT	074.00	100.40	120.01		-			1		
		per month			UNCSX	1L5XX	6.04									
		Interoffice Transport - Dedicated - STS-1 combination - Facility				1										
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16							
		Nonrecurring Currently Combined Network Elements Switch -As-														
		Is Charge			UNCSX	UNCCC		5.43	5.43							
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS													
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.09	94.21	45.09							
		First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	35.28	94.21	45.09							
	ļ	First 2-Wire ISDN Loop in Combination - Zone 3	ļ	3	UNCNX	U1L2X	65.18	94.21	45.09					<b>_</b>	ļ	ļ
	1	Interoffice Transport - Dedicated - DS1 combination - per mile	1										- [			1
	-	per month	ļ		UNC1X	1L5XX	0.2652			<del>                                     </del>		_		1	ļ	ļ
1	1	Interoffice Transport - Dedicated - DS1 combination - Facility	1		LINICAY	LIATE 4	70.4-	440.50	100.00				- [			
<b>-</b>	<b>!</b>	Termination per month	<b> </b>	-	UNC1X	U1TF1	70.47	143.58	103.88				+	1	<del>                                     </del>	<b>.</b>
<del>                                     </del>	-	1/0 Channel System in combination - per month	<del>                                     </del>	-	UNC1X	MQ1	105.09	59.97	12.96	<del>                                     </del>	_	_	+	+	<b> </b>	<del>                                     </del>
<b>-</b>	+	2-wire ISDN COCI (BRITE) - in combination - per month	<b>!</b>	-	UNCNX	UC1CA	2.96	5.91	4.26	<del>                                     </del>				1		-
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1	1	4	UNCNX	U1L2X	22.09	94.21	45.09				- [			
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	<u> </u>	OINOINA	UILZA	22.09	34.∠1	40.09		_		+	+		-
l		Combination - Zone 2	1	2	UNCNX	U1L2X	35.28	94.21	45.09				- 1			
<b>-</b>	<b>†</b>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l		0.1011/	31127	55.26	J4.21	40.05		-			1		<b>H</b>
	1	Combination - Zone 3	1	3	UNCNX	U1L2X	65.18	94.21	45.09				- [			1
	l –	Additional 2-wire ISDN COCI (BRITE) - in combination- per	i e	Ť		1	330	021	.0.00				1	1	İ	İ
	1	month	1		UNCNX	UC1CA	2.96	5.91	4.26				- [			
	1	Nonrecurring Currently Combined Network Elements Switch -As-	1			1							1	1	İ	İ
1	1	Is Charge	1		UNC1X	UNCCC		5.43	5.43				- [			
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO											
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89							
		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89							

UNRI	JNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
OIADC	MULE	D 14E : WORK ELLINEI 10 - Louisiana				1	ı					Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
							Rec	Nonred		Nonrecurring Dis					Rates (\$)		
-	-	First POAT Or all institute 7 O		_	LINIOAY	1101307	404.04	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	First DS1 Loop Combination - Zone 3	-	3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6.04										
	-	Interoffice Transport - Dedicated - STS-1 combination - Facility	-	-	UNCSA	ILSAA	6.04										
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
	ļ	Combination - Zone 2	ļ	2	UNC1X	USLXX	194.96	169.22	100.89								
1		Additional DS1Loop in the same STS-1 Interoffice Transport		3	UNC1X	USLXX	491.94	169.22	100.89				1				
<u> </u>	+	Combination - Zone 3 DS1 COCI in combination per month	1	3	UNC1X UNC1X	UC1D1	491.94 11.78	169.22 5.91	4.26	<del>                                     </del>						-	
	1	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	11.70	5.91	4.20								
1		Is Charge		1	UNCSX	UNCCC		5.43	5.43				1				
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF				0.40	0.40	<del>                                     </del>					1		
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				====	4= 04	=									
	-	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		5.43	5.43								
-	EYTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RDS INT	FROFE		UNCCC		5.43	5.43								
	LATEN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	30.99	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	ļ	Facility Termination per month	ļ		UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINODY	111000		5 40	5 40								
-	EVTEN	Is Charge IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	OPT W	UNCDX	UNCCC		5.43	5.43	-							
	EXIEN	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP		UNCVX	UEAL2	14.93	94.21	45.09								
	1	First 2-wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	50.46	94.21	45.09								
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť											ĺ	1	
		Mile			UNC1X	1L5XX	0.2652									<u> </u>	
		First Interoffice Transport - Dedicated - DS1 combination -															
	1	Facility Termination per month	<u> </u>		UNC1X	U1TF1	70.47	143.58	103.88						ļ	ļ	
	<u> </u>	Per each DS1 Channelization System Per Month	<u> </u>		UNC1X	MQ1	105.09	59.97	12.96								
<u> </u>	<del> </del>	Per each Voice Grade COCI - Per Month per month	<b>!</b>		UNCVX	1D1VG	0.6497	5.91	4.26	<del>                                     </del>			<b> </b>		<b>.</b>	-	-
<b> </b>	1	3/1 Channel System in combination per month  Per each DS1 COCI in combination per month	1	-	UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05 5.91	91.25 4.26	+						-	
<b>—</b>	1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	<del>                                     </del>	ONOIA	ועוסט	11.78	18.6	4.20	+ +					<del> </del>	<del> </del>	1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	<u> </u>		1		021	.0.00						İ		
L	<u></u>	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	25.35	94.21	45.09	<u> </u>			<u></u>		<u> </u>	<u></u>	<u></u>
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
L	1	Each Additional Voice Grade COCI in combination - per month	ļ	<u> </u>	UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	41.577	0.0050										
<b>-</b>	+	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	1	-	UNC1X	1L5XX	0.2652			+			-		-	1	
1		same 3/1 Channel System per month		1	UNC1X	U1TF1	70.47	143.58	103.88				1				
	1	ound of a Ontarinor Oyotom por Month		ь	5.10 IX	101111	10.41	170.00	100.00			L	L		<u> </u>	Ц	1

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
0.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO Louisiana									Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m								po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring Disconnect				Rates (\$)		
								First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI combination per month	ļ		UNC1X	UC1D1	11.78	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-	1					= 10	= 40							
		Is Charge			UNC1X	UNCCC		5.43	5.43							
-	EXIEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	IEROFF	ICE IR	ANSPORT W/ 3/1 M	IUX					+					
		First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	30.81	94.21	45.09							
	ł	Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -	<del>                                     </del>	'	UNCVA	UEAL4	30.61	94.21	45.09		+	1				$\vdash$
		Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
-		First 4-Wire Analog Voice Grade Local Loop in Combination -	<b>+</b>		ONOVA	OLAL	30.32	34.21	45.05		+			1		
		Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							
	<b>†</b>	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť	2.10171	02	00.00	U-1.21	70.00		1			1		
	1	Mile Per Month			UNC1X	1L5XX	0.2652									1
	1	First Interoffice Transport - Dedicated - DS1 - Facility	1								İ		l	İ		
	1	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
		Per each Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.6497	5.91	4.26							
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Additional 4-Wire Analog Voice Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
		Additional 4-Wire Analog Voice Grade Loop in same DS1														
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_												
		Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	60.39	94.21	45.09							
		Each Additional DS1 Interoffice Channel per mile in same 3/1														
	<u> </u>	Channel System per month	1		UNC1X	1L5XX	0.2652				+					$\vdash$
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	70.47	143.58	103.88							
	-	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	-		UNCVX	1D1VG	0.6497	5.91	4.26		+	-				
	ł	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>		ONCVA	IDIVG	0.0497	5.91	4.20		+	1				<del></del>
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	FXTFN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.40	0.40		+	1				
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1		1										
		Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							ĺ
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1													
l	1	Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							1
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -														
l	1	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							1
		First Interoffice Transport - Dedicated - DS1 combination - Per														
		Mile Per Month			UNC1X	1L5XX	0.2652									
		First Interoffice Transport - Dedicated - DS1 - combination							. <u></u>							1
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	ļ	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	<b>!</b>	Per each DS1 COCI in combination per month	<u> </u>	-	UNC1X	UC1D1	11.78	5.91	4.26		1		<b> </b>	<del>                                     </del>		<del>                                     </del>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	30.99	94.21	45.09		1					1
	<del>                                     </del>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	1	UNCDX	UDLOO	30.99	94.21	45.09		+					<del></del>
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09		1					1
<b>-</b>	<b>†</b>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>		011007	0000	30.70	34.∠1	45.09		+	<b>-</b>		<b> </b>		<del>                                     </del>
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		1					1
	<b>1</b>	OCU-DP COCI (data) COCI in combination per month (2.4-	t	-	5.10DA	00200	30.32	37.21	45.05		1	<del>                                     </del>				<b>—</b>
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							1
	t	Each Additional DS1 Interoffice Channel per mile in same 3/1				1			20		1		İ	İ		
		Channel System per month			UNC1X	1L5XX	0.2652									1
		Each Additional DS1 Interoffice Channel Facility Termination in	1								1			1		
1	1	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88		I					1
		•				-				•						

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
01124											Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""								1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	1		-	-		+	1	Nonrec	ina	Nonrecurring Disconnec			220	Rates (\$)		l
-	<b>-</b>		-	-		+	Rec	First	Add'l	First Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI in the same 3/1 channel system		-		+		FIISL	Addi	First Add I	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOIVIAIN
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Nonrecurring Currently Combined Network Elements Switch -As-			O. CO. IX	00.5.		0.01	20							
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	1 MUX										
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice														
		Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_												
		Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	LIDL C4	20.00	04.04	45.00							
-	<b>-</b>	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCDX	UDL64	38.92	94.21	45.09	-	+	-				
		Mile Per Month			UNC1X	1L5XX	0.2652									
	<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination -	<del>                                     </del>		5.1017	TEO///	3.2032				+	<del>                                     </del>				
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	i e	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
		Per each OCU-DP COCI (data) in combination - per month (2.4-														
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	ļ	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	30.99	94.21	45.09							
-	<u> </u>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	30.99	94.21	45.09		_					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLOT	00.70	04.E1	40.00		+	1				
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	i e	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System														
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
		Each Additional DS1 Interoffice Channel per mile in same 3/1														
		Channel System per month			UNC1X	1L5XX	0.2652									
		Each Additional DS1 Interoffice Channel Facility Termination in				=.										
-	ļ	same 3/1 Channel System per month	-	-	UNC1X	U1TF1	70.47	143.58	103.88		-					
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONCIA	OCIDI	11.76	5.91	4.20			1				
		Is Charge			UNC1X	UNCCC		5.43	5.43							
	EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		0.1000		0.10	0.10							
	i e	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
		Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09							
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
		Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09							
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination					0= 40		4= 00							
-	ļ	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCNX	U1L2X	65.18	94.21	45.09		-					
		Mile per month			UNC1X	1L5XX	0.2652									
$\vdash$	<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination -	<del>                                     </del>		ONOIA	ILOAA	0.2052				+	<del>                                     </del>	1	<del> </del>		
	1	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88							
	i –	Per each Channel System 1/0 in combination - per month	l		UNC1X	MQ1	105.09	59.97	12.96					1		
	İ							İ								
	ļ	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26							
	ļ	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	201.48	107.05	91.25							
<u> </u>	<b>.</b>	Per each DS1 COCI in combination per month	<b>!</b>	-	UNC1X	UC1D1	11.78	5.91	4.26		+		<b> </b>	<b>.</b>		
	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		4	UNCNX	U1L2X	22.09	94.21	45.09							
<b>—</b>	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<del>-</del> -	OINOINA	UILZA	22.09	94.∠1	45.09	<del>                                     </del>	+	<del>                                     </del>	<del> </del>	<del> </del>		
		Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09							
	<b>†</b>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>		- 11	55.20	JZ1	.0.00					İ		
		Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09							
•		•				•					•	•				

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec			Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									l	l ·	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Names		Managarania a Dia				220	Detec (\$)		l
	1		-			+	Rec	Nonred First	urring Add'l	Nonrecurring Disc	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	-	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	-	1		+		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
		system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONON	0010/	2.00	0.01	4.20								1
		Channel System per month			UNC1X	1L5XX	0.2652										
	1	Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
<u> </u>	<del> </del>	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	<b>!</b>		UNC1X	USLXX	85.70	169.22	100.89	<del>                                     </del>		ļ		<del> </del>			<del>                                     </del>
<u> </u>	+	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	1		UNC1X UNC1X	USLXX	194.96 491.94	169.22 169.22	100.89 100.89				-				<del>                                     </del>
-	+	First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	٥	OINCIA	USLAA	491.94	109.22	100.89	<del>                                     </del>		<b> </b>	-				+
1		Mile Per Month	1		UNC1X	1L5XX	0.2652			1		1					I
	1	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	TESTON	0.2032										
		Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
		3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.2652										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
		Each Additional DS1 COCI in the same 3/1 channel system															
	-	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	USLXX	85.70	169.22	100.89								
	1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	UNCIA	USLAA	65.70	109.22	100.69								
		2		2	UNC1X	USLXX	194.96	169.22	100.89								
	1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	ONOTA	OOLAC	104.00	100.22	100.00								1
		3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
	ļ	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
<u> </u>	1	First 4-wire 56 kbps Local Loop in combination - Zone 3	<b>_</b>	3	UNCDX	UDL56	38.92	94.21	45.09								-
1		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month	1		UNCDX	1L5XX	0.013					1					I
<b></b>	+	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	<del>                                     </del>	-	UNCDX	ILOAA	0.013			<del>                                     </del>		<b> </b>	-				+
		Termination per month			UNCDX	U1TD5	15.61	72.60	41.75	1							1
	1	Nonrecurring Currently Combined Network Elements Switch -As-			5.13bA	31100	10.01	72.00	71.70								<u> </u>
1		Is Charge	1		UNCDX	UNCCC		5.43	5.43			1					I
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE									İ	ĺ			1
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	1	First 4-wire 64 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL64	38.92	94.21	45.09								
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile				41.500				1							1
<u> </u>	1	per month	-	ļ	UNCDX	1L5XX	0.013							ļ			-
1		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1		UNCDX	U1TD6	15.04	70.00	41.75	1		1					I
<b></b>	╂	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-	}	<del>                                     </del>	OINCDV	סעווט	15.61	72.60	41./5	<del>                                     </del>		<b> </b>	-	1			<del>                                     </del>
		Is Charge			UNCDX	UNCCC		5.43	5.43	1							1
ADDIT	IONAL	IETWORK ELEMENTS	<del>                                     </del>	<del>                                     </del>	5.13bA	311000	+	0.40	0.40				<b>-</b>				<b>-</b>
		used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a	Switch As Is ch	narge does app	oly.						İ			1
		used as ordinarily combined network elements in All States, t												<u> </u>			
		curring Currently Combined Network Elements "Switch As Is"															
							-										

UNBUN	DLE	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	KT	RATE ELEMENTS	m	Zone	ВСЗ	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								<b></b>
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5.43	5.43								
		Is Charge - DS3  Nonrecurring Currently Combined Network Elements Switch -As-			UNCSA	UNCCC		5.43	5.43								
		Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								
0	ption	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	ı	ļ	ULDD1,UNC1X	CCOEF		OI	OI	01	OI						
		Clear Channel Capability Super FrameOption - per DS1			U1TD1, ULDD1,UNC1X	CCOSF		OI	OI	01	01						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, UNCTX	CCOSF		UI	UI	UI	UI						
		Activity - per DS1	1		UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						
M	ULTII	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								1
-		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	טטוטו	1.38	6.39	4.58								
		month (2.4-64kbs) used for connection to a channelized DS1															1
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															1
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								ı
-		Voice Grade COCI - DS1 to DS0 Channel System - per month	-		UTTUB	UCTCA	2.96	6.39	4.58								
		used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								ı
		Voice Grade COCI - DS1 to DS0 Channel System - per month						0.00									
		used for connection to a channelized DS1 Local Channel in the															ı
		same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58								ļ
		DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								1
$\vdash$		STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month	-	-	UNCSX USL	MQ3 UC1D1	201.48 11.78	107.05 6.39	91.25 4.58	-	1	<del>                                     </del>					
-		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			OOL	OCIDI	11.78	0.39	4.58	<del> </del>	1	<del>                                     </del>					
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58								l
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58		<u> </u>						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month		ļ	ULDD1	UC1D1	11.78	6.39	4.58	ļ		ļ					
		OCAL EXCHANGE SWITCHING(PORTS)	1	<b>_</b>		1					1	<u> </u>					
		ge Ports Although the Port Rate includes all available features in GA, I	KV I A	9 TNI 41	no desired features	will pood to b	o ordorod	ag rotail HEAC			1	1					
2-	WIRE	VOICE GRADE LINE PORT RATES (RES)	IXI, LA	ι ι N, Π	ie desired realures	will need to t	e oruereu usii	ig retail USUC	Ī		<u> </u>	1					
P	L	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21		1						
		•								ĺ	1						
$\vdash$		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		1	UEPSR	UEPRC	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21								ļ
		Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21								I
<del>                                     </del>		Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus	1	<b>-</b>	ULFOR	UEFAS	1.52	2.31	2.21	<del> </del>	1	1					
		with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21								ļ
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21								

UNBUI	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
			1									Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
			And and									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			t				_	Nonrec	urrina	Nonrecurring Dis	sconnect		1	oss	Rates (\$)		
			t				Rec	First	Add'l		Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan	t							1							
		without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
1		Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			02. 0.1	02. 110	1.02	2.01									
		without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
$\vdash$		2-Wire voice unbundled Low Usage Line Port without Caller ID	<b>-</b>		OLI OIL	OLI IXQ	1.02	2.01	2.21								+
		Capability			UEPSR	UEPRT	1.52	2.31	2.21								
$\vdash$		Subsequent Activity	1		UEPSR	USASC	0.00	0.00	0.00								
-	FEATU		1		ULFSK	USASC	0.00	0.00	0.00								
<b>├</b> ──┼	FLATO	All Available Vertical Features	-	-	UEPSR	UEPVF	0.00	0.00	0.00								<del> </del>
$\vdash$	2 W/IDE	VOICE GRADE LINE PORT RATES (BUS)	-	-	ULFSK	OLF VI	0.00	0.00	0.00								<del> </del>
	Z-VVIRE		1	-		+											
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI	4.50	0.04	0.04								
		Bus	<b>!</b>	-	UEPSB	UEPBL	1.52	2.31	2.21					-	<del> </del>	-	<del> </del>
		Exchange Ports - 2-Wire VG unbundled Line Port with	1	1	LIEBOD	LIEBBO	4 ===	0.01	0.01						1	1	
$\vdash$		unbundled port with Caller+E484 ID - Bus.	<del>                                     </del>		UEPSB	UEPBC	1.52	2.31	2.21								<b>_</b>
				1													
$\vdash$		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	<u> </u>		UEPSB	UEPBO	1.52	2.31	2.21								<b></b>
		Exchange Ports - 2-Wire VG unbundled LA extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
		Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
		Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
		without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															
		Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
		2-Wire voice unbundled Incoming Only Port without Caller ID	i														
		Capability			UEPSB	UEPBE	1.52	2.31	2.21								
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
, i	FEATU	RES															
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res	t		UEPSE	UEPRD	1.52	30.37	14.42								
<del>                                     </del>		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPPC	1.52	30.37	14.42								<del>                                     </del>
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42								
$\vdash$		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<del>                                     </del>		UEPSP	UEPP1	1.52	30.37	14.42								<del>                                     </del>
-		2-Wire Analog Long Distance Terminal PBX Trunk - Bus	t	H	UEPSP	UEPLD	1.52	30.37	14.42	<del>                                     </del>					<b>†</b>		<del>                                     </del>
-		2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port	<b>†</b>	<b>-</b>	UEPSP	UEPL2	1.52	30.37	14.42						<b> </b>		<del>                                     </del>
<del></del>		2-Wire Voice Unbundled PBX LD Terminal Ports	<del>                                     </del>	<del>                                     </del>	UEPSP	UEPLD	1.52	30.37	14.42					<b> </b>	1	<b> </b>	<del>                                     </del>
$\vdash$		2-Wire Vice Unbundled 2-Way PBX Usage Port	<del>                                     </del>	<del>                                     </del>	UEPSP	UEPXA	1.52	30.37	14.42					<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$		2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<del>                                     </del>	-	UEPSP	UEPXA	1.52	30.37	14.42						-	-	<del>                                     </del>
$\vdash$		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	<del>                                     </del>	<del>                                     </del>	UEPSP	UEPXB	1.52	30.37	14.42					<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<del>                                     </del>	<del>                                     </del>	UEPSP	UEPXC	1.52	30.37	14.42	<del>                                     </del>							<del>                                     </del>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del>                                     </del>	-	UEPSP	UEPAD	1.52	30.37	14.42						<u> </u>		-
			1	1	LIEDOD	HEDVE	4.50	20.07	44.40						l	1	
$\vdash$		Capable Port	<b>.</b>	-	UEPSP	UEPXE	1.52	30.37	14.42					-	<b>.</b>	-	<b>├</b>
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1		LIEDOD	LIEDY	4.50	00.0=	44.40	[							
$\vdash$		Callling Port	<b>!</b>		UEPSP	UEPXK	1.52	30.37	14.42	<del>                                     </del>				-	<b>.</b>	<b> </b>	<b>├</b>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDY"											
$\vdash$		Administrative Calling Port	<b></b>		UEPSP	UEPXL	1.52	30.37	14.42								<b>_</b>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		l	1				[							
$\longmapsto$		Room Calling Port	ļ		UEPSP	UEPXM	1.52	30.37	14.42								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		l	1				[							
		Discount Room Calling Port	ļ		UEPSP	UEPXO	1.52	30.37	14.42						ļ		ļ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
		Discount Calling Port	ļ		UEPSP	UEPXP	1.52	30.37	14.42						ļ		ļ
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ		UEPSP	UEPXS	1.52	30.37	14.42								ļ
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								

LIMD	IINDI E	D NETWORK ELEMENTS - Louisiana												Assach		Fulci	L:4. A
UND	UNDLE	D NETWORK ELEMENTS - Louisiana		1		1						Cus Ouden	Cua Ondan		ment: 2	Exhi	
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurrin	g Disconnect	1	1	oss	Rates (\$)		
						İ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCH/	ANGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.52	2.31	2.21								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels associ	ated with 2	wire ISDN p	oorts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBL	JNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	EXCH	ANGE PORT RATES												ĺ			
	The DS	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effecti	ve date of this amer	ndment shall	be provided p	ursuant to a se	eparate agreen	nent or tariff at	BellSouth's d	iscretion.					
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85	18.20								
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			-												
		capability (E:4/1/2004)			UEPDD	UEPDD	68.47	196.18	92.92								
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46								
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit sy															
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capab	lities will be d	etermined via t	he Bona Fid	de Request/	New Busines	Request Pro	cess.	
	EXCH	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per															
	B	DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
-	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			HEDEV	LIED4A	0.00	4 700 00									
	_	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		-	UEPEX	UEP1A	0.00	1,792.00				-					
		Locator Capability - Subsequent Profile Changes, Additions, Deletions			HEDEV	UEP1B	0.00	174.03									
-	Now	r Additional PRI Telephone Numbers		-	UEPEX	UEFIB	0.00	174.03		-		<b>-</b>	-				
-	New O	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911								-		1					
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
	-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0002	0.40									
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			02. 27	02	0.0002		11110								
1		Telephone Numbers - Inward Data Only Option [New or	1	1						I			1				
		Additional]			UEPDX	UEP1E	0.00	0.48		1							
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35	1							
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New o	r Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.11									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.11									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.11									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.11									
	CALL	TYPES															
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00		ļ						
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								

UNBU	NDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	oit: A
O.V.DO.		NETWORK ELEMENTO Education										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p =		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
						ļ	Rec	Nonrec		Nonrecurring		001450	001111		Rates (\$)	001141	0011411
	LIMBLIN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DLED FOR I WITH REMOTE CALL FORWARDING CAPABILITY DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE										1					
	ONDON	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21			<b>-</b>					
		onburialed Remote Call Forwarding Cervice, Field Calling, Res			OLI VIC	OLIVIO	1.02	2.01	2.21								
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
1 7		Unbundled Remote Call Forwarding Service - Conversion with		]													刁
$\vdash$		allowed change (PIC and LPIC)		$\sqcup$	UEPVR	USACC		0.10	0.10								
$\vdash$	UNBUN	DLED REMOTE CALL FORWARDING - Bus		$\sqcup$		ļ											
		Haland Hali Barrett Oall France Page October Access 20 111			LIED) (D	LIEDAG		0.01	0.01				1				
$\vdash$		Unbundled Remote Call Forwarding Service, Area Calling - Bus		$\vdash$	UEPVB	UERAC	1.52	2.31	2.21	<b> </b>	-		<b> </b>				
1 1		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21				1				
		Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21			-					
$\vdash$		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21			-					
		Unbundled Remote Call Forwarding Service, intraLATA - Bus			OLF VB	OLKIK	1.52	2.31	2.21			1					
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
	Non-Re	curring			OLI VD	OLIVO	1.02	2.01	2.21								
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
		OCAL SWITCHING, PORT USAGE															
	End Off	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
		End Office Trunk Port - Shared, Per MOU					0.00018										
	Tanden	Switching (Port Usage) (Local or Access Tandem)					0.0004007										
		Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.0001067 0.000222					-					
-		Tandem Switching Function Per MOU (Melded)					0.00035296					-					
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000033290					1					
		Melded Factor: 33.08% of the Tandem Rate					0.000073430					<b>-</b>					
	Commo	n Transport		$\vdash$		1											
		Common Transport - Per Mile, Per MOU				i e	0.0000032										
		Common Transport - Facilities Termination Per MOU	1			İ	0.0003748			İ	l						
		ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
		ice and Tandem Switching Usage and Common Transport Us															
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	II be those idei	ntified in the N	onrecurring	- Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				<b> </b>											
$\vdash$	UNE Po	rt/Loop Combination Rates				<del>                                     </del>	40.40			<b> </b>	-		<b> </b>				
$\vdash$		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2		1	13.13 23.75						-	-		-	
$\vdash$		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	<b>-</b>	3		1	49.62					-	-	-		-	
$\vdash$	LINE L	op Rates	<b>H</b>	3		1	45.02			1	<b> </b>	<b>H</b>					
<del>     </del>	5142 20	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26			İ	İ						
	2-Wire	/oice Grade Line Port Rates (Res)				i e	,										
	Ĺ	2-Wire voice unbundled port - residence	1		UEPRX	UEPRL	1.36	38.85	19.08	İ	l						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08								
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08								
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08								

CATEGORY   RATE BLEMENS   Intell   Cape   RATES (s)   Submitted Statement of Cape   Cape	UNBUNDI	LED NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
ATTECH   March   Mar																
CATECORY   RATE ELEMENTS																Charge -
Part	CATEGORY	PATE ELEMENTS	Interi	Zone	BCS.	usoc			DATES (\$)				l .			
Text	CATEGORI	KATE EEEMENTO	m	20116	ВСО	0000			KATLO (ψ)		per LSF	per LSR				
Proc.   Proc													l .			
New York work unfounded Lourseira Area Plaza with Caller ID - rep   2-West work unfounded Lourseira Area Plaza with Caller ID   UEPRX   UEPAR   138, 38,85   19,86													1St	Addi	DISC 1St	DISC Add I
SWING victor attroublet Leaders Area Pius with Caller D   UEPRO   UEPAP   130   38.65   19.06							Rec									
SILUL			ļ				1100	First	Add'l	First Add	'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wive votes output/dest Courtiers Provided Fordistric Did   Courtiers   Cou					LIEDDY	LIEDAG	4.00	20.05	40.00							
LLAM   Service   Library			<b>-</b>	-	UEPRX	UEPAG	1.30	38.85	19.08			+		-		$\vdash$
2.Wer Vote Unbursted Journal Register Caller D   UEPRX   UEP					LIFPRX	LIFPAP	1.36	38 85	19.08							
Select Capies   December   Dece		I - /	1									+		t		
U Capability					UEPRX	UEPWG	1.36	38.85	19.08							
Company   Comp																
Capability			ļ		UEPRX	UEPRQ	1.36	38.85	19.08							
FATURES					LIEDDY	LIEDDE	4.00	20.05	40.00							[
COCAL MINERS PORTABLY   COCAL	EEA		1	<b>-</b>	UEFKA	UEPKI	1.36	38.85	19.08			+	1	+		<del>                                     </del>
COCAL NUMBER POTABILITY	1.5		1		UEPRX	UEPVF	0,00	0.00	0.00			1		<b>—</b>		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	LOC		1			1	2.00	2.00	2.00							
S-Vivie Voice Grade Loop / Line Port Combination - Conversion - Self-chashs   UEPRX					UEPRX	LNPCX	0.35									
Select-assis	NON															
Safety with Crained Loop / Line Port Combination - Conversion - Section with Chair Port Combination - Subsequent   UEPRX																[
Switch with change   ADDTOMAL NICGS   Control   Contro			<u> </u>		UEPRX	USAC2		0.10	0.10			+		-		<del></del>
ADDITIONAL NICE   2   Wire Voice Grade Loop/Line Port Combination - Subsequent   LePRX   USAS2   0.00   0			1		LIEPRX	LISACC		0.10	0.10							[
2-Wire Votor Grade Loop Line Port Combination - Subsequent   UEPRX	ADE		<del> </del>		OLITOX	OOACC		0.10	0.10			+				
Activity   Unburdled Miscellaneous Rate Element, Tag Loop at End User   UEPRX	7,13-2		1													
Premise   UEPRX   UERL   8.33   0.83					UEPRX	USAS2	0.00	0.00	0.00							
OFFON PREMISES EXTENSION CHANNELS   1																[
2 Wire Analog Voice Grade Extension Loop - Non-Design   1 UEPRX UEAEN   12,90   36,54   16,87			ļ		UEPRX	URETL		8.33	0.83							
2 Wire Analog Voice Grade Extension Loop - Non-Design   2 UEPRX   UEAEN   23:33   36:54   16:87	OFF		<u> </u>	1	LIEDDV	LIEAENI	12.00	26.54	16.07			+		-		$\vdash$
2 Wire Analog Voice Grade Extension Loop — Non-Design   1 UEPRX   UEAEN   48.43   36.54   16.87			1	2								+		<del> </del>		<del>                                     </del>
2 Wire Analog Voice Grade Extension Loop - Design   1 UEPRX   UEAED   14,93   102.10   65.72   1			1									+		t		
2 Wire Analog Voice Grade Extension Loop - Design   3 UEPRX   UEAED   50.46   102.10   65.72				1	UEPRX	UEAED	14.93	102.10	65.72							
INTEROFFICE TRANSPORT																
Interdifice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	L		ļ	3	UEPRX	UEAED	50.46	102.10	65.72							
Termination	INII		<u> </u>									+		-		<del>                                     </del>
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile   UEPRX					LIEPRX	H1TV2	22.60	39.36	26.62							ĺ
Or Fraction Mile			1		OLI TOX	011172	22.00	00.00	20.02			1		<u> </u>		<u> </u>
UNE PortLoop Combination Rates					UEPRX	U1TVM	0.013	0.00	0.00							ĺ
2-Wire VG Loop/Port Combo - Zone 1																
2-Wire VG Loop/Port Combo - Zone 2   2   23.75	UNE															<b></b>
2-Wire Voice Grade Loop (SL1) - Zone 1			1									-		1		<del>                                     </del>
UNE Loop Rates	$\vdash$		1			+						+	1	+		<del>                                     </del>
2-Wire Voice Grade Loop (SL1) - Zone 1	UNF		t	3		+	45.02					+	-	<b>†</b>		<b>—</b>
2-Wire Voice Grade Loop (SL1) - Zone 2   2   UEPBX   UEPLX   22.39	1		1	1	UEPBX	UEPLX	11.77					1				
2-Wire voice unbundled port without Caller ID - bus		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39									
2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus  UEPBX UEPBC 1.36 38.85 19.08  2-Wire voice unbundled port outgoing only - bus UEPBX UEPBC 1.36 38.85 19.08  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - bus UEPBX UEPBX UEPBX UEPBX UEPBX 1.36 38.85 19.08  2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)  2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID Without Caller ID UEPBX UEPBX UEPBA 1.36 38.85 19.08  19.08  2-Wire voice unbundled Louisiana Business Dialing Plan without Caller ID UEPBX UEPBX UEPBA 1.36 38.85 19.08  19.08				3	UEPBX	UEPLX	48.26									
2-Wire voice unbundled port with Caller + E484 ID - bus UEPBX UEPBC 1.36 38.85 19.08 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - bus UEPBX UEPBX UEPBX 1.36 38.85 19.08 UEPBX UEPBX UEPBX 1.36 38.85 19.08  2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID - Bus UEPBX UEPBX UEPBX 1.36 38.85 19.08  2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID - Bus UEPBX UEPBX UEPBA 1.36 38.85 19.08  2-Wire voice Unbundled Louisiana Bus Area Calling Port with Caller ID - Bus UEPBX UEPBA 1.36 38.85 19.08  2-Wire voice Unbundled Louisiana Business Dialing Plan without Caller ID 2-Wire voice unbundled Louisiana Business Area Calling Port  UEPBX UEPWH 1.36 38.85 19.08	2-W		<del>                                     </del>	<b>—</b>	HEDDY	LIEDE	1.00	00.0=	10.00			+	1			<del>                                     </del>
2-Wire voice unbundled port outgoing only - bus  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus  2-Wire voice unbundled incoming only port with Caller ID - Bus  2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)  2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID  2-Wire voice Unbundled Louisiana Business Dialing Plan  2-Wire voice Unbundled Louisiana Business Area Calling Port  UEPBX  UEPBX  UEPBA  1.36  38.85  19.08  19.08  2-Wire voice Unbundled Louisiana Business Dialing Plan  Without Caller ID  2-Wire voice unbundled Louisiana Business Area Calling Port	$\vdash$		<del>                                     </del>									+	-	<del>                                     </del>		<del></del>
2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus  2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)  2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID  2-Wire voice unbundled Louisiana Business Dialing Plan Without Caller ID  2-Wire voice unbundled Louisiana Business Area Calling Port  UEPBX  UEPAX  1.36  38.85  19.08  UEPBX	$\vdash$		<del>                                     </del>									+		<del> </del>		<del>                                     </del>
parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus  2-Wire voice unbundled Louisiana Bus Area Calling Port with  Caller ID (BUC)  2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID  2-Wire voice unbundled Louisiana Business Area Calling Port  UEPBX  UEPBA  1.36  38.85  19.08  UEPBA  1.36  38.85  19.08  19.08			†			1		55.55	.0.00			+				
2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)  UEPBX UEPAA 1.36 38.85 19.08  2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID  UEPBX UEPWH 1.36 38.85 19.08		parity port with Caller ID - bus	<u> </u>	<u>L</u>										<u></u>		
Caller ID (BUC) UEPBX UEPAA 1.36 38.85 19.08  2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID UEPBX UEPWH 1.36 38.85 19.08  2-Wire voice unbundled Louisiana Business Area Calling Port					UEPBX	UEPB1	1.36	38.85	19.08							
2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID UEPBX UEPWH 1.36 38.85 19.08 2-Wire voice unbundled Louisiana Business Area Calling Port					HEDDY	LIEDAA	4.00	00.0-	40.00					1		1
without Caller ID UEPBX UEPWH 1.36 38.85 19.08 2-Wire voice unbundled Louisiana Business Area Calling Port	$\vdash$		<del>                                     </del>	-	UEPBX	UEPAA	1.36	38.85	19.08			+	1	-		<del></del>
2-Wire voice unbundled Louisiana Business Area Calling Port			1		LIEPBX	UEDWH	1 36	38.85	19 08							1
			†			J *****	1.50	00.00	10.00			+				
		without Caller ID Capability	1		UEPBX	UEPBA	1.36	38.85	19.08					I		1

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Fxhi	bit: A
CHECHEL										Svc Ord	er Svc Order	Incremental		Incremental	
											d Submitted		Charge -	Charge -	Charge -
		Interi								Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LS		Order vs.	Order vs.	Order vs.	Order vs.
		m								po. 20	, be: 2011	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
														D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring Disconr				Rates (\$)		
							First	Add'l	First Add	I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	LIEDDE	4.00	00.05	40.00							
1.004	Capability  L NUMBER PORTABILITY			UEPBX	UEPBE	1.36	38.85	19.08			+				
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					+				
EEAT	URES	-	1	UEPBA	LINFOX	0.35					-				
FLAT	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00							
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	0.00	0.00	0.00			_				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
	Switch-as-is			UEPBX	USAC2		0.10	0.10							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														
	Switch with change	<u> </u>	<u> </u>	UEPBX	USACC		0.10	0.10						<u></u>	<u> </u>
ADDI	TIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent													I	1
	Activity			UEPBX	USAS2		0.00	0.00							
1 1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		l	l		_								1
	Premise			UEPBX	URETL		8.33	0.83							
OFF/C	ON PREMISES EXTENSION CHANNELS		_	LIEDDY	LIEAEN	40.00	00.54	10.07							$\vdash$
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	12.90	36.54	16.87							$\vdash$
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN UEAEN	23.33 48.43	36.54 36.54	16.87			+				
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPBX UEPBX	UEAEN	14.93	102.10	16.87 65.72			-				
-	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72							
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	50.46	102.10	65.72			+				
INTER	ROFFICE TRANSPORT		<del>ٽ</del> ا	OLI DX	OLALD	00.40	102.10	00.72		<u> </u>					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														
	Termination			UEPBX	U1TV2	22.60	39.36	26.62							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
	or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00							
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
UNE F	Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13									
ļ	2-Wire VG Loop/Port Combo - Zone 2		2			23.75									
	2-Wire VG Loop/Port Combo - Zone 3		3		_	49.62					_				
UNE	Loop Rates		1	UEPRG	UEPLX	11.77					+				
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-		UEPRG	UEPLX	22.39					-				
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	48.26					+				
2-Wire	e Voice Grade Line Port Rates (RES - PBX)			OLI KO	OLI LX	40.20				<u> </u>					
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	<b>1</b>									1		1		
	Res	1		UEPRG	UEPRD	1.36	66.91	31.29							1
LOCA	L NUMBER PORTABILITY				ľ										
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEAT	URES														
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00							
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b></b>									_				<b>└──</b>
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1													1
$\vdash$	Conversion - Switch-As-Is	<del>                                     </del>	-	UEPRG	USAC2		7.68	1.85			-	1			$\vdash$
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		UEPRG	USACC		7.00	1.05							1
ADDI	Conversion - Switch with Change FIONAL NRCs	<del>                                     </del>	-	ULFRU	USACC		7.68	1.85		_	+				$\vdash$
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del>                                     </del>	<del>                                     </del>		+					+	+	+	<b> </b>		
1 1	Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00							1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l –				5.55	5.50	3.30		1	1		İ	İ	
	Group	1					7.11	7.11							1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	i –											1		
	Premise	<u> </u>	<u> </u>	UEPRG	URETL		8.33	0.83						<u></u>	<u> </u>
OFF/0	ON PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	14.93	102.10	65.72							igspace
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.35	102.10	65.72							<u> </u>

UNRU	INDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
ONDO	MULL				I							Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Manne		Names and Disc				220	Datas (ft)		
	1		-				Rec	Nonrec First		Nonrecurring Disc		SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	1	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	50.46	102.10	Add'l 65.72	FIRST	Add'l	SOMEC	SUMAN	SOWAN	SUMAN	SOWAN	SUMAN
	INTER	OFFICE TRANSPORT			OLI NO	1 2011/	30.40	102.10	05.72								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.013	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE P	ort/Loop Combination Rates					40.40										
	1	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2			13.13 23.75										
-	1	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			49.62										$\vdash$
	UNFI	pop Rates					43.02										<del></del>
	0.12	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39							İ		İ	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		l															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29								
-	1	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ		UEPPX UEPPX	UEPPO UEPP1	1.36 1.36	66.91	31.29 31.29								
-	1	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	-	1	UEPPX	UEPPT	1.36	66.91	31.29								<del></del>
		Calling Port			UEPPX	UEPL2	1.36	66.91	31.29								1
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29								
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPPX	UEPXD	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			HEDDY	LIEDVE	4.00	00.04	04.00								1
-	1	Capable Port  2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	-		UEPPX	UEPXE	1.36	66.91	31.29								──
		Calling Port			UEPPX	UEPXK	1.36	66.91	31.29								1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI I X	OLI AIX	1.00	00.01	01.20								
		Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29								1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
		Discount Room Calling Port	ļ		UEPPX	UEPXO	1.36	66.91	31.29								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			UEPPX	UEPXP	4.00	66.04	24.20								
	1	Discount Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXP	1.36 1.36	66.91 66.91	31.29 31.29								
-	LOCAL	. NUMBER PORTABILITY	<del>                                     </del>	+	ULFFA	UEFAS	1.30	00.91	31.29						<del> </del>		<del>                                     </del>
	LOCAL	Local Number Portability (1 per port)	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00						1		
	FEATU																
	1	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l						·						1 7
	1	Conversion - Switch-As-Is	<b>!</b>	-	UEPPX	USAC2		7.68	1.85								$\vdash$
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.68	1.85								[
-	ADDIT	ONAL NRCs	1	<del>                                     </del>	ULFFA	USACC		1.08	1.85								$\vdash$
	וווטטא	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<b>†</b>				-										
1		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				1				[ ]
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	1	Group	ļ					7.11	7.11								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															[
-	055/6	Premise	<b>!</b>	-	UEPPX	URETL		8.33	0.83								$\vdash$
<b>-</b>	UFF/O	N PREMISES EXTENSION CHANNELS  Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	14.93	102.10	65.72					-		-	$\vdash$
<b>-</b>	1	Local Channel Voice grade, per termination	<del>                                     </del>		UEPPX	P2JHX	25.35	102.10	65.72								$\vdash$
	1	1	<u> </u>		1	. 20.1/1	20.00	702.10	00.12	L			·	·	L	·	

UNBUN	IDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter'									Elec			Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st		DISC ISL	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
$\perp \perp \downarrow$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72								<b></b>
<b>└</b>	NTERC	OFFICE TRANSPORT															<b></b>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															l .
$\vdash$		Termination			UEPPX	U1TV2	22.60	39.36	26.62								<del></del>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			HEDDY	11477.04	0.040	0.00	0.00								l .
<u> </u>	WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>		UEPPX	U1TVM	0.013	0.00	0.00		-	<b> </b>					<del></del>
		ort/Loop Combination Rates	1	-		+					-	1	1		-		<b>—</b>
	JIVE F	2-Wire VG Coin Port/Loop Combo – Zone 1	-	1		+	13.13				-	1	1		-		<b>—</b>
$\vdash$		2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	23.75				<del> </del>	<u> </u>		1		1	
$\vdash$		2-Wire VG Coin Port/Loop Combo – Zone 2		3		+	49.62					<b>†</b>					<b>—</b>
ı	JNF I c	pop Rates		Ŭ			40.02					1	1		1		
<del>     </del>		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77				<u> </u>			1	<u> </u>	1	
<del>                                     </del>		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39				<u> </u>			1	<u> </u>	1	
<del>                                     </del>		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26				<u> </u>			1	<u> </u>	1	
1 2	-Wire	Voice Grade Line Ports (COIN)					.5.25				1			İ	1	İ	
		2-Wire Coin 2-Way without Operator Screening and without	1			1					1	1		İ	1	İ	
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08								i .
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08								i .
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking												ĺ			
oxdot		(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								l .
		2-Wire Coin 2-Way with Operator Screening & Blocking:															ĺ
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								<b></b>
		2-Wire Coin Outward without Blocking and without Operator															1
$\vdash$		Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08								<del>                                     </del>
		2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEDI A	4.00	00.05	40.00								l .
-		(LA)  2-Wire Coin Outward with Operator Screening and Blocking:	-	-	UEPCO	UEPLA	1.36	38.85	19.08			1					+
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								i .
-	_	2-Wire Coin Outward Operator Screening & Blocking: 900/976,	-	-	UEPCO	UEPKH	1.30	30.00	19.00		-	1	1		-		<b>—</b>
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								i .
$\vdash$		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08		<del> </del>	<u> </u>		1			
$\vdash$		2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08		<del> </del>	<u> </u>		1			
1	ITIOO	ONAL UNE COIN PORT/LOOP (RC)			021 00	OLI OB	1.00	00.00	10.00			<b>†</b>					<b>—</b>
l t		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00	İ					
ı	OCAL	NUMBER PORTABILITY										İ					
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
1	ONRE	CURRING CHARGES - CURRENTLY COMBINED										İ		1		1	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1					_				_		1
igsquare		Switch with change			UEPCO	USACC		0.10	0.10	1	L	<u> </u>		ļ	L	ļ	<b></b>
F	ADDITI	ONAL NRCs									ļ				L		<b></b>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent									I				I		1
$\vdash \vdash$		Activity	-	-	UEPCO	USAS2		0.00	0.00	1	<del>                                     </del>	<b> </b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	URETL		8.33	0.83		1				1		1
<del>                                     </del>	-WIDE	Premise VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	I FINE	OPT /		UKEIL	-	8.33	0.83	1	<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>		<del>                                     </del>
		ort/Loop Combination Rates	LUNE	JIV.1 (I		+				1	<del>                                     </del>	1	<b>H</b>	<del> </del>	t	<del>                                     </del>	
H	ALL FO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	1		+	16.45			1	<del>                                     </del>	<del>                                     </del>	<b>-</b>	<b> </b>	t	<b> </b>	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>†</b>	2		1	26.87			1	<b> </b>	1	<del>                                     </del>		<b>I</b>		
		2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3		1	51.98				<u> </u>			1	<u> </u>	1	
<del>                                     </del>	JNE Lo	pop Rates	<b>†</b>	Ť		1	01.00			1	<b>I</b>	1	<del>                                     </del>		<b>I</b>		
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.93				1			İ	1	İ	
		2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	25.35				1	1		İ	1	İ	
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46										
2	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93								

UNRI	INDI F	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Fyhi	ibit: A
ONDO	JINDLL		I		I						Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
			lustani								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m								per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
							Rec	Nonrec		Nonrecurring Disconne				Rates (\$)		
					LIEBER	UEDDO		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93		_	ļ				
-	+	2-Wire voice unbundled port outgoing only - res	-	-	UEPFR	UEPRO	1.52	104.41	67.93		_	<b>.</b>				-
		2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93							
-	+	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			OLFTK	ULFAG	1.52	104.41	07.93			1				1
		(RUL)			UEPFR	UEPAG	1.52	104.41	67.93							
	1	2-Wire voice unbundles res, low usage line port with Caller ID			02	02.7.0			01.00			†				
		(LUM)			UEPFR	UEPAP	1.52	104.41	67.93							
	1	2-Wire Voice Unbundled Louisiana Residence Dialing Plan														
		without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93							
	INTER	OFFICE TRANSPORT														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	[ <u> </u>					- 1					
	1	Termination			UEPFR	U1TV2	22.60	39.36	26.62							<b>_</b>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
	FEATU	or Fraction Mile	-	-	UEPFR	1L5XX	0.013				+	-		-		-
	FEATU	All Features Offered		-	UEPFR	UEPVF	0.00	0.00	0.00		_	<b> </b>				<b>+</b>
-	LOCAL	NUMBER PORTABILITY		-	OLFIK	OLF VI	0.00	0.00	0.00	<del>                                     </del>		<u> </u>				-
	LOOAL	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					1				<del>                                     </del>
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00					†				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81							
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81							
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at														
		End User Premise	<u> </u>		UEPFR	URETN		11.20	1.10							
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (	BUS)						_	ļ				
	UNE P	ort/Loop Combination Rates		1			16.45				_	ļ				
	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2			26.87				_	<b>.</b>				-
-	+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98					1				-
	UNFI	pop Rates					31.30					1				<del>                                     </del>
	0.1.2	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93					†				
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35									
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46									
	2-Wire	Voice Grade Line Port (Bus)							·							
	1	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93							<u> </u>
	1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93					ļ		ļ
	1	2-Wire voice unbundled port outgoing only - bus	<b>_</b>		UEPFB	UEPBO	1.52	104.41	67.93		$\rightarrow$					<b></b>
1		2-Wire voice Grade unbundled Alabama extended local dialing	1		LIEDED	LIEDAVA/					- 1					
<u> </u>	+	parity port with Caller ID - bus  2-Wire voice Grade unbundled Louisiana extended local dialing	+	-	UEPFB	UEPAW					+	<del>                                     </del>			-	<del>                                     </del>
1		parity port with Caller ID - bus	1		UEPFB	UEPAX	1.52	104.41	67.93		- 1					
<b>—</b>	1	2-Wire voice unbundled incoming only port with Caller ID - Bus	<del>                                     </del>		UEPFB	UEPB1	1.52	104.41	67.93		+	1				<del> </del>
<b>—</b>	1	2-Wire voice unbundled Louisiana Bus Area Calling Port with	l –						300		1			1		
1		Caller ID (BUC)	1		UEPFB	UEPAA	1.52	104.41	67.93		- 1					
		2-Wire Voice Unbundled Louisiana Business Dialing Plan						İ								
		without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93							
	LOCAL	NUMBER PORTABILITY														
L		Local Number Portability (1 per port)	ļ		UEPFB	LNPCX	0.35									<b>_</b>
<u></u>	INTER	OFFICE TRANSPORT	<del>                                     </del>	-							+	ļ	<b> </b>	<b>.</b>		<b>├</b>
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1		UEPFB	U1TV2	22.60	39.36	26.62		- 1					
-	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del>                                     </del>	-	ULPFD	UTIVZ	22.00	J9.30	20.02		+					<del>                                     </del>
		or Fraction Mile			UEPFB	1L5XX	0.013				- 1					
	FEATU		t		02110	120/01	0.013					1	1	1		<b>†</b>
	1	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00		1		İ			
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	•	· ·	•								•					

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												1		Incremental	Incremental		Incremental
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILC	JONI	RATE ELEMENTS	m	20116	B03	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
-	1	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-		UEPFB	USAC2		8.24	1.81			-					
		Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81								
-	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITB	00/100		0.24	1.01	<b> </b>							
		End User Premise			UEPFB	URETN		11.20	1.10								1
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (	PBX)												
	UNE P	ort/Loop Combination Rates															
	ļ	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
-	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	2			26.87 51.98					-					
-	LINEL	pop Rates		3		_	51.98										
-	OIAL L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93										
	<b>1</b>	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35					l					
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	ļ	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPC UEPPO	1.52 1.52	132.47 132.47	82.14 82.14								
-	<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO UEPP1	1.52	132.47	82.14								
-	1	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			OLFIF	OLFFI	1.52	132.47	02.14								
		Calling Port			UEPFP	UEPL2	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14	i							
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14								
	ļ	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14								
	ļ	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14								
-	<u> </u>	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPFP	UEPXD	1.52	132.47	82.14								
		Capable Port			UEPFP	UEPXE	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			02	OL. AL		.02	02								
		Calling Port			UEPFP	UEPXK	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDVAA	4.50	100 17	00.44								
-	<u> </u>	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	1.52	132.47	82.14								
		Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14								
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			OLITI	OLI XO	1.02	102.47	02.14								
	<u> </u>	Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14								1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14								,
-	LOCAL	NUMBER PORTABILITY			LIEDED	LNDCD	0.45	0.00	2.00								
-	INTED	Local Number Portability (1 per port)  OFFICE TRANSPORT		+	UEPFP	LNPCP	3.15	0.00	0.00	-		<del>                                     </del>	-				
$\vdash$	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+				<del>                                     </del>		<del>                                     </del>					
1		Termination			UEPFP	U1TV2	22.60	39.36	26.62								,
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.013										
<u> </u>	FEATU			1	LIEDED	LIED: /E											
<u> </u>	NONE:	All Features Offered	-	-	UEPFP	UEPVF	0.00	0.00	0.00			-					
-	NONKI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	<del>                                     </del>								1					
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81								,
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				7									İ		
		Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	 	End User Premise	1	<b>.</b>	UEPFP	URETN		11.20	1.10			1			ļ		
ONBU		PORT/LOOP COMBINATIONS - COST BASED RATES E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT	+		-						<del>                                     </del>	-				
$\vdash$		ort/Loop Combination Rates	FURI			+				<del>                                     </del>		<del>                                     </del>					
L	31421	o. a no p o o o in the total of the			L								L		L		

UNB	JNDLE	NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	bit: A
0.1.2													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
			Interi										Elec		Manual Svc	Manual Svc	-	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														•	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
			ļ															
								Rec	Nonrec		Nonrecurring D					Rates (\$)		
-		O MESS VOLUME OF DID TO ALL DOS OF THE LINE 7 4		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	2				23.20 33.62										
-	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3				58.73										
-	UNFLO	pop Rates		3			1	30.73										
-	OIVE E	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										
	UNE Po																	
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1													l		
<u> </u>		Switch-as-is	ļ		UEPPX		USAC1		7.10	1.81								
1		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDSY		110440				[							, l
<u> </u>	A DDI=	with BellSouth Allowable Changes	-		UEPPX		USA1C		7.10	1.81						<b> </b>		
$\vdash$	ADDLU	ONAL NRCs	1	-	LIEDDY		110404		00.04	00.01						-		
-		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	-	UEPPX		USAS1		26.01	26.01								
		End User Premise			UEPPX		URETN		11.20	1.10								
-	Telenho	one Number/Trunk Group Establisment Charges		-	OLITA		OKLIN		11.20	1.10	<del>                                     </del>							
	relepin	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE Po	ort/Loop Combination Rates																<b></b>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	LIEDDO		07.40										ı
-		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	1	UEPPB	UEPPR		27.48										
		UNE Zone 2		2	UEPPB	UEPPR		40.34										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB	ULFFR		40.34										
		UNE Zone 3		3	UEPPB	UEPPR		70.99										ı
	UNE Lo	op Rates		Ť	02.1.0	02		7 0.00										
	1	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60										
	UNE Po																	
<u> </u>	Norra	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	8.39	184.10	128.42						ļ		
<u> </u>	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<b> </b>	-	<b> </b>		1									<b> </b>		
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	37.40	26.23								
-	ADDITI		-		UEFFB	UEPPK	USACB	0.00	37.40	20.23								
$\vdash$	ADDITE	ONAL NRCs Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		<del>                                     </del>		1											
		End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								ı
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			J 1 D	J (	J. 1		11.20	1.10								
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								ı
	LOCAL	NUMBER PORTABILITY	1								1					l		
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHAI	NNEL USER PROFILE ACCESS:								•								
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
-	B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	i'N)	LIEDDE	LIEDDE	LIALICD	0.00	0.00	0.00								I
<b>-</b>	1	CVS/CSD (DMS/5ESS) CVS (EWSD)	+	-	UEPPB UEPPB	UEPPR UEPPR	U1UCD U1UCE	0.00	0.00	0.00	<del>                                     </del>				-		-	
-	+	CSD (EWSD)	<del>                                     </del>	-	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
		000		<u> </u>	OLIFD	OLIFIK	01001	0.00	0.00	0.00			l					

CATEGORY RATE ELEMENTS Intering Manual Svc Order Submitted Flect Manually per LSR Page Nonrecurring Disconnect Svc Order Submitted Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per LSR Page Nonrecurring Disconnect Svc Order Value Per Charge - Charge - Charge - Charge - Charge - Charge - Manual Svc Order Value Per Nonrecurring Disconnect Svc Order	UNBU	IDI F	NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	hit· Δ
ATE CLEMENTS  AND OTHER PROPERTY AND ATTEMPTS (1) SOUTH AND ATTEMPTS	3.4001		THE THE STATE CELLINE TO TE CONTROL		I			1	1					Svc Order	Svc Order				Incremental
ATE PLEMENTS INTO THE PROPERTY OF THE PROPERTY														I .	1				
CATEGORY   RATE GLEMENTS																			
Record   R	CATEGO	RY	RATE ELEMENTS		Zone	В	cs	usoc			RATES (\$)				,				
12				m	-33	_					== (4)			per LSK	per LSK				
DEST PRIMINAL PROPERTY   SECURI																			
Mile   First   April   SOME																151	Addi	DISC 1St	DISC Add I
SPEET FERMINAL PROPRIES   First Note of Street (1970)   SOURCE		i							Dee	Nonred	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	•
Dear Territor (1970) entry (1970)   Dear (									Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VERTICAL FEATURES																			
May Vertical Features: Charge of Charmed B Lister Portion   WHITESPECE CHANAGE MELLAGE   Text   May						UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
INTERCOPTICE CHANNEL MILEAGE																			
Interestica Consonide inleage each, including led male and   LEPPS UPPN   LEPPS U						UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
Excitions control of many co																			
Interfactor Connect entering exch., another control make																			
### CRITICAL DOOR WITH # WINE EST DOOR ST DOOR TALL TRUMP FORT TO THE UNIT THE UNIT TO SEND ST DOOR ST	$\vdash$																		
The UNEF DST combination rates below for in this rate exhibit apply to the embedded base in place as of 19203 until 47/06. After 47/06 these rates shall rever to certif rates or a separate commercial agreement.	$\vdash$			( DODT		UEPPB	UEPPR	M1GNM	0.013	0.00	0.00								
Requests for 4-Wine DSD Digital Loop with 4-Wine SDD Digital Trusk Port - UNE   UE-PPP   100.02								- ( 40/0/00		4/4/04 //			1	<u> </u>	<u> </u>				
UNE FORTLogo Combination Rates																nt.			
AV DST Digital Loop/AW ISDN DST Digital Trunk Port - LINE   1 UEPPP				Tunk Po	T alle	the enec	live date c	T this amend	Intent Shall be	provided pursu	iani io a sepai	ate agreement	Or tariii at bei	l South's di	Scretion.		-		
Content   Cont	<del>                                     </del>			1	<b>!</b>			1				<del>                                     </del>	<del>                                     </del>	1	<b>H</b>	<b>l</b>	t	<del>                                     </del>	
AV SST Digital Loop-WI SSDN DST Digital Trunk Port - UNE   2					1	LIEPPP			180 52			1	1				1		
Zone 2	$\vdash$			<del>                                     </del>	+ -	JE111		<del> </del>	100.02			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b>-</b>		t	<b> </b>	
Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Web   Coop Rates   Web   Coop Rates   Web   Coop Rates   Web   Web   Coop Rates   Web				1	2	UEPPP			289 78			I	I				I		
New Content of Conte	$\vdash$			<b>1</b>	<del>-</del> -	J II		1	200.70			<u> </u>	<u> </u>				<u> </u>	1	
UNE Loop Rates	1 1			1	3	UEPPP			586.76			I	I				I		
4-Wire DS1 Digital Loop - UNE Zone 2					Ť									İ					
4-Wire DST Digital Logo - UNE Zane 2   2 UEPPP					1	UEPPP		USL4P	85.70					İ					
4-Wire DST Digital Loop - LNRE Zene 3   3   UEPPP					2	UEPPP		USL4P	194.96										
Exchange Ports - 4-Wire ISDN DS1 Port (E-4/120204)					3	UEPPP		USL4P	491.94										
NONRECURRING CHARGES - CURRENTLY COMBINED		JNE Po	rt Rate																
A-Wire DST Digital Logo / A-Wire ISDN DST Digital Trunk Port   UEPPP   USACP   0.00   115.63   76.29						UEPPP		UEPPP	94.82	443.08	251.60								
Combination - Conversion - Switch-asis (E4/1/2004)   UEPPP   USACP   0.00   115.63   76.29																			
ADDITIONAL NRCs																			
A-Wire DS1 Loop/A-W ISDN Digit Trik Port - Subset Activy   UEPPP						UEPPP		USACP	0.00	115.63	76.29								
Inward/No vey Tel Nos. (except NC)																			
A-Wire DS1 Loop / A-Wire ISON DS1 Digital Trunk Port -   UEPPP   PR7TO																			
Outward Tel Numbers (All States except NC)	$\vdash$					UEPPP		PR7TF		0.48				ļ					
A-Wire DS1 Loop / A-Wire ISDN DS1 Digital Tirk Port -   Subsequent Invender Tel Number						LIEDDD		DDZTO		44.40	44.40								
Subsequent Inward Tel Numbers	-			-		UEPPP		PR/10		11.18	11.18			<b> </b>	-				
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTAB						LIEDDD		DD77T		22.25	22.25								
Liccal Number Portability (1 per port)	<b>—</b>			1		OLFFF		FRIZI		22.33	22.33	-	-	1	1		-		
INTERFACE (Provisioning Only)	<u> </u>				1	LIEPPP		LNPCN	1 75					<b>†</b>					
Voice/Data				<b>1</b>		J II			1.75			<u> </u>	<u> </u>				<u> </u>	1	
Digital Data						UEPPP		PR71V	0.00	0.00	0.00	i	1			İ	1	İ	
Inward Data																İ	1		
New or Additional - Voice/Data B Channel			Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New or Additional - Digital Data B Channel		lew or	Additional "B" Channel																
New or Additional Inward Data B Channel																			
CALL TYPES																			
Inward						UEPPP		PR7BD	0.00	14.11									
Outward				ļ				<u> </u>				ļ	ļ				1	ļ	
Two-way	$\vdash$			ļ	<u> </u>									ļ			ļ		
Interoffice Channel Mileage Fixed Each Including First Mile LEach Arline-Fractional Additional Mile UEPPP 1LN1A 70.7352 86.69 79.44 LEPPP 1LN1B 0.2652  4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement. Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates  4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17  4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43  4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	$\vdash$			-	ļ							<u> </u>	-		-	<b> </b>	-	ļ	
Fixed Each Including First Mile    Each Airline-Fractional Additional Mile   UEPPP   1LN1A   70.7352   86.69   79.44	$\vdash$			<b>!</b>	-	UEPPP		PR/CC	0.00	0.00	0.00	<b>.</b>	<del>                                     </del>				<del>                                     </del>	-	
Each Airline-Fractional Additional Mile  4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT  The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.  Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE Port/Loop Combination Rates  4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17  4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43  4/W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	<del>                                     </del>			1	-	HEDDD		41 N/4 A	70 7050	00.00	70.44	<del>                                     </del>	<del>                                     </del>	<del> </del>	1	-	<del>                                     </del>	<b> </b>	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT The UNE? PDS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.  Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE Port/Loop Combination Rates  4-W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17  4-W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43  4-W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	$\vdash$			+	+					86.69	79.44	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>		-
The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.  Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41	<del>     </del>			<del>                                     </del>	-	UEPPP		ILINIB	0.2652			-	+				+		
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE Port/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1 UEPDC 154.17  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 263.43  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41				v to the	ember	ded bace	in nlace a	s of 10/2/02 :	Intil 4/1/04 Afe	er 4/1/04 these	rates chall ro	Vert to tariff rat	es or a senera	te commerc	ial agreems	nt .	<del>                                     </del>	<del> </del>	
UNE Port/Loop Combination Rates														commett	iui agreeiile	 I	t	<del>                                     </del>	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1						o amen		Do provide	La parsaant to a	. Jopanate agre	OI talli	. at Donoouth t	and Guidin.	<del>                                     </del>	<b>-</b>		<del>                                     </del>	<b> </b>	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2         2         UEPDC         263.43           4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3         3         UEPDC         560.41	<del>                                     </del>			<b>†</b>	1	UEPDC		1	154.17			<b>-</b>	<b>I</b>	1	<del>                                     </del>		<b>I</b>	<b> </b>	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 560.41					2			1				<u> </u>	<u> </u>				<u> </u>	1	
								İ				i	1			İ	1	İ	
								i e				t	t				t	İ	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												"	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ					Managa		l Names accorden	. Dianamant						
<b>—</b>		1	1			Rec	Nonred First	Add'l	First	g Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	85.70	FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	194.96										<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94										
UNE F	Port Rate		Ť													
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90								
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
ļ	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	USAWB		405.75	CF 00								1
ADDI	- Conversion with Change - Trunk (E:4/1/2004)  TIONAL NRCs	1	<del>                                     </del>	UEPDC	USAVVB		125.75	65.08		-	-	<b> </b>		<b> </b>	<b> </b>	<del>                                     </del>
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<del>                                     </del>	<del>                                     </del>						1	<del> </del>				<b> </b>	<del> </del>	<del>                                     </del>
1 1	Subsequent Channel Activation/Chan - 2-Way Trunk	1		UEPDC	UDTTA		14.06	14.06				1				1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								[
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
DIDO	Activation / Chan - 2-Way DID w User Trans  LAR 8 ZERO SUBSTITUTION	ļ		UEPDC	UDTTE		14.06	14.06								
ВІРОІ	B8ZS -Superframe Format	1		UEPDC	CCOSF		0.00i	605.00s								<del></del>
-	B8ZS - Extended Superframe Format	1	1	UEPDC	CCOEF			605.00s								
Altern	nate Mark Inversion			OLI DO	CCCLI		0.001	000.003								
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
-	DID Numbers for each Group of 20 DID Numbers			UEPDC UEPDC	ND4 ND5	0.00										-
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.	<u> </u>		UEPDC	ND6	0.00	0.00	0.00								<del></del>
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								<del></del>
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop			0.00	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1														
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44								l
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															ĺ
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41.1100	0.0050	0.00	0.00								ĺ
<b></b>	miles	1		UEPDC	1LNOB	0.2652	0.00	0.00								<del></del>
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							ĺ
<del>                                     </del>	Torriniadori)	<del>                                     </del>	<del>                                     </del>	021 00	ILIVOS	0.00	0.00	0.00	0.00	<del> </del>				<b> </b>	<b> </b>	
1 1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.2652	0.00	0.00				1				1
	Local Number Portability, per DS0 Activated	i –	<del>                                     </del>	UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point	i	i –	UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on				L	L	L		1			L				<del></del>
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	<del></del>
	ests for 4-Wire DS1 Loop with Channelization with Port after th DS1 Loop	e effect	ive dat	e or this amendment T	shall be pro	vided pursuan	ιτ το a separate	agreement or	tariff at BellSo	utn's discretio	on.	-		-	-	<del>                                     </del>
UNE	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	85.70	0.00	0.00	-			-	-			<del>                                     </del>
$\Box$	T- VVIIG DOT LOOP - DIVE ZOIIG I		<u> </u>	OLI IVIG	USLDC	05.70	0.00	0.00	l	I	L	l		L	L	

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CIVECIVEL	LE NETWORK ELLINENTO LOUISIANA					1					Svc Order	Svc Order	Incremental			Incremental
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
l		ļ					Monro	curring	Monroourring	g Disconnect			220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	THOU	Addi	JOHILO	JOINAIN	JONIAN	JONIAN	JONIAN	JOHIAN
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00				İ				
UNE I	OSO Channelization Capacities (D4 Channel Bank Configuratio	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				ļ				<b></b>
<b>—</b>	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM14 VUM19	584.10 778.80	0.00	0.00	-							-
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								<del></del>
<b>-</b>	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				1				<del>                                     </del>
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00	t							
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,947.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe								-							<del></del>
With	bles of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without	uu i aite	i the in	iminum system cor	linguration is	counted.			<del> </del>							<del>                                     </del>
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								İ
Svste	m Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat					0.12	1							
	Not Currently Combined) in all states, except in Density Zone															
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
Bipol	ar 8 Zero Substitution	ļ														
	Clear Channel Capability Format, superframe - Subsequent			UEPMG	CCOSF	0.00	0.00:	605.00s								ĺ
	Activity Only  Clear Channel Capability Format - Extended Superframe -			UEPIVIG	CCOSF	0.00	0.001	605.00S								<del></del>
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00i	605.00s								ĺ
Alterr	ate Mark Inversion (AMI)			020	0002.	0.00	0.00.	000.000				i e				
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	inge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Excha	inge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															ĺ
	(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	-	-	UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		<b>.</b>				<del></del>
	(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						İ
	Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.02	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00						1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
	(E:4/1/2004)	<u> </u>		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00	<u> </u>		ļ	ļ	ļ	<b></b>
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –								1							1
	(AL, KY, LA, MS, & TN)(Conversion from Network Access			LIEDDY	LIEDCY	4.50	0.00	0.00		0.00						1
	Service) (E:4/1/2004)  Unbundled Exchange Ports, 2-Wire Channelized – Combination	<del>                                     </del>		UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00	-					<del></del>
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															ĺ
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00						1
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –						2.00	5.00	2.00	5.00			İ		İ	
	Louisiana Only - Calling Plan (E:4/1/2004)	<u> </u>		UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
	Louisiana Only – Calling Plan (E:4/1/2004)	ļ		UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00	ļ	ļ				<b></b>
Featu	re Activations - Unbundled Loop Concentration	<b>!</b>				1			<u> </u>							<del></del>
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40								1
	Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>		OLIFA	II- QVVIVI	0.0497	20.30	13.40	<del>                                     </del>		-			<del> </del>		<del>                                     </del>
1 1	D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40	1							1
Telep	hone Number/ Group Establishment Charges for DID Service	1				0.0.01	. 5.50	.0.10	1	İ	1			İ		
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								

UNRI	JNDI F	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
3,45	J. 1DLL	DITETTORIC ELEMENTO Education	I		I	1	1					Svc Order	Svc Order	Incremental			
			1			1	I					1	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-	-		1		Nonre		Nonrecurring	- Diaaaaaa			220	D-4 (A)		
							Rec								Rates (\$)		
-	+	N. O. O. C. DID N.	-	-	LIEDDY	NDE	0.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
-		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Ļ	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		JRES - Vertical and Optional										ļ					
	Local	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
	1. Cost	t Based Rates are applied where BellSouth is required by FCC	and/or	State (	Commission rule to	provide Unbi	undled Local S	witching or Sv	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	coin Port/Lo	oop Combinat	ions.		
l	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curr	ently Combin	ed sections.	Additional NR	RCs may
	apply a	also and are categorized accordingly.															
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	se Basis, un	til further notic	e.									
	UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<u>()</u>			1											
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
		ort/Loop Combination Rates (Non-Design)															
	O.V.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				+						<b>†</b>					
		Non-Design		1	UEP91		13.13										
-	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLI 31	+	10.10					1	-	-	1		
		Non-Design		2	UEP91		23.75										
-	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-		UEP91		23.75					-					
				3	LIEDO4		40.00										
		Non-Design		3	UEP91		49.62										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
		Design		1	UEP91		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		48.26										
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										Î
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP91	UECS2	14.93			İ			1	İ	1		İ
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2	1		UEP91	UECS2	25.35			i		1	İ	1	İ	İ	İ
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	50.46					1		1	İ		i e
	UNE P		<u> </u>	Ť			55.40					1		1			1
		tes (Except North Carolina and Sout Carolina)	<b>†</b>		1	†	t							t		<b> </b>	<b>i</b>
$\vdash$	Air Gla	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>		UEP91	UEPYA	1.36	38.85	19.08			<b>H</b>		<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>
$\vdash$	+	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<del>                                     </del>	<del>                                     </del>	02101	JEI IA	1.30	30.03	13.00			1	<b>-</b>	<del>                                     </del>	1	<b> </b>	<b> </b>
	1	Area		1	UEP91	UEPYB	1.36	38.85	19.08					1			
-	+	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	<del>                                     </del>	1	OLF91	UCFID	1.30	30.85	19.08			<del>                                     </del>	-	<del></del>	<b> </b>	-	-
	1				UEP91	LIEDVII	4 00	38.85	40.00					1			
<b></b>	+	Local Area	<b>!</b>	-	UEP91	UEPYH	1.36	38.85	19.08			-	-	<del>                                     </del>	1	-	-
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOA	LIED. C.								1			
<u> </u>	1	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93			ļ			ļ		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	l	1	I .						1	I		1	l
L	1	Term - Basic Local Area	<u> </u>	L	UEP91	UEPYZ	1.36	104.41	67.93			ļ		ļ	ļ		ļ
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1		I	I						1	I		1	l
		- Basic Local Area	<u> </u>		UEP91	UEPY9	1.36	38.85	19.08					<u> </u>		<u> </u>	
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
	1	Basic Local Area	1	1	UEP91	UEPY2	1.36	38.85	19.08				1	I		1	l
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.36	38.85	19.08								
	1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08			1		1	İ		İ
<b>—</b>	1	2-Wire Voice Grade Port (Centrex with Caller ID)1	<b>†</b>	t	UEP91	UEPQH	1.36	38.85	19.08			1	<b>†</b>	<b>†</b>	1		<del>                                     </del>
$\vdash$	+	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire	t	H	02101	JE1 3(1)	1.30	30.03	13.00			1	<b> </b>	t	<del> </del>		<b> </b>
	1	Center)2,3		1	UEP91	UEPQM	1.36	104.41	67.93								1
		Oction 12,0	<u> </u>	ь	OFLAI	JULF WIVI	1.30	104.41	01.93			1	i	1	1	L	

UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
													Incremental		Incremental	Incremental
											Submitted		_	Charge -	Charge -	Charge -
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RATE ELEMENTS	m	Zone	BCS	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
				UEP91				40.00								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1		UEPQ9	1.36	38.85	19.08								
10	2-Wire Voice Grade Port Terminated on 800 Service Term cal Switching	1	1	UEP91	UEPQ2	1.36	38.85	19.08								
Lo	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.8577										
Lo	cal Number Portability		1	OLI OI	OKEGO	0.0077										
	Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35										
Fea	atures															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25									
<u> </u>	All Centrex Control Features Offered, per port	1	1	UEP91	UEPVC	0.00										
NA NA	IRS	1	1	LIEDO4	LIADOY	2.00	0.00	2.00	0.00	0.00						
$\vdash$	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Indial	1	1	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	-	-				-
	Unbundled Network Access Register - Indial  Unbundled Network Access Register - Outdial	+	+	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00			<del> </del>	<del> </del>		-
Mis	scellaneous Terminations	1	1	OL1 31	JANOA	0.00	0.00	0.00	0.00	0.00						
	Vire Trunk Side		1													
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
Inte	eroffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
	ature Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4	Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	+	UEP91	1PQWS	0.6497										
	reactive Activation on D-4 Channel Bank Centrex Loop Stot	1	+	UEF91	IPQWS	0.0497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1			0.0.0										
	Slot			UEP91	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	+	UEP91	1PQWA	0.6497										
No	n-Recurring Charges (NRC) Associated with UNE-P Centrex	1	1	OLI 31	II QWA	0.0437										
	Conversion - Currently Combined Switch-As-Is with allowed		1			i i										
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40									
	New Centrex Customized Common Block	1	1	UEP91	M1ACC	0.00	680.40									
$\vdash$	Secondary Block, per Block	1	1	UEP91	M2CC1	0.00	79.31						<b>.</b>	<b>!</b>		<b> </b>
A 41	NAR Establishment Charge, Per Occasion  Iditional Non-Recurring Charges (NRC)	1	1	UEP91	URECA	0.00	73.93				-	-	-			-
Ad	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	+		+	<del>                                     </del>					-		<del> </del>	<del> </del>		<b> </b>
	Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1									İ					İ
	End Use Premise		<u>L</u>	UEP91	URETN		11.20	1.10								<u> </u>
	IE-P CENTREX - 5ESS (Valid in All States)							-		-						
	Nire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					<b>├</b>							ļ			
UN	IE Port/Loop Combination Rates (Non-Design)	1	1		_	ļ										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP95		13.13										
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	1	UEF95	+	13.13	-				-	-	-			
	Non-Design		2	UEP95		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	T-			20.70							İ	İ		
	Non-Design		3	UEP95		49.62										
	· · · · ·												-	•		•

	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007144
$\longrightarrow$						Rec	Nonrec			Disconnect				Rates (\$)		
<del></del>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)	-			+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	1	4	UEP95		16.29										
<b></b>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95	+	10.29					-					
	Design		2	UEP95		26.71										
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33	+	20.71					<b>-</b>					
	Design		3	UEP95		51.82										
UNE I	oop Rate			02. 00	1	01.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93		·								
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
	Port Rate															
All Sta																
$\vdash$	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08								
$\vdash$	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPYM	1.36	104.41	67.93								
$\vdash$	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP95	UEPYIVI	1.30	104.41	67.93			-			-		
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 95	OLI 12	1.50	104.41	01.33					1			
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OL: 00	OLI 10	1.00	00.00	10.00								
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
$\vdash$	Term 2,3			UEP95	UEPQZ	1.36	104.41	67.93								
	OMES Volve Cond. Bust transit.			LIEBOE	LIEDGS							1		I		
$\vdash$	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08						-		ļ
1	2-Wire Voice Grade Port Terminated on 800 Service Term	-	<u> </u>	UEP95	UEPQ2	1.36	38.85	19.08		-	1	-	-	1	-	1
Local	Switching Centrex Intercom Funtionality, per port	<b>-</b>	-	UEP95	URECS	0.8577					-	-		<del>                                     </del>	-	1
Local	Number Portability	<del>                                     </del>	-	05.590	UKEUS	0.8577						-	<del>                                     </del>	<del>                                     </del>	<b> </b>	1
Local	Local Number Portability (1 per port)		<b>-</b>	UEP95	LNPCC	0.35							<b> </b>	<del>                                     </del>		+
Featu		<b>-</b>		021 00	1111 00	0.55					<b>-</b>		<del> </del>	<del>                                     </del>		<del> </del>
- Juliu	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	0.00								<b>†</b>		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25						İ	1		1
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						İ	İ	1	l	
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side				1											
$\vdash$	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20					ļ	1		
I A 1871	Digital (1.544 Megabits)			LIEBAE	LAU IE		,									
4-1/1	DS1 Circuit Terminations, each	1	1	UEP95	M1HD1	68.47	196.18	92.92		l	1	I	l	1	l	1
4-1/1/0		-				2.20										
	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.06									

UNBUNDL'	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
					1						Svc Order	Svc Order	Incremental			
											I .	Submitted		Charge -	Charge -	Charge -
		Inter:									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e									ļ					
D4 Ci	hannel Bank Feature Activations			LIEDOE	400040	0.0407					ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497					1					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEF95	IPQVV6	0.0497			-		1			-		-
	Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 33	11 QVV7	0.0437			<del> </del>	1	<u> </u>		1		1	
	Different Wire Center			UEP95	1PQWP	0.6497										
	Different vine contor			02. 00		0.0.07			t		†			t		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497			1					1		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
I	Slot		L	UEP95	1PQWQ	0.6497			<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex							·								
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40				ļ					
4.1.15	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93				1					
Addit	tional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use										1					
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF95	UKETL		0.33	0.03	-		1			-		-
	End Use Premise			UEP95	URETN		11.20	1.10								
UNF-	-P CENTREX - DMS100 (Valid in All States)			OL1 00	ORLIN		11.20	1.10			1			1		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1			1		1
	Port/Loop Combination Rates (Non-Design)										İ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		49.62										
UNE	Port/Loop Combination Rates (Design)								ļ	ļ			ļ	1	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOD		40.0-			I					I		
$\!\!\!+\!\!\!-$	Design		1	UEP9D	+	16.29			-	<del>                                     </del>		ļ	ļ	-	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		00.74			1					1		
$\longrightarrow \longmapsto$	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 2	UEP9D	+	26.71			<b>-</b>	1	-			<del>                                     </del>		<u> </u>
	2-wire vG Loop/z-wire voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		51.82			I					I		
LINE	Loop Rate	1	3	OLFBD	+ +	51.02			<del> </del>	1	1	1	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
- OIAE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77			<del>                                     </del>	+	<del>                                     </del>		<del> </del>	t	<b> </b>	<del>                                     </del>
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	22.39			<u> </u>	1				<u> </u>		
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	48.26						İ		1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.35				1	İ		1		1	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
	Port Rate															
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				Ι				_					_		
	Area			UEP9D	UEPYB	1.36	38.85	19.08		ļ				ļ		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	00.0-	10.00	I			1		I		1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		<u> </u>	UEP9D	UEPYC	1.36	38.85	19.08	<del>                                     </del>	<del>                                     </del>	ļ		<b>.</b>	<del>                                     </del>	<del>                                     </del>	-
											•			i		1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	Dec	usos			DATES (6)			Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area (500 MT/10) A D D D D D D D D D D D D D D D D D D			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08								
<del> </del>	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLF3D	OLFIT	1.30	30.03	19.00						<del> </del>		
	Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.36	38.85	19.08						-		-
	Area			UEP9D	UEPYV	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local									1						
	Area			UEP9D	UEPY3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
$\vdash$	Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	-	-	UEP9D	UEPYH	1.36	38.85	19.08	1		<del>                                     </del>			-		-
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			021 02	OLI IW	1.00	00.00	10.00								
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			OLF3D	OLFIO	1.30	104.41	07.93						<del> </del>		
	Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			LIEDOD	UEPYR	4.00	404.44	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPTR	1.36	104.41	67.93						<del> </del>		-
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	LIEDVE	4.00	404.44	07.00								
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY5	1.36	104.41	67.93						-		-
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4						-									
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDVZ	4.00	404.44	07.00								
	Term 2,3  2-Wire Voice Grade Port terminated in on Megalink or equivalent	<b>-</b>	<b>-</b>	UEP9D	UEPYZ	1.36	104.41	67.93	+		1			<del>                                     </del>		-
	Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.36	38.85	19.08								
AL, K	Y, LA, MS, SC, & TN Only			LIEDAD	LIEDOA	4.00	00.05	10.00								ļ
-	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.36 1.36	38.85 38.85	19.08 19.08	-					-		<del> </del>
	2-Wire Voice Grade Fort (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		<b>_</b>	UEP9D	UEPQF	1.36	38.85	19.08	ļ		<u> </u>					
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-	-	UEP9D UEP9D	UEPQG UEPQT	1.36 1.36	38.85 38.85	19.08 19.08	+	-	1			<del>                                     </del>		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		<del>                                     </del>	UEP9D	UEPQU	1.36	38.85	19.08	+		<b> </b>					<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08			1					<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08								

UNBI	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
OND	SINDLL	NETWORK ELEMENTO Louisiana		l		1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Inten!									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															1
		Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
-	+	2,3			UEP9D	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
-	+	2-Wile Voice Grade Port (Certiex/diller SWC /EBS-PSE 1)2,3,4	-		UEP9D	UEPQU	1.30	104.41	67.93			1					$\vdash$
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								1
-	1	2 VIII VOICE GIAGE FOR (CENTRONGING GVV ) EBE MICOCO)2,0,4			OLI OD	OLI QI	1.00	104.41	01.00			1					<del></del>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								1
	1								00								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								1
	1	,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
																	1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
																	1
	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								
-	+	2-Wire Voice Grade Port (Centrex/diller SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<u> </u>	UEP9D	UEPQ7	1.36	104.41	67.93			-					
		Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								
		16111 2,3			OLFBD	ULFQZ	1.30	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
	NADO	All Centrex Control Features Offered, per port	-	-	UEP9D	UEPVC	0.00										
-	NARS	Unbundled Network Access Register - Combination		<u> </u>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	-					
-	+	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	-	-	UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						$\vdash$
<b>-</b>	+	Unbundled Network Access Register - Outdial		<del>                                     </del>	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		<b> </b>		<b> </b>		$\vdash$
	Miscell	aneous Terminations			02. 00	3,4(3)(	0.00	0.00	3.00	0.00	0.00						
		Trunk Side				1											
		Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20						1		
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62								
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06	•								
	Interof	ice Channel Mileage - 2-Wire															igsquare
	1	Interoffice Channel Facilities Termination	ļ	<u> </u>	UEP9D	M1GBC	22.60	39.36	26.62								<b>↓</b>
		Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	<b></b>	UEP9D	M1GBM	0.013										$\vdash$
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	₩		+						-			-		$\vdash$
-	D4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.6497						-			-	├──┤
<b></b>	+	r eature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>	<del>                                     </del>	OFLAD	IFUVS	0.6497						<b> </b>	<b> </b>	<del> </del>		$\vdash$
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						1				[
<b>-</b>	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<b>-</b>		021 00	11 9440	5.0437					<b>-</b>	<b>-</b>		<b> </b>		$\vdash$
		Slot			UEP9D	1PQW7	0.6497										[
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1	5.5.01										
1	1	Different Wire Center			UEP9D	1PQWP	0.6497						1				1
						•						•					

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L .																	
							Rec	Nonred		Nonrecurring Dis					Rates (\$)		
$\vdash$						_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Fortuna Australia de B. 4 Olano de Brata Britana Lina Lora Ola			LIEDOD	4001407	0.0407										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWQ	0.6497										
	Non-Pa	ecurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	IFQWA	0.6497								-		<del>                                     </del>
	NOII-IX	NRC Conversion Currently Combined Switch-As-Is with allowed				+											-
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								<b>†</b>
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40	10.10								<b>†</b>
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
L_		Premise		L	UEP9D	URETL	<u> </u>	8.33	0.83	<u>                                       </u>			<u></u>	<u></u>	L	<u></u>	
	•	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.20	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
		Non-Design		2	UEP9E	_	23.75										ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOE		40.00										
	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP9E	_	49.62										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+									-		<del>                                     </del>
		Design		1	UEP9E		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SL	+	10.23										
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		51.82										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	25.35		·								
oxdot		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										1
		ort Rate				+				<b> </b>					1		ļ
$\vdash \vdash \vdash$	AL, FL	, KY, LA, MS, & TN only			LIEBOE	LIEDY				<del>                                     </del>				<b> </b>	-	<b> </b>	<b>_</b>
$\vdash \vdash \vdash$		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08	<del>                                     </del>				<b> </b>	-	<b> </b>	<b>_</b>
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOE	LIEDVE	100	00.0-	10.00	[			1		I		
$\vdash \vdash \vdash$		Area	<b>-</b>	-	UEP9E	UEPYB	1.36	38.85	19.08	<del>                                     </del>				-	<del>                                     </del>	-	+
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08	[			1		I		
$\vdash \vdash \vdash$		2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	OLPSE	UEFIR	1.30	38.85	19.08	<del>                                     </del>			<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>	<del> </del>
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93						1		
$\vdash$		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		<b>-</b>	J_1 J_	OLI TIVI	1.50	101	01.33	<del>                                     </del>			<b>-</b>		t		<del>                                     </del>
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93	[			1		I		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent				02. 12	1.00	10-11	07.33						<u> </u>		1
		- Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08	[			1		I		
H		2-Wire Voice Grade Port Terminated on 800 Service Term -				1		22.20						İ	1	İ	1
		Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08	[			1		I		
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08								

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect	t		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										t					
		Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08								
	Local S	Switching			02. 02	02. Q2	1.00	00.00	10.00								
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577					1	1				
	Local I	Number Portability					0.000.										
	Looui	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					<b>†</b>	<b>†</b>				
	Feature						0.00					1		<b> </b>	<b>†</b>	<b> </b>	
	. Jacan	All Standard Features Offered, per port			UEP9E	UEPVF	0.00					1		<b> </b>	<b>†</b>	<b> </b>	
<b>—</b>		All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	412.25		<b>†</b>		<b>†</b>	<del>                                     </del>	<b> </b>	<b>†</b>	<b> </b>	
<b>—</b>		All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0.00	T12.20		<b>†</b>		<b>†</b>	<del>                                     </del>	<b> </b>	<b>†</b>	<b> </b>	
<b>—</b>	NARS	y in Control Control i Gatules Offered, per port		<del>                                     </del>	OLI OL	OLI VO	0.00					<del> </del>	1		1		
<b>—</b>	11/1/10	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	<del> </del>	1		1		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	<b>+</b>					
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscol	aneous Terminations			OLI SL	OAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side				_											
-	z-wire	Trunk Side Trunk Side Terminations, each	-	-	UEP9E	CEND6	8.29	115.85	18.20	ļ		ł	<b>-</b>		-		
-	4 10/:20	Digital (1.544 Megabits)	-	-	UEF9E	CENDO	0.29	113.63	10.20	ļ		ł	<b>-</b>		-		
-	4-44116	DS1 Circuit Terminations, each	-	-	UEP9E	M1HD1	68.47	196.18	92.92	ļ		ł	<b>-</b>		-		
-	-	DS0 Channel Activated Per Channel	-	-	UEP9E	M1HDO	0.00	14.06	32.32	ļ		ł	<b>-</b>		-		
-	Interef		-	-	UEF9E	MILLIPO	0.00	14.06		ļ		ł	<b>-</b>		-		
-	meroi	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	-	-	UEP9E	M1GBC	22.60	39.36	26.62	ļ		ł	<b>-</b>		-		
-	-	Interoffice Channel mileage, per mile or fraction of mile	-	-	UEP9E	M1GBM	0.013	39.30	20.02	ļ		ł	<b>-</b>		-		
	Footur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEF9E	IVITGDIVI	0.013					-	-				
		nnel Bank Feature Activations	e	-		_						-	-				
	D4 Cha			-	UEP9E	400000	0.6497					-	-				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.6497					-	-				
		Francis Astronomy B 4 Observat Basel EVIII - O'lla Lasa Observat			LIEDOE	400140	0.0407										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
-		Slot			UEP9E	1PQW7	0.6497										
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	LIEDOE	400040	0.040-					1			I		
		Different Wire Center		-	UEP9E	1PQWP	0.6497					1	1		-		
1		Footing Astrotics on D.4 Ohans d. Book British 1991		1	LIEDOE	4001407	0.040-					1			I		
<u> </u>	<b>—</b>	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<b>—</b>	<b>!</b>	UEP9E	1PQWV	0.6497			ļ		<u> </u>	-	<b> </b>	-	-	
1		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1	LIEDOE	4001110						1			I		
<u> </u>		Slot		<b>_</b>	UEP9E	1PQWQ	0.6497					-			-		
<u> </u>	N	Feature Activation on D-4 Channel Bank WATS Loop Slot	<b>—</b>	<b>!</b>	UEP9E	1PQWA	0.6497			ļ		<u> </u>	-	<b> </b>	-	-	
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ									1			<b>_</b>		
1		NRC Conversion Currently Combined Switch-As-Is with allowed		1								1			I		
<u> </u>		changes, per port		<b></b>	UEP9E	USAC2		0.10	0.10	ļ		<b>_</b>	<b>.</b>		<b></b>		
<u> </u>		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10			1			<b>_</b>		
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40				ļ	ļ				
<u> </u>		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40				1			<b>_</b>		
<u> </u>		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93				1			<b>_</b>		
	Additio	onal Non-Recurring Charges (NRC)										1			<b>_</b>		
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1								1			I		
<u> </u>		Premise			UEP9E	URETL		8.33	0.83			1			<b>_</b>		
1		Unbundled Miscellaneous Rate Element, Tag Design Loop at		1								1			I		
<u> </u>		End Use Premise		<b> </b>	UEP9E	URETN		11.20	1.10			ļ			<b>.</b>		
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		L								ļ	ļ		1		
L		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>											ļ		
	UNE P	ort/Loop Combination Rates (Non-Design)		L								ļ	ļ		1		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1										1	1		
		Non-Design		1	UEP93		13.13					<u> </u>				l	

ATE BLEMENTS   RATE BLEMENTS	UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
RATE ELEMENTS   May   Ma												Svc Order	Svc Order				
RATE ELEMENTS   May   Ma												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY   RATE ELEMENTS   Rate   Some   S			Intori														
Part   Part	CATEGOR	Y RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
14   Add   Disc tot			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =				Electronic-
Average   Continue																	Disc Add'l
Note   1985																2.00 .01	2.007.444.
2 Nove Visit Concern View Voice Conde Prof (Contemplient Combo   2 Nove Visit Concern Visit Conde Prof (Contemplient Combo   3 Nove Visit Conde Prof (Contemplient Combo   4 Nove Visit Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Conde Prof (Contemplient Cond							Rec										
Non-Design   2   SPP68   2375								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-View Vol. Loops/2-We Volve Grief Port (Certes/Port Cortes)   1																	
Non-Design     3   USP   15   USP   16   USP   16   USP				2	UEP93		23.75										
Description   Comparison   Co																	
Description   Description				3	UEP93		49.62										ļ
Design	UN																
2-Win Vol Long/2-Win Vole Grade Port (Centres)Port Combo   3   UEP93   36.71   36.74			1	١.			40.00										
Design				1	UEP93		16.29										ļ
2-Wine Vol Loop-View Voxes Grade Port Centerwind Combo-																	
Design   D				2	UEP93		26.71										<b>.</b>
Web Loop Rate							= 4 00										
2-Wire Voice Grade Long (St. 1) - Zone 1			<b>!</b>	3	UEP93	+	51.82					-	-	<b> </b>	1	-	<del> </del>
2-Wire Votor Gradu Lorg (St. 1) - Zone 3   3   UEP93   UECS1   42.26	UN		<b>!</b>	1	LIEDOS	LIECC4	44					-	-	<b> </b>	1	-	<del> </del>
2-Wire Vota Grande Coto (St. 1) - Zone 3			<b>!</b>									-	-	<b> </b>	1	-	<del> </del>
2-Wire Voice Grade Loos (St. 2) - Zone 1																	<del>                                     </del>
2   Wire Voice Grade Locis (St. 2) - Zono 3   3   UEP93   UEC52   55.56			-									-		-	-		<del>                                     </del>
2-Wire Votes Grade Local (Area)			1	<u> </u>								-		-	<b> </b>	-	<del> </del>
AL, KY, LA, MS, & TM only			1									1					-
AL, KY, LA, MS, & TN only	LIK		-	3	UEF93	UEC32	30.46					-					<b>+</b>
2-Vife Voice Grade Port (Centres) Base Local Area   UEP93   UEPY8   1.36   38.85   19.08			-	-		+						<b>-</b>	-				<b>-</b>
2-Wive Votoc Grade Port (Centrex 800 termination) Basic Local   UEP93   UEPY8   1.36   38.85   19.08	AL				LIED03	LIEDVA	1 26	20.05	10.09						1		
Area   Area					ULF 93	OLFIA	1.30	30.03	19.00					1			-
2-Wire Voice Grade Port (Centrex win Caller ID)* Blasic Local Area   UEP93   UEPYH   1.36   38.85   19.08					I IED03	HEDVR	1 36	38.85	10.08								
Area					OL1 33	OLI ID	1.50	30.03	13.00					1			-
2-Wire Voice Grade Port (Centrex from diff Sening Wire Center - 2,3 - 800   UEP93   UEP94   1,36   104.41   67,93					LIEP93	LIEPYH	1 36	38.85	19.08								
Center/2,3 Basic Local Area   UEP93   UEP7M   1,36   104.41   67.93					OLI SO	OLI III	1.00	00.00	10.00			1					<b>†</b>
Service Term - Sais Local Area   UEPYZ   1.36   104.41   67.93					UEP93	UEPYM	1.36	104.41	67.93								
Service Term - Basic Local Area																	
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP93   UEP99   1.36   38.85   19.08					UEP93	UEPYZ	1.36	104.41	67.93								
Basic Local Area																	
2-Wire Voice Grade Port Terminated on 800 Service Term -   UEP3					UEP93	UEPY9	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex 80) termination)		2-Wire Voice Grade Port Terminated on 800 Service Term -															
2-Wire Voice Grade Port (Centrex 80h Cellers With Caller DI)		Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex with Caller ID)1		2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 2,3 -800   UEP93   UEPQM   1.36   104.41   67.93		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08					ĺ			
Center]2.3		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800   UEP93		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
Service Term					UEP93	UEPQM	1.36	104.41	67.93								
2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term UEP93 UEP92 1.36 38.85 19.08  Local Switching  Centrex Intercom Funtionality, per port UEP93 UEP93 UEP93 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 URECS 0.8577 UEP93 UEP93 URECS 0.8577 UEP93 UEP93 UEP96 UEP93 URECS 0.8577 UEP93 UEP97 UEP93 URECS 0.8577 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 0.00 73.93 27.14 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UEP97 UEP93 UARCX 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.									-							I	
2-Wire Voice Grade Port Terminated on 800 Service Term		Service Term			UEP93	UEPQZ	1.36	104.41	67.93					ļ	ļ.		ļ
2-Wire Voice Grade Port Terminated on 800 Service Term			1			1							1				
Local Switching			ļ	<u> </u>													<b> </b>
Centrex Intercom Funtionality, per port   UEP93   URECS   0.8577			ļ	<u> </u>	UEP93	UEPQ2	1.36	38.85	19.08								<b> </b>
Local Number Portability	Lo		<u> </u>	ļ	LIEDOS	LIDECC						-	ļ	ļ		<b> </b>	<b></b>
Local Number Portability (1 per port)	<del>-  </del> .		<b> </b>	-	UEP93	URECS	0.8577							<del>                                     </del>	1	<b> </b>	<b>├</b>
Features	Lo		1	-	LIEDOS	LNDCC	0.05					1		<del>                                     </del>	1	-	1
All Standard Features Offered, per port	 		+	+	UEP93	LINPUU	0.35					-	-		1		<del>                                     </del>
All Centrex Control Features Offered, per port   UEP93   UEPVC   0.00   73.93   27.14	re		1	-	I IED03	HED\/E	0.00	72.02	27 14			-		-	<b> </b>	-	<del>                                     </del>
NARS         Unbundled Network Access Register - Combination         UEP93         UARCX         0.00 <t< td=""><td></td><td></td><td>1</td><td><del>                                     </del></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td><del>                                     </del></td><td><b>-</b></td><td></td><td>1</td><td></td><td><del>                                     </del></td></t<>			1	<del>                                     </del>								<del>                                     </del>	<b>-</b>		1		<del>                                     </del>
Unbundled Network Access Register - Combination	NI A		<del>                                     </del>	$\vdash$	OL: 30	OLF VO	0.00	13.93	21.14					<del> </del>			<del>                                     </del>
Unbundled Network Access Register - Indial   UEP93   UAR1X   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   Unbundled Network Access Register - Outdial   UEP93   UAROX   0.00   0.0	IVA		<del>                                     </del>	<del>                                     </del>	UFP93	UARCX	0.00	0.00	0.00	0.00	0.00				1		<del>                                     </del>
Unbundled Network Access Register - Outdial			<b>†</b>														<b>†</b>
Miscellaneous Terminations         Image: Company of the company			<b>†</b>														<b>†</b>
2-Wire Trunk Side	Mi		t				2.00	2.00	2.00	2,00	5.00			i			
Trunk Side Terminations, each   UEP93   CEND6   8.27   115.85   18.20						1								İ			
4-Wire Digital (1.544 Megabits)			İ		UEP93	CEND6	8.27	115.85	18.20								
	4-\													ĺ			
ן בי		DS1 Circuit Terminations, each	İ	i i	UEP93	M1HD1	68.47	196.18	92.92								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			101120 (4)			per LSR	per LSR				
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		Į	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06							Î		
Interoff	ice Channel Mileage - 2-Wire													Î		
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62						Î		
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										İ					
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -										İ					
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40							Î		
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93							Î		
Additio	nal Non-Recurring Charges (NRC)													Î		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at					ĺ	İ									
	End Use Premise			UEP93	URETN		11.20	1.10	<u> </u>				<u> </u>			I
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port					_					_			
	- Requires Specific Customer Premises Equipment															
Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to r	rate tru	e-up as set forth in	General Tern	ns and Conditio	ns.									

LIMDI	INDI E	D NETWORK ELEMENTS Mississippi												Assach		F	L. 14. A
ONBU	MULE	D NETWORK ELEMENTS - Mississippi	1	1	1		1					Svo Order	Svo Order		ment: 2	Incremental	bit: A Incremental
														Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAIL	JOIN	KATE ELEMENTO	m	20116	B00	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	•
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	ne "state	speci	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges	. CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	narges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	ally. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	EC rat	e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service															
	ļ	Request (LSR) - UNE Only	ļ			SOMEC		3.50	0.00	3.50	0.00				ļ		
		OSS - Manual Service Order Charge, Per Local Service Request															
	]	(LSR) - UNE Only	ļ			SOMAN		15.75	0.00	1.97	0.00				ļ		
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB. U1TUA	SDASP		200.00									
UNBIII	NDI FD I	EXCHANGE ACCESS LOOP	<b>†</b>		5.10b, 5110A	20/101	<b>†</b>	200.00		<b> </b>		<b>†</b>	<u> </u>		1		
5.155		E ANALOG VOICE GRADE LOOP	<b>†</b>		<del> </del>					<b> </b>	<b>i</b>	1		<b>i</b>	1	<b>i</b>	<b>i</b>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	t	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25			i		i	i
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<b>†</b>		UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25	1		<b>i</b>	1	<b>i</b>	<b>i</b>
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<b>†</b>		UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25	1		<b>i</b>	1	<b>i</b>	<b>i</b>
	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	<b>†</b>	4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25	1		<b>i</b>	1	<b>i</b>	<b>i</b>
	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	<b>†</b>	1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25	1		<b>i</b>	1	<b>i</b>	<b>i</b>
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>†</b>		UEANL	UEASL	16.87	37.92	17.55	23.48	5.25	1		<b>i</b>	1	<b>i</b>	<b>i</b>
<b>—</b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>		UEANL	UEASL	25.68	37.92	17.55	23.48	5.25				1		
	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	<b>†</b>	4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25	<b>†</b>	<u> </u>		1		<b> </b>
	l	Unbundled Miscellaneous Rate Element, Tag Loop at End User	t		02.412	02/102	40.00	01.02	17.55	20.40	0.20	1	<b>†</b>	<b> </b>	1	<b> </b>	<b>†</b>
1	1	Premise	1		UEANL	URETL		8.33	0.83								
	l	Loop Testing - Basic 1st Half Hour	t	<del>                                     </del>	UEANL	URET1		34.36	34.36		<b> </b>	1	<b>†</b>	<b> </b>	1	<b> </b>	<b>†</b>
	1	1200p 100ming Dadio for Hall Flour			10-/111-	OIXE I I		J-1.30	J-1.30		1	1		ı	1	1	1

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
0.120	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1									Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		<del> </del>			+	1	Nonrec	urrina	Nonrecurring	Disconnect		l	OSS	Rates (\$)	I.	
			1			†	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				l											i I
-	1	providing make-up (Engineering Information - E.I.)	1		UEANL	UEANM UEAMC		13.51	13.51			-					
	1	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1	1		UEANL	UEAIVIC		8.20	8.20								$\vdash$
		(per LSR)			UEANL	OCOSL		18.19	18.19								i l
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I		UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
-	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	I	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						<b>——</b>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEQ	URETL		8.33	0.83								1
	t	Manual Order Coordination 2 Wire Unbundled Copper Loop -	t		U=W	JILLIL		0.00	0.03			<del>                                     </del>	<b> </b>				<del>                                     </del>
		Non-Designed (per loop)	1		UEQ	USBMC		8.20	8.20								1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for								l i							
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
		Loop Testing - Basic 1st Half Hour	ļ		UEQ	URET1		34.36	34.36								
-	1	Loop Testing - Basic Additional Half Hour	1		UEQ UEQ	URETA		19.97	19.97			-					
LINBIIN	NDI ED E	CLEC to CLEC Conversion Charge Without Outside Dispatch  EXCHANGE ACCESS LOOP	1		UEQ	UREWO		14.24	7.42								
ONDO		ANALOG VOICE GRADE LOOP	1			+											
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1														
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						i
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	ļ	1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						1
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1		UEFSK UEFSB	UEALS	10.07	37.92	17.55	23.40	5.25						
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						i
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
-		Zone 3	ļ	3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						$\vdash$
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						1
-	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<del> </del>	-	OLF SK OLF SB	ULALS	43.63	31.52	17.55	23.40	5.25						<u> </u>
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						1
UNBUN	NDLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															$\vdash$
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_	LIEA	LIEALO	10.00	405.00	00.60	50.00	10.0=						1
-	1	Ground Start Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>	1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						$\vdash$
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>		OLA	OLALL	10.70	100.00	00.20	02.02	10.07						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
<u> </u>	1	Ground Start Signaling - Zone 4	<del>                                     </del>	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37	1					$\vdash$
-	1	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	-	UEA	OCOSL	<del>                                     </del>	18.19				1	-				$\vdash$
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						1
	t e	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	†	<u> </u>		J L	10.09	700.00	00.20	02.02	10.07	l					
		Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						<u>                                       </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
<u> </u>	1	Battery Signaling - Zone 3	-	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						$\vdash$
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	1	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						1
$\vdash$	<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	-	UEA	OCOSL	40.12	18.19	00.20	52.02	10.37	<del>                                     </del>					$\vdash$
		(por bort)			1 - " -	,		.00					·	·		·	

CATEGORY RATE ELEMENTS  Interim m Zone BCS USOC RATES (\$)  Svc Order Submitted Elec Dear Manual Svc Order vs. Electronic-Disc 1st Disc Add'l Disc As Disc Add'l Disc As Disc A	UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ACTEGORY  BATE ELEMENTS    Date   Dat	0			1									Svc Order	Svc Order				
RATE ELEMENTS   Inter-   2																	Charge -	Charge -
### CATE CLEMENTS ### Zone   BCS   USD   PATER (3)				Intori														Manual Svc
Case   Case	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					Order vs.
Second Companies   Second Comp				""									p = = = = = = = = = = = = = = = = = = =	p				Electronic-
Description   Description																		Disc Add'l
Color   Colo																		
CLCC to SLCE Comment Charge embers outside desembly   UEA				ļ				Rec										
Loop Tapparts - Service Level 2 (Side)			0.50.0.50.0.								First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AWRE ANALOG VICE GRADE LOOP		+		<u> </u>	-													
4-Wins Androg Vorse Contact Lorp. Zero 1		4 MUDE		<u> </u>		UEA	UKETL		11.19	1.10			-					-
A Vittle Androg Vote Clotter Lorge - Zonz 2		4-WIRE		<u> </u>	1	LIEA	LIEAL 4	27.47	122.27	04.50	60.69	1161	-					-
A-William Anabas (vice Close) Loco - Zoou 9   3   OEA   DEAL   So.03   15327   04.59   05.08   14.94		+		-														
4 Vites Anchard process Commission Explanated Conversion Inter (part 158)   ABA   COVDB   11.00   COVDB   11.00   COVDB   1.00   COVDB   COV		+		ł												-		
Octor Coordination for Special Conversion. Time (per LSR)		+																1
CLEC to CLEC Conversion Charge without ductied despeach.   USA   UREVO   87.56   36.29		+		<u> </u>				30.03		34.33	00.00	14.04						
2-WINE SERO POINT AL REACE LOOP		+								36.29								1
2-YMMS ISIN Digital Gines Loop - Zone 1		2-WIRE		<u> </u>		OLA	ONLIVO		07.00	00.20								
2-WWW SIGN Digital Gradual Loop - Zone 2   2   LIDN   UHLZX   27.56   117.61   79.92   52.82   10.37				<b>†</b>	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37				<u> </u>		1
2-Wine BON Digital Grade Loop - Zone 3   3 UDN   UTLEX   37.74   117.61   79.92   52.82   10.37		1		t											İ	1	İ	İ
2-Wise BDKP Digital Grade Loop - Zoon 4		1		l												t		İ
Order Coordination For Specified Conversion Time (per LSR)		1		l												t		İ
CLEC to CLEC Convestor Charge wethout outside dispatch   UNN   UNR WO   91.46   44.07			Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
2 Wire Unburnded ADSL Loop including manual service inquiry   1		1		İ		UDN	UREWO		91.46	44.07								
S. Bidility reservation - Zone 1		2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	ATIBLE	LOOP													
2 Wife Unbunded ADSL Loop including manual service inquiry 8 (a little reservation 2 - 2 LIAL LUALX 11.47 121.27 70.81 50.38 7.93																		
A stadity reservation - Zone 2					1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
2 Wire Unbunded ADS Loop including manual service inquiry 8 (1) AL UALX 11.74 121.27 70.81 50.38 7.93 (1) AL UALX 11.74 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 121.27 70.81 50.38 7.93 (1) AL UALX 12.69 (1) ALX																		
Stacility reservation - Zone 3   JUAL   JU					2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
2 Wire Unbundled ADSL Loop including manual service inquiry   4																		
Stacility reservation - Zone 4   UAL   U					3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
Order Coordination for Specified Conversion Time (per LSR)																		
2 Wire Unbundled ADSL Loop without manual service inquiry & 1 UAL				ļ	4			12.69		70.81	50.38	7.93						
facility reservation - Zone 1		1				UAL	OCOSL		18.19									
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2   2 UAL   UALZW   11.47   96.15   58.03   50.38   7.93   1							1141 0141	44.44	00.45	50.00	50.00	7.00						
Inacility reservation - Zone 2		-		ļ	1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
2 Wire Unbundled ADSL Loop without manual service inquiry & 3 UAL UALW 11.74 96.15 58.03 50.38 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & 4 UAL UALW 12.69 96.15 58.03 50.38 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & 4 UAL UALW 12.69 96.15 58.03 50.38 7.93  Drider Coordination for Specified Conversion Time (per LSR) UAL UALW 12.69 96.15 58.03 50.38 7.93  Drider Coordination for Specified Conversion Time (per LSR) UAL UREWO 86.04 40.33  EXPINER HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 1 UHL UHLZX 8.75 129.98 79.52 50.38 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 2 UHL UHLZX 9.22 129.98 79.52 50.38 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 3 UHL UHLZX 9.87 129.98 79.52 50.38 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry 4 UHL UHLZX 10.46 129.98 79.52 50.38 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4 UHL UHLZX 10.46 129.98 79.52 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZX 10.46 129.98 79.52 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.22 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.27 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.27 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.28 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 UHL UHLZW 9.28 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and fa					_	1141	1141 014	44.47	00.45	50.00	50.00	7.00						
Sacility reservation - Zone 3		+		-		UAL	UALZVV	11.47	96.15	58.03	50.38	7.93						
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4					2	LIAI	1101 200/	11 7/	06.15	E0 03	50.29	7.02						
facility reservation - Zone 4		+		<u> </u>	3	OAL	UALZVV	11.74	30.13	30.03	30.30	7.55						
Order Coordination for Specified Conversion Time (per LSR)					4	LIAI	UAL 2W	12 69	96 15	58.03	50.38	7 93						
CLEC to CLEC Conversion Charge without outside dispatch		1			<u> </u>			12.00		00.00	00.00	7.00						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP										40.33								
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		2-WIRE		TIBLE	LOOP													
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2   2 UHL   UHL2X   9.22   129.98   79.52   50.38   7.93																		
Stacility reservation - Zone 2		1	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		1		I		
Stacility reservation - Zone 2																		
Recility reservation - Zone 3   3 UHL   UHL2X   9.87   129.98   79.52   50.38   7.93			& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
2 Wire Unbundled HDSL Loop including manual service inquiry												·				_		
Stacility reservation - Zone 4		1		<u> </u>	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93			ļ	L		ļ
Order Coordination for Specified Conversion Time (per LSR)  UHL OCOSL 18.19  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1  1 UHL UHL2W 8.75 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.22 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 4 UHL UHL2W 10.46 66.74 50.38 7.93  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 4 UHL UHL2W 10.46 66.74 50.38 7.93  4 UHL UHL2W 10.46 66.74 50.38 7.93  4 UHL UHL2W 10.46 66.74 50.38 7.93  4 UHL UHL2W 10.48 66.74 50.38 7.93  4 UHL UHL2W 10.48 66.74 50.38 7.93  4 UHL UHL2W 10.48 66.74 50.38 7.93																1		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 104.86 66.74 50.38 7.93		1		<b>!</b>				10.46		79.52	50.38	7.93				ļ		
and facility reservation - Zone 1		1		<del>                                     </del>		UHL	OCOSL		18.19					ļ	<b> </b>	-	<b> </b>	ļ
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.22 104.86 66.74 50.38 7.93 9 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93 9 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 104.86 66.74 50.38 7.93 1 104.86 105.1 Loop without manual service inquiry and facility reservation - Zone 4 1 UHL UHL2W 10.46 105.1 Loop without manual service inquiry 1 UHL UREWO 105.1 Loop without manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UREWO 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop including manual service inquiry 1 UHL UHL2W 105.1 Loop incl		1				l		0.75	404.00	00.74	50.00	7.00		1		I		
and facility reservation - Zone 2		+		<del>                                     </del>	1	UTL	UHL2W	8.75	104.86	bb./4	50.38	7.93			-	<del>                                     </del>	-	<del>                                     </del>
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.87 104.86 66.74 50.38 7.93					2	шы	LIHL 3/A/	0.22	104.96	66 74	50.30	7.03				1		
and facility reservation - Zone 3   3 UHL   UHL2W   9.87   104.86   66.74   50.38   7.93       2 Wire Unbundled HDSL Loop without manual service inquiry   and facility reservation - Zone 4   UHL   UHL2W   10.46   104.86   66.74   50.38   7.93       Order Coordination for Specified Conversion Time (per LSR)   UHL   OCOSL   18.19       CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   85.98   40.33       4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP       4 Wire Unbundled HDSL Loop including manual service inquiry		+		<del>                                     </del>		OLIL	UNLZVV	9.22	104.80	00.74	50.38	1.93	<b>-</b>	<b>-</b>		+		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4					3	шы	LIHL 2W	9.27	104.86	66.74	50.38	7 93				1		
and facility reservation - Zone 4	<b>-</b>	+		<del>                                     </del>		OI IL	JIILZVV	3.07	104.00	00.74	30.36	1.53				<b>+</b>		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.19 CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33  4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry					4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93				1		
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33  4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  4 Wire Unbundled HDSL Loop including manual service inquiry		+		<b>†</b>				.0.40		33.74	33.00					<u> </u>		
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  4 Wire Unbundled HDSL Loop including manual service inquiry		1								40.33						1		İ
4 Wire Unbundled HDSL Loop including manual service inquiry		4-WIRE		TIBLE I					22.00				İ	İ	İ	1	İ	
																		1
					1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68				1		

UNR	UNDI F	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Fyhi	bit: A
OND	ONDEL					1						Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry			l					====							
		and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry			UHL	11111 47	44.40	450.74	400.00	FC 70	40.00						
-	-	and facility reservation - Zone 4  Order Coordination for Specified Conversion Time (per LSR)	-	4	UHL	UHL4X OCOSL	14.46	158.74 18.19	108.28	56.72	10.68			-	-		
-		4-Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OCOSL		10.19		<del> </del>							1
		and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	+	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	OTIL	OTILATV	10.70	100.02	55.55	00.72	10.00						
		and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	1	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>		1		.00.02	55.50	002				1	1	İ	İ
	1	and facility reservation - Zone 3	1	3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		1	I	I		
	İ	4-Wire Unbundled HDSL Loop without manual service inquiry						-									
		and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									Ī
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19									
	4 1400	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	1	LIDI	LIDI 40	27.44	100 50	00.05	60.68	44.04						
-		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL UDL	UDL19 UDL19	34.55	126.53 126.53	88.85 88.85	60.68	14.64 14.64	-					-
	+	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	40.76	126.53	88.85	60.68	14.64			-	-		
	+	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	32.25	126.53	88.85	60.68	14.64			-	-		
	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64			-			
	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53	88.85		14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85		14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	1	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
<u></u>		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDL	UREWO		101.94	49.66	ļ				ļ	ļ		
<u> </u>	2-WIRE	Unbundled COPPER LOOP	<b>!</b>	-		1				<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		-
	1	2-Wire Unbundled Copper Loop-Designed including manual	1		UCL	UCLPB	44.44	400.04	69.87	50.38	7.00		1	I	I		
-	-	service inquiry & facility reservation - Zone 1  2-Wire Unbundled Copper Loop-Designed including manual	-	1	UCL	UCLPB	11.11	120.34	09.87	50.38	7.93			<del>                                     </del>	<del>                                     </del>		-
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93			1	1		
-	+	2 Wire Unbundled Copper Loop-Designed including manual	1		UCL	UCLFD	11.47	120.34	09.87	50.38	1.93	<b>-</b>	<b>-</b>	+	+		-
1	1	service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		1	I	I		
<b>-</b>	1	2 Wire Unbundled Copper Loop-Designed including manual	<b>†</b>			3021 0	11.74	120.34	03.07	50.56	1.33	<b>-</b>	<b>†</b>	<b>I</b>	<b>I</b>		
1	1	service inquiry & facility reservation - Zone 4	1	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		1	I	I		
	1	Order Coordination for Unbundled Copper Loops (per loop)		Ė	UCL	UCLMC	:=:50	8.20	8.20	12.30	50			1	1	İ	İ
	1	2-Wire Unbundled Copper Loop-Designed without manual	1			1		5.20	2.20	1		1	İ	1	1	l	İ
		service inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		2-Wire Unbundled Copper Loop-Designed without manual															
	1	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93			<u> </u>	<u> </u>	<u> </u>	
	1	2-Wire Unbundled Copper Loop-Designed without manual														I	
	1	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93			L	L		ļ
		2-Wire Unbundled Copper Loop-Designed without manual												1	1		
	+	service inquiry and facility reservation - Zone 4	ļ	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	1	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC		8.20	8.20	1		l	l	<u> </u>	1	l	l

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		""									ps. 20	<b>P</b>	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
	CLEC to CLEC Consistent Change with sut sutside dispetch				1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								1
4-WIR	E COPPER LOOP			OCL	OKEWO		33.21	42.40								
	4-Wire Copper Loop-Designed including manual service inquiry		<u> </u>													i
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						l
	4-Wire Copper Loop-Designed including manual service inquiry		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
<del>                                     </del>	and facility reservation - Zone 4  Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL4S UCLMC	21.33	8.20	8.20	56.72	10.68						<b>—</b>
	4-Wire Copper Loop-Designed without manual service inquiry			OCL	OCLIVIC		0.20	0.20								
	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry															1
	and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						l
	4-Wire Copper Loop-Designed without manual service inquiry							*****								[
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						<u> </u>
<b></b>	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								i
LOOP MODIF			1	002	0.12110		00.21	.2.10								
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		<del>                                     </del>	OLFOB	ULIVIZL		32.31	32.31								
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								l
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS			<u> </u>													i
Sub-L	oop Distribution															i
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.77									1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I		UEANL	USBSD		56.39									
	Zone 1  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						-
	Zone 2	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						_ 
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	İ	2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
	2010 2			OL/ (INL	CODINT	10.32	10.40	77.43	31.27	9.00	1	1	1	1		

LINDII	NDI EI	D NETWORK ELEMENTS - Mississippi												Attack	ment: 2	Exhi	-:4. A
UNDU	NULE	D NETWORK ELEMENTS - MISSISSIPPI		1	1							Cus Ouden	Cur Ouden				
												1		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILC	OKI	KATE EEEMENTO	m	20116	B00	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
1		Order Coordination for Unbundled Out Lases are sell from the	1		UEANL	USBMC		0.00	8.20				1		I		
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		-	UEANL	URET1	-	8.20 34.36	34.36	-		-	<b> </b>		<del></del>		
-		Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour		-	UEANL	URETA		19.97	19.97						+		
<b></b>	-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		<b> </b>		+		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71	1			1		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71	<b>-</b>					
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS2X	9.90	66.18	31.14	45.36	6.71	1					
		2 THIS COPPOR CHISCHIGAGE CAS ECOP SIGNISATION ECONO !		<u> </u>	02.	0002/	0.00	00.10	0	10.00	0	1					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
	Unbun	dled Network Terminating Wire (UNTW)															
-		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
-	Networ	k Interface Device (NID)		-	LIENITIA	LINIDAO		40.04	00.00								
-		Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines		<u> </u>	UENTW UENTW	UND12 UND16		43.84 65.30	28.90 50.36			-			-		
-		Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	50.36			-					
		Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC4		5.94	5.94			-			-		
LINE O	THER R	PROVISIONING ONLY - NO RATE			OLIVIV	UNDC4		3.34	3.54			1					
OIAL O	IIILIX, I	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							<u> </u>		
		and the state of t			UEANL,UEF,UEQ,U		2.00	2.00							1		
1		Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00					1		I		
UNE O	THER, P	ROVISIONING ONLY - NO RATE			1												
1			1		UAL,UCL,UDC,UDL,	1							1		I		
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
1		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			i										_		
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00							ļ		
1		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	1										1		I		
		rate		<u> </u>	UEA,USL,UCL,UDL	USBFR	0.00	0.00									
<u> </u>		Unbundled DS1 Loop - Superframe Format Option - no rate		ļ	USL	CCOSF	0.00	0.00			-	-			-		
		Unbundled DS1 Loop - Expanded Superframe Format option -			1101	CCOFF	0.00	0.00							1		
HICKO	ADACIT	no rate TY UNBUNDLED LOCAL LOOP		-	USL	CCOEF	0.00	0.00		-	-	1			<del>                                     </del>		
HIGH C	APACII	High Capacity Unbundled Local Loop - DS3 - Per Mile per		-	-										+		
		month			UE3	1L5ND	11.20								1		
-		High Capacity Unbundled Local Loop - DS3 - Facility		<b>†</b>	020	ILOIND	11.20			<b> </b>	<b> </b>	<b>H</b>			t		
		Termination per month	1		UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		1		I		
<b>—</b>		High Capacity Unbundled Local Loop - STS-1 - Per Mile per		<b>†</b>	0_0	JE01 /	320.13	757.15	203.47	120.23	00.19	<del>                                     </del>	<b> </b>		<b>I</b>		
1		month	1		UDLSX	1L5ND	11.20						1		I		
					1	1.20.10	20				·		·				

LINDI	INDIE	D NETWORK ELEMENTO Missississis															
UNB	JNDLE	D NETWORK ELEMENTS - Mississippi					1								ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	I
CATE	GURT	RATE ELEMENTS	m	Zone	BUS	USUC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1		1		Nonre	curring	Nonrecurring	Disconnect			088	Rates (\$)		
	+			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	High Capacity Unbundled Local Loop - STS-1 - Facility							71441		71441		00				
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						1
LOOP	MAKE-U	IP .															
		Loop Makeup - Preordering Without Reservation, per working or		1													
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								1
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															1
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S		AND LINE SPLITTING															
-		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 sha	l be billed as f	ollows:							
-		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op noi	n-designed ("UCLNI	)")											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
-						-											──
-		1: Above will apply to USOCS: ULSDT and ULSCT  2: The Line Sharing monthly recurring rates with USOCs ULS	CDC on	4 111 67	C annline anly to a	iravita inatali	lad and incomi	o on or before	Ootobor 1 20	l		-					
		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	ULSC	applies only to c	TCUITS INSTAIL	led and inservic	e on or before	October 1, 20	U3 		-					$\vdash$
		TERS-CENTRAL OFFICE BASED		-	1	1						1					$\vdash$
	SELII	Line Sharing Splitter, per System 96 Line Capacity		-	ULS	ULSDA	186.67	189.89	0.00	178.41	0.00	1					$\vdash$
-	+	Line Sharing Splitter, per System 36 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
	+	Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1	020	OLODO	10.00	100.00	0.00	170.41	0.00	1					
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						1
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						1
	1	Line Share Service, TRO per line activation, BST owned splitter -		1													
		Central Office Located (25% of UCLND) - please see NOTE 1															1
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						1
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															1
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (75% of UCLND) - please see NOTE 1															1
	ļ	(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line			ULS	000		40.40	0.04								1
-	+	Rearrangement(BST Owned Splitter)		1	ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24								1
<b>-</b>	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	-	<del>                                     </del>	OLO	ULUUU		10.48	0.24				<b> </b>	<b> </b>			$\vdash$
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						[
<b>-</b>	+	Line Share Service, TRO per line activation, CLEC owned		$\vdash$	020	52000	0.01	77.44	10.01	20.07	12.74		<b> </b>		<b>†</b>		
		splitter - Central Office Located (25% of UCLND) - please see															1 1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						1 1
	1	Line Share Service, TRO per line activation, CLEC owned		t	1		20			20.07	.2.7						
1		splitter - Central Office Located (50% of UCLND) - please see											1				1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	47.44	19.31	20.67	12.74		1				[
		Line Share Service, TRO per line activation, CLEC owned															
1		splitter - Central Office Located (75% of UCLND) - please see															( l
L	<u> </u>	NOTE 1 (E:10/2/2005)	<u></u>	<u>L</u>	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74			<u> </u>			<u> </u>
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						igsquare
L	1	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						<b>└──</b>
	MAINT	ENANCE		<u> </u>		1											<b>↓</b>
<u> </u>	1	No Trouble Found - per 1/2 hour increments - Basic		<u> </u>	<b></b>	1		80.00	55.00			-		<b> </b>			$\vdash$
<u> </u>	1	No Trouble Found - per 1/2 hour increments - Overtime		<u> </u>	<b></b>	1		120.00	82.50			-		<b> </b>			$\vdash$
	1	No Trouble Found - per 1/2 hour increments - Premium	1	1		1		160.00	110.00	l	l	1	l	l	1	l	1

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	JOKT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					Rates (\$)		
LINIDIIIN	IDI ED I	PEDICATED TRANSPORT	ļ			1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT															
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	ļ	Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	1L5XX	0.0098										
-		Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-		UTIVA	ILSAA	0.0096										
		Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1														
	ļ	Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			LIATON	LIATO /A	40.70	40.77	07.57	47.00	7.44						
-		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
		per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility					5.5555										
		Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile				41 =>04											
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0098										
		Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTTEX	CTIBO	10.00	40.70	27.07	17.20	7.11						
		month			U1TD1	1L5XX	0.201										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	ļ	Termination	ļ		U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
-	<b>-</b>	Interoffice Channel - Dedicated Transport - DS3 - Facility	<b> </b>		01103	TESTA	4.70										
		Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month CTD 1 TO 1 TO 1 TO 1 TO 1 TO 1 TO 1 TO 1			U1TS1	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK	FIBER	Termination	1	1	01101	01110	044.21	200.57	103.70	02.00	00.23						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.27										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85	1					
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4	39.93	642.79	138.67	326.97	203.85	<del>                                     </del>					
8XX AC	CESS	TEN DIGIT SCREENING								0_0.0.							
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OLID.	Nonce	1 7										
		Number Reserved  8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	N8R1X		2.60	0.44								
		POTS Translations			OHD			5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With				1		0.07	0.01	50	3.54						
		POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service			OLID.	NOTOY	1 7										
<u> </u>	-	Per 8XX Number  8XX Access Ten Digit Screening, Multiple InterLATA CXR	-	-	OHD	N8FCX	<del>                                     </del>	2.60	1.30			1					
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	†	3.04	0.44								
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features	ļ	1	OHD	N8FDX		2.60									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										
ь		Total Coocas Terr Digit Octobring, W. of Lino. Delivery, per query	ı	<u> </u>	טויסן	1	0.0000210			1		1	I		1	l	

LIMIDII	NDI EI	NETWORK ELEMENTS Mississippi												Attack		Ful:	laite. A
UNDU	NULEI	NETWORK ELEMENTS - Mississippi		1	ı	1	ı					Cur Onden	Cur Ouden		ment: 2		bit: A
														Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTS	Interi	7	DOC	LICOC			DATES (A)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L							ļ.,,								L		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
		query			OHD		0.0006216										
LINE IN	IFORMA	TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNAL	LING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
		CCS7 Signaling Connection, Per link (B link) (also known as D									_			_			
		link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53	l	1		l		
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149										
		CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	683.55					ĺ	1		ĺ		1
		CCS7 Signaling Point Code, per Originating Point Code		1		1						İ	İ		İ		
		Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
E911 SE	ERVICE	3,,,															
		Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0098										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	0.0000						1				
		Termination					22.52	40.77	27.57	17.26	7.11						
		Local Channel - Dedicated - DS1 - Zone 1				1	36.83	178.50	154.61	22.89	15.74		1				
		Local Channel - Dedicated - DS1 - Zone 2				1	35.99	178.50	154.61	22.89	15.74		1				
-		Local Channel - Dedicated - DS1 - Zone 3				1	221.63	178.50	154.61	22.89	15.74						
-		Local Channel - Dedicated - DS1 - Zone 4				1	221.63	178.50	154.61	22.89	15.74						
$\vdash$		Interoffice Transport - Dedicated - DS1 Per Mile		-		1	0.2010	170.50	134.01	22.03	10.74						
-		Interoffice Transport - Dedicated - DST Fer Mile				1	0.2010										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CALLIN	IC NAM	E (CNAM) SERVICE	-	-		<b>+</b>	37.33	09.79	02.20	10.00	14.50	-	-				
CALLIN	IG NAIVI	CNAM For DB Owners - Service Establishment	-	-	OQV	<b>+</b>		23.09	23.09	21.23	21.23	-	-				
$\vdash$		CNAM For Non DB Owners - Service Establishment	-	-	OQV	<b>+</b>		23.09	23.09	21.23	21.23	-	-				
$\vdash$		CNAM For DB Owners - Service Provisioning With Point Code	-	-	OQV	<b>+</b>		23.09	23.09	21.23	21.23	-	-				
		Establishment			oqv			996.62	737.08	270.49	198.89						
-		CNAM For Non DB Owners - Service Provisioning With Point	-		OQV	1		996.62	737.08	270.49	198.89						
					001/			044.00	0.40.50	070.05	100.00						
$\vdash$		Code Establishment		-	OQV			344.32	246.56	276.85	198.89						
-		CNAM for DB Owners, Per Query	-		OQV	1	0.0010231										
051.50	TI) /F D C	CNAM for Non DB Owners, Per Query	-		OQV	1	0.0010231										
SELEC	TIVE RC					ļ											
		Selective Routing Per Unique Line Class Code Per Request Per															
1/15-1111		Switch		1		1		85.19	85.19	14.19	14.19		ļ				
VIRTUA	AL COLL	OCATION		1		1							ļ				
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOS	VE41.0	0.000-					1	1				
DID (A)		Splitting	ļ	<u> </u>	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSIC	CAL COL	LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SEI	LECTIV	E CARRIER ROUTING		<u> </u>		I											
		Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51							
$\vdash$		End Office Establishment		ļ	SRC	SRCEO		167.49	167.49	1.71	1.71		ļ		ļ		
		Query NRC, per query			SRC		0.0030502										
AIN - BI	ELLSOL	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,				1							1				
		Initial Setup	<u></u>	<u></u>	A1N	CAMSE	<u> </u>	39.67	39.67	40.92	40.92				L		
		AIN SMS Access Service - Port Connection - Dial/Shared Access	<u></u>	<u></u>	A1N	CAMDP	<u> </u>	7.87	7.87	9.14	9.14				L		
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14						
		AIN SMS Access Service - User Identification Codes - Per User															
1	1	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		l				

CATEGORY   RATE ELEMENTS   Interiment   RATE ELEMENTS   Interiment   Description   D	Charge - vc Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement	SOMAN	SOMAN
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement	SOMAN	SOMAN
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN SMS Access Service - Company Performed Session, Per Minute AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup AIN Toolkit Service - Triaining Session, Per Customer AIN Toolkit Service - Triaining Session, Per Customer AIN Toolkit Service - Triager Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolk		
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTT  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTD  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTD  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTD  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Charge, Per Triager, Per BAPTM  AIN Toolkit Service - Triager Access Ch		
AIN SMS Access Service - Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute  AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup  AIN Toolkit Service - Triaining Session, Per Customer  AIN Toolkit Service - Triaining Session, Per Customer  AIN Toolkit Service - Triager Access Charge, Per Trigger, Per DN, Term. Attempt  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate		
AIN SMS Access Service - Company Performed Session, Per Minute 0.8393  AIN - BELLSOUTH AIN TOOLKIT SERVICE  AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup CAM BAPSC 39.67 40.92 40.92  AIN Toolkit Service - Triaining Session, Per Customer BAPVX 4.226.54 4.226.54  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt BAPTT 7.87 7.87 9.14 9.14  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay BAPTD 7.87 7.87 9.14 9.14  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate BAPTD 7.87 7.87 9.14 9.14  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate BAPTD 7.87 7.87 9.14 9.14		
Minute   0.8393		
AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup		
Initial Setup		
AIN Toolkit Service - Triaining Session, Per Customer   BAPVX   4,226.54   4,226.54   4,226.54     AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1 '
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<del>                                     </del>
DN, Term. Attempt	1 1	
DN, Off-Hook Delay		L
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate BAPTM 7.87 7.87 9.14 9.14  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i '
DN, Off-Hook Immediate	+	<del></del>
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i '
IDN 10-Digit PODP		
		L
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP BAPTC 34.67 34.67 14.44 14.44		1
UIN, CUP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per BAPTU 34.07 34.07 14.44 14.44 AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	+	<del>                                     </del>
DN, Feature Code BAPTF 34.67 34.67 14.44 14.44		i '
AIN Toolkit Service - Query Charge, Per Query 0.0535577 0.0535577		
AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		i '
Subscription, Per Node, Per Query 0.0063509  AIN Toolkit Service - SCP Storage Charge, Per SMS Access	+ +	<del>                                     </del>
Account, Per 100 Kilobytes 0.06		i '
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		,
Subscription         CAM         BAPMS         11.11         7.87         7.87         5.54         5.54		<u> </u>
AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 2.71 8.71 8.71		i '
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	+	
Subscription         CAM         BAPDS         8.48         7.87         7.87         5.54         5.54		
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		i '
		<u> </u>
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.	+	<del></del>
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.		
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		ļ'
First 2-Wire VG Loop (SL2) in Combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37 First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37		<u> </u>
First 2-Wire VG Loop (SL2) in Combination - Zone 3 3 JUNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	+ +	
First 2-Wire VG Loop (SL2) in Combination - Zone 4 4 UNCVX UEAL2 45.72 105.96 68.28 52.82 10.37		
Interoffice Transport - Dedicated - DS1 combination - Per Mile		1
per month UNC1X 1L5XX 0.1813 Unteroffice Transport - Dedicated - DS1 combination - Facility	+	<u> </u>
Interollice Transport - Dedicated - UST combination - Facility		1 '
1/0 Channelization System in combination Per Month UNC1X MQ1 102.85 91.57 62.94 10.87 10.10		
Voice Grade COCI - Per Month         UNCVX         1D1VG         0.5737         6.62         4.74		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37		1
Lasti Padillottal 2-1916 VO Edgy (GL 2) III COMMITTATION   1   1   0/1/0/0/1   10.30   10.30   00.20   0.20   10.37	+	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37		<u> </u>
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3         3 UNCVX         UEAL2         27.55         105.96         68.28         52.82         10.37	+	<del></del>
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4 4 UNCVX UEAL2 45.72 105.96 68.28 52.82 10.37		1 '
Voice Grade COCI - Per Month         UNCVX         1D1VG         0.5737         6.62         4.74		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											l .	'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
ļ.,																
					ļ	Rec	Nonrec		Nonrecurring					Rates (\$)		
	Name and the Company of the Annual Company o		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATION	TED DS	1 INTER				5.05	5.05	7.20	7.20						
LX.	THE VOICE CHAPE EXTENDED EGG! WITH BEDICAL	1 20 00	1	COLLIGE TRANSPO	1											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
					1											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
										-						
$\vdash$	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.500/	0.40:0						1				
$\vdash$	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	102.85	91.57	62.26	10.87	10.10						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74	10.67	10.10						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			011017	15110	0.0707	0.02	7.77								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1						-									
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-							= 00								
EVE	Is Charge  ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDITED.	CATED	DC4 IN	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EATI	INDED 4-WIKE 30 KBF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	I IN	TEROFFICE TRANS	I											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	1 110t 4 Wile Goldpa Digital Grade Loop III Golfibiliation 20116 1		<u> </u>	ONODA	ODLOG	27.44	120.00	00.00	00.00	14.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
			<del>                                     </del>													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 => C :											
$\vdash$	Per Month	1	<u> </u>	UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			LINC4V	U1TF1	F4 70	00.70	00.00	40.00	14.90		1				
<del>                                     </del>	1/0 Channel System in combination Per Month	1	<del>                                     </del>	UNC1X UNC1X	MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	10.10	1			<del> </del>		
<del>                                     </del>	OCU-DP COCI (data) per month (2.4-64kbs)	1	<del>                                     </del>	UNCDX	1D1DD	102.85	6.62	4.74	0.00	0.00				<del> </del>		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	5.10DA	.5155	1.22	0.02	7.77	3.00	0.00	<b>-</b>					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		İ													
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		l .				,					1				
$\vdash$	Interoffice Transport Combination - Zone 4	<u> </u>	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		<b> </b>		<b> </b>		
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00		1				
$\vdash$	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<del>                                     </del>	OINCDA	טטוטו	1.22	0.02	4.74	0.00	0.00		-		-		
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
FYTI	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				5.05	5.05	7.20	7.20	<u> </u>					
-   -			1		T									İ		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	· · · · · ·		•		-											

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
0.1.2.												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	I						l I	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		<del></del>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	ļ	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						<b>└──</b>
		First 4 Wiss CAVE Digital Conds Lagrain Combination 7 4		4	LINCDY	LIDL C4	20.05	400.50	00.05	00.00	44.64						
-	-	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		-	-			$\vdash$
		Per Month			UNC1X	1L5XX	0.1813										
		interoffice Transport - Dedicated - DS1 combination - Facility			0.10.77	120701	0.1010										
L	<u> </u>	Termination Per Month	<u></u>	L	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			<u> </u>		<u> </u>	<u> </u>
		1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
L	ļ	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00			ļ			$ldsymbol{oxed}$
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	LIDI 64	07.4.	400 50	00.0=	22.22	4461			1			1 !
	-	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	1	-	1	-		$\vdash$
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64			1			1 !
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLO4	34.33	120.55	00.00	00.00	14.04						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Additional OCU-DP COCI (data) - in combination - per month															
		(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EYTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				5.63	5.03	7.20	7.20						$\vdash$
	LXILI	4-Wire DS1 Digital Loop in Combination - Zone 1	<u> </u>		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															[
	-	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						[
	1	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	011111	31.72	03.73	02.20	10.00	14.50						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						[
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSP												
		First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	ļ	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	-	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		-	-			<del>                                     </del>
-	<del>                                     </del>	First DS1Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS3 combination - Per Mile	-	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	-	-	<del>                                     </del>			<del></del>
		Per Month			UNC3X	1L5XX	4.29							1			1
		Interoffice Transport - Dedicated - DS3 - Facility Termination per					20							1			
	<u> </u>	month	<u></u>		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		<u> </u>	<u> </u>			1
		3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	<u> </u>	DS1 COCI in combination per month		<b>_</b>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<b></b>
		Additional DS1Loop in DS3 Interoffice Transport Combination -		4	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07			1			1
	<del>                                     </del>	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -	-	1	ONCIA	USLAA	79.08	253.93	158.45	46.10	12.07	-	-	<del>                                     </del>			<del></del>
		Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			1			1
		Additional DS1Loop in DS3 Interoffice Transport Combination -		T-			.20.00		.00.70	.50	.2.37			1			
		Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			<u> </u>		<u> </u>	1
		Additional DS1Loop in DS3 Interoffice Transport Combination -	l													l	1
	ļ	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	ļ		ļ			<b></b>
	-	Additional DS1 COCI in combination per month	-	-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1	-	1	-		<del>                                     </del>
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC3X	UNCCC		5.63	5.63	7.20	7.20			1			1
<b></b>	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTF				5.03	5.03	1.20	1.20	<b> </b>	<del>                                     </del>	<b>+</b>			<del>                                     </del>
	1	2-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37			1	İ		
	•					•							•	-	•	•	

HINRHIN	DI FI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
ONDON	DLL	NETWORK ELEMENTS - MISSISSIPPI				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	IX I	RATE ELEMENTS	m	Zone	603	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-		+		Nonrec	rrina	Nonrecurring	Disconnoct	-	l .	000	Rates (\$)		
$\vdash$				-		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAIN
$\vdash$		2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	<b>-</b>	-				
$\vdash$		2-WireVG Loop in combination - Zone 3 2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	<b>-</b>	-				
<b></b>		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		4	UNCVA	ULALZ	45.72	105.90	00.20	32.02	10.37	<b>-</b>	-				
		Month			UNCVX	1L5XX	0.00088										ł
<b>—</b>		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.00000										
		Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						ł
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	UTIVZ	20.32	40.77	21.31	17.20	7.11						
		Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
<del>   </del>	VTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	I E INITEI				3.03	3.03	7.20	7.20						
<del></del>	VIEN	4-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
+		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		<b> </b>				(
+-+		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
+		4-WireVG Loop in combination - Zone 4	-	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	<b>H</b>			<del>                                     </del>		
-		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		-	ONOVA	OLALT	30.03	102.21	34.33	00.00	14.04						
		Month			UNCVX	1L5XX	0.00088										ł
$\vdash$		Interoffice Transport - 4-wire VG - Dedicated - Facility			ONOVA	TESTA	0.00000										
		Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						ł
<b>—</b>		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	17.00	40.77	21.51	17.20	7.11						
		Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
E	VTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITEDO	EEICE		UNCCC		5.05	3.03	1.20	1.20						
H	X I LIV	DS3 Local Loop in combination - per mile per month	INTERC	I	UNC3X	1L5ND	11.20										
-		233 Local Loop III combination - per mile per month			UNCOX	ILSIND	11.20										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						í
$\vdash$		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29	404.10	200.41	120.20	00.10						
+-+		Interoffice Transport - Dedicated - DS3 - 1 et Nille per month			ONOOX	TESTON	4.23										
		Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						ł
H		Nonrecurring Currently Combined Network Elements Switch -As-			ONOOA	01110	041.00	200.07	100.70	02.00	00.20	<b>†</b>	1				ſ
		Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						í
F	XTFN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFF		0.1000		0.00	0.00	7.20	7.20	1					
	, <u></u>	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20										
		STS-1 Local Loop in combination - Facility Termination per			0.100/1	120.12	11.20										
		month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						ł
		Interoffice Transport - Dedicated - STS-1 combination - per mile									-						
		per month			UNCSX	1L5XX	4.29										í
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						í
		Nonrecurring Currently Combined Network Elements Switch -As-										İ					·
		Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						ł .
E	XTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													i Total
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				ĺ		1
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37				ĺ		i
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
		First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						·
		Interoffice Transport - Dedicated - DS1 combination - per mile				1											í .
		per month			UNC1X	1L5XX	0.1813										ł
		Interoffice Transport - Dedicated - DS1 combination - Facility															i
		Termination per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				1
		1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						í
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						i
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 1	<u></u>	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				L		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport											1				·
1 1		Combination - Zone 4	L	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		<u> </u>		<u> </u>	<u> </u>	1

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
320			l .								Svc Order	Svc Order	Incremental			
			1									Submitted	Charge -	Charge -	Charge -	Charge -
1		Inter.	1								Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D100 10t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
igsquare						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
$\vdash$	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1						= 00								
EXC	Is Charge	ED OTO	4 15177	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXI	First DS1 Loop Combination - Zone 1	EDSIS		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	-					
<del></del>	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	-	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						1
$\vdash$	First DS1 Loop Combination - Zone 2 First DS1 Loop Combination - Zone 3	<u> </u>		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07				-		1
$\vdash$	First DS1 Loop Combination - Zone 4	<u> </u>		UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07				-		1
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	<u> </u>	_	OITOTA	OOLA	400.40	200.00	100.40	40.10	12.01						
	Per Month			UNCSX	1L5XX	4.29										
$\vdash$	Interoffice Transport - Dedicated - STS-1 combination - Facility	<b>†</b>		2.100/1	. 20. 50	7.20								<u> </u>		
	Termination per month	1	1	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29				I		
	3/1 Channel System in combination per month	t		UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82			İ	1	İ	Ì
	DS1 COCI in combination per month	1	Ì	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1		l	1	l	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
L l	Combination - Zone 1	<u></u>	_1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<u> </u>		<u> </u>	L	<u>                                      </u>	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXI	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	SPS IN I			LIDLEC	27.44	126.53	88.85	60.68	14.64	-					
$\vdash \vdash \vdash$	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX UNCDX	UDL56 UDL56	34.55	126.53	88.85	60.68	14.64	-					
$\vdash$	4-wire 56 kbps Local Loop in combination - Zone 2	-	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						1
$\vdash$	4-wire 56 kbps Local Loop in combination - Zone 4	<u> </u>		UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64				1		
$\vdash$	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		4	UNCDA	ODESO	32.23	120.55	00.00	00.00	14.04						
	Per Mile per month			UNCDX	1L5XX	0.0098										
$\vdash$	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		0.1027	120701	0.0000										
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1												_		
oxdot	Per Mile per month	<u> </u>	<u> </u>	UNCDX	1L5XX	0.0098							ļ	L	ļ	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1	l	1									I		
$\vdash \vdash$	Facility Termination per month	<b>!</b>	<u> </u>	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11				ļ		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINODY	LINIOGG									I		
FV-	Is Charge	DANCE	OBT	UNCDX	UNCCC		5.63	5.63	7.20	7.20				<del>                                     </del>		1
EXI	TENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP		UNCVX	UEAL2	13.89	105.00	60.00	52.82	10.37			-	<del>                                     </del>	-	1
$\vdash \vdash$	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	<b>!</b>		UNCVX	UEAL2 UEAL2	13.89 18.75	105.96 105.96	68.28 68.28	52.82 52.82	10.37	-		-	<del>                                     </del>	-	1
$\vdash$	First 2-wire VG Loop (SL2) in Combination - Zone 2  First 2-wire VG Loop (SL2) in Combination - Zone 3	<del>                                     </del>		UNCVX	UEAL2	18.75 27.55	105.96	68.28	52.82	10.37	-		<b> </b>	+	<b> </b>	1
$\vdash$	First 2-wire VG Loop (SL2) in Combination - Zone 3  First 2-wire VG Loop (SL2) in Combination - Zone 4	<del>                                     </del>		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37			l	t	<del> </del>	1
$\vdash \vdash$	First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>		0.10 1 /	JLALZ	40.12	100.30	00.20	52.02	10.37			l	t	<del> </del>	1
	Mile	1	1	UNC1X	1L5XX	0.1813								I		
$\vdash$	First Interoffice Transport - Dedicated - DS1 combination -	<b>1</b>	<del>                                     </del>	0.101/	ILONA	5.1013					<b>-</b>			<b>I</b>	1	1
	Facility Termination per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				I		
		t	t e	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	<b>†</b>		1	1	1	Ì
	Per each DS1 Channelization System Per Month	1														

UNBUI	IDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
ONDO	IDEL		I		l	I						Svc Order	Svc Order	Incremental			
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			Disconnect				Rates (\$)		
igsquare								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		3/1 Channel System in combination per month	ļ		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١.			40.00	40=00		=====							
		Interoffice Transport Combination - Zone 1	<u> </u>	- 1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	ł		UNCVA	UEALZ	10.75	105.96	00.20	52.62	10.37	1			-		-
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
<del></del>		Each Additional 2-Wire VG Loop(SL2) in the same DS1	<u> </u>		OITOTA	OLITE	27.00	100.00	00.20	02.02	10.01						
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
		Each Additional Voice Grade COCI in combination - per month	1		UNCVX	1D1VG	0.5737	6.62	4.74								
		Each Additional DS1 Interoffice Channel per mile in same 3/1							-					1		1	
		Channel System per month			UNC1X	1L5XX	0.1813						1		I		I
	•	Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
E	XTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	TEROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
		First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1			1110101	UEAL4	07.47	400.07	04.50	00.00	4404						
$\vdash$		First 4-Wire Analog Voice Grade Local Loop in Combination -	<u> </u>	- 1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
		Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
-		First 4-Wire Analog Voice Grade Local Loop in Combination -	ł		UNCVA	ULAL4	30.20	132.21	34.33	00.00	14.04	1			-		-
		Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		Ŭ	ONOVA	O E / KE +	00.00	102.27	04.00	00.00	14.04	1					
		Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 - Facility															
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
$\sqcup$		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
		3/1 Channel System in combination per month	ļ		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
$\vdash$		Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
$\vdash$		Additional 4-Wire Analog Voice Grade Loop in same DS1	<u> </u>	1	UNCVX	UEAL4	21.41	132.27	94.59	80.08	14.64	-			-		-
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				I		I
$\vdash$		Additional 4-Wire Analog Voice Grade Loop in same DS1	<del>                                     </del>		0.1017	JL/1L4	30.20	102.21	34.33	00.00	17.04	<b>-</b>		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				1		1
		Additional 4-Wire Analog Voice Grade Loop in same DS1	i –	Ť			55.55	.02.27	000	55.50	54			İ	1	İ	1
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		1		I		I
		Each Additional DS1 Interoffice Channel per mile in same 3/1	İ														
		Channel System per month			UNC1X	1L5XX	0.1813										
		Each Additional DS1 Interoffice Channel Facility Termination in															
$\vdash \vdash$		same 3/1 Channel System per month	ļ		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				ļ	ļ	1
$\longmapsto$		Additional Voice Grade COCI - in combination - per month	<u> </u>		UNCVX	1D1VG	0.5737	6.62	4.74								ļ
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	LINIOOO		F	F 00	7.00	7.00		1		I		I
<del>                                     </del>	VTCV	Is Charge	INTERS	EELOE	UNC1X	UNCCC		5.63	5.63	7.20	7.20	-		-	<del>                                     </del>	-	<del>                                     </del>
┝──╬	: A I EN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	PFICE	TRANSPORT W/ 3/1	IWUX				1					<del>                                     </del>		<del>                                     </del>
		Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		1		I		I
$\vdash$		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>		CINCDA	UDLUG	21.44	120.03	00.00	80.08	14.04		-	<del> </del>	+	<del> </del>	<del>                                     </del>
		Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				1		1
$\vdash$		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>		0.1007	JULJU	34.55	120.00	00.00	00.06	14.04	<b>-</b>		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
		Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64				1		1
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	t	Ť			.5 0	.20.00	33.30	55.56	54			İ	1	İ	1
		Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		I	1	1	1	1

UNBU	NDLE	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
CITE		THE THORK ELEMENTO IMPOSICO.	1									Svc Order	Svc Order	Incremental		Incremental	
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 101	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 - combination			LINIOAV		54.70	00.70	00.00	40.00	44.00						1
		Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
-		Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<u> </u>		UNC1X UNCDX	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10.87 0.00	10.10 0.00						
		3/1 Channel System in combination per month	-		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	-					<del></del>
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				1		
-		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00				1		<del></del>
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	<u> </u>	ONODA	ODLOO	27.44	120.00	00.00	00.00	14.04	1					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						1
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1813										
		Each Additional DS1 Interoffice Channel Facility Termination in															1
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		11041/	111000		5.00	5.00	7.00	7.00						1
	EVTEN	ls Charge DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITEDO	FFICE	UNC1X	UNCCC	-	5.63	5.63	7.20	7.20						
-	EXIEN	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT W/ 3/T	WIUX						-					<del></del>
		Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						1
-		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODA	ODLO4	21.44	120.55	00.00	00.00	14.04				1		<del></del>
		Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			O. CODA	02201	0 1.00	120.00	00.00	00.00							
		Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
L	ļ	Per each Channel System 1/0 in combination Per Month	ļ		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				ļ		
	1	Per each OCU-DP COCI (data) in combination - per month (2.4-				4B 4B=											[
		64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
-		Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						( l
-		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	1	UNCDX	UDL64	21.44	120.53	88.83	80.08	14.64	-					<del></del>
1	1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		1				[
<b>-</b>		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<b>-</b>		011007	ODLOT	54.55	120.33	00.00	00.00	17.04		<b> </b>		<b> </b>		$\vdash$
1	1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		1				[
	l	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<b>†</b>	Ť			.5.70	.20.00	22.00	55.00	0-1				i		
1	1	Interoffice Transport Combination - Zone 4	1	4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		1				[
	1	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1		_		1		22.30	22.20				l	İ		
	1	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						[ ]
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1				† <u> </u>							l	İ		
1	1	Channel System per month	1		UNC1X	1L5XX	0.1813						1				[
		Each Additional DS1 Interoffice Channel Facility Termination in															
	<u> </u>	same 3/1 Channel System per month	<u></u>		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	<u></u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
_				_									•				

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	ibit: A
ONDONDE		1	1								Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonred			Disconnect				Rates (\$)	_	
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	ļ		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						<b></b>
EXIE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI W/ 3/	I MUX						-		-					
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
<del> </del>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<b>+</b>	<u> </u>	UNCINA	UTLZA	21.01	117.01	19.92	32.02	10.37						-
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		OTTOTAL	OTLEX	27.00	117.01	70.02	02.02	10.07						<del> </del>
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	t	Ť	- 2	1	201			52.02	. 3.01	İ		İ	1	İ	
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	İ													
	Mile per month		<u> </u>	UNC1X	1L5XX	0.1813		<u> </u>							<u></u>	
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						ļ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINICALV	1141.07	04.04	447.04	70.00	50.00	40.07						
	Combination - Zone 1	1	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	-					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
<del> </del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>+</b>		UNCINA	UTLZA	21.35	117.01	19.92	32.02	10.37						-
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<del>-</del>	OTTOTAL	OTLEX	07.04	117.01	70.02	02.02	10.07						<del> </del>
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			0.10.0.	U I LLIX	00.10		70.02	02.02	10.07						
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	ĺ													
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
1	Nonrecurring Currently Combined Network Elements Switch -As	1	1	l	1		_	_	I _	_		1		I		
	Is Charge	<u> </u>	L	UNC1X	UNCCC		5.63	5.63	7.20	7.20				-		<b></b>
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	LIKANS			HELVY	70.00	050.00	450.45	40.40	40.07		-	-	1	-	1
$\vdash$	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	1		UNC1X UNC1X	USLXX	79.08 129.38	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07	-			<del>                                     </del>	-	<del>                                     </del>
$\vdash$	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2  First 4-wire DS1 Digital Looal Loop in Combination - Zone 3	1		UNC1X UNC1X	USLXX	129.38 206.74	253.93	158.45 158.45	46.10 46.10	12.07	-			<del>                                     </del>	-	<del>                                     </del>
$\vdash$	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3  First 4-wire DS1 Digital Looal Loop in Combination - Zone 4	<del>                                     </del>		UNC1X	USLXX	458.46	253.93	158.45		12.07	-	<b> </b>		+		<del>                                     </del>
<del>                                     </del>	First 14-wire DST Digital Ecoal Loop in Combination - Zone 4  First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	4	ONCIA	USLAA	430.40	200.93	100.45	40.10	12.07			l	t	<b>l</b>	<del>                                     </del>
	Mile Per Month		1	UNC1X	1L5XX	0.1813			I			1		I		
	First Interoffice Transport - Dedicated - DS1 combination -	1			.20.00	3.1010			<u> </u>					<u> </u>		
	Facility Termination Per Month		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1		I		
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82			İ	1	İ	
	Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month	<u> </u>	L	UNC1X	1L5XX	0.1813			<u> </u>		<u></u>	<u></u>	<u> </u>	L	<u></u>	
	Each Additional DS1 Interoffice Channel Facility Termination in															
$oxed{oxed}$	same 3/1 Channel System per month	1		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						ļ
	Each Additional DS1 COCI in the same 3/1 channel system			l <b>.</b>	[ <u>.</u> ]				1					1		
<b></b>	combination per month		<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<b>_</b>
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.			=0		4=0 :-						1		
	[1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	l	l		1		1

CATEGORY   RATE ELEMENTS   Index   Zum   BGS	IBUNDI FD I	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	nit: A
ATTECONY  RATE ELEMENTS    Brief   Drive   BCS   USC   BATE				l			I					Svc Order	Svc Order				Incremental
APPLICATION   PATE DE MEMBER 5   Base   Ba	1		1	1													Charge -
CATEGORY   RATE ELEMENTS   Image: Some   S																•	•
Recommendation	TECORY	DATE ELEMENTO	Interi	7000	DCC.	LISOC			DATES (\$)								Manual Svc
Notice   Print   Add   Discourting   Disco	TEGORT	KATE ELEMENTS	m	Zone	BUS	0500			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Additional AlWin DST Digital Local Loop in Combination - Zero   2														Electronic-	Electronic-	Electronic-	Electronic-
Additional 4-Ville DET Digital Lose Loop in Cembratian - Zere   2 NNTIX   USUXX   172:35   255:33   156:45   46:10   12:07														1st	Add'l	Disc 1st	Disc Add'l
Additional 4-Ville DET Digital Lose Loop in Cembratian - Zere   2 NNTIX   USUXX   172:35   255:33   156:45   46:10   12:07															L		
Addressed 4-Wite DSI Digital Local Lope in Cerebration - Zone 2   Junction							Rec										
2   SHCTIVE AND STREET TOP TO CONTRICT OF THE STREET TOP TO CONTRICT OF THE STREET TO STREET T							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional 4-Wine DST Digital Local Loop in Contribution - Zone   4 UNCTX	Ac	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone															
S	2			2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
Additional 4-Wire DST Digital Local Loop on Contribution - Zeron   4 UNCTY   USUAY   458-66   253-55   156-65   46.10   12.07	Ac	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone															
A	3			3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
Norsecuring Currently Correlate Reviews (5 author) - 6     NCCV   NCCC   S. 635   S. 55   7.20   7.20	Ac	dditional 4-Wire DS1 Digital Local Loop in Combination - Zone															
INCIDENT   UNICO   S.63   C.20   T.20   T.20	4			4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
Extraction of white 5 kepts (and page in proteinmant - Zims 1   10xCDX   155.66   27.44   176.55   68.86   60.68   14.64	No	onrecurring Currently Combined Network Elements Switch -As-															
First 4 wre 64 bigs Local Loop in combination - Zeno 1	Is	Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
First 4-wise 58 kbys Local Loop in combination - Zone 2   2 (MCDX UDL56   34.55   726.53   88.65   60.88   14.64	EXTENDE	ED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
First 4-wise 58 kbys Local Loop in combination - Zone 2   2 (MCDX UDL56   34.55   726.53   88.65   60.88   14.64	Fi	irst 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
First 4-wee 68 kbyps Local Loop in combination - Zone 3   JUKCOX   UDLS6   32,76   126,53   88.65   60.68   14,644				2	UNCDX						14.64						
First 4-wire 95 Klyps Local Loop in combination - Zone 4   4   UNCDX   U.D.56   32.26   126.53   88.85   60.66   14.64																	
First 4-wires 65 kips Interoffice Transport - Dedicated - Facility   Lincold   Linco																	
Per morth				<u> </u>	0.1027	02200	02.20	120.00	00.00	00.00	1 1.01		1				
First 4-wwe 5k byte Interoffice Transport - Dedicated - Facility   UNCDX   UTIDE   22.52   40.78   27.57   17.66   7.11		·			LINCDX	11 5XX	0 0000										
Termination per month   UNCDX   UTDS   22.52   40.78   27.57   17.26   7.11				<del>                                     </del>	OITODA	ILUAA	0.0080	<b> </b>	<b> </b>	1	1	<del> </del>	<del>                                     </del>		<u> </u>		
Nonrecurring Currently Combined Network Elements Switch As   UNCCC   5.63   5.53   7.20   7.20					LINCDY	LIATOS	22.52	40.79	27.57	17.26	7 11						
Scharge				1	UNCDA	01103	22.32	40.76	21.31	17.20	7.11	-					
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT   INJECT.   INJEC					LINCDY	LINICCO		F 00	F 00	7.00	7.00						
First 4-wire 64 kbps Local Loop in combination - Zone 1						UNCCC		5.03	5.03	7.20	7.20						
First 4-wire 64 kbps Local Loop in combination - Zone 3			NIERO					100 =0									
First 4-wire 64 kbps Local Loop in combination - Zone 3   3 UNCDX   UDL64   40.76   126.53   888.85   60.88   14.64																	
First 4-wire 64 kbps Local Loop in combination - 20ne 4				-													
First I-wive 68 kbps Interofice Transport - Dedicated - Per Mile   UNCDX 1L5XX 0.0098   Prior month   First I-wive 64 kbps Interofice Transport - Dedicated - Facility   UNCDX U1TD6 22.52 40.78 27.57 17.28 7.11   Prior Internation per month   UNCDX U1TD6 22.52 40.78 27.57 17.28 7.11   Prior Internation per month   UNCDX U																	
Der month				4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility   UNCDX	Fi	irst I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
Termination per month					UNCDX	1L5XX	0.0098										
Nonrecurring Currently Combined Network Elements Switch -As-   Scharge	Fi	irst 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
Is Charge	Te	ermination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
ADDITIONAL NETWORK ELEMENTS   When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.	No	onrecurring Currently Combined Network Elements Switch -As-															
When used as a part of a currently combined facility, the non-recurring charges ado not apply, but a Switch As is charge does apply.	Is	Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
When used as ordinarily combined Network Elements in All States, the non-recurring charges apply and the Switch As is Charge does not.	DITIONAL NET	TWORK ELEMENTS									Î						
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)	When use	ed as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a Sv	witch As Is cl	harge does ap	ply.			Î						
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)   Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG	When use	ed as ordinarily combined network elements in All States, the	he non-	recurri	ng charges apply an	nd the Switch	As Is Charge	does not.									
Nonrecurring Currently Combined Network Elements Switch -As-   Is Charge - 2 wire/4-Wire VG																	
Is Charge - 2 wire/4-Wire VG						<u> </u>						İ	l		İ		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			1	1	UNCVX	UNCCC		5,63	5.63	7.20	7.20	l	1		l		
Is Charge - 56/64 kbps								2.00	2.00	20	1.20	İ			İ		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1					UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Is Charge - DS1				t				5.50	5.50		20				<b>i</b>		
Nonrecurring Currently Combined Network Elements Switch -As-   Is Charge - DS3		9 ,	1	1	UNC1X	UNCCC		5.63	5.63	7 20	7 20	l	1		l		
Is Charge - DS3			<b>—</b>	t	5OIA	511000		5.03	5.05	1.20	7.20	<del>                                     </del>	<b> </b>		<b>†</b>		
Nonrecurring Currently Combined Network Elements Switch -As-   UNCCC   5.63   5.63   7.20   7.20			1	1	LINC3X	LINCCC		5.62	5.62	7 20	7 20	1	1				
Is Charge - \$TS1				<del>                                     </del>	014037	UNCCC		5.65	5.03	1.20	1.20	<del>                                     </del>	l		<del> </del>		
Optional Features & Functions:			1	1	LINICGY	LINICCC		5.60	5.60	7 20	7 20	l	1		1		
Clear Channel Capability Extended Frame Option - per DS1			<b>—</b>	+	OINOOA	UNCCC		5.03	5.03	1.20	1.20	-	-				
Clear Channel Capability Extended Frame Option - per DS1	Optional	reatures & Functions:		<del>                                     </del>	LIATDA	<del> </del>			-	1	<del>                                     </del>	<del>                                     </del>	-		<del>                                     </del>		
Clear Channel Capability Super FrameOption - per DS1		loor Channel Canability Estanded France Ontice DO4				CCOFF		OI.	OI.	OI.	OI.						
Clear Channel Capability Super FrameOption - per DS1	CI	iear Channel Capability Extended Frame Option - per DS1	- 1	-		CCOEF		UI	UI	UI	UI	<del>                                     </del>			<del>                                     </del>		
Clear Channel Capability (SF/ESF) Option - Subsequent   ULDD1, U1TD1, UNC1X, USL NRCCC   184.6S   23.78S   1.96S   0.76S		land Channel Comphility Company From Continuous DC 1				00005		OI.	OI.	OI.	OI.						
Activity - per DS1				1		CCOSF	-	UI	UI	UI	UI		ļ		<b>.</b>		
C-bit Parity Option - Subsequent Activity - per DS3   UE3, UNC3X   NRCC3   218.72S   7.66S   .7201S   0S			١.	1		Lunas -					. ===	1	1				
C-bit Parity Option - Subsequent Activity - per DS3 i UE3, UNC3X NRCC3 218.72S 7.66S .7201S 0S   MULTIPLEXERS   UNC1X MQ1 102.85 91.57 62.94 10.87 10.10   OCU-DP COCI (data) - DS1 to DS0 Channel System - per   UNC1X MQ1 102.85 91.57 62.94 10.87 10.10   OCU-DP COCI (data) - DS1 to DS0 Channel System - per   UNC1X MQ1 102.85 91.57 62.94 10.87 10.10   OCU-DP COCI (data) - DS1 to DS0 Channel System - per   UNC1X MQ1 102.85 91.57 62.94 10.87 10.10   OCU-DP COCI (data) - DS1 to DS0 Channel System - per   UNC1X MQ1 102.85 91.57 62.94 10.87 10.10   OCU-DP COCI (data) - DS1 to DS0 Channel System - per   UNC1X MQ1 102.85 91.57 62.94 10.87 10.10   OCU-DP COCI (data) - DS1 to DS0 Channel System - per   OCU-DP COCI (data) - DS1	Ac	ctivity - per DS1		<u> </u>		NRCCC		184.6S	23.78S	1.96S	0.76S	ļ	ļ				
MULTIPLEXERS																	
DS1 to DS0 Channel System per month			i		UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per																	
					UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
				1					l				l				
	m	nonth (2.4-64kbs) used for a Local Loop	l	1	UDL	1D1DD	1.22	6.62	4.74			I	1		1		

UNRU	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
0.120	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TETTORIC ELEMENTO IMOGIOSIPPI										Svc Order	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	curring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	I.	I.
						†	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2.62	0.00	4.74								
	1	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDIN	UCTCA	2.02	6.62	4.74								
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
<b> </b>	<del>                                     </del>	DS3 to DS1 Channel System per month	-	<u> </u>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	-	-				
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	t	DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74	330	02.02						
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.96	6.62	4.74								
UNRUN	NDI ED I	OCAL EXCHANGE SWITCHING(PORTS)			OLDD1	OCIDI	12.96	0.02	4.74								
ONDO		ige Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, tl	he desired feature	s will need to b	e ordered usin	g retail USOCs	6								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
		Fush and a Route Colline Application Boot with College ID. Boo			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
-	-	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	1	Plan without Caller ID  2-Wire voice unbundled Low Usage Line Port without Caller ID		-	UEPSK	UEPVVJ	1.41	2.39	2.29	1.42	1.33						
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU	RES															
	- 15	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
-	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)	-			-											
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						
<b>-</b>	<del>                                     </del>	Exchange Ports - 2-Wire VG unbundled Line Port with			021 00	OLI BL	1.41	2.39	2.29	1.42	1.33	<del>                                     </del>					
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
			ĺ														
	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local			LIEDOD	LIED.											
-	1	dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with	-		UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33	1	-				
		Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
	t e	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan			02	52. 5.	11	2.00	2.23	1.72	1.55	l					
	<u> </u>	without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33	<u></u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
		2-Wire voice unbundled Incoming Only Port without Caller ID															
	<u> </u>	Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						
<b>—</b>	FEATU	Subsequent Activity	-		UEPSB	USASC	0.00	0.00	0.00			1	-				
-	PEATU	All Available Vertical Features	-		UEPSB	UEPVF	2.56	0.00	0.00			1					
		7 III 7 Wallabio Voltical I Catales		<u> </u>	OL: 0D	OLI VI	2.30	0.00	0.00			L	L	l	i	l	l

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												l .	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (DID & PBX)															igsquare
	ļ	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92	ļ					
	ļ	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-		UEPSP UEPSP	UEPPC UEPPO	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92	1					
-	1	2-Wire VG Line Side Unbundled Uncoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
	1	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	i e	1				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	ļ	2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ		UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						
-	ļ	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92	ļ					
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						1
-	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			021 01	OLI AL	1.41	01.40	14.50	14.00	0.02						
		Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXIVI	1.41	31.45	14.93	14.38	0.92						
		Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	<u> </u>	Calling Port 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						<b>—</b>
		Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						1
		2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
		Subsequent Activity	ļ		UEPSP	USASC	0.00	0.00	0.00								$\vdash$
	FEATU	All Available Vertical Features	-		UEPSP UEPSE	UEPVF	2.56	0.00	0.00				-				<del>                                     </del>
	EXCHA	NGE PORT RATES (COIN)			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
	LXCIIA	Exchange Ports - Coin Port	1				1.41	2.39	2.29	1.42	1.33						
	NOTE:	Transmission/usage charges associated with POTS circuit st	witched	usage	will also apply to c	ircuit switche						iated with 2	-wire ISDN p	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES				<u> </u>	<u> </u>				L.,			L	L		
		t1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											riff rates or	a separate ag	reement.		<del>                                     </del>
	Reques	Exchange Ports - 2-Wire DID Port	arter trie	eneci	UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						<del>                                     </del>
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLI I Z	0.20	120.00	10.00	01.77	0.00	i e	1				
		capability (E:4/1/2004)			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						ĺ
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		L.,			L			
		Transmission/usage charges associated with POTS circuit s													Deminer Des		-
<b> </b>		Access to B Channel or D Channel Packet capabilities will be NGE PORT RATES (continued)	e avaiiai	ore only	y unougn BFK/NeW	Dusiness Re	quest rrocess.	rates for the	раскег сарабі	nues will be de	remmed via t	ne bona Fi	ue request/	NEW DUSINESS	s Request Pro		<del></del>
<b></b>	LACITA	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	<b>†</b>	<b>†</b>		+						1	<del>                                     </del>				<b>—</b>
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
		Virtual Collocation - Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						[
	Detaile	d E911 with Locator Capability (required with UEPEX port)	<b>†</b>	<b>†</b>	OLFLA UEFDA	OINCIA	1.14	22.10	10.02	0.00	5.97		<del>                                     </del>				<b>—</b>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per			l	l											
<u> </u>	<u> </u>	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>	<del>                                     </del>	UEPEX	UEP1A	0.00	1,814.00		156.15		ļ	-				<del>                                     </del>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,															1
		Deletions			UEPEX	UEP1B	0.00	176.15									1
	New or	Additional PRI Telephone Numbers	1			1	2.00								İ		

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A								
												Svc Order	Svc Order	Incremental		Incremental	Incremental								
												Submitted	Submitted		Charge -	Charge -	Charge -								
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc								
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.								
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-								
														1st	Add'l	Disc 1st	Disc Add'l								
							_	Nonred	urrina	Nonrecurring	Disconnect	t		oss	Rates (\$)										
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911																							
		Locator Capability 2-way Telephone Numbers, per number in																							
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49																	
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911																							
		Locator Capability - Outdial Telephone Numbers, per number in																							
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58																
	1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward		1																					
		Telephone Numbers - Inward Data Only Option [New or																							
		Additional]			UEPDX	UEP1E	0.00	0.49																	
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]												Î		Î									
L	<u> </u>	Inward Tel Numbers [Customer Testing Purposes]	<u></u>	L	UEPEX	PR7ZT	0.00	23.15	23.15		<u> </u>	<u> </u>			<u> </u>										
	LOCAL	NUMBER PORTABILITY																							
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75																		
	INTER	ACE (Provsioning Only)																							
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00																
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00																
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00																
	New or	Additional Channel																							
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61																	
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61																	
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61																	
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61																	
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61																	
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61																	
	CALL																								
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00																
		Outward			UEPEX	PR7CO	0.00	0.00	0.00																
		Two-way	ļ		UEPEX	PR7CC	0.00	0.00	0.00																
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY																							
-	UNBU	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																							
-	1	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33	1													
		Haland Hali Danista Call Francis Kan Can San Land Call and Danis a			LIED) (D	LIEDI O		0.00	0.00	4 40	4.00														
-	1	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33	1													
	-	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	-		UEPVR UEPVR	UERTE	1.41 1.41	2.39	2.29	1.42 1.42	1.33 1.33	-													
-	Non D				UEPVR	UERIR	1.41	2.39	2.29	1.42	1.33	-													
-	Non-Re	Unbundled Remote Call Forwarding Service - Conversion -										<b> </b>													
		Switch-as-is			UEPVR	USAC2		0.0988	0.0988						1										
-	+	Unbundled Remote Call Forwarding Service - Conversion with	-	<del>                                     </del>	OLI VIX	USAUZ		0.0900	0.0300			<b> </b>	<b>-</b>		+										
		allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988						1										
<b>—</b>	UNBUN	IDLED REMOTE CALL FORWARDING - Bus		<del>                                     </del>	OLI VIX	COACC		0.0300	0.0300						<b>+</b>										
	OI4DO.	DEED KEMOTE GALET OKWAKBING BUS										1													
1		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33	1	1		I										
	1			1	- "			2.55	2.20	2	50	1		<b>i</b>	<b>†</b>	<b>i</b>									
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33				1										
	1	Unbundled Remote Call Forwarding Service, InterLATA - Bus		i -	UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33			İ	t	İ									
	1	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33														
	1	Unbundled Remote Call Forwarding Service Expanded and		1										ĺ		ĺ									
1		Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33	1	1		I										
	Non-Re	ecurring		i –				-	-			İ		1		1									
		Unbundled Remote Call Forwarding Service - Conversion -																							
L		Switch-as-is		<u>L</u>	UEPVB	USAC2	<u> </u>	0.0988	0.0988	<u>                                       </u>															
L	<u> </u>	allowed change (PIC and LPIC)	<u></u>	L	UEPVB	USACC		0.0988	0.0988		<u> </u>	<u> </u>			<u> </u>										
UNBU		OCAL SWITCHING, PORT USAGE																							
	End Of	fice Switching (Port Usage)																							
		End Office Switching Function, Per MOU					0.0010269																		
		End Office Trunk Port - Shared, Per MOU					0.000161																		
	Tander	n Switching (Port Usage) (Local or Access Tandem)																							

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBL		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC a															
		es shall apply to the Unbundled Port/Loop Combination - Cos											L	L			
		fice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	ed Combos. For Cur	rently Combi	ined Combos th	ne nonrecurrin	g charges sha	II be those ider	ntified in the N	Ionrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	<u> </u>	-								ļ			ļ		-
	UNE P	ort/Loop Combination Rates															
	+	2-Wire VG Loop/Port Combo - Zone 1	<b>!</b>	1		-	12.22					-					-
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE L	oop Rates		<u> </u>	UEDDV	LIEBLY.	10.00										
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		_	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)	-	-	LIEDDY	LIEDDI	4.00	40.04	40.04	04.00	0.50	1					
	+	2-Wire voice unbundled port - residence	-	-	UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
-	-	2-Wire voice unbundled port with Caller ID - res	-	-	UEPRX UEPRX	UEPRC UEPRO	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	-					
	+	2-Wire voice unbundled port outgoing only - res     2-Wire voice Grade unbundled Mississippi extended local	-	-	UEPRX	UEPRU	1.23	40.31	19.84	24.90	6.58						
					HEDDY	UEPAT	4.00	40.31	19.84	24.90	0.50						
-	-	dialing parity port with Caller ID - res	-	-	UEPRX	UEPAI	1.23	40.31	19.84	24.90	6.58	-					
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
-	+	2-Wire Voice Unbundled Mississippi Residence Dialing Plan	-	-	UEFRA	UEFAF	1.23	40.31	19.04	24.90	0.36	ł	-				-
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire voice unbundled Low Usage Line Port without Caller ID	-		UEPRA	UEPWJ	1.23	40.31	19.04	24.90	0.36	<b> </b>					
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU				ULFIX	OLFKI	1.23	40.31	15.04	24.50	0.30				1		
	ILAIC	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00			<b>†</b>					
	LOCAL	NUMBER PORTABILITY			OLITON	OLI VI	2.00	0.00	0.00			<b>†</b>					
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					1					<b>†</b>
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI TOX	LIVI OX	0.00					1					1
	1101111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				İ						İ					
		Switch-as-is			UEPRX	USAC2		0.0988	0.0988								
	<b>†</b>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										i e					
		Switch with change			UEPRX	USACC		0.0988	0.0988								
	<b>†</b>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										i e					
		Subsequent Database Update	1					0.00	0.00				1				I
	ADDIT	IONAL NRCs			1	1								ĺ			
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	İ														
		Activity	1		UEPRX	USAS2	0.00	0.00	0.00				1				I
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			1	1						1		ĺ			
		Premise			UEPRX	URETL		8.33	0.83								1
	OFF/O	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
CHECHEL				I							Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		-				1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		L
h + + -						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37	JOINLE	JOINAIN	JONIAN	JOWAN	JONIAN	JOWAN
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			HEDDY	11477.014	0.0000	0.00	0.00								
2.WID	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	U1TVM	0.0088	0.00	0.00								
LINE P	Port/Loop Combination Rates															$\vdash$
OILE !	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										_
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13							İ	İ	İ	
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
UNE L	oop Rates							· · · · · ·								
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	10.98										igsquare
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
-	2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4	-	3	UEPBX UEPBX	UEPLX	25.04 43.68						-				
2-Wire	voice Grade Line Port (Bus)		4	UEPBA	UEPLA	43.00						1				<del>                                     </del>
2-1111	2-Wire voice unbundled port without Caller ID - bus	1		UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
	2-Wire voice unbundled incoming only port with Caller ID - Bus	ļ		UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan			LIEDDY	LIEDWIK	4.00	40.24	40.04	24.00	0.50						
	without Caller ID  2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
	Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
LOCA	L NUMBER PORTABILITY			02. 5%	02. 52	1120	.0.01		200	0.00						
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	JRES															
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	USAC2		0.0000	0.0000								
-	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	1	UEPBX	USAC2		0.0988	0.0988				-				
	Switch with change			UEPBX	USACC		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02. 5/	00/100		0.0000	0.0000								
	Subsequent Database Update						0.00	0.00								
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1		l				_								ı 7
$\vdash$	Activity	-	-	UEPBX	USAS2		0.00	0.00	1							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEPBX	URETL		8.33	0.83								
OFF/O	DN PREMISES EXTENSION CHANNELS	1	<del>                                     </del>	OLFBA	UNLIL		0.33	0.63	+		<del>                                     </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
01170	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25			1	1	1	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25						
$\vdash$	2 Wire Analog Voice Grade Extension Loop – Design	ļ	1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37						ļ
$\vdash$	2 Wire Analog Voice Grade Extension Loop – Design	-	2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37 10.37	-	-				<del>                                     </del>
<del>                                     </del>	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	1		UEPBX UEPBX	UEAED UEAED	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37	1	1				<del>                                     </del>
INTER	OFFICE TRANSPORT	<del>                                     </del>	+ -	OLI DA	ULALD	40.72	105.50	00.20	52.02	10.37	<del>                                     </del>	<del>                                     </del>	1	<b> </b>	<b> </b>	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>†</b>														
L	Termination	<u> </u>	L	UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11	<u> </u>			<u> </u>	<u> </u>	<u>                                       </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	<u> </u>		UEPBX	U1TVM	0.0088	0.00	0.00					ļ	ļ	ļ	
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<u> </u>												l	l	

NBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17						
LOC/	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.00	0.00								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination			UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination			UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
$-\!\!\!\!+\!\!\!\!\!-$	Termination	ļ		UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11	ļ					ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0088	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates	<u> </u>			_	40.00					1			ļ		
	2-Wire VG Loop/Port Combo - Zone 1	<b>_</b>	1			12.22					-					
$-\!\!\!\!\!+\!\!\!\!\!\!-$	2-Wire VG Loop/Port Combo - Zone 2	<b>!</b>	2	<b></b>		17.13					<u> </u>	-	<b> </b>	ļ	<b> </b>	<b>_</b>
$-\!\!\!\!\!+\!\!\!\!\!-$	2-Wire VG Loop/Port Combo - Zone 3	<b>!</b>	3	<b></b>	_	26.26					<u> </u>	-	<b> </b>	ļ	<b> </b>	<b>_</b>
1000	2-Wire VG Loop/Port Combo - Zone 4	<b>!</b>	4	<del>                                     </del>		44.91					<b>}</b>	<del>                                     </del>	<b> </b>	1	-	<b> </b>
UNE	Loop Rates	<b>!</b>	1	UEPPX	UEPLX	10.98					<b>}</b>	<del>                                     </del>	<b> </b>	1	-	<b> </b>
$-\!+\!-$	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPPX							-			-		-
-+-	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPPX	UEPLX UEPLX	15.91					1	<u> </u>		-		<b>-</b>
-+-	2-Wire Voice Grade Loop (SL 1) - Zone 3	-				25.04 43.68					1	<u> </u>		-		<b>-</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 4	-	4	UEPPX	UEPLX	43.68					1	<u> </u>		-		<b>-</b>
0.147		I		<del>                                     </del>							<del> </del>	1	-	1	-	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	1									1					1
2-Wir				LIEDDY	LIEDDO	1 00	60.07	20.40	27.00	6 47						
2-Wir	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17						
2-Wir	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17						
2-Wir	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus															

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVAA	4.00	00.07	00.40	07.00	0.47						
		Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17				1		
<b>—</b>		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		<u> </u>	UEFFA	UEPAU	1.23	69.37	3∠.48	37.86	0.17			-	<del></del>		
		Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17				1		
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		<del>                                     </del>	OLIFA	ULFAQ	1.23	09.37	32.40	31.00	0.17	<del>                                     </del>	<b>-</b>		+		
		Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17	1					
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17	1					
	LOCAL	NUMBER PORTABILITY				0 1 1					***						
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered		1	UEPPX	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
_	ADDIT	Subsequent Database Update						0.00	0.00								
	ADDIT	ONAL NRCs				1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			ULFFX	USASZ	0.00	0.00	0.00			1		1			
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1				7.00	7.00	1							
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								47.00							
		Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0000	0.00	0.00								
	2 WIDE	or Fraction Mile  VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	) T		UEPPX	U1TVM	0.0088	0.00	0.00			-					
		ort/Loop Combination Rates	K I			+						-			-		
	ONL F	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	17.13			1			<del>                                     </del>		<b>-</b>		
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26								<u> </u>		
		2-Wire VG Coin Port/Loop Combo – Zone 4		4		1	44.91			1	l		1	İ	1	İ	
	UNE L	pop Rates		i –										1		1	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
	2-Wire	Voice Grade Line Ports (COIN)								ļ							
		2-Wire Coin 2-Way without Operator Screening and without													I		
		Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58				L		

CATEGORY RATE ELEMENTS BCS USOC RATES (\$)  Svc Order Submitted Submitted Charge - Ch	UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
ATECHORY  RATE ELEMENTS  National Management of the company of the	ONDO	NULL											Svc Order	Svc Order				
## CATE OF PRICE   Section																		
A   Color				Interi														
Blackmont   Blac	CATE	SORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
Note															Electronic-	Electronic-	Electronic-	Electronic-
Company   Comp															1st	Add'l	Disc 1st	Disc Add'l
Company   Comp	-	1			<u> </u>		+		Nonrec	rurring	Nonrecurring	Disconnect			OSS	Rates (\$)	l	
Public Cont - 2016/ps where Character's Screening and Windows (PPC)   1.20   40.51   19.84   24.00   6.66		-						Rec					SOMEC	SOMAN			SOMAN	SOMAN
Blocking with Delining Parts (New 2) (AP)   CEPO   CEPAC   1.23   40.31   19.84   24.90   6.98			2-Wire Coin 2-Way without Operator Screening and without															
BOSSETS 1-000 AL, PY, LA, MS    UPPO   UPPA   1-23   40-31   19-84   24-50   6-56			Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						<u> </u>
BODDYST. 1-DOD: with Disting Patry (MS)   URPCO   USPNA   1.22   40.31   13.84   24.00   6.56			900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
ALL LA MS    ALL LA MS    ALL CODE 2-Vitry with Operator Screening and 011 Blocking.   LEPCO			900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
2.WW Cn 2 x XW yes (Depreted Screening and OT 18 (Colong)   UEPCO UEP/AB   1,20						LIEBOO	LIEDDD	4.00	40.04	10.04	04.00	0.50						ĺ
With Disting Party (NS)	<u> </u>	-			-	UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						<del></del>
S0007R, 1-00D, 011-1, at Local (AL, KY, LÁ, MS)			with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
++DDD, O1+, Load, with Daling Pariny (MS)   UEPCO   UEPCI   1.23   40.31   19.84   24.90   6.58			900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
Screening (NY, LA, MS)			1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						
Screening, With Dailing Parky (MS)						UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						<u> </u>
SAVING COIN Outward with Operator Screening and OTI Blocking (G.K.Y. MS)						UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
Evidence Conclusion with Operator Screening and 011   UEPCO UEPMD 1.23   40.31   19.84   24.90   6.58			2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEPCO	UFPR.I	1 23	40.31	19.84	24 90							
2-Wire Coin Outward with Operator Screening and Blocking: 011-000076; 14-DOD, Key LA, MS, D. (1997)   UEPCO   UEPCN   1.23   40.31   19.84   24.90   6.58			2-Wire Coin Outward with Operator Screening and 011															
2-Wire Coin Outward Operator Screening & Blocking; 90/976;   UEPCO   UEPCN   1,23   40,31   19,84   24,90   6,58			2-Wire Coin Outward with Operator Screening and Blocking:															
1+DDD, 011+, and Local (AL, KY, LA, NŠ)	-					UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						<del>                                     </del>
O11-s, and Local; with Daling Parity (NS)			1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
2-Wire 2-Wig Smartline with 900976 (all states except LA)						UEPCO	UEPCS	1 23	40.31	19 84	24 90	6.58						ĺ
ADDITIONAL UNE COIN PORT/LOOP (RC)																		
ADDITIONAL UNE COIN PORTLOOP (RC)						LIEBCO	LIEDOR	1 22	40.24	10.94	24.00	6.59						
UNE Coin Port/Loop Combo Usage (Fila Rate)   UEPCO   URECU   4.62   0.00   0.	-	ADDITI				UEPCO	UEPCK	1.23	40.31	19.04	24.90	6.36						<del>                                     </del>
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTABILITY   DEPORT   LOCAL NUMBER PORTABILITY   DEPORT   LOCAL NUMBER PORTABILITY   DEP		ADDITI			1	UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						<u> </u>
NONRECURRING CHARGES - CURRENTLY COMBINED		LOCAL																
2-Wire Voice Grade Loop / Line Port Combination - Conversion   UEPCO			Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
Switch-as-is		NONRE																
Switch with change						UEPCO	USAC2		0.0988	0.0988								
ADDITIONAL NRCS																		
2-Wire Voice Grade Loop/Line Port Combination - Subsequent   Activity   UEPCO   USAS2   0.00   0.0		ADDIT				UEPCO	USACC		0.0988	0.0988								<b>——</b>
Activity		AUUIII		-	<del>                                     </del>		+							-				<del></del>
Unbundled Miscellaneous Rate Element, Tag Loop at End User						UEPCO	USAS2		0.00	0.00								1
2-Wire Voice Grade Loop (Sub) - Zone 1   1   UEPFR   UECF2   13.89     2-Wire Voice Grade Loop (SL2) - Zone 2   2   UEPFR   UECF2   27.55   2-Wire Voice Grade Loop (SL2) - Zone 3   3   UEPFR   UECF2   45.72   2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire Voice Grade Loop (SL2) - Zone 4   UEPFR   UECF2   45.72   -2-Wire V			Unbundled Miscellaneous Rate Element, Tag Loop at End User		1									1				
UNE Port/Loop Combination Rates	<u> </u>	0.15=			1		URETL		8.33	0.83				1				
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-			LINE I	PORT (	KES)							-	<del>                                     </del>				<del></del>
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2   2   20.02	-	JINE PO			1			15 16					-					<del>                                     </del>
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3   3   28.82		t -											<b>†</b>					<b> </b>
2-Wire VG Loop/I/O Tranport/Port Combo - Zone 4															İ			
2-Wire Voice Grade Loop (SL2) - Zone 1			2-Wire VG Loop/IO Tranport/Port Combo - Zone 4															
2-Wire Voice Grade Loop (SL2) - Zone 2   2   UEPFR   UECF2   18.75		UNE L																
2-Wire Voice Grade Loop (SL2) - Zone 3   3   UEPFR   UECF2   27.55	L	<u> </u>													ļ			1
2-Wire Voice Grade Loop (SL2) - Zone 4	<u> </u>	<u> </u>		<u> </u>									ļ		<b>!</b>	-	-	<del>                                     </del>
2-Wire Voice Grade Line Port Rates (Res)	<u> </u>	1		1									1	1		-	-	<del></del>
2-Wire voice unbundled port - residence   UEPFR   UEPRL   1.27   108.35   70.57   54.24   11.70	-	2-Wire			4	ULPFR	UEUFZ	45.72					-		<del> </del>			<del>                                     </del>
					t	UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70			1			
		1		1	i i								Ì		ĺ	1	1	

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	7	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	1	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						$\vdash$
		2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						1
-	+	2-Wire voice unbundles res, low usage line port with Caller ID			OLITIK	OLI AI	1.21	100.55	10.51	34.24	11.70						
		(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						1
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan															i
		without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						<b></b>
-	INTER	DFFICE TRANSPORT															<b>——</b>
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						l
<b>—</b>	+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI I IX	J11 VZ	20.32	40.77	21.31	17.20	1.11	<del>                                     </del>	<b> </b>				
L		or Fraction Mile			UEPFR	1L5XX	0.0088			<u>                                      </u>		<u></u>	<u></u>				<u></u>
	FEATU	RES															
<u> </u>		All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
-	LOCAL	NUMBER PORTABILITY			UEPFR	LNPCX	0.25										<del></del>
	NONDE	Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEPFR	LINPUX	0.35										
	INOMINE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								ł
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								<b></b>
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	LIDETN		44.40	1.10								i
-	2-WIRE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINF	ORT (		URETN		11.19	1.10								
-		ort/Loop Combination Rates	I	J 1710	300)												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										<b></b>
-	LINEL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	-	4			46.99					-					<del></del>
	UNE LO	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
	+	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
-	2-Wire	Voice Grade Line Port (Bus)			LIEDED	LIEDDI	4.07	100.05	70.57	54.04	11.70						<b>——</b>
-	+	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPFB UEPFB	UEPBL UEPBC	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70	-					
<del> </del>	+	2-Wire voice unbundled port with Callet + £464 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70	<del>                                     </del>	<b> </b>				
	1	2-Wire voice Grade unbundled Mississippi extended local			-		/		, 0.01	J	0						i
		dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70						
<u> </u>		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						<u> </u>
1		2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID			UEPFB	UEPWK	1.27	100 05	70.57	54.24	11.70						l
-	LOCAL	NUMBER PORTABILITY	-		UEFFB	UEPVVK	1.27	108.35	70.57	54.24	11.70	-					
<del> </del>	LOCAL	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					<del>                                     </del>	<b> </b>				
	INTER	OFFICE TRANSPORT				1	0.00										
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
<u> </u>	4	Termination			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0088										l
$\vdash$	FEATU				ULFFD	ILOAA	0.0088					<del>                                     </del>					
	LAIO	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															i
<u> </u>	1	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72								<del></del>
1		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								l
	+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLFID	JUNCU		10.94	3.12			<del>                                     </del>					
		End User Premise			UEPFB	URETN		11.19	1.10								
	•		•	•								•	•		•		

UNRU	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
ONDO	NOLL				I							Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		-				1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	l	-
	<del> </del>		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (	PBX)			11100	Addi	11130	Auui	COMILO	CONTAIN	COMPAR	COMPAR	COMPAR	COMPAR
		ort/Loop Combination Rates		Γ,													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	ļ	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
-	LINE L	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	-	4		_	46.99										<b>├</b>
	ONE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										$\vdash$
	1	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
	1	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4			UEPFP	UECF2	45.72										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
								,									1
	ļ	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29						
-	1	Line Side Unbundled Outward PBX Trunk Port - Bus	ļ		UEPFP UEPFP	UEPPO UEPP1	1.27	137.41	80.14	67.20	11.29						
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus  2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27 1.27	137.41 137.41	80.14 80.14	67.20 67.20	11.29 11.29						$\vdash$
	<del> </del>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
	ļ	Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						1
	1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPAL	1.27	137.41	80.14	67.20	11.29						$\vdash$
		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								3							
		Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															1
		Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						1
-	<b>-</b>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						$\vdash$
	1	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
	LOCAL	NUMBER PORTABILITY			02	02.7.0			00	07.20	11120						
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	I											1
-	1	Termination	ļ		UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
1	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0088										1
	FEATU				OLITI	TESTON	0.0000										
		All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	ļ	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72								1
	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		ULFFF	USACC		10.94	3.72			-					$\vdash$
		End User Premise			UEPFP	URETN		11.19	1.10								1
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES	1						0								
	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	UNE P	ort/Loop Combination Rates															
<u> </u>	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										$\sqsubseteq$
<u> </u>	<del>                                     </del>	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<b> </b>	2		-	26.16										$\vdash$
<b> </b>	1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	1	3		+	34.98 53.15						-				$\vdash$
$\vdash$	UNE I	pop Rates	<del>                                     </del>	-		+	33.13										$\vdash$
		exp					L						·	·	·	·	

UNBUN	NDI FI	NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Evhi	ibit: A
ONDO	1DLL	THE TWORK ELEMENTO IMISSISSIPPI			1								Svc Order	Svc Order	Incremental		Incremental	
														Submitted		Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGO	DRY	RATE ELEMENTS	m	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""												Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>			-				-	1	Nonred	curring	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
					1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89	THOU	Auu i	11130	Addi	JOHILO	JONIAN	JONAN	JONAN	JONIAN	JONIAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75								t		
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	27.55										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
l		ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25						
1		CURRING CHARGES - CURRENTLY COMBINED	ļ				ļ											
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1															
		Switch-as-is		-	UEPPX		USAC1		7.35	1.88								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		7.35	1.88								
-	ADDITI	ONAL NRCs			UEPFA		USATC		7.33	1.00			ł	1		1		1
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94						-		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<b>†</b>		JE. 1 /		30.101	1	20.04	20.04			1	<del>                                     </del>		<b>I</b>		<b>†</b>
		End User Premise			UEPPX		URETN		11.19	1.10						I		
- 1	Teleph	one Number/Trunk Group Establisment Charges			1		1	1					Ì			1	1	
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY		-	LIEDDY		LNDOD	0.45	0.00	0.00								
	MIDE	Local Number Portability (1 per port)  ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDE	DOD	UEPPX		LNPCP	3.15	0.00	0.00						1		<u> </u>
		ort/Loop Combination Rates	NE SIDE	FOR	<u>'</u>		1						ł	1		1		1
	JIVE I	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			<u> </u>		+											<del>                                     </del>
		UNE Zone 1		1	UEPPB	UEPPR	:	28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 4	ļ	4			ļ	67.61										
		op Rates		-	LIEDDD	HEDDD	1101.07	40.00										
		2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB	UEPPR	USLZX	18.26						-		-		-
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85										
		2-Wire ISDN Digital Grade Loop - UNE Zone 4			UEPPB	UEPPR		57.28					İ			t		
ι	JNE Po	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
T		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			l											_		
		Combination - Conversion	ļ	<u> </u>	UEPPB	UEPPR	USACB	0.00	38.73	27.17			ļ			ļ		
/	ADDITI	ONAL NRCs	<b>!</b>	1	-		-	1					ļ		<b>!</b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	HEDDD	URETN		44.40	1.10						I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>	<del>                                     </del>	UEPPB	UEPPR	UKETN		11.19	1.10						+		<del>                                     </del>
		Premise			UEPPB	UEPPR	URETL		8.33	0.83						I		
<del> </del>	OCAI	NUMBER PORTABILITY	1	<b>†</b>	J I D	J	J		0.00	0.00			1	t	1	<b>†</b>	1	<b>—</b>
T i	,	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						1	İ	
	B-CHAI	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		•						
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)	LIEBBS	LIEBES	1141100						<u> </u>	1			ļ	<b></b>
$\vdash$		CVS/CSD (DMS/5ESS)	-	├	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			-		-	<del>                                     </del>		<del>                                     </del>
<del>                                     </del>		CVS (EWSD)	1	-	UEPPB UEPPB	UEPPR UEPPR	U1UCE U1UCF	0.00	0.00	0.00			1	1		<del>                                     </del>	-	<del>                                     </del>
ш		COD		1	UEPPB	UEPPR	UTUCE	0.00	0.00	0.00			1	1	L	L	L	<b></b>

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
1		1				1						Submitted	Submitted		Charge -	Charge -	Charge -
1		Inter	1			1						Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m			-	1			(4)			hei rog	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
1																	
1														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
		1				+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
USER	TERMINAL PROFILE	1				+		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
- JOSEIN	User Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			<b>†</b>					
VERT	ICAL FEATURES	1		OLITE	OLITIK	O TOWN	0.00	0.00	0.00			<b>†</b>					
VERT	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	2.56	0.00	0.00			1					
INTEE	ROFFICE CHANNEL MILEAGE	1		OLITD	OLITIK	OLI VI	2.30	0.00	0.00			1					
INTER	Interoffice Channel mileage each, including first mile and	<b>.</b>	1			+						<b>†</b>	-		-	<del>                                     </del>	
1	facilities termination			LIEDDD	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
$\vdash$	Interoffice Channel mileage each, additional mile	1	-			M1GNM	0.0098	0.00	0.00	17.20	7.11	-					
4 14/15		( DODT	-	UEPPB	UEPPR	MIGNM	0.0098	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI									L				l .			
	NE-P DS1 combination rates below for in this rate exhibit appl													nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk Po	ort afte	the effec	tive date o	of this amend	ment shall be p	provided pursu	ıant to a sepai	ate agreement	or tariff at Bel	South's di	scretion.				
UNE P	Port/Loop Combination Rates	ļ	<b></b>			<b></b>						<b></b>	ļ		<b></b>	<b></b>	
i l	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1			1							1		I	I	
	Zone 1		1	UEPPP			155.43										
ı 1 =	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2	<u> </u>	2	UEPPP		<u> </u>	205.74								<u> </u>		
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE								-								
i I	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											1					
i I	Zone 4		4	UEPPP			534.81										
UNFI	oop Rates	t -				1											
10.1.2	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08					1				1	
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP		USL4P	129.38					<b>†</b>					
-	4-Wire DS1 Digital Loop - UNE Zone 3	<b>-</b>	3	UEPPP		USL4P	206.74										
	4-Wire DS1 Digital Loop - UNE Zone 4	1	4	UEPPP		USL4P	458.46					1					
LINE	Port Rate	<b>.</b>	4	OLFFF		USL4F	430.40					<b>†</b>	-		-	<del>                                     </del>	
UNEF		-	-	UEPPP		UEPPP	70.05	458.93	260.59	407.75	32.76						
HONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
NONK	RECURRING CHARGES - CURRENTLY COMBINED	ļ															
i I	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
ADDIT	TIONAL NRCs																
1	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
i I	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
i I	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	RFACE (Provsioning Only)	Ì				1							İ	İ			
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00	ĺ				ĺ			
	Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00	ĺ	1		ĺ	ĺ	1		
$\Box$	Inward Data	i –	1	UEPPP		PR71E	0.00	0.00	0.00	İ	İ	1	İ	İ	1	1	
New c	or Additional "B" Channel	l	t —			<del> </del>	5.50	3.50	0.50	<b> </b>	<b> </b>	t	<del> </del>	l	<b>†</b>	t	
	New or Additional - Voice/Data B Channel	l	t —	UEPPP		PR7BV	0.00	14.61		<b> </b>	<b> </b>	t	<del> </del>	l	<b>†</b>	t	
	New or Additional - Voice/Data B Channel	t	<del>                                     </del>	UEPPP		PR7BF	0.00	14.61				t	<b> </b>		<b> </b>	<b> </b>	
-+-	New or Additional Inward Data B Channel	t	t	UEPPP		PR7BD	0.00	14.61		<b> </b>		t	<del>                                     </del>	<b> </b>	t	t	
CALL	TYPES	<del>                                     </del>	<del>                                     </del>	JLI FF		טטיאו ו	0.00	14.01		1	<b> </b>	t	<del> </del>	<u> </u>	<del>                                     </del>	t	
CALL	Inward	<del>                                     </del>	+	UEPPP		PR7C1	0.00	0.00	0.00			1	-		<del>                                     </del>	<del>                                     </del>	
$\vdash$	* * *	<del>                                     </del>	+	UEPPP			0.00	0.00	0.00			1	-		<del>                                     </del>	<del>                                     </del>	
$\vdash$	Outward	1	-			PR7CO						1	<b>.</b>	<b>-</b>	1	<del>                                     </del>	
<del>                                      </del>	Two-way	<del>                                     </del>	-	UEPPP		PR7CC	0.00	0.00	0.00	-		1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1	
Intero	ffice Channel Mileage	├	-	LIEDSS		41.514.5				10.5-		-	-		-	-	
	Fixed Each Including First Mile	ļ	<b></b>	UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	<b>.</b>	ļ		<b></b>	<b></b>	
$\vdash$	Each Airline-Fractional Additional Mile	ļ	<b></b>	UEPPP		1LN1B	0.20					<b>.</b>	ļ		<b></b>	<b></b>	
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<u> </u>	<u> </u>			1	l			]	l	1	l	ļ	ļ	ļ	
	NE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	late of	his amen	dment sha	all be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	discretion.						
UNE F	Port/Loop Combination Rates	$\Box$	$L^{}$														
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC			131.78										

CATEGORY  4W 4W 4W UNE Loop 4-W 4-W 4-W 4-W 4-W 4-W 4-W A-W A-W A-W A-W A-W A-W A-W A-W A-W A	Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) WIRE DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	Interi	3 4 1 2 3	BCS  UEPDC	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -										
4W   4W   4W   4W   4W   4W   4W   4W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 D Rates Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) LAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Libsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		2 3 4	UEPDC	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l										
4W   4W   4W   4W   4W   4W   4W   4W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 D Rates Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) LAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Libsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		2 3 4	UEPDC	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l										
4W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 D Rates Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) LAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Libsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		2 3 4	UEPDC	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l										
4W   4W   4W   4W   4W   4W   4W   4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 • Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRE DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRE DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Unsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	m	3 4 1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	182.07 259.44 511.15 79.08 129.38 206.74 458.46	First	curring Add'l					Electronic- 1st	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
4W   4W   4W   4W   4W   4W   4W   4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 • Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRD DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Under Company - Un		3 4 1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	182.07 259.44 511.15 79.08 129.38 206.74 458.46	First	Add'I			SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add'l
4W   4W   4W   4W   4W   4W   4W   4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 • Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRD DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Under Company - Un		3 4 1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	182.07 259.44 511.15 79.08 129.38 206.74 458.46	First	Add'I			SOMEC	SOMAN	OSS	Rates (\$)		
4W   4W   4W   4W   4W   4W   4W   4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 • Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRD DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Under Company - Un		3 4 1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	182.07 259.44 511.15 79.08 129.38 206.74 458.46	First	Add'I			SOMEC	SOMAN			SOMAN	SOMAN
4W   4W   4W   4W   4W   4W   4W   4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 • Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRD DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Under Company - Un		3 4 1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	182.07 259.44 511.15 79.08 129.38 206.74 458.46			First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4W   4W   4W   4W   4W   4W   4W   4-W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4 • Rates  Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop - UNE Zone 4  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  WIRD DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Under Company - Un		3 4 1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	259.44 511.15 79.08 129.38 206.74 458.46	457.12									
4W   UNE Loop	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4  V DS1 Digital Loop - UNE Zone 1  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 3  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DS1 Digital Trunk Port (E:4/1/2004)  VIRRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  VIAL NRCS  Wire DS1 Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk Port Combination Conversion with Change - Trunk Port Combination Conversion with Change - Trunk Port Port Combination Conversion Wire Change - Trunk Port Combination Conversion Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Under Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	79.08 129.38 206.74 458.46	457.12									
UNE Loop  4-W 4-W 4-W 4-W 4-W WNE PORT R 4-W NONRECUF 4-W - Sv 4-W - CC ADDITIONA 4-W Suba 4-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che A-W Che	D Rates  Wire DS1 Digital Loop - UNE Zone 1  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 2  Wire DS1 Digital Loop - UNE Zone 3  Wire DS1 Digital Loop - UNE Zone 4  Rate  Wire DDITS Digital Trunk Port (E:4/1/2004)  JRRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Changes (E:4/1/2004)  IAL NRCS  Wire DS1 Loop / 4-Wire DDITS Trunk Port NRC - Understand Conversion with Change - Trunk Port NRC - Understand Conversion Conversion Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	79.08 129.38 206.74 458.46	457.12									
4-W   4-W	Wire DS1 Digital Loop - UNE Zone 1 Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DDITS Digital Trunk Port (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) WIRE DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		3	UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	129.38 206.74 458.46	457.12									
4-W   4-W	Wire DS1 Digital Loop - UNE Zone 2 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) URRING CHARGES - CURRENTLY COMBINED Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) IAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - besequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		3	UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC	129.38 206.74 458.46	457.12									
4-W 4-W UNE Port R 4-W NONRECUF 4-W - Sv 4-W - Cc ADDITIONA 4-W - Cu ADDITIONA 4-W - Che A-W - Che A-W - Che A-W - Che A-W - Che A-W - Che A-W - Che A-W - Che A-W - Che	Wire DS1 Digital Loop - UNE Zone 3 Wire DS1 Digital Loop - UNE Zone 4 Rate Wire DDITS Digital Trunk Port (E:4/1/2004) URRING CHARGES - CURRENTLY COMBINED Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		3	UEPDC UEPDC UEPDC	USLDC USLDC UDD1T	206.74 458.46	457.12									
4-W   UNE PORT R	Wire DS1 Digital Loop - UNE Zone 4  Rate  Rate  Wire DDITS Digital Trunk Port (E:4/1/2004)  URRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  IAL NRCS  Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -  Ubsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC UEPDC	USLDC UDD1T	458.46	457.12									
UNE Port R	Rate  Wire DDITS Digital Trunk Port (E:4/1/2004)  JRRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination  Switch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination  Conversion with DS1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination  Conversion with Change - Trunk (E:4/1/2004)  JAL NRCs  Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -  Jubsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		4	UEPDC UEPDC	UDD1T		457.12									<b></b>
4-W   NONRECUE	Wire DDITS Digital Trunk Port (E:4/1/2004)  JIRRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination  Switch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination  Conversion with DS1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination  Conversion with Change - Trunk (E:4/1/2004)  JAL NRCs  Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -  Jubsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC		52.70	457.12									<b></b>
NONRECUF	JRRING CHARGES - CURRENTLY COMBINED  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004)  Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  JAL NRCS  Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Jubsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC		52.70	457.12		400.00	44.04						
4-W - Sv 4-W - Cc 4-W - CC ADDITIONA 4-W Sub 4-W Che 4-W Acti	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) IAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Jubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				LICACA			254.70	120.96	14.61	-					<del></del>
- Sv 4-W - Cc 4-W - Cc ADDITIONA 4-W Sub 4-W Che 4-W Acti	Switch-as-is (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) IAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - thesequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				110404											<del></del>
4-W - Cc 4-W - Cc ADDITIONA 4-W Subs 4-W Che 4-W Acti	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) IAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				ILISAL'A		130.24	67.41				1				1
- Cc 4-W - Cc ADDITIONA 4-W Sub 4-W Cha 4-W Acti	Conversion with DS1 Changes (E:4/1/2004) Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) IAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			1	30/104		130.24	07.41								<del>                                     </del>
4-W - CC ADDITIONA 4-W Sub 4-W Che 4-W Acti	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004)  IAL NRCs  Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - ibsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	USAWA		130.24	67.41								
- Cc ADDITIONA 4-W Sub 4-W Cha 4-W Acti	Conversion with Change - Trunk (E:4/1/2004)  IAL NRCs  Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -  bsequent Channel Activation/Chan - 2-Way Trunk  Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	OOAWA		130.24	07.41								-
ADDITIONA 4-W Sub 4-W Cha 4-W Acti	IAL NRCs Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	USAWB		130.24	67.41								
4-W Sub 4-W Cha 4-W Acti	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - ibsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 20	00/11/2		100.21	07.11								
Sub 4-W Cha 4-W Acti	ubsequent Channel Activation/Chan - 2-Way Trunk Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
4-W Cha 4-W Acti	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		14.56	14.56								
4-W Acti																
Acti	nannel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
4 14	tivation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	tivation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	tivation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
	8 ZERO SUBSTITUTION				00005		0.00									<b></b>
	BZS -Superframe Format BZS - Extended Superframe Format			UEPDC UEPDC	CCOSF CCOEF		0.00i 0.00i	600.00s 600.00s			-					<del></del>
	Mark Inversion		-	UEPDC	CCOEF		0.001	600.00S								<del></del>
	//I -Superframe Format			UEPDC	MCOSF		0.00	0.00								<del> </del>
	// - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								-
	e Number/Trunk Group Establisment Charges			02. 50			0.00	0.00								
Tel	lephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	lephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	lephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	D Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
DID	D Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	eserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	eserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digital	Loop	with 4-Wire DDITS	Trunk Port											<del></del>
	teroffice Channel Mileage - Fixed rate 0-8 miles (Facilities ermination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90						1
	,								10.00	14.50						
	teroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								-
	reroffice Channel Mileage - Fixed rate 9-25 miles (Facilities ermination)	1		UEPDC	1LNO2	0.00	0.00	0.00				1				1
	teroffice Channel Mileage - Additional rate per mile - 9-25	<del>                                     </del>	-	OLFDC	ILINUZ	0.00	0.00	0.00			-	<b> </b>				<del></del>
mile				UEPDC	1LNOB	0.20	0.00	0.00								1
Inte	eroffice Channel Mileage - Fixed rate 25+ miles (Facilities															
Ten	rmination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		1			Ι Τ											1
	eroffice Channel Mileage - Additional rate per mile - 25+ miles	ļ		UEPDC	1LNOC	0.20	0.00	0.00								<del>                                     </del>
	cal Number Portability, per DS0 Activated	<b> </b>	-	UEPDC	LNPCP	3.15	0.00	0.00	0.00			ļ				<del></del>
	entral Office Termininating Point S1 LOOP WITH CHANNELIZATION WITH PORT	-	-	UEPDC	CTG	0.00						-	-			<del></del>
	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			+ +			-								<del></del>

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	ibit: A
ONDONDE	LED NETWORK ELEMENTO IMISSISSIPPI				1	1					Svc Order	Svc Order	Incremental			
											II .	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			II .	,				
CATEGORI	KATE ELEMENTO	m	20116	500	0000			ICATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			_		+		Monro	curring	Monroourring	Disconnect	1		000	Potos (\$)	l .	
		-			+	Rec					001150	001441		Rates (\$)	0011411	001111
		Ļ	Ļ		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	System can have up to 24 combinations of rates depending on					Ļ	<u> </u>				<u> </u>	L	L	l	l	
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	<u> </u>
	uests for 4-Wire DS1 Loop with Channelization with Port after th	e effecti	ve dat	e of this amendmen	nt shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)									İ					
	24 DSO Channel Capacity - 1 per DS1	Γ΄		UEPMG	VUM24	95.06	0.00	0.00			i e					-
	48 DSO Channel Capacity - 1 per 2 DS1s	t		UEPMG	VUM48	190.12	0.00	0.00			1		<b> </b>		<b> </b>	<b>†</b>
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00		<b> </b>	<del> </del>			<del> </del>		<b>†</b>
	144 DS0 Channel Capacity - 1 per 6 DS1s	<del>                                     </del>	-	UEPMG	VUM14	570.36	0.00	0.00	-	<del>                                     </del>	1		<b> </b>	}	<del> </del>	+
		-	_	UEPMG	VUM19					-	<del> </del>			<del> </del>		<del>                                     </del>
	192 DS0 Channel Capacity -1 per 8 DS1s	-	-			760.48	0.00	0.00			1			ļ		<del></del>
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00			<b> </b>		ļ	ļ	ļ	<b></b>
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								Ī
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
A Mir	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank.	and Ur	To 24 DSO Ports v	with Feature	Activations.					ĺ					1
	iples of this configuration functioning as one are considered Ad										İ					
	NRC - Conversion (Currently Combined) with or without	1			T						1					t
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
Sycto	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nolizat					0.41			<u> </u>					+
	(Not Currently Combined) in all states, except in Density Zone 1				Tination Curre	Intry Exists and	1				1			1		<del></del>
ivew	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	Гогтор	O IVI SP	1 5	+						1			1		<del></del>
				LIEDMO	V/LIMD4	0.00	745.45	207.20	440.05	47.50						
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Віро	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Alter	nate Mark Inversion (AMI)															Ī
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			ĺ					1
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								İ		İ		İ	Ť T
	ange Ports	1			1	1		i e		1	İ			İ		
	Line Side Combination Channelized PBX Trunk Port - Business				+	<b>†</b>		<b> </b>		<b>†</b>	1		<b> </b>	1	<b> </b>	<b>†</b>
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	1					
	Line Side Outward Channelized PBX Trunk Port - Business	<del>                                     </del>		OLI I A	OLI OA	1.23	0.00	0.00	0.00	0.00	1		<b> </b>	1	<b> </b>	<del></del>
1	(E:4/1/2004)	1	l	UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00	1		1		1	
		-	-	UEFFA	UEPUX	1.23	0.00	0.00	0.00	0.00	1			ļ		<del>                                     </del>
	Line Side Inward Only Channelized PBX Trunk Port without DID										1					
	(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	<b></b>					<b></b>
1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port					1					1					
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00	ļ					<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access					1					1					
1	Service) (E:4/1/2004)	1	l	UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00	1		1		1	
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
1	(AL, KY, LA, MS, & TN) (Conversion from Network Access	1	l			I	1		1		1		1		1	
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00	1					
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial–	t			1	1	0.50	0.50	0.50	0.50	1		<b> </b>		<b> </b>	<b>†</b>
1	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	1					
$\overline{}$	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	-		OLIFA	OLF O4	1.23	0.00	0.00	0.00	0.00	<del> </del>			<del> </del>		
1		1	l	UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00	1		1		1	
	Mississippi Only – Calling Plan (E:4/1/2004)	-	_	ULPFA	UEPU/	1.23	0.00	0.00	0.00	0.00	<b>+</b>		-	1	-	<del> </del>
	ure Activations - Unbundled Loop Concentration	1	1	I		I	l	1	l	1	1	l	l	1	l	1

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
OND	JINDEL					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Instant									Elec			Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ														
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-	-	Facture (Comical Activistics for each Line Dort Torreinsted in DA	-			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						1
	1	Feature (Service) Activation for each Trunk Port Terminated in	1	1	UEPPA	IFQVVIVI	0.61	23.30	13.39	4.29	4.20	1					
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						1
	Telenh	one Number/ Group Establishment Charges for DID Service			OLITA	11 QVV0	0.01	70.03	10.55	00.00	11.00						
	reiepii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			1					
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	1	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C											l				
		Office and Tandem Switching Usage and Common Transport														A 1 170 1 NE	
		first and additional Port nonrecurring charges apply to Not C	urrentiy	Comb	inea Combos. For	Currently Co	mbinea Combo	os, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections.	Additional NR	.Cs may
		also and are categorized accordingly.				B	er control	_							1		
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual C	ase Basis, un	til further notic	e.									$\vdash$
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7			+						-					<del>                                     </del>
		ort/Loop Combination Rates (Non-Design)				+						1					$\vdash$
	ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+						1					$\vdash$
		Non-Design		1	UEP91		12.22										1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI 01		12.22					1					
		Non-Design		2	UEP91		17.13										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		3	UEP91		26.26										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		4	UEP91		44.91										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
		Design		1	UEP91		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		2	UEP91		19.98										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDO4		00 =0						1				1
<u> </u>	1	Design	<b>!</b>	3	UEP91	+	28.78										$\vdash$
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDO4		40.05						1				1
<b>—</b>	HNE !	Design	+	4	UEP91	+	46.95					-	-			-	<del>                                     </del>
<b></b>	ONE L	pop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	<del>                                     </del>	1	UEP91	UECS1	10.98						<b> </b>	<b> </b>	1	<b> </b>	$\vdash$
$\vdash$	+	2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>		UEP91	UECS1	15.91					<b>-</b>	<b>-</b>		<b> </b>		$\vdash$
$\vdash$	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>		UEP91	UECS1	25.04					<b>-</b>	<b>-</b>		<b> </b>		$\vdash$
	1	2-Wire Voice Grade Loop (SL 1) - Zone 4	<b>†</b>		UEP91	UECS1	43.68					<del>                                     </del>	<b> </b>		<b> </b>		
	†	2-Wire Voice Grade Loop (SL 2) - Zone 1	t		UEP91	UECS2	13.89								i		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	18.75								İ		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	l		UEP91	UECS2	27.55								1		
	1	2-Wire Voice Grade Loop (SL 2) - Zone 4	l	4	UEP91	UECS2	45.72								1		
	UNE P	orts															
	All Sta	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local							·		·			l			
L	1	Area		<u> </u>	UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						$oxed{oxed}$
1		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1		l								1				1
		Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58	1			I	l	1

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: A
OND	JINDEL	NETWORK ELEMENTO IMISSISSIPPI										Svc Order	Svc Order	Incremental	Incremental		Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Interi									Elec			Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	Т							Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		L
-	+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						11131	Addi	11131	Addi	JONILO	JOINAIN	JONIAN	JOWAN	JONIAN	JOINAIN
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	LIEDVO	4.00	40.04	10.01	04.00	0.50						
	AL KV	Basic Local Area , LA, MS, & TN Only	-		UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KI	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						-
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1	l		UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58	1					
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800												l		l	
	ļ	Service Term		ļ	UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		O.W. V. V. Co. I. Book to a live of Manager I and the last			LIEDOA	LIEDOO	4.00	40.04	40.04	04.00	0.50						
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP91 UEP91	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
	Local 9	Switching	-	1	UEF91	UEFQZ	1.23	40.31	19.04	24.90	0.56		-				<del> </del>
	LUCAI	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.7947										+
	Local I	Number Portability			02. 01	0.1200	0.7 0 1.7					İ					
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP91	UEPVF	2.56										
	ļ	All Select Features Offered, per port		ļ	UEP91	UEPVS	0.00	404.98									
	NADO	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56										ļ
	NARS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	+	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						-
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	aneous Terminations					0.00			0.00							
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Footur	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>	UEP91	M1GBM	0.0098						-				-
		innel Bank Feature Activations	l														1
	D4 One	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										<del>                                     </del>
		Todataro romanon on B. Fortamino Barin Control 2005 Citi			02.01		0.01										
	<u> </u>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>	<u> </u>	UEP91	1PQW6	0.57									<u> </u>	
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	1	Slot	<u> </u>		UEP91	1PQW7	0.57					<u> </u>		ļ		ļ	ļ
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1.50.45											
	1	Different Wire Center	-	-	UEP91	1PQWP	0.57					1	-				1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP91	1PQWV	0.57										
	1	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	1	<del>                                     </del>	OLF31	IF Q VV V	0.57					1	<del>                                     </del>	<del> </del>		<del> </del>	<del>                                     </del>
		Slot	1		UEP91	1PQWQ	0.57										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot	l		UEP91	1PQWA	0.57					1					
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															1
	1	changes, per port	<u> </u>		UEP91	USAC2		0.10	0.10			<u> </u>		ļ		ļ	ļ
	1	Conversion of Existing Centrex Common Block	<u> </u>	<b>_</b>	UEP91	USACN		37.97	16.68			<u> </u>	1	ļ		ļ	
<b> </b>	1	New Centrex Standard Common Block	₩	-	UEP91 UEP91	M1ACS M1ACC	0.00	666.32				ļ	1	-		-	1
<u> </u>	+	New Centrex Customized Common Block Secondary Block, per Block	1	-	UEP91 UEP91	M2CC1	0.00	666.32 77.91				1	-	1		-	+
$\vdash$	+	NAR Establishment Charge, Per Occasion	<del>                                     </del>	1	UEP91	URECA	0.00	72.63				<b>+</b>				-	<del>                                     </del>
	1	pro at Lotabiliment Onarge, i of Occasion			0-101	UNLUA	0.00	12.03				<u> </u>	1				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additio	onal Non-Recurring Charges (NRC)	ļ														
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			UEP91	URETL		8.33	0.00								i I
	Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP91	UREIL		8.33	0.83								<b>—</b>
	End Use Premise			UEP91	URETN		11.19	1.10								i I
UNE-P	CENTREX - 5ESS (Valid in All States)			02. 0.	0.1.2											
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
	Non-Design	ļ	1	UEP95	1	12.22					-					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		17.13										i l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 95	+	17.13										
	Non-Design		3	UEP95		26.26										1 1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1													İ	
	Non-Design		4	UEP95		44.91										1
UNE Po	prt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.			4= 40										i l
	Design		1	UEP95		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		19.98										i I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLF 93	+	19.90										
	Design		3	UEP95		28.78										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP95		46.95										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2	UEP95 UEP95	UECS1	15.91 25.04										<b>——</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP95	UECS1	43.68										$\overline{}$
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
	ort Rate															$\vdash$
All Stat	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						<del></del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)	1		UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	02	1120	10.01	10.01	200	0.00						
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area	ļ		UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						<b>├</b>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDVZ	4.00	400.05	70.57	54.04	44 70						1
$\vdash$	Service Term - Basic Local Area	1		UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70	1				-	$\vdash$
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area	1		UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		1				1
	2-Wire Voice Grade Port Terminated on 800 Service Term -	<b>†</b>		00	132. 10	1.20	70.01	10.04	24.50	0.00	1					
	Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						1
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58						$\vdash$
<del>                                     </del>	2-Wire Voice Grade Port (Centrex 800 termination)	<b> </b>	-	UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58	-					$\vdash$
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	-	UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58	<del>                                     </del>	-				$\vdash$
	Center)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70						1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<u> </u>				20	. 55.66	. 5.07	JE-1	0						
	Term 2,3	<u> </u>		UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		<u> </u>			<u> </u>	<u>                                      </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						$\vdash$
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	l	UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58	1	l			l	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
ONDONDE			1		1	I					Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
$\vdash$						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
FI & (	GA Only		<b>-</b>		+		THOU	Addi	THOU	Auu i	OOMILO	JOINAIN	JONIAN	JONIAN	JOHAN	JOINAN
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	2.56	101.00									
	All Select Features Offered, per port			UEP95 UEP95	UEPVS	0.00 2.56	404.98									<b></b>
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56			-							-
IVARO	Unbundled Network Access Register - Combination	1	-	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
	Unbundled Network Access Register - Combination	<b>†</b>		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				1	1	
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	İ		1			
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)			LIEDAE		=0.44	200.10		=1.00							
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						<b>——</b>
Intere	DS0 Channels Activated, each ffice Channel Mileage - 2-Wire			UEP95	M1HDO	0.00	14.56									<del>                                     </del>
intero	Interoffice Channel Facilities Termination		-	UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						<del>                                     </del>
	Interoffice Channel mileage, per mile or fraction of mile		<b>-</b>	UEP95	M1GBM	0.0098	40.77	21.51	17.20	7.11						<del>                                     </del>
Featu	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02.00		0.0000										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBOE	400047	0.57										İ
	Slot	-	-	UEP95	1PQW7	0.57										<del></del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.57										ĺ
	Different Wife Center	1		OLF 93	IFQWF	0.57			-							<del>                                     </del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.57										İ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex														ļ	<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed		1	LIEDOE			0.40	0.10				1				1
	changes, per port	-	-	UEP95 UEP95	USAC2 USACN		0.10 37.97	0.10 16.68			-			-	-	<del>                                     </del>
	Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block	1	-	UEP95 UEP95	M1ACS	0.00	37.97 666.32	16.68	<del>                                     </del>			-	1	-	-	<del></del>
	New Centrex Standard Common Block	<del>                                     </del>	<del>                                     </del>	UEP95 UEP95	M1ACC	0.00	666.32						<b> </b>	<del> </del>	<del> </del>	<del>                                     </del>
	NAR Establishment Charge, Per Occasion	<b>†</b>		UEP95	URECA	0.00	72.63							1	1	
Additi	onal Non-Recurring Charges (NRC)	1			1									İ	İ	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
I IAIF F	End Use Premise	<b>!</b>		UEP95	URETN		11.19	1.10								<del>                                     </del>
	CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<del>                                     </del>			-											<del>                                     </del>
	ort/Loop Combination Rates (Non-Design)	<del>                                     </del>			+										<del> </del>	<del>                                     </del>
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	<b> </b>		1				<del> </del>		<b>†</b>		1	1	1	<b>—</b>
	Non-Design		1	UEP9D	1	12.22						1				1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	i i					İ		1	ĺ		
	Non-Design		2	UEP9D		17.13										
(   T	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l												1
	Non-Design		3	UEP9D		26.26							ļ			<b></b> '
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	4	LIEDOD	1	44.04						1				1
	Non-Design		4	UEP9D		44.91					<u> </u>	l	l	L	L	

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-				1	Nonred	curring	Nonrecurring	Disconnect			220	Rates (\$)		L
	1		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	UNE P	ort/Loop Combination Rates (Design)				1			7144		71001	0020	00				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		28.78										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		20.70								1		1
		Design		4	UEP9D		46.95										
	UNE L	pop Rate															1
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		_	UEP9D	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
-	-	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9D	UECS2	27.55 45.72										-
-	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 4 ort Rate	-	4	UEP9D	UECS2	45.72								-		-
-	ALL S		-	1		+									-		-
	ALL 0	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.20	40.01	10.04	24.00	0.00						
		Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area	ļ		UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	LIEDVE	4.00	40.04	10.04	04.00	0.50						
	-	Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	-	1	UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						-
		Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLF 9D	OLFII	1.23	40.31	15.04	24.90	0.56						
		Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
		Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local								0.4.00	0.50						
	-	Area	ļ		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58				1		1
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1	OLI 3D	OLI 13	1.25	+0.51	13.04	24.30	0.50						
		Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
		Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								=							
	-	2,3-Basic Local Area	ļ		UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70				1		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70				I		
	<b>t</b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	<del>                                     </del>	<del>                                     </del>	021 30	02.10	1.23	100.55	10.31	54.24	11.70				t		<b>†</b>
		Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70				1		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	1		1	1	0			22.					1		
		Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70				I		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
		Basic Local Area	ļ		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70				1		1
1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1	1		Lumber									I		I
	1	Basic Local Area	<u> </u>	1	UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70	l		l	1	l	I

	UNBUN	DLE	O NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
RATE ELBINTS   RATE													Svc Order	Svc Order			Incremental	
CATESION   RATE ELEMENTS   Row   Stock   Sto													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
AND COLORS   Part   P				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Personal Content   Personal Co	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note   Note														1	Electronic-	Electronic-	Electronic-	Electronic-
Section   Sect															1st	Add'l	Disc 1st	Disc Add'l
Section   Sect					-				Nonro	curring	Monrocurring	Disconnect	-		088	Pates (\$)		
2-View Voxes Glaze Per (Commondative SVC, RES-04000(E)2-4,   UEPVD   UEPVA   1.22   100.35   70.57   54.24   11.70     UEPVD   UEPVA   1.22   100.35   70.57   54.24   11.70     UEPVD   UEPVA   UEPVB   UEP	-				-			Rec					COMEC	COMAN			COMAN	SOMAN
Seption   Person   DEPPIG   UEPPIG   UEPPIG   122   193.55   70.57   54.24   11.70			2 Miro Voico Grado Port (Controy/diffor SMC /EBS M6009)2 3 4		-				riist	Addi	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
2-Vive Vice Grade Part Centerwordiffer SPDC_EBS-MSC0002_3   U.P.PID   U.P.						LIEPAD	LIEPY4	1 23	108 35	70 57	54 24	11 70						
Biasto Local Assa			2-Wire Voice Grade Port (Centrex/differ SWC /FBS-M5208)2 3			OLI OD	OLI 14	1.20	100.00	10.01	04.24	11.70	1					
E-Win Vice Guide Part (Contractaffer SVC (EBS-MSS19)2.3.4   UEPJD   UEPVT   123   108.55   70.57   54.24   11.70			Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
Basic Local Area   2-Wive voice Grade First Continued file SWC FESS-MS310(2.3.4   1.0   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.00   1.20   1.20   1.00   1.20   1.20   1.00   1.20   1.20   1.00   1.2																		
Basic Local Area   2-Win Voice Grande Port, Diff Spring Win Center: 801 Service   2-Win Voice Grande Port Center: 801 Service   3-Win Voice Grande Port Center: 801 Service   3-Win Voice Grande Port Center: 801 Service   3-Win Voice Grande Port Center: 801 Service Tem Basic   3-Win Voice Grande Port Center:			Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
2-Wiles Voice Grade Prof. Del Seving Wise Casters - 800 Service   Temporary   120   100.05   70.57   54.24   11.70   11.70   12.80   11.70   12.80			2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
Term 2.3						UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
2-Wee Votor Gross Port terminated on On Magnisk or equivalence Basic Local Area   UEPPO   UE																		
Basic Local Area   UEPPO   UEPY9   123   40.31   18.84   24.90   6.58						UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
Service Vision Containe Print Terrinanded on 800 Service Term Bissol   UEP90   UEP72   1,23   40,31   19,84   24,00   6,58				1		l	<u></u>					_		1		I		
Local Area   ULPPO   UEPPO   123   40.31   10.84   24.00   6.58				ļ		UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58	1					
ALLY, LA, MS, SC, A. TN Only   Part Vision Contract Port Centrors (Story Vision Contract Port Centrors)   UEPSD   UE						LIEDOD	LIEDYO	4.00	40.01	40.01	04.00	0.50				1		
2-Wire Voice Grade Port (Centrew 20)		1 107		ļ	-	UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58				<del>                                     </del>		-
2-Wire Voice Grade Port (Centrary EBS-PSET)4   UEPBO UEPOC 123	А	L, KY				LIEDOD	LIEDO A	4.00	40.04	40.04	04.00	0.50	-		-	<del>                                     </del>		<u> </u>
2-Wire Votoc Grade Port (Centrary EBS-PSET)4				<b>!</b>	-								-	-		<del>                                     </del>	-	
2-Wire Voice Grade Port (Centrex / EBS-M6509)4   UEPPO UEPO   1.23   40.31   19.84   24.90   6.58	-												1			1		
2-Wire Voice Grade Port Centrox / EBS-M503994   UEPOB UEPOF 1.23 40.31 19.84 24.90 6.58	-												1			1		
2-Wire Voice Grade Port (Centrex / EBS-M6112)4   UEP9D   UEPOG   1.23   40.31   19.84   24.90   6.58	-																	
2-Wire Voice Grade Port (Centrex / EBS-MS312)4   UEP9D   UEPQD   1.23   40.31   19.84   24.90   6.58													1					
2-Wire Voice Grade Prof (Centres / EBS-M509) 4																		
2-Wire Voice Grade Port (Centrex/EBS-MS519)4   UEP9D   UEPQV   1.23   40.31   19.84   24.90   6.58																		
2-Wire Voice Grade Port (Centrex/EBS-MGS104)			2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrexwith Caller ID)			2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex/Galler ID/Mog Wig Lamp Indication)4   UEP9D UEPQD									40.31									
Indication 4			2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex/Msg Wg Lamp Indication)4																		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS218)2,3.4   UEP9D   UEPQD   1.23   108.35   70.57   54.24   11.70																		
2.3			2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-MS009)2,3,4 UEP9D UEPQD 1.23 108.35 70.57 54.24 11.70						LIEDOD	LIEDOM	4.00	400.05	70.57	54.04	44.70						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQP 1.23 108.35 70.57 54.24 11.70	-		2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						-
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQD 1.23 108.35 70.57 54.24 11.70			2 Mira Voice Crade Bort (Centray/differ SMC /EBS BSET)2 2.4			LIEDOD	LIEDOO	1 22	100 25	70.57	E4 24	11.70						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1.23 108.35 70.57 54.24 11.70	_		2-Wile Voice Glade Port (Certiex/diller SWC /EBS-PSE 1)2,3,4			UEP9D	UEFQU	1.23	100.33	70.57	54.24	11.70	-					
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1.23 108.35 70.57 54.24 11.70			2-Wire Voice Grade Port (Centrey/differ SN/C /ERS_ME000\2.2.4	1		LIEP9D	LIEPOP	1 22	108 35	70.57	5/1 2/1	11 70				I		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQS 1.23 108.35 70.57 54.24 11.70			2-YVIIG VOICE GIAGE FULL (CEITHEX/UIITEL SVVC /EDS-IVISUU9)2,3,4	<del>                                     </del>		OLFBD	ULFUF	1.23	100.35	10.37	54.24	11.70	<b>H</b>		<del> </del>	t		<del>                                     </del>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQS 1.23 108.35 70.57 54.24 11.70			2-Wire Voice Grade Port (Centrex/differ SWC /FBS-5209)2 3.4	1		UEP9D	UEPOO	1 23	108.35	70 57	54 24	11 70				I		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 UEP9D UEPQ7 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 UEP9D UEPQZ 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.23 40.31 19.84 24.90 6.58  2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.23 40.31 19.84 24.90 6.58  Local Switching UEP9D URECS 0.7947	<del></del>		12.00 0.000 1 0.1 (00.10.0000101 0110 / 200 0200)2,0,4	l		02	J 3(4	1.20	100.00	70.07	54.24	11.70	<del>                                     </del>	<b>†</b>		<b>I</b>		<b>H</b>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 UEP9D UEPQ7 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 UEP9D UEPQZ 1.23 108.35 70.57 54.24 11.70  2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ9 1.23 40.31 19.84 24.90 6.58  2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 1.23 40.31 19.84 24.90 6.58  Local Switching UEP9D URECS 0.7947			2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4	1		UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70				1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ5 1.23 108.35 70.57 54.24 11.70				1				20			221			İ		1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ5 1.23 108.35 70.57 54.24 11.70			2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70				1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.23 108.35 70.57 54.24 11.70																		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.23 108.35 70.57 54.24 11.70			2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70				<u> </u>		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.23 108.35 70.57 54.24 11.70																		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4   UEP9D   UEPQ7   1.23   108.35   70.57   54.24   11.70			2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3  UEP9D  UEPQZ  1.23  108.35  70.57  54.24  11.70  2-Wire Voice Grade Port terminated in on Megalink or equivalent  UEP9D  UEPQS  1.23  40.31  19.84  24.90  6.58  2-Wire Voice Grade Port terminated on 800 Service Term  UEP9D  UEPQC  1.23  40.31  19.84  24.90  6.58  Centrex Intercom Funtionality, per port  UEP9D  UEPQC  1.23  40.31  19.84  24.90  6.58				1		l	l									1		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP9D   UEPQZ   1.23   108.35   70.57   54.24   11.70			2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	ļ		UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP9D   UEPQZ   1.23   108.35   70.57   54.24   11.70			0.Wine Make Const. Bord (October 1977 - 0.000 /550 1975 - 0.000	1		LIEDOD	LIEDG=									1		
Term 2,3				<b> </b>	-	UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70			<del>                                     </del>	<del>                                     </del>		<b>.</b>
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP9D   UEPQ9   1.23   40.31   19.84   24.90   6.58				1		LIEDOD	LIEDO7	4 00	100 25	70.57	E4 04	44.70		1		I		
2-Wire Voice Grade Port Terminated on 800 Service Term			الخاااا كري	<b>!</b>	-	UEP9D	UEPQZ	1.23	108.35	/0.5/	54.24	11.70	-	-		<del>                                     </del>	-	-
2-Wire Voice Grade Port Terminated on 800 Service Term			2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEP9D	HEPO9	1 22	AU 31	10.94	24 00	6 50		1		I		1
Local Switching   Centrex Intercom Funtionality, per port   UEP9D   URECS   0.7947	-+			<del>                                     </del>											<del> </del>	<del>                                     </del>		<del> </del>
Centrex Intercom Funtionality, per port   UEP9D   URECS   0.7947	1.	ocal 9		<b> </b>		OLI 3D	ULI VZ	1.23	40.51	15.04	24.30	0.30	<b>-</b>		<b> </b>	<del>                                     </del>		<del>                                     </del>
		Joan C		l		UEP9D	URECS	0 7947					<del>                                     </del>	<b>†</b>		<b>I</b>		<b>H</b>
	1.	ocal N		<b> </b>		02	5.1250	5.70-7							1	<u> </u>		1
Local Number Portability (1 per port)   UEP9D   LNPCC   0.35				<b> </b>		UEP9D	LNPCC	0.35							1	<u> </u>		1

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
01120												Svc Order	Svc Order	Incremental			Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature	98															
		All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						ļ
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															ļ
<b> </b>	2-Wire	Trunk Side	<b> </b>	<u> </u>	LIEDOD	CENIDO	0.0-	400.00	10.0=	04 77	0.00			<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
<del>                                     </del>	4 100:	Trunk Side Terminations, each	1	<u> </u>	UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88	1		<b> </b>	<del>                                     </del>	-	1
	4-vvire	Digital (1.544 Megabits) DS1 Circuit Terminations, each	-	-	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54	-			<del>                                     </del>		<del>                                     </del>
<u> </u>		DS0 Channels Activiated per Channel	-		UEP9D UEP9D	M1HD1 M1HD0	0.00	14.56	90.25	74.86	∠.54				<del>                                     </del>		
	Interes	ice Channel Mileage - 2-Wire			UEP9D	MIHDO	0.00	14.56									<del>                                     </del>
	interon	Interoffice Channel Facilities Termination	-		UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11	-					<b>+</b>
		Interoffice Channel mileage, per mile or fraction of mile	1	-	UEP9D	M1GBM	0.0098	40.77	21.31	17.20	7.11	1			-		-
	Foature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	20	-	UEP9D	IVITGBIVI	0.0096					1			-		-
		nnel Bank Feature Activations	1	-		+						1			-		-
-	D4 CITE	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57							1			-
		realtire Activation on 5-4 Charmer Bank Gentlex 2009 Glot		<b>-</b>	OLI 3D	II QVVO	0.37										<del> </del>
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00110	0.07					1					<u> </u>
		Slot			UEP9D	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -					0.0.										
		Different Wire Center			UEP9D	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								ļ
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63									
	Additio	nal Non-Recurring Charges (NRC)															ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDOD	URETL		0.00	0.00								
<b>-</b>	<b>-</b>	Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at	+	<u> </u>	UEP9D	UKEIL		8.33	0.83			-	-		<del>                                     </del>	-	<del>                                     </del>
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise	1	1	UEP9D	URETN		11.19	1.10				1		I		
<del> </del>	IINE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	+	<u> </u>	OFLAD	UKETN		11.19	1.10			-	-		<del>                                     </del>	-	<del>                                     </del>
<b>-</b>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<del>                                     </del>	<del>                                     </del>		+							-	<del> </del>	+	<b> </b>	<del> </del>
		ort/Loop Combination Rates (Non-Design)				+											-
	OIVE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										1					<b>†</b>
		Non-Design		1	UEP9E		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		17.13								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			1									ĺ			
	1	Non-Design	1	3	UEP9E		26.26						1		I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design	<u></u>	4	UEP9E	1	44.91						<u> </u>		<u> </u>		
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1													I	
		Design		1	UEP9E	1	15.12								ļ		ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l .	l										1		
		Design		2	UEP9E		19.98								l		

CATEGORY   RATE ELEMENTS   Mark   Common   Com	UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY   RATE ELEMENTS   Solid of the Company   Solid of the Com	0.1.20				1								Svc Order	Svc Order				
## RATE EL MENTES    Part   Pa																	Charge -	Charge -
## ATE CLEMENTS ## APPL   Supplementary   Sup				Interi									Elec		_	_		
Page	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
14   April   Disc 1st   Disc And   Disc And											l .	Ι΄.				Electronic-		
No.   First   Add1   SMEC   SMAN   SOMAN   S																		Disc Add'l
No.   First   Add1   SMEC   SMAN   SOMAN   S								1										
2-999   Vision   Vision   Continue   Vision								Rec										
Disagn									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description						LIEBOE		00.70										1 '
Design	-				3	UEP9E	+	28.78						-				<del></del>
Dec   Loop Rate						LIEDOE		40.05										l .
Description   Description	-	LINEL			4	UEF9E	+	40.95										<b>——</b>
D. JAVINE Victor Gonde Long (S. 1). Zenne 2	-	ONE L			1	LIEDOE	LIECS1	10.09							-			<b>—</b>
2-Wine Voice Grade Loog (St. 1) - Zoure 3	-				2													
2-Web Vote Grante Loog (Et. 1) - Zone d   4   UEPSE   UECS1   4.568	-																	<b>—</b>
SWeet Votes Grande Loog (St. 7) - Zener 1   1   ELPPSE   UECSS   13.86	-																	<b>—</b>
Description   Description	-				1													<b>—</b>
S-Were Vasor Grants Long (SL-2): Zame 3   3   URFINE   URCS2   27:55		<b>†</b>			2										<b>†</b>	<b>i</b>		
DWF Port Stock Grade Logo (St. 2) - Zone 4		<b>†</b>			_										<b>†</b>	<b>i</b>		
Al, FL, KJ, MS, & TN only		t			_								<u> </u>		1	i		
A. F. KY, L. MS, a. TN only   2490 Key Commission   19.00 Key Vision Group Port (Centrox) Basic Local Area   1.23 key Vision Group Port (Centrox) Basic Local   19.00 Key Vision Group Port (Centrox) Basic Local   19.00 Key Vision Group Port (Centrox) Mark (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Mark (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Mark (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Mark (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Vision   19.00 Key Vision Group Port (Centrox) Wision   19.00 Key Visi		UNE P			t ·	- "		.0 2							<u> </u>	1		
2-Vive Voice Goade Port (Centres) Bases Local Area   UEPP8   UEPYA   1,23   40,31   19,04   24,90   6,58																		
2-Vive Votes Goade Pert (Centres with Califer DI) Blassic Local   LEPSE   LEPYB   1.23   40.31   19.84   24.50   6.58		, , , , _				UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58						
Area   UEPRE   UEPYB   1.23   40.31   19.84   2.490   6.58												0.00						
2-Vivo Voxo Grade Port (Centrex with Callor (D) Hase Local   UEP9E   UEPYH						UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						l .
Arisa																		
2-Wive Votos Grade Port (Centrac Yorn off Serving Wive Center 2.3 - 800   UEP9E   UEPYM						UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						l .
Centerly 2, Basic Local Area   UEPPE   UEPYE   L23   108.36   70.57   54.24   11.70			2-Wire Voice Grade Port (Centrex from diff Serving Wire															
2-Wire Voice Grade Port, Diff Serving Wire Center 2.3-600   UEPRE UEPYZ 1.23 108.35 70.57 54.24 11.70   Service Term—Basic Local Area   UEPRE UEPY 1.23 108.35 70.57 54.24 11.70   Service Term—Basic Local Area   UEPRE UEPY 1.23 40.31 19.84 24.90 6.56   Service Term—International on Megalink or equivalent UEPRE UEPY 1.23 40.31 19.84 24.90 6.56   Service Term—International Center Cente						UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						1
Service Term: - Basic Local Area					1													
Basic Local Area						UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						1
Basic Local Area			2-Wire Voice Grade Port terminated in on Megalink or equivalent		1													
2-Wire Voice Grade Port Terminated on 800 Service Term -   UEP9E   UEP9C   1.23   40.31   19.84   24.90   6.58						UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						1
AL, KY, LA, MS, & TN Only			2-Wire Voice Grade Port Terminated on 800 Service Term -															
2-Wire Voice Grade Port (Centrex 800 termination)			Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						1
2-Wire Voice Grade Port (Centrex 800 termination)		AL, KY	, LA, MS, & TN Only															1
2-Wire Voice Grade Port (Centrex with Caller ID)1																		1
2-Wire Voice Grade Port (Centrex from diff Serving Wire   UEP9E   UEPQM   1.23   108.35   70.57   54.24   11.70																		1
Center/L3						UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800   UEP9E   UEPQZ   1.23   108.35   70.57   54.24   11.70																		i .
Service Term						UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP9E   UEPQ9   1.23   40.31   19.84   24.90   6.58																		1
2-Wire Voice Grade Port Terminated on 800 Service Term			Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						<b></b>
2-Wire Voice Grade Port Terminated on 800 Service Term	1	1	L					,		40			1	1	I			1
Local Switching		ļ			<u> </u>										ļ			<b></b>
Centrex Intercom Funtionality, per port   UEP9E   URECS   0.7947	<u> </u>	ļ			<u> </u>	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58	<u> </u>		-	ļ		<del></del>
Local Number Portability   Local Number Portability   Local Number Portability (1 per port)   UEP9E	<u> </u>	Local S			1	LIEBOE	LIDEOO	0.70:-			ļ				-	-		<b>—</b>
Local Number Portability (1 per port)	<u> </u>	Lacett			<u> </u>	UEP9E	URECS	0.7947			1		-		<del>                                     </del>	<del>                                     </del>		<del></del>
Features	<b>—</b>	∟ocai i			<b>├</b>	LIEDOE	LNDCC	0.05			1				<del>                                     </del>	<b> </b>		<del></del>
All Standard Features Offered, per port	<b>—</b>	Footier			<b>├</b>	UEP9E	LINPUU	0.35			1				<del>                                     </del>	<b> </b>		<del></del>
All Select Features Offered, per port   UEP9E   UEPVS   0.00   404.98	$\vdash$	reature			1	LIEDOE	LIEDVE	2.50			-				<del>                                     </del>			<del>                                     </del>
All Centrex Control Features Offered, per port   UEP9E   UEPVC   2.56	$\vdash$	-			<del>                                     </del>				404.00		1		-		<del>                                     </del>	-		<del></del>
NARS   Unbundled Network Access Register - Combination   UEP9E   UARCX   0.00	<b>—</b>	<del>                                     </del>			<del>                                     </del>				404.98		1		<b>-</b>	<b>-</b>	+	1		<del></del>
Unbundled Network Access Register - Combination	$\vdash$	NADC	All Centies Control Legities Cheleu, per port		1	OLI DL	OLF VC	2.56							<del>                                     </del>	<del> </del>		
Unbundled Network Access Register - Indial	-	147113	Unbundled Network Access Register - Combination		1	LIFP9F	UARCX	0.00	0.00	0.00	0.00	0.00			<del>                                     </del>	<del> </del>		
Unbundled Network Access Register - Outdial	-	<del>                                     </del>			<del>                                     </del>								-		<b>+</b>			<u> </u>
Miscellaneous Terminations					t -										<u> </u>			
2-Wire Trunk Side		Miscel			t		5, 5,	0.00	0.00	0.00	0.30	0.00			<u> </u>	1		
Trunk Side Terminations, each					t		1								1	İ		
4-Wire Digital (1.544 Megabits)		10			t	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88			1	İ		
DS1 Circuit Terminations, each		4-Wire			1	İ							İ	1	İ	İ		
DS0 Channel Activated Per Channel					1	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54				ĺ		
Interoffice Channel Mileage - 2-Wire																		
		Interof	ice Channel Mileage - 2-Wire															
The state of the s			Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						

CATEGORY   RATE ELEMENTS   Indicated   Company   Compa	UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ATE BLEMENTS   Many   M												Svc Order	Svc Order				
RATE BLENEYS BRANCE BLENEYS BRANCE (S. 1906) 1800 1800 1800 1800 1800 1800 1800 180												1			l .		Charge -
CATEGORY   RATE ELEMENTS   Image   Series   Se			Interi														
Recommend   Reco	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					Order vs.
Page			""														Electronic-
Mile														1st	l .		Disc Add'l
Mile	1					+	П	Monro	rurring	Nonrocurrin	a Disconnect		l	066	Pates (¢)		
Interestina Charmon Entries part mile or factors of mark   Peacle of Activities (1996) Centre Compose on Charmon Entries (1997)   Peacle of Activities of the 4 Charmon Entries Centre Long State   Peacle of Activities of the 4 Charmon Entries Centre Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities of the 4 Charmon Entries F. Tank State Long State   Peacle of Activities F. Tank State Long State   Peacle of Activities F. Tank State Long State						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Festure Activations (DSR) Centres Loops on Channel issue DSI Service		Interoffice Channel mileage, per mile or fraction of mile			UFP9F	M1GBM	0.0098	THOU	Auu i	11130	Auu i	JOINEC	JONAN	JONAN	JOMAN	JOHAN	JOINAIN
Festure Activation on Ch-Clarined Bank Review Loop Stot   Provided   Provid	Featur		e		02.02		0.0000										1
Feature Activation in D-4 Charmed Bank PX line Side Loop Side   LEPISE   1POWR   0.57	D4 Cha	annel Bank Feature Activations															
Feature Activation on D-4 Claimer Bank Fit Trush Side Loop   UEP9E   1PQW7   0.57		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
Feature Activation on D-4 Charmed Bank Fortwes Loop Store																	
State   Penture Actorision on D-4 Channel Bank Centres Loop Stat   UEPSE   PPOWP   0.57					UEP9E	1PQW6	0.57					-					1
Feature Activation on D-4 Channel Bank Private Line Loss Sist   UEPRE   IPOWW   0.57					LIEDOE	1POW7	0.57										
Different Winc Center		6.60			OLI SL	11 QVV7	0.57										
Feature Activation on D-4 Chevred Bank Private Line Loop Side   UEPSE   IPOWW   0.57					UEP9E	1PQWP	0.57										
Feature Activation on Det Chamele Bank Tig. Lane Trunk Loop   UEPPE   1POWO   0.57																	
Distance   Company   Com					UEP9E	1PQWV	0.57										
Peature Activation on D-4 Channel Bank WATS Loop SIR   UPPSE   IPOWA   0.57						1,50											
Non-Recurring Charges (RRC) Associated with UNE-P Centrex   NRC Conversion Comment (															ļ		
NRC Conversion Currently Combined Switch-As-be with allowed changes, per port   Convention of Eduling Central Common Block, and   UEPSE   USAC2   0.10   0.10	Non D				UEP9E	1PQWA	0.57										
Changes, per port	Non-R					+ +				1	1	<b>—</b>			1		<del>                                     </del>
Conversion of Easting Centrex Standard Common Block					UEP9E	USAC2		0.10	0.10								
New Centrex Customized Common Block																	
NAR Establishment Charge, PRF Occasion					UEP9E		0.00	666.32									
Additional Non-Recurring Charges (NRC)  Unburdied Miscellaneous Rate Element, Tag Loop at End Use Premise Unburdied Miscellaneous Rate Element, Tag Design Loop at UEP9E URETL  A.33  URET End Use Premise URET Valid in AL, KY, LA, MS, & TN)  UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE End Use Premise UNE Profit CoppeRive Valid in AL, KY, LA, MS, & TN) UNE Profit Loop Zwine Vide Grade Port (Centreey Port Combo Non-Design UNE Port Use Oppe Zwine Vide Grade Port (Centreey Port Combo Non-Design UNE Valid Une Valid Un																	
Unbundled Miscellaneous Rate Element, Tag Losip at End Use   URETL   8,33   0,88					UEP9E	URECA	0.00	72.63									
Premise   ULP9E   URETL   8.33   0.83	Additio																
Unbunded Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unserver Loop Control Loop Premise Unserver Loop Combination Rates (Non-Design Loop Combination Rates (Non-Design Loop Parties Volce Grade Port (Centrex) Port Combo Loop Care Port Combo Loop Care Port Combo Loop Care P					LIEDOE	LIDETI		0.22	0.00								
End Use Premise					UEF9E	UKETL		0.33	0.63								
UNE-P CENTEEX - DCO - Valid in AL, KY, LA, Ms, & TN)					UEP9E	URETN		11.19	1.10								
UNE Port/Loop Combination Rates (Non-Design   1 UEP93   12.22   17.13   17.13   17.14   17.15   17.1	UNE-P																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design   1 UEP93   12.22   17.13   1																	
Non-Design   1   UEP93   12.22	UNE P																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design   2 UEP93   17.13			1		LIEDOO		40.00										
Non-Design   2 UFP93   17.13				- 1	UEP93	-	12.22										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design   3 UEP93   26.26				2	UFP93		17 13										
Non-Design					02. 00		0										
Non-Design				3	UEP93		26.26										
UNE Port/Loop Combination Rates (Design)		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design   1 UEP93   15.12				4	UEP93		44.91										
Design	UNE P														ļ		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design			1	4	LIEDOS		45 40										
Design				ı	OLFSS	+ +	15.12			1	1	<b>—</b>			1		<del>                                     </del>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo   Design   3   UEP93   28.78				2	UEP93		19.98										
Design   3   UEP93   28.78	1					1				1	1						l
Design		Design		3	UEP93		28.78										
UNE Loop Rate		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
2-Wire Voice Grade Loop (SL 1) - Zone 1				4	UEP93		46.95								1		
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP93 UECS1 15.91 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP93 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 4 UEP93 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP93 UECS2 13.89 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP93 UECS2 13.89 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP93 UECS2 13.85 2-Wire Voice Grade Loop (SL 2) - Zone 4 4 UEP93 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.89 UECS2 13.875 UECS2 13.89 UECS2	UNE L		-	A	LIEDOS	LIECC4	40.00			-	-				1		
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP93 UECS1 25.04 2-Wire Voice Grade Loop (SL 1) - Zone 4 4 UEP93 UECS1 43.68 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP93 UECS2 13.89 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP93 UECS2 18.75 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP93 UECS2 27.55 2-Wire Voice Grade Loop (SL 2) - Zone 4 4 UEP93 UECS2 45.72 UNE Port Rate AL, KY, LA, MS, & TN only			-							1	1	1	-		1		-
2-Wire Voice Grade Loop (SL 1) - Zone 4																<del> </del>	<del>                                     </del>
2-Wire Voice Grade Loop (SL 2) - Zone 1	1															1	
2-Wire Voice Grade Loop (SL 2) - Zone 3   3   UEP93   UECS2   27.55														l			
2-Wire Voice Grade Loop (SL 2) - Zone 4 4 UEP93 UECS2 45.72		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75										
UNE Port Rate AL, KY, LA, MS, & TN only										1	1						
AL, KY, LA, MS, & TN only				4	UEP93	UECS2	45.72										
			<u> </u>			+ +				1	1		<b> </b>	-	1	<b>.</b>	-
1   12-Wire Voice Grade Port (Centrey ) Resid Local Area	AL, KY	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1		UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	1			1	-	<del>                                     </del>

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
OND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											Svc Order	Svc Order	Incremental	Incremental		Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		-	-			1	Nonros	rin a	Nonrecurring	Disconnect			220	Botos (\$)		ь н
-	<u> </u>						Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						riist	Auu i	First	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local									0.00						
		Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			UEP93	UEPYZ	1.23	400.05	70.57	54.24	44.70						
-	1	Service Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		-				
		- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port Terminated on 800 Service Term -			OL1 50	OLI 10	1.20	40.01	10.04	24.00	0.00		1				
		Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
	ļ	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOO	UEDOM	4.00	400.05	70.57	5404	44.70						1
	<u> </u>	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						1
	1	COVICE TOTAL			OL1 50	OLI QL	1.20	100.00	70.07	04.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	Local I	Number Portability			LIEBOO	LNDOO	0.05										
	Featur	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
-	reatur	All Standard Features Offered, per port		1	UEP93	UEPVF	2.56										
		All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
	NARS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	881	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations Trunk Side															<del>                                     </del>
	Z-WITE	Trunk Side Trunk Side Terminations, each		<u> </u>	UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						<del>                                     </del>
	4-Wire	Digital (1.544 Megabits)			OL1 50	OLINDO	0.20	120.00	10.00	01.77	0.00		1				
		DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
	Interof	fice Channel Mileage - 2-Wire															
	ļ	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Footur	Interoffice Channel mileage, per mile or fraction of mile a Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP93	M1GBM	0.0098										<del>                                     </del>
		nnel Bank Feature Activations	l														<del></del>
	D4 OIII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										<u> </u>
	1	2000 0100				1	2.01							İ			
	ļ	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	1											1
ļ	<b> </b>	Slot		<b>_</b>	UEP93	1PQW7	0.57						1				<b>├</b>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.57										1
<b>-</b>	1	Dilibion Wile Center	<del>                                     </del>	<b>-</b>	OFLAS	IFWWP	0.57			1		1	<del>                                     </del>	<b> </b>			<del>                                     </del>
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										1
	i –	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop								İ		1					
	<u> </u>	Slot	<u> </u>		UEP93	1PQWQ	0.57						<u> </u>				1
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57		•								
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>								ļ					<b></b>
1	1	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP93	USAC2		0.40	0.40								[ ]
L	L	changes, per port		L	UEP93	USAC2		0.10	0.10	l		1	I	l			

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge - Manual Svc		Charge -
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									i
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32								<u> </u>	
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
Additio	onal Non-Recurring Charges (NRC)															i
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use														, '	ı l
	Premise			UEP93	URETL		8.33	0.83							<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															i
Note 2	- Requres Interoffice Channel Mileage															i
	- Installation is combination of Installation charge for SL2 Lo	op and I	Port													
Note 4	- Requires Specific Customer Premises Equipment															1
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Tern	ns and Condition	ns.	•								

Version 3Q03: 11/12/2003 Page 238 of 348

LINIDI	INDI E	D NETWORK ELEMENTS - North Carolina												Assach		F.u.l.	L:4. A
UNDU	NULE	D NETWORK ELEMENTS - NORTH Carolina			1		1					00.1	00		ment: 2		bit: A
														Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	JORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		1					Nonre	curring	Nonrecurrin	g Disconnect			220	Rates (\$)		
			<b>-</b>				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								11100	Auu	11130	Auui	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	pination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
		www.interconnection.bellsouth.com/become a clec/html/inter								,							
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not o	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	each o	f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	ording 1	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	ally. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ted SOM	IEC rate	e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic order	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to B															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Ple	ease se	ee applicable rate ele	ment for SC	MAN charge**										
1		OSS - Electronic Service Order Charge, Per Local Service				00115					_						
LINES	<u> </u>	Request (LSR) - UNE Only	<del>                                     </del>	ļ		SOMEC	<u> </u>	3.50	0.00	3.50	0.00		-	ļ	ļ	ļ	<b> </b>
UNE S		DATE ADVANCEMENT CHARGE	D.IIO.	11.1- 50	0.11-4.7												
-	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	itn's FC	No.1 Tariff, Section	n 5 as appii	cable.					1					
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1.												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,						1						
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP	[	200.00			I						
UNBU	IDLED I	EXCHANGE ACCESS LOOP										İ			1		
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	33.65	57.99	42.37					26.94	12.76	0.00	0.00
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ļ		UEANL	UEASL	12.11	57.99	42.37		ļ	ļ		26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<b>!</b>	2	UEANL	UEASL	21.24	57.99	42.37			ļ		26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>	3	UEANL	UEASL	33.65	57.99	42.37		-		-	26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIFANII	LIDETI		0.00	0.00		I			20.04	40.70	0.00	0.00
		Premise	<b> </b>	-	UEANL	URETL	<u> </u>	8.33	0.83		<del>                                     </del>	<b> </b>		26.94	12.76	0.00	0.00
<del>                                     </del>	-	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	<del>                                     </del>	-	UEANL UEANL	URET1 URETA	<del>                                     </del>	76.24 39.51	76.24 39.51		<del>                                     </del>	<del> </del>	1	26.94 26.94	12.76 12.76	0.00	0.00
<b></b>	-	CLEC to CLEC Conversion Charge Without Outside Dispatch	<del>                                     </del>	<del>                                     </del>	OLAINL	UKETA	<u> </u>	39.51	39.51		<del>                                     </del>	}		∠6.94	12.76	0.00	0.00
l		(UVL-SL1)			UEANL	UREWO		15.76	8.93		1			26.94	12.76	0.00	0.00
	1	1(0.2.02.)	1	1	O	J. 12 TV J	1	10.70	0.00		1	1	1	20.04	12.70	0.00	0.00

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
0.1.20.1		101110111										Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
						i i	_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST											1				
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38				ĺ		Î		
		Order Coordination for Specified Conversion Time for UVL-SL1											1				
		(per LSR)			UEANL	OCOSL		45.34	45.34								
2	-WIRE	Unbundled COPPER LOOP											ĺ		Î		
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60				ĺ	26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60				ĺ	26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	<u> </u>	<u></u>	UEQ	USBMC		61.38	61.38	<u> </u>	<u></u>						<u> </u>
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76	L	ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						== 00	40.00						40 =0		
LINIBUNE		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76	<b></b>	ļ
		XCHANGE ACCESS LOOP		-												<b></b>	ļ
	-WIRE	ANALOG VOICE GRADE LOOP		-													
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	14.97	142.97	400.50					26.94	12.76	0.00	0.00
		Ground Start Signaling - Zone 1		1 1	UEA	UEAL2	14.97	142.97	106.56				-	26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-		OLA	ULALZ	20.93	142.97	100.36	1	-	-	<b> </b>	20.94	12.70	0.00	0.00
		Z-wire Analog voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	l	3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UEA	OCOSL	40.01	45.34	100.00	1	<b> </b>	<del>                                     </del>	<b> </b>	20.94	12.70	0.00	0.00
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	<del>                                     </del>	OLA	JUUGL		40.04		<del>                                     </del>	<del>                                     </del>	<b>I</b>	1	<del>                                     </del>	<del>                                     </del>	<del></del>	<del>                                     </del>
		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
<b>—</b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		+ '-	OLA	OLAKZ	14.57	142.57	100.50			1	<del> </del>	20.54	12.70	0.00	0.00
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
+	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		OLA	JEANE	20.93	172.31	100.30	<b>†</b>			<b> </b>	20.94	12.70	0.00	0.00
		Battery Signaling - Zone 3	l	3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
$\vdash$	-	Order Coordination for Specified Conversion Time (per LSR)	<del>                                     </del>	Ť	UEA	OCOSL	70.01	45.34	100.00	1	<b> </b>	<b>-</b>	<b> </b>	20.04	12.70	0.00	0.00
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	1	UEA	UREWO		87.64	36.33	1	<b> </b>	<b>-</b>	<b> </b>	26.94	12.76	0.00	0.00
$\vdash$		Loop Tagging - Service Level 2 (SL2)	<b>1</b>	1	UEA	URETL		11.20	1.10					26.94	12.76	0.00	
4	-WIRE	ANALOG VOICE GRADE LOOP	i e	1		12:		20	0	1	İ			20.04	.20	5.50	0.00
<u> </u>		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.32	288.47	237.45	1				26.94	12.76	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 2	<b>i</b>		UEA	UEAL4	36.27	288.47	237.45		i			26.94	12.76	0.00	
		4-Wire Analog Voice Grade Loop - Zone 3	l		UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	
		Order Coordination for Specified Conversion Time (per LSR)	l		UEA	OCOSL		45.34		1					1		2.00
	_	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
12	-WIRE	ISDN DIGITAL GRADE LOOP					j									0.00	0.00

ATTECHNISH BATTER ELEMENTS BIOS BCS USOC BATTER BLOWN BLOWN BATTER STORY DECEMBER 1997 BLOWN BLOWN BATTER BLOWN BATTER STORY DECEMBER 1997 BLOWN BATTER BLOWN BATTER STORY DECEMBER 1997 BLOWN BATTER	UNBU	JNDLE	D NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	bit: A
ATT CLARGEST STATE CL														Svc Order	Svc Order				
CATEGORY   NATE ELEMENTS   May   Door   DOOR   DO														Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March   Marc				Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Part	CATE	ORY	RATE ELEMENTS		Zone		BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Rec															-	Electronic-	Electronic-	Electronic-	Electronic-
Section   Sect																1st	Add'l	Disc 1st	Disc Add'l
Section   Sect	-	1			<u> </u>			+	1	Nonroc	urring	Nonrocurring Disco	nnoct			088	Pates (\$)		
Syme SSX Degital Great Leve, Zero 2	-	1			1			+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
2 Ave SIGN English Great Local Convessor. Time [see LSS]   3 CM   1912   3 CM   1912   3 CM			2-Wire ISDN Digital Grade Loop - Zone 2		2	LIDN		1111.2X	32.88			First At	iu i	SOMEC	SOWAN				
Oracle Conclusionation For Secreting Conversary Tree (past (SRF)   URN   OCOSE   45.54   4.12   26.64   12.76   0.00   0.00																			
CLEC to CLEC Conversion Charge arbitros control deposits   IDN   OSEWO   91.05   4.12   92.54   12.76   0.00   0.00		1			Ť				0		201.01					20.01	12.10	0.00	0.00
2 Vivi Urbonded PSSL Losp including manual service inquiry   2 UML											44.12					26.94	12.76	0.00	0.00
Signifity repart of the 2005   1,000   2,000		2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	,													
2 West Unbounded ADSL Loop (activing marked services organy)   2 (MAL																			
Stability reservation. Zerue 2   Q.M.   Q.					1	UAL		UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0.00
2 Vivis Unbanded ADSL Loss including manual service inquiry   3 UAL																			ĺ
A facility reservation. Tame 3					2	UAL		UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	0.00
Color Continuation for Specified Convenient Free (per LSR)					_														
2 Wite Unburded ADE, Loop without manual service nequity &   1 UAL	-				3				28.42		145.60					26.94	12.76	0.00	0.00
Tacitity reservator - Zone 1	-	1			<del> </del>	UAL		OCOSL		45.34									<del></del>
2 Vive Unbunded ADSL Loop without manual service niquity 8   2 LML   LML2W   18,39   190,25   114,82   26,94   12,76   0.00   0.00					1	1101		1101 200/	11.00	100.25	11/1 92					26.04	12.76	0.00	0.00
Inditify reservation 1. Zone 2		1			<u>'</u>	UAL		UALZVV	11.00	190.23	114.02					20.94	12.70	0.00	0.00
2     2					2	ΠΔΙ		11AL 2W/	18 39	190 25	114 82					26 94	12.76	0.00	0.00
Incidity reservation - Zane 3					-	O/ IL		O/ LEVV	10.00	100.20	114.02					20.04	12.70	0.00	0.00
Order Coordination for Specified Conversion Time (per LSR)					3	UAL		UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	0.00
CLEC to CLEC Convenient Charge without outside dispatch   UAL   UREWO   86.12   49.36   26.94   12.76   0.00   0.00																			
2 Wire Unbounded HDSL Loop including manual service inquiry   1 UHL						UAL				86.12	40.36					26.94	12.76	0.00	0.00
Stability reservation - Zone 1   UHL   UHL2X   9.01   284.74   163.54   26.94   12.76   0.00   0.00		2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP														
2 Wife Unburdied HDSL Loop including manual service inquiry   2 UHL																			
Stacilly reservation - Zone 2   2 UHL   UHLZX   14.67   284.74   163.54   26.94   12.76   0.00   0.00					1	UHL		UHL2X	9.01	284.74	163.54					26.94	12.76	0.00	0.00
2 Wire Unburdled HOSL Loop including manual service inquiry   3 UHL																			l
Stacility reservation - Zone 3					2	UHL		UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
Order Coordination for Specified Conversion Time (per LSR)						l			00.00	00474	100.51					00.04	40.70	0.00	0.00
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 UHL UHL2W 9.01 207.48 132.05 26.94 12.76 0.00 0.00 2.00 2.00 2.00 2.00 2.00 2.0		1			3				22.82		163.54				-	26.94	12.76	0.00	0.00
And facility reservation - 2 cone 1	-	<u> </u>			+	UHL		UCUSL		45.54									<del></del>
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   UHL   UHL2W   14.87   207.48   132.05   26.94   12.76   0.00   0.00					1	шы		HH 2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
and facility reservation - Zone 2					<u> </u>	OTTL		OTILEVV	0.01	207.40	102.00					20.04	12.70	0.00	0.00
and facility reservation - Zone 3					2	UHL		UHL2W	14.87	207.48	132.05					26.94	12.76	0.00	0.00
Order Coordination for Specified Conversion Time (per LSR)		i	2 Wire Unbundled HDSL Loop without manual service inquiry																
CLEC to CLEC Conversion Charge without outside dispatch			and facility reservation - Zone 3		3	UHL		UHL2W	22.82	207.48	132.05					26.94	12.76	0.00	0.00
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																			
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1						UHL		UREWO		86.06	40.36					26.94	12.76	0.00	0.00
and facility reservation - Zone 1		4-WIRE		TIBLE	LOOP	<b>.</b>													<b></b>
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2   UHL   UHL4X   17.67   341.65   220.45   26.94   12.76   0.00   0.00	1	1				l <i></i>			10.00	244.05	000 17			1		00.0:	10.70	0.00	0.00
and facility reservation - Zone 2	-	ļ			1	UHL		UHL4X	10.62	341.65	220.45					26.94	12.76	0.00	0.00
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3   UHL   UHL4X   27.24   341.65   220.45   220.45   26.94   12.76   0.00   0.00		1		l	2	шы		LIHLAY	17.67	3/1 65	220.45			1		26.04	12.76	0.00	0.00
and facility reservation - Zone 3						OFIL		UI IL4X	17.07	341.03	220.43					20.94	12.70	0.00	0.00
Order Coordination for Specified Conversion Time (per LSR)					3	UHL		UHL4X	27.24	341.65	220.45					26.94	12.76	0.00	0.00
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1					Ť														
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   2 UHL																			
and facility reservation - Zone 2			and facility reservation - Zone 1		1	UHL		UHL4W	10.62	264.39	188.96					26.94	12.76	0.00	0.00
A-Wire DS1 Digital Loop - Zone 2   2 USL   USLXX   47.60   714.84   421.47   42.19   12.76   0.00   0.00																			
and facility reservation - Zone 3   3 UHL   UHL4W   27.24   264.39   188.96     26.94   12.76   0.00   0.00					2	UHL		UHL4W	17.67	264.39	188.96					26.94	12.76	0.00	0.00
Order Coordination for Specified Conversion Time (per LSR)																			l
CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	ļ			3				27.24		188.96					26.94	12.76	0.00	0.00
A-Wire DS1 Digital Loop - Zone 1	-				-						40.00					00.04	40.70	0.00	0.00
4-Wire DS1 Digital Loop - Zone 1	-	1-WID		-	-	UHL		UKEWU		80.06	40.36			<b> </b>	-	∠6.94	12.76	0.00	0.00
4-Wire DS1 Digital Loop - Zone 2   2 USL	<b>—</b>	AAILCE		<del>                                     </del>	1	USI		USI XX	47.60	714 84	421 A7					42 10	12.76	0.00	0.00
4-Wire DS1 Digital Loop - Zone 3   3 USL   USLXX   134.29   714.84   421.47     42.19   12.76   0.00   0.00		1		1										<b> </b>	<b>-</b>				0.00
Order Coordination for Specified Conversion Time (per LSR)         USL         OCOSL         48.31         1         CEC to CLEC Conversion Charge without outside dispatch         USL         UREWO         100.99         43.00         26.94         12.76         0.00         0.00		i –																	
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 100.99 43.00 26.94 12.76 0.00 0.00		1		l	Ť				22						İ	1		2.50	5.50
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			CLEC to CLEC Conversion Charge without outside dispatch		L						43.00					26.94	12.76	0.00	0.00
		4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP								·								

UNBL	INDLE	O NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	I					+ +		Nonrec	urrina	Nonrecurring Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51				26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	ļ	4 Wire Unbundled Digital 19.2 Kbps		_	UDL	UDL19	67.26	489.04	337.51	ļ			26.94	12.76	0.00	0.00
-	<b>-</b>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL UDL	UDL56	25.32 43.11	489.04 489.04	337.51 337.51	<del>                                     </del>	+	1	26.94 26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56 UDL56	43.11 67.26	489.04 489.04	337.51		+		26.94	12.76 12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	07.20	45.34	337.31	<del>                                     </del>	+	+	20.94	12.70	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51		1	1	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51		1	1	26.94	12.76	0.00	0.00
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51				26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70				26.94	12.76	0.00	0.00
	2-WIRE	Unbundled COPPER LOOP														
		2-Wire Unbundled Copper Loop-Designed including manual				l										
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75		+	1	26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75				26.94	12.76	0.00	0.00
-		2 Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	22.39	202.00	143.75	+ + + + + + + + + + + + + + + + + + + +	+	1	20.94	12.76	0.00	0.00
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	0 1.00	61.38	61.38		1	1	20.01	12.10	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual								1						
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual														
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
		2-Wire Unbundled Copper Loop-Designed without manual														
	-	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39 61.38	112.96 61.38	<b>+</b>	+	1	26.94	12.76	0.00	0.00
	-	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch		1	UCL	UCLIVIC		61.38	61.38	+ +	+	+				$\vdash$
		(UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
	4-WIRE	COPPER LOOP			002	0.12110		0	.2		1	<u> </u>	20.0 .	12.10	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility				1										
		reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility														1
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
		4-Wire Copper Loop including manual service inquiry and facility				1101.40	40.00	044.00	101.00				00.04	40.70	0.00	0.00
-	-	reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	46.26	311.03 61.38	191.93 61.38		+	<del>                                     </del>	26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility			OCL	OCLIVIC		01.30	01.30	<del>                                     </del>	+	+				
		reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility								1						
		reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
		4-Wire Copper Loop without manual service inquiry and facility							<del></del>							
		reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38	<b>_</b>	_					
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44							1 1
LOOP	MODIFIC				UCL	UREWU		97.14	42.44	+ +	+	1				
LOOP	IVIODIFIC	BATION		1	UAL, UHL, UCL,	+ +				+ + + + + + + + + + + + + + + + + + + +	+	1				
					UEQ, ULS, UEA,											1 1
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											1
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
		Unbundled Loop Modification Removal of Load Coils - 4 Wire														
	ļ	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24				26.94	12.76	0.00	0.00
					UAL, UHL, UCL,											1 !
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA, UEANL, UEPSR,											1 !
		per unbundled loop			UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
SUB-L	OOPS	parameter and the parameter an			02	3231		24.04	24.04		1	†	20.04	12.70	0.00	0.00
		op Distribution				1						1	ĺ			
										•						

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									1.	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			ļ													
			-			Rec	Nonred			g Disconnect	201150	001141		Rates (\$)	001111	001141
	Cub Lana Bas Casas Bas Lanatina CLEC Foodes Fooility Cat	-	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
<del></del>	ОР	<del>- '</del> -	<del>                                     </del>	ULANL	USDSA		313.31		<del> </del>		<del> </del>		20.54	12.70	0.00	0.00
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		027.11.12	00202		000				1		20.01	.2	0.00	0.00
	Facility Set-Up	- 1		UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	I	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	I	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				USBN2	40.00	100.00	5454					26.94	40.70	0.00	0.00
	Zone 3	- 1	3	UEANL	USBN2	18.20	126.03	54.54	-		1		26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBIVIC		01.30	01.30	1		1					1
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OL7 (I VL	CODIVA	0.44	100.02	70.00					20.04	12.70	0.00	0.00
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														****	
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38					20.01	40.00		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
$\vdash$	Loop Testing - Basic 1st Half Hour	-	+	UEANL	URET1		76.24	76.24	-		1					
$\vdash$	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24			1		26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	9.70	137.10	60.24			1		26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	0.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	0.00
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.84	162.24	85.38	ļ		ļ		26.94	12.76	0.00	0.00
		1		luee .			04.00	04.00	I							
$\vdash \vdash \vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<del>                                     </del>	1	UEF	USBMC		61.38	61.38	<del>                                     </del>	1	<b></b>		<del>                                     </del>	<b> </b>	<b> </b>	1
$\vdash$	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	+	1	UEF UEF	URET1 URETA		76.24 39.51	76.24 39.51	<del>                                     </del>	1	<del>                                     </del>		<del>                                     </del>	-	-	+
Habi	Indled Network Terminating Wire (UNTW)	$\vdash$	<del>                                     </del>	ULI	OKEIA		39.51	38.51	+		<b> </b>	-				<b> </b>
Onbu	Unbundled Network Terminating Wire (UNTW) per Pair	t	<del>                                     </del>	UENTW	UENPP	0.4351	64.98		<del>                                     </del>	1			26.94	12.76	0.00	0.00
Netw	ork Interface Device (NID)			02	0_1111	0.4001	04.90		<b>†</b>				20.04	12.70	0.00	5.00
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86.37	56.69				İ	26.94	12.76	0.00	0.00
	Network Interface Device (NID) - 1-6 lines	i		UENTW	UND16		127.93	98.21	1			İ	26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		11.68	11.68					26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4		11.68	11.68					26.94	12.76	0.00	0.00
UNE OTHER,	, PROVISIONING ONLY - NO RATE															
$\sqcup \sqcup \sqcup$	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
$\vdash$	UNTW Circuit Id Establishment, Provisioning Only - No Rate	ļ		UENTW	UENCE	0.00	0.00		ļ		ļ		ļ			1
	1	1	1	UEANL,UEF,UEQ,U	1				1	1	1	I	l	l	l	1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

LINBLIND	I ED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hi4. A
CIADOIAD		INC. I VYORK ELEMENTS - NOITH CATOHIIA	Ι	1	I	1	I					Svo Order	Svo Orde-	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
	.		Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				<u> </u>													
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Jnbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
	l	Jnbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı
		ate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									,
	ι	Jnbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		ate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									,
		Jnbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
	Ų	Jnbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									1
HIGH CAP		/ UNBUNDLED LOCAL LOOP															1
	H	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	13.33										
	ŀ	High Capacity Unbundled Local Loop - DS3 - Facility															
	7	Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		1
	ŀ	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	r	nonth			UDLSX	1L5ND	13.33										
	ŀ	High Capacity Unbundled Local Loop - STS-1 - Facility								Î							
	1	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAK	E-UF	)															
	L	Loop Makeup - Preordering Without Reservation, per working or															
	5	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
	L	oop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		oop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SHAF		AND LINE SPLITTING															
		The Line Sharing monthly recurring rates for all installation	is comi	oleted f	rom October 02, 200	3 through m	idniaht Octobe	r 01. 2004 sha	I be billed as f	ollows:							
		10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
		10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1		ľ											
		10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cir	cuits install	ed and inservic	e on or before	October 1, 20	03							
		ARING			,,	l			,								
SP	LITTE	RS-CENTRAL OFFICE BASED															
		ine Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00	İ		İ		26.94	12.76		
		Line Sharing Splitter, Per System, 8 Line Capacity	1	1	ULS	ULSD8	12.73	424.61	0.00	İ	1			26.94	12.76		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<b>i</b>	t					2.30	i	İ						
		deactivation (per LSOD)	1	1	ULS	ULSDG		146.32	31.27			1		26.94	12.76		, !
EN		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<b>i</b>	t				2	027	i	İ			20.07			
1 1 1		Line Sharing - per Line Activation (BST Owned splitter) -								İ		İ					
		DBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
		Line Share Service, TRO per line activation, BST owned splitter -						-									
		Central Office Located (25% of UCLND) - please see NOTE 1															
		E:10/2/2003)			ULS	ULSDT	3.49	54.71	28.77								ı
		Line Share Service, TRO per line activation, BST owned splitter -			020	0200.	0.10	0 1	20.77								
		Central Office Located (50% of UCLND) - please see NOTE 1	1	1		1						1					, !
		E:10/2/2004)	l	1	ULS	ULSDT	6.99	54.71	28.77			I					
		Line Share Service, TRO per line activation, BST owned splitter -	<b> </b>	<del>                                     </del>			0.00	04.71	20.11	<b> </b>	<del> </del>	t e					
		Central Office Located (75% of UCLND) - please see NOTE 1	l	1		1						I					
		E:10/2/2005)	1	1	ULS	ULSDT	10.48	54.71	28.77			1					, !
<del>                                     </del>		Line Sharing - per Subsequent Activity per Line	<del>                                     </del>		OLO	OLOD I	10.40	J4.7 I	20.77	<u> </u>	1	<del>                                     </del>					
		Rearrangement(BST Owned Splitter	l		ULS	ULSDS		35.42	16.57					26.94	12.76		
		Line Sharing - per Subsequent Activity per Line	-	1	OLO	OLODO		35.42	10.57		1	<b>-</b>		20.94	12.70		
		Rearrangement(DLEC Owned Splitter	1	1	ULS	ULSCS		35.14	16.29			1		26.94	12.76		, !
<del>                                     </del>	-	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	<del>                                     </del>	OLO	OLOGO		33.14	10.29	1	1	1		20.94	12.76		
		DBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31			1		26.94	12.76		, !
$\Box$		DOULLIE 300 NOTE 2	L	<u> </u>	OLO	OLOCO	0.01	41.44	15.51	I	l	1		20.94	12.70		

CATEGORY   RATE ELEMENTS   Interest   Company   Compan	UNBU	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
ATTEMPS IN ATTEMPS IN	300		- III III GUI GUI GUI GUI GUI GUI GUI GUI										Svc Order	Svc Order				
RATE ELINENTS   RATE ELINENTS   Rose   BCS						1							1					Charge -
CATEGORY   RATE ELEMENTS				Intor:														
Process	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
The State Services (Control of the Control of the				m									per Lore	por Lore				Electronic-
No.   No.																		Disc Add'l
Section   First   Address   South   SOMAN																	D130 131	DISC Add I
Inter-State Service, 1709 or the american, CAST, Opening or the product of the								Pec										
Solition   Control (Dista Located (20% of UCASIO) - pieces page   U.S.   U.S.CT   X-b   47.44   19.31								1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE   18   102/2020																		
Line State Service, TRO year the additional CLEC control deligned before the children CLEC control deligned before the children CLEC control deligned by the children CLEC control del																		
Spites   Control Office   Control Offi						ULS	ULSCT	3.49	47.44	19.31								
NOTE (16 1022020)																		
Line Sharks Section, 1970 print a schedulor (1976 of UCARD) please see spring prints (1976 of UCARD) please see sprints							ш оот	0.00	47.44	10.01								
Spitter - Contract Office Located (75% of UCLNO) - please see   ULS						ULS	ULSCI	6.99	47.44	19.31								
NOTE 16:1002/2000																		
UNIVERSECTION   September						111 0	LILECT	10.49	17 11	10.21								
END USER ORDERING CENTRAL OFFICE BASED   UCPSR UPPSR UPPSR   UCPSR PSR UPPSR U		LINE		-	-	ULS	OLSCI	10.40	47.44	15.51	1		1		-	-		
Line Splitting - per line activation DEC connect splitting - per line activation SET connect of physical   UEPSR											<b>†</b>		<b>-</b>					
Une Spitting per line activation RST owned - physical   UPSR UPSB   VREBP   O.61   56.02   26.56   26.56   26.56   26.57   26.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   17.76   25.54   25.55   2		LIND O				LIEPSR LIEPSB	URFOS	0.61					1		1			
Une Skitters per line activation BSF sounds - virtual   UEPSR UEPSB   URBAN   Co.01   So.02   26.56   26.56   26.54   12.76   MANTENANCE Founds - per 1/2 boar incorrenters. Basic   12.70   Montenance   12.00   10									56.92	28.59					26.94	12.76		
MAINTENANCE																		
No Trouble Found - per US hour increments - Basic   1,000   55,00   1,000   75,00   1,000		MAINT																
No Trouble Found - per 1/2 hour increments - Premium     160.00   110.00									80.00	55.00								
UNBOUNCED CEDICATED TRANSPORT			No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
INTEROFFICE CHANNEL - DEDICATED TRANSPORT   INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 2-Wire Voice Grade - Per Mile per month   INTEROFFICE CHANNEL - DeDICATED TRANSPORT - 2-Wire Voice Grade - Per Mile per month   INTEROFFICE CHANNEL - DeDICATED TRANSPORT - 2-Wire Voice Grade - Per Mile per month   INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 2-Wire Voice Grade - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - Per Mile per month   INTEROFFICE CHANNEL - PER MILE - PER MIL			No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								ĺ
Interoffice Channel - Dedicated Transport - 2-Wire Votee Grade   Parkille per month   Parki	UNBUN																	ĺ
Per Mile per morth   Interoffice Channel - Dedicated Transport - 2: Wire Voice Grade   U1TVX   U1TV2   18.00   137.48   52.58   38.07   38.07   38.07		INTER																
Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade - Facility Termination - Dedicated Transport - 2 Wire Voice Grade - WITTVX																		
Facility Termination   U1TVX						U1TVX	1L5XX	0.0125										
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade   UTTX																		
Rev Bat Per Mile per month   U1TVX   LEXX   0.0125						U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
Interoffice Channel - Dedicated Transport - 2 Wire VG Rev Bat.   U1TVX   U1TR2   18.00   137.48   52.58   38.07   38.07																		
Facility Termination						U1TVX	1L5XX	0.0125										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade   Per Mile per month   UTTX				1		LIATE OF	LIATEDO	40.00	407.40	50.50					00.07	00.07		
Per Mile per month	-					U1IVX	U11R2	18.00	137.48	52.58					38.07	38.07		
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade   U1TVX				1		LIATION	41.577	0.0405										
Facility Termination	-				-	UTIVX	ILOXX	0.0125			-		-					
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month   U1TDX   11,5XX   0.0282						LIATAV	LIATVA	22.16	106 11	65 O5					22.22	22.22		
Der month   Literoffice Channel - Dedicated Transport - 56 kbps - Facility   Literoffice Channel - Dedicated Transport - 64 kbps - per mile   Literoffice Channel - Dedicated Transport - 64 kbps - per mile   Literoffice Channel - Dedicated Transport - 64 kbps - Facility   Literoffice Channel - Dedicated Transport - 64 kbps - Facility   Literoffice Channel - Dedicated Transport - 64 kbps - Facility   Literoffice Channel - Dedicated Transport - 64 kbps - Facility   Literoffice Channel - Dedicated Channel - DS1 - Per Mile per   Literoffice Channel - Dedicated Transport - DS1 - Per Mile per   Literoffice Channel - Dedicated Transport - DS1 - Facility   Literoffice Channel - Dedicated Transport - DS1 - Facility   Literoffice Channel - Dedicated Transport - DS3 - Per Mile per   Literoffice Channel - Dedicated Transport - DS3 - Per Mile per   Literoffice Channel - Dedicated Transport - DS3 - Per Mile per   Literoffice Channel - Dedicated Transport - DS3 - Facility   Literoffice Channel - Dedicated Transport - DS3 - Facility   Literoffice Channel - Dedicated Transport - DS3 - Facility   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice Channel - Dedicated Transport - STS-1 - Per Mile per   Literoffice	-				-	UTTVA	01174	22.10	100.11	05.55	1				22.32	22.32		1
InterOffice Channel - Dedicated Transport - 56 kbps - Facility   U1TDX   U1TDS   17.40   137.48   52.58   38.07   38.07   38.07						LITDX	11 5XX	0.0282										
Termination						0115/	120701	0.0202					1		1			
Interoffice Channel - Dedicated Transport - 64 kbps - per mile   Def month   Dedicated Transport - 64 kbps - Facility   Def month   Dedicated Transport - 64 kbps - Facility   Def month   Dedicated Channel - Dedicated Channel - Dedicated Channel - Dedicated Channel - Dedicated Channel - Dedicated Transport - DS1 - Per Mile per month   Dedicated Transport - DS1 - Facility   Def month   Dedicated Transport - DS1 - Facility   Def month   Dedicated Transport - DS3 - Per Mile per month   Dedicated Transport - DS3 - Per Mile per month   Dedicated Transport - DS3 - Per Mile per month   Dedicated Transport - DS3 - Facility   Def month   Dedicated Transport - DS3 - Facility   Def month   Dedicated Transport - DS3 - Facility   Def month   Dedicated Transport - DS3 - Facility   Def month   Dedicated Transport - STS-1 - Per Mile per month   Dedicated Transport - STS-1 - Per Mile per month   Dedicated Transport - STS-1 - Per Mile per month   Dedicated Transport - STS-1 - Per Mile per month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Dedicated Transport - STS-1 - Facility   Def month   Def month   Dedicated Transport - STS-1 - Facility   Def month						U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
Der month																		
Termination						U1TDX	1L5XX	0.0282										
Termination			Interoffice Channel - Dedicated Transport - 64 kbps - Facility			1												1
Month   U1TD1   1L5XX   0.5753	L	<u> </u>				U1TDX	U1TD6	17.40	137.48	52.58	<u> </u>				38.07	38.07	<u> </u>	
Interoffice Channel - Dedicated Transport - DS1 - Facility   U1TD1																		
Termination						U1TD1	1L5XX	0.5753										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility  Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Facility  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Thereof per month - Interoffice Channel  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Interoffice Channel - Dedicated Transport - ST											1	· ·						
month   literoffice Channel - Dedicated Transport - DS3 - Facility   U1TD3   1L5XX   12.98						U1TD1	U1TF1	71.29	217.17	163.75	1				38.07	38.07		ļ
Interoffice Channel - Dedicated Transport - DS3 - Facility   U1TD3   U1TF3   720.38   794.94   579.55   91.26   91.26		l				l	1				1 1			1	I	I		
Termination per month		<b>!</b>				U1TD3	1L5XX	12.98			1				ļ	ļ		
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  DARK FIBER  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX UDF14  1,807.00  562.96  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop  UDF, UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX UDFCX		l				LIATEDO	LIATES	=====	=		1 1			1				
month		ļ				U11D3	U11F3	720.38	794.94	5/9.55	+ +				91.26	91.26		
Interoffice Channel - Dedicated Transport - STS-1 - Facility   U1TS1   U1TFS   790.37   642.23   408.89   53.48   53.48		l				LIATOA	41.577	644			1				1	1		
Termination	<u> </u>	<b>!</b>		<b>-</b>	-	01191	ILOAX	6.14			++		-	-	<del>                                     </del>	<del>                                     </del>		
DARK FIBER    Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   UDF, UDFCX   1L5DF   27.71   Thereof per month - Interoffice Channel   UDF, UDFCX   UDF14   1,807.00   562.96   UDF, UDFCX   UDF14   Thereof per month - Local Loop   UDF, UDFCX   UDF14   1,807.00   562.96   UDF, UDFCX   UDF14   UDF, UDFCX   UDF14   UDF, UDFCX   UDF14   UDF, UDFCX   UDF14   UDF, UDFCX   UDF14   UDF, UDFCX   UDF14   UDF, UDFCX   UDF14   U		l				111791	LI1TES	700 27	642.22	400 00	1 1			1	E2 40	52 40		
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX UDF14 Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 1,807.00 562.96 UDF, UDFCX UDF14 1,807.00 562.96 UDF, UDFCX UDF14 1,807.00 562.96	DABK	FIREP	remination			01101	UIIFO	190.37	042.23	400.89	+ +				55.48	33.48	-	<del> </del>
Thereof per month - Interoffice Channel	PARK	, DEK	Dark Fiber Four Fiber Strands Per Route Mile or Fraction	<b>H</b>		<del>                                     </del>	1				+ +		<b>H</b>		t	t	<b>l</b>	<del> </del>
NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 1,807.00 562.96  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX 1L5DL 64.04		l				UDE UDECX	11.5DF	27 71			1 1			1	I	I		
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF, UDFCX 1L5DL 64.04		l						21.11	1,807 00	562.96	+ +			<del>                                     </del>	<b>-</b>	<b>-</b>		
Thereof per month - Local Loop	<b>—</b>	<b>1</b>				22., 32. 07.	327		.,507.00	302.30	+				<u> </u>	<u> </u>		1
		l				UDF, UDFCX	1L5DL	64.04			1 1			1	I	I		
		1	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,347.00	279.87	1 1				1	1	i	i

UNRI	INDI F	D NETWORK ELEMENTS - North Carolina											Δttach	ment: 2	Fyhi	bit: A
SIADO	HULL			1	1						Svc Order	Svc Order	Incremental			
l												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (+)		per LSK	per Lok	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring Disconnec				Rates (\$)		
							Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CESS	TEN DIGIT SCREENING														
		8XX Access Ten Digit Screening, Per Call			OHD		0.0005									
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX														
		Number Reserved			OHD	N8R1X		7.05	0.96	<del>                                     </del>			26.94			
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			00.00	0.70				44.05			
-	-	POTS Translations  8XX Access Ten Digit Screening, Per 8XX No. Established With		-	OHD	+		23.82	2.73	+ +	-	-	41.35	-		
		POTS Translations			OHD	N8FTX		23.82	2.73				41.35			
		8XX Access Ten Digit Screening, Customized Area of Service			OTID	INOI IX		23.02	2.75	<del>                                     </del>	-		41.55			
		Per 8XX Number			OHD	N8FCX		5.63	2.82							
		8XX Access Ten Digit Screening, Multiple InterLATA CXR						0.00	2.02				1	<u> </u>		
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77					1		
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94	1	1	l
		8XX Access Ten Digit Screening, Call Handling and Destination				1								1	1	
		Features			OHD	N8FDX		5.63								
LINE II	NFORM/	ATION DATA BASE ACCESS (LIDB)														
		LIDB Common Transport Per Query			OQT		0.00003		·							
		LIDB Validation Per Query			OQU		0.0134									
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26					26.94	26.94		
SIGNA	LING (C															
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02	<b>.</b>			41.35	41.35		
		CCS7 Signaling Connection, Per link (B link) (also known as D					40.00									
		link)			UDB UDB	TPP++ PT8SX	18.22 132.83	278.02	278.02		_		41.35	41.35		
		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message			UDB	P185X	0.00004			<b>+</b>						
-		CCS7 Signaling Usage, Per TCAP Message			UDB	-	0.00004			<del>                                     </del>		-				
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98			<del>                                     </del>	-		1			
		CCS7 Signaling Osage Currogate, per link per EATA  CCS7 Signaling Point Code, per Originating Point Code		<b>-</b>	ODB	01030	330.90			<del>                                     </del>						
		Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99		
		CCS7 Signaling Point Code, per Destination Point Code								1						
		Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				19.99	19.99		
E911 S	ERVICE															
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11.24	553.80	89.69				42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69				42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69				42.17	12.76		
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282									
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1										I		
L	<b>.</b>	Termination		<u> </u>		-	18.00	137.48	52.58		_		38.07	38.07		
	<b>!</b>	Local Channel - Dedicated - DS1 - Zone 1		1		-	27.05	534.48	462.69		-		86.15	1.77		
<u> </u>	1	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	1	2		+	47.94 76.32	534.48 534.48	462.69 462.69		+	1	86.15 86.15	1.77 1.77	-	
<u> </u>	1	Interoffice Transport - Dedicated - DS1 - Zone 3	<b>-</b>	3		+	0.5753	534.48	462.69	+ + +	-	-	86.15	1.//	-	<b> </b>
<b>—</b>	<del>                                     </del>	Interoffice Transport - Dedicated - DOT Fel Wille	<b>—</b>	<b>-</b>	1	1	0.5753				+	<b>H</b>	<del>                                     </del>	t	l	<del> </del>
	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			71.29	217.17	163.75				38.07	38.07		
CALLI	NG NAM	IE (CNAM) SERVICE	<del>                                     </del>	l —		1	71.20	217.17	100.70			<del>                                     </del>	55.57	55.57		1
77.221	1	CNAM For DB Owners - Service Establishment			OQV			75.62					İ	1		
		CNAM For Non DB Owners - Service Establishment		Ì	OQV	1		75.62					İ	1	l	l
		CNAM For DB Owners - Service Provisioning With Point Code														
L	<u> </u>	Establishment (Initial)	<u> </u>	L	OQV		<u>                                       </u>	2,354.00	2,354.00	<u>                                       </u>		<u></u>	<u> </u>	L	<u></u>	<u>                                      </u>
		CNAM For DB Owners - Service Provisioning With Point Code														
		Establishment (Subsequent)			OQV			1,739.00	1,739.00							
		CNAM For Non DB Owners - Service Provisioning With Point							·							l
		Code Establishment (Initial)			OQV			1,072.00	1,072.00							
1	1	CNAM For Non DB Owners - Service Provisioning With Point		1	L									I		
L	<b>.</b>	Code Establishment (Subsequent)		<u> </u>	OQV	-	0.0000#	768.44	768.44		_			ļ		
051.50	<u> </u>	CNAM for DB & Non DB Owners, Per Query		ļ	OQV	+	0.0009592				-	-	ļ	-	<b> </b>	<b> </b>
SELEC	IIVE R	OUTING Telephine Position Per Unique Line Class Code Per Request Per	-	<u> </u>		+				<del>                                     </del>	+	1	<b> </b>	<del>                                     </del>	-	-
1	1	Selective Routing Per Unique Line Class Code Per Request Per Switch		1				188.59					26.94	12.76		I
Ц	<u> </u>	OWILLOI	<u> </u>	L	l		<u> </u>	188.59		<u> </u>		I	20.94	12.76	l	l

UNBUN	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
0.47500		DATE EL EMENTO	Interi	<b>-</b>	200	11000			DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	JRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	g Disconnect		1		Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUA	L COLL	OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHYSIC	AL COL	LOCATION			UEPSK UEPSB	VEILS	0.0267	33.90	32.00	0.00	0.00			19.99	19.99		
11110107	1L 00L	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1		1											
		Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN SEL	ECTIVI	CARRIER ROUTING															
		Regional Service Establishment			SRC	SRCEC		215,597.00									
$\vdash$		End Office Establishment			SRC SRC	SRCEO	0.0050750	347.27									
AIN - RE		Query NRC, per query ITH AIN SMS ACCESS SERVICE			SRC	1	0.0053758										
All To DE	LLOOC	AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		294.77									
		•															
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
		AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		200.83									
$\vdash$		AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		200.83									
		Initial or Replacement			A1N	CAMRC		172.05									
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			,	0, 4,,,,,,	0.0023	172.00									
		AIN SMS Access Service - Session, Per Minute					0.0791										
		AIN SMS Access Service - Company Performed Session, Per															
		Minute				1	2.08										
AIN - BE	LLSOL	ITH AIN TOOLKIT SERVICE	-	-													
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		290.05									
		AIN Toolkit Service - Training Session, Per Customer			O7 411	BAPVX		8,363.00									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Term. Attempt				BAPTT		72.76									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
$\vdash$		DN, Off-Hook Delay	-	-		BAPTD		72.76									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76									
	-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAI TIVI		12.10									
		DN, 10-Digit PODP				BAPTO		149.95									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		149.95									
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		4.40.05									
		DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.02	149.95									
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	0.02										
		Subscription, Per Node, Per Query					0.005										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes				1	1.45										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			0444	D 4 D1 40	45.00	74.00									
$\vdash$		Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	15.98	71.80									
		Subscription			CAM	BAPLS	0.08	47.20									
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				1	3.30	20									
		Subscription			CAM	BAPDS	15.90	71.80									
1 T		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				L											
ENULANCE	, ED =	Service Subscription		<b>_</b>	CAM	BAPES	0.003	47.20									
		TENDED LINK (EELs)	annly a	nd the	Switch-As-Is Charge	will not and	ly for LINE con	hinations no	visioned as ! C	rdinarily Com	hinad' Notwork	Flamonto					
		The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t															
		TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT						p. c. colonic		.,							
		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		

CATEGORY	.ED NETWORK ELEMENTS - North Carolina															bit: A
CATEGORY											Svc Order	Svc Order	Attach Incremental			
CATEGORY												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
I													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		L
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								<b></b>
	Fort A 1 177 and 0 147 a 1/0 1 and (01.0) in Oand in France 7 and 4			1110000	UEAL2	14.97	440.07	100.50					38.07	38.07		
$\vdash$	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEALZ	14.97	142.97	106.56			-		38.07	38.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
$\vdash$	Lacit / aditional 2-vviie vo Loop (SE 2) in Combination - Zone 2			014047	ULALZ	20.53	142.37	100.30	<del>                                     </del>			<b>-</b>	30.07	30.07		<del>                                     </del>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38					55.57	55.57		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ĺ
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS1	INTER	ROFFICE TRANSP	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		<b></b>
			_													
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIX	ILDXX	0.5753										<del></del>
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					30.07	30.07		
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.1017	.5		.0.00	0.00								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		İ
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVE	Is Charge	OATED I	204 125	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATEDI	או דפע IN	IEKOFFICE IRAN	ISPUK I	-						-	-	<del> </del>	-	<del>                                     </del>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		1
$\vdash$	I not +-vviie bottops Digital Grade Loop in Combination - Zone 1			OIYODA	ODEJO	20.32	409.04	337.31	<del>                                     </del>				30.07	30.07	<b> </b>	<del>                                     </del>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		1
			Ē		32200	.5.11	.00.04	337.101					55.07	55.07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51				1	38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					İ										
	Per Month			UNC1X	1L5XX	0.5753		<u> </u>							<u></u>	<u> </u>
	Interoffice Transport - Dedicated - DS1 - combination Facility															1
igsquare	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
$\vdash$	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								<del></del>
$\vdash \vdash$	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28	<u> </u>				ļ		ļ	<b>├</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDLEC	25.00	400.04	227.54				1	20.27	20.07		1
$\vdash$	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	25.32	489.04	337.51	<del>                                     </del>				38.07	38.07		<del></del>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		1
$\vdash$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			OIYODA	ODESO	43.11	409.04	337.31	<del>                                     </del>				30.07	30.07	<b> </b>	<del>                                     </del>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51				1	38.07	38.07		1
	Additional OCU-DP COCI (data) - in combination per month (2.4-					323	.00.04	337.31					55.57	55.57	İ	
1 1	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
0.1.201122		1									Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRAN	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1		l <b>.</b>	1							1		I		
$\vdash$	Per Month	<b>.</b>		UNC1X	1L5XX	0.5753								<b>_</b>		<b>_</b>
	interoffice Transport - Dedicated - DS1 combination - Facility	1		LINIOAN		74.00	047 :-	400 ==				1				
$\vdash$	Termination Per Month	ļ		UNC1X	U1TF1	71.29	217.17	163.75			-		38.07	38.07		<b>_</b>
<b></b>	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								ļ
$\vdash$	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	<del>                                     </del>		UNCDX	1D1DD	2.00	15.76	11.28			1		-	<del>                                     </del>		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	4	UNCDX	UDL64	25.32	489.04	337.51				1	38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	UNCDX	UDL64	25.32	489.04	337.51			-		38.07	38.07		<b>+</b>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43,11	489.04	337.51					38.07	38.07		
<b></b>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL64	43.11	409.04	337.31			-		36.07	36.07		<b>+</b>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month		3	UNCDA	UDL04	07.20	409.04	337.31					36.07	30.07		-
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	2.00	10.70	11.20			<b>-</b>					<del> </del>
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				20	20	02.20	10.00			00.07	00.01		
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47			İ		38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3														ļ
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
$\vdash$	First DS1Loop in Combination - Zone 3	<b> </b>	3	UNC1X	USLXX	134.29	714.84	421.47				<b> </b>	38.07	38.07		<del> </del>
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	1		LINICOV	11 5 7 7	40.00						1		I		
$\vdash$	Interoffice Transport - Dedicated - DS3 - Facility Termination per	<b>!</b>	-	UNC3X	1L5XX	12.98					-	-	-	<del>                                     </del>	-	<del>                                     </del>
	month	1		UNC3X	U1TF3	720.38	794.94	579.55				1	38.07	38.07		
	3/1Channel System in combination per month	-	<del>                                     </del>	UNC3X	MQ3	233.10	403.97	234.40			-	<b> </b>	30.07	30.07		<del>                                     </del>
$\vdash$	DS1 COCI in combination per month	<del>                                     </del>	-	UNC1X	UC1D1	16.07	13.09	9.38				<b> </b>	<b> </b>	+		<del> </del>
<del>                                     </del>	Additional DS1Loop in DS3 Interoffice Transport Combination -	<u> </u>	$\vdash$	DINOIA	JCIDI	10.07	13.09	5.30						<del>                                     </del>		<del>                                     </del>
	Zone 1	1	1	UNC1X	USLXX	47.60	714.84	421.47				1	38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	<u> </u>		302.01	00		.247					55.07	55.07		
	Zone 2	1	2	UNC1X	USLXX	84.36	714.84	421.47				1	38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3	1	3	UNC1X	USLXX	134.29	714.84	421.47				1	38.07	38.07		
	Additoinal DS1 COCI in combination per month	L		UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56								ļ
<b></b>	2-WireVG Loop in combination - Zone 2	<b>!</b>		UNCVX	UEAL2	25.93	142.97	106.56						ļ		<b></b>
	2-WireVG Loop in combination - Zone 3	l	3	UNCVX	UEAL2	40.81	142.97	106.56			1	l	l	1		L

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 2-wire VG - Dedicated - Facility		ĺ													
	Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-		ĺ													
	Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE	ROFFICE TRANSPO	ORT				ĺ				Î			
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45	ĺ				Î			
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45	ĺ				Î			
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45	ĺ				Î			
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month	<u> </u>	L	UNCVX	1L5XX	0.0282			<u>                                      </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Interoffice Transport - 4-wire VG - Dedicated - Facility								j							
	Termination per month	1	1	UNCVX	U1TV4	22.16	106.11	65.95				1	38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-		ĺ													
	Is Charge	1	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE						<u>                                      </u>							
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33			ĺ				Î			
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS														
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		ļ
	1/0 Channel System in combination - per month	<u> </u>	<u> </u>	UNC1X	MQ1	146.69	197.78	140.06					ļ	ļ		<u> </u>
	2-wire ISDN COCI (BRITE) - in combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.59	15.76	11.28					ļ	ļ		<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l <b>.</b>	I									1		
<b>  </b>	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1										1				
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	١.									1				
$\vdash$	Combination - Zone 3	<b>!</b>	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		<del>                                     </del>
	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1	1									1		I		
$\vdash$	month	ļ		UNCNX	UC1CA	3.59	15.76	11.28					ļ	<b>.</b>		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l <b>.</b>	l							1		I		
<b>  </b>	Is Charge		<u> </u>	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<b>_</b>
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				4=	=,,-:	404 :-								<b>_</b>
$\vdash$	First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	47.60	714.84	421.47			-		38.07	38.07	<b> </b>	<b>├</b>
$\vdash$	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	84.36	714.84	421.47			ļ		38.07	38.07		<b></b>
	First DS1 Loop Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	134.29	714.84	421.47			1		38.07	38.07	l	

3/1 Channel System in combination per month	ental Incrementa ge - Charge - Manual Svo vs. Order vs. Electronic-Disc 1st	Charge - Manual Svc Order vs. Electronic-
CATEGORY   RATE ELEMENTS   Intering   Nonrecurrin	ge - Charge - Manual Svv vs. Order vs. Electronic-Disc 1st 5)  AN SOMAN  38.07	Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS	vs. Order vs. Electronic-Disc 1st (s) AN SOMAN SOMAN 88.07	Order vs. Electronic- Disc Add'l
Nonrecurring   Nonrecurring Disconnect   Combination   Per Mile   Per Month   UNCSX   USCX	Electronic-Disc 1st  Soman  Soman  Soman  Soman  B8.07	Electronic- Disc Add'l
Electronic   Electronic   Electronic   Electronic   SSR atasts   Electronic   State   Add'I   First   Add'I   SOMEC   SOMAN   Soman	Electronic-Disc 1st  Soman  Soman  Soman  Soman  B8.07	Electronic- Disc Add'l
Some	Disc 1st (s)	Disc Add'l
Interoffice Transport - Dedicated - STS-1 combination - Per Mile   UNCSX	S) SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SECTION S	
Interoffice Transport - Dedicated - STS-1 combination - Per Mile   UNCSX	88.07 88.07	SOMAN
Interoffice Transport - Dedicated - STS-1 combination - Per Mile   Per Month   UNCSX   1L5XX   6.14	38.07 38.07	SOMAN
Per Month	38.07 38.07	
Interoffice Transport - Dedicated - STS-1 combination - Facility   Termination per month   UNCSX   UNCSX   UNCSX   M03   233.10   403.97   234.40     234.40     235.10   403.97   234.40     236.70	38.07 38.07	
Termination per month	38.07 38.07	
3/1 Channel System in combination per month	38.07 38.07	
DS1 COCI in combination per month	38.07	
Additional DS1Loop in the same STS-1 Interoffice Transport	38.07	
Combination - Zone 1	38.07	-
Additional DS1Loop in the same STS-1 Interoffice Transport   Combination - Zone 2   2 UNC1X   USLXX   84.36   714.84   421.47   38.07	38.07	
Combination - Zone 2		
Additional DS1Loop in the same STS-1 Interoffice Transport		
Combination - Zone 3   3 UNC1X	8.07	1
Nonrecurring Currently Combined Network Elements Switch - As-   Is Charge   UNCSX   UNCCC   21.75   32.28   10.96   38.07		
Is Charge		
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT		
4-wire 56 kbps Local Loop in combination - Zone 1   1 UNCDX UDL56   25.32   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 2   2 UNCDX UDL56   43.11   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   3 UNCDX UDL56   67.26   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   67.26   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   67.26   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   67.26   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   UNCDX UDL56   489.04   337.51     489.04   337.5	38.07	
4-wire 56 kbps Local Loop in combination - Zone 2   2 UNCDX   UDL56   43.11   489.04   337.51     4-wire 56 kbps Local Loop in combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51     Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		
4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		
Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		
		+
Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	-+	+
	38.07	
Nonrecurring Currently Combined Network Elements Switch -As-	0.07	+
	38.07	
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT		+
4-wire 64 kbps Lcoal Loop in Combination - Zone 1 1 UNCDX UDL64 25.32 489.04 337.51		
4-wire 64 kbps Lcoal Loop in Combination - Zone 2 2 UNCDX UDL64 43.11 489.04 337.51		
4-wire 64 kbps Lcoal Loop in Combination - Zone 3 3 UNCDX UDL64 67.26 489.04 337.51		T
Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		
Per Mile per month         UNCDX         1L5XX         0.0282		
Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		
	88.07	
Nonrecurring Currently Combined Network Elements Switch -As-	0.07	
Is Charge	38.07	+
	38.07	+
	38.07	+
	38.07	+
First Interoffice Transport - Dedicated - DS1 combination - Per		1
Mile UNC1X 1L5XX 0.5753		
First Interoffice Transport - Dedicated - DS1 combination -		
	88.07	
Per each DS1 Channelization System Per Month         UNC1X         MQ1         146.69         197.78         140.06		
Per each Voice Grade COCI - Per Month per month   UNCVX   1D1VG   1.27   13.09   9.38		
3/1 Channel System in combination per month UNC3X MQ3 233.10 403.97 234.40		
Per each DS1 COCI in combination per month	-	+
Each Additional 2-Wire VG Loop(SL 2) in the same DS1	19.07	1
	38.07	+
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL2 25.93 142.97 106.56 38.07	38.07	1
Interonice Transport Combination - Zone 2	0.01	+
	38.07	
Each Additional Voice Grade COCI in combination - per month UNCVX 101VG 1.27 13.09 9.38		+
Each Additional DS1 Interoffice Channel per mile in same 3/1		1
Channel System per month UNC1X 1L5XX 0.5753		1
Each Additional DS1 Interoffice Channel Facility Termination in	0.07	
	88.07	

UNBUND	DLED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
01120112											Svc Order	Svc Order	Incremental			
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec			Manual Svc	Manual Svc	
CATEGOR	RY RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			g Disconnect				Rates (\$)		
		1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As	1		LINIOAY	1111000		04.75	04.75	32.28	40.00			00.07	00.07		
FV	Is Charge  XTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	TERRET	ICE TO	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EA	First 4-Wire Analog Voice Grade Local Loop in Combination -	IERUFF	ICE IK	ANSPORT W/ 3/1 W	UX											<del></del>
	Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
<del>                                     </del>	First 4-Wire Analog Voice Grade Local Loop in Combination -	<b>+</b>	-	UNCVA	ULAL4	21.32	200.47	237.43					36.07	36.07		<del> </del>
	Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1		ONOVA	O L/ L T	00.27	200.41	201.40			1		00.07	00.07		
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1														
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - Facility															
l	Termination Per Month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75		<u> </u>	<u></u>	<u></u>	38.07	38.07	<u> </u>	1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													ĺ
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110101		50.57	000 47	007.45					00.07	00.07		ĺ
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		<b>——</b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in	<del>                                     </del>	-	UNCIA	ILSAA	0.5755					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	1.27	13.09	9.38			<b>†</b>		30.07	30.07		<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As	-		0.10171	1.5.110	1.27	10.00	0.00			1					
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EX	XTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		ĺ
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINGAY	41.5007							1				1
	Mile Per Month	1		UNC1X	1L5XX	0.5753			ļ		1			ļ	ļ	
	First Interoffice Transport - Dedicated - DS1 - combination			UNC1X	U1TF1	71.29	047.47	400.75				1	20.07	20.07		1
$\vdash$	Facility Termination Per Month Per each 1/0 Channel System in combination Per Month	1	-	UNC1X UNC1X	MQ1	71.29 146.69	217.17 197.78	163.75 140.06	-			-	38.07	38.07		<del></del>
$\vdash$	Per each 1/0 Channel System in combination Per Month  Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<del>                                     </del>		UNCDX	1D1DD	2.00	197.78	140.06				<b> </b>				<del></del>
$\vdash$	3/1 Channel System in combination per month	<del>                                     </del>	-	UNC3X	MQ3	233.10	403.97	234.40				<b> </b>				<del>                                     </del>
$\vdash$	Per each DS1 COCI in combination per month	<del>                                     </del>		UNC1X	UC1D1	16.07	13.09	9.38		<del> </del>	<b>H</b>		<del>                                     </del>	1	<b>l</b>	<del>                                     </del>
$\vdash$	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>		014017	10101	10.07	13.09	5.30	1		<b>-</b>	<b>-</b>	<b> </b>	1		<del>                                     </del>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ė		1	20.02	100.04	337.31		İ			55.57	55.57	İ	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1								İ					l	
L l	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	67.26	489.04	337.51		<u> </u>	<u></u>	<u></u>	38.07	38.07	<u> </u>	1
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)	<u> </u>		UNCDX	1D1DD	2.00	15.76	11.28							<u> </u>	<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0.5753										<b></b>
	Each Additional DS1 Interoffice Channel Facility Termination in			l	I							1				1
$\vdash$	same 3/1 Channel System per month	1		UNC1X	U1TF1	71.29	217.17	163.75	ļ		-		38.07	38.07	<b> </b>	<del></del>
	Each Additional DS1 COCI in the same 3/1 channel system			LINGAY	UC1D1	16.07	13.09	9.38				1				1
	combination per month		<u> </u>	UNC1X	ומוטטן	16.07	13.09	9.38	l .	L	1	l	L	l	l	

UNBUNDI	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									'	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Names		I Name a comming	. Diacommont			220	Datas (ft)		
<b></b>		-	-		+	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
$\vdash$	Nonrecurring Currently Combined Network Elements Switch -As-	-	-		+		FIRST	Addi	FIRST	Addi	SOWIEC	SOWAN	SOWAN	SUMAN	SUMAN	SUMAN
	Is Charge	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
FXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				21.75	21.75	32.20	10.30			30.07	30.07		
- LXI	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	1	TRANSFORT W/ S/	1											
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -	1			=		l		I		1	1				
$\vdash$	Facility Termination Per Month	ļ		UNC1X	U1TF1	71.29	217.17	163.75	ļ				38.07	38.07		
$\vdash$	Per each Channel System 1/0 in combination Per Month	<del>                                     </del>		UNC1X	MQ1	146.69	197.78	140.06	<del>                                     </del>							
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	2.00	15.76	11.28	1		1	1				
$\vdash$	3/1 Channel System in combination per month	-	-	UNC3X	MQ3	233.10	403.97	234.40	-							
<del>                                     </del>	Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	16.07	13.09	9.38	<del> </del>					1		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	10.07	15.05	9.50								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1											
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAV	LIATE4	74.00	047.47	100.75					00.07	00.07		
<b></b>	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	71.29	217.17	163.75	-				38.07	38.07		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	10.07	13.09	9.30								
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	<u> </u>	2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			l	L				1							
$\vdash$	Transport - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31	ļ				38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINCAY	41.577	0.5750			1		1	1				
$\vdash$	Mile per month  First Interoffice Transport - Dedicated - DS1 combination -	-	-	UNC1X	1L5XX	0.5753			<del>                                     </del>					-		
	First interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	1		UNC1X	U1TF1	71.29	217.17	163.75	I		1	1	38.07	38.07		
<del>                                     </del>	Per each Channel System 1/0 in combination - per month	1		UNC1X	MQ1	146.69	197.78	140.06	t				30.07	30.07		
	. 5. 535H OHAING CYSTON I/O III COMBINATION - PER MONTH	<b>†</b>		0.101/	IVIQ I	140.03	131.10	140.00	<b>I</b>		<b> </b>	<b> </b>				
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	3.59	15.76	11.28	I		1	1				
	3/1 Channel System in combination per month	1		UNC3X	MQ3	233.10	403.97	234.40	1				l	İ		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
oxdot	Combination - Zone 1	1	1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	l	l				I		1	1				
$\vdash$	Combination - Zone 2	ļ	2	UNCNX	U1L2X	32.88	325.91	251.31	ļ				38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINICALY	LIALOV	54.44	205.04	054.04	I		1	1	20.27	20.07		
$\vdash$	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	+	3	UNCNX	U1L2X	51.14	325.91	251.31	<del>                                     </del>		-	-	38.07	38.07	-	
	system combination- per month	1		UNCNX	UC1CA	3.59	15.76	11.28	I		1	1				
Щ_	12,233 combination per month			12.10.00	100.0/1	0.00	10.70	11.20					·			

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	I .	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						D	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										1 1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								i l
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.5753										i l
	First Interoffice Transport - Dedicated - DS1 combination -		1													
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i l
	3/1 Channel System in combination per month		1	UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per month		1	UNC1X	UC1D1	16.07	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										i l
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.1%	120/01	0.07.00										
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i l
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.1%	01111	7.1.20	2	100.10					00.07	00.01		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	0.10.1%	00.5.	10.07	10.00	0.00			<b>†</b>	1				
	1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	ONOTA	COLAC	47.00	714.04	721.71			<b>†</b>	1	00.01	00.01		
	2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<del>-</del>	0.10.1%	002/01	01.00	7 1 1.0 1				<b>†</b>	1	00.07	00.01		
	3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		i l
	Nonrecurring Currently Combined Network Elements Switch -As-		Ť	0.10.1%	002701	101.20	7 1 1.0 1						00.07	00.01		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		0.1000		21110	20	02.20	10.00			00.07	00.01		
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0282										1
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility					0.0000										
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		i l
	Nonrecurring Currently Combined Network Elements Switch -As-			O. CODX	01120	171.10	101110	02.00					00.07	00.01		
	Is Charge	1	1	UNCDX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		1 1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		1											$\overline{}$
	First 4-wire 64 kbps Local Loop in combination - Zone 1	T		UNCDX	UDL64	25.32	489.04	337.51						i	i	
	First 4-wire 64 kbps Local Loop in combination - Zone 2	t	2	UNCDX	UDL64	43.11	489.04	337.51						i	i	
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51			1					
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ť			51.20					1					
	per month	1	1	UNCDX	1L5XX	0.0282						1				1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1								1					
	Termination per month	1	1	UNCDX	U1TD6	17.40	137.48	52.58				1	38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-		1		1			22.30	1							$\overline{}$
	Is Charge	1	1	UNCDX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		1
ADDITIONAL	NETWORK ELEMENTS	1	1		1											
	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is cl	harge does app	oly.							i	i	
	used as ordinarily combined network elements in All States, t													i	i	
	ecurring Currently Combined Network Elements "Switch As Is"													İ	İ	
	Nonrecurring Currently Combined Network Elements Switch -As-		Ī													
	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	26.94	12.76		1 1
		•			•						•	•			•	

CATEGORY   RATE ELEMENTS   Infert   Zone   BCS   URGC   SATES (8)   SATES (9)   SATES (9)   PL 1581   PL	UNBU	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
CATEGORY   RATE ELEMENTS   Interior   Core   BCS   USO					l								Svc Order	Svc Order				Incremental
## BCS   MBOC   PATE (EMENTS   Pate													1				Charge -	Charge -
March   Marc				Interi									Elec	Manually			Manual Svc	Manual Svc
Become   B	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Numerouring Committy Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING Contrived Recent Elements Switch - As   NUMEROURING CONTRIVED RECENT																		Electronic-
Number   Property   Committee   Committy   Committee   Committy   Committee   C															1st	Add'l	Disc 1st	Disc Add'l
No.   No.   First   Agri   Cortinal Network Elements Salicin Agri   No.   No											T. N	. B'				D-( (A)		
Numerouring Country Confessed National Countries Seaton And Sci. Confessed National Countries Seaton And Sci. Countries National Agency Countries Seaton And Sci. Countries National Agency Countries Seaton And Sci. Countries National Agency Countries Seaton And Sci. Countries National Agency Countries Seaton And Sci. Countries	-							Rec					001150	001111			001141	001111
In Change, - Sign 4 shops	-		Nonrequiring Currently Combined Network Floments Switch As				+		FIrst	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Notice curring Curring Curring Curring Curring Nation As Elements Switch As						LINICDY	LINICCC		21.75	21.75	22.20	10.06			26.04	12.76		
In Charge, Dist   Controlled Network Elements Sorbit - As						UNCDA	UNCCC		21.73	21.73	32.20	10.90			20.54	12.70		
Name						UNC1X	UNCCC		21 75	21 75	32 28	10.96			26 94	12 76		
S. Chasgo _ Dists   St. Change _ Dists   Dis						0.10.77	0.1000		20	20	02.20	10.00			20.0 .	.20		
S Chargo - 6   151						UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functions:   Optional Features & Functional Features & Functions:   Optional Features & Functional Features &			Nonrecurring Currently Combined Network Elements Switch -As-															
Clear Channel Capability Extended Frame Option - per DS1						UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Clear Channel Capability Executed Firms Option - per DS1   ULDD1.WFCK   COCCEF   01   01   01   01   01   01   01   0		Option	al Features & Functions:															
Clear Charmol Capability Super Framic/pton - per DS1																		
Clear Channel Capability Super Francoption - per DS1			Clear Channel Capability Extended Frame Option - per DS1	ı			CCOEF		OI	Ol	01	OI						
Clase Channel Capabelly (SF/ESF) Option - Subsequent   ULDD1, UTTD1, Anthry, per DS1   UNCYX, USB, NRCCC   184,768   23.85   1,998   0.788   26.94   12.76							00005								1			
Activity - per DS1					<u> </u>		CCOSF		OI	UI	UI	UI .			-			
Color Parity Option - Subsequent Activity - per DS3				Ι.			NDCCC		404.700	22.00	4 000	0.700			20.04	40.70		
Cold Planty Option - Subsequent Actifyl - per DS3	-		Activity - per DST		<del>                                     </del>		INRUCU		184./65	23.85	1.995	0.785	-		26.94	12.76		
MULTIPLEXERS   Size DSS Channel System per month   UNC1X   MG1   146,69   197,76   140,06   26,94   12,76			C-hit Parity Ontion - Subsequent Activity - per DS2	l .			NBCC3		218 025	7 665	75769	ns			26.04	12.76		
DS1 to DS0 Channel System per morth	-	MIII TI		-		ULS, UNUSA	INICOS		210.925	7.003	.73703	03	<u> </u>		20.94	12.70		
OCU-OP COCI (data) - DS1 to DS0 Channel System - per month (2-464bat) updated for a Cocat Loop		WICEII				UNC1X	MQ1	146 69	197 78	140.06					26.94	12 76		
month (24-69kbs) used for a Local Loop						0.10.77		1 10.00		1.0.00					20.0 .	.20		
OCU-PP COCI (data) - OS1 to DS0 Channel System - per month   Local Channel in the same SWC as collocation   UTUD   D1DD   2.00   13.09   9.38						UDL	1D1DD	2.00	13.09	9.38								
Local Channel in the same SWC as collocation   U1TUD   10TDD   2.00   13.09   9.38																		
2-wire ISIN OCCI (BRITE) - US1 to DS0 Channel System - per			month (2.4-64kbs) used for connection to a channelized DS1															
month for a Local Loop						U1TUD	1D1DD	2.00	13.09	9.38								
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel   In the same SIVC as collocation   UTUB   UC1CA   3.59   13.09   9.38						UDN	UC1CA	3.59	13.09	9.38								
In the same SWC as collocation																		
Voice Grade COCI - DS1 to DS0 Channel System - per month   UEA   101VG   1.27   13.09   9.38						LIATUD	110404	2.50	42.00	0.00								
Used for a Local Loop	-					UTTUB	UCTCA	3.59	13.09	9.38	-	-			-			
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation   UNC3X   M03   233.10   403.97   234.40   224.40   26.94   12.76							1D1VG	1 27	12.00	0.20								
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation   U1TUC   UNC3X   M03   233.10   403.97   234.40   26.94   12.76						ULA	IDIVG	1.21	13.09	9.30								
Same SWC as collocation																		
DS3 DS1 Channel System per month						U1TUC	1D1VG	1.27	13.09	9.38								
DS1 COCI (used with Loop per month   USL   UC1D1   16.07   13.09   9.38															26.94	12.76		
DS1 COCI used with Loop per month			STS-1 to DS1 Channel System per month			UNCSX		233.10		234.40					26.94	12.76		
Channel in the same SWC as collocation) per month			DS1 COCI used with Loop per month				UC1D1	16.07	13.09	9.38								
DS1 COCI used with Interoffice Channel per month   U1TD1   UC1D1   16.07   13.09   9.38																		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month  ULDD1 UC1D1 16.07 13.09 9.38  26.94 12.76  UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRC 2.19 21.60 21.60  Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res.  Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res.  UEPSR UEPRO 2.19 21.60 21.60  Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res.  UEPSR UEPRO 2.19 21.60 21.60  Exchange Ports - 2-Wire Voice unbundled res, low usage line port with Caller ID (LUM)  UC1D1 16.07 13.09 9.38  26.94 12.76  UEPSR UEPRO 2.19 21.60 21.60  26.94 12.76  UEPSR UEPRO 2.19 21.60 21.60  26.94 12.76  Exchange Ports - 2-Wire Vice unbundled Low Usage Line Port without Caller ID Capability,  UEPSR UEPRO 2.19 21.60 21.60  2-Wire Voice Grade Unbundled Port without Caller ID capability,					<u> </u>													
Month   ULDD1   UC1D1   16.07   13.09   9.38     26.94   12.76					<u> </u>	U1TD1	UC1D1	16.07	13.09	9.38			ļ		ļ			
12.76   12.7							110454	40.00	40.00	0.00	I	I			I			
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  UEPSR  UEPSR  UEPRC  2.19  21.60  21.60  21.60  26.94  12.76  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR  UEPSR  UEPRC  2.19  21.60  21.60  21.60  26.94  12.76  Exchange Ports - 2-Wire Vice Grade Unbundled res, low usage line port with Caller ID Capability  UEPSR  UEPRC  2.19  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.160  2.176  2.176  2.176  2.176  2.176  2.176  2.176  2.176  2.176  2.1776	-		Imonth		<del>                                     </del>	ULDD1	UC1D1	16.07	13.09	9.38	<del>                                     </del>	<del>                                     </del>	-		20.01	40.70		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  UEPSR  UEPSR  UEPRC  2.19  21.60  21.60  26.94  12.76  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR  UEPRC  2.19  21.60  21.60  21.60  26.94  12.76  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR  UEPRC  2.19  21.60  21.60  21.60  21.60  26.94  12.76  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR  UEPRC  2.19  21.60  21.60  21.60  21.60  26.94  12.76  26.94  12.76  26.94  12.76  26.94  12.76  27.90  28.94	<u> </u>	<b>-</b>		<b>-</b>	<del>                                     </del>		+				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.  UEPSR UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRD 2.19 2.160 2.16	LINRUN	DI ED I	OCAL EXCHANGE SWITCHING/PORTS\		<del>                                     </del>		+				<del>                                     </del>	<del>                                     </del>	<b>+</b>		20.94	12.76		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS  2-WIRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.  UEPSR UEPRC 2.19 21.60 21.60  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  UEPSR UEPRC 2.19 21.60 21.60  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRC 2.19 21.60 21.60  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRC 2.19 21.60 21.60  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPRP 2.19 21.60 21.60 21.60  26.94 12.76  Exchange Ports - 2-Wire VG unbundled res, low usage Line Port without Caller ID Capability UEPSR UEPRP 2.19 21.60 21.60 21.60 21.60 26.94 12.76  26.94 12.76  26.94 12.76					<del>                                     </del>		+				<b>†</b>	<b>†</b>	1		t			
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY. LA	& TN. t	he desired features	will need to b	oe ordered usir	ng retail USOC	s	<u> </u>	<u> </u>			<u> </u>	1		
Exchange Ports - 2-Wire Analog Line Port With Caller ID - Res.				.,	1									İ	1			
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.				1	i i	UEPSR	UEPRL	2.19	21.60	21.60	1	1	Ì	İ	26.94	12.76		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  UEPSR UEPRO 2.19 21.60 21.60 21.60 26.94 12.76  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 2.19 21.60 21.60 21.60 26.94 12.76  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  UEPSR UEPRT 2.19 21.60 21.60 21.60 26.94 12.76  UEPSR UEPRT 2.19 21.60 21.60 21.60																		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 2.19 21.60 21.60 26.94 12.76  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76  2-Wire Voice Grade Unbundled Port without Caller ID capability,			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  UEPSR UEPAP 2.19 21.60 21.60 26.94 12.76  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76  2-Wire Voice Grade Unbundled Port without Caller ID capability,																		
with Caller ID (LUM)					<u> </u>	UEPSR	UEPRO	2.19	21.60	21.60			<u> </u>		26.94	12.76		
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,						l	l	_			I	I			l			
Capability					<u> </u>	UEPSR	UEPAP	2.19	21.60	21.60			ļ		26.94	12.76		
2-Wire Voice Grade Unbundled Port without Caller ID capability,						LIEDOD	LIEDET	0.40	04.00	04.00	1	1			20.01	10.70		
	-				<del>                                     </del>	UEPSK	UEPKI	2.19	21.60	21.60	-	-	-		26.94	12.76		
L I North Carolina   L I II IEDR II I II II II II II I I I I I I I I I	1	1	North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60	I	I	1	1	I			

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
I											Submitted	Submitted		Charge -	Charge -	Charge -
		Inter.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			hei rok	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
			i			Rec	Nonred	urring	Nonrecurring D	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															i
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60	1							ł
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		i
FEATU																i Total
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		i
2-WIRI	E VOICE GRADE LINE PORT RATES (BUS)															í .
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															í
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		ı
	Exchange Ports - 2-Wire VG unbundled Line Port with															i
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		1
																ı <u>——</u>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		L	UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with								1							ł
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID								1							ł
	Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		1
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								1
FEATU																i .
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		í .
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								1							ł
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		<b></b>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1							ł
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				l	_			i							ł.
$\vdash$	Room Calling Port		<u> </u>	UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		+
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								j							ł.
$\vdash$	Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		<b></b>
$\vdash$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		<del></del>
<del></del>	Subsequent Activity		<u> </u>	UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		+
FEATU			<u> </u>													<b>.</b>
	All Available Vertical Features		<u> </u>	UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		<b>.</b>
EXCHA	ANGE PORT RATES (COIN)		<u> </u>		1		2.2-	21.5-								+
<del></del>	Exchange Ports - Coin Port	L				2.59	21.60	21.60					26.94	12.76		<b>.</b>
	Transmission/usage charges associated with POTS circuit s													L		<b>.</b>
	Access to B Channel or D Channel Packet capabilities will be	e availa	pie only	tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	lities will be deter	rmined via t	ne Bona Fic	ie Request/	New Business	s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>		+									-		<del></del>
	ANGE PORT RATES	DN Da	lin 45-7-	rote exhibit anni- (	to the control	ded been in it's	00 00 05 40/0/0	2 um4il 4/4/04	After 4/4/04 th	a rates =1!!	rovert to to	ill votes -		roomer*		<del></del>
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											iii rates or a	a separate ag	reement.		<del></del>
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports   Exchange Ports - 2-Wire DID Port	arter the	errecti	ve date of this ame	UEPP2	12.36	ursuant to a se 81.84	parate agreen 81.84		moouth's di	scretion.		26.94	12.76		
$\vdash$		-	<del>                                     </del>	UEPEA	UEPP2	12.36	81.84	81.84	<del>                                     </del>				26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPDD	LIEDDO	400.05	440.50	00.00	j				00.04	40.70		1
<del>                                     </del>	capability (E:4/1/2004)	-	<del>                                     </del>	UEPDD UEPTX, UEPSX	UEPDD U1PMA	123.65 24.50	116.59 62.29	69.92 62.29	<del>                                     </del>				26.94 55.30	12.76 55.30		
<del>                                     </del>	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-	<del>                                     </del>						<del>                                     </del>				55.30	55.30		
<del>                                     </del>	All Features Offered	-	<del>                                     </del>	UEPTX, UEPSX	UEPVF	3.40	0.00	0.00	<del>                                     </del>					<del> </del>		
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	L.		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	ingian bu B Cl		-4	union ICDN		<del> </del>		<del></del>
	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be													Boguest Dec	2000	
		z avalial	ore only	unougn BFR/New	Dusiness Re	quest rrocess.	rates for the	раскег сарабі	nues will be deter	mined via ti	ie bona Fic	e request/l	VEW DUSINESS	s Request Pro	ve55.	
EXCH	ANGE PORT RATES (continued)	<u> </u>	1		1	<u> </u>					L			l		

UNBUNDI	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"									-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T N1	. D'				D-1 (A)		
		1				Rec	Nonred		Nonrecurring					Rates (\$)		
	Follows Bods AMI's IODN BOA Bod NE Bods I FOAA	1	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	Locator Capability (E:4/1/2004)  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1		UEPEX	UEPDX		241.63	241.63	-		-	-	53.89	53.89		
	Physical Collocation - DS1 Cross-Connects	1		UEPEX UEPDX	PE1P1	179.75 2.34	71.02	51.08	-		-	-	26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per	+ '-		OLFLX OLFDX	FLIFI	2.34	71.02	31.00	-		1		20.94	12.70	-	
	DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		
Deta	ailed E911 with Locator Capability (required with UEPEX port)	1		OLI LX OLI DX	CINCTA	0.31	71.02	31.00					20.34	12.70		
Dea	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1									1			1		
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1			2=: .73	5.50	.,502.00		1	İ	1		20.04	.20	1	
	Locator Capability - Subsequent Profile Changes, Additions,								1				1	1	1	
	Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
New	or Additional PRI Telephone Numbers	1							1	İ		İ		1	1	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in		1						I			1	I	I	I	
L	E911 profile [New or Additional]	<u></u>	L	UEPEX	UEP1C		1.17	1.17	<u> </u>	<u> </u>	<u></u>	<u> </u>	26.94	12.76	<u> </u>	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1														
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTI	ERFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
New	or Additional Channel	1		LIEBEV .	DD=D\/								00.01	10.70		
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
	New or Additional - Digital Data "B" Channel	1		UEPEX	PR7BF	0.00	36.92						26.94	12.76		
	New or Additional Inward Data "B" Channel	1	-	UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel	+	-	UEPEX UEPEX	PR7BS PR7BU	0.00			<del>                                     </del>	-	<del>                                     </del>		26.94 26.94	12.76 12.76	<del>                                     </del>	
-	New or Additional Useage Sensitive Digital Data "B" Channel  New or Additional PRI "D" Channel	+	+	UEPEX	PR7BU PR7EX	0.00	36.92		<del>                                     </del>		1	-	26.94	12.76	<del>                                     </del>	
CAI	L TYPES	+	+	ULFEA	LK/EY	0.00	30.92		<del>                                     </del>		1	-	∠0.94	12.76	<del>                                     </del>	
CAL	Inward	╂	<del>                                     </del>	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	<del>                                     </del>	1	<b> </b>	-	26.94	12.76	+	
	Outward	+	<b>!</b>	UEPEX UEPDX	PR7C0	0.00	0.00	0.00	t	<del> </del>	<del>                                     </del>		26.94	12.76	t	
	Two-way	+	<del>                                     </del>	UEPEX	PR7CC	0.00	0.00	0.00	<del>                                     </del>	<del> </del>	1		26.94	12.76	<del>                                     </del>	
LINE	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILIT	Y	<del>                                     </del>	OLI LX	1 1000	0.00	0.00	0.00	<b>+</b>		<b> </b>		20.34	12.70	<b>+</b>	
	BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE								t	<b> </b>			<del>                                     </del>	t	<del>                                     </del>	
	Unbundled Remote Call Forwarding Service, Area Calling, Res	1	<b>†</b>	UEPVR	UERAC	2.19	21.60	21.60	<b>I</b>		<b> </b>	<b>-</b>	26.94	12.76	<b>I</b>	
	223.00 Nonited San Containing Service, Field Sanning, 1965	1			32.0.0	2.10	21.00	21.00	<u> </u>	1			20.04	12.70	<u> </u>	
	Unbundled Remote Call Forwarding Service, Local Calling - Res	s		UEPVR	UERLC	2.19	21.60	21.60	I				26.94	12.76	I	
	Unbundled Remote Call Forwarding Service, InterLATA - Res	1		UEPVR	UERTE	2.19	21.60	21.60	1	İ		İ	26.94	12.76	1	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	1		UEPVR	UERTR	2.19	21.60	21.60	1	İ		İ	26.94	12.76	1	
Non	-Recurring	1				-	-									
	Unbundled Remote Call Forwarding Service - Conversion -															
L I	Switch-as-is		Ц_	UEPVR	USAC2		2.77	0.40	<u> </u>		<u></u>	<u> </u>	26.94	12.76	<u> </u>	
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)	<u> </u>	<u></u>	UEPVR	USACC		2.77	0.40	<u> </u>		L		<u> </u>	<u> </u>	<u> </u>	
UNE	BUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1		UEPVB	UERAC	2.19	21.60	21.60		ļ	ļ		26.94	12.76		
									1					1	1	
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	6	<u> </u>	UEPVB	UERLC	2.19	21.60	21.60		L	<u> </u>		26.94	12.76		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						+		Nonrec	urring	Nonrecurring Disconne	t l	ı	oss	Rates (\$)		
							Rec	First	Add'l	First Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60				26.94	12.76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60				26.94	12.76		
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60				26.94	12.76		
	Non-R	ecurring														
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40				26.94	12.76		
		Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40							
UNBUN	DLED	LOCAL SWITCHING, PORT USAGE														
	End O	ffice Switching (Port Usage)							-							
		End Office Switching Function, Per MOU					0.0015									
		End Office Trunk Port - Shared, Per MOU					0.00023					ļ	1			<b>I</b>
<u> </u>	rande	m Switching (Port Usage) (Local or Access Tandem)				-	0.0000					<u> </u>	<del> </del>			
<u> </u>		Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU		<u> </u>		+	0.0006 0.0003				+	<b> </b>	1		-	<del>                                     </del>
-		Tandem Trunk Port - Snared, Per MOU  Tandem Switching Function Per MOU (Melded)				+	0.0003				+		+			<del>                                     </del>
		Tandem Trunk Port - Shared, Per MOU (Melded)				+	0.00024618				+	1	<b>†</b>			<b>—</b>
		Melded Factor: 41.03% of the Tandem Rate					0.00012000									
	Comm	on Transport														
		Common Transport - Per Mile, Per MOU					0.00001									
		Common Transport - Facilities Termination Per MOU					0.00034									
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES														
		Based Rates are applied where BellSouth is required by FCC ar								1	l					
_		es shall apply to the Unbundled Port/Loop Combination - Cos										in Dant/Lase	. Cambinatian			<del></del>
		ffice and Tandem Switching Usage and Common Transport Us ast and additional Port nonrecurring charges apply to Not Curr														-
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	I	u Combos. For Cur	Tentily Comb	lilea Collibus ti	ie nomecumin	y charges sha	li be tilose idelitilled ili til	Nomecumin	g - Currently	Combined se	cuons.		<del>                                     </del>
		ort/Loop Combination Rates				+						1				<del>                                     </del>
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03				1		t			
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33									
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61									
	UNE L	oop Rates														
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	10.75									
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	19.05				+	<u> </u>	<del>                                     </del>		-	-
$\vdash$	2_\M:	2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)		3	UEPRX	UEPLX	30.33				+	<del>                                     </del>	<del>                                     </del>		-	<del></del>
$\vdash$	∠-vvire	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.28	79.59	63.97		+	1	40.18	9.45	<del> </del>	<del>                                     </del>
$\vdash$		2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.28	79.59	63.97		+	<u> </u>	40.18	9.45	<b> </b>	<del></del>
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.28	79.59	63.97			l	40.18	9.45	1	
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97				40.18	9.45		
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	2.28	79.59	63.97				40.18	9.45		
		2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina			UEPRX	UEPRZ	2.28	79.59	63.97				15.10	2.10		
		2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina			UEPRX	UEPRY	2.28	79.59	63.97							
	FEATL	JRES											40.40	0.4=		
$\vdash$	1004	All Features Offered		<u> </u>	UEPRX	UEPVF	3.40	0.00	0.00		+	<b> </b>	40.18	9.45	-	<del></del>
	LUCAL	L NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPRX	LNPCX	0.35						-		-	<del></del>
	NONP	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFKA	LINPUA	0.35				+	1	<del> </del>			<del>                                     </del>
	.101111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+	1				+	1	<b>†</b>			<u> </u>
		Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		2.77	0.40				40.18	9.45		
		Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC		2.77	0.40				40.18	9.45		ļ
		Subsequent Database Update						1.42					10.27			<u> </u>

CATEORY   RATE ELEMENTS   Index   Zone   BCS   USC   RATES (8)   Security   Shape   Security   Shape   Security   Shape   Security	Exhibit: A	Г	ment: 2	Attach												BUNDLED NETWORK ELEMENTS - North Carolina
ACATEMON RATE ELEMENTS until mind in an analysis and the part St		Increm			Svc Order	Svc Order							1			
RATE ELEMENTS	Charge - Charge													1 1		
CATEGORY   RATE ELEMBNTS	Manual Svc Manua													1 1	Intori	
Becoming   Becoming	Order vs. Order								RATES (\$)			USOC	BCS	Zone		EGORY RATE ELEMENTS
Rec	Electronic- Electro				per Lore	por Lore								1 1	m	
ACTIONAL NRC2	Disc 1st Disc A	1												1 1		
MORE   First   Address	D130 131 D130 F	D.50														
## AGOTT MAL NRCs   Print   AGOT   Print   AGOT   Print   AGOT   SOMAN   SOMAN   SOMAN											Rec			ш	ldot	
2.000   1000	SOMAN SOM	SOM	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First				igspace	igspace	
Activity   District Miscolinations Rine Element, Tag Loop of End User   UEPRX   USASS   0.00   0.0		₩												$\vdash \vdash$	igwdapprox	
Unbunded Mecolishesous Rate Estimate, Top Loop at End User   ULFRIX URETL.   8.33   0.60   26.64   12.76   12.76   12.76   12.76   12.76   12.77   1			0.45	40.19					0.00	0.00	0.00	116465	LIEDDY	1 1		
Promise		+	9.45	40.16					0.00	0.00	0.00	USASZ	UEPKA	$\mapsto$	$\vdash$	
Comparison   Com	0.00		12.76	26.94					0.83	8 33		LIBETI	LIEDRY	1 1		
2 Wire Ansido your Grade Estension Log — Non-Design   1 UEPRX UEAN   12.11   57.99   42.37   2.37   2.90   12.76   2.90   12.76   2.90   2.9	0.00	+	12.70	20.34					0.03	0.55		OKLIL	OLITIX	$\vdash$	$\vdash$	
2 Wire Analog Voor Grade Esteration Logs — Non-Design   2 UPPRX   UP	0.00	<b>†</b>	12.76	26.94					42.37	57.99	12.11	UEAEN	UEPRX	1		
2 Wire Analog Votos Grade Emmans Loop - Non-Design   3 UPPRX   ULARN   3365   67:99   42:37   20:42.	0.00															
2 With Analog You'ce Grands Edemson Loop — Design   2 (LEPRX UPLEAD   25.91   142.97   106.66   25.94   1276	0.00		12.76	26.94					42.37	57.99	33.65	UEAEN	UEPRX	3		
Windows   Windows   Carebor Edemons   Care   Design	0.00	1	12.76	26.94					106.56	142.97	14.97	UEAED	UEPRX	1		2 Wire Analog Voice Grade Extension Loop – Design
MINESOPFICE TRANSPORT	0.00															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UEPRX	0.00		12.76	26.94					106.56	142.97	40.81	UEAED	UEPRX	3	$\Box$	
Termination   UPPER   UPPER   UTIVA   18.00   137.48   52.58     38.07   38.07   38.07		<b>↓</b>											L	ш	igsquare	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UPPRX						1				,			Lucasy	1	1 1	
C-PRICE CEADEL LOP WITH 2-WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WITH 2-WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE PORT (BUS)   C-PRICE CEADEL LOP WIRE LINE		₩	38.07	38.07					52.58	137.48	18.00	U1TV2	UEPRX	$\vdash \vdash$	igspace	
2-Wife Voice Grade Loop WiTH 2-Wife Link Port (BUS)				ļ		1			0.00	0.00	0.0405	11471/04	LIEDBY	1	1 1	
New Port Loop Combination Rates		<del>├</del>							0.00	0.00	0.0125	UTIVM	UEPRX	$\longmapsto$	$\vdash \vdash \vdash$	
2-Wire VG Loop/Pert Combo - Zone 1		₩										+		$\vdash \vdash \vdash$	$\vdash \vdash$	
2-Wire Vis LoopPort Combo - Zone 2   2   21.33		-									13.03			1	$\vdash \vdash$	
2-Wire Voto Grade Loop (St.1) - Zone 3		+	+									+			$\vdash$	
New York Forder Loop (SL1) - Zone 1		<b>†</b>	<del>                                     </del>													
2-Wire Voice Grade Loop (SL1) - Zone 2		<b>†</b>	+ + + + + + + + + + + + + + + + + + + +													
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPBX   UEPBX   UEPBK											10.75	UEPLX	UEPBX	1		2-Wire Voice Grade Loop (SL1) - Zone 1
2-Wire Voice Grade Line Port (Bus)		1									19.05	UEPLX	UEPBX	2		2-Wire Voice Grade Loop (SL1) - Zone 2
2-Wire voice unbundled port without Caller ID - bus   UEPBX UEPBC   2.28   79.59   63.97   40.18   9.45											30.33	UEPLX	UEPBX	3		
2-Wire valoe unbundled port with Caller t- E484 ID - bus   UEPBX   UEPBC   2.28   79.59   63.97														ш	ldot	
2-Wire voice unbundled port outgoing only - bus   UEPBX UEPB   2.28   79.59   63.97   40.18   9.45														ш	ldot	
2-Wire voice unbundled incoming only port with Caller ID - Bus   UEPBX UEPB   2.28   79.59   63.97   40.18   9.45														igspace	igspace	
Capability														$\vdash$	$\vdash$	
Capability		<del>├</del>	9.45	40.18					63.97	79.59	2.28	UEPB1	UEPBX	$\longmapsto$	$\vdash \vdash \vdash$	
LOCAL NUMBER PORTABILITY   LOCAL Number Portability (1 per port)   LUEPBX LINCX 0.35   LUEPBX USEVENTIAL STATES   LUEPBX USAC2 0.00 0.00   LUEPBX USAC2 0.77 0.40   LUEPBX USAC2 0.40 1.76 1.40 1.40 1.40 1.40 1.40 1.40 1.40 1.40			0.45	40.19					62.07	70.50	2 20	LIEDDE	LIEDDY	1 1	1 1	
Licotal Number Portability (1 per port)		-	9.43	40.10					03.91	19.59	2.20	OLFBL	OLFBA	$\vdash \vdash$	$\vdash \vdash$	
FEATURES		+	+								0.35	LNPCX	LIEPBX	$\vdash$	$\vdash$	
All Features Offered		<b>†</b>	<del>                                     </del>								0.00	Litti OX	02. D/C			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is   UEPBX   USAC2   2.77   0.40   40.18   9.45		<b>†</b>	9.45	40.18					0.00	0.00	3.40	UEPVF	UEPBX			
Switch-as-is																NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change   UEPBX   USACC   2.77   0.40   40.18   9.45																
Switch with change		<b>↓</b>	9.45	40.18					0.40	2.77		USAC2	UEPBX	ldot	igspace	
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update   1.42   10.27   1						1			_	_		1	l	ı		
Subsequent Database Update		$\vdash$	9.45	40.18					0.40	2.77		USACC	UEPBX	$\vdash \vdash$	igwdapsilon	
ADDITIONAL NRCS     2-Wire Voice Grade Loop/Line Port Combination - Subsequent   Activity   UEPBX   USAS2   0.00   0.00   0.00   40.18   9.45				40.07		1				4 40			1	1	1 1	
2-Wire Voice Grade Loop/Line Port Combination - Subsequent   UEPBX USAS2   0.00   0.		$\leftarrow$	┼──┤	10.27						1.42		+	<del>                                     </del>	$\vdash \vdash$	igwdown	
Activity		$\vdash$	+			<b> </b>						+	-	$\vdash \vdash \vdash$	${f oxedown}$	
Unbundled Miscellaneous Rate Element, Tag Loop at End User   UEPBX URETL   8.33   0.83   26.94   12.76			9.45	<b>∆</b> ∩ 1º		1			0.00	0.00		USAS2	LIEPBX	1	1 1	
Premise		$\vdash$	3.43	40.10		<b> </b>			0.00	0.00		00,102	021 0/	$\vdash$	${}$	
OFF/ON PREMISES EXTENSION CHANNELS         UEAEN         12.11         57.99         42.37         2.37         2.4.27         2.5.94         12.76	0.00		12.76	26.94					0.83	8.33		URETL	UEPBX	1 1	1 1	
2 Wire Analog Voice Grade Extension Loop - Non-Design   1 UEPBX UEAEN   12.11   57.99   42.37   26.94   12.76   12.76   2 Wire Analog Voice Grade Extension Loop - Non-Design   2 UEPBX UEAEN   21.24   57.99   42.37   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Non-Design   3 UEPBX UEAEN   33.65   57.99   42.37   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Design   1 UEPBX UEAED   14.97   142.97   166.56   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPBX UEAED   25.93   142.97   166.56   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   25.93   142.97   166.56   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   40.81   142.97   166.56   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   40.81   142.97   166.56   26.94   12.76   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPBX UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPBX UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   2 UEPBX UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   2 Wire Analog Voice Grade Extension Loop - Design   42.97   42		<b>†</b>	1 1						2.20	2.20		1	İ		$\Box$	
2 Wire Analog Voice Grade Extension Loop - Non-Design   2 UEPBX   UEAEN   21.24   57.99   42.37     26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Non-Design   3 UEPBX   UEAEN   33.65   57.99   42.37     26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   1 UEPBX   UEAED   14.97   142.97   166.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   2 UEPBX   UEAED   25.93   142.97   166.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   25.93   142.97   166.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX   UEAED   40.81   142.97   166.56   2 Wire Analog Voice Grade Extension Loop - Design   40.81   142.97   40.81	0.00		12.76	26.94					42.37	57.99	12.11	UEAEN	UEPBX	1		
2 Wire Analog Voice Grade Extension Loop - Design   1 UEPBX UEAED   14.97   142.97   106.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   2 UEPBX UEAED   25.93   142.97   106.56   26.94   12.76     2 Wire Analog Voice Grade Extension Loop - Design   3 UEPBX UEAED   40.81   142.97   106.56   26.94   12.76     INTEROFFICE TRANSPORT	0.00		12.76	26.94												2 Wire Analog Voice Grade Extension Loop – Non-Design
2 Wire Analog Voice Grade Extension Loop – Design       2 UEPBX       UEAED       25.93       142.97       106.56       26.94       12.76         2 Wire Analog Voice Grade Extension Loop – Design       3 UEPBX       UEAED       40.81       142.97       106.56       26.94       12.76         INTEROFFICE TRANSPORT       UEAED       40.81       142.97       106.56       26.94       12.76	0.00															
2 Wire Analog Voice Grade Extension Loop – Design 3 UEPBX UEAED 40.81 142.97 106.56 26.94 12.76 INTEROFFICE TRANSPORT	0.00														$\Box$	
INTEROFFICE TRANSPORT	0.00														igspace	
	0.00	₩	12.76	26.94					106.56	142.97	40.81	UEAED	UEPBX	3	igspace	
1   Intereffice Transport Dedicated 2 Wire Voice Crade Facility		$\leftarrow$										+	<del>                                     </del>	$\vdash \vdash \vdash$	igwdown	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPBX U1TV2 18.00 137.48 52.58 38.07 38.07			20.07	20.07		1			52 50	127 40	10.00	111T\/2	LIEDBY	ı	1 1	

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
										Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Elec per LSR	Manually per LSR		Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
					1	B	Nonrec	urring	Nonrecurring Disconnect		1	oss	Rates (\$)	l	
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														1
2-WIE	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	U1TVM	0.0125	0.00	0.00			1	<b>.</b>			<b></b>
	Port/Loop Combination Rates				+ +							1			<del>                                     </del>
0.12	2-Wire VG Loop/Port Combo - Zone 1		1		1	13.03						1			
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33									
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61					ļ				
UNE	Loop Rates		1	LIEDDO	LIEDLY	40.75									
<b>-</b>	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG UEPRG	UEPLX UEPLX	10.75 19.05					-	<b>.</b>			<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	30.33				+	1	1			<del>                                     </del>
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		Ľ		1	22.50						<u> </u>			
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -						i								
	Res			UEPRG	UEPRD	2.28	164.57	128.16		1	1	40.18	9.45		
LOCA	L NUMBER PORTABILITY			LIEBBO	LNDOD	0.45	0.00	0.00							<b>——</b>
EEAT	Local Number Portability (1 per port) URES	-	$\vdash$	UEPRG	LNPCP	3.15	0.00	0.00		+	-				-
FLAT	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00		+	<del>                                     </del>	40.18	9.45		<del>                                     </del>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.110	02	0.10	0.00	0.00				10.10	0.10		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40			1	40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	110400		0.77	0.40				40.40	0.45		İ
	Conversion - Switch with Change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRG	USACC		2.77	0.40		-	1	40.18	9.45		<del>                                     </del>
	Subsequent Database Update						1.42					10.27			İ
ADDI <sup>*</sup>	TIONAL NRCs				1		1.72				<b>†</b>	10.27			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83				26.94	12.76	0.00	0.00
OFF/0	ON PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56				26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56				26.94	12.76	0.00	
-	Local Channel Voice grade, per termination		3	UEPRG	P2JHX SDD2X	40.81	142.97	106.56				26.94	12.76 12.76	0.00	0.00
-	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade		2	UEPRG UEPRG	SDD2X SDD2X	14.62 23.86	252.06 126.03	109.08 54.54		+	1	26.94 26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	36.40	126.03	54.54		+	1	26.94	12.76	0.00	
INTER	ROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1										
	Termination	ļ		UEPRG	U1TV2	18.00	137.48	52.58		1		38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0125	0.00	0.00							<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														$ldsymbol{oxed}$
UNE	Port/Loop Combination Rates				1 1	10.00					1	-			<del>                                     </del>
$\vdash$	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	1 2		+	13.03 21.33				+	1	-			<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	<b>-</b>	3		+ +	32.61				+	+	<del> </del>			<del></del>
UNE	Loop Rates				1 1	02.01				1	t	1			
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.75						1			
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.33				1	1	ļ			
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	-	-		+ +					1	1	<del> </del>			<del></del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	164.57	128.16				40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16		1	1	40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16		1	1	40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	l	İ	UEPPX	UEPXB	2.28	164.57	128.16	1		1	40.18	9.45	l	1

CATEGORY   RATE ELEMENTS   Month   Some   RGS   USOC   RATES (S)   Security   Charges   Charge	Exhibit: A	Fxh	ment: 2	Attachr												IBUNDLED NETWORK ELEMENTS - North Carolina
ATECONY   RATE ELEMENTS   Interference   BCS   USCC   RATES (I)   Submitted Submitted   Charges   Membral See					Svc Order	Svc Order								l I		ISONSEED NETWORK ELEMENTO HORING GARDINIA
APTECRAY  RATE LEBERTS  BUT 200  BCS  BCS  BCS  BCS  BCS  BCS  BCS  B		Charge -														
CATEGORY   NATE ELBERNTS   No.   2006   N.   100   N.		Manual Svc	_												Intori	
Before   Best		Order vs.							RATES (\$)			USOC	BCS	Zone		TEGORY RATE ELEMENTS
Test		Electronic-			po. 20.1	po. 20.1									m	
Part		Disc 1st														
Description   Description	0.00 2.00 7.00 1	2.00 .01														
Note Note Departed PEX ID DOD Terminals Print   Service   Servic											Rec					
2-Wee Vice Discharded PRIX D Terminal Swinthoused Port   UEPPX   UEPX   2.28   164.67   123.16   40.16   9.45	MAN SOMAN	SOMAN			SOMAN	SOMEC	Add'I	First			0.00	LIEDVO	HEDDY			O Miles Veiles Hele on Hell DDV LD DDD Tesseles In Dark
Capable Part   Capa	-+-	⊢—					-							<u> </u>		
Capatide Poet   UEPPX   UEPX		<del></del>	9.45	40.18			-		128.16	164.57	2.28	UEPAD	UEPPX	<u> </u>		
2-Wire Voos Entronides 2-Wey PEX Hospiropinal Economy   UEPPX   UEPX   2.28   164.57   126.16   40.18   0.45   126.16   40.18   40.1			9.45	40.18					128 16	164 57	2 28	HEDYE	LIEDDY			
Administration Californ Port   UEPPX   UEPX   2.28   194.67   128.16   40.18   9.45			0.40	40.10					120.10	104.01	2.20	OLI AL	OLI I X	<u> </u>		
2-Wive Vaca Disbundied 2-Way PREX hotelshospital Economy   UEPPX   UEPX   UEPX   128.16   40.18   9.45		ĺ	9.45	40.18					128.16	164.57	2.28	UEPXL	UEPPX			
Riscont Calling Prof																
Discourt Room Calling Port   UEPPX   UEPX		ĺ	9.45	40.18					128.16	164.57	2.28	UEPXM	UEPPX			
EVEN Vote Unburdied 1-Vivey Outgoing PIX Measured Port   UEPPX   UEPX   2.28   164.57   128.16   40.18   9.48   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   1.00   40.18   9.45   1.00   1.00   40.18   9.45   1.00   1.00   1.00   1.00   40.18   9.45   1.00   1.0				i												2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital
Contain Number Portability (1 per port)																
Dept.   Dept		<b>└</b>	9.45	40.18					128.16	164.57	2.28	UEPXS	UEPPX			
RETURNES		<b>↓</b>	<u> </u>	10.15								LUBOR	LIEBBY .	<u> </u>	$\vdash$	
Nonetring Offered   Section   Sect			9.45	40.18					0.00	0.00	3.15	LNPCP	UEPPX	<u> </u>		
NONRECURRING CHARGES (NRCs) - CURRENT LY COMBINED   UEPPX USAC2   2.77		⊢—	0.45	10.10					0.00	0.00	0.40	LIED) /E	LIEDDY			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) -   UEPPX   USAC2   2.77   0.40   40.18   9.45	-+	<del></del>	9.45	40.18		-	-		0.00	0.00	3.40	UEPVF	UEPPX	1		
Conversion - Switch-As-Is		<del></del>	$\vdash$	$\longrightarrow$			1							1		
2-Wire Voice Grade Loop / Line Port Combination (PRX) - Conversion - Stuffsequent Dutations by Charles   USACC   2.77   0.40   40,18   9.45		ĺ	9 45	40 18					0.40	2 77		USAC2	LIEPPX			
Conversion - Switch with Change   UEPPX USACC   2.77   0.40   4.018   9.45			0.10	.00					0.10			00/102	02.17			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update   1.42   10.27			9.45	40.18					0.40	2.77		USACC	UEPPX			
Subsequent Database Update																
Subsequent Activity				10.27						1.42						
Subsequent Activity				i												ADDITIONAL NRCs
Unbundled Miscellaneous Rate Element, Tag Loop at End User   UEPPX   URETL   8.33   0.83   26.94   12.76				i												2-Wire Voice Grade Loop/ Line Port Combination (PBX) -
Premise   UEPPX   URETL   8.33   0.83   26.94   12.76		ــــــــــ	9.45	40.18					0.00	0.00	0.00	USAS2	UEPPX			
DOFFON PREMISES EXTENSION CHANNELS		1	1	il												
Local Channel Voice grade, per termination   1 UEPPX   P2.HIX   14.97   142.97   106.56   26.94   12.76	0.00 0.00	0.00	12.76	26.94			1		0.83	8.33		UREIL	UEPPX	<u> </u>	1	
Local Channel Voice grade, per termination   2   UEPPX   P2,IHX   25.93   142.97   106.56	0.00 0.00	0.00	12.76	26.04			-		106.56	1/2 07	14.07	D2 IUV	LIEDDY	1		
Local Channel Voice grade, per termination   3   UEPPX   P2,IHX   40.81   142.97   106.56   26.94   12.76     Non-Wire Direct Serve Channel Voice Grade   1   UEPPX   SDD2X   14.62   25.06   109.08   26.94   12.76     Non-Wire Direct Serve Channel Voice Grade   2   UEPPX   SDD2X   23.86   126.03   54.54   26.94   12.76     Non-Wire Direct Serve Channel Voice Grade   3   UEPPX   SDD2X   23.86   126.03   54.54   26.94   12.76     Non-Wire Direct Serve Channel Voice Grade   3   UEPPX   SDD2X   36.40   126.03   54.54   26.94   12.76     Non-Wire Direct Serve Channel Voice Grade   3   UEPPX   SDD2X   36.40   126.03   54.54   26.94   12.76     Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPPX   U1TV2   18.00   137.48   52.58   38.07   38.07     Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   or Fraction Mile   UEPPX   U1TVM   0.0125   0.00   0.00   0.00     2-Wire VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT   UEPPX   U1TVM   0.0125   0.00   0.00   0.00     2-Wire VG Coin PortLoop Combo - Zone 1   1   13.03   13.04   13.03   10.00   13.00   10.00	0.00 0.00						1									
Non-Wire Direct Serve Channel Voice Grade	0.00 0.00															
Non-Wire Direct Serve Channel Voice Grade   2   UEPPX   SDD2X   23.86   126.03   54.54     26.94   12.76     Non-Wire Direct Serve Channel Voice Grade   3   UEPPX   SDD2X   36.40   126.03   54.54     26.94   12.76     Non-Wire Direct Serve Channel Voice Grade - Facility   Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPPX   U1TVZ   18.00   137.48   52.58     38.07   38.07     Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UEPPX   U1TVZ   18.00   137.48   52.58     38.07   38.07     Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UEPPX   U1TVM   0.0125   0.00   0.00   UEPPX   U1TVM	0.00 0.00						t							_		
InterOfFice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPPX	0.00 0.00													2		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination   UEPPX   U1TV2   18.00   137.48   52.58   38.07   38.07   38.07	0.00 0.00	0.00	12.76	26.94					54.54	126.03	36.40	SDD2X	UEPPX	3		Non-Wire Direct Serve Channel Voice Grade
Termination				i												INTEROFFICE TRANSPORT
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		ĺ	1	i l												
OF Fraction Mile   UEPPX U1TVM 0.0125 0.00 0.00   0.00			38.07	38.07					52.58	137.48	18.00	U1TV2	UEPPX			
2-Wire VG Coin Port/Loop Combination Rates		ĺ	1	i l					0.00	0.00	0.0405	11477.04	HEDDY			
UNE Port/Loop Combination Rates		<del></del>	$\vdash$	<del></del>			-		0.00	0.00	0.0125	UTTVIVI	UEPPX		DT	
2-Wire VG Coin Port/Loop Combo - Zone 1	-+	<del></del>	$\vdash$	<del></del>		<b> </b>	-			+	+	_	-	<del>                                     </del>	NI I	
2-Wire VG Coin Port/Loop Combo - Zone 2   2   2   3   3   3   3   3   3   3		<del></del>	<del>                                     </del>			<b> </b>	<b>†</b>				13.03		<b>+</b>	1		
2-Wire VG Coin Port/Loop Combo - Zone 3   3   32.61   32.61							1			+			1			
UNE Loop Rates							1			İ			1			
2-Wire Voice Grade Loop (SL1) - Zone 1														İ		
2-Wire Voice Grade Line Ports (COIN)											10.75					
2-Wire Voice Grade Line Ports (COIN)																
2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)		<b>└</b>	$\longleftarrow$								30.33	UEPLX	UEPCO	3		
Blocking (NC)		<b>↓</b>	<b>├</b>	<b></b>										<u> </u>	$\vdash$	
2-Wire Coin 2-Way with Operator Screening (NC)		1	1 045	40.40		1	I		60.07	70.50	2.00	LIEDNID	LIEDCO			
2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) UEPCO UEPRP 2.28 79.59 63.97 40.18 9.45	-+	<del></del>				-	<del>                                     </del>							1	$\vdash$	
900/976, 1+DDD (NC, TN) UEPCO UEPRP 2.28 79.59 63.97 40.18 9.45	$\overline{}$		9.40	40.18			<del>                                     </del>		03.97	19.59	2.20	OLTING	OLFOO	t	$\vdash$	
		1	9.45	40.18		1	1		63.97	79.59	2.28	UEPRP	UEPCO			900/976. 1+DDD (NC. TN)
			55				1		00.01	. 0.00			1	<b>†</b>		2-Wire Coin 2-Way with Operator Screening and 011 Blocking
(NC) UEPNB 2.28 79.59 63.97 40.18 9.45		1	9.45	40.18		1	1		63.97	79.59	2.28	UEPNB	UEPCO			
2-Wire Coin 2-Way with Operator Screening: 900 Blocking:										İ						
900/976, 1+DDD, 011+, and Local (NC, TN) UEPCO UEPCA 2.28 79.59 63.97 40.18 9.45			9.45	40.18			<u></u>		63.97	79.59	2.28	UEPCA	UEPCO	<u></u>	<u> </u>	

APPLICATION   RATE ELEMENTS   Page   Record   Page   RATE (I)   Page   Page   Rate   Page	UNBL	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
Noncourting   Noncourting					Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Service Con Outstand with Openior Streeting and OTT Blooking   UPPO																	Disc 1st	Disc Add'l
2-Vivie Corn Discussed with Operator Screening and of Blocking (New Corn Discussed With Operator Screening and Stocking (New Corn Discussed With Operator Screening and Stocking (New Corn Discussed With Operator Screening and Stocking (New Corn Discussed With Operator Screening and Stocking (New Corn Discussed With Operator Screening American Screening With Operator With Operator Screening With Operator With Operator Screening With Operator With Operator With Operator With Operator With Operator With Operator With Operator With Operator With Operator								Rec					COMEC	COMAN			COMAN	SOMAN
INCL   Control of Control And Control State Control and Rickary   UEPCO   UEPCI   228   73.56   6.597   6.40   8.45     EVERY EVER STATE OF STATE			2-Wire Coin Outward with Operator Screening and 011 Blocking						FIRST	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
MOSPUTA HODD UPIL, and Local INCO   LINEYCO						UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		ĺ
2-vivo 2-vivo framewa with 2007 RG in classes except 14   0.65 CD   0.65 C																		
2.WW Con Charter Shartine with 10000PG (a) cases except   UEPCO   UEPCO   UEPCO   3.70   0.00   0.					-													<del>                                     </del>
ADDITIONAL USE CORN PORTLAD CORNEL (1902 PIE Riste)  UNECO (1902 CORNEL (1902 PIE Riste))  UNECO (1902 CORNEL (1902 PIE Riste))  UNECO (1902 CORNEL (1902 PIE Riste))  UNECO (1902 CORNEL (1902 PIE Riste))  UNECO (1902 CORNEL (1902 PIE RISTE))  UNECO (1902 CORNE						OLFCO	OLFCK	2.20	79.59	03.97					40.16	3.43		
UNR COR PORTLOGO COMPO LUSING PIR Reals)			LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
COCAL NUMBER PORTABILITY		ADDIT				LIEDOO	UDEOU	0.70	0.00	0.00	0.00	0.00			40.40	0.45		
	-	LOCAL				UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		-
NONECURRING CHARGES - CURRENTLY COMENTED		LOCAL				UEPCO	LNPCX	0.35										
Switch-asies		NONRE	ECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Votes Gride Loop / Line Port Combination - Conversion - UEPCO USACC 2.77 0.40						LIEDOO	110400		0.77	0.40					40.40	0.45		
Switch with change   UEPCO   USACC   2.77   0.40   4.0.18   9.45	-					UEPCO	USAC2		2.77	0.40					40.18	9.45		
Subsequent Database Update    1.42						UEPCO	USACC		2.77	0.40					40.18	9.45		
ADDITIONAL INFO:   2-Wire Votes Grade Loop/Line Port Combination - Subsequent   Activity   UEPCO   USAS2   0.00   0.00   40.18   9.45																		
2-Wire Voice Grade LopQuLine Port Combination - Subsequent   LePCO   USAS2   0.00   0.00   0.00   40.18   9.45		ADDIT							1.42									
Activity   Unbrudded Miscellaneous Rate Element, Tag Loop at End User   UEPCO   USAS2   0.00   0.00   0.00   0.00   0.01   0.01   0.00   0.0		ADDITI					+								-			<del>                                     </del>
Premise   URFCO   URFTL   8.33   0.83   26.94   12.76   0.00						UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-Wire Voice Loop/P zwire Voice Grade to TRANSPORT/ 2-Wire Line Port (RES)																		
UNE Port/Loop Combination Rates		2 WIDE		LINE	DODT /		URETL		8.33	0.83					26.94	12.76	0.00	0.00
2-Wire VS Loop/ID Tranport/Port Combo - Zone 1   1   1.71.16				LINE	PORT (	KES)									<b>-</b>			<del>                                     </del>
2-Wire VG Logo/ID Tranport/Per Combor - Zone 2   2   28.12   3   43.00		ONE I			1			17.16							1			
UNE Loop Rates			2-Wire VG Loop/IO Tranport/Port Combo - Zone 2															
2-Wire Voice Grade Loop (SL2) - Zone 1		LINEL			3			43.00							ļ			<u> </u>
2-Wire Voice Grade Loop (SL2) - Zone 2   2   UEPFR   UECF2   25.93		ONE L			1	UEPFR	UECF2	14.97										
2-Wire Voice production   2-Wire Voice production   2-Wire Voice production   2-Wire Voice unbundled port residence   UEPFR   UEPFR   UEPFR   2.19   225.00   225.00   40.18   9.45   2-Wire voice unbundled port veith Caller ID - res   UEPFR   UEPFR   UEPFR   UEPFR   2.19   225.00   225.00   40.18   9.45   2-Wire voice unbundled port outgoing only - res   UEPFR			2-Wire Voice Grade Loop (SL2) - Zone 2		2			25.93										
2-Wire voice unbundled port - residence					3	UEPFR	UECF2	40.81										
2-Wire voice unbundled port with Caller ID - res		2-Wire				LIEDED	LIEDDI	2.10	225.00	225.00					40.19	0.45		<u> </u>
2-Wire voice unbundled port outgoing only - res																		
CLUM    UEPFR   UEPAP   2.19   225.00   225.00   40.18   9.45   9.45   140.00   140.00   71.00   71.00																		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPFR   U1TV2   18.00   140.00   71.00																		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination   UEPFR		INITED				UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
Termination   UEPFR U1TV2   18.00   140.00   71.00		INTER					+											<del>                                     </del>
Or Fraction Mile   UEPFR   1L5XX   0.0125			Termination			UEPFR	U1TV2	18.00	140.00	71.00								
FEATURES							41.504											
All Features Offered		FEATU				UEPFR	1L5XX	0.0125							-			
LOCAL NUMBER PORTABILITY   Local Number Portability (1 per port)   UEPFR   LNPCX   0.35   UEPFR   LNPCX   0.35   UEPFR   USAC2   9.03   1.87   USAC2   9.03   1.87   USAC3   UEPFR   USAC2   9.03   1.87   USAC3   UEPFR   USAC2   9.03   1.87   USAC3   UEPFR   USAC3   UEPFR   USAC4   USAC5   USA						UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   Combination - Conversion - Switch-as-is   UEPFR   USAC2   9.03   1.87   40.18   9.45			NUMBER PORTABILITY															
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   UEPFR   USAC2   9.03   1.87   40.18   9.45		NONE			1	UEPFR	LNPCX	0.35										
Combination - Conversion - Switch-as-is		NONRE		-	-		+ +							-	-			$\vdash$
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port   UEPFR						UEPFR	USAC2		9.03	1.87					40.18	9.45		1
Unbundled Miscellaneous Rate Element, Tag Designed Loop at   UEPFR			2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
End User Premise	<u> </u>				1	UEPFR	USACC		9.03	1.87	-			-	40.18	9.45		<del>                                     </del>
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)   UNE Port/Loop Combination Rates						UEPFR	URETN		11 20	1 10					26.94	12 76	0.00	0.00
UNE Port/Loop Combination Rates		2-WIRE		LINE	PORT (		5.1.2.114		11.20	1.10	<u> </u>			t	20.04	12.70	0.00	0.00
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 28.12			ort/Loop Combination Rates			·												
					<u> </u>		+ +							-				<del>                                     </del>
1   12-vviie vg_Loughy Handoure of Compo - zone 3   1   3       1   43.00		-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		+ +	43.00			+			<del>                                     </del>	-			$\vdash$

CATEGORY   RATE BLEMENTS   Illine   2	UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	bit: A
ATEOROFY RATE LIMINTS    North	0.100												Svc Order	Svc Order				
ATTEMPTED   Part   Pa																		Charge -
ATE FLEMENTS   M   BCS				Interi														_
Beforing	CATEG	ORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)								Order vs.
Net													p = = = = = = = = = = = = = = = = = = =	p				Electronic-
Branch   B																		Disc Add'l
WHI Local State				ļ			$\perp$											
UNIT COURT   UNI								Rec										
2-West Votos Claria Loss (24) - Zene 1			Potes	-	-		+		First	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wine Vance Grante Loca (SLy) - Zone 2   2   SPPB   UFCS?   25.03		UNE LO			4	LIEDED	LIECEO	44.07			<b>-</b>		-	-				<del></del>
2-Wive Vote Grade Lino PRICE (2007) 200   3   3   0.PPR   0.PPR   0.PPR   0.PPR   0.99   0.																		<b></b>
2				-							_							<del></del>
2-Wire vote unbundled port without Carlet P - Bot   UEPPB   UEPPB   219   2500   2500   40.18   9.45		2-Wiro		1	3	OLFIB	OLCI 2	40.01			+							<del></del>
2-Wive vices unforted got with Califor 12-Bas   UFPR   UFPR   UFPR   2550   22500		2-44116				LIEPER	LIEPRI	2 19	225.00	225.00					40 18	9.45		
2-Wire wide unknowled port orgoging prily - bus   UEPFB   UEPFB   27:19   225:00   225:00   40:18   9.45																		
Cock Internation   Continued incoming only port with Caller D - Blus   UEPFB   UPPB											† †							
COCA NUMBER PORTABILITY																		
Interfere Transport - Dedicated - 2 Wire Voice Grade - Facility   Lepter		LOCAL																
Interoffice Transport - Dedicated - 2 Wire Votor Grade - Facility Termination   UEPPB   U1TV2   18.00   140,00   71,00		L	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
Termination		INTER								·								
Interdifice Transport - Dedicated - 2 Wire Voice Grade - Per Mile   UEPPB   USX																		1
FEATURES						UEPFB	U1TV2	18.00	140.00	71.00								
March   Features		1		1			1 7				1 T							1
All Features Offered   UEPFB   UEPFF   3.40   0.00   0.00     40.18   9.46		<u> </u>		ļ		UEPFB	1L5XX	0.0125								ļ		1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		FEATU																
2-Wire Loop / Dedicated 10 Transport / Wire Line Port   UEPFB   USAC2   9.03   1.87   40.18   9.45						UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
Combination - Conversion - Switch-as-is   UEPPB   USAC2   9.03   1.87   40.18   9.45		NONRE																
Combination - Comprission - Switch with change						HEDED	110400		0.00	4.07					40.40	0.45		
Combination - Conversion - Switch with change   UEPFB   USACC   9.03   1.87					-	UEPFB	USAC2		9.03	1.87					40.18	9.45		-
Unbundled Miscelaneous Rate Element, Tag Designed Loop at End User Premise   UEPFB URETN   11.20   1.10   26.94   12.76   0.00						LIEDED	LISACC		0.03	1 07					40.10	0.45		
LIPPE   URETN   11.20   1.10   26.94   12.76   0.00						OLFIB	USACC		9.03	1.07					40.10	9.43		<b>—</b>
2-WIRE VOICE LOOP ZWIRE VOICE GRADE IO TRANSPORTI Z-WIRE LINE PORT (PEX)						LIEPER	LIRETN		11 20	1 10					26 94	12.76	0.00	0.00
WIF Port/Loop Combination Rates		2-WIRE		FINE	ORT (		ORLIN		11.20	1.10					20.04	12.70	0.00	0.00
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				T	1													
2-Wire VL Loop/ID Tranport/Port Combo - Zone 2   2   82.12   82.10   83.00					1			17.16										
UNE Loop Rates					2			28.12										
2-Wire Voice Grade Loop (SL2) - Zone 1			2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00			İ							
2-Wire Voice Grade Loop (SL2) - Zone 2   2   UEPFP   UECF2   25.93		UNE Lo																
2-Wire Voice Grade Line Port Rates (BUS - PBX)			2-Wire Voice Grade Loop (SL2) - Zone 1															
2-Wire Voice Grade Line Port Rates (BUS - PBX)																		
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus  Line Side Unbundled Outward PBX Trunk Port - Bus  UEPFP UEPPC 2.18 225.00 225.00 40.18 9.45  Line Side Unbundled Incoming PBX Trunk Port - Bus  UEPFP UEPPD 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled PBX LT Terminal Ports UEPFP UEPPD 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPPD UEPXA 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled PBX LD Terminal Switchboard Ports UEPFP UEPXB 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port Capable Port Capable Port Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port VEPFP UEPXB 2.18 225.00 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 3-Way PBX Hotel/Hospital Economy Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 3-Way PBX Hotel/Hospital Economy Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 3-Way PBX Hotel/Hospital Economy Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 40.18 9.45  2-Wire Voice Unbundled 3-Way Outgoing PBX Hotel/Hospital Economy Administrative Calling Port VEPFP UEPXB 2.18 225.00 225.00 40.18 9.45  40.18 9.45					3	UEPFP	UECF2	40.81										
Line Side Unbundled Outward PBX Trunk Port - Bus   UEPFP   UEPPO   2.18   225.00   225.00   40.18   9.45		2-Wire	Voice Grade Line Port Rates (BUS - PBX)				$\perp$											
Line Side Unbundled Outward PBX Trunk Port - Bus   UEPFP   UEPPO   2.18   225.00   225.00   40.18   9.45																		
Line Side Unbundled Incoming PBX Trunk Port - Bus   UEPFP   UEPP1   2.18   225.00   225.00     40.18   9.45				-							<del>                                     </del>							<del></del>
2-Wire Voice Unbundled PBX LD Terminal Ports   UEPFP   UEPA   2.18   225.00   225.00     40.18   9.45											<del>                                     </del>		-	-				
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port   UEPFP   UEPXB   2.18   225.00   225.00     40.18   9.45				-							_							<del></del>
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports   UEPFP   UEPXB   2.18   225.00   225.00     40.18   9.45				1	-						+							
2-Wire Voice Unbundled PBX LD DDD Terminals Port   UEPFP   UEPXD   2.18   225.00   225.00     40.18   9.45																		<del>                                     </del>
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port   UEPFP   UEPXD   2.18   225.00   225.00     40.18   9.45																		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD   UEPFP   UEPXE   2.18   225.00   225.00     40.18   9.45																		<del>                                     </del>
Capable Port																		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port   UEPFP   UEPXL   2.18   225.00   225.00     40.18   9.45						UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		1
Administrative Calling Port				i –				-										
Room Calling Port		1				UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		1
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port   UEPFP   UEPXO   2.18   225.00   225.00     40.18   9.45																		
Discount Room Calling Port				ļ		UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPFP   UEPXS   2.18   225.00   225.00   40.18   9.45		1		1		l	I				1 T							1
LOCAL NUMBER PORTABILITY         UEFFP         LNPCP         3.15         0.00         0.00         40.18         9.45		ļ		ļ														1
Local Number Portability (1 per port)   UEPFP LNPCP   3.15   0.00   0.00   40.18   9.45				ļ		UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		1
		LOCAL		<u> </u>		LIEDED	LNDCS	2.15										<del></del>
INIEKUFFICE IKANOPUKI		INITES		<b> </b>	-	UEPFP	LNPCP	3.15	0.00	0.00	<del>                                     </del>				40.18	9.45	<b> </b>	<del>                                     </del>
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>-</b>	INIER		+	-		+	<b></b>			+		-				-	<del></del>
Termination - Dedicated - 2 write voice Grade - Facility  UEPFP U1TV2 18.00 140.00 71.00		1				LIEPEP	111T\/2	18.00	1/0 00	71 00								1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge -		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
<b>—</b>							Nonrec	u.vvin a	Manroquering Die	ocennost.			220	Rates (\$)		
-		1	<u> </u>			Rec	First	Add'l	Nonrecurring Dis	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						11131	Auu	11131	Addi	OONIEC	JOHAN	JONIAN	JONIAN	JONIAN	JOINAN
	or Fraction Mile			UEPFP	1L5XX	0.0125										
FEA	TURES															
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	OLITI	UUAUZ		9.03	1.07					40.10	9.43		
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>		$\perp$											
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>										ļ	ļ		
UNE	Port/Loop Combination Rates	-	1			20.97										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<del>                                     </del>	2		+	20.97			<del>                                     </del>			1	<b> </b>	<del> </del>		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	t	3		+	37.08										
UNE	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
UNE	Port Rate			LIEBBY .		10.10	22121	100.10					10.10			
NON	Exchange Ports - 2-Wire DID Port RECURRING CHARGES - CURRENTLY COMBINED	-		UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1			-											
	Switch-as-is	1		UEPPX	USAC1		13.26	8.39					53.89	11.34		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLI I X	00/101		10.20	0.00					00.00	11.04		
	with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
ADD	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
Talas	End User Premise  phone Number/Trunk Group Establisment Charges	-	ļ	UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	0.00
reie	DID Trunk Termination (One Per Port)	-		UEPPX	NDT	0.00	0.00	0.00								
-	DID Numbers, Establish Trunk Group and Provide First Group			ULFFX	INDI	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers	1	<u> </u>	UEPPX	NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY  Local Number Portability (1 per port)	1	<b>!</b>	UEPPX	LNPCP	3.15	0.00	0.00			-					
2-1//	Local Number Portability (1 per port)   RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	POPT		LINPUP	3.15	0.00	0.00	<del>                                     </del>			1	<b> </b>	<del> </del>		
	Port/Loop Combination Rates	1 3101	I	1	+	+							<b> </b>	<b> </b>		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	t	t		+											
	UNE Zone 1		1	UEPPB UEP	PR	38.84					<u> </u>	<u></u>	<u> </u>	<u> </u>		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 2	1	2	UEPPB UEPF	R	50.01										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_													
LINE	UNE Zone 3	+	3	UEPPB UEPF	'K	65.18					-	-	-	-		
UNE	Loop Rates  2-Wire ISDN Digital Grade Loop - UNE Zone 1	<del>                                     </del>	1	UEPPB UEPP	R USL2X	14.47			<del>                                     </del>			1	<b> </b>	<del> </del>		
	2 TYTIC TODA DIGITAL CHARGE COOP - CIAC ZOTIC T	t	<del></del>	OLITO OLFF	, OOLZA	17.47										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPF	R USL2X	25.64			[		1					
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPP		40.81										
UNE	Port Rate							•								
	Exchange Port - 2-Wire ISDN Line Side Port	1	<u> </u>	UEPPB UEPPI	R UEPPB	24.37	388.20	302.77					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	l								<u> </u>		l	l		

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	oit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<del>                                     </del>		1	1				1	Nonrec	urring	Nonrecurring Dis	connect		l	OSS	Rates (\$)		
							Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADDI"	TIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					l											'
	Premise	ļ		UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
LOCA	AL NUMBER PORTABILITY  Local Number Portability (1 per port)	ļ		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B CH	ANNEL USER PROFILE ACCESS:			UEPPB	UEPPR	LINPUX	0.35	0.00	0.00								
Б-СП	CVS/CSD (DMS/5ESS)	<del>                                     </del>	<del>                                     </del>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	<del>                                     </del>				l	<del>                                     </del>		
	CVS (EWSD)	l -	<b>-</b>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD	t	t	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						1		
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)	<u> </u>		1		2.20	2.30						İ		
	R TERMINAL PROFILE	Ι΄ ΄	T														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	TCAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
$\vdash$	facilities termination	1			UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
4 18/15	Interoffice Channel mileage each, additional mile	/ DODT		UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
The I	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI INE-P DS1 combination rates below for in this rate exhibit appl	N PORT	ombos	lded been	in place o	o of 10/2/02 :	mail 4/4/04 Af4	or 4/1/04 those	ratae aball ra	rort to toriff roton or	r a canarat		ol oaroomo	<u> </u>			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													iii.			
	Port/Loop Combination Rates	I	T	Title ellec	olive date c		linent shan be	novided parse	ant to a sepai	ate agreement or ta	ailli at Dell	Journ's die	Scretion.				
0.1.2	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1															
	Zone 1		1	UEPPP			226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			313.15										
UNE	Loop Rates	ļ				1101.45											
<b></b>	4-Wire DS1 Digital Loop - UNE Zone 1	ļ	1	UEPPP		USL4P	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	2	UEPPP		USL4P USL4P	84.27 134.14										
LINE	Port Rate	<u> </u>	3	UEPPP		USL4P	134.14										
ONL	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	179.01	956.47	663.10					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1	1	OLITI		OLITI	170.01	300.41	000.10					10.00	10.00		
1.01	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51								
ADDI	TIONAL NRCs	1	1														
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Subsequent Inward/2-Way Tel Nos - (NC Only)		<u> </u>	UEPPP		PR7TG		1.17	1.17								
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent	1	-														
	Activity Outward tel nos. (NC only)	ļ	<u> </u>	UEPPP		PR7TP		28.17	28.17								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		LIEDDE		DD777		F0 00	F0 00				1				
1.004	Subsequent Inward Tel Numbers	1	<del> </del>	UEPPP		PR7ZT		56.33	56.33	<del>                                     </del>			-	-	<del>                                     </del>		
LUCA	Local Number Portability (1 per port)	1	<del>                                     </del>	UEPPP		LNPCN	1.75			<del>                                     </del>			-	-	-		
INTE	RFACE (Provsioning Only)	<b>!</b>	<b>†</b>	OLFFP		LINFOIN	1.75			<del>                                     </del>			<b> </b>		<b> </b>		
	Voice/Data	t	t	UEPPP		PR71V	0.00	0.00	0.00						1		
	Digital Data	1	i –	UEPPP		PR71D	0.00	0.00	0.00					İ			
	Inward Data	1	i –	UEPPP		PR71E	0.00	0.00	0.00					l	İ		
New o	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	36.92	· · · · ·					19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	36.92						19.99	19.99		
<u> </u>	New or Additional Inward Data B Channel	ļ	<u> </u>	UEPPP		PR7BD	0.00	36.92						19.99	19.99		
CALL	. TYPES	İ		l		l							l				

HINRHI	JDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
ONDO	IDEL	NETWORK ELEMENTS - NORTH Carollila	1	Ι		1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711201		10.1.2 ===	m			0000			101120 (4)			per LSR	perLSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				İ			Dee	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7CO	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
I	nterof	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
<u> </u>		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	L	<u> </u>			44454	L				<u> </u>				
		IE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective a	ate or	tnis amendment sn	all be provide	a pursuant to	a separate agr	ement or tarif	at BellSouth's	alscretion.						
H 1	INE P	ort/Loop Combination Rates  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<b>-</b>	4	UEPDC	+	171.06					-	-				-
$\vdash \vdash$		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del>                                     </del>		UEPDC	+	207.79						<b> </b>	<b> </b>	<del> </del>	<b> </b>	<del>                                     </del>
$\vdash$		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<b>—</b>		UEPDC	+	257.66	<b> </b>	<b> </b>			<b>H</b>		<b>l</b>	<del> </del>	<b>l</b>	<del>                                     </del>
<del>                                     </del>	INF I	pop Rates	<b>—</b>	3	021 00	+	237.00	<b> </b>	<b> </b>			<b>H</b>		<b>l</b>	<del> </del>	<b>l</b>	<del>                                     </del>
<del>   </del>		4-Wire DS1 Digital Loop - UNE Zone 1	<b>-</b>	1	UEPDC	USLDC	47.54					<b>-</b>	<b>-</b>		<b> </b>		<del> </del>
$\vdash$		4-Wire DS1 Digital Loop - UNE Zone 2	<del>                                     </del>		UEPDC	USLDC	84.27					<del>                                     </del>	<b> </b>				<b>H</b>
		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	134.14								1		1
ι	JNE Po	ort Rate		Ť	02. 20	00220											
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
-	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			LIEBBO	UDTTA		00.04	00.04								
-		Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		28.81	28.81								-
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
$\vdash$		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDITE		20.01	20.01			-					
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		20.01	20.01					15.55	19.99		
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 20	055		20.01	20.01					10.00	10.00		
		Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		28.81	28.81				1				1
E	BIPOL/	AR 8 ZERO SUBSTITUTION				1										İ	
		B8ZS -Superframe Format		İ	UEPDC	CCOSF		0.00i	615.00s						1		1
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s								
-	Alterna	te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
ī	Teleph	one Number/Trunk Group Establisment Charges				1											
$\vdash \vdash$		Telephone Number for 2-Way Trunk Group		<u> </u>	UEPDC	UDTGX	0.00							19.99	19.99		
$\longmapsto$		Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00							19.99	19.99		
$\vdash \vdash$		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
		DID Numbers, Establish Trunk Group and Provide First Group		1	LIEDDC	NDZ	0.00	0.00	0.00				1				
$\vdash$		of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers			UEPDC	NDZ ND4	0.00	0.00	0.00								
$\vdash$		DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number	<b>-</b>	<u> </u>	UEPDC UEPDC	ND4 ND5	0.00					-	-				-
$\vdash$		Reserve Non-Consecutive DID Numbers , Per Number	<b>-</b>	<u> </u>	UEPDC	ND6	0.00	0.00	0.00			-	-				-
$\vdash$		Reserve DID Numbers	-	-	UEPDC	NDV	0.00	0.00	0.00								-
-	)edica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	l Digital	Loon			0.00	0.00	0.00			<del>                                     </del>					-
	Journa	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	. Digital	_00p		Tank FOIL						<b>-</b>	<b>-</b>		<b> </b>		<del> </del>
		Termination)		1	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00		1	19.99	19.99		
		1	L		1 50	1.2	20		.00.70	0.00	3.00	1		.0.00	.0.00		1

IINIDIIN	IDI EI	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
UNDUN	IDLEL	O NETWORK ELEMENTS - NOTHI Carollila			I	1	1					Cun Ondan	Cur Ouden				
												1		Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		<u> </u>	UEPDC	1LNOA	0.5753	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.5753	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
4	-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
S	System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
E	ach S	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used	1											
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C				e exhibit apr	ly to the embe	edded base in r	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after th														•	
		S1 Loop				1											
	Ī	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00			1					
-		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00			<b>†</b>	1				
-+		4-Wire DS1 Loop - UNE Zone 3	<b>-</b>	3	UEPMG	USLDC	134.14	0.00	0.00			1					
<del></del>		60 Channelization Capacities (D4 Channel Bank Configuration	ne)	3	OLI WO	OOLDC	134.14	0.00	0.00								
		24 DSO Channel Capacity - 1 per DS1	113)	<del>                                     </del>	UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
-		48 DSO Channel Capacity - 1 per 2 DS1s	-	1	UEPMG	VUM48	246.12	0.00	0.00	-		<b>†</b>		19.99	19.99		
-		96 DSO Channel Capacity -1 per 2 DS1s	-	-	UEPMG	VUM96	492.24	0.00	0.00			<b>-</b>	-	19.99	19.99		-
+		144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	738.36	0.00	0.00			-		19.99	19.99		
+				-	UEPMG	VUM19	984.48	0.00	0.00			-		19.99	19.99		
+		192 DS0 Channel Capacity -1 per 8 DS1s		-	UEPMG	VUM2O	1,230.60	0.00	0.00			-		19.99	19.99		
		240 DS0 Channel Capacity - 1 per 10 DS1s										ļ					
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00			ļ		19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68		0.00					19.99	19.99		
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						ystem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
IV	/lultiple	es of this configuration functioning as one are considered Ac	dd'I afte	r the m	inimum system con	figuration is	counted.										
	П	NRC - Conversion (Currently Combined) with or without											1				
		BellSouth Allowed Changes	<u> </u>	<u> </u>	UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
S	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat	ion with Port Combi	ination Curre	ently Exists an	d									
N	lew (No	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	ı's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)	<u> </u>	Ш.	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	<u> </u>	<u>                                     </u>	19.99	19.99		<u> </u>
P	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent				1											
		Activity Only			UEPMG	CCOSF	0.00	0.00i	615.00s								
-		Clear Channel Capability Format - Extended Superframe -		1		1	1			1			1				ĺ
. 1		Subsequent Activity Only	l	1	UEPMG	CCOEF	0.00	0.00i	615.00s	I			1				l
1	lterna	te Mark Inversion (AMI)	i –	1		T	1.50			i e		1	i				İ
	1	Superframe Format	l -		UEPMG	MCOSF	0.00	0.00	0.00	<b>-</b>		t	l				<b>†</b>
-+		Extended Superframe Format	l -		UEPMG	MCOPO	0.00	0.00	0.00	<b>-</b>		t	l				<b>†</b>
F	ychan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI MO		0.00	0.00	0.00	t		1	<b> </b>				<del>                                     </del>
		ge Ports Associated with 4-wire DST Loop with Channelization	OII WILLI	. 0/1		1	1	1	<b> </b>	t		1	<del>                                     </del>				<del> </del>
	AUTIAN	Line Side Combination Channelized PBX Trunk Port - Business	<del>                                     </del>	<del>                                     </del>		1	1	1	<b> </b>	t		1	<del>                                     </del>				<del> </del>
		(E:4/1/2004)	1	1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45		l
'			<u> </u>	├	ULFFA	UEPUA	2.28	0.00	0.00	0.00	0.00	<del> </del>	-	40.18	9.45		
																	1
		Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
					1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										l ·	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>			1				Names		l Name and a committee a	. Diaaaaaa			222	Datas (ft)		
		-	1		+	Rec	Nonrec First	arring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
<b>—</b>	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-	1		+		FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	(E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
Featu	re Activations - Unbundled Loop Concentration		1	OLITA	OLI DIVI	13.20	0.00	0.00	0.00	0.00			40.10	3.43		_
- Julia	Feature (Service) Activation for each Line Port Terminated in D4		1								1					
	Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in		1													
	D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
Telep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States	-	1	UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	-	+	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00			-					
$\vdash$	Reserve DID Numbers	<del>                                     </del>	+	UEPPX	NDV	0.00	0.00	0.00				-	<del> </del>	<del> </del>		$\vdash$
Local	Number Portability	1	<del>                                     </del>	U=117	1100	0.00	0.00	0.00			<b>-</b>					<del>                                     </del>
20001	Local Number Portability - 1 per port	t		UEPPX	LNPCP	3.15	0.00	0.00			1		1	1		
FEAT	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only		1													
	All Features Available		1	UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
	st Based Rates are applied where BellSouth is required by FCC															
	atures shall apply to the Unbundled Port/Loop Combination - C															
	d Office and Tandem Switching Usage and Common Transport															
	e first and additional Port nonrecurring charges apply to Not Co	urrentiy	Comb	inea Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	entiy Combin	ed sections.	Additional NR	kCs may
	also and are categorized accordingly.  arket Rates for Unbundled Centrex Port/Loop Combination will	ho noa	atiatad	an an Individual C	ana Bania um	til furthar natio	_ 1		1			ı	ı	ı		
	P CENTREX - 5ESS (Valid in All States)	be neg	liateu	on an murvidual C	ase basis, uii		·.									-
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1								1					
	Port/Loop Combination Rates (Non-Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		13.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<b>———</b>	Non-Design		3	UEP95		32.61										
UNE	Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	1		+	-										
	Design	1	1	UEP95		17.25										
<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	+	OL1 33	+	11.25					<del>                                     </del>		<del> </del>	<del> </del>		<del>                                     </del>
	Design		2	UEP95		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		ΤĒ									İ				
	Design	<u></u>	3	UEP95	1	43.09						<u> </u>	<u> </u>			<u> </u>
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	L	2	UEP95	UECS1	19.05							ļ			$\vdash$
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP95	UECS1	30.33					1					$\vdash$
<del></del>	2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP95	UECS2	14.97 25.93							-	-		$\vdash$
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP95 UEP95	UECS2	25.93 40.81					1	-	-			├──┤
IINE	Port Rate	<del>                                     </del>		OL1 33	01002	40.01							<del> </del>	<del> </del>		$\vdash$
All St		t —	1		+						<del>                                     </del>	<b>-</b>				
7.11 00	2-Wire Voice Grade Port (Centrex ) Basic Local Area		t	UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28	79.59	63.97				İ	40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	İ														
	Area	<u> </u>	<u>L</u>	UEP95	UEPYH	2.28	79.59	63.97					40.18	9.45		l
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
1 1	Center)2,3 Basic Local Area		ļ	UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		$\vdash$
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		

ATBOOKY  RATE LEMENTS  RATE LE	UNRI	INDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fyhi	bit: A
ATTECHNISH IN ATTECHNISH IN A PART ELEMENTS IN THE ATTECHNISH IN ATTECHN	OND	ONDEL				I							Svc Order	Svc Order				
RATE ELEMENTS   Many   200   Body   B																		
ATTECON**  RATE ELEMENTS  May be a company to the market in on Programs or equipment of the company to the comp				Interi														
Part   Part	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								I
Part   Note State for territorials in the Magnitive or guistern   Part				""														
Pirel															1st	Add'l		Disc Add'l
Pirel		1							Nonroc	urring	Nonrocurring [	Disconnoct			220	Pates (\$)		
Service State Part Instructed in on Negative Securities   Company   Compan		1					+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
- Serie Local Area   Wave Vocac Cingles Per Tormanded on 800 Service Tarm.   USPS   USP'   2,28   73.59   0.37     0.19   0.55		1	2-Wire Voice Grade Port terminated in on Megalink or equivalent						11131	Addi	11130	Addi	JOINLE	JOINAIN	JONAN	JONIAN	JOINAIN	JOWIAN
SWING YOUR GROUP FOR Temmand or 800 Service Tem						UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		'
No. Only																		
E-Wile Vote Grade Print Centres WI Immunistry   Very 1			Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
2-Vive Votes Corde Per (Centres 200 terroritation)		NC On																
2-Ver Voca Confort Per (Contrac van Caller DY)		_																
SAVINE VIVOS Clorido Port, CRIT Feature Trom off Serving Wire   UEPUM   UEPUM   2.20   164.57   129.16   40.18   9.45		+		-	-													<del></del>
Content   2-5	-	+		-	-	UEP95	UEPUH	2.28	79.59	63.97				-	40.18	9.45		-
2-Vive Voice Grant Part Diff Serving Wince Center + 600 Service   UEPIG						LIEP95	HEPLIM	2 28	164 57	128 16					40 18	9.45		ĺ
Tem 2.3		1		<b>†</b>		02.00	JEI OW	2.20	104.01	120.10					70.10	5.45	1	
E-Wire Vaco Grade Fort Termenated on 800 Service Form   UEP95				1		UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		1
E-Wire Voto Grade Fort Terminated on 800 Service Form   UEP95																		
Local Switching		1																
Centex Interconf Fundamethy, per port   UEP96   UEPC6   0.900						UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		<b></b>
Local Number Portability   Local Number Portab		Local																
Good Number Proteinibity (1 per port)		Local I				UEP95	URECS	0.903										<del>                                     </del>
Features		Local		-	-	HED05	LNPCC	0.35						-				<del></del>
All Sandard Features Offered, per port  All Sandard Features Offered, per port  All Contrax Control Features Offered, per port  UEP95 UEPVS 3.40  NARS  All Contrax Control Features Offered, per port  UEP95 UEPVS 3.40  UEP96 UEPVC 3.40  UEP96 UEPVC 3.40  UID MINISTER Minister Access Register - Combination  UID MINISTER MINISTE		Featur		1		OLI 95	LIVI CC	0.55										<del>                                     </del>
All Select Features Offered, per port   UEP95   UEPVS   0.00   457.88		- outur				UEP95	UEPVF	3,40										
NARS								0.00	457.83									
Unbundled Network Access Register - Combination   UEP95			All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										
Unbundled Network Access Register - Indial   UEPPS   UARIX   0.00   0.00   0.00   0.00   0.00   40.18   9.45		NARS																
Unbundled Network Access Register - Outdied   UEP95   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   40.18   9.45		_																
Niscellaneous Terminations		+		-	-													<del></del>
2-Wire Trunk Side		Miccol		-	-	UEP95	UARUX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		<del></del>
Trunk Side Terminations, each																		<del>                                     </del>
### Affire Digital (1.544 Megabits)    DSI Circuit Terminations, each   UEP95   MiHDI   123.65   40.18   9.45						UEP95	CEND6	12.36										
DST Circuit Terminations, each		4-Wire																
Interoffice Channel Facilities Termination   UEP95   M1GBC   18.00			DS1 Circuit Terminations, each			UEP95		123.65										
Interoffice Channel Flacilities Termination   UEP95   MIGBC   18.00						UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DSO) Centrex Loop Soft Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Extrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Extrex Loop Slot Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank File Line Trunk Loop Slot Feature Activation on D-4 Channel Bank File Line Trunk Loop Slot Feature Activation on D-4 Channel Bank File Line Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot Feature Activation on D-4 Channel Bank Wats Loop Slot Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWV 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWV 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP95 IPQWQ 0.65		Interof																
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service		_																<b></b>
D4 Channel Bank Feature Activations   Feature Activation on D-4 Channel Bank Centrex Loop Slot   UEP95   IPQW6   0.65		Foatur		20		UEP95	MIGBM	0.0282			-							-
Feature Activation on D-4 Channel Bank FX line Side Loop Side   UEP95   1PQW6   0.65				1			+											<del>                                     </del>
Feature Activation on D-4 Channel Bank FX Irine Side Loop Slot   UEP95   1PQW7   0.65     1PQW7   0.65   UEP95   UEP95		2.0				UEP95	1PQWS	0.65										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP95   1PQW7   0.65			·															
Slot						UEP95	1PQW6	0.65										
Feature Activation on D-4 Channel Bank Centrex Loop Slot																		ĺ
Different Wire Center				ļ		UEP95	1PQW7	0.65										
Feature Activation on D-4 Channel Bank Private Line Loop Slot   UEP95   1PQWV   0.65     UEP95   1PQWQ   EP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   1PQWQ   0.65   UEP95   UEP				1		LIEDOS	4DOWD	0.05										1
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP95   1PQWQ   0.65     UEP95   1PQWQ   0.65     UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95	-	+	Dillerent Wire Center	<del>                                     </del>	-	UEP95	TPQWP	0.65			-		<del>                                     </del>	<del>                                     </del>				<del></del>
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP95   1PQWQ   0.65     UEP95   1PQWQ   0.65     UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95   1PQWA   0.65   UEP95			Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1POWV	0.65										1
Slot		1		<b>†</b>		02.00	11 32 77 7	0.00							1	1	1	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port   UEP95   USAC2   2.77   0.40   40.18   9.45						UEP95	1PQWQ	0.65										1
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port		<u>l</u>				UEP95	1PQWA	0.65										
Changes, per port		Non-Re																
New Centrex Standard Common Block				1		l				_						_	1	1
New Centrex Customized Common Block		1		ļ				0.00		0.40								<b></b>
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 72.73 40.18 9.45  Additional Non-Recurring Charges (NRC) 40.18 9.45  Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<u> </u>	+		-	<u> </u>								1	1			<del>                                     </del>	<del>                                     </del>
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-	+		<del>                                     </del>	-								<del>                                     </del>	-				<del></del>
Unbundled Miscellaneous Rate Element, Tag Loop at End Use		Additio		<b>†</b>		OLI 33	UNLUA	0.00	12.13		-		<del>                                     </del>	<del>                                     </del>	40.10	5.43		<b> </b>
				1											İ	İ	İ	
				1		UEP95	URETL		8.33	0.83								1

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
0.475000	N DATE EL EMENTO	Interi		200	11000			DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															1
	End Use Premise	-	1	UEP95	URETN		11.20	1.10								<b></b>
	E-P CENTREX - DMS100 (Valid in All States) Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	<u> </u>													
	E Port/Loop Combination Rates (Non-Design)	1	1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-		İ												
	Non-Design		1	UEP9D		13.03										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1														
LIN	Non-Design	-	3	UEP9D		32.61										
UN	E Port/Loop Combination Rates (Design)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del>                                     </del>	<del> </del>													
	Design		1	UEP9D		17.25										[
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	.†	Ė		1	20					1			1		
	Design		2	UEP9D		28.21										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		43.09										
UN	E Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	2	UEP9D	UECS1	10.75					-					
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEP9D UEP9D	UECS1	19.05 30.33										
<b></b>	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
	E Port Rate															
AL	L STATES	ļ	ļ													ļ
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		1
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	+	1	UEP9D	UEPTB	2.20	79.59	63.97					40.16	9.45		
	Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area	ļ	ļ	UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			LIEDOD	HEDVE	0.00	70.50	C2 07					40.40	9.45		1
$\vdash$	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	-	1	UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		-
	Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02. 02	02. 10	2.20	10.00	00.01					10.10	0.10		
	Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDYA /	0.00	70.50	20.6=					40.40			[ ]
$\vdash$	Area  2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	+	1	UEP9D	UEPYV	2.28	79.59	63.97			1		40.18	9.45	-	<del>                                     </del>
	Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		[
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	1	<del>                                     </del>		02. 10	2.20	70.00	55.51			<u> </u>		70.10	5.45	1	
	Area	<u> </u>		UEP9D	UEPYH	2.28	79.59	63.97			<u></u>	<u> </u>	40.18	9.45	<u> </u>	<u>                                      </u>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
$\vdash$	Indication))4 Basic Local Area	1		UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			LIEDOD	LIEDY	0.00	70.50	20.6=					40.40			1
$\vdash$	Basic Local Area	1	<del>                                     </del>	UEP9D	UEPYJ	2.28	79.59	63.97			1	-	40.18	9.45	-	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1		021 00	OLI TIVI	2.20	104.57	120.10					70.10	3.43		
	Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16				1	40.18	9.45		1 1
	•				•						•					

HINBLIND	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	ibit: A
ONDOND		I									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Addi	Disc 1st	DISC Add I
						Rec	Nonred	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIEDVO	0.00	404.57	100.10					40.40	0.45		
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16			-		40.18	9.45		<del></del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
<b></b>	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	-		UEP9D	UEFTS	2.20	104.57	120.10		<b> </b>			40.16	9.45		<del> </del>
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLFBD	OLF 14	2.20	104.57	120.10					40.10	5.40		
	Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			OLI OD	021 10	2.20	104.01	120.10					40.10	0.40		<u> </u>
	Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC (																
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	ļ		UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		
<b></b>	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		<b></b>
<b></b>	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63.97					40.18	9.45		<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97			-		40.18	9.45		
<b></b>	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-		UEP9D UEP9D	UEPUG UEPUT	2.28 2.28	79.59 79.59	63.97 63.97		<b> </b>			40.18 40.18	9.45 9.45		<del> </del>
h + + -	2-Wire Voice Grade Port (Centrex / EBS-M5208)4	1	-	UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		-
<del> </del>	2-Wire Voice Grade Port (Centrex / EBS-M5206)4  2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		-
	2-Wire Voice Grade Fort (Centrex / EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)	1	t	UEP9D	UEPUH	2.28	79.59	63.97		1			40.18	9.45		<b>†</b>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					2.20	. 0.00	55.57		1				50		
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPUM	2.28	164.57	128.16		<u> </u>			40.18	9.45	<u></u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		<u> </u>
				l	1											
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	ļ		UEP9D	UEPUP	2.28	164.57	128.16		ļ			40.18	9.45		<u> </u>
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	<u> </u>		UEP9D	UEPUQ	2.28	164.57	128.16		<b> </b>			40.18	9.45		<b></b>
	2 Mire Voice Crade Port (Cent/diff CMC /EBC ME11000 4			LIEDOD	LIEDLID	0.00	404.57	400.40					40.40	0.45		
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	-	UEP9D	UEPUR	2.28	164.57	128.16		<del> </del>			40.18	9.45		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		
$\vdash$	2-vviie voice Grade Fort (Centrex/differ 500C /EBS-10/5312)2,3,4	1	<del>                                     </del>	OFLAD	UEFUS	2.28	104.57	1∠8.16		1	-		40.18	9.45		<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		
	2 ****** ****************************	<del>                                     </del>	<del>                                     </del>	OL: 3D	OL1 04	2.20	104.57	120.10		1			40.10	3.43		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
		1			1 2 2 2			.200		1				50		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina				-								Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
İ					1						Submitted			Charge -	Charge -	Charge -
i		Intori									Elec		Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic
i													1st	Add'l	Disc 1st	Disc Add'l
i													151	Addi	DISC ISL	DISC Add I
		1	1			Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													ĺ		
ı I	Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
										Î				Î	Î	
i l	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t		UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97		Î			40.18	9.45	Î	
Local	Switching									Î				Î	Î	
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35				Î				Î	Î	
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
NARS							İ									
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Miscel	laneous Terminations									Î				Î	Î	
2-Wire	Trunk Side									Î				Î	Î	
	Trunk Side Terminations, each			UEP9D	CEND6	12.36				Î				Î	Î	
4-Wire	Digital (1.544 Megabits)									Î				Î	Î	
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		<u> </u>	UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion		1	UEP9D	URECA	0.00	72.73						40.18	9.45		
Additi	onal Non-Recurring Charges (NRC)		1													
. [	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1		1						1	1				
	Premise		1	UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise	1	1	UEP9D	URETN		11.20	1.10						ļ		
			1	1	1					1	1	l	1	I	1	1
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 2 Note 3			Port													

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISI	DISC Add I
							В	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographicall	y Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	tm												
OPER/	ATIONA	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	ne "state	speci	fic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.		·			•		,				Ü				
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	rdina	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
		N, will be applied to a CLECs bill when it submits an LSR to B			o timo outogot y to.		argo mar nouna		00 000 0		g capas						g 0.1a. g0,
	OOMA	OSS - Electronic Service Order Charge, Per Local Service	I	i.			1		I	I	I	1	1	1			ı
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				OOMEO		3.30	0.00	3.30	0.00						
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
IINE C		DATE ADVANCEMENT CHARGE	-	-		SOIVIAIN	_	13.09	0.00	1.57	0.00	<b>-</b>	<b>-</b>		-		
UNE 3		The Expedite charge will be maintained commensurate with	PallCau	th'o E	CC No. 1 Tariff Coatio	n E oo onni	iooblo					-	-				
-	NOTE:	The Expedite charge will be maintained commensurate with	Dellou	lui S F	T No.1 Tariff, Section	ii o as appi	icable.					<b>-</b>	<b>-</b>		-		
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRI	ANALOG VOICE GRADE LOOP															
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		1				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		_	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise		1	UEANL	URETL		8.33	0.83						1		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								

UNBU	NDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ONDO	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO Godin Garollina				1						Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				Ī				ĺ				Î			
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17					ĺ			
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User													_	<u> </u>	
		Premise			UEQ	URETL		8.33	0.83								<u> </u>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		8.17	8.17					ļ	L		ļ
		Unbundled Copper Loop, Non-Design Copper Loop, billing for													1		
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.30	7.45								
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP				1											ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.					4= 00								
-		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEDOD LIEDOD		04.00	07.00	47.00	00.50	5.00						
-		Zone 2	-	2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	HEDOD HEDOD	UEABS	21.39	27.00	47.00	22.50	F 20						
-		Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						<b>+</b>
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEFSK UEFSB	UEALS	26.72	31.92	17.02	23.30	5.32						
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
LINBLIN	DI ED I	EXCHANGE ACCESS LOOP		3	OLF SK OLF SB	ULABS	20.72	31.32	17.02	23.30	5.52			1			-
ONDO		ANALOG VOICE GRADE LOOP															<del> </del>
	_ *****	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+											<b>†</b>
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		Ė	- " -	1	.0.00		55.10	33.50				1	<u> </u>		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	ΙĪ		1			55.10	12.20		İ	İ	İ	1	l	
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61				1		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13	-		•			1			
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61					<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									. <u></u>						
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														I	
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61			ļ			ļ
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13						ļ	ļ		ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44					ļ	1		ļ
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10					ļ	1		ļ
	4-WIRE	ANALOG VOICE GRADE LOOP				1									<b></b>		<u> </u>
ļ		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61			ļ	<b>.</b>		<u> </u>
		4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>		UEA	UEAL4	43.89	132.38	94.83	59.35	14.61				<b>_</b>		<b>_</b>
<u> </u>		4-Wire Analog Voice Grade Loop - Zone 3	<b>—</b>	3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61			<b>.</b>	-	<b> </b>	<b>├</b>
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	<b>—</b>		UEA	OCOSL		18.13	20.11					<b>.</b>	-	<b> </b>	<b>├</b>
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.90	36.44						L	l	

ATEONY BATE LEMENTS ### Zonu BCS USC ### BATE 6.0 USC ###	UNBL	JNDLFI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
Part   Part	OND	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE INDICATE LEE MENTO GOOD TO GO TO THE	1									Svc Order	Svc Order				
RATE GLENKINTS  RATE GLENKINTS																		
A				Interi														
Note   Processor	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR					
A				""									ļ ·		Electronic-	Electronic-	Electronic-	Electronic-
2-year   1989 DBITAL READEL LOOP															1st	Add'l	Disc 1st	Disc Add'l
2-year   1989 DBITAL READEL LOOP	-	1		-				1	Nonrec	urring	Nonrecurring	Disconnect			088	Pates (\$)		ь н
Appendix   Company   Com							+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
S-Wine SORD Digital Grade Loop Zone 3   2   DN   U12X   978   1758   80.00   83.05   10.81		2-WIRE	ISDN DIGITAL GRADE LOOP	i -						,,,,,,		71441		00	00	00	00	
SWIN DESID Content Grave Lour - Zever 3   3   UNN   112X   97.70   117.76   80.03   52.85   10.91			2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
Other Concellation For Starting Conversion Time (per LSP)					2	UDN	U1L2X	32.76	117.58	80.03		10.61						
CLES OF SEE Conversion Charges without collected income service (income)   CLES OF SEE CONVERSION (Income)			2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
2																		
2 Vive Unknowled ADS Loop including manual service regulary   2 UNL UNLZX   13.71   120.04   70.06   60.07   7.50			CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25								
A facility reservation. Zone 1		2-WIRE		ATIBLE	LOOP													
2 View Lubsounded ADSL Loop including manual service inquiry   2					١.			40.40		======								
A facility reservation. Time 2   2   UAL   UALZX   13.71   120.04   70.66   90.07   7.96	-			ļ	1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
2   Wire Enhanced ADSE, Loop including manual anerice inquity   8   hostly researcher. Zeek   1   July   July   2   July   July   2   July   July   2   July   July   3   July   July   July   3   July   July   July   3   July					_	1141	LIALOV	40.74	100.04	70.50	50.07	7.00						1
Stadily searonizon. Zone 3   Jul.   UAL   UAL   VAL	-			-		UAL	UALZX	13.71	120.84	70.56	50.37	7.93						<del></del>
Order Coordination for Specified Convention Time (per LSR)					3	ΠΔΙ	LIAL 2Y	1/1/1/	120.84	70.56	50.37	7 03						
2    With Unburded ASSL Loop without manual service requiry \$   1   UAL   UAL 2W   12.19   66.81   57.62   66.37   7.05								14.14		70.50	30.37	7.55						
figulary reservation - Zone 1				1		0,12	00002		10.10									
2 Wite Unbundled ADSL Loop without manual service inquiry & 1					1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
2 Week Unbounded ADSIL Doo whotout manual service nequity & 3   UAL   UAL 2W   14.14   66.81   57.82   50.37   7.95																		
Gality reservation - Zane 3   UAL			facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
Order Coordination for Specified Convenient Trine (per LSR)			2 Wire Unbundled ADSL Loop without manual service inquiry &															
CLEC to CLEC Conversion Charge without outside despatch   UAL   UREWO   86.38   40.48			facility reservaton - Zone 3		3			14.14		57.82	50.37	7.93						
A WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDS); COMPATIBLE LOOP			Order Coordination for Specified Conversion Time (per LSR)															
2 Wire Unbundled HDSL Loop including manual service inquiry   1   UHL						UAL	UREWO		86.38	40.48								
Stacilly reservation - Zone 1		2-WIRE		TIBLE	OOP													
2 Wire Unburdled HDSL Loop including manual service inquiry   2 UHL								0.50	400.50	70.04	50.07	7.00						1
S. facility reservation - Zone 2	-	-			7	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
2 Wire Unbundled HDSL Loop including manual service inquiry   3 UHL					2	ш	LILI 2V	10.02	120.52	70.24	50.27	7.02						1
S. facility reservation - Zone 3				<u> </u>		OFF	OFILEX	10.32	123.32	75.24	30.37	7.55						
Order Coordination for Specified Conversion Time (per LSR)					3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						1
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1				i -														
And facility reservation - Zone 1																		
A solid facility reservation - Zone 2			and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						1
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1   UHL   UHLW   11.40   104.49   66.50   50.37   7.93																		
And facility reservation - Zone 3					2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
Order Coordination for Specified Conversion Time (per LSR)																		1
CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   86.32   40.48				ļ				11.40		66.50	50.37	7.93						
4-Wire HiGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	-			ļ						10.10								
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	-	4 WIDE		TIDLE	OOB	UHL	UREWO		86.32	40.48								──
and facility reservation - Zone 1	<b></b>			TIDLE	1		+ -	+					<b> </b>					$\vdash$
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2					1	UHI	UHI 4X	16.02	158 18	107.80	55 12	10.38	1					1
A-Wire DS1 Digital Loop - Zone 2				1	<u> </u>	OTIL	OTILTA	10.02	130.10	107.03	55.12	10.50						
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3					2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						1
Order Coordination for Specified Conversion Time (per LSR)																		
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1			and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						1
and facility reservation - Zone 1			Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2																l		1 7
Additive reservation - Zone 2				<u> </u>	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						igspace
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3									,									1
and facility reservation - Zone 3				<u> </u>	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						$\vdash$
Order Coordination for Specified Conversion Time (per LSR)					2	шы	LILIL AVAZ	40.04	100 44	05.40	FF 40	40.00	1					1
CLEC to CLEC Conversion Charge without outside dispatch   UHL UREWO   86.32   40.48	<u> </u>	1		<del>                                     </del>				16.84		95.16	55.12	10.38	-	-	-		-	├──┤
4-Wire DS1 Digital Loop - Zone 1         1         USL         USLXX         79.51         253.03         157.89         44.80         11.73         9         11.73         9         11.73         9         11.73	<b>-</b>			<del>                                     </del>	-			+		40 A0			-	-		1		$\vdash$
4-Wire DS1 Digital Loop - Zone 1       1       USL       USLXX       79.51       253.03       157.89       44.80       11.73            4-Wire DS1 Digital Loop - Zone 2       2       USL       USLXX       136.00       253.03       157.89       44.80       11.73            4-Wire DS1 Digital Loop - Zone 3       3       USL       USLXX       229.15       253.03       157.89       44.80       11.73	-			<b>-</b>		01 IL	JILLANO	+	00.32	40.40			<b> </b>	<b> </b>				$\vdash$
4-Wire DS1 Digital Loop - Zone 2 2 USL USLX 136.00 253.03 157.89 44.80 11.73				t	1	USL	USLXX	79.51	253.03	157.89	44.80	11.73				1		
4-Wire DS1 Digital Loop - Zone 3 3 USL USLX 229.15 253.03 157.89 44.80 11.73 5 5 5 5 5 6 7 7 8 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9				t												İ		
			Order Coordination for Specified Conversion Time (per LSR)				OCOSL											

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						<u> </u>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13		====							<b></b>
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-		UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
$\vdash$	<b>-</b>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	3	UDL UDL	UDL64	33.99	126.66	89.12	59.35	14.61	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	UDL64 OCOSL	34.74	126.66	89.12	59.35	14.61	-		-	<del>                                     </del>	-	<del> </del>
$\vdash$	<b>-</b>	Order Coordination for Specified Conversion Time (per LSR)	1	├	UDL	UREWO		18.13 102.34	49.85	<del>                                     </del>		1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>
	2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UKEWU		102.34	49.85								<del> </del>
$\vdash$	Z-WIKE	Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop-Designed including manual	-	<del>                                     </del>		1						-	<b> </b>	-	<del></del>	-	<del> </del>
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
$\vdash$		2-Wire Unbundled Copper Loop-Designed including manual		<u>'</u>	UCL	UCLFB	12.19	119.91	09.02	30.37	1.55	1					
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual	1		UCL	OCLEB	13.71	119.91	09.02	30.37	7.55	1			-		
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.14	8.17	8.17	30.37	1.55			1		1	<del>                                     </del>
		2-Wire Unbundled Copper Loop-Designed without manual			OOL	OCLIVIC		0.17	0.17								<del>                                     </del>
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual		<del>-</del>	OOL	OOLI II	12.10	04.01	00.00	00.07	7.00						<del>                                     </del>
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual			002	002. 11	10.7 1	0 1.01	00.00	00.01	7.00						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		94.87	42.57								
	4-WIRE	COPPER LOOP												ĺ		ĺ	
		4-Wire Copper Loop-Designed including manual service inquiry															1
		and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								ļ
		4-Wire Copper Loop-Designed without manual service inquiry		١.													
		and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						<b></b>
		4-Wire Copper Loop-Designed without manual service inquiry				1101 414	00.00	440.40	04.45	55.40	40.00						
		and facility reservation - Zone 2	-	2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
		and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4VV UCLMC	19.34	8.17	81.15	55.12	10.38	-					<b></b>
		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UCL	UCLIVIC		0.17	0.17			1			-		
		(UCL-Des)			UCL	UREWO		94.87	42.57								
LOOP N	MODIFIC				OOL	OKEVVO		34.07	42.01					1		1	<del>                                     </del>
1			1	<u> </u>	UAL, UHL, UCL,	1									<u> </u>		t
					UEQ, ULS, UEA,										1		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,										1		
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	Ì		1								İ	1	İ	1
		less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		32.46	32.46				1		I		
					UAL, UHL, UCL,												
				1	UEQ, ULS, UEA,								1		I		
1		Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,								1		I		
		per unbundled loop	1	I	UEPSB	ULMBT		32.48	32.48			1	l	l	1	l .	1

	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
														Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
$\vdash$								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		1
	-						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO	OPS								71441		71001	0020	00	00		00	
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		241.42	241.42								
$\vdash$		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.84	177.84								
$\vdash$		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	-	-	UEAINL	USBSC		177.04	177.04								-
		Set-Up	1		UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	Ė		02/11/2	00202		00.00	00.00								t
		Zone 1	<u> </u>	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						<u> </u>
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
$\sqcup$		Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71			L	ļ	ļ	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
$\vdash$		Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71			-	-		1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
$\vdash$		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANL	USBIVIC		0.17	0.17								1
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02/11/2	002.11		70.21	11120	10.02	0.00						t
		Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
						USBMC											
$\vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.41	8.17 53.13	8.17 18.21	45.35	6.71						-
$\vdash$		Sub-Loop 2-vviile intrabuliding Network Cable (INC)	'		UEAINL	USBRZ	2.41	33.13	10.21	45.35	6.71						1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						t
		, ,															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
$\vdash$		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2	UEF UEF	UCS2X	7.11 9.83	65.94 65.94	31.03	45.35 45.35	6.71 6.71						-
$\vdash$		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS2X UCS2X	10.48	65.94	31.03 31.03	45.35 45.35	6.71						-
$\vdash$		2 WHITE COPPER CHIDURILIEU GUD-LOOP DISTRIBUTION - 2018 3	<del>- '-</del>	3	OLI	00021	10.48	05.94	31.03	45.35	0.71			<del> </del>	<del> </del>	1	<del> </del>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								I
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09					İ	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
																	1
$\vdash$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		8.17	8.17							ļ	
$\vdash$		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-	<u> </u>	UEF UEF	URET1 URETA		34.23 19.90	34.23 19.90			-	-	<del>                                     </del>	<del> </del>	-	1
<del>                                     </del>		Loop Testing - Basic Additional Half Hour	-		UEF	UKETA	-	19.90	19.90			-	-	-			+
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								t
<del>   </del>		k Interface Device (NID)	<b>†</b>				3.0000	00.20	55.20			<b>†</b>	<b>†</b>	1	1	1	<b>†</b>
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79							İ	
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								1
UNE OT		ROVISIONING ONLY - NO RATE	1		LIENTA/	LINIDDY	0.00	0.00								ļ	
$\vdash$		NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	-		UENTW UENTW	UNDBX UENCE	0.00	0.00									-
		UNITY Circuit to Establishment, Provisioning Only - No Rate	-		UEANL,UEF,UEQ,U	UENCE	0.00	0.00				-	-	-			+
$\vdash$				1						1	1	1	1	1	1	1	1
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

UNBUND	DLED	NETWORK ELEMENTS - South Carolina											1	Attach	ment: 2	Exhi	pit: A
	Ī											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGOR	v	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	١,	Jnbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
		Jnbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OI IL,OLO	UNLCIN	0.00	0.00									
		ate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	ι	Jnbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		ate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Jnbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Jnbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0.00	0.00									
HIGH CAP		/ UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					1										
		nonth			UE3	1L5ND	12.26										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Fermination per month	ļ		UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per nonth			UDLSX	1L5ND	12.26										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	12.20										
		Fermination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP MAI																	
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	ļ		UMK	UMKLW		24.04	24.04								
		Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual).			UMK	UMKLP		25.49	25.49								
		Loop MakeupWith or Without Reservation, per working or			OWIE	OWINE		25.45	25.45								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
		AND LINE SPLITTING															
		The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper Io	op nor	i-designed ("UCLND	")						-					
		10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							
		ARING															
SP		RS-CENTRAL OFFICE BASED															
-		Line Sharing Splitter, per System 96 Line Capacity	-	-	ULS	ULSDA	216.22 54.05	189.21 189.21	0.00	178.38	0.00	-					
$\vdash$		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS	ULSDB ULSD8	18.02	189.21	0.00	178.38 178.38	0.00						
		Line Sharing Opinter, Fer Gystern, & Eine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			010	OLODO	10.02	103.21	0.00	170.30	0.00						
		deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						1
EN		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															1
$\vdash$		DBSOLETE see **NOTE 2 _ine Share Service, TRO per line activation, BST owned splitter -		-	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
		Central Office Located (25% of UCLND) - please see NOTE 1															
		E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
		ine Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															
		E:10/2/2004)		-	ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1	1														
		E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						,
	Ĺ	ine Sharing - per Subsequent Activity per Line								13.37	30						
	F	Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21								
		Line Sharing - per Subsequent Activity per Line					1										, 7
$\vdash$		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -	-	-	ULS	ULSCS	+	16.42	8.21			1					
		DBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
$\overline{}$							5.01			20.07	12.77					1	

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	ibit: A
ONDO	HULL					1						Svc Order	Svc Order	Incremental	Incremental		
												1	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned						11131	Addi	11130	Addi	JONILO	JOINAIN	JONIAN	JOWAN	JONIAN	JOWAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
-	LINE	PLITTING		<u> </u>	ULS	ULSCI	9.71	47.44	19.31	20.67	12.74		-				
		SER ORDERING-CENTRAL OFFICE BASED				+											
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					İ					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
LIMBLE	IDI ED I	No Trouble Found - per 1/2 hour increments - Premium				_		160.00	110.00								
UNBUI		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>		-							-				
-	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											<del>                                     </del>
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011177	120701	0.0101					İ					
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1		l <u> </u>												
-		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	1		U1TVX	1L5XX	0.0167										
-		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.0167										<del>                                     </del>
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.500/	0.0407										
-	-	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-		U1TDX	1L5XX	0.0167						-				
		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTTEX	OTTE	10.70	40.03	21.41	10.77	0.31						<del>                                     </del>
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
-		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	UTIF3	680.05	2/9.3/	103.12	60.33	58.59						<del>                                     </del>
	1	month			U1TS1	1L5XX	8.02										]
	t	Interoffice Channel - Dedicated Transport - STS-1 - Facility	t		0.101	120/0/	0.02					1	t	1			$\vdash$
	1	Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						]
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction							<del></del>								
	ļ	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	36.41					ļ					ļ
<u> </u>	<del>                                     </del>	NRC Dark Fiber - Interoffice Channel	<b>.</b>	-	UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11	ļ		<b> </b>			$\vdash$
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF. UDFCX	1L5DL	97.65										
<b> </b>	1	Thereof per month - Local Loop  NRC Dark Fiber - Local Loop	<b>-</b>	<del>                                     </del>	UDF, UDFCX	UDFL4	97.00	640.51	138.17	317.76	198.11	1	-	1			+
	1	I 11/0 Daily I loci - Local Loop			יטטי , טטי טא	JUI L4		U <del>4</del> U.51	130.17	317.70	130.11	<u> </u>		L			

UNB	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
0.12												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS 1	EN DIGIT SCREENING															
-	+	8XX Access Ten Digit Screening, Per Call		-	OHD	1	0.0006673										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	N8R1X		2.59	0.44								
-	+	Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O			ОПО	INORIA		2.59	0.44			-					
		POTS Translations			OHD			5.95	0.81	4.58	0.54						
	+	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+		5.95	0.01	4.50	0.54	<b>-</b>					
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	+	8XX Access Ten Digit Screening, Customized Area of Service			0.15	110.17		0.00	0.01		0.01						
		Per 8XX Number			OHD	N8FCX		2.59	1.30								
	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR				1									1		
	<u> </u>	Routing Per CXR Requested Per 8XX No.	<u></u>		OHD	N8FMX		3.03	1.74		<u> </u>	<u></u>				<u> </u>	
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44								
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.59	2.59								
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE	NFORMA	ATION DATA BASE ACCESS (LIDB)			007		0.0000010										
-		LIDB Common Transport Per Query			OQT		0.0000246										
-	+	LIDB Validation Per Query			OQU OQU	NDDDV	0.0138158	24.40		40.40							
CICNI	ALING (C	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18		-					
SIGNA	ALING (C	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	1					
-	+	CCS7 Signaling Connection, Per STP Port			UDB	PT8SX	163.49	33.01	33.01	10.40	10.40	1			1		
	+	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.0000692										
	1	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911	SERVICE					+	15.33	193.53	33.24	36.72	3.21						
	+	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		1		1	0.0167	193.53	33.24	36.72	3.21	-					
$\vdash$	+	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	<b>H</b>			1	0.0167					<b>H</b>			<del>                                     </del>	<b>l</b>	
1	1	Termination					24.30	40.63	27.47	16.77	6.91						
	1	Local Channel - Dedicated - DS1 - Zone 1				1	42.62	177.87	154.06	22.24	15.30				1		
		Local Channel - Dedicated - DS1 - Zone 2				1	70.32	177.87	154.06	22.24	15.30						
	1	Local Channel - Dedicated - DS1 - Zone 3				1	190.68	177.87	154.06	22.24	15.30				1		
		Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
L		Interoffice Transport - Dedicated - DS1 Per Facility Termination					77.14	89.47	81.99	16.39	14.48						
CALL	ING NAM	E (CNAM) SERVICE				<u> </u>									ļ		
<u> </u>	+	CNAM For DB Owners - Service Establishment		ļ	OQV	+		23.00	23.00	21.15	21.15	-			ļ	<b> </b>	
<u> </u>	+	CNAM For Non DB Owners - Service Establishment		ļ	OQV	+		23.00	23.00	21.15	21.15	-			ļ	<b> </b>	
		CNAM For DB Owners - Service Provisioning With Point Code			001/			000.00	704 47	200 50	400.40						
<b>-</b>	+	Establishment CNAM For Non DB Owners - Service Provisioning With Point	<b>-</b>	+	OQV	+	1	993.09	734.47	269.53	198.18	-		-			
		Code Establishment			OQV			343.09	245.69	275.87	198.18						
-	+	CNAM for DB Owners, Per Query		<del>                                     </del>	OQV	+	0.0010433	343.09	240.09	213.01	130.10				<b> </b>		
<b> </b>	+	CNAM for Non DB Owners, Per Query		<b>†</b>	OQV	1	0.0010433										
SELF	CTIVE RO					1	0.00.00										
1	1	Selective Routing Per Unique Line Class Code Per Request Per				1									İ	İ	
1		Switch						84.89	84.89	14.14	14.14						
VIRTU	IAL COLI	OCATION															
				•		-											

UNBU	INDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						<u> </u>	5	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
210/21		Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSIC	CAL COL	LOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line	-	-		1	-										
		Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						1
AIN SE	LECTIVI	CARRIER ROUTING			02. 0.0 02. 02	1 2 1 2 0	0.0011	12.02	11.00	0.01	0.10						
		Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
		End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
		Query NRC, per query			SRC		0.0035036										
AIN - B	ELLSOL	AIN SMS ACCESS SERVICE				1	-										-
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78						1
		Initial Setup		1	AIN	CAIVISL		39.33	39.33	40.76	40.76						
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11						1
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11						
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
		AIN SMS Access Service - Security Card, Per User ID Code,				04450		44.00	44.00	44.74	44.74						1
		Initial or Replacement  AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0027	41.98	41.98	11.74	11.74						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute	-			1	0.0027										$\vdash$
		AIN SMS Access Service - Company Performed Session, Per					0.7121										
		Minute					0.8364										1
AIN - B	ELLSOL	TH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															1
		Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
		AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX	-	4,211.54	4,211.54	0.00	0.00						
		DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5, 4, 1,	1	1.00	7.00	0	0						
		DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-			BAPTO		34.54	34.54	14.39	14.39						$\vdash$
		DN. CDP				BAPTC		34.54	34.54	14.39	14.39						1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39						
		AIN Toolkit Service - Query Charge, Per Query					0.0558238										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.000004.4										1
		Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access				+	0.0069214										
		Account, Per 100 Kilobytes					0.07										1
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.07										
		Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						1
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	3.51	8.68	8.68								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BADDO	0.40	7.05	7.05		F F0						1
-	$\vdash$	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	<b>-</b>	-	CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		-		-		$\vdash$
1		Service Subscription			CAM	BAPES	0.12	8.68	8.68								1
ENHAN		TENDED LINK (EELs)															$\vdash$
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE com	binations pro	visioned as ' C	Ordinarily Comb	oined' Network	Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below v	vill apply for	UNE combination	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
	EXTEN	FED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS				40.00	105.00	00.10	50.05	10.01						
-	$\vdash$	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2		1 2	UNCVX UNCVX	UEAL2 UEAL2	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61		-				
-	1	First 2-Wire VG Loop (SL2) in Combination - Zone 2  First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						$\vdash$
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				J ,£	20.70	100.00	00.40	00.00	10.01	I	ı		L		

HINBLIND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
ONBONDI	LED NETWORK ELEMENTS - South Carolina	1			1						Cua Oudan	Cur Ouden				
													Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	-		-		FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOIVIAN	SOWAN	SOWAN	SOWAN
	·			LINIOAN	41.5007	0.07										1
	per month		ļ	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
	Lacif Additional 2-vviie vo Loop (SE 2) in Combination - Zone i		<u> </u>	ONOVA	OLALZ	10.00	100.00	00.43	33.03	10.01	-					
	F1-A-13':1-0 M': NO 1 (OL 0) :- O1:: 7 0			LINIONA	115410	00.40	405.00	00.40	50.05	40.04						1
$\vdash$	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	<b></b>	<b> </b>		<b></b>		
			1								I	1		1		1
$\Box$	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Voice Grade COCI - Per Month		$\perp$	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE													
- LXI	LINDED 4 WINE VOICE GRADE EXTERNOED EGOT WITH DEDICA	1 20 00	T	TOTTIOL TRAINER	1											<b>—</b>
	First 4 Wiss Assless Value Conda Lancia Combination - Zena 4			UNCVX	UEAL4	32.59	132.38	94.83	59.35	44.04						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						<del></del>
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27										1
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0.10.17	120701	0.2.										
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
$\overline{}$		-	<b>!</b>													<del></del>
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						<del></del>
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Additional Voice Grade COCI in combination - per month	-	J	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	-			-		<del></del>
$\vdash$			<u> </u>	UNCVA	IDIVG	0.36	6.59	4.73	0.00	0.00						<del></del>
	Nonrecurring Currently Combined Network Elements Switch -As-	1						= 0.4								1
$\vdash$	Is Charge	L	<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						<b></b>
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
			1					·				l				1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	I	1		1		1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	I	1		1		1
		<del>                                     </del>	<u> </u>		32200	33.00	.20.00	33.1E	55.00		<b>-</b>	l		<b>i</b>		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	I	1		1		1
			3	UNCDA	ODESO	34.74	120.00	05.12	39.33	14.01						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1								I	1		1		1
$\vdash$	Per Month		<b></b>	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility				1							l				1
L l	Termination Per Month		L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u> </u>		L	<u></u>	<u> </u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) per month (2.4-64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	i .	İ		İ		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	0	0.00	0	5.50	3.30	t e	l		i e		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	I	1		1		1
$\vdash$		<b>—</b>	+-	ONODA	ODESO	29.93	120.00	09.12	ეყ.ან	14.01	<b>-</b>	<b> </b>		<b>-</b>		<del></del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIBI 50	00.00	400.00	00.10	50.05	44.51	I	1		1		1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		ļ				<b></b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1							l				1 '
	Interoffice Transport Combination - Zone 3	<u></u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61				L		'
	Additional OCU-DP COCI (data) - in combination per month (2.4-	-														1
	64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	I	1		1		1
	11						2.00	0	2.00	2.00	1			L		

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			101120 (4)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	1	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				+		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	OOMAN	COMPAR
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
FXT	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.01	0.01	7.00	7.00	İ					
			T								İ					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1 '
											i e					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1 '
	9										i e					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1 '
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť								İ					
	Per Month			UNC1X	1L5XX	0.27										1 '
	interoffice Transport - Dedicated - DS1 combination - Facility	<b>†</b>	t		1 - 2 : 3 :	ÿ <u>.</u> ,							i	i		
	Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					<b>——</b>
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	1	t	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	1		<b> </b>	<b>i</b>		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	t		1.0.00		5.00	0	3.00	0.00				i		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1 '
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	0.1027	00201	20.00	120.00	00.12	00.00	11.01	İ					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1 '
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.10271	0020.	00.00	120.00	00.12	00.00	11.01	1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1 '
	Additional OCU-DP COCI (data) - in combination - per month		l u	ONODA	ODLOT	04.74	120.00	00.12	00.00	14.01	1					
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1 '
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10271	15.55	0	0.00	0	0.00	0.00	1					
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS1	INTER				0.01	0.01	7.00	7.00	İ					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	i e					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	i e					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	İ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										i e					
	Per Month			UNC1X	1L5XX	0.27										1 '
	Interoffice Transport - Dedicated - DS1 combination - Facility					***					i e					
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						l .
	Nonrecurring Currently Combined Network Elements Switch -As-										i e					
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.0.				İ					
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile										1			ĺ		
	Per Month	1	1	UNC3X	1L5XX	6.42						1				1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month	1	1	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		1				1
	3/1Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	1			ĺ		
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1	<u> </u>	_1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		<u> </u>	<u> </u>	<u> </u>		<u>                                       </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -					İ										
	Zone 2	1	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		1				1
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		<u> </u>	<u> </u>	<u> </u>		<u>                                       </u>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-					İ										
L	Is Charge	<u> </u>	Ц_	UNC3X	UNCCC	<u> </u>	5.61	5.61	7.00	7.00		<u> </u>	<u> </u>	<u> </u>		<u> </u>
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD			ORT											
	2-WireVG Loop in combination - Zone 1		_1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						

UNBUNDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
CHECHEL		I	1		1	I					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	-
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility						40.00									
	Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EVTEN	Is Charge  NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	EINTE		DINCCC		5.61	5.61	7.00	7.00						
LATE	4-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		1			15.50		200	22.00	7	İ	İ		İ		
	Month	<u> </u>		UNCVX	1L5XX	0.0134			<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-												l	l		
	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
	DOOL I '			111001/	LIEODY	000.00	450.50	004.50	440.75	00.77						
-	DS3 Local Loop in combination - Facility Termination per month	-		UNC3X UNC3X	UE3PX 1L5XX	306.36 6.42	452.52	264.53	119.75	83.77						
<b></b>	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	-		UNC3X	ILSAX	0.42										
	Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As-			OITOOX	01110	704.02	270.07	100.12	00.00	00.00						
	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EXTEN	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0.1000		0.01	0.01	7.00	1.00						
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINGOV	114750	70444	070.07	100.10	00.00	50.50						
	Termination per month	-		UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EVTER	INSTANTAGE  NOTED 2-WIRE ISON EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	SDODT		UNCCC		5.61	3.01	7.00	7.00						
L L	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						<del> </del>
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						İ
	Interoffice Transport - Dedicated - DS1 combination - per mile	i –														1
	per month	<u> </u>		UNC1X	1L5XX	0.27			<u> </u>							
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination - per month	ļ		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						ļ
<b></b>	2-wire ISDN COCI (BRITE) - in combination - per month	ļ	$\vdash$	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINICNIV	LIMLON	05.04	447.50	00.00	50.0-	10.01						
<del></del>	Combination - Zone 1	<del>                                     </del>	7	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61					-	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
<del>                                     </del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>		OINOINA	UILZA	32.76	117.30	00.03	55.05	10.01						<del> </del>
	Combination - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per		Ť			570	50	22.00	55.00							İ
	month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1									İ	İ	l	l		İ
	Is Charge			UNC1X	UNCCC	<u> </u>	5.61	5.61	7.00	7.00	<u> </u>	<u> </u>	<u> </u>			<u> </u>
EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1 Loop Combination - Zone 2	<b></b>		UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1 Loop Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	L	L	l			l

UNBI	JNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
3.450						1	I					Svc Order	Svc Order	Incremental			
						1							Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.42										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
		3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	i	Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
L	<u> </u>	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF	ICE TRANSPORT												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
L	EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			1								<b>.</b>	<b>.</b>		
	<u> </u>	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						<b></b>
L	ļ	First 2-wire VG Loop (SL2) in Combination - Zone 2	ļ		UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61			<b>.</b>	<b>.</b>		
	<b></b>	First 2-wire VG Loop (SL2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61			<b></b>	<b>_</b>		<b></b>
1	1	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1								1	1	I	I		I
<u> </u>	ļ	Mile	<b>!</b>	<b>.</b>	UNC1X	1L5XX	0.27							-	-		<del></del>
1	1	First Interoffice Transport - Dedicated - DS1 combination -	1	1	LINIOAN	LIATE:						1	1	I	I		I
<u> </u>	<b></b>	Facility Termination per month	<u> </u>		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			-	<b>_</b>		<b></b>
<u> </u>	ļ	Per each DS1 Channelization System Per Month	<b>!</b>	<b>.</b>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81			-	-		<del></del>
<u> </u>	<b>!</b>	Per each Voice Grade COCI - Per Month per month	<u> </u>	<b>—</b>	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00			-	-	<b> </b>	<b>├</b>
<u> </u>	<b>!</b>	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90			-	-	<b> </b>	<b>├</b>
<b>-</b>	<b>!</b>	Per each DS1 COCI in combination per month	<b>!</b>	-	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		4	LINICV	LIEALO	40.00	405.00	00.40	50.05	40.04			1	1		1
<b>-</b>	<b>!</b>	Interoffice Transport Combination - Zone 1	<b>!</b>	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
1	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	2	LINIOVO	LIEALO	22.40	405.00	00.40	50.05	40.04	1	1	I	I		I
-	<del>                                     </del>	Interoffice Transport Combination - Zone 2	-	- 2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61			<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			1110101	115410	00.40	405.00	00.40	50.05	40.04						
	<b>!</b>	Interoffice Transport Combination - Zone 3	├	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	-	-	1	<del>                                     </del>		1
<b>-</b>	<b>!</b>	Each Additional Voice Grade COCI in combination - per month	<b>!</b>	-	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	11.5	0.07						1	I	I		I
-	<b>!</b>	Channel System per month	<b>!</b>	-	UNC1X	1L5XX	0.27					-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
	1	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	LIATE4	04.74	00.47	04.00	40.00	44.40		1	I	I		I
-	<b>!</b>	same 3/1 Channel System per month  Each Additional DS1 COCI combination per month	<b>!</b>	-	UNC1X UNC1X	U1TF1 UC1D1	61.71 8.64	89.47 6.59	81.99 4.73	16.39 0.00	14.48 0.00	-	-	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>
	1	Each Additional DST COCI combination per month	<u> </u>	<u> </u>	UNCIX	וערטטן	8.64	6.59	4./3	0.00	0.00	ı	L	L	L	L	L

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.20.1						1						Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
L .		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	XIEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT W/ 3/	1 MUX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -			LINOVA	UEAL4	32.59	400.00	94.83	50.05	44.04						
$\vdash$		Zone 1		-	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						-
		First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
-		First 4-Wire Analog Voice Grade Local Loop in Combination -	-		UNCVA	UEAL4	43.09	132.30	94.03	39.33	14.01						<del></del>
		Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONOVA	OLAL	45.50	132.30	34.03	33.33	14.01						
		Mile Per Month			UNC1X	1L5XX	0.27										
		First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	120/01	0.27										<del>                                     </del>
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI in combination per month		i i	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in					0.4 = 4			40.00							
-		same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month			UNC1X UNCVX	U1TF1 1D1VG	61.71 0.56	89.47 6.59	81.99 4.73	16.39 0.00	14.48 0.00	-					
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.00	6.59	4.73	0.00	0.00						-
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
F	XTFN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				5.01	5.01	7.00	7.00						-
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	I	1	TRANSFORT W/ G/	I											<del>                                     </del>
		Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		ĺ													
		Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First Interoffice Transport - Dedicated - DS1 combination - Per											1				
		Mile Per Month			UNC1X	1L5XX	0.27										
l [		First Interoffice Transport - Dedicated - DS1 - combination	1														_
$\vdash$		Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						<b></b>
<b></b>		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						<del></del>
<b></b>		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD MQ3	1.19 144.02	6.59	4.73	0.00 33.33	0.00 31.90						<del></del>
$\vdash$		3/1 Channel System in combination per month	-	<u> </u>	UNC3X		144.02 8.64	178.54 6.59	94.18	0.00	0.00			-	1	-	<del>                                     </del>
$\vdash$		Per each DS1 COCI in combination per month Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>-</b>	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00		-		1		<del>                                     </del>
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		1				I
<b>+</b>		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>-</b>	<del>-</del> -	OITODA	ODLOG	23.33	120.00	03.12	55.55	14.01		<b> </b>		<b>†</b>		<b>—</b>
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		1				I
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	22.20			22.30				İ		İ	
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1				I
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)	<u></u>	L	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	<u> </u>	<u></u>	<u> </u>		<u> </u>	<u> </u>
	•	Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in		1		I				1			1				I
$\vdash$		same 3/1 Channel System per month		ļ	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			<b> </b>		<b> </b>	<del></del>
		Each Additional DS1 COCI in the same 3/1 channel system			LINICAY	UC1D1	8.64	6.59	4.70	0.00	0.00						1
		combination per month	L	<u> </u>	UNC1X	ומוטטן	8.64	6.59	4.73	0.00	0.00	l	l	l	l	l	L

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	oit: A
													Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGOR	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	m	Zone	всэ	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EX	TENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1	ļ	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
<del>                                     </del>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1		UNCDA	UDL64	33.99	120.00	09.12	39.33	14.01						
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	0.105/1	0220.	0	120.00	00.12	00.00							
	Mile Per Month	1		UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -	1												1		
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			<u></u>			
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81			•			•
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
$\vdash$	64kbs)	<b>.</b>	<u> </u>	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00				<b>.</b>		
<b></b>	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	ļ	<u> </u>	UNC3X UNC1X	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	33.33 0.00	31.90 0.00						
<b></b>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<u> </u>	<u> </u>	UNCIA	OCIDI	0.04	0.59	4.73	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	<u> </u>	ONODA	ODLO4	23.33	120.00	03.12	33.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAV	41.5307	0.07										
<b></b>	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	ļ	<u> </u>	UNC1X	1L5XX	0.27										
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system	1	-	UNCIA	011111	01.71	09.47	01.55	10.39	14.40						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EX.	TENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1			I											
$\vdash$	Transport - Zone 1	<u> </u>	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	E2 05	10.61						
+	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	4	OINCINA	UILZĀ	32.76	117.58	80.03	53.05	10.01				-		
	Transport - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	- 3	0011/1	JILZA	31.10	117.50	00.03	33.03	10.01	<b>†</b>			1		
	Mile per month	1		UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -	i	İ													
	Facility Termination per month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
$\vdash$	Per each Channel System 1/0 in combination - per month	ļ		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	D	1		LINONIV												
$\vdash$	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>	<u> </u>	UNCNX UNC3X	UC1CA MQ3	2.56 144.02	6.59 178.54	4.73 94.18	0.00 33.33	0.00 31.90						
$\vdash$	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	144.02 8.64	6.59	4.73	0.00	0.00					-	
$\vdash$	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	<del>                                     </del>	ONOIA	וטוטט	0.04	6.39	4.73	0.00	0.00				<del> </del>		
	Combination - Zone 1	1	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	i –	<del></del>		1	20.21	717.00	55.50	55.50	.0.01				İ		
	Combination - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61				ļ		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINONIV												
$\Box$	system combination- per month	<u> </u>	<u> </u>	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00				l		

UNBUND	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
320112	Ī											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =>04											
<b>———</b>		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in				=-											
<b>———</b>		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system							. =0								ı
<b>———</b>		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		5.04	5.04	7.00	7.00						
	/TENI	s Charge	TDANK	DODT	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EX		DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IKAN			1101101		0.000		44.00							
<del></del>		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	-	_	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
$\vdash$		First 4-wire DS1 Digital Local Loop in Combination - Zone 2	-	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
$\vdash$		First 4-wire DS1 Digital Local Loop in Combination - Zone 3	<del>                                     </del>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINICAV	1L5XX	0.07					1					
$\vdash$		Mile Per Month	<b> </b>	<b>—</b>	UNC1X	ILOAX	0.27					-			-		
		First Interoffice Transport - Dedicated - DS1 combination -			LINIOAY	114754	04.74	00.47	04.00	40.00	44.40						
<b></b>		Facility Termination Per Month	-		UNC1X UNC3X	U1TF1 MQ3	61.71 144.02	89.47 178.54	81.99	16.39 33.33	14.48 31.90						
$\vdash$		3/1 Channel System in combination per month Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	94.18 4.73	0.00	0.00						
<b>-</b>					UNCIX	OCIDI	8.64	6.59	4.73	0.00	0.00	-					
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	1L5XX	0.27										ı
$\vdash$		Channel System per month			UNC1X	ILDXX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
$\vdash$		same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	61.71	89.47	81.99	16.39	14.48						
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIA	OCIDI	0.04	0.59	4.73	0.00	0.00						
		Additional 4-Wife DST Digital Local Loop III Combination - Zone		4	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
<b>H</b>	-+	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		- 1	UNCIA	USLAA	90.67	255.05	137.09	44.00	11./3						
		nddilloriai 4-vviie D31 Digitai Eocai Eoop III Combination - Zone		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						ı
<del>                                     </del>	- 1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OOLAX	100.40	255.05	137.03	44.00	11.75						
		additional 4-vviile DOT Digital Local Loop III Combination - Zone		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						ı
	- 1	Nonrecurring Currently Combined Network Elements Switch -As-		3	ONOTA	UULXX	201.03	255.05	137.03	44.00	11.75						
		s Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						ı
FX	(TFNI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		011000		0.01	0.01	7.00	7.00						
		First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	- 1	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť	0.1027	02200	0	120.00	00.12	00.00							
		per month			UNCDX	1L5XX	0.0134										ı
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		s Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EX	(TEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	RANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
		per month	<u> </u>	<u> </u>	UNCDX	1L5XX	0.0134								<u> </u>		<u>.                                    </u>
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	T	Nonrecurring Currently Combined Network Elements Switch -As-	1												I		, 7
		s Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
		ETWORK ELEMENTS	l												ļ		
		sed as a part of a currently combined facility, the non-recurr															
		sed as ordinarily combined network elements in All States, the					As Is Charge of	does not.									
No	onrecu	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As- s Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.61	5.61	7.00	7.00						
$\Box$		o onargo - 2 WIID/4-VVIIO VO	L		OIVOVA	UNCCC		0.01	0.01	7.00	1.00	<u> </u>	<u> </u>		l		

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
ONDO		THE THORK ELEMENTO GOULD GALORING		l I								Svc Order	Svc Order	Incremental			Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-		1													
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
		Nonrecurring Currently Combined Network Elements Switch -As-	ł		LINIOOV			5.04	5.04	7.00	7.00						
-	Ontion	Is Charge - STS1 al Features & Functions:			UNCSX	UNCCC		5.61	5.61	7.00	7.00	-					
	Option	di Fediules & Fullctions.		<u> </u>	U1TD1,	+											
		Clear Channel Capability Extended Frame Option - per DS1	Li		ULDD1,UNC1X	CCOEF		01	01	01	OI						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	01	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
$\vdash$		Activity - per DS1	- 1		UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						
		C hit Davids Oating Cultura seat Articity and DC2			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
-	MIII TII	C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	-	<u> </u>	UE3, UNU3X	NRCC3		219.585	7.095	.73705	05						
	WIOLIII	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			0.10.1%			01.21	02.77	10.00	0.01						
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
-		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIN	UCTCA	2.30	0.59	4.73								
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
-		DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month		<u> </u>	U1TUA	UC1D1	8.64	6.59	4.73								
<u> </u>		DS1 COCI used with Interoffice Channel per month		<u> </u>	U1TD1	UC1D1	8.64	6.59	4.73	-	-						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	8.64	6.59	4.73								
UNRUN	DLFD	OCAL EXCHANGE SWITCHING(PORTS)	<b>-</b>	<b>†</b>	OLDDI	OCIDI	0.04	0.59	4.73								
		ige Ports		t		†									1		
		Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to b	oe ordered usi	ng retail USOC	s								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled South Carolina Area			LIEDOD				2.5-								
		Calling port with Caller ID - Res (LW8)  Exchange Ports - 2-Wire VG unbundled res, low usage line port	-	<del> </del>	UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33	-			-		
		with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG South Carolina Residence Dialing Plan without Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33						

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	usos			DATES (A)			Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORT	RATE ELEMENTS	m	Zone	всъ	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
				ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG South Carolina Residence Area			LIEDOD	LIEDDO	4.05	2.38	2.28	1.42	4.00						[
		Calling Plan without Caller ID capability 2-Wire voice unbundled Low Usage Line Port without Caller ID		1	UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						<del></del>
		Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						ĺ
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU	RES															
		All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								<b></b>
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	UEPBL	1.65	2.38	2.20	1 42	1 22						ĺ
<b>—</b>	-	Bus Exchange Ports - 2-Wire VG unbundled Line Port with		+	UEPSB	UEFBL	1.03	2.38	2.28	1.42	1.33						<del>                                     </del>
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33						1
														İ			
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33						
1		Exchange Ports - 2-Wire VG unbundled SC extended local				I											
<u> </u>	-	dialing parity Port with Caller ID - Bus.		-	UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33			-			<u> </u>
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						ĺ
-		Exchange Ports - 2-Wire VG unbundled South Carolina Bus		1	OLI OD	OLIDI	1.00	2.30	2.20	1.42	1.55						<del>                                     </del>
		Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						ĺ
		Exchange Ports - 2-Wire Voice South Carolina Business Dialing		1		i											
		Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						L
		Exchange Ports - 2-Wire Voice South Carolina Business Area			LIEDOD	LIEDDD	4.05	0.00	0.00	1 40	4.00						ĺ
_		Calling Port without Caller ID  2-Wire voice unbundled Incoming Only Port without Caller ID		+	UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						<del>                                     </del>
		Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						ĺ
		Subsequent Activity		1	UEPSB	USASC	0.00	0.00	0.00	1.42	1.00						
	FEATU			1		i											
		All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00								
	=>/-	All Available Vertical Features				UEPVF	3.04	0.00	0.00								
-	EXCHA	NGE PORT RATES (DID & PBX) 2-Wire VG Unbundled 2-Way PBX Trunk - Res		+	UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						-
		2-Wire VG Unburidled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90						<del>                                     </del>
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
-		2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						<b>——</b>
		2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		+	UEPSP UEPSP	UEPXA UEPXB	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90 0.90						<del></del>
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						<del>                                     </del>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<b>†</b>	UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90			1			
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90						<b></b>
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDVI	4	04.04	44.00	10.00	0.00						1
-	-	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90						<del></del>
		Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90						1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	01	12.7		004	00	.0.07	3.50			İ			
	<u> </u>	Discount Room Calling Port		<u>L</u> _	UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			LIEDOD	LIEDVÆ	4 ~-	04.04	44.00	40.00	0.00						1
<u> </u>	-	Calling Port Subsequent Activity		1	UEPSP UEPSP	UEPXT USASC	1.65 0.00	31.34 0.00	14.88 0.00	13.97	0.90						<del></del>
-	FEATU			+	OLFOF	JUAGU	0.00	0.00	0.00	<del>                                     </del>	<b> </b>			<del> </del>			<del>                                     </del>
		All Available Vertical Features		<b>†</b>	UEPSP UEPSE	UEPVF	3.04	0.00	0.00	1				1			
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.65	2.38	2.28	1.42	1.33						
		Switching Features offered with Port	vito!	1	will also combute :	irouit ouitet	d voice and/	olvouit oudtel	ad data t	looien bir B C	l nannala seess	atad with a	wire ICDN	L			<del>                                     </del>
<u> </u>	MOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	ircuit switche	u voice and/or	CITCUIT SWITCH	eu data transn	iission by B-Cl	ianneis assoc	ated with 2	-wire iSDN	orts.	l .		

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	ibit: A
ONDO	MULL		l .			1						Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····- ===····-	m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole onl	through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fi	de Request/	New Business	s Request Pro	cess.	
UNBUI		OCAL EXCHANGE SWITCHING(PORTS)	ļ														
	EXCHA	NGE PORT RATES IT Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Daw	in Abia				40/0/0	24:1 4/4/04	After 4/4/04 th			-: ff				
		ets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											riff rates or	a separate ag	reement.		-
	Reques	Exchange Ports - 2-Wire DID Port	T THE	eneci	UEPEX	UEPP2	8.86	119.57	18.78		3.77		1				1
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	<u> </u>		OLI LX	OLITZ	0.00	113.57	10.70	00.03	5.11	1	<b>-</b>				<del> </del>
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76						
		All Features Offered	1		UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles	i		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	ircuit switch	ed voice and/or	circuit switch	ed data transn	nission by B-Ch	nannels assoc	iated with 2	-wire ISDN	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole onl	y through BFR/New	Business Re	equest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fi	de Request/	New Business	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
	1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1		l	l	1			I							
	ļ	Locator Capability (E:4/1/2004)	<b>!</b>		UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10	ļ					ļ
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						ļ
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						ļ
		Virtual collocation - Special Access & UNE,cross-connect per			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Dotoilo	DS1 d E911 with Locator Capability (required with UEPEX port)	-	-	UEPEX UEPDX	CINCTX	1.12	22.08	15.96	0.42	5.80	<u> </u>	-				<b>+</b>
	Detaile	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<u> </u>			1				1		1	1				1
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,808.00		156.43							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						1,000.00									
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	175.53									
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in			HEDEV	LIEDAD	0.0000	44.54	44.54								
		E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	<u> </u>		UEPEX	UEP1D	0.0698	11.54	11.54	-		1					<del>                                     </del>
		Telephone Numbers - Inward Data Only Option [New or															
		Additional			UEPDX	UEP1E	0.00	0.49	0.49								
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1		OLI DX	OLI IL	0.00	0.43	0.43								<del>                                     </del>
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07	1							
	LOCAL	NUMBER PORTABILITY	1			†	-			1						İ	
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	ACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	ļ.,	Inward Data	ļ		UEPDX	PR71E	0.00	0.00	0.00	1		ļ		ļ	ļ		ļ
	New or	Additional Channel	<u> </u>		LIEDEY	DDZC; ;				-							<b></b>
	1	New or Additional - Voice/Data "B" Channel	<del>                                     </del>	<u> </u>	UEPEX	PR7BV PR7BF	0.00	14.56	-	<del>                                     </del>	-	<u> </u>	1	<del> </del>	<del> </del>	-	ļ
	1	New or Additional - Digital Data "B" Channel New or Additional Inward Data "B" Channel	<del>                                     </del>	-	UEPEX UEPDX	PR7BD	0.00	14.56 14.56	-	<del>                                     </del>	-	<b>!</b>	1	<b> </b>	<b> </b>	-	-
	<del>                                     </del>	New or Additional Inward Data B Channel  New or Additional Useage Sensitive Voice Data "B" Channel	<del>                                     </del>	<b>-</b>	UEPEX	PR7BS	0.00	14.00		<del>                                     </del>		<b> </b>		<del> </del>	<del> </del>	<b> </b>	<b></b>
	<del>                                     </del>	New or Additional Useage Sensitive Voice Data B Channel	<b>-</b>		UEPEX	PR7BU	0.00			<del>                                     </del>				<b> </b>	<b> </b>		<del>                                     </del>
		New or Additional PRI "D" Channel	<b>†</b>		UEPEX	PR7EX	0.00	14.56		<u> </u>				1	1		
	CALL 1		1			1	2.00			1						İ	
		Inward	1		UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1	l			İ	İ	l	
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			LUED) (D	LIED:	1			<u> </u>		ļ					
	<u> </u>	Unbundled Remote Call Forwarding Service, Area Calling, Res	<u> </u>		UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33	l		l	l	l	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
						1					Svc Order	Svc Order	Incremental			
													Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
				l	l											
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						
																]
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
UNDUNDUED.	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	LOCAL SWITCHING, PORT USAGE	-														
End O	ffice Switching (Port Usage)	-			1	0.0040540										
	End Office Switching Function, Per MOU				-	0.0010519 0.0002136										
Tanda	End Office Trunk Port - Shared, Per MOU m Switching (Port Usage) (Local or Access Tandem)					0.0002136					-					-
Tande	Tandem Switching Function Per MOU					0.0001634					-					-
	Tandem Trunk Port - Shared, Per MOU				1	0.0001634					-					-
+-	Tandem Switching Function Per MOU (Melded)	-			<b>+</b>	0.0002863					<b>-</b>					-
+-	Tandem Trunk Port - Shared, Per MOU (Melded)	-			<b>+</b>	0.00004951					<b>-</b>					
	Melded Factor: 30.30% of the Tandem Rate	-			1	0.00006749					1					
Comm	on Transport	-			1						1					
COIIII	Common Transport - Per Mile, Per MOU				1	0.0000045					1			1		
<del> </del>	Common Transport - Fel Mile, Fel MiOO  Common Transport - Facilities Termination Per MOU				<u> </u>	0.0000045										
LINBLINDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0004033										
	Based Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	nmission rule to nr	ovide Unhun	dled Local Swit	ching or Swite	ch Ports			<u> </u>		<b> </b>	<b>†</b>	<b> </b>	
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate F	xhibit.			1		
	ffice and Tandem Switching Usage and Common Transport U											n Port/Loor	Combination	ns.		
	st and additional Port nonrecurring charges apply to Not Curi														i	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1			1			J						1		
	ort/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1		1		1	14.89								1		
	2-Wire VG Loop/Port Combo - Zone 2		2		1	21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3		1	27.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65			<u> </u>		<u> </u>	
	2-Wire voice unbundled South Carolina Area Calling port with												I		I	
	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
CHECHEL	The state of the s										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAD	4.40	07.00	40.70								
$\vdash$	(LUM)			UEPRX	UEPAP	1.13	37.93	16.72				-				
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
$\vdash$	2-Wire voice unbundled South Carolina Area Calling Port	-	-	ULFRA	OLFVVL	1.13	40.30	19.50	24.90	0.03	1					
	without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITON	OLI IXO	1.10	40.00	10.00	24.00	0.00	1					
	Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	•														
L	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	USAS2	0.00	0.00	0.00								
<b></b>	Activity  Unburdled Missellensons Bots Flowert Tog Lean at End User		-	UEPRX	USAS2	0.00	0.00	0.00			-					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS			ULFRA	UNLIL		0.33	0.03								
0.17	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32	<b>-</b>					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0.14/17	or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				+							-				
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1		+	14.89					-					
<del> </del>	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.52										
	2-Wire VG Loop/Port Combo - Zone 3	<b>†</b>	3		+ -	27.17					<del>                                     </del>	<b>-</b>				
UNE	Loop Rates	l	Ť		+ +								1			
15.52	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	13.76						1	İ	l		
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port (Bus)									·						
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
$\vdash$	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65	-		ļ	<b> </b>		
	2-Wire voice Grade unbundled South Carolina extended local			LIEDDY	LIEDA7	4.40	40.00	40.00	04.00	0.05						
$\vdash$	dialing parity port with Caller ID - bus	-	-	UEPBX UEPBX	UEPAZ UEPB1	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	1		<b> </b>	-		
$\vdash$	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port	<del>                                     </del>	<del>                                     </del>	OLPDA	UEPBI	1.13	40.30	19.90	24.98	60.0		-	1	<b> </b>		
	with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	<b>†</b>		OLI DA	טבו אט	1.13	70.50	13.30	24.30	0.03	<del>                                     </del>	<b>-</b>				
	without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Business Area Calling				1							İ		İ		
	Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
LOCA	L NUMBER PORTABILITY															

UNBUNDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
CHECHEL			1	I							Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
$\longrightarrow$	Level Newton Boots Pile (4 and and)			LIEDDY	LNDOV		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35										
FEAT	All Features Offered		-	UEPBX	UEPVF	3.04	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFBX	OLF VI	3.04	0.00	0.00								
- Itoltic	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<b>-</b>													
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1								1	1				
055/0	Premise		ļ	UEPBX	URETL		8.33	0.83			ļ		<b> </b>	ļ	<b> </b>	
OFF/C	N PREMISES EXTENSION CHANNELS		4	LIEDBY	LIEAEN	4404	27.00	47.00	00.50	F 00				-		
$\vdash$	Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design	<b>-</b>		UEPBX UEPBX	UEAEN UEAEN	14.94 21.39	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32		-	-	-	-	
<del>                                     </del>	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
<b>—</b>	2 Wire Analog Voice Grade Extension Loop – Non-Besign		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTER	OFFICE TRANSPORT		i i													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L	or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-													
UNE	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 1	-	2			21.52										
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE L	oop Rates					27.17										
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY			LIEDDO	LNDOD	0.45	0.00	0.00								
EEAT	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	All Features Offered	-	-	UEPRG	UEPVF	3.04	0.00	0.00			-					
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del>                                     </del>	OLI INO	OLI VI	3.04	0.00	0.00				<b> </b>				
THE REAL PROPERTY.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l			1									1		
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.93	1.91								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LIEBBO	110400							1				
$\vdash$	Subsequent Activity		<u> </u>	UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group		1		1		7.34	7.34			1	1				
<del>                                     </del>	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	<del>                                     </del>		+		1.34	1.34					1	<del> </del>	<b> </b>	
	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	IN PREMISES EXTENSION CHANNELS	l					3.33	0.00						1		
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	İ		İ		İ	
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
	Local Channel Voice grade, per termination			UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71		l	<u> </u>	l	<u> </u>	

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
CIVECIVEL	Oddin odronia	1	1								Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									'	'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<b>-</b>					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		l
		<del> </del>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade	1	3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71	0020	00		00		00
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	ļ		UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDO	LIATION	0.0407	0.00	0.00								
2.W/ID	or Fraction Mile E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		UEPRG	U1TVM	0.0167	0.00	0.00			1					
	Port/Loop Combination Rates	<del> </del>														
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	2	UEPPX UEPPX	UEPLX	20.38 26.04										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	1	3	UEPPA	UEPLA	20.04										
	Voice Grade Enter of traces (BGG 1 BA)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports	ļ		UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
<b></b>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>		UEPPX UEPPX	UEPXA UEPXB	1.13 1.13	69.26 69.26	32.50 32.50	37.53 37.53	6.22 6.22						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								2.1.00							
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	ļ		UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
<del>                                     </del>	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		UEPPA	UEPAIVI	1.13	09.20	32.50	37.53	0.22						
	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY	ļ		LIEBBY .	LUBOR	0.15										
EEAT	Local Number Portability (1 per port) URES	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00								
FLAT	All Features Offered	1		UEPPX	UEPVF	3.04	0.00	0.00								
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.04	0.00	0.00								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	i –										Ì				
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l												
45	Conversion - Switch with Change	<b>-</b>		UEPPX	USACC		7.93	1.91								
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<u> </u>														
	Subsequent Activity		l	UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	<b>†</b>	<u> </u>		00.02	0.00	0.00	0.00								
	Group	<u></u>	L	<u> </u>			7.34	7.34			<u></u>	<u></u>	<u> </u>			<u>                                      </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	<b> </b>		UEPPX	URETL		8.33	0.83			ļ					
OFF/0	ON PREMISES EXTENSION CHANNELS	<u> </u>	L .	LIEDDY	DO ILIV	40.00	405.00	00.40	F2.05	40.01	<u> </u>		ļ			
$\vdash$	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	<del>                                     </del>	2	UEPPX UEPPX	P2JHX P2JHX	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61	1					
	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	<del>                                     </del>	3	UEPPX	P2JHX P2JHX	28.46	105.98	68.43	53.05	10.61	1					
	Non-Wire Direct Serve Channel Voice Grade	t	1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42	1					
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	INTER	DFFICE TRANSPORT	-	-													-
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDDY	LIATVO	24.20	40.00	07.47	40.77	0.04						
-	-		-	-	UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						-
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0407	0.00	0.00								
	2 MIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	)		UEPPX	U1TVM	0.0167	0.00	0.00			-					<del>                                     </del>
		ort/Loop Combination Rates	K I	-		+											<b>+</b>
	UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		+	14.89										-
		2-Wire VG Coin Port/Loop Combo – Zone 2	-	2		+	21.52										<b>+</b>
	-	2-Wire VG Coin Port/Loop Combo – Zone 3	-	3		+	27.17					-	-				<b>-</b>
-	LINE L	pop Rates		3			21.11								1	1	-
	OIVE EV	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										<del> </del>
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										<del>                                     </del>
<b>-</b>	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 3	<del>                                     </del>		UEPCO	UEPLX	26.04						<b> </b>				<del> </del>
	2-Wire	Voice Grade Line Ports (COIN)	<b>†</b>			52. Z/	20.04					<b>-</b>	<b> </b>				<b>†</b>
	2 ******	2-Wire Coin 2-Way without Operator Screening and without															<b>†</b>
		Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,									0.00						
		900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
		with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward without Blocking and without Operator															
		Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						ļ
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			LIEDOO	LIEBOD	4.40	40.00	40.00	04.00	0.05						
-	-	011+, Local; Enhanced Calling OPT 3YW (SC)	-	-	UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						-
	-	2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except	-		UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						<del>                                     </del>
l	1	LA) 2-Wire Coin Outward Smartline with 900/976 (all states except	1		UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		1				
<b>-</b>	ADDIT	ONAL UNE COIN PORT/LOOP (RC)	<del>                                     </del>	<b>-</b>	ULPCU	UEFUR	1.13	40.30	19.90	∠4.98	0.05	-	<b> </b>		<del> </del>	<del>                                     </del>	<del> </del>
<b>-</b>	ADDITI	UNE Coin Port/Loop Combo Usage (Flat Rate)	<del>                                     </del>	<b>-</b>	UEPCO	URECU	4.05	0.00	0.00	0.00	0.00	-	<b> </b>		<del> </del>	<del>                                     </del>	<del> </del>
<b>-</b>	LOCAL	NUMBER PORTABILITY	<del>                                     </del>	<b>-</b>	OLFOO	UNLOU	4.00	0.00	0.00	0.00	0.00	-	<b> </b>		<del> </del>	<del> </del>	<del> </del>
<b>-</b>	LOUAL	Local Number Portability (1 per port)	<del>                                     </del>		UEPCO	LNPCX	0.35						<b>-</b>		<b> </b>	<b> </b>	<del>                                     </del>
<b>-</b>	NONPE	ECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>		02100	LIVIOA	0.33						<b>-</b>		<b> </b>	<b> </b>	<del>                                     </del>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				_						<b>-</b>	<b> </b>				<b>†</b>
l	1	Switch-as-is			UEPCO	USAC2		0.10	0.10				1				
	<b>1</b>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						00	5.70						1	1	
l		Switch with change			UEPCO	USACC		0.10	0.10								
	ADDIT	ONAL NRCs	İ														
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					İ										
	<u> </u>	Premise	<u> </u>		UEPCO	URETL		8.33	0.83							<u> </u>	
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	PORT (	RES)												
	UNE P	ort/Loop Combination Rates															ļ
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Inter.			1						Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonred			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.46										
2-Wii	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local			LIEDED	L.ED									1		
	dialing parity port with Caller ID - res	<b>!</b>		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33				-		
	2-Wire voice unbundled South Carolina Area Calling port with	1		LIEDED	[						1	1		I		
	Caller ID - res (LW8)	<b></b>		UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33				<b>_</b>		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	<b>!</b>		UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33				-		
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1											
	or Fraction Mile			UEPFR	1L5XX	0.0134										
FEA	TURES					,										
	AL NUMBER PORTABILITY		_	UEPFR	UEPVF	3.04	0.00	0.00								
LOCA		<u> </u>	-	LIEDED	LNDOV	0.05										
NON	Local Number Portability (1 per port)	<u> </u>		UEPFR	LNPCX	0.35					-		-			
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	110400		0.50	4.07								
	Combination - Conversion - Switch-as-is	<u> </u>		UEPFR	USAC2		8.50	1.87			-		-			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACC		8.50	1.87								
	Combination - Conversion - Switch-With-Change	1	-	UEPFR	USACC		8.50	1.87								-
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.24	1.10								
0.14/11	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI		ODT (		UKETN		11.24	1.10			-		-			
	Port/Loop Combination Rates	LINE	JORT (	l Busj												
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1		+	18.00			ļ		-	-	-	-		<b>-</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	2		+ +	24.45			1					-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u> </u>	3		+	29.78			ļ		-	-	-	-		<b>-</b>
LINE	Loop Rates	<del>                                     </del>	3		+	29.18			1		-	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	16.68			1	<b> </b>	1	<b>-</b>	1	+	1	ł
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFB	UECF2	23.13			1	<b> </b>	1	<b>-</b>	1	+	1	ł
	2-Wire Voice Grade Loop (SL2) - Zone 2	<del>                                     </del>		UEPFB	UECF2	28.46				<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
2-Wii	re Voice Grade Line Port (Bus)	<del>                                     </del>	-	02.10	32012	20.40							<del> </del>	<del>                                     </del>	<del> </del>	1
2-4411	2-Wire voice unbundled port without Caller ID - bus	<del>                                     </del>		UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
<del>  </del>	2-Wire voice unbundled port with Caller + E484 ID - bus	<del>                                     </del>		UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
	2-Wire voice unbundled port with Carlet + E464 ID - bus	<del>                                     </del>		UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33		<b>-</b>		t		<b>†</b>
	2-Wire voice Grade unbundled South Carolina extended local	t		02.10	32. 50	1.02	100.00	70.71	1.42	1.55				<u> </u>		
	dialing parity port with Caller ID - bus	1		UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33	1	1		I		
	2-Wire voice unbundled incoming only port with Caller ID - Bus	<del>                                     </del>		UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33		<b>-</b>		<b>†</b>		<b>†</b>
	2-Wire voice unburidled South Carolina Bus Area Calling Port	l -			(52. 51	1.02	100.00	70.71	172	1.55			<b>i</b>	<b>†</b>	<b>i</b>	1
	with Caller ID (LMB)			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				1		
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	l -			02.7.0	1.02	100.00	70.71	172	1.55			<b>i</b>	<b>†</b>	<b>i</b>	1
	without Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33				1		
LOCA	AL NUMBER PORTABILITY	<b>†</b>	<b>—</b>		7=								i	1	i	1
	Local Number Portability (1 per port)	†		UEPFB	LNPCX	0.35				i			i	1	i	İ
INTE	ROFFICE TRANSPORT	t				0.00				İ			İ	1	İ	Ì
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		İ	1 1						1	İ	İ	İ	İ	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
			l								1	Submitted		Charge -	Charge -	Charge -
		Inter!	1								Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonre		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0134										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.24	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE F	ORT (	PBX)							ļ		ļ		ļ	<b></b>
UNE	Port/Loop Combination Rates	ļ	<u> </u>								ļ		ļ		ļ	<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			18.00										<b></b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			29.78					ļ		ļ		ļ	<u> </u>
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	16.68										1
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	23.13										1
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										1
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	l	1						1					
	Room Calling Port	ļ		UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51	ļ		ļ		ļ	<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	ļ		UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51	ļ		ļ		ļ	<b></b>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<b></b>	<u> </u>	UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51	1			ļ		<b>_</b>
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															
	Calling Port	<b></b>	<u> </u>	UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51	1			ļ		<b>_</b>
LOCA	AL NUMBER PORTABILITY	<b>!</b>		LIEDED	LNDCD				-		<u> </u>	-	<b>.</b>	ļ	<b>.</b>	<del>                                     </del>
	Local Number Portability (1 per port)	<b></b>	<u> </u>	UEPFP	LNPCP	3.15	0.00	0.00			1			ļ		<b>.</b>
INTE	ROFFICE TRANSPORT	<b>!</b>			+						-					<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	LIEDED	11477.00			:-			1					
	Termination	<b>!</b>		UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91	<u> </u>	-	<b>.</b>	ļ	<b>.</b>	<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5727	0.040.										
	or Fraction Mile	<b>!</b>		UEPFP	1L5XX	0.0134			-		<u> </u>	-	<b>.</b>	ļ	<b>.</b>	<del>                                     </del>
FEAT	TURES	<b>!</b>		LIEDED	LIED) (E	0.01	0.00	0.00	-		<u> </u>	-	<b>.</b>	ļ	<b>.</b>	<del>                                     </del>
110	All Features Offered	<b>!</b>	<u> </u>	UEPFP	UEPVF	3.04	0.00	0.00	<del>                                     </del>		<b> </b>	-	-	1	-	<del>                                     </del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>!</b>	-		+						<b>}</b>	<del>                                     </del>	<b> </b>	1	<b> </b>	<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.50	4.6=								
	Combination - Conversion - Switch-as-is	<u> </u>	<u> </u>	UEPFP	USAC2		8.50	1.87			ļ			ļ		<b></b>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110466											
	Combination - Conversion - Switch with change	<b>!</b>		UEPFP	USACC		8.50	1.87	-		<u> </u>	-	<b>.</b>	ļ	<b>.</b>	<b>├</b>
ı l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.51	4								
LINDUNE: ==	End User Premise	<b>!</b>	-	UEPFP	URETN		11.24	1.10			<b>}</b>	<del>                                     </del>	<b> </b>	1	<b> </b>	<del> </del>
	PORT/LOOP COMBINATIONS - COST BASED RATES	1	<u> </u>		4						ļ	-		ļ		<b></b>
2-WII	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	CPORT											l			<u> </u>

UNBUND	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												1	Submitted		Charge -	Charge -	Charge -
1		Inter										Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i		m							,			per Lor	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
1														1st	Add'l	Disc 1st	Disc Add'l
		i					B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
		i					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN	Port/Loop Combination Rates	i															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	i	1				23.75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	i	2				30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	i	3				35.52										
UN	Loop Rates	i															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	i	1	UEPPX		UECD1	16.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	i	2	UEPPX		UECD1	23.13										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	i	3	UEPPX		UECD1	28.46										
UN	Port Rate											İ					
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38	İ					
NO!	IRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1												ĺ		ĺ	1
	Switch-as-is			UEPPX		USAC1		7.32	1.87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	<b>i</b>										1		İ	1	İ	i –
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
AD	OITIONAL NRCs	†		7=:										i	1	i	i –
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	t		UEPPX		USAS1		26.84									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	t															
.	End User Premise			UEPPX		URETN		11.24	1.10								
Tel	phone Number/Trunk Group Establisment Charges	1		02		O.L.						<b>†</b>					1
100	DID Trunk Termination (One Per Port)	1		UEPPX		NDT	0.00	0.00	0.00			<b>†</b>					1
	DID Numbers, Establish Trunk Group and Provide First Group	1		OLITA		ND1	0.00	0.00	0.00			<b>†</b>					1
.	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
-+	Additional DID Numbers for each Group of 20 DID Numbers	<b>-</b>		UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPPX		ND5	0.00	0.00	0.00			<b>†</b>					1
-+	Reserve Non-Consecutive DID numbers	<b>-</b>		UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers	1		UEPPX		NDV	0.00	0.00	0.00			<b>†</b>					1
LO	CAL NUMBER PORTABILITY	1		OLITA		NDV	0.00	0.00	0.00			<b>†</b>					1
	Local Number Portability (1 per port)	<b>-</b>		UEPPX		LNPCP	3.15	0.00	0.00								
2-W	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT			2.1. 0.	0.10	0.00	0.00			<b>†</b>					1
	Port/Loop Combination Rates	T OIDE	1									<b>†</b>					1
- 0.41	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1										1			1		
	UNE Zone 1		1	UEPPB	UEPPR		30.86										
-+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<b>-</b>	<u> </u>	OLITE	OLITIK		00.00										
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	<u> </u>		OLITE	OLITIK		30.00										
	UNE Zone 3		3	UEPPB	UEPPR		44.23										
LIN	Loop Rates	1		OLITE	OLITIK		44.20					<b>†</b>					1
- 0.41	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	21.90										
-+	/ John Dignar Grade 200p Offic 2010 1	<del>                                     </del>	<u> </u>	22.10	02.110	3322/	21.00					<u> </u>	<b> </b>		t		1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
-	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB	UEPPR	USL2X	35.27					1			1		
UN	Port Rate		Ť	02.1.2	OZ. I IX	COLLA	00.27										
- 0.41	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
NO	RECURRING CHARGES - CURRENTLY COMBINED	<b>-</b>		OLITE	OLITIK	OLITB	0.00	100.01	100.14	100.00	21.07						
1101	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	<u> </u>															
	Combination - Conversion			LIEPPR	UEPPR	USACB	0.00	38.59	27.08								
ΔD	OITIONAL NRCs	<del>                                     </del>		JEITD	OLI I IX	30,100	0.00	30.39	21.00			<u> </u>	<b> </b>		t		1
701	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>						<b>H</b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	End User Premise	1		UEPPB	UEPPR	URETN		11.24	1.10				1		I		
-+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>		JEITD	OLITIK	SILLIN		11.24	1.10			<u> </u>	<b> </b>		t		1
	Premise	1		UEPPB	UEPPR	URETL		8.33	0.83				1		I		
10	CAL NUMBER PORTABILITY	<del>                                     </del>		JEITD	OLITIK	JILIL		0.00	0.00			<u> </u>	<b> </b>		t		1
	Local Number Portability (1 per port)	<del>                                     </del>	<del>                                     </del>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00					<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
	HANNEL USER PROFILE ACCESS:	<del>                                     </del>		JEITD	OLITIK	_111 0/	0.55	0.00	0.00			<b>H</b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
R.C	INTELL COLIN I INDI ILL MOULUG.	1										<del>                                     </del>	<b>!</b>	<b>!</b>	<del>                                     </del>	<b>!</b>	+
B-C		1		IUFPPR	(IFPPP	II J1 I J ( : A	() ()()	0.00	() ()()								
B-C	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA U1UCB	0.00	0.00	0.00								
B-C				UEPPB	UEPPR UEPPR	U1UCA U1UCB U1UCC	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00								

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fxhi	bit: A
ONDONDE	The first the fi	1					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				Rec	Nonre		Nonrecurring		001450	001111		Rates (\$)	001441	001141
-	CVS/CSD (DMS/5ESS)	-	-	UEPPB	UEPPR	U1UCD	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
L	facilities termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
4 14/10	Interoffice Channel mileage each, additional mile  E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K DODT	1	UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
	NE-P DS1 combination rates below for in this rate exhibit appl			Idad hase	in nlace a	e of 10/2/03 i	Intil 4/1/04 Af	tor 4/1/04 these	rates shall re	ert to tariff rat	os or a sonara	te commerc	al agreeme	nt			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital																
	Port/Loop Combination Rates		1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			176.82										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP		ļ	347.84										
UNE L	oop Rates		1	UEPPP		1101 4D	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPPP		USL4P USL4P	155.43										
-	4-Wire DS1 Digital Loop - UNE Zone 2	1	3	UEPPP		USL4P	261.89					-					
LINE F	Port Rate		3	UEFFF		USL4F	201.09										
ONE !	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								1
ADDIT	TONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)	ļ	ļ	UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TO		44.54	44.54								
-	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	+	UEPPP		PR/10		11.54	11.54			-					
1 1	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07				1				, [
LOCA	L NUMBER PORTABILITY			OLITI		110/21		20.07	20.07								
	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75								İ		
	Voice/Data		1	UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel	L		LIEBBE		DD#D\/							ļ		ļ		,
	New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BV	0.00	14.56									
$\vdash$	New or Additional - Digital Data B Channel  New or Additional Inward Data B Channel	1	1	UEPPP		PR7BF PR7BD	0.00	14.56 14.56				1					
CALL	TYPES	<del>                                     </del>	1	UEPPP		LKIBD	0.00	14.56			<b> </b>	<del>                                     </del>			<del> </del>		
CALL	Inward	<b>t</b>	<del>                                     </del>	UEPPP		PR7C1	0.00	0.00	0.00			<b>-</b>	<b> </b>				
	Outward	t -		UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way	1		UEPPP		PR7CC	0.00	0.00	0.00		l						
Intero	ffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	<u> </u>	<u> </u>		1	L			L			L				
The U	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embed	ided base	in place a	is of 10/2/03 ι	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	ert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eftert/Loop Combination Rates	rective o	ate of	tnis amer	iament sha	iii be provide	ea pursuant to	a separate agre	ernent or tarif	at BeilSouth's	aiscretion.	1					
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del>                                     </del>	1	UEPDC		1	149.77	1			<b> </b>	<del>                                     </del>			<del> </del>		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<del>                                     </del>	2	UEPDC		+	214.33	1		<b> </b>	<b> </b>	<b>H</b>			<del> </del>		
$\Box$	Do. Digital Loop/TV DDITO Hallict Oil CIVE Zolle Z			00.00		1	217.00	L		L	L		L		1		

IINRI	INDI FI	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	ibit: A
ONDO	MULL	NETWORK ELLINENTO Godin Garonna			l		l					Svc Order	Svc Order	Incremental	Incremental		
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
-	UNE LO	pop Rates	-	-	LIEDDO	1101.00	00.07					1					
-	-	4-Wire DS1 Digital Loop - UNE Zone 1	-		UEPDC	USLDC	90.87					1					
		4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPDC	USLDC	155.43					<b> </b>					
-	LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate		3	UEPDC	USLDC	261.89						-				-
	ONLF	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20	<u> </u>					<del>                                     </del>
-	NONRE	CURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	30.30	433.30	200.10	117.55	14.20	<b>†</b>					<del>                                     </del>
	TTO TALL	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+							<b>†</b>				<del>                                     </del>
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
1		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.78	67.17								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
L	<u></u>	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		129.78	67.17								
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.51	14.51								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	ļ	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
-	-	Activation/Chan Inward Trunk w/out DID	-		UEPDC	UDTTC		14.51	14.51			1					
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51								
-	-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		14.51	14.51			<b> </b>	-				-
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51								
	BIPOL A	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		14.51	14.51			<b>†</b>					<del>                                     </del>
	J.: 02	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s			İ					
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	605.00s								
	Alterna	te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00			<b> </b>					
<b>—</b>	+	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers , Per Number	<b>-</b>	<u> </u>	UEPDC UEPDC	ND4 ND5	0.00	0.00	0.00			<del>                                     </del>	-		-	-	1
<b>—</b>	1	Reserve Non-Consecutive DID Nos.	<del>                                     </del>		UEPDC	ND6	0.00	0.00	0.00			1	<del>                                     </del>	<b> </b>			<del>                                     </del>
<b>-</b>	<del>                                     </del>	Reserve DID Numbers	<b>-</b>	<b>-</b>	UEPDC	NDV	0.00	0.00	0.00			<del>                                     </del>	<b>-</b>				
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loon			0.00	3.00	0.00								
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	gai				İ					<b>†</b>		İ			
1		Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
		, , ,															
L	<u></u>	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u></u>	L	UEPDC	1LNOA	0.3415	0.00	0.00	<u> </u>		<u> </u>					
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25												l			
	ļ	miles			UEPDC	1LNOB	0.3415	0.00	0.00			ļ					ļ
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
<u> </u>	<u> </u>	Termination)			UEPDC	1LNO3	0.00	0.00	0.00				-	<b> </b>			<b>_</b>
1		Intereffice Channel Mileage Additional arts are will a CE and a			LIEBDO	11 NOC	0.0445	0.00	0.00								
<u> </u>	1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC UEPDC	1LNOC LNPCP	0.3415	0.00	0.00			-					-
<u> </u>	1	Local Number Portability, per DS0 Activated Central Office Termininating Point	-	<del>                                     </del>	UEPDC	CTG	3.15 0.00	0.00	0.00				-	-			<del>                                     </del>
<b>—</b>	4-WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT	<b>—</b>		OLFDO	CIG	0.00					1	<b>H</b>	<b>l</b>			$\vdash$
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														$\vdash$
<u> </u>		ystem can have up to 24 combinations of rates depending on			ber of ports used	+											
		, up to = - combinations of rates depending on	-, p = ui		5. po.to doca				L			·					

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
						I					Svc Order	Svc Order	Incremental			
Ì			l			1					I .	Submitted	Charge -	Charge -	Charge -	Charge -
í		l									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec		curring		g Disconnect				Rates (\$)		
$\longrightarrow$							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	<u> </u>
	uests for 4-Wire DS1 Loop with Channelization with Port after the	e effecti	ve dat	e of this amendme	nt shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discreti	on.					
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	ļ		UEPMG	USLDC	90.87	0.00	0.00								<b></b>
	4-Wire DS1 Loop - UNE Zone 2	ļ		UEPMG	USLDC	155.43	0.00	0.00								<b></b>
<del></del>	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	261.89	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	-	LIEDMO	\ (I I I 40 4	00.70	0.00	0.00			1					-
	24 DSO Channel Capacity - 1 per DS1	<u> </u>	-	UEPMG UEPMG	VUM24 VUM48	82.78	0.00	0.00			1					-
+-	48 DSO Channel Capacity - 1 per 2 DS1s	<u> </u>		UEPMG	VUM96	165.56	0.00	0.00			-		-			+
	96 DSO Channel Capacity -1per 4 DS1s	<u> </u>				331.12		0.00			-		-			+
+-	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s	-	<del>                                     </del>	UEPMG UEPMG	VUM14 VUM19	496.68 662.24	0.00	0.00				<b> </b>	-	<del></del>	-	+
-+-	240 DS0 Channel Capacity - 1 per 8 DS1s	<del>                                     </del>	<del>                                     </del>	UEPMG	VUM19 VUM2O	827.80	0.00	0.00			}	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	288 DS0 Channel Capacity - 1 per 10 DS1s	<del>                                     </del>	<del>                                     </del>	UEPMG	VUM28	993.36	0.00	0.00			<del>                                     </del>	-		<del>                                     </del>		+
	384 DS0 Channel Capacity - 1 per 12 DS1s	<del>                                     </del>	<del>                                     </del>	UEPMG	VUM38	1,324.48	0.00	0.00			}	<b> </b>	<del>                                     </del>	+	<del>                                     </del>	+
-+-	480 DS0 Channel Capacity - 1 per 16 DS1s	<del>                                     </del>	-	UEPMG	VUM4O	1,655.60	0.00	0.00			<b> </b>			+		+
-	576 DS0 Channel Capacity - 1 per 20 DS1s	<del>                                     </del>	<del>                                     </del>	UEPMG	VUM57	1,986.72	0.00	0.00			1		1	<del>                                     </del>	1	+
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84	0.00	0.00			<u> </u>		1		1	+
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chanr						0.00								
	nimum System configuration is One (1) DS1, One (1) D4 Channe						Sterri				<u> </u>		1		1	+
	iples of this configuration functioning as one are considered A										<b>†</b>					+
Michie	NRC - Conversion (Currently Combined) with or without	I	1110 11	linninanii system oo	Illigaration is	l l					1					<del></del>
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat					0.00			1					<del></del>
	(Not Currently Combined) in all states, except in Density Zone										İ					
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1		1							İ					<b>†</b>
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent	İ														1
	Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exch	ange Ports	ļ				ļ		ļ				ļ	ļ	1	ļ	<u> </u>
	Line Side Combination Channelized PBX Trunk Port - Business			LIEBBY	LIEBOY									1		1
	(E:4/1/2004)	<u> </u>	<u> </u>	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00	1					
1	Line Side Outward Channelized PBX Trunk Port - Business		1	LIEDDY	LIEDOY							1		I		
	(E:4/1/2004)	<del>                                     </del>	-	UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	ļ	-	-	<del>                                     </del>	-	+
. 1	Line Side Inward Only Channelized PBX Trunk Port without DID	1	1	LIEDDY	LIEDAY	1 440	0.00	0.00	0.00	0.00		1		I		1
	(E:4/1/2004)  2-Wire Trunk Side Unbundled Channelized DID Trunk Port	<del>                                     </del>	<u> </u>	UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00	<del> </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
. 1	(E:4/1/2004)		1	UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00		1		I		1
Eoot.	ure Activations - Unbundled Loop Concentration	<del>                                     </del>	<del>                                     </del>	OLPPA	UEPDIVI	7.09	0.00	0.00	0.00	0.00	}	<b> </b>	<del>                                     </del>	+	<del>                                     </del>	+
realt	Feature (Service) Activation for each Line Port Terminated in D4	<del>                                     </del>	$\vdash$		+	<del>                                     </del>		<del> </del>	<del>                                     </del>				<del> </del>	<del>                                     </del>	<del> </del>	+
	Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17				1		1
-+-	Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>	<b>-</b>	OLI I A	II SQ V V IVI	0.30	20.40	15.44	7.20	7.17	<del>                                     </del>	<b>-</b>	<del> </del>	<del>                                     </del>	<b> </b>	+
1	D4 Bank		1	UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60		1		I		1
Teler	phone Number/ Group Establishment Charges for DID Service	<b>†</b>			~***	0.50	70.01	10.40	55.57	11.50			1	<u> </u>	1	<u> </u>
1.0.00	DID Trunk Termination (1 per Port)	t		UEPPX	NDT	0.00	0.00	0.00		İ			İ	1	İ	1
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	l		UEPPX	NDZ	0.00	0.00	0.00					İ	t	İ	<b>†</b>
	DID Numbers - groups of 20 - Valid all States	t		UEPPX	ND4	0.00	0.00	0.00					i	1	i	1
	Non-Consecutive DID Numbers - per number	1	i –	UEPPX	ND5	0.00	0.00	0.00	1		1		İ	İ	İ	†
	Reserve Non-Consecutive DID Numbers	1	Ì	UEPPX	ND6	0.00	0.00	0.00		l	1		İ	1	İ	1
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00								1
	I Number Portability	1								1	1	l	İ		İ	1
Loca	ii Number i Ortability															

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		RES - Vertical and Optional				1											
	Local S	witching Features Offered with Line Side Ports Only		-	UEPPX	UEPVF	3.04	0.00	0.00								
LINIDIIN	IDI ED C	All Features Available ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			UEPPX	UEPVF	3.04	0.00	0.00			-					-
UNBUI		Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to	nrovido Unbi	undlad Lacal C	vitahina ar Cu	itah Barta								
		ires shall apply to the Unbundled Port/Loop Combination - C								dlad Dart cacti	on of this Date	Evhibit					
	3 Fnd (	Office and Tandem Switching Usage and Common Transport	Heana I	ratos in	the Port section of	thic rate evh	ihit shall annly	to all combins	tions of loon/	nort network e	lomente evcen	t for LINE C	oin Port/Lo	on Combinat	ione	1	1
	4. The f	irst and additional Port nonrecurring charges apply to Not Cu	irrently	Comb	ined Combos. For	Currently Co	mbined Combo	s. the nonreci	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections	Additional NR	Cs may
		Iso and are categorized accordingly.				· · · · · · · · · · · · · · · · · · ·		0, 1110 110111 000		Do			9 •	,			
	5. Mark	ket Rates for Unbundled Centrex Port/Loop Combination will	be nead	otiated	on an Individual Ca	se Basis, un	til further notice	э.									1
		CENTREX - 5ESS (Valid in All States)				1									İ	İ	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1						1			İ	İ	
		ort/Loop Combination Rates (Non-Design)	1			1						1			İ	İ	
	Ī	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1									1	1	
1		Non-Design	1	1	UEP95	1	14.89						1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1									1	1	
		Non-Design		2	UEP95		21.52										
	i i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		27.17										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		29.59										
		op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
	UNE Po																
	All Stat					1											
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
1		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEDOE	LIEDVII	4 40	40.00	40.00	04.00	0.05		1				
<del>                                     </del>	$\vdash$	Area  2 Wire Voice Grade Port (Centrey from diff Serving Wire	<del>                                     </del>	-	UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65				<del>                                     </del>	<b> </b>	
1		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area	1		UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		1				
					UEP95	UEPYM	1.13	108.30	70.71	54.47	11.94	-					
1		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94	1	1				l
<b>-</b>	$\vdash$	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del>                                     </del>	<b>-</b>	ULF90	UEP1Z	1.13	108.36	70.71	54.47	11.94	-	<b> </b>		<del> </del>	<del> </del>	
1		- Basic Local Area	1		UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						
-	$\vdash$	2-Wire Voice Grade Port Terminated on 800 Service Term -	-		OL1 30	OLFIS	1.13	40.30	15.90	24.90	0.05	<b>-</b>					-
1		Basic Local Area	1		UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65						
<b> </b>	AI.KY	LA, MS, SC, & TN Only	<b> </b>		OLI 33	JL1 12	1.13	40.30	15.30	24.30	0.05		<b>-</b>		<b> </b>	<b> </b>	
	~ <u>∟, 1</u> 11,	2-Wire Voice Grade Port (Centrex )	<del>                                     </del>	-	UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		<b> </b>				
	H	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)	<del>                                     </del>		UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<b>-</b>	H	2-Wire Voice Grade Fort (Centrex with Caller ID)1	<del>                                     </del>		UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		<b> </b>				<b> </b>
<b>-</b>		2-Wire Voice Grade Fort (Centrex with Caller ID) 1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	l			3=. 311	1.13	70.00	10.00	2-7.50	0.00	<b>-</b>	<b> </b>				
		Center)2.3	1		UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			J = . XIVI	1.13	100.00	70.71	54.47	11.54				<b>i</b>	<b>i</b>	<del> </del>
	ı l	Term 2.3	1		UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94	1	1				l
				-		1	0					1	<del>                                     </del>				<b>i</b>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1,13	40,30	19,90	24,98	6.65						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						

UNBI	JNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			- ""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																2.00 .01	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Centrex Intercom Funtionality, per port	ļ		UEP95	URECS	0.7996										
	Local N	Number Portability	ļ														
	<u> </u>	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature		1		LIEBAE		0.04										
		All Standard Features Offered, per port			UEP95	UEPVF	3.04	100.10									
<u> </u>	<u> </u>	All Select Features Offered, per port	<b> </b>		UEP95	UEPVS	0.00 3.04	406.42									
<b>-</b>	NARS	All Centrex Control Features Offered, per port	1		UEP95	UEPVC	3.04					-					
$\vdash$	NAKS	Unbundled Network Access Register - Combination	1		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		-				
<b>-</b>	-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	-					
<u> </u>	<u> </u>	Unbundled Network Access Register - Indiai	+		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	<b>-</b>	-		-		
$\vdash$	Miscell	aneous Terminations	<del>                                     </del>		OLF 30	UANUA	0.00	0.00	0.00	0.00	0.00	<b>H</b>		<del> </del>	t	<del>                                     </del>	
$\vdash$		Trunk Side	t	$\vdash$		+				1	<del> </del>	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
$\vdash$		Trunk Side Trunk Side Terminations, each	t	$\vdash$	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
$\vdash$	4-Wire	Digital (1.544 Megabits)	<del>                                     </del>		021 00	JE1120	0.00	110.07	10.70	00.03	5.77	<b>-</b>		<b> </b>	t	<b> </b>	
$\vdash$		DS1 Circuit Terminations, each	<b>t</b>		UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47	<u> </u>	<b>-</b>		t		
$\vdash$	t	DS0 Channels Activated, each	t -		UEP95	M1HDO	0.00	14.51	55.50	12.75	2.77				<u> </u>		
	Interof	fice Channel Mileage - 2-Wire	1		021 00	WITIEG	0.00	14.01				1			1		
		Interoffice Channel Facilities Termination	1		UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91	1			1		
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
		innel Bank Feature Activations										İ					
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	i	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1														
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
L		Slot			UEP95	1PQWQ	0.56										
L		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ														
		NRC Conversion Currently Combined Switch-As-Is with allowed															
<u> </u>		changes, per port	1		UEP95	USAC2	0.00	37.93	16.72								
<u> </u>		New Centrex Standard Common Block	1		UEP95	M1ACS	0.00	668.70									
<u> </u>	<b>!</b>	New Centrex Customized Common Block	1		UEP95	M1ACC	0.00	668.70		1	-	-	-	-	1	-	
$\vdash$	A ddit: -	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	72.89		-					<del>                                     </del>		
$\vdash$	Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<del>                                     </del>			+				-	-	-		-	<del></del>	-	
		Premise			UEP95	URETL		8.33	0.83						1		
$\vdash$	<del>                                     </del>	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<del>                                     </del>		OL: 30	OKLIL		0.33	0.03	1		<del>                                     </del>	<b>-</b>		+		
		End Use Premise			UEP95	URETN		11.24	1.10						1		
$\vdash$	UNF-P	CENTREX - DMS100 (Valid in All States)	<del>                                     </del>		OL: 33	CINETIN		11.24	1.10						<b>+</b>		
$\vdash$		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	t -			1									<u> </u>		
		ort/Loop Combination Rates (Non-Design)				1					İ			İ	1	İ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1								i			i	1	i	
		Non-Design		1	UEP9D		14.89								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1								ĺ			ĺ		ĺ	
1	1	Non-Design		2	UEP9D		21.52						1		I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	1	Non-Design		3	UEP9D		27.17								I		
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
L		Design		1	UEP9D		17.81										
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1												_		
Ь	<u></u>	Design		2	UEP9D		24.26										

ATFOUR PLAYER LEMENTS NOT RECEIVED TO THE PROPERTY OF THE PROP	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	oit: A
Second   Price   April   Price   April   Apr				Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Note   Note			1	1			D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Design   D							Rec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
New Notion   New Note   Control Later   CEL   V. Zone   1   1   1   1   1   1   1   1   1																	
2-Wee Voter Control Long   15   7-Zenc 2	I I I		ļ	3	UEP9D		29.59										
Divine views Control Expt (131   2 / 2 / 2   2   1690   1   1600   1   1600   1   1   1   1   1   1   1   1   1	UNE L		1	1	LIEDOD	LIEC91	12.76										
2-Wine Verse Closed Expo (E. 97, 20rd 3)			1	2													
2-We Vise Grade Dop (18, 2- Zera 1			1														
SWEV Vision Grade Local Sc. 2) - Zere 2				_													
All STATE    All				2													
ALE STATES		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
2-Wive Value Grade Pert (Centrex E85-RESCR) Basic Local Anna   LEPPO   LEPYA   1.13   40.30   19.00   24.98   6.65			ļ			ļ											,
2-Wire Votor Grade Port (Centrex / EBS-RST)386sic Local   UEPRO   UEPYC   1.13   40.30   19.90   24.98   6.65	ALL S		<b>.</b>	<u> </u>	LIEDOD	LIEDVA	4.40	40.00	40.00	04.00	0.05						
Avea   Care   Contract / EBS MS0003808s Local   Care   C	$\vdash$		<del>                                     </del>	<b>!</b>	UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65	-	-				
2-Week Yooks Grade Port (Centrex / EBS-M5009)3 Basic Local   UEPSO UEPYO 1.13   40.30   19.90   24.88   6.65					UFP9D	UEPYB	1 13	40.30	19 90	24 98	6.65						,
Area			<del>                                     </del>	<del>                                     </del>	021 00	JE: 15	1.13	70.50	13.30	24.30	0.00						
2-Wire Vision Grade Port (Centrex / EBS-M5009)3 Basic Local Area	1 1				UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						,
2-Wire Voice Grade Port (Centrex / EBS-MS1712)  3 Basic Local   UEP9D UEPVF   1.13   40.30   18.90   24.88   6.66																	
Area   Very Vote Grade Port (Centrex / EBS-M6512))3 Basic Local   VEP9D   VEPYF   1.13   40.30   19.90   24.98   6.65					UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						1
2-Vitro Voice Grade Port (Centrex / EBS-M6512))3 Basic Local		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
Area					UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-M5310)38asic Local Area   UEP90   UEPY1   1.13   40.30   19.90   24.98   6.65	1 1							40.00	40.00								
Area   Area   Lepho	$\vdash$		ļ		UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
2-Wire Visioe Grade Port (Centrex / EBS-M6508)] 8 Basic Local Area   UEPPD   UEPYT   1.13   40.30   19.90   24.98   6.65	1 1				LIEDOD	LIEDVC	1 12	40.20	10.00	24.09	6.65						
Area	<b>+</b> + -				OLI 3D	OLI 10	1.10	40.50	13.30	24.30	0.00						
2-Wire Voice Grade Port (Centrex/EBS-M5209))					UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						1
Area   Carrier Vice Grade Port (Centrex / EBS-MS216)3 Basic Local Area   Carrier Vice Grade Port (Centrex / EBS-MS216)3 Basic Local Area   Carrier Vice Grade Port (Centrex / EBS-MS316)3 Basic Local Area   Carrier Vice Grade Port (Centrex / EBS-MS316)3 Basic Local Area   Carrier Vice Grade Port (Centrex with Caller ID) Basic Local Area   Carrier Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vice Grade Port (Centrex Vice Grade Port Centrex Vic		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
Area		Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M5316)3 Basic Local Area   UEPPD   UEPY   1.13   40.30   19.90   24.98   6.65		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
Area  Area					UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area   UEP9D UEPYH   1.13   40.30   19.90   24.98   6.65								40.00	10.00								
Area   UEP9D   UEPYH   1.13   40.30   19.90   24.98   6.65			ļ		UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4   UEP9D   UEPYW   1.13   40.30   19.90   24.98   6.65					LIEDOD	LIEDVL	1 12	40.20	10.00	24.09	6.65						1
Indication) A Basic Local Area	$\vdash$		1	1	OLFBD	OLFIII	1.13	40.30	19.90	24.90	0.05						
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4   UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65	1 1				UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
Basic Local Area																	
2.3-Basic Local Area	1 1				UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4   UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94   UEPPD																	
Basic Local Area					UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94	1 1							400.00									
Basic Local Area	<b>—</b>		ļ		UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94	1 1				LIEDOD	LIEDVD	1 12	109.26	70.71	54.47	11 04						1
Basic Local Area	<del>                                     </del>				OLF3D	OLFIF	1.13	100.30	70.71	34.47	11.54						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  1.19  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94	1 1				UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						
Basic Local Area			1	t		1	0			2,							
Basic Local Area		Basic Local Area	<u> </u>	L	UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						<u></u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area  UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area  UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area  UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area  UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94											<del></del>						
Basic Local Area			ļ	<u> </u>	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area  UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94					LIEDOD	LIEDV4	4 40	400.00	70.74	F4 47	44.04						,
Basic Local Area	$\vdash$		-	-	UEP9D	UEPY4	1.13	108.36	/0./1	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94					UFP9D	UEPY5	1 13	108 36	70 71	54 47	11 0/						,
Basic Local Area   UEP9D UEPY6   1.13   108.36   70.71   54.47   11.94			<b>†</b>	<del>                                     </del>	021 00	JL1 10	1.13	100.50	70.71	54.47	11.34		<b>-</b>				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			1	1	UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						,
Basic Local Area   UEP9D   UEPY7   1.13   108.36   70.71   54.47   11.94																	
		Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						1

UNBL	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
01121				1								Svc Order	Svc Order	Incremental			Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	P	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.40	400.00	70.74	54.47	44.04						ĺ
-	+	Term 2,3		ļ	UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94	<b> </b>					<del></del>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
-	+	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEFT9	1.13	40.30	19.90	24.90	0.00	<b> </b>	-				-
		Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						l
	AL KY	, LA, MS, SC, & TN Only			OLI OD	OLI 12	1.10	40.00	10.00	24.00	0.00	1	1				
	/,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65	İ					
	1	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65	İ					
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
-	1	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						-
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
-	+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65	<b> </b>	-				-
	+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<u> </u>	UEP9D	UEPQJ	1.13	40.30	19.90	24.90	0.00	1	1				
		2.3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
	1	2,0		1	OLI OD	OLI QIVI	1.10	100.00	70.71	04.41	11.04						<del></del>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						l
	1	/=,-,-,-				1 2 2 2				•							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						l
		· · · · · · · · · · · · · · · · · · ·															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
																	İ
	_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
					LIEBAB			400.00									İ
-	+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						ĺ
-	+	2-Wife Voice Grade Port (Centrex differ SWC /EBS-W5206)2,3,4			UEP9D	UEFQS	1.13	100.30	70.71	54.47	11.94	<b> </b>	-				-
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						İ
	+	Z-vviile voice Grade Fort (Certifex differ SVVC / EBS-IVISZ 10/2,5,4			OLF 9D	ULFQU	1.13	100.30	70.71	34.47	11.54						<del>                                     </del>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.02	02. Q.		100.00	70.71	0		İ					
		Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						l
	İ			i –			_										
L	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u></u>	<u> </u>	UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65	<u> </u>	<u></u>				1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65						
	Local	Switching															
	1	Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0.7996									ļ	<b></b>
	Local I	Number Portability		<u> </u>	LIEBAR	Lungs						ļ					<del>                                     </del>
<u> </u>	Factor	Local Number Portability (1 per port)		├	UEP9D	LNPCC	0.35					-				-	<del>                                     </del>
	Featur		-	<del>                                     </del>	LIEDOD	UEPVF	3.04					-	-	-	-	-	<del></del>
<u> </u>	+	All Standard Features Offered, per port	-	<del>                                     </del>	UEP9D UEP9D	UEPVF	0.00	406.42				<del> </del>	1	<b> </b>	<b> </b>	<del>                                     </del>	<del></del>
<b></b>	+	All Select Features Offered, per port  All Centrex Control Features Offered, per port	-	<del>                                     </del>	UEP9D	UEPVS	3.04	400.42									<del>                                     </del>
<b>—</b>	NARS	Dan Control Control Leatures Onered, per port	1	<del>                                     </del>	OLF3D	ULF VC	3.04					<b>+</b>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	1171110	Unbundled Network Access Register - Combination	t	<del>                                     </del>	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	1	<del>                                     </del>				<b>—</b>
	1	Unbundled Network Access Register - Inward		<del>                                     </del>	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00			İ	İ	İ	
	1	Unbundled Network Access Register - Outdial		t —	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00			İ	İ	İ	
	•		•	•	•							•	•	•		•	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>					1		Names		Namaanuuina	Dianamant			220	Rates (\$)		
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscell	aneous Terminations	<del>                                     </del>			<del> </del>		11130	Addi	11130	Auu	COME	COMPAR	COMPAN	OOMAN	COMPAN	COMPAN
	Trunk Side	<del>                                     </del>			<del> </del>							1				
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
	Digital (1.544 Megabits)	1		OLI OD	OLINDO	0.00	110.07	10.70	00.00	0.77						
	DS1 Circuit Terminations, each	<del>                                     </del>		UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		1				
	DS0 Channels Activiated per Channel	<del>                                     </del>		UEP9D	M1HDO	0.00	14.51	50.50	72.70	2.71		1				
	ice Channel Mileage - 2-Wire	<del>                                     </del>		OLI OD	WITIEG	0.00	14.01					1				
III.C.O.I.	Interoffice Channel Facilities Termination	<del>                                     </del>		UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91		1				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167	40.00	21.41	10.77	0.01						
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	-		OLI OD	WITODINI	0.0107										
	nnel Bank Feature Activations	î l			<del> </del>							1				
D4 0110	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>		UEP9D	1PQWS	0.56						1				
	r catalo notivation on b 4 charmer bank centrex coop diet	<del>                                     </del>		OLI OD	11 00110	0.00						1				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		OLI OD	11 00 110	0.00										
	Slot			UEP9D	1PQW7	0.56										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<del>                                     </del>		OLI OD	11 Q117	0.00						1				
	Different Wire Center			UEP9D	1PQWP	0.56										i I
	Different Wife Gonton			OLI OD	11 Q111	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										i I
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	<del>                                     </del>		OLI OD	11 Q111	0.00						1				
	Slot			UEP9D	1PQWQ	0.56										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>		UEP9D	1PQWA	0.56						1				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	1		OLI OD	II GWYY	0.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed	<del>                                     </del>			<del> </del>							1				
	changes, per port			UEP9D	USAC2		37.93	16.72								i l
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion	<del>                                     </del>		UEP9D	URECA	0.00	72.89					1				
Additio	onal Non-Recurring Charges (NRC)			02.05	0.12071	0.00	72.00									
7144111	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								i l
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			02.05	0.12.12	1	0.00	0.00								
	End Use Premise			UEP9D	URETN		11.24	1.10								1 1
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1 1														$\Box$
	- Required Fortier Gentley Gentley Hillage				1	1										
	- Installation is combination of Installation charge for SL2 Lo	op and P	ort		1	† †										$\overline{}$
	- Requires Specific Customer Premises Equipment				1	<b>i</b>						İ				
	Rates displaying an "R" in Interim column are interim and sub	piect to ra	ate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									
		•														

LIMBI	NDI E	D NETWORK ELEMENTS - Tennessee														F.1.	
UNDU	NDLE	D NETWORK ELEWIENTS - Tellilessee		_	I							Cue Ouden	Cus Onden		ment: 2		bit: A
												1	1	Incremental	Incremental	Incremental	
												Submitted			Charge -	Charge -	Charge -
CATE	OBV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
CATE	IOK I	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			+			-	Nonrecurring		Nonrecurrin	g Disconnect	1	1	088	Rates (\$)	l	
				+			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-				1				FIISL	Addi	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
-	The "7	I one" shown in the sections for stand-alone loops or loops as	nart of	a comi	ination refers to Ge	l ographically	Deaveraged II	NF Zones To	view Geogran	hically Deaver	aged LINE Zon	e Designation	ons by Cent	ral Office refe	er to internet	Nehsite:	
		vww.interconnection.bellsouth.com/become a clec/html/inter				ograpinoan	Deaveragea o	THE EDITION TO	view ocograp	inouny Deaver	agea one con	c Designativ	one by ocine	iai Omoc, reic	or to internet	repolic.	
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
		(1) CLEC should contact its contract negotiator if it prefers the	e "state	e specif	ic" OSS charges as	ordered by t	he State Comm	issions. The (	OSS charges o	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	CLFC may
		ither the state specific Commission ordered rates for the servi															
		f the 9 states.		Jg 0.	.a. goo, o. ooa,	0.0000	9.01.0. 00.1.00	o. ao g	,	0 000		0	. og a. a. ooo .			0 00	0.000.101.100
-		(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	Illy. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•			0 ,			•	` '		•			•	
		N, will be applied to a CLECs bill when it submits an LSR to B			e iii tiiis category rei	iects the ch	arge triat would	be billed to a	OLLO ONCE EI	ectionic order	ing capabilities	s come on-n	ine for that	elelilelit. Otile	erwise, the m	andar ordenni	g charge,
-		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			o applicable rate ele	mont for SC	MAN charge**	I		ı	1	1	1				
-	NOTE:	OSS - Electronic Service Order Charge, Per Local Service	y F1	-asc St	e applicable rate ele	mention 30	I Cliarye				<del> </del>	<b>+</b>		<del>                                     </del>	<del>                                     </del>		
	1	Request (LSR) - UNE Only		1		SOMEC	I	3.50	0.00	3.50	0.00			I	I		
LINE S	PVICE	DATE ADVANCEMENT CHARGE		1		OCIVILO		3.30	0.00	3.30	0.00	<b>†</b>					
OI4L O		The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No 1 Tariff Section	n 5 as annli	rable				1	<u> </u>					
			I	1	Turni, ocom	II о ао аррп	l cabic.				+	<b>†</b>					
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA. UHL. ULC.												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3. ULD12.												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX. UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1.												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Dav			U1TUB, U1TUA	SDASP		200.00									
LINDIII	IDI ED E	EXCHANGE ACCESS LOOP		+	OTTOB, OTTOA	SDASF	-	200.00				1	1	-	-		
OHEOI		E ANALOG VOICE GRADE LOOP		+			<del>                                     </del>	<u> </u>	<b> </b>	1	<del>                                     </del>	<del>                                     </del>	<b>H</b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
<b>—</b>	_ *****	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41	<b>†</b>	<u> </u>	20.35	10.54	13.32	13.32
<b>—</b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1		2	UEANL	UEAL2	17.23	31.99	20.02	10.65		<b>†</b>	<u> </u>	20.35	10.54	13.32	13.32
<b>—</b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65		<del>                                     </del>	<b>H</b>	20.35	10.54	13.32	13.32
<b>—</b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		1	UEANL	UEASL	13.19	31.99	20.02	10.65		<del>                                     </del>	<b>H</b>	20.35	10.54	13.32	13.32
-	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEASL	17.23	31.99	20.02	10.65				20.35	10.54	13.32	13.32
<b>—</b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65		<del>                                     </del>	<b>H</b>	20.35	10.54	13.32	13.32
<b>—</b>	<del>                                     </del>	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	OLAINE	OLAGE	22.33	31.39	20.02	10.65	1.41	<del>                                     </del>	<b>H</b>	20.33	10.34	13.32	13.32
	1	Premise			UEANL	URETL	1	8.33	0.83					20.35	10.54	13.32	13.32
<b>-</b>	<del>                                     </del>	Loop Testing - Basic 1st Half Hour	-	+	UEANL	URET1	<del>                                     </del>	78.92	78.92		+	}	<del>                                     </del>	20.35	10.54	13.32	13.32
<b>-</b>	-	Loop Testing - Basic 1st Hall Hour	-	+	UEANL	URETA	+	23.33	23.33	1	+	<b> </b>	<del>                                     </del>	20.35	10.54	13.32	13.32
$\vdash$	<u> </u>	CLEC to CLEC Conversion Charge Without Outside Dispatch		+	OLANL	ONLIA	<del>                                     </del>	20.33	20.00		<del> </del>	<b>+</b>		20.33	10.54	13.32	13.32
1	1	(UVL-SL1)		1	UEANL	UREWO	I	15.80	8.95			1		20.35	10.54	13.32	13.32
	l	(OVE OE1)	1	1	OLAINE	CIVEAAA	1	13.00	0.93	1	1	1	1	20.33	10.34	13.32	13.32

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
				1								Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									Par = 2.11	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007144
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1															
	0.14/10/	(per LSR)			UEANL	OCOSL		34.29	34.29			1					
	2-WIRE	E Unbundled COPPER LOOP		4	UEQ	LIEONY	40.40	31.99	20.00	10.65	1.41	<b> </b>		20.35	10.54	40.00	40.00
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	2		UEQ2X	13.19		20.02			<b> </b>				13.32	13.32 13.32
-	-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ UEQ	UEQ2X UEQ2X	17.23 22.53	31.99 31.99		10.65	1.41 1.41	1		20.35 20.35	10.54 10.54	13.32 13.32	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41	<b> </b>		20.35	10.54	13.32	13.32
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
<b>—</b>	<del>                                     </del>	Manual Order Coordination 2 Wire Unbundled Copper Loop -		<del>                                     </del>	OLG	UNLIL		0.33	0.63			1	<del>                                     </del>	20.33	10.54	13.32	13.32
1	1	Non-Designed (per loop)	1		UEQ	USBMC		36.52	36.52			1		I		I	
$\vdash$	<del>                                     </del>	Unbundled Copper Loop, Non-Design Copper Loop, billing for	-	1	014	CODIVIO		30.32	30.32	<del>                                     </del>		<b>†</b>		<del>                                     </del>	<del> </del>		<del>                                     </del>
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
<u> </u>	<del>                                     </del>	Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEQ	URET1		78.92	78.92					20.35	10.54	13.32	
		Loop Testing - Basic Additional Half Hour		t -	UEQ	URETA		23.33	23.33			<b>†</b>		20.35	10.54	13.32	
		CLEC to CLEC Conversion Charge Without Outside Dispatch			024	O.K.E.I.Y.		20.00	20.00			İ		20.00	10.01	10.02	10.02
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUI	IDLED I	EXCHANGE ACCESS LOOP										İ					
		ANALOG VOICE GRADE LOOP				1						İ					
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										1					
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1						1					
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1													
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP				1											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.,		11541.0	10.50	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64	<b> </b>		20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	21.03	75.06	40.20	20.70	17.04	<b>†</b>	-	20.33	10.54	13.32	13.32
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	-	- 3	UEA	OCOSL	20.20	34.29	40.20	20.70	17.04	<b>†</b>		20.33	10.54	13.32	13.32
<b>-</b>	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<del>                                     </del>	OLA	COOOL		34.29						<b>+</b>			<b>†</b>
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
<b> </b>	t	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		†		2=: :: 4	10.00	7 0.00	70.20	20.70	17.04	1	<del>                                     </del>	20.00	10.04	10.02	10.02
1	1	Battery Signaling - Zone 2	1	2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	t	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		T-		1	250	. 5.50	.0.20	200	54	l		20.00	10.04	.5.52	10.02
	1	Battery Signaling - Zone 3	1	3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	1	Order Coordination for Specified Conversion Time (per LSR)		T -	UEA	OCOSL		34.29			-					1	1
	i –	CLEC to CLEC Conversion Charge without outside dispatch		i –	UEA	UREWO		75.06	36.41			İ		20.35	10.54	13.32	13.32
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57		39.16			20.35	10.54	13.32	
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	·	34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	2-WIRE	ISDN DIGITAL GRADE LOOP				1								L			ļ
	<u> </u>	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16	<u> </u>		20.35	10.54	13.32	13.32

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		_	+		+		Nonrecurring		Nonrecurring	. Dianamant			222	Rates (\$)		
		_	1			Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88		39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-W	/IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) CO	MPATIRI	FLOOR													
	2 Wire Unbundled ADSL Loop including manual service inqu		1								1	1	1			
	& facility reservation - Zone 1	,	1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
$\vdash$			+ '	UAL	UALZA	13.02	270.01	234.03	74.54	39.14			20.33	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inqu	У	1 -													
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
i	2 Wire Unbundled ADSL Loop including manual service inqu	y	1							1			1	1	1	1
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	2 Wire Unbundled ADSL Loop without manual service inquiry	&														
	facility reservaton - Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
<del>                                     </del>	2 Wire Unbundled ADSL Loop without manual service inquiry	2.	+ -		U,	10.02	01.00	20.02	10.00	1,-91	1	1	20.00	10.04	10.02	10.02
	facility reservation - Zone 2	α	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		- 1		UAL	UALZVV	18.05	31.99	20.02	10.65	1.41	ļ	ļ	20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry	&	_													
	facility reservaton - Zone 3		3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-W	/IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COM	PATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inqu															
	& facility reservation - Zone 1	7	1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inqu	n/	+ -	OLIE	OTILEX	10.00	270.01	204.00	14.04	00.14	1	1	20.00	10.04	10.02	10.02
		ı y		l		44.45	070.04	004.00	74.54	00.44			00.05	40.54	40.00	40.00
	& facility reservation - Zone 2	_	2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inqu	ry														
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry				1				1				1			
	and facility reservation - Zone 2	1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry		T -													
	and facility reservation - Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		- '	3		OCOSL	16.30		20.02	10.65	1.41			20.33	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		+	UHL			34.29				ļ	ļ		10 = 1	10.00	10.00
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	/IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COM		LOOP													<u> </u>
	4 Wire Unbundled HDSL Loop including manual service inqu	ry														ĺ
	and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inqu	ry														
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inqu	rv			1				1				1			
	and facility reservation - Zone 3	.,	3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	-	Ť	UHL	OCOSL	20.00	34.29		7 1.01	00.11			20.00	10.01	10.02	10.02
	4-Wire Unbundled HDSL Loop without manual service inquiry	-	+	OTTE	OCCOL		04.20				1	1				<del></del>
			1 .	l		40.00	04.00	00.00	40.05				00.05	40.54	13.32	40.00
	and facility reservation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41	ļ	ļ	20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	1	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	/IRE DS1 DIGITAL LOOP	1	1						i e				1			
T   T   T   T   T   T   T   T   T   T	4-Wire DS1 Digital Loop - Zone 1	_	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45	1	1	18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2	_	2	USL	USLXX	75.40	313.08	219.72		40.45	t	t	18.98	8.43	11.95	
<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 2	_	3	USL	USLXX	98.59	313.08	219.72		40.45	1	1	18.98	8.43	11.95	11.95
$\vdash$		+	- 3	USL	OCOSL	90.39	34.59	219.72	90.00	40.45	1	1	10.98	0.43	11.95	11.95
$\vdash$	Order Coordination for Specified Conversion Time (per LSR)	-	+					40.11	<del>                                     </del>		1	1	20.05	40.54	40.00	40.00
<del>  </del>	CLEC to CLEC Conversion Charge without outside dispatch		+	USL	UREWO		130.47	40.11	<b>!</b>	<b> </b>	<b></b>	<b></b>	20.35	10.54	13.32	13.32
ı 14-W	/IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			1						l	<u> </u>		1			1

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	bit: A
		101110000		l								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			to to a									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Loix	per Loix	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	Disc Add'l
														1st	Add'l	DISC 1St	DISC Add I
				1			D	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual				į i		İ									
		service inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2	I	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP N	IODIFIC	CATION															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												ĺ
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
					UAL, UHL, UCL,										l	I	1
					UEQ, ULS, UEA,	1						1	1				1
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	1						1	1				1
		per unbundled loop		<u> </u>	UEPSB	ULMBT		65.44	65.44	ļ				20.35	10.54	13.32	13.32
SUB-LC				<u> </u>													
	Sub-Lo	op Distribution												I	l	l	1

UNBUNDL	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1			B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		ı
Ì						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			l												
	Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ,		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>	1	027412	00000		12.00	.2.00					20.00	10.01	10.02	10.02
	Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			l												
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	ļ	UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Otatowido	1	311	OL7114L	CODINE	10.02	140.04	112.04	70.14	00.00			20.00	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		l . ¯	LIFANI	HODA				20.5-							
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98	-		20.35	10.54	13.32	13.32
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	027412	COBITT	0.01		70	00.00	10.00			20.00	10.01	10.02	10.02
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		ļ	UEANL UEANL	USBMC USBR2	1.35	34.29 94.56	34.29 29.35					20.35	10.54	13.32	13.32
	Sub-Loop 2-wire intrabuliding Network Cable (INC)	- '		UEANL	USBRZ	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	<b>.</b>	<u> </u>	UEANL UEANL	USBMC URET1		34.29 78.92	34.29 78.92								
	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbarralled Cub Loops, and other loops			UEF	USBMC		34.29	34.29								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair  4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<del>                                     </del>	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	<b> </b>	ļ	UEF UEF	USBMC URET1		34.29 78.92	34.29 78.92								
	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour	1		UEF	URETA		23.33	23.33								
Unb	undled Network Terminating Wire (UNTW)	1	1	OLI	OILLIN		20.00	20.00								
	Unbundled Network Terminating Wire (UNTW) per Pair	I		UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Netv	work Interface Device (NID)			LUE NET AV	111111111111111111111111111111111111111									10 -	10	10
$\vdash$	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	-	<b>!</b>	UENTW UENTW	UND12 UND16		89.69 129.65	54.56 94.51	0.6391 0.6522	0.6391 0.6522	ļ		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<del>                                     </del>	<del>                                     </del>	UENTW	UNDC2		129.65	94.51	0.6522	0.0522	}		20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	<u> </u>	UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00		1		-					
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER	R, PROVISIONING ONLY - NO RATE					2.00	0.00									
			Ì													
				UAL,UCL,UDC,UDL,												
$\vdash$	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	-	<u> </u>	UDN,UEA,UHL,ULC	UNECN	0.00	0.00		1		-					
	rate			UEA,UDN,UCL,UDC	USBFO	0.00	0.00									
	Pore	<del></del>	1	JOE, 1,001,1,001,000	100Di Q	0.00	0.00		1		1	1	1	1		l

UNBU	NDLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	U	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	r	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	l	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00						Î	Î		
		Unbundled DS1 Loop - Expanded Superframe Format option -				1						1					
	r	no rate			USL	CCOEF	0.00	0.00									
HIGH CA	APACITY	Y UNBUNDLED LOCAL LOOP															
	ŀ	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
	ŀ	High Capacity Unbundled Local Loop - DS3 - Facility				1						İ					
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1						1							
1 1		month	1	1	UDLSX	1L5ND	9.19	I					1				
	i i	High Capacity Unbundled Local Loop - STS-1 - Facility	1	1		1	20	†		<u> </u>				İ	İ		
1 1		Termination per month	1	1	UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15		1	36.84	36.84		
		: Rates provided in TN for both electronic and manual Loop	Makeu	p are ir								nents from t	he Tenness				
LOOP M			- maneu		una sasjett te		c up uujus		, a pormanent	Late raining on				- Nogalator	,		
		Loop Makeup - Preordering Without Reservation, per working or	t	1		<b>†</b>		<u> </u>		1							
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility			OWIT	OWNER		0.70	0.10					10.00	10.00	10.00	10.00
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or	- 1		OWIN	OWINE		0.70	0.70					13.33	13.33	15.55	13.33
		spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
I INE SL	ADING	AND LINE SPLITTING	I.	1	OWIN	UIVIKIVIQ		0.70	0.70			1					
		The Line Sharing monthly recurring rates for all installation	ne com	nleted :	rom October 02, 200	3 through m	idnight Octob	ar 01 2004 shal	l he hilled as	follows:		1					
		10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					l	1 01, 2004 31101	i be billed as	ioliows.		1					
		10/02/2004 – 10/01/2004: 25% of the rate for all unbundled co	opper ic	Т по	I-designed ( OCLND	',				<b> </b>		<b>-</b>	-				
		10/02/2004 – 10/01/2005: 50% of the rate for UCLND	+	+		ł				<b> </b>		<b>-</b>	-				
		Above will apply to USOCS: ULSDT and ULSCT	+	+		ł				<b> </b>		<b>-</b>	-				
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC on	411166	C annline anly to ai	rouito inotall	od and incomi	oo on or bofore	Ootobor 1 20	103		-					
	LINE SH		SDC an	u olst	c applies only to ci	TCUILS IIISIAII	l and mservi	T OII OI DEIOIE	October 1, 20	1		-					
		ERS-CENTRAL OFFICE BASED	<del>                                     </del>	<del>                                     </del>		-						-					
1		Line Sharing Splitter, per System 96 Line Capacity	<del>                                     </del>	<del>                                     </del>	111.0	ULSDA	100.00	150.00	0.00	0.00	0.00	-		20.35	10.54	13.32	13.32
$\vdash$			<del>                                     </del>	<del>                                     </del>	ULS	ULSDA	25.00	150.00	0.00	0.00	0.00	-		20.35	10.54	13.32	13.32
-		Line Sharing Splitter, per System 24 Line Capacity	<del>                                     </del>	<del>                                     </del>	ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				000		400.00	0.00	00.74	0.00			00.05	40.54	40.00	40.00
$\vdash$		deactivation (per LSOD)	<del>                                     </del>	+	ULS	ULSDG	-	163.06	0.00	92.71	0.00	<del>                                     </del>	ļ	20.35	10.54	13.32	13.32
$\vdash$		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING	<del>                                     </del>	+		<del> </del>	-	<del>                                     </del>		ļ		<del>                                     </del>	ļ	<del> </del>	<del> </del>		
		Line Sharing - per Line Activation (BST Owned splitter) -	1	1		000	0.01	40.00	04.00	0.00	0.00	1	1	00.5=	40	40.00	40.00
$\vdash$		OBSOLETE see **NOTE 2	1	1	ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
1 1		Line Share Service, TRO per line activation, BST owned splitter -	1	1				I					1				
		Central Office Located (25% of UCLND) - please see NOTE 1	1	1	l	l	_	l		1		1	1				
$\vdash$		(E:10/2/2003)	ļ	<del>  </del>	ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						
		Line Share Service, TRO per line activation, BST owned splitter -	1	1			1	I				1	1				
		Central Office Located (50% of UCLND) - please see NOTE 1			l			1									
$\vdash$		(E:10/2/2004)	1	1	ULS	ULSDT	5.87	40.00	31.39	0.00	0.00		ļ	ļ	ļ		
		Line Share Service, TRO per line activation, BST owned splitter -	-					1									
1 1		Central Office Located (75% of UCLND) - please see NOTE 1	1	1				I					1				
	(	(E:10/2/2005)	1		ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
1 1		Line Sharing - per Subsequent Activity per Line	1	1				I					1				
1 1					HIIC	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	F	Rearrangement(BST Owned Splitter)			ULS					1		1	I	1	1		
	F L	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line															
	F L F	Rearrangement(BST Owned Splitter)  Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
	F L L	Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS			30.00									
	F   L   L	Rearrangement(BST Owned Splitter)  ine Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)  ine Sharing - per Line Activation (DLEC owned Splitter) -  DBSOLETE see **NOTE 2				ULSCS	0.61	30.00 47.44	15.00 19.31	0.00	0.00			20.35 20.35	10.54 10.54	13.32 13.32	13.32
	F   L   C   C	Rearrangement(BST Owned Splitter) ine Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) ine Sharing - per Line Activation (DLEC owned Splitter) - DBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned			ULS		0.61			0.00	0.00						
	F   L   C   C	Rearrangement(BST Owned Splitter)  ine Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)  ine Sharing - per Line Activation (DLEC owned Splitter) -  DBSOLETE see **NOTE 2			ULS	ULSCC	0.61			0.00	0.00						
	F   L   C   C   C	Rearrangement(BST Owned Splitter)  ine Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)  Line Sharing - per Line Activation (DLEC owned Splitter) - DBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, CLEC owned Splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS		0.61			0.00	0.00						
	F   L   C   C   S   N	Rearrangement(BST Owned Splitter)  ine Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)  ine Sharing - per Line Activation (DLEC owned Splitter) - DBSOLETE see **NOTE 2  ine Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  ine Share Service, TRO per line activation, CLEC owned			ULS	ULSCC		47.44	19.31								
	F   L   C   C   S   N	Rearrangement(BST Owned Splitter)  ine Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)  Line Sharing - per Line Activation (DLEC owned Splitter) - DBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, CLEC owned Splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCC		47.44	19.31								

CATEGORY   RATE ELEMENTS   Inter-   March   Sub-control	Exhib	Exhibit: A
CATEGORY   BATE ELEMENTS   Internal   Inte		
CATEGORY   RATE ELEMENTS   Initial Property   Source	- Charge -	arge - Charge -
CATEGORY   RATE ELEMENTS		
Record   Secretaria   Secreta		
Test		
Comparison   Com		
Line Share Service. TRO per line activation, CLEC owned   Line Share Service. TRO per line activation, CLEC owned   Line Share Service. TRO per line activation St created printed   Line Share Service. St Charles Share Service. St Charles Share Sha	DISC ISL	C ISI DISC AUG
Intelligence   Inte		
Spitiar - Central Office Located (70% of LOLAD) - plasses see   U.S.   U.S.CT   8.81   47.44   10.31   0.00   0.00	SOMAN	MAN SOMAN
Spiller - Central Office Located (79% of LICLND) - pleases see   ULS		
Characteristics Characterist		
UNIT   UNIT		
Line Spitting-per line activation DLIC cowned spittler   Line Spitting-per line activation Stromator chybridal   UEPSR UEPSR   URECS   0.61   48.66   21.39   55.06   10.79   20.35   10.5     Line Spitting-per line activation Stromator chybridal   UEPSR UEPSR   URECS   0.61   48.66   21.39   55.06   10.79   20.35   10.5     Line Spitting-per line activation Stromator chybridal   UEPSR UEPSR   URECS   0.61   48.66   21.39   55.06   10.79   20.35   10.5     Line Spitting-per line activation Stromator children ch		
Line Spitting-per line activation BST owned - physical   UEPSR UEPSB   UEBSP   0.61   44.95   21.39   35.06   10.79   20.35   10.5		
Line Spitting - per line activation BST owned - virtual   LEPSR UEPSR   UREBY   0.61   48.96   21.39   35.06   10.79   20.35   10.5		
MAINTENANCE	54 13.32	13.32 13.3
No Trouble Found - per 1/2 hour increments - Desico.   No Trouble Found - per 1/2 hour increments - Overtime   170.00   85.05	54 13.32	13.32 13.3
No Trouble Found - per 1/2 hour increments - Overring   120.00   82.50		
No Trouble Found - per 1/2 hour increments - Premium   160.00   110.00		
UNBONDLED DEDICATED TRANSPORT		
UNBOUNCED DEDICATED TRANSPORT		
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade   DITTX		
Per Mile per month		
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade   U1TVX		
Facility Termination		
Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat.   Park Bey From His Per month   Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat.   U1TVX   U1TR2   18.68   55.39   17.37   27.96   3.51   20.35   21.0		
Rev Bat Per Mile per month   U1TVX   U1TR2   18.58   55.39   17.37   27.96   3.51   20.35   21.0	)9	
Interoffice Channel - Dedicated Transport - SWire VG Rev Bat.		
Facility Termination   U1TTX   U1TR2   18.58   55.39   17.37   27.96   3.51   20.35   21.0		
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade   U1TVX		
Per Mile per month	)9	
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		
Facility Termination		
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month   U1TDX   1L5XX   0.0174		
Der month   Interoffice Channel - Dedicated Transport - 56 kbps - Facility   U1TDX   1L5XX   0.0174     1.	)8	
Interoffice Channel - Dedicated Transport - 56 kbps - Facility   U1TDX		
Termination		
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month   U1TDX   1L5XX   0.0174   U1TDX		
Der month	)9	
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		
Termination		
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		
Month   Microffice Channel - Dedicated Tranport - DS1 - Facility   U1TD1   U1TF1   T7.86   112.40   T6.27   19.55   14.99   20.35   21.0	19	
Interoffice Channel - Dedicated Transport - DS3 - Facility   U1TD1		
Termination		
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		
month   mont	19	
Interoffice Channel - Dedicated Transport - DS3 - Facility   Termination per month   U1TD3   U1TF3   848.99   395.29   176.56   109.04   105.91   36.84   36.81   36		
Termination per month	$\bot$	
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month   U1TS1   1L5XX   2.34	.	
month	i4	-+-
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		
Termination	+	
DARK FIBER     Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   Thereof per month - Interoffice Channel   UDF, UDFCX   1L5DF   28.74	.	
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   UDF, UDFCX   1L5DF   28.74     NRC Dark Fiber - Interoffice Channel   UDF, UDFCX   UDF14   1,121.00   153.19   580.26   357.17   20.35   10.5     20.35   10.5     20.35   20.3	j4	-+-
Thereof per month - Interoffice Channel	$\longrightarrow$	$\longrightarrow$
NRC Dark Fiber - Interoffice Channel		
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction   UDF, UDFCX   1L5DL   58.83   INRC Dark Fiber - Local Loop   UDF, UDFCX   UDFL4   1,121.00   153.19   580.26   357.17   20.35   10.50	10.00	40.00
Thereof per month - Local Loop	54 13.32	13.32 13.3
NRC Dark Fiber - Local Loop UDF, UDFCX UDFL4 1,121.00 153.19 580.26 357.17 20.35 10.5		
	40.00	40.00
	54 13.32	13.32 13.3
SAX ACCESS Ten Digit Screening, Per Call OHD 0.0005192	++	$\longrightarrow$
SXX ACCess 1 en Digit Screening, Per Call OPID 0.0005192 0.0005192 SXX ACCess Ten Digit Screening, Reservation Charge Per 8XX	++	-
Number Reserved OHD N8R1X 5.21 0.76 20.35 20.3	35 13.28	13.28 13.2
Notifiber Reserved  OND NORTX 5.21 0.76 20.35 20.3	0 13.28	13.20 13.2
SAX Access fer Digit Screening, Per 8XA No. Established W/O   POTS Translations   OHD   11.47   1.46   7.34   0.7602   20.35   20.35	35 13.28	13.28 13.2

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge -			Incremental Charge -
							Rec	Nonrecurring		Nonrecurring			·		Rates (\$)		
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	40.00	42.00
-		8XX Access Ten Digit Screening, Customized Area of Service			OHD	INSFIX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.		ļ	OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
-		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		l	OHD	N8FAX		5.97	0.76	1				20.35	20.35	13.28	13.28
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE II	NFORM	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000354										
-	-	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change		<u> </u>	OQU OQT, OQU	NRBPX	0.0117403	49.03						20.35	20.35	13.28	13.28
SIGNA	LING (C			<del>                                     </del>	OQ1, OQU	MINDLY	<u> </u>	49.03		1			<del>                                     </del>	20.33	20.33	13.28	13.∠8
-		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
-	<b>-</b>	CCS7 Signaling Usage, Per ISUP Message			UDB	111177	0.0000373	130.04	130.04					20.55	20.55	10.02	13.32
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment															
CALLI	NC NAM	or Change, per STP IE (CNAM) SERVICE			UDB	CCAPO		121.77	121.77	1				20.35	20.35	13.32	13.32
CALLI	NG IVAIV	CNAM For DB Owners - Service Establishment			OQV	+		43.27						<del> </del>			
		CNAM For Non DB Owners - Service Establishment			OQV			43.27						1			
		CNAM For DB Owners - Service Provisioning With Point Code															
		Establishment		ļ	OQV			1,868.00	1,382.00								
		CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			645.50	432.23								1
		CNAM for DB Owners, Per Query			OQV		0.0010541	045.50	432.23								
		CNAM for Non DB Owners, Per Query			OQV		0.0010541										
		CNAM (Non-Databs Owner), NRC, applies when using the															
CEL EC	TIVE D	Character Based User Interface (CHUI)  DUTING			OQV	CDDCH				1				20.35	20.35	13.28	13.28
SELEC	IIVER	Selective Routing Per Unique Line Class Code Per Request Per				+								<u> </u>			
		Switch						179.60	179.60					20.35	20.35		1
VIRTU	AL COL	LOCATION															
1		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	VE41.0	0.55	44.00	0.00	10.00	0.00			10.00	10.00	10.00	10.00
PHYSI	CAL CO	Splitting LLOCATION		<del>                                     </del>	UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66		-	19.99	19.99	19.99	19.99
	JAL 00	Physical Collocation-2 Wire Cross Connects (Loop) for Line		t		<b>†</b>	1			1			<u> </u>				
		Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SE	LECTIV	E CARRIER ROUTING															
-	-	Regional Service Establishment End Office Establishment		<u> </u>	SRC SRC	SRCEC SRCEO		190,638.00 317.55	317.55	3.19	3.19			20.35 20.35	20.35	13.28	13.28
-		Query NRC, per query			SRC	SRCEU	0.0206047	317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN - E	ELLSO	UTH AIN SMS ACCESS SERVICE			0.10		0.0200011										
		AIN SMS Access Service - Service Establishment, Per State,						l i									
	ļ	Initial Setup		ļ	A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
1		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
<b>—</b>		AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		<del>                                     </del>	A1N	CAM1P		41.75	41.75				<del>                                     </del>	20.35	20.35	13.28	13.28
		AIN SMS Access Service - User Identification Codes - Per User		i –													
		ID Code		<u> </u>	A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<u> </u>		1	0.0024										
	<u> </u>	AIN SMS Access Service - Session, Per Minute		L		1	0.0820123					l	1	L	L	l	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
OATE OODY	DATE EL EMENTO	Interi	<b>-</b>	200				DATEO (6)			Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-		<u> </u>	<u> </u>				Nonrecurring		Nonrecurring	n Disconnect		l	220	Rates (\$)		
		1	<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per						11150	Auu	11130	Addi	COMILO	COMPAR	COMPAN	COMPAN	COMPAR	COMPAN
	Minute					2.27									1 '	1
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1 '	1
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
-	DN, Off-Hook Delay				BAPTD		31.21	31.21			1		20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		DAPTIVI		31.21	31.21			ł		20.33	20.33	13.20	13.20
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	<u> </u>		D/11 10		00.24	00.24					20.00	20.00	10.20	10.20
	DN. CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0054774									L	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access														1 '	1
	Account, Per 100 Kilobytes					1.50									<b></b>	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
-	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service	<u> </u>	<u> </u>	CAIVI	BAPIVIS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			0, 111	D, 11 20	0.1021110	00.20	00.20			İ		20.00	20.00	10.20	10.20
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	XTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will														L	
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinat	ions provisione	ed as ' Current	lly Combined' N	Network Eleme	nts.				<b></b> '	
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS				40.50	100.70	05.47	70.04	40.00			00.05	04.00	<b></b>	
-	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	1 2	UNCVX UNCVX	UEAL2 UEAL2	16.56 21.63	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09	<u> </u>	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86	}	-	20.35	21.09	<del></del>	$\vdash$
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<b>†</b>	-	011017	ULALL	20.20	100.70	35.47	12.54	10.80	<del>                                     </del>		20.33	21.09		$\vdash$
	per month			UNC1X	1L5XX	0.3562									1 '	[
	Interoffice Transport - Dedicated - DS1 combination - Facility	i –	<b>1</b>			0.0002					1		İ	İ		
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	1 '	[ ]
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
															1	1 7
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	<b></b> '	
	Each Additional 2 Wire VC Loop (CL 2) in Combination 7 and 2	1	2	LINCV	LIEALO	04.00	400.70	25.47	70.04	40.00			00.05	04.00	1 '	[
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	1	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86	ļ	-	20.35	21.09	<b> </b>	$\vdash$
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	1 '	[
	Voice Grade COCI - Per Month	<del>                                     </del>	3	UNCVX	1D1VG	0.91	5.70	4.42	12.94	10.86	<b>+</b>		20.35	21.09		<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	014007	15170	0.91	5.70	7.42	1			<del>                                     </del>				
	Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	1 '	1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER			İ					1					
											İ		1	1		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	<u> </u>	
1 1		1	1 .												1 '	[
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	L		20.35	21.09	<u> </u>	

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												1	Submitted		Charge -	Charge -	Charge -
			to to a									Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m						== (+)			per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562										ĺ
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ĺ
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	0.01	2						
		Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10171	1.5.110	0.01	00	2			<b>†</b>					
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLIVET	24.70	100.70	00.41	12.04	10.00	<b>†</b>		20.00	21.00		
l		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		1
	t	Additional 4-Wire Analog Voice Grade Loop in same DS1			J. 1.5 V/	JE/ILT	52.20	100.70	00.47	72.34	10.00	t	<u> </u>	20.00	21.00		<b>—</b>
l		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		1
<b>-</b>	<del>                                     </del>	Additional Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.91	5.70	4.42		10.00	1		20.00	21.00		<del></del>
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.31	3.70	7.72								
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED I	OS1 IN				32.73	24.02	3.12	3.12			20.55	21.03		
-	LATEN	DED 4-WIKE 30 KBI 3 EXTENDED DIGITAL EGGI WITH DEDK	JAILD I	501 IIV	TEROTTIOE TRAIN	J OK I											<del> </del>
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		1 1131 4-Wile Soltops Digital Grade Loop III Combination - Zone 1			ONODA	ODLOG	31.10	100.70	33.47	12.34	10.00			20.55	21.03		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		I list 4-Wile Sorops Digital Grade Loop in Combination - Zone 2			UNCDA	ODLSO	40.01	100.70	33.47	12.34	10.00			20.33	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		- 5	ONODA	ODLSO	33.11	100.70	33.47	12.34	10.00			20.55	21.03		
		Per Month			UNC1X	1L5XX	0.3562										ĺ
		Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIX	ILSAA	0.3302										
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-	-	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	<b>-</b>	-	20.33	21.09		<b>├</b>
<u> </u>	-	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	3.04	2.74	-					
-	-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	טטוטו	0.91	5.70	4.42	ļ		<b>-</b>	-	-	-		<del></del>
		Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
-	-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	UDLS6	31.10	100.76	33.47	12.94	10.00	<b>-</b>	-	20.33	21.09		<del></del>
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
-	-				UNCDX	UDLOO	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	LINODY	LIDI 50	50.44	400.70	05.47	70.04	40.00			00.05	04.00		
	-	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - in combination per month (2.4-			LINODY	4D4DD	0.04	5.70	4.40								
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								<b></b>
		Nonrecurring Currently Combined Network Elements Switch -As-			11041/	1111000		50.70	04.00	0.40	0.40			00.05	04.00		
	EVTEN	Is Charge	A TED 1	204 111	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXIEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	או דפע	TERUFFICE TRANS	SPUKI				1		-	-	<del>                                     </del>	<del>                                     </del>	-	<del></del>
		First 4 Wiss CAI/Less District Const. Less 1: Const. Less 1: Const.		_	LINCDY	LIDI 64	04.40	400 70	05.47	70.01	10.00			00.05	04.00		1
	<b>!</b>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	-		20.35	21.09	<b> </b>	<b>├</b>
1	1										40		1			1	1
	<b>!</b>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	-		20.35	21.09	<b> </b>	<b>├</b>
l		First A Miles Only as Birthal Oracle Leave to Occale at the			LINODY	LIBLOA	F0	400 =0	05 1-	70.01	40.00			00.00	04.00		1
<u> </u>	<b>!</b>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	-		20.35	21.09	<b> </b>	<b>├</b>
l		Interoffice Transport - Dedicated - DS1 combination - Per Mile			111041/	41.500								1			1
	<u> </u>	Per Month			UNC1X	1L5XX	0.3562							-	<b>_</b>		<b>├</b>
l		interoffice Transport - Dedicated - DS1 combination - Facility				l											1
<u> </u>	<b>!</b>	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	-		20.35	21.09	<b> </b>	<b>├</b>
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	ļ					<del></del>
	ļ	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42					<b>.</b>	<b>.</b>		<b></b>
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1								1			1
	ļ	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		<b></b>
1	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				luni s							1				1
<u> </u>		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	ļ		20.35	21.09		<b>└</b>
	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									40		1			1	1
L	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1		20.35	21.09	l	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		I									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc ist	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month															'
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	LIATE4	77.00	474.01	440.40	70.0-	00.00			00.0-	04.00		1
	Termination Per Month	<b>!</b>		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	<del>                                     </del>	-	20.35	21.09	-	<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINCOO		50.70	04.00	0.40	0.40			20.25	04.00		1
FVTE	Is Charge IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DOG	INITES	UNC1X	UNCCC		52.73	24.62	9.12	9.12	1		20.35	21.09	-	<del></del>
EXIEN		ED D93		UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	-		20.35	21.09		-
	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2	1		UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88	1		20.35	21.09		
<del>                                     </del>	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		<del> </del>
<del>                                     </del>	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	ONOTA	OOLAA	30.33	220.40	101.74	73.07	24.00			20.55	21.03		<del> </del>
	Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			ONOON	120701	2.04					1					
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			00.01	00.01		
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -													Î		
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86		-				<b>—</b>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1		UNCVX	1L5XX	0.0174										1
	Interoffice Transport - 2-wire VG - Dedicated - Facility	<del>                                     </del>	-	DINOVA	ILUAA	0.0174					<del>                                     </del>	<b>-</b>				<del>                                     </del>
	Termination per month	1		UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		1
	Nonrecurring Currently Combined Network Elements Switch -As-			S.13 V.	311172	21.75	7 0.00	00	00.02	31.00			20.00	21.03		<b>—</b>
	Is Charge	1		UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	INTE				520	252	J2	0.12			20.00	255		
	4-WireVG Loop in combination - Zone 1	1		UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86		1	l	İ	l	
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86				1		
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															1
	Month			UNCVX	1L5XX	0.0174										1
	Interoffice Transport - 4-wire VG - Dedicated - Facility			-									l		I	1
	Termination per month	ļ		UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1			1											1
	Is Charge	<u> </u>		UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		<b></b>
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		41.55:-											<del>                                     </del>
	DS3 Local Loop in combination - per mile per month	<b>.</b>		UNC3X	1L5ND	9.19							<b> </b>	<b>!</b>	-	<del>                                     </del>
	DC2 Local Loop in combination Facility Terrain stice	1		LINICOV	LIESDY	070 47	040.00	400.07	400.70	45.04						1
$\vdash$	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month	<del>                                     </del>	<del>                                     </del>	UNC3X UNC3X	UE3PX 1L5XX	373.47 2.34	240.23	180.87	106.78	45.24		-	<b> </b>	<del> </del>	<b> </b>	<del>                                     </del>
	Interestine Transport - Dedicated - DOS - Fel Iville pel Month	1	<u> </u>	01100/	ILUM	2.34					1	<u> </u>	L	<u> </u>	L	

UNBU	NDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
31400	HULL	D NET WORK LELWICHTO - Tellifessee	l			1	I					Svc Order	Svc Order	Incremental			
												1	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-	-		ļ		Managaranin a		Nonrecurring	- Diaaaaaaa			220	D-4 (A)		
							Rec	Nonrecurring							Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
		Nonrecurring Currently Combined Network Elements Switch -As-	i														
		Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.34										
		Interoffice Transport - Dedicated - STS-1 combination - Facility												1	1		ĺ
	1	Termination per month	1	1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		1	36.84	36.84		l
		Nonrecurring Currently Combined Network Elements Switch -As-	i –	l –		1 5	0.0.00	102.01	.00.01	5 70	33.10	1		33.54	33.54		i e
	1	Is Charge	1	1	UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	36.84	36.84		l
<b>-</b>	EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANG	SPORT		5,1000		02.73	27.02	0.12	5.12	1		00.04	55.04		<b> </b>
	LAILN	First 2-Wire ISDN Loop in Combination - Zone 1	INAN	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in Combination - Zone 3	-		UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86	1	-	20.35	21.09		
				3	UNCNA	UILZA	37.93	100.76	33.47	12.94	10.00			20.33	21.09		
		Interoffice Transport - Dedicated - DS1 combination - per mile															
-		per month			UNC1X	1L5XX	0.3562					ļ					
		Interoffice Transport - Dedicated - DS1 combination - Facility				l											
		Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month			UNCNX	UC1CA	3.24	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	-1 INTE							****	1					
	-XIL.	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	1		20.35	21.09		
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74		24.88			20.35	21.09		
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	1		20.35	21.09		<b> </b>
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1	J	CHOIN	JOLAA	90.39	220.40	101.74	19.01	24.00	<del>                                     </del>	<b>-</b>	20.35	21.09		<del> </del>
	1	Per Month	1	1	UNCSX	1L5XX	2.34						1	I			l
<b>—</b>	<b>-</b>		<del>                                     </del>	<del>                                     </del>	UNUOA	1LUAA	2.34	+		+		<del>                                     </del>	-	<del>                                     </del>	}		<del>                                     </del>
	1	Interoffice Transport - Dedicated - STS-1 combination - Facility	1	1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		1	36.84	36.84		l
<b></b>	<b>—</b>	Termination per month  3/1 Channel System in combination per month	<b>!</b>	<del>                                     </del>	UNCSX	MQ3	222.98	482.01 156.02	49.41	17.12	35.43 6.77	<del>                                     </del>	<b>-</b>	30.84	30.84		
<b>——</b>			<del>                                     </del>	-		UC1D1					0.77	1	-	<del>                                     </del>	1		<del>                                     </del>
<u> </u>		DS1 COCI in combination per month	<b>.</b>	-	UNC1X	UCIDI	17.58	5.70	4.42	1		1		-	1		-
		Additional DS1Loop in the same STS-1 Interoffice Transport	l	Ι.													
		Combination - Zone 1	ļ	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	<b></b>		20.35	21.09		
1	1	Additional DS1Loop in the same STS-1 Interoffice Transport	1	1	l								1	I			l
L		Combination - Zone 2	ļ	2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88	ļ		20.35	21.09		ļ
		Additional DS1Loop in the same STS-1 Interoffice Transport	l	1										1			
		Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
		DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-					l										
1	1	Is Charge	1	1	UNCSX	UNCCC		52.73	24.62	9.12	9.12		1	36.84	36.84		l
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF	ICE TRANSPORT			İ									
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						ĺ
		4-wire 56 kbps Local Loop in combination - Zone 3	i		UNCDX	UDL56	53.11	108.76	35.47		10.86						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	i	Ť		1	1			1 = 131		1	İ	1	İ		İ
1	1	Per Mile per month	1	1	UNCDX	1L5XX	0.0174						1	I			l
ь		I. ss por monu.	<b>!</b>		12.102.1	1.20.00	0.0174					L		L			1

UNBUI	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
O.T.DO.	1022		1									Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			t				_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			t				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
,	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT	EROFF	ICE TRANSPORT												1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	t														<b>†</b>
		Per Mile per month			UNCDX	1L5XX	0.0174										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	i –				† †		† †		1	1	İ	İ	İ	1
		Facility Termination per month	1	1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00	1	1	20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-		i –				1		1	230	1	1			İ	<u> </u>
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
l l	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w				-									
H		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	i	1
		First 2-wire VG Loop (SL2) in Combination - Zone 2	t		UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		<b>†</b>
		First 2-wire VG Loop (SL2) in Combination - Zone 3	t		UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		<b>†</b>
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť		-											
		Mile			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 combination -			0.10.1%	120701	0.0002										
		Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
<del>- +</del>		Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.91	5.70	4.42	0.01							
<del>- +</del>		3/1 Channel System in combination per month	1		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
<del>- +</del>		Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77			00.04	00.04		
<del>- +</del>		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		ONOTA	00101	17.00	0.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
+		Each Additional 2-Wire VG Loop(SL2) in the same DS1		i i	ONOVA	OLITICAL	10.00	100.70	00.41	72.04	10.00			20.00	21.00		+
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
+		Each Additional 2-Wire VG Loop(SL2) in the same DS1			ONOVA	ULALZ	21.00	100.70	33.47	12.54	10.00			20.55	21.03		+
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$		Each Additional Voice Grade COCI in combination - per month	<u> </u>		UNCVX	1D1VG	0.91	5.70	4.42	12.54	10.00			20.55	21.03		+
$\vdash$		Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOVA	10110	0.01	0.70	7.72								+
		Channel System per month			UNC1X	1L5XX	0.3562										
$\vdash$		Each Additional DS1 Interoffice Channel Facility Termination in	<u> </u>	-	ONOTA	TESAX	0.5502										+
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
<b></b>		Each Additional DS1 COCI combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42	70.07	00.00			20.00	21.00		
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	-	ONOTA	COIDI	17.00	0.70	7.72								+
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTFN	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	CF TR				02.70	24.02	0.12	0.12			20.00	21.00		+
H	LX I LIV	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	<u> </u>	AITOI OITI W O/ I W	Ť									1		<del></del>
		Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$		First 4-Wire Analog Voice Grade Local Loop in Combination -	<del>                                     </del>	<del>-</del>		J = 1 = 1	27.70	100.70	00.41	72.04	10.00		<b>-</b>	20.00	21.00		<del>                                     </del>
		Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1	1	20.35	21.09		
$\vdash$		First 4-Wire Analog Voice Grade Local Loop in Combination -	l -	<del>-</del> -		J , T	02.20	100.70	55.41	72.04	10.00			20.00	21.00	<b>i</b>	<del>                                     </del>
		Zone 3	1	3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	1	1	20.35	21.09		
$\vdash$		First Interoffice Transport - Dedicated - DS1 combination - Per	<u> </u>	Ť			.2.10	.55.76	30.47	. 2.04		1		20.00	200	1	
		Mile Per Month	1	1	UNC1X	1L5XX	0.3562					1	1		I		
$\vdash$		First Interoffice Transport - Dedicated - DS1 - Facility	l -	<b>t</b>		1	3.0002							<b>i</b>	t	<b>i</b>	<del>                                     </del>
		Termination Per Month		l	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
$\vdash$		Per each 1/0 Channel System in combination Per Month	†		UNC1X	MQ1	80.77	105.76	14.48		2.74			20.00	250	i	1
$\vdash$		Per each Voice Grade COCI in combination - per month	l -	<b>t</b>	UNCVX	1D1VG	0.91	5.70	4.42	0.04	2.77			<b>i</b>	t	<b>i</b>	<del>                                     </del>
$\vdash$		3/1 Channel System in combination per month	l -	<b>t</b>	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84	<b>i</b>	<del>                                     </del>
$\vdash$		Per each DS1 COCI in combination per month	†		UNC1X	UC1D1	17.58	5.70	4.42						1	i	1
$\vdash$		Additional 4-Wire Analog Voice Grade Loop in same DS1	†			1	50	50	/2					i	1	i	1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		1
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1	l		1						İ	İ	1		Ì	1
		Additional 4-Wife Arialog Voice Grade Loop in Same DS i															

IINRI	INDI E	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONDO	INDLL		ı .	1			I					Svc Order	Svc Order	Incremental	Incremental		
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
-		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	70.07	30.90	-		20.35	21.09		
-	-	Nonrecurring Currently Combined Network Elements Switch -As-			ONCVA	IDIVG	0.91	5.70	4.42								
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	FXTFN	IDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				02.70	24.02	0.12	0.12	<b>†</b>		20.00	21.00		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1													t
		Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	ĺ														
	<u></u>	Zone 2	<u></u>	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 - combination															
		Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	-	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		-	UNCDX UNC3X	1D1DD MQ3	0.91 222.98	5.70	4.42 49.41	47.40	6.77			36.84	36.84		-
-		3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	156.02 5.70	49.41	17.12	6.77		-	36.84	36.84		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		-	ONCIA	OCIDI	17.36	3.70	4.42			1					1
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	ONODA	ODLOG	01.10	100.70	00.47	72.04	10.00	1		20.00	21.00		1
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							-								t
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system			LINIOAY	HOADA	47.50	5.70	4.40								
-	₩	combination per month  Nonrecurring Currently Combined Network Elements Switch -As-	-	<u> </u>	UNC1X	UC1D1	17.58	5.70	4.42			1			<del>                                     </del>		-
	1	Is Charge	1	1	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
-	FYTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				52.73	24.02	9.12	9.12			20.35	∠1.09		<del>                                     </del>
<b>—</b>	CATEN	First 4-Wire 64 Kbps Digital Grade Loop in a DS1 Interoffice			TRANSPORT W/ 3/1	1						<b>-</b>			<b> </b>		<del>                                     </del>
	1	Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		I
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		Ė			20										1
	1	Transport Combination - Zone 2	1	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		I
	i –	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	İ														
	<u> </u>	Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.3562										
1	1	First Interoffice Transport - Dedicated - DS1 combination -	1														_
	ļ	Facility Termination Per Month	ļ		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	<u> </u>	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						-
		Per each OCU-DP COCI (data) in combination - per month (2.4-	1		LINCDY	10100	0.01	5.70	4.40								1
-	₩	64kbs)	-	<u> </u>	UNCDX	1D1DD	0.91		4.42	47.40	C 77	1		20.01	20.04		-
-	╂	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-	-	UNC3X UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77			36.84	36.84	-	<del>                                     </del>
<b></b>	<del>                                     </del>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<del>                                     </del>	<del>                                     </del>	ONCIA	OCIDI	17.58	5.70	4.42				-		<del> </del>		<del>                                     </del>
1	1	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		I
		Interession transport Combination - Zone 1	L		011007	JULUH	31.10	100.76	33.47	12.34	10.00	1	1	20.33	21.09	l	1

UNBUN	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						=-									
-		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
$\vdash$		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDA	UDL04	55.11	100.70	33.47	72.94	10.00	-		20.33	21.09		
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	10100	0.91	3.70	4.42								
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	120701	0.0002					1					
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E	EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													
		Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_				=-									
$\vdash$		Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.3562										
-		First Interoffice Transport - Dedicated - DS1 combination -		-	UNCIX	ILSAA	0.3362			-		-					
		Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	<b>-</b>		20.55	21.03		
		To out that the cyclem from combination per month			0.1017		00	100.10		0.01	2						
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			UNCNX	UC1CA	3.24	5.70	4.42								
$\vdash$		system combination- per month  Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCINX	UCTCA	3.24	5.70	4.42	-							
		Channel System per month			UNC1X	1L5XX	0.3562										
$\vdash$		Each Additional DS1 Interoffice Channel Facility Termination in	<b>-</b>		011017	ILUAA	0.3302			t		<b>-</b>	<b>-</b>				
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system			- +		50		110.72		55.50			20.00	200		
		combination per month			UNC1X	UC1D1	17.58	5.70	4.42	I			1				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u></u>	<u></u>	20.35	21.09		
	EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT												_	
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
		First Interoffice Transport - Dedicated - DS1 combination - Per								I			1				
$\vdash$		Mile Per Month			UNC1X	1L5XX	0.3562			-		-					
1 1		First Interoffice Transport - Dedicated - DS1 combination -			LINGAY	LIATEA	77.00	474.04	440.40	70.07	20.00		1	20.05	24.00		
$\vdash$		Facility Termination Per Month			UNC1X	U1TF1 MQ3	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
$\vdash$		3/1 Channel System in combination per month Per each DS1 COCI combination per month	-	-	UNC3X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77	1		36.84	36.84		
$\vdash$		Each Additional DS1 Interoffice Channel per mile in same 3/1	-	-	UNC1X	OCTOT	17.58	5.70	4.42	+							
		Channel System per month			UNC1X	1L5XX	0.3562			I			1				
-		Onamio System per month	I		011017	ILUAA	0.0002			1		1			l		l

UNBUNDL	ED NETWORK ELEMENTS - Tennessee			•							1			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in				l											
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	ļ		20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO			L											
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						<del> </del>
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DSO IN	NTERO	FFICE		011000		02.70	24.02	0.12	0.12	1		20.00	21.00		
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	İ					
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6		79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-					21.19										
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	NETWORK ELEMENTS						l									ļ
	n used as a part of a currently combined facility, the non-recurrent used as ordinarily combined network elements in All States, the							-			<b>.</b>					-
	ecurring Currently Combined Network Elements "Switch As Is"					As is charge	does not.	1			1					1
, itoiii	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG	onarge	Cinc	UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-															
_	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		<del>                                     </del>
	Is Charge - DS1  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		52.73	24.62	9.12	9.12	1		53.73	24.62		-
	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Optio	nal Features & Functions:									•						
	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		01	01	01	01						
	Clear Channel Capability Super FrameOption - per DS1	i		U1TD1, ULDD1,UNC1X	CCOSF		Ol	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	<u>-</u> -		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.16S	23.85\$	2.03\$	0.79S			45.68	1.76		
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	OS			45.68	1.76		
MUL	TIPLEXERS		<u> </u>	LINCAV	MQ1	80.77	105.70	14.48	3.04	2.74	ļ		20.35	0.00	-	ļ
	DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	IVIQI	80.77	105.76	14.48	3.04	2.74	1		20.35	9.80	-	<del>                                     </del>
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80		

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	001	DATE EL EMENTO	Interi	<b>-</b>	D00				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)	•	•
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
-		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			OTTOD	10100	1.02	0.07	4.00								
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
-		Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVG	0.91	0.07	4.00								
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
-		STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX	MQ3 UC1D1	222.98 17.58	156.02 6.07	49.41 4.66	17.12	6.77			20.35	9.80		
-		DS1 COCI used for connection to a channelized DS1 Local			USL	OCIDI	17.56	0.07	4.00								
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
LINIDIIN	IDI ED I	month OCAL EXCHANGE SWITCHING(PORTS)			ULDD1	UC1D1	17.58	6.07	4.66								
ONDON		age Ports				-											
		Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	s will need to b	e ordered usir	ng retail USOCs	5								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-		Exchange Forts - 2-wire Arialog Line Fort with Galler ID - Nes.			OLI OK	OLI IXO	1.03	9.95	3.13	3.00	2.02			20.55	10.54	10.02	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
-		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			02. 0.1	02.7	1.00	0.00	00	0.00	2.02			20.00	10.01	.0.02	
		port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (TACER)  Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			OLI OR	OLI 74VI	1.00	0.50	0.10	0.00	2.02			20.00	10.04	10.02	1.40
		port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan				02.71	1.55	5.55	5.15	3.30	2.32			20.00	10.04	10.02	170
		without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Area Plus			LIEDOD	LIEDOS	4.00	2.22	0.40	0.00	0.00			00.0=	10.51	10.00	
<u> </u>	-	without Caller ID  2-Wire voice unbundled Low Usage Line Port without Caller ID	-	-	UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92		-	20.35	10.54	13.32	1.40
		Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU				UEDOD.										40 -	10	
	2-WIDE	All Available Vertical Features  VOICE GRADE LINE PORT RATES (BUS)		-	UEPSR	UEPVF	0.00	0.00	0.00			1	1	20.35	10.54	13.32	1.40
	Z-441KE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		<del>                                     </del>		+						<b>†</b>	<del>                                     </del>				
		Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	•					-							•				

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
					+		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		l .
<b>—</b>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Line Port with				1		1 0.	71441		71001	0020	00	00	00	00	00
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	ļ				20.35	10.54	13.32	1.40
FEAT	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (DID & PBX)			OLI OD	OLI VI	0.00	0.00	0.00					20.55	10.54	10.02	1.40
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP UEPSP	UEPP1 UEPLD	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	-		20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	2-Wire Analog Tong Distance Terminal PBX Trunk - Bus  2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPLD UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
-	Calling Port  2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP UEPSP	UEPTO UEPXA	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40 1.40
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

LINDI	INDIE	D NETWORK ELEMENTO, Tours															
UNB	UNDLE	D NETWORK ELEMENTS - Tennessee					1					In			ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	I
CATE	GORT	RATE ELEMENTS	m	Zone	BUS	0300			KATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	T					+		Nonrecurring		Nonrecurring	Disconnect	<b>†</b>	1	OSS	Rates (\$)		
	+			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ				1	1	11130	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	1	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00			i e		20.35	10.54	13.32	1.40
	FEATU			<b>†</b>								İ					
	1	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00			İ		20.35	10.54	13.32	1.40
	EXCH/	NGE PORT RATES (COIN)						0.00				İ					
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92	İ		20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage	will also apply to c	ircuit switch						iated with 2	wire ISDN ı				
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)			1							I	1	1	1		
	EXCH/	INGE PORT RATES															
	The DS	61 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	s rate exhibit apply t	o the embed	ded base in pla	ace as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												T			
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97		47.01	9.21	8.47			20.35	10.54	13.32	1.40
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00					Î			
	1	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switch	ed voice and/or	circuit switch	ed data transm	nission by B-Ch	annels assoc	iated with 2	wire ISDN	oorts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New	Business Re	equest Process	. Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	de Request/	New Busines	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911												ĺ			
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						1
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															1
		State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in				l											1
	+	E911 profile [New or Additional]		-	UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															1
		Telephone Numbers - Inward Data Only Option [New or				l											1
	+	Additional]		-	UEPDX	UEP1E	0.00	0.94						20.35	10.54		
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			HEDEV	DDZZT	0.00	44.74	44.70					00.05	40.54		1
-	1.0041	Inward Tel Numbers [Customer Testing Purposes]	-	-	UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
	LOCAL	NUMBER PORTABILITY		-	HEDEY HEDDY	LNDON	4.75							00.05	40.54		
<u> </u>	INTEG	Local Number Portability (1 per port)	-	-	UEPEX UEPDX	LNPCN	1.75					<b>}</b>	-	20.35	10.54		$\vdash$
-	INTER	FACE (Provsioning Only)	-	-	LIEDEY	DDZ417	0.00	0.00	2.00			<b>}</b>	-	20.05	10.51		$\vdash$
<u> </u>	+	Voice/Data	-	-	UEPEX	PR71V	0.00	0.00	0.00			1		20.35	10.54 10.54		
<u> </u>	+	Digital Data Inward Data	-	-	UEPEX UEPDX	PR71D PR71E	0.00		0.00			1		20.35 20.35	10.54		
<b></b>	Now -	Inward Data Additional Channel	-	-	UEPDA	PR/TE	0.00	0.00	0.00			<b>}</b>	-	20.35	10.54		1
-	ivew of			-	LIEDEV	DDZD\/	0.00	00.00				-		20.35	40.54		$\vdash$
-	+	New or Additional - Voice/Data "B" Channel		-	UEPEX	PR7BV PR7BF	0.00	28.39 29.11				-		20.35	10.54 10.54		$\vdash$
<u> </u>	+	New or Additional - Digital Data "B" Channel  New or Additional Inward Data "B" Channel	-	-	UEPEX UEPDX	PR7BD	0.00	29.11				1		20.35	10.54		
<u> </u>	+	New or Additional Inward Data "B" Channel  New or Additional Useage Sensitive Voice Data "B" Channel	-	-	UEPDX	PR7BD PR7BS	0.00	29.39				1		20.35	10.54		
-	+			-	UEPEX	PR7BU	0.00	29.39				-					$\vdash$
	1	New or Additional Useage Sensitive Digital Data "B" Channel	ı	I	UEPEX	FK/BU	0.00	∠9.39	1	1		1	I	20.35	10.54	1	1

IINRI	INDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONBC	MULL		I		I		1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	29.39						20.35	10.54		
	CALL				HEREY HERRY	DD=0.4											
-	-	Inward	-	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00				1				
-	-	Outward Two-way	-	-	UEPEX UEPEX	PR7CO PR7CC	0.00	0.00	0.00				<b>.</b>				
-	LINDIII	ITWO-WAY  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,		UEPEX	PR/CC	0.00	0.00	0.00			1	1				
		IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				+						<b>-</b>	<b>†</b>				
	ONEDO	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92		i e	20.35	10.54	13.32	1.40
		gg								0.00			†				
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-R	ecurring															
1	1	Unbundled Remote Call Forwarding Service - Conversion -	1		l										1		[
<u> </u>	<u> </u>	Switch-as-is			UEPVR	USAC2	1	1.03	0.29			1		20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with															
	LINIDIII	allowed change (PIC and LPIC)	-	-	UEPVR	USACC		1.03	0.29				1				
	UNBUI	IDLED REMOTE CALL FORWARDING - Bus	-	-		-							1				
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-		Oriburided Remote Call Folwarding Service, Area Calling - Bus		-	OLF VB	ULKAC	1.09	9.93	5.15	3.00	2.52	1	<u> </u>	20.33	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92		İ	20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92		†	20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with															
LINIDLIA	IDI ED I	allowed change (PIC and LPIC)  OCAL SWITCHING, PORT USAGE	-	-	UEPVB	USACC		1.03	0.29				1				
UNBUI		fice Switching (Port Usage)	-	-		+							<b> </b>				
-	Liiu Oi	End Office Switching Function, Per MOU				+	0.0008041						1				
	Tande	n Switching (Port Usage) (Local or Access Tandem)				+	0.0000041						<b>+</b>				
		Tandem Switching Function Per MOU					0.0009778						İ				
		Tandem Switching Function Per MOU (Melded)				1	0.000380364						İ				
		Melded Factor: 38.90% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000064										
	<u> </u>	Common Transport - Facilities Termination Per MOU	<b></b>				0.0003871								ļ		
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	L., _	<u> </u>	L.,	<u> </u>	<u> </u>						ļ				
		ased Rates are applied where BellSouth is required by FCC an								d Dant	of this Barrier						
-		es shall apply to the Unbundled Port/Loop Combination - Cos											n Dort#	Combinet	<u> </u>		<del>                                     </del>
<b>-</b>		fice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr														-	-
<b>-</b>		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	J.IIDIII	Su Combos. For Cur	Tentily Collib	inea Combos t		y citatyes Sild	i se tilose idei	ianeu iii ale N	- Contecuning	- Currently	Combined St			
		ort/Loop Combination Rates	<b>†</b>			1	1								1		
	1	2-Wire VG Loop/Port Combo - Zone 1		1			14.18								İ		
	1	2-Wire VG Loop/Port Combo - Zone 2	1	2			18.01	1						l	İ	l	İ
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	12.48										
	1	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
<u> </u>	2-Wire	Voice Grade Line Port Rates (Res)	<b>!</b>	-	LIEDDY	LIEDDI	4.70	20.11	45.05	0.45	2.01		45.00	<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	+	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	+	-	UEPRX UEPRX	UEPRL	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	-	15.69 15.69			-	
-	<del>                                     </del>	2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res	<del>                                     </del>	-	UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91	-	15.69				
		12 TYTE VOICE UTBUTUIEU POIL OULGOING OTHY - 165			OLI IVA	JEI NO	1.70	22.14	13.23	0.40	3.31	1	15.09		1	L	

UNBUN	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				-			Rec	Nonrecurring		Nonrecurring		201150	0011411		Rates (\$)	0014411	
		2-Wire voice Grade unbundled Tennessee extended local				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				ĺ
		2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)      2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
		2-wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Tennessee Residence Dialing Plan			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
		without Caller ID  2-Wire voice unbundled Tennessee Area Plus Port without			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
		Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	EATU	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
	EAIU	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00	-			15.69	-			<del></del>
L	OCAL	NUMBER PORTABILITY			OLI TOX	OLI VI	0.00	0.00	0.00				10.00				<del>                                     </del>
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
A	DDITI	ONAL NRCs		-													
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPRX	USAS2	0.00	0.00	0.00				15.69				
		Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
О	FF/OI	PREMISES EXTENSION CHANNELS							0.00								
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
$\vdash \vdash$		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
$\vdash$		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Design		3	UEPRX UEPRX	UEAEN UEAED	22.53 16.56	31.99 75.06	20.02 48.20	10.65 28.70	1.41 17.64		<del>                                     </del>	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
$\vdash$		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64		<del>                                     </del>	20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20		17.64		l	20.35	10.54	13.32	13.32
IN	TER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
U	NE Po	ort/Loop Combination Rates		1		1	44.40			1				<del> </del>			<del></del>
$\vdash$		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		+	14.18 18.01	<del>                                     </del>		1		-	1	<del>                                     </del>		-	<del></del>
$\vdash$		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		1	23.02	<del>                                     </del>		1			<del>                                     </del>	<del>                                     </del>			<del>                                     </del>
U		op Rates		5		1	20.02										
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
							Nonrecurring		Nonrecurring	Disconnect			220	Rates (\$)		
			$\vdash$		_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	Voice Grade Line Port (Bus)						11130	Addi	11130	Addi	JOHILO	JOHAN	JONIAN	JOWAN	JONIAN	JOINAIN
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice Grade unbundled Tennessee extended local					. =0										
	dialing parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX UEPBX	UEPAV UEPB1	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				
<del> </del>	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEPBA	UEPBI	1.70	22.14	15.25	0.45	3.91		13.09				
	Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			HEDDY	LIEDAE											, [
$\vdash$	Memphis Local Calling Port (B2F)  2-Wire Voice Unbundled Tennessee Business Dialing Plan	-	$\vdash$	UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91	-	15.69				
	without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan			OLI DX	OLI WO	1.70	22.17	10.20	0.40	0.01		10.00				
	(BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee 2-Way Collierville and Memphis Local Calling Plan															
	(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID			HEDDY	LIEDDE	4.70	00.44	45.05	0.45	0.04		45.00				
LOCA	Capability L NUMBER PORTABILITY			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				02. 5%	2.1. 07.	0.00										
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	-		UEPBX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	OOACC		1.03	0.23				13.03				
	Subsequent Database Update						0.76					15.69				
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	-		UEPBX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/C	ON PREMISES EXTENSION CHANNELS			OLI DX	OKETE		0.33	0.03					20.55	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design	-	2	UEPBX UEPBX	UEAED UEAED	16.56 21.63	75.06 75.06	48.20 48.20	28.70 28.70	17.64 17.64			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTER	OFFICE TRANSPORT			OLI DX	OLALD	20.20	73.00	40.20	20.70	17.04			20.55	10.54	13.32	13.32
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0.14/15	or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00	1							
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) Port/Loop Combination Rates	-	$\vdash$		+							-				
ONE P	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31			1							
2-Wire	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (RES - PBX)	<del>                                     </del>	3	UEPRG	UEPLX	21.32			1		-	-				
Z-44116	TOIGE GIAGE LINE I OIT NAISS (NES - FBA)	l .	ш		1	<u> </u>			1		I.					

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	1.70	00.44	15.25	8.45	2.04		15.69				
LOCAL	INUMBER PORTABILITY			UEFRG	UEPRD	1.70	22.14	15.25	0.45	3.91		13.09				
200712	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEATU																
NONE	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
NONRI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1					0.76					45.00				
ADDIT	Subsequent Database Update  ONAL NRCs	-	1				0.76		+			15.69				
ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								1			<u> </u>				
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
$\vdash$	Group						14.64	14.64				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/O	N PREMISES EXTENSION CHANNELS			CELLICO	OKETE		0.00	0.00					20.00	10.04	10.02	10.02
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTER	Non-Wire Direct Serve Channel Voice Grade OFFICE TRANSPORT		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLFRG	01172	10.30	33.39	17.57	27.90	3.31						
	or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates		_			1110										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			14.18 18.01										
	2-Wire VG Loop/Port Combo - Zone 2		3			23.02										
UNE L	pop Rates		Ť			20.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
2 Wire	2-Wire Voice Grade Loop (SL 1) - Zone 3  Voice Grade Line Port Rates (BUS - PBX)		3	UEPPX	UEPLX	21.32										
2-44116	Voice Grade Line Fort Rates (BO3 - FBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports     2-Wire Voice Unbundled 2-Way Combination PBX Tennessee		-	UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
	Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDDY	LIEDTO	4 70	00.4.	45.00	0.7-	0.01		45.00				
	Calling Port  2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPPX UEPPX	UEPTO UEPXA	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	LIEDVE	4.70	00.44	45.05	0.45	2.24		45.00				
<del>                                     </del>	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	1	_	Charge -	Charge -	Charge -
CATECODY	DATE ELEMENTS	Interi	7	DOC	USOC			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	g Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	ļ	ļ	UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
$\vdash$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	-	UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	1	1	UEPPA	UEFAU	1.70	22.14	15.25	0.45	3.91	ł	15.69				
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo Each Additional Trunk			02.17	02.70	0		.0.20	00	0.01		10.00				
	Collierville and Memphis Local Calling Plan	1		UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo First Trunk Collierville and															
	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FEAT	TURES			LIEBBY/								4= 00				
NONE	All Features Offered	1	1	UEPPX	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<del>                                     </del>		+				-			-				
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	OLITA	OOAOZ		1.05	0.23	1			13.03				
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
$\vdash$	Subsequent Activity	ļ	-	UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						14.64	14.64				15.69				
-	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1		+		14.04	14.04			ł	13.09				
	Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/	ON PREMISES EXTENSION CHANNELS	<u> </u>		02.17	ONLINE		0.00	0.00			İ		20.00	10.01	10.02	10.02
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTER	ROFFICE TRANSPORT	ļ														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPPX	LIATVO	10 50	EE 30	17.07	27.00	2.54						
$\vdash$	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	UEPPA	U1TV2	18.58	55.39	17.37	27.96	3.51			-	-		
	or Fraction Mile	1		UEPPX	U1TVM	0.0174	0.00	0.00								
UNE	Port/Loop Combination Rates	1	t	OEI I A	O I I VIVI	3.0174	0.00	0.00	<b>†</b>		1	<u> </u>	1	1		
1 2/12	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		1	14.18			1				İ	İ		
	2-Wire VG Coin Port/Loop Combo – Zone 2	İ	2			18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02										
UNE	Loop Rates															
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPCO	UEPLX	12.48			-			1	ļ	ļ		
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2	<b>.</b>	2	UEPCO	UEPLX	16.31			1	-	ļ		<b> </b>	<b> </b>		
2 1411-	2-Wire Voice Grade Loop (SL1) - Zone 3	<del>                                     </del>	3	UEPCO	UEPLX	21.32			-		1	1	-	-		
Z-VVIP	e Voice Grade Line Ports (COIN)  2-Wire Coin 2-Way without Operator Screening and without	1	<del>                                     </del>		+ +				+	<b> </b>	1	<del>                                     </del>	<b> </b>	<del> </del>		
	Blocking (TN)	1		UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	t			02.10	1.70	22.17	10.20	5.45	5.91		10.00				
	900/976, 1+DDD (NC, TN)	1		UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	İ									İ					
	(TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
1 1	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)	1			1											
1 1				UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91	1	15.69	1			I

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
$\vdash$						1		Nonrecurring		Nonrecurring	Disconnect		ı	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
oxdot		(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Coin Outward with Operator Screening and Blocking:					. =-						4.5.00				
$\vdash$		900/976, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO UEPCO	UEPOT	1.70 1.88	22.14	15.25	8.45	3.91		15.69 15.69				<b></b>
$\vdash$		2-Wire Coin Outward Smartline with 900/976 (all states except			DEPCO	UEPCK	1.00						15.09				+
		LA)			UEPCO	UEPCR	1.88						15.69				
AD	DITIO	DNAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
		Local Number Portability (1 per port)		ļ	UEPCO	LNPCX	0.35										<u> </u>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			LIEDOO	LIEACO		1.00	0.00				15.00				
$\vdash \vdash$		Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del>                                     </del>	UEPCO	USAC2		1.03	0.29	1		-	15.69	1			+
		Switch with change			UEPCO	USACC		1.03	0.29				15.69				
$\vdash$		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1			0.20	1			.0.00	1			<b>†</b>
		Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												ļ
UN		rt/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	18.45	-		<b> </b>				<b> </b>			<b>-</b>
$\vdash$		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			23.52	1									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UN		op Rates						†									
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										
2-W		/oice Grade Line Port Rates (Res)			LIEDED	UEPRL	1.89	04.00	57.39	32.36	20.56		45.00				ļ
$\vdash$		2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR UEPFR	UEPRC	1.89	84.99 84.99	57.39	32.36	20.56		15.69 15.69	<b> </b>			<b>-</b>
		2-Wire voice unburidled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39		20.56		15.69				
		2-Wire voice Grade unbundled Tennessee extended local			OLITIK	OLI ILO	1.00	04.00	07.00	02.00	20.00		10.00				
		dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
		res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				ļ
		2-Wire voice unbundled Tennessee Area Calling port with Caller			LIEDED	LIEDAK	4.00	04.00	F7.00	00.00	00.50		45.00				
<del></del>		ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69	<u> </u>			
		ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller			OLITIK	OLI /IL	1.00	04.00	07.00	02.00	20.00		10.00	1			1
		ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (2MR)		-	UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				-
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
$\vdash$	-	2-Wire Voice Unbundled Tennessee Residence Dialing Plan		1	OLFIK	OLFAF	1.05	04.99	37.39	32.30	20.30		13.03	<b>†</b>			+
		without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
INT		FFICE TRANSPORT												1			
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
$\sqcup \!\!\! \perp$		Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51			ļ			<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.500	0.04=:										
<del></del>	ATUF	or Fraction Mile		-	UEPFR	1L5XX	0.0174	<del>                                     </del>			-	1	ļ	<del> </del>	-	<del>                                     </del>	-
FE/		All Features Offered		<del>                                     </del>	UEPFR	UEPVF	0.00	0.00	0.00	+	<b> </b>	<del>                                     </del>	15.69	1	<b> </b>	<del>                                     </del>	+
LO		NUMBER PORTABILITY			0=1111	JL: VI	0.00	0.00	0.00	<b>†</b>		t	10.08	1		1	†
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35	1					Ì	1	l		1
1		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
		1	1	1	1 1						1	Submitted		Charge -	Charge -	Charge -
		Inter'	1	1	1						Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
$\!\!\!+\!\!\!-$	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFR	URETN		44.00	4.40					20.25	10.54	13.32	42.22
2 WI	End User Premise  RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELIMET	ODT /		UREIN		11.23	1.10			-		20.35	10.54	13.32	13.32
	Port/Loop Combination Rates	LINE	I AO	l .							1					+
UNL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			18.45					1					+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										1
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17					1					+
UNE	Loop Rates		Ť			00.11								İ	İ	
- 10.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56	† †						İ			1
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	21.63								İ	İ	
-	2-Wire Voice Grade Loop (SL2) - Zone 3	1		UEPFB	UECF2	28.28						İ	İ			1
2-Wi	re Voice Grade Line Port (Bus)															1
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			l												
$\longrightarrow$	Port Standard Option (TACC2)	-	-	UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				1
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
$\!\!\!\!+\!\!\!\!-$	Memphis Local Calling Port (B2F)  2-Wire Voice Unbundled Tennessee Business Dialing Plan			UEPFB	UEPAE	1.89	84.99	57.39	32.30	20.56		15.69	-			+
	without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
-+-	Tennessee Inward Collierville and Memphis Local Calling Plan	1	-	UEPFB	UEPWO	1.09	04.99	57.39	32.30	20.56	1	15.69				+
	(BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
-+	Tennessee 2-Way Collierville and Memphis Local Calling Plan			OLITB	OLI DZ	1.00	04.33	37.33	32.30	20.50		13.03				1
	(BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOC	AL NUMBER PORTABILITY			02.1.5	02. 50	1.00	0 1.00	07.00	02.00	20.00	1	10.00				+
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35								İ	İ	
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1	1	UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51		1				1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L	or Fraction Mile	<u> </u>	L_	UEPFB	1L5XX	0.0174	l		<u> </u>							<u> </u>
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	l	1							1				1
$-\!\!+\!\!-$	Combination - Conversion - Switch-as-is	ļ	<u> </u>	UEPFB	USAC2		16.94	3.72				15.69				ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		40.01	0 =0				45.00				1
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<b>!</b>		UEPFB	USACC		16.94	3.72				15.69		ļ		
				LIEDED	LIDETNI		44.00	4.40					00.05	10.54	40.00	40.00
2 14/1	End User Premise  RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELIMET	OPT /	UEPFB	URETN		11.23	1.10			-	-	20.35	10.54	13.32	13.32
	Port/Loop Combination Rates	LLINE	OKI (	F D A )	+		<del>                                     </del>					-	<del> </del>	1	1	+
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1	<del>                                     </del>	+	18.45	<del>                                     </del>				<b>H</b>		<del> </del>	1	1	+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2	<del> </del>		23.52	<del>                                     </del>				<del>                                     </del>	<b>-</b>		1	1	+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del>                                     </del>	3	<del> </del>	+	30.17	<del>                                     </del>				<b>-</b>		<del> </del>	1	<del> </del>	+
UNF	Loop Rates	<b>†</b>		<b>H</b>		30.17					<del>                                     </del>	<b>-</b>		1	1	t
- 1011	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56							1			†
I															<del></del>	+
-+	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63										

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
	<del></del>			1								Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGORY	γ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	·		m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
$\vdash$	-					+ -		Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)		
$\vdash$	-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Vire V	oice Grade Line Port Rates (BUS - PBX)				+		11100	Addi	11100	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
-   - · · ·		oloc Grade Ellie i Gri Nates (BGG - i BA)				+											
	l,	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Outward PBX Trunk Port - Bus		1	UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				+
$\vdash$		ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 2-Way Combination PBX Tennessee			CLITT	OLI LD	1.70	100.40	00.00	42.07	10.04		10.00				
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
		-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee		1	02	02. 12	0	100.10	00.00	12.01	10.01		10.00				+
		Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 2-Way Combination PBX Usage Port		t —	UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				+
$\vdash$		-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		t —	UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				+
-+		-Wire Voice Unbundled PBX LD DDD Terminals Port		t —	UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				+
-		-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<b>H</b>	1	UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69		<del>                                     </del>		+
$\vdash$		-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			CLITI	OLI AD	1.70	100.40	00.00	42.07	10.04		10.00				+
		Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54	1	15.69				
$\vdash$		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.73	100.40	03.00	42.07	10.54		13.03				+
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.73	100.40	03.00	42.07	10.54		13.03				
		Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy			OLFIF	OLFAIVI	1.75	100.40	03.00	42.07	10.54		13.09				
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLFIF	OLFAIN	1.75	100.40	03.00	42.07	10.54		13.09				
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
<del>                                     </del>		-Wire Voice Unbundled PBX Collierville and Memphis Calling			OLFIF	ULFAG	1.75	100.40	03.00	42.07	10.54		13.09				+
		Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
$\vdash$		-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			OLITI	OLI XO	1.73	100.40	03.00	42.07	10.54		13.03				+
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
100		NUMBER PORTABILITY			OLITI	OLI XV	1.73	100.40	03.00	42.07	10.54		13.03				
100		ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				+
INT		FICE TRANSPORT			OLITI	LIVI OI	3.13	0.00	0.00				13.03				+
11011		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ -											+
		remination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
$\vdash$		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			CLITI	OTTVE	10.00	00.00	17.07	27.00	0.01						+
		r Fraction Mile			UEPFP	1L5XX	0.0174										
EE/	ATUR				OLITI	TESKK	0.0174										+
1.2		Il Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	0.00	0.00	0.00				10.00				+
		-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
$\vdash$		-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITI	00/102		10.04	0.72				10.00				
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
		Inbundled Miscellaneous Rate Element, Tag Designed Loop at			02	00/100			0.72				10.00				
		End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
UNBUNDI F		ORT/LOOP COMBINATIONS - COST BASED RATES			OLITI	ORLIN		11.20	1.10					20.00	10.04	10.02	10.02
		OICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1	<del> </del>	+ +									<b> </b>		<del>                                     </del>
		t/Loop Combination Rates			1	1		1							i		$\overline{}$
		-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	1	1 1	18.38					1	1				
		-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	1	1	19.87								i		1
		-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	İ	1	24.78					1					1
UNF		p Rates		T T	İ	1	0					1					1
1.77		-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60					1					1
		-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09					1					1
		-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16.00					1					1
1 1					+	1	0					-	-		<b>-</b>		<del></del>
UNE		t Rate						l		I							
UNE	E Por	t Rate exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		<del>                                     </del>

UNBUNDL	LED NETWORK ELEMENTS - Tennessee														ment: 2		bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m										po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
1														1st	Add'l	Disc 1st	Disc Add'l
1																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		<u> </u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.23	1.10								<u> </u>
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00					Î	Î		
2-WI	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SIDE	PORT			Î		ĺ						Î	Î		
UNE	Port/Loop Combination Rates							<u> </u>									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	i –														
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	i –														
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE	Loop Rates					Î		ĺ						Î	Î		
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USL2X	16.20										
		1	i														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25	ĺ						Î	Î		
UNE	Port Rate			ĺ										ĺ			
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED					Î		ĺ						Î	Î		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADD	DITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy			ĺ										ĺ			
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise	<u></u>	<u>L_</u>	UEPPB	UEPPR	URETL		8.33	0.83	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>	<u> </u>		<u>1</u>
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-Cl-	HANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CI	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE							j									
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37	1				19.99	19.99		1
'																	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
								5.55									

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
CHECHEL	- I TOTAL ELEMENTO TOMOGOGO	1									Svc Order	Svc Order	Incremental			
											1	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital	Trunk Po	rt afte	r the effective date o	f this amend	ment shall be	provided pursu	uant to a separ	ate agreement	or tariff at Bel	lSouth's di	scretion.				
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD		470.44										
LINE	Zone 3	<u> </u>	3	UEPPP		173.44					1					
UNE	Loop Rates	<u> </u>	_	UEPPP	USL4P	F7.70					1					
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPPP	USL4P USL4P	57.73 75.40					<b> </b>					<del></del>
-	4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3	-	_	UEPPP	USL4P USL4P	98.59					<b> </b>	-				<del></del>
LIME	Port Rate	<del>                                     </del>	3	ULFFF	USL4F	90.59					<b> </b>	<del>                                     </del>	+	+		<del></del>
ONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<del>                                     </del>	-	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43	<b> </b>	<del>                                     </del>	19.99	19.99		<del></del>
NON	RECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<b>-</b>	0=111	JL	77.00	710.00	300.30	03.20	11.43	<del>                                     </del>	<b>-</b>	13.35	13.33		<del>                                     </del>
INOIN	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<u> </u>	-								<b>†</b>	<b>-</b>				-
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADD	TIONAL NRCs			02	00/101	0.00	020.00	020.00			İ		10.00	10.00		
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										İ					
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
N	Inward Data	<u> </u>	-	UEPPP	PR71E	0.00	0.00	0.00			1					
New	or Additional "B" Channel  New or Additional - Voice/Data B Channel	<u> </u>		UEPPP	PR7BV	0.00	28.39				<b> </b>		19.99	19.99		<del></del>
	New or Additional - Voice/Data B Channel	ł	-	UEPPP	PR7BF	0.00	29.11				1	1	19.99	19.99		
<del> </del>	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39				<u> </u>	1	19.99	19.99		<del> </del>
CAL	TYPES			OLITI	TRADO	0.00	25.55						13.33	13.33		<del>                                     </del>
- OAL	Inward			UEPPP	PR7C1	0.00	0.00	0.00			1	1	1	1		
	Outward	1		UEPPP	PR7CO	0.00		0.00			İ					
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage										İ					
	Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.	L		<b>↓</b>
	lests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	ate of	this amendment sha	III be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.	ļ		1	1		1
UNE	Port/Loop Combination Rates	<del>                                     </del>	L .	LIEDDO	ļ	20.5-	ļ					-			<b> </b>	<del></del>
$\vdash$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del>                                     </del>		UEPDC	1	93.28			-		<b> </b>	-	19.99	19.99		<del>                                     </del>
$\vdash$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<del>                                     </del>	3	UEPDC UEPDC		110.95 134.14					-		19.99 19.99	19.99 19.99		<del></del>
HME	Loop Rates	<del>                                     </del>	3	OLPDO	1	134.14	1				<del>                                     </del>	-	19.99	19.99		<del></del>
DIVE	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>	1	UEPDC	USLDC	57.53	1		1	<del> </del>	1	<b>H</b>	t	t	l	<del>                                     </del>
<del>                                     </del>	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>		UEPDC	USLDC	75.40					<del>                                     </del>	<b>-</b>	t	t		<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>		UEPDC	USLDC	98.59							<u> </u>	<u> </u>		
UNE	Port Rate	t	Ť			55.55			İ	İ	<b>†</b>		1	1	İ	
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1		UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99	İ	
NON	RECURRING CHARGES - CURRENTLY COMBINED								<u> </u>							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)	ļ		UEPDC	USAC4		312.91	312.91			]		19.99	19.99		<u> </u>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		l		l								1	1		1
	- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>	l	UEPDC	USAWA		312.91	312.91			]	l	19.99	19.99		1

UNBU	INDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
0.1.20						1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		AND BOOKERS AND AND ADDRESS AN						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAID		040.04	040.04					40.00	40.00		i I
	ADDITI	- Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs			UEPDC	USAWB		312.91	312.91			-		19.99	19.99		
-	ADDITI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent										<b> </b>	-				
		Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								i
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			OLI DO	00/104		34.00	34.00			1	<b>†</b>				
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		i
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent										İ					i
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		í
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99	<u> </u>	ı
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan												l			·
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		<u> </u>
1		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
		Activation / Chan - 2-Way DID w User Trans		$\vdash$	UEPDC	UDTTE		108.67	108.67			ļ		19.99	19.99		<b>.</b>
	BIPOL	AR 8 ZERO SUBSTITUTION			LIEBBO	00000		0.00	500.00						10.0-		
-		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s			1		19.99	19.99		
	Altorno	B8ZS - Extended Superframe Format te Mark Inversion			UEPDC	CCOEF		0.00i	590.00s			1		19.99	19.99		
-	Aitema	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			<b> </b>	-				
-		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			<u> </u>					
	Teleph	one Number/Trunk Group Establisment Charges			OLI DO	WOO! O		0.00	0.00			1	<b>†</b>				
	Гогори	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					i e	1	19.99	19.99		
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					†		19.99	19.99		
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		i
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		í .
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers	L		UEPDC	NDV	0.00	0.00	0.00								<b></b>
-	Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1	1 Digita	Loop	with 4-Wire DDITS	Trunk Port						ļ					<del></del>
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			UEPDC	1LNO1	75.83	145.98	109.85	19.66	44.00						í
		Termination)			UEPDC	TLINOT	75.83	145.98	109.85	19.00	14.99	<b>-</b>	-				
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								í
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO	TENOT	0.0020	0.00	0.00			<b>†</b>					
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								ı
		Interoffice Channel Mileage - Additional rate per mile - 9-25				1	3.30	0.30	5.50						İ		i
		miles			UEPDC	1LNOB	0.3525	0.00	0.00								1
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1									İ			1		1
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
1						T											1
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								<b>-</b>
	ļ	Local Number Portability, per DS0 Activated		$\vdash$	UEPDC	LNPCP	3.15	0.00	0.00			ļ					<b>.</b>
		Central Office Termininating Point			UEPDC	CTG	0.00								-		<del></del>
-		DS1 LOOP WITH CHANNELIZATION WITH PORT is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivation			+						1	1	-			<del>                                     </del>
-		ystem can have up to 24 combinations of rates depending on			her of norte used	+			1			1	<del>                                     </del>	<del> </del>	<del> </del>		1
<b>—</b>	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this ra	te exhibit ann	ly to the embe	dded base in i	place as of 10/3	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement	
		ets for 4-Wire DS1 Loop with Channelization with Port after th												tuini rutes	- a coparate		1
		S1 Loop	1				pa.oudii		9. 22						1		í
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00					İ			i
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								<u> </u>
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
	UNE DS	60 Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		<b></b>
	ļ	96 DSO Channel Capacity -1per 4 DS1s		$\vdash$	UEPMG	VUM96	527.48	0.00	0.00			ļ		19.99	19.99		<b></b>
-	<b>!</b>	144 DS0 Channel Capacity - 1 per 6 DS1s	<u> </u>		UEPMG	VUM14	791.42	0.00	0.00			ļ		19.99	19.99		<del></del>
		192 DS0 Channel Capacity -1 per 8 DS1s	<u> </u>	1	UEPMG	VUM19	827.76	0.00	0.00	l		l	1	19.99	19.99		

IINBI	NDI FI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONDO	NULL	J NETWORK ELEMENTS - Telliessee	1				1					Svc Order	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
071120	• • • • • • • • • • • • • • • • • • • •		m		200	0000			101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs. Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		ĺ
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00	ĺ				19.99	19.99		Î
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conve	ersion Charge	Based on a Sy	stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
	Multipl	es of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system coı	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
		Additions at End User Locations Where 4-Wire DS1 Loop with				oination Curre	ently Exists and	l									
	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port									. <u></u>						
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchar	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID															
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
1		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
1		(AL, KY, LA, MS, & TN) (Conversion from Network Access			LIEDDY	LIEBOT	4.70	0.00	0.00	0.00	0.00	1	1	20.00	7.00		
<b>-</b>		Service) (E:4/1/2004)	<b>—</b>		UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00	<b>}</b>	-	30.89	7.03	-	<b> </b>
1		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	UEPCZ	1.70	0.00	0.00	0.00	0.00	1	1	20.00	7.00		
<del>                                     </del>	-	Tennessee Only – Calling Plan - Regionserv (E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	<b>-</b>	<b>-</b>	UEPPX	UEPUZ	1.70	0.00	0.00	0.00	0.00	1		30.89	7.03	-	-
1		Tennessee Only – Calling Plan - Regionsery (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00	1	1	30.89	7.03		
<b>—</b>	Feature	Activations - Unbundled Loop Concentration	<del>                                     </del>		CLIIA	JL1 00	1.70	0.00	0.00	0.00	0.00	1	<b>-</b>	30.09	1.03	<b> </b>	1
	. catale	Feature (Service) Activation for each Line Port Terminated in D4		$\vdash$		+	<del>                                     </del>	<b> </b>	<u> </u>			<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
1		Bank (includes Q.1.4. P50.1. P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80	1	1	30.89	7.03		
	<b>-</b>	Feature (Service) Activation for each Trunk Port Terminated in	<b>—</b>		OLI I A	11 00 4 4 1 1 1	2.02	20.34	12.04	3.02	5.50	<b>†</b>		30.09	7.03	<b> </b>	
1		D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57	1	1	30.89	7.03		
	Telenh	one Number/ Group Establishment Charges for DID Service	<b>-</b>		52. T //		2.02	70.07	17.57	54.00	10.07			55.03	7.00		
<b>-</b>	· cicpii	DID Trunk Termination (1 per Port)	<b>-</b>		UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00					i	i		i
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00					i	i		i
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			1		<b>i</b>	<b>i</b>	<b> </b>	<b>i</b>
	Local N	lumber Portability				1	2.30	2.30	2.30					i	i	i	i
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	1				i	i	i	i
	FEATU	RES - Vertical and Optional				1 2.	5.70	5.50	5.50			<b>†</b>		İ	İ	İ	İ
		switching Features Offered with Line Side Ports Only				1	İ			i - 1		1	1	İ	İ		İ
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00					İ	İ		İ
			•		•	<del></del>						•					

IINBUNDI E	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
ONBONDEE	D NETWORK ELEMENTS - Tellilessee	1			1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC															
	ures shall apply to the Unbundled Port/Loop Combination - C											l				
3. End	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional ND	C
	also and are categorized accordingly.	urrentiy	Collib	nied Combos. For C	currently Co	inbinea Combi	os, the nomect	irring charges	Shall be those	identified in t	ne Nonrecu	iring - Curre	entry Combine	eu sections.	Additional NK	CS Illay
	ket Rates for Unbundled Centrex Port/Loop Combination will	ho noge	atiatad	on an Individual Car	eo Bacie un	til further netic	•		1		1	1		ı		
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Jualea	on an muividual Cas	Se basis, uiii	lii turtiier notic	e.		1							
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7														
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		14.18			1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l														
	Non-Design	1	2	UEP91		18.01			I			1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		23.02										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		1	UEP91		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDO4		00.00										
	Design		2	UEP91		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		29.98										
LINE	Design oop Rate	-	3	UEP91		29.98			-							
ONLL	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP91	UECS1	12.48			-							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
UNE P	orts															
All Sta	tes (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			LIEDO4	LIEDVILL	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
<b></b>	Local Area	-	-	UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area	1		UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<del>                                     </del>	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<del>                                     </del>		OL1 01	OLI IIVI	1.70	22.14	15.25	0.45	3.31		30.09	7.03	<del> </del>		
	Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					0		.5.20	5.40	0.01		55.50	7.00			
	- Basic Local Area	1		UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -	l														
I	Basic Local Area	<u> </u>		UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u> </u>		
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\vdash$	2-Wire Voice Grade Port (Centrex with Caller ID)1	ļ		UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEDOM	4 70	20.44	15.55		0.01		00.00	7.00			
$\vdash$	Center)2,3	<b> </b>	-	UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b> </b>		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1.70	22.14	15.25	0 45	3.91		30.89	7.03			J
$\vdash$	Service (dill)	<del>                                     </del>	<b>-</b>	OLFSI	UEFUL	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	<b> </b>		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			J
<del>                                     </del>	2-Wire Voice Grade Port Terminated in on Negalink of equivalent	<del>                                     </del>		UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching	<b>1</b>				0		.0.20	5.70	0.01		30.00				
	Centrex Intercom Funtionality, per port	1		UEP91	URECS	0.6381			1		İ			l		
Local	Number Portability															

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		<u> </u>			+		Nonrecurring		Nonrecurring	Disconnect		l .	088	Rates (\$)		
h		1	1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)	1	1	UEP91	LNPCC	0.35	11130	Addi	THOU	Addi	JOHILO	JOINAN	JOHAN	JONAN	JOHAN	JOHAN
Feat				02. 0.	2.1.00	0.00					İ	İ				
	All Standard Features Offered, per port	i e		UEP91	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port	i e		UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NAR																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial	ļ		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	ellaneous Terminations re Trunk Side	-			+						<b> </b>	<b> </b>				
2-441	Trunk Side Terminations, each	<b>†</b>	<b>†</b>	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91	<del>                                     </del>	30.89	7.03	t	<del>                                     </del>	
Inter	office Channel Mileage - 2-Wire	<u> </u>	t	02.01	SE14/10	5.76	22.17	10.20	0.40	0.91		55.03	7.03	<u> </u>	<u> </u>	
	Interoffice Channel Facilities Termination - Voice Grade	i –	t	UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
	Interoffice Channel mileage, per mile or fraction of mile	1	i i	UEP91	M1GBM	0.0174					Ì	1	1	1	1	
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	hannel Bank Feature Activations							· · · · ·								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
ļ	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66						ļ				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOA	40014/7	0.00										
-	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<u> </u>		UEP91	1PQW7	0.66						<b>.</b>		-	-	
	Different Wire Center			UEP91	1PQWP	0.66										
	Different Wife Genter	1	1	OLI 01	II QWI	0.00						1				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	i e														
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port	ļ		UEP91 UEP91	USAC2 M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03	1		
<del></del>	New Centrex Standard Common Block New Centrex Customized Common Block	<u> </u>		UEP91	M1ACC	0.00	658.60					30.89	7.03 7.03	-	-	
	Secondary Block, per Block	1	1	UEP91	M2CC1	0.00	73.55				ł	30.89	7.03	1	1	
	NAR Establishment Charge, Per Occasion	l	<b>-</b>	UEP91	URECA	0.00	68.57					30.89	7.03	<b>-</b>	<b>-</b>	
Addi	tional Non-Recurring Charges (NRC)	†	t		3.1.2071	1	55.57		1			55.55	7.55	1	1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	i –	i –													
	Premise	<u> </u>	<u>L</u>	UEP91	URETL		8.33	0.83					<u> </u>	L		
	Unbundled Miscellaneous Rate Element, Tag Design Loop at							<del></del>								
<u> </u>	End Use Premise	ļ	<u> </u>	UEP91	URETN		11.23	1.10					ļ	1	ļ	
	-P CENTREX - 5ESS (Valid in All States)	<b>.</b>	<u> </u>		+	-			1		ļ	ļ	<b>.</b>	<del>                                     </del>	<del>                                     </del>	
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	<del>                                     </del>	<del>                                     </del>		+						-	ļ	-	<del>                                     </del>	<del>                                     </del>	
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<u> </u>	<del>                                     </del>		1				1		1	1	-	<del></del>	<del>                                     </del>	
1 1	Non-Design	1	1	UEP95		14.18								I	I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	<del></del>	021 00	1	14.10					1	1	1	<b>†</b>	<b>†</b>	
	Non-Design		2	UEP95		18.01								1	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i –									İ		1			
	Non-Design		3	UEP95		23.02				<u></u>						
UNE	Port/Loop Combination Rates (Design)							· · · · ·		•						
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1											1	_	_	
$\vdash$	Design	ļ	1	UEP95	1	18.26							ļ	1	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOS		00.00								I	I	
<del></del>	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	2	UEP95	+	23.33			<del> </del>		1	1	-	<del>                                     </del>	<del>                                     </del>	
	2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design	1	3	UEP95		29.98								I	I	
UNE	Loop Rate	<b>†</b>	-	OL1 30	+	23.90					<del>                                     </del>	<b> </b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	
- JOHE	2-Wire Voice Grade Loop (SL 1) - Zone 1	l	1	UEP95	UECS1	12.48			1					<b>-</b>	<b>-</b>	
	2 11.10 10.00 01000 LOOP (OL 1) ZONO 1		<del></del>	02. 00	10001	12.40						Ь		L		L

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		1			1						Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
		In terms									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		t -				_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
		t -				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32						İ				
	2-Wire Voice Grade Loop (SL 2) - Zone 1	i –	1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	i –	2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	i –	3	UEP95	UECS2	28.28										
UNE	Port Rate	i	1													
All St	tates												Î	Î	Î	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Î	Î	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Î	Î	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local												Î	Î	Î	
	Area	<u> </u>	L	UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91	<u></u>	30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
I	Center)2,3 Basic Local Area	<u></u>		UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>	<u> </u>	<u> </u>
1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area	<u> </u>		UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	(Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	GA Only															
Local	I Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu					-l											
	All Standard Features Offered, per port			UEP95	UEPVF	0.00	100 =0					30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
1111	All Centrex Control Features Offered, per port	<b>!</b>	1	UEP95	UEPVC	0.00			ļ		-	30.89	7.03	<b>.</b>	-	<b>_</b>
NARS		<b>!</b>	1	LIEDOE	LIADOX						-			<b>.</b>	-	<b>_</b>
	Unbundled Network Access Register - Combination	<b>!</b>	1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03	<b>.</b>	-	<b>_</b>
	Unbundled Network Access Register - Indial	<u> </u>		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
BASS -	Unbundled Network Access Register - Outdial ellaneous Terminations	<b>!</b>	<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03	-	-	-
		<b>!</b>	<del>                                     </del>	<del>                                     </del>	+				1		<del>                                     </del>	<del>                                     </del>	<b> </b>	<b> </b>	<del> </del>	<b> </b>
2-Wir	re Trunk Side	<b>!</b>	<del>                                     </del>	LIEDOE	CENIDO	0.70	47.75	47.04	0.01	0.47	<del>                                     </del>	20.22	7.00	<b> </b>	<del> </del>	<b> </b>
4 187	Trunk Side Terminations, each	<del>                                     </del>	1	UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			-
4-Wir	re Digital (1.544 Megabits)  DS1 Circuit Terminations, each	<del> </del>	<u> </u>	UEP95	M1HD1	35.55	75.93	38.15	1		-	30.89	7.03	-	-	-
	DS1 Circuit Terminations, each DS0 Channels Activated, each	<del>                                     </del>	1	UEP95 UEP95	M1HD1 M1HDO	0.00	108.67	38.15	-		<u> </u>	30.89	7.03	-		<b>-</b>
Intere	office Channel Mileage - 2-Wire	<del>                                     </del>	1	OLFSO	INITIDO	0.00	108.67		-		<u> </u>	30.89	7.03	-		<b>-</b>
interd		<del> </del>	<u> </u>	LIEDOS	M1GBC	18.58	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	-
	Interoffice Channel Facilities Termination  Interoffice Channel mileage, per mile or fraction of mile	<del>                                     </del>	<del>                                     </del>	UEP95 UEP95	M1GBC M1GBM	0.0174	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	<del>                                     </del>
Ecot	re Activations (DS0) Centrex Loops on Channelized DS1 Service		<del>                                     </del>	05.590	INITORIN	0.0174	<del>                                     </del>		1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	
	hannel Bank Feature Activations	I	<u> </u>	-	+ +		-		1		-	-	-	-	-	-
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>	<del>                                     </del>	UEP95	1PQWS	0.66	<del>                                     </del>		1		-	-	-	-	-	<del>                                     </del>
+	r eature Activation on D-4 Chainnel Bank Centrex Loop Slot	<del>                                     </del>	<del>                                     </del>	05.590	IFUVIS	0.00	<del>                                     </del>		1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.66										
					111 02 11 10											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1														

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
ONDONE	TED IVERTICAL PERSONS	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
											I .	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ	ļ				Tata		I	. D'						
		ļ				Rec	Nonrecurring		Nonrecurring		001450	001111		Rates (\$)	001441	001441
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<u> </u>		-			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Different Wire Center			UEP95	1PQWP	0.66										'
<b></b>	Different Wife Center			OLF 93	IFQWF	0.00					<u> </u>					<del></del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										ĺ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1		02.00		0.00					i e	1				
	Slot			UEP95	1PQWQ	0.66										ĺ
	Feature Activation on D-4 Channel Bank WATS Loop Slot	i	1	UEP95	1PQWA	0.66										
No	n-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
<u> </u>	NAR Establishment Charge, Per Occasion	ļ	<u> </u>	UEP95	URECA	0.00	68.57					30.89	7.03			<b>├</b>
Ad	ditional Non-Recurring Charges (NRC)	ļ									ļ					-
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1	1	UEP95	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<b>-</b>	-	UEP95	UREIL		8.33	0.83			<b> </b>	-				<del></del>
	End Use Premise			UEP95	URETN		11.23	1.10								İ
LIN	E-P CENTREX - DMS100 (Valid in All States)	1	1	OLF 93	UKLTN		11.23	1.10			1	1				<del>                                     </del>
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1								1	1				<del></del>
	E Port/Loop Combination Rates (Non-Design)										İ					
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										İ					
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		23.02										
UN	E Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.			40.00										
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>	1	UEP9D	+	18.26	-				-					
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLI 3D		20.00					<b>†</b>					
	Design		3	UEP9D		29.98										ĺ
UN	E Loop Rate		Ť								İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
	E Port Rate				_						1					
AL	L STATES	<u> </u>	1	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			<b>—</b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	<del>                                     </del>	OLF 3D	ULFTA	1.70	22.14	15.25	0.45	3.91	1	30.09	1.03	<del> </del>	<del> </del>	<del>                                     </del>
	Area	1	1	UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	†	t		02. 10	1.70	22.17	10.20	5.40	5.91		30.00	7.55	1		
	Area	1	1	UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	i –									İ			1		
	Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local							·					l			1
	Area	ļ	<u> </u>	UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	ļ		1
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1		LIEDOD	LIEDVE	4 =		45.00	0 :-	0.00		00.00	7.00			1
	Area	<b>.</b>	<u> </u>	UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03	<b>.</b>	-	<del>                                     </del>
, I	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1	1	LIEBOD	UEPYG	4.70	22.44	15.05	8.45	3.04		30.89	7.00			1
$\vdash$	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1	<del>                                     </del>	UEP9D	UEPTG	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	<del> </del>	<del> </del>	<del>                                     </del>
	Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	- ~ <del>- ~</del>			1 05	10	0		10.20	3.40	5.51				1		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area	İ		UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89				
	2-Wire Voice Grade Port (Centrex 800 termination)		L	UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		<u> </u>	UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4	ļ	<u> </u>	UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		<b>—</b>	UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b> </b>	<b> </b>	
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	-	<b>—</b>	UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	-	-	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		1	UEP9D UEP9D	UEPQG UEPQT	1.70	22.14	15.25	8.45	3.91		30.89 30.89	7.03			
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5008)4  2-Wire Voice Grade Port (Centrex / EBS-M5208)4	-	1	UEP9D UEP9D	UEPQU	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	<del>                                     </del>	30.89	7.03 7.03	<b> </b>	<b> </b>	
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5206)4  2-Wire Voice Grade Port (Centrex / EBS-M5216)4	-	<b>H</b>	UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91	<del>                                     </del>	30.89	7.03			
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5216)4	<b>-</b>		UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91	<b>-</b>	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\vdash$	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	-	<del>                                     </del>	UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91	<del>                                     </del>	30.89	7.03	<b> </b>	<b> </b>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	L	l .	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91	I	30.89	7.03			

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	hit: A
0.120	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
	t -						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł '
		, , , , ,										1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í
		, , , ,															·
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i –	, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		, , , ,															·
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i –	, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i	, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		, , , , , ,													ĺ		1
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i –	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	t -																
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	t -	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
	Local I	Number Portability										İ					i
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					İ					i
	Feature											İ					i
	i –	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	i –	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	i –	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	Î		i T
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03	Î		i T
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			i
	Miscel	aneous Terminations													Î		i T
	2-Wire	Trunk Side													Î		í T
		Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			i
	4-Wire	Digital (1.544 Megabits)															i Total
		DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
	Interof	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	1										I						ı ———
	<u> </u>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
		Slot			UEP9D	1PQW7	0.66										<u> </u>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															·
	ļ	Different Wire Center			UEP9D	1PQWP	0.66										
																	·
	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9D	1PQWV	0.66				<u></u>			L		L	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															ı <u>———</u>
		Slot			UEP9D	1PQWQ	0.66										L
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	1	NRC Conversion Currently Combined Switch-As-Is with allowed		]		7					Ī					I	1
1		changes, per port		<u> </u>	UEP9D	USAC2		1.03	0.29		<u></u>		30.89	7.03		<u> </u>	<u> </u>

UNBL	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
_		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	First 658.60	Add'l	First	Add'l	SOMEC	30.89	<b>SOMAN</b> 7.03	SOMAN	SOMAN	SOMAN
-		New Centrex Standard Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			1
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	68.57					30.89	7.03			
	Additio	onal Non-Recurring Charges (NRC)			OLI OD	ORLOR		00.07		1			00.00	7.00			<del>                                     </del>
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.23	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)						L									
-		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+ +											
<b>-</b>	UNE P	ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			+ +		+		+			-	-			<del>                                     </del>
1		Non-Design		1	UEP9E		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	JL. JL	1	17.10			<b>†</b>							
1		Non-Design		2	UEP9E		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		23.02										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
-	-	Design		1	UEP9E	1	18.26					-	-				ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9E		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9E	1	23.33	+ +									-
		Design		3	UEP9E		29.98										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56	L									
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										ļ
-	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP9E	UECS2	28.28	-		<b> </b>							ļ
		, KY, LA, MS, & TN only				+ +		+ +									
	А.,	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1											
	<u></u>	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVA	4 70	00.4.	45.00	0.7-	200		00.00	7.00			
<b>—</b>	-	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	-		UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	t	2-Wire Voice Grade Port terminated in on Megalink or equivalent			J_1 J_	JL1 12	1.70	22.14	10.20	0.43	5.31	<b>†</b>	30.03	7.03			
		- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -				1						Ì					
		Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only				1											1
		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.70	22.14	15.25		3.91		30.89	7.03			1
<u> </u>	<b>.</b>	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>├</b>
-		2-Wire Voice Grade Port (Centrex with Caller ID)1     2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del> </del>
		Center)2,3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			J_1 J_	JEI WIVI	1.70	22.14	10.20	0.43	5.31		30.03	7.03			
		Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	1							1				Ì					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
<u> </u>	Local S	Switching Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381			1				<b> </b>			<b>├</b>
	l	Centrex intercom Funtionality, per port			ULF9E	UKEUS	1,038,1			L		L	1	L			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										$\vdash$
Featur					ļ <u>.</u>											
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			$\vdash$
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			$\vdash$
NABO	All Centrex Control Features Offered, per port		-	UEP9E	UEPVC	0.00						30.89	7.03			$\vdash$
NARS	Habitadlad Nationals Assess Designation Combination	1		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Combination		-			0.00	0.00	0.00		0.00						$\vdash$
<b></b>	Unbundled Network Access Register - Indial	1		UEP9E	UAR1X				0.00			0.00	7.03			
Missel	Unbundled Network Access Register - Outdial laneous Terminations	<del> </del>	-	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03		-	$\vdash$
	Trunk Side	1	<del>                                     </del>		1	<b> </b>			1		<del>                                     </del>				<b> </b>	$\vdash$
Z-wire	Trunk Side Trunk Side Terminations, each	<del>                                     </del>		UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91	<b>H</b>	30.89	7.03		<b>l</b>	
4-Wiro	Digital (1.544 Megabits)	<del>                                     </del>	1	OLI BL	CLINDO	0.70	22.14	15.25	0.45	3.91	<del>                                     </del>	30.09	7.03			$\vdash$
4-44116	DS1 Circuit Terminations, each	1	<del>                                     </del>	UEP9E	M1HD1	35.55	75.93	38.15	1		<del>                                     </del>	30.89	7.03		<b> </b>	$\vdash$
<del>                                     </del>	DS0 Channel Activated Per Channel	<del>                                     </del>	<del>                                     </del>	UEP9E	M1HDO	0.00	108.67	30.13				30.89	7.03			
Interof	fice Channel Mileage - 2-Wire			OLI OL	WITIEG	0.00	100.01				1	00.00	7.00			
Interes	Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174		10.20	0.10	0.01	1	00.00	7.00			
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	annel Bank Feature Activations	Ì			i e											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	i														
	Slot			UEP9E	1PQW7	0.66										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										ullet
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1											1
	Slot			UEP9E	1PQWQ	0.66										
No. 5	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex		-		-											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			i l
<b></b>	New Centrex Standard Common Block	1	-	UEP9E	M1ACS	0.00	658.60	0.29			<b>-</b>	30.89	7.03			<b>—</b>
	New Centrex Standard Common Block	1		UEP9E	M1ACC	0.00	658.60				1	30.89	7.03			
<del></del>	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57				1	30.89	7.03			
Δdditi	onal Non-Recurring Charges (NRC)	1		OLI OL	ORLON	0.00	00.01				<b>-</b>	00.00	7.00			
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<b>1</b>			1											
	Premise			UEP9E	URETL		8.33	0.83								i l
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		0.00									
	End Use Premise			UEP9E	URETN		11.23	1.10								i l
UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)				1											
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP93		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														l	1
	Non-Design	ļ	2	UEP93	1	18.01	ļ		ļ							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
L	Non-Design	<b>!</b>	3	UEP93	1	23.02			ļ							
UNE P	ort/Loop Combination Rates (Design)	<u> </u>	ļ		1		<b> </b>		1		-				<b> </b>	$\vdash$
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	4	UEP93		40.00										į l
<del>                                      </del>	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	UEP93	+	18.26			<del>                                     </del>		-	-	-	-		<del>                                     </del>
	Design	1	2	UEP93		23.33						1				1
	12-55-g	1		021 00	1	20.00	1		1		1	·			l	

JNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic
																1
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ĺ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48					i e					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31					i e					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32					i e					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56						İ				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63						İ				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28					i e					
UNE F	Port Rate										i e					
	Y, LA, MS, & TN only										i e					
,	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	i e	30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local								57.10	2.01	İ	22.00	1.00	İ		1
	Area	1		UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		I	1
<del>-  </del>	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<b>†</b>			1	0		.0.20	5.70	0.01	1	55.55	50	<b>i</b>	<b>†</b>	t
	Area	1		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		I	I
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	t	t	02.00	<u> </u>	1.70	22.14	10.20	0.40	0.91	1	55.65	7.00	<b> </b>	<u> </u>	t
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLI 33	OLI TIVI	1.70	22.14	10.20	0.40	3.31		30.03	7.05			
	Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent			ULF 93	OLFIZ	1.70	22.14	13.23	0.43	3.91		30.09	7.03			
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		-	-	UEF93	UEF 19	1.70	22.14	15.25	0.43	3.91	ł	30.69	7.03		-	-
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	UEPY2	1.70	22.14	15.05	0.45	2.01		20.00	7.02			
	Basic Local Area	-	-	UEP93		1.70 1.70	22.14	15.25	8.45	3.91 3.91	-	30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex )	-	-	UEP93	UEPQA		22.14	15.25	8.45		-	30.89				
	2-Wire Voice Grade Port (Centrex 800 termination)	-	-	UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	-	UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOO	LIEDOM	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Center)2,3		-	UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port	<u> </u>		UEP93	UEPVC	0.00							ļ	ļ	ļ	
NARS			ļ													
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00		0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	ellaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0174										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		Ì	UEP93	1PQWS	0.66	1						İ	İ		
			Ì										İ	İ		
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	1	1	UEP93	1PQW6	0.66	1		1		i .	1	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
	Different Wire Center			UEP93	1PQWP	0.66										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.23	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and l	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	oject to r	rate tru	e-up as set forth in	General Tern	ns and Condition	ons.									

Version 3Q03: 11/12/2003 Page 348 of 348

## **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## **TABLE OF CONTENTS**

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to ACI nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that ACI can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide ACI with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of ACI and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent ACI requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of ACI, BellSouth will not assess ACI additional charges beyond the rates and charges specified in this Agreement.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide ACI nondiscriminatory access to its OSS and the necessary information contained therein in order that ACI can perform the functions of preordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of ACI to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for ACI's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that ACI can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection

website and are incorporated herein by reference. The process by which BellSouth and ACI will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. ACI shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. ACI shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, ACI shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. ACI will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit ACI's access to customer record information. If a BellSouth audit of ACI's access to customer record information reveals that ACI is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to ACI may take corrective action, including but not limited to suspending or terminating ACI's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to ACI electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and ACI will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to ACI electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and ACI will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and ACI agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by

reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide ACI nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- Change Management. BellSouth and ACI agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and ACI agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to ACI at BellSouth's interconnection website.
- 2.3 <u>Rates.</u> Charges for use of OSS shall be as set forth in this Agreement.

### 3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by ACI will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, ACI shall be required to submit a new service request. Incorrect or invalid requests returned to ACI for correction or clarification will be held for thirty (30) calendar days. If ACI does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. ACI will be the single point of contact with BellSouth for ordering activity for network elements and other services used by ACI to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. ACI and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by ACI to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify ACI that such a request has been processed but will not be required to notify ACI in advance of such processing.

- 3.2.1 Neither BellSouth nor ACI shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 ACI shall return a FOC to BellSouth within thirty-six (36) hours after ACI's receipt from BellSouth of a valid LSR.
- 3.2.4 ACI shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of ACI elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to ACI by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify ACI that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When ACI's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to ACI, which has the billing relationship with that End User, and ACI may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If ACI cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if ACI places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to

#### **AMENDMENT EXHIBIT 2**

Attachment 6

Page 7

provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where ACI places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, ACI may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should ACI elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by ACI, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.