

**Amendment to the Agreement**

**Between**

**ONS-Telecom, LLC**

**and**

**BellSouth Telecommunications, Inc.**

**Dated: September 21, 2003**

Pursuant to this Amendment, (the "Amendment"), ONS-Telecom, LLC, (ONS), and BellSouth Telecommunications, Inc., (BellSouth), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated September 21, 2003, (Agreement) to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and ONS entered into the Agreement on September 21, 2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Exhibit 2, attached hereto and by reference incorporated into this Amendment.
3. All of the other provisions of the Agreement, dated September 21, 2003, shall remain in full force and effect.
4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

**BellSouth Telecommunications, Inc.**

By: Kristen E. Rorse  
Name: Kristen E. Rorse  
Title: Director  
Date: 2/17/04

**ONS Telecom, LLC**

By: Gerald H. Smith  
Name: Gerald H. Smith  
Title: President  
Date: 2/12/04

## **Attachment 2**

### **Network Elements and Other Services**

## **TABLE OF CONTENTS**

<b>1</b>	<b>INTRODUCTION .....</b>	<b>3</b>
<b>2</b>	<b>UNBUNDLED LOOPS .....</b>	<b>6</b>
<b>3</b>	<b>LINE SHARING .....</b>	<b>25</b>
<b>4</b>	<b>LOCAL SWITCHING .....</b>	<b>32</b>
<b>5</b>	<b>UNBUNDLED NETWORK ELEMENT COMBINATIONS .....</b>	<b>40</b>
<b>6</b>	<b>TRANSPORT, CHANNELIZATION AND DARK FIBER.....</b>	<b>43</b>
<b>7</b>	<b>DATABASES.....</b>	<b>48</b>
<b>8</b>	<b>BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE .....</b>	<b>48</b>
<b>9</b>	<b>LINE INFORMATION DATABASE (LIDB) .....</b>	<b>48</b>
<b>10</b>	<b>SIGNALING.....</b>	<b>51</b>
<b>11</b>	<b>AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) .....</b>	<b>57</b>
<b>12</b>	<b>CALLING NAME (CNAM) DATABASE SERVICE .....</b>	<b>57</b>
<b>13</b>	<b>SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS .....</b>	<b>59</b>
<b>14</b>	<b>OPERATIONAL SUPPORT SYSTEMS (OSS).....</b>	<b>59</b>
	<b>Rates .....</b>	<b>Exhibit A</b>

## ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### **1 Introduction**

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to ONS in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to ONS (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require ONS to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, “Network Element” is defined to mean a facility or equipment ONS used in the provision of a qualifying service, as defined by the FCC. ONS may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as “Combinations.”
- 1.3 BellSouth shall, upon request of ONS, and to the extent technically feasible, provide to ONS access to its Network Elements for the provision of ONS’ qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 ONS may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to ONS under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments

and/or grandfathered status between ONS and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), ONS will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31<sup>st</sup> day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, ONS will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 ONS may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, ONS may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ONS, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.9 Commingling of Services**
- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that ONS has obtained at wholesale from BellSouth, or the

combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCIs) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If ONS reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge ONS for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 Rates
  - 1.11.1 The prices that ONS shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If ONS purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
  - 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
  - 1.11.3 If ONS modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by ONS in accordance with FCC No. 1 Tariff, Section 5.
  - 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

## **2            Unbundled Loops**

### **2.1            General**

2.1.1            The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premise, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. ONS shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2.1.1.1            The Loop does not include any packet switched features, functions or capabilities.

2.1.1.2            In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.

2.1.1.3            In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to ONS on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.

2.1.1.4            Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ONS. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

2.1.1.5            For hybrid loops, where ONS seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide ONS with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.



- 2.1.1.6 ONS may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to ONS' collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to ONS in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If ONS wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), ONS may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by ONS (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ONS for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.
- 2.1.6 **Loop Testing/Trouble Reporting**
- 2.1.6.1 ONS will be responsible for testing and isolating troubles on the Loops. ONS must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before

reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, ONS will be required to provide the results of the ONS tests which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once ONS has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If ONS reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge ONS for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by ONS (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ONS for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.7 **Order Coordination and Order Coordination-Time Specific**

- 2.1.7.1 Order Coordination (OC) allows BellSouth and ONS to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to ONS' facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 Order Coordination – Time Specific (OC-TS) allows ONS to order a specific time for OC to take place. BellSouth will make every effort to accommodate ONS' specific conversion time request. However, BellSouth reserves the right to negotiate with ONS a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. ONS may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If ONS specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access

Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

## 2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by ONS when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in ONS' Agreement before requesting a conversion.

2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.8.3 The Loops converted to ONS pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	<b>Order Coordination (OC)</b>	<b>Order Coordination – Time Specific (OC-TS)</b>	<b>Test Points</b>	<b>DLR</b>	<b>Charge for Dispatch and Testing if No Trouble Found</b>
<b>SL-1 (Non-Designed)</b>	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>UCL-ND (Non-Designed)</b>	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)</b>	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
<b>Unbundled Digital Loop (Designed)</b>	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
<b>Unbundled Copper Loop (Designed)</b>	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, ONS must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If ONS requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, ONS must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, ONS should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <http://www.interconnection.bellsouth.com/>

2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: <http://www.interconnection.bellsouth.com/guides/html/unes.html>

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that ONS will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.2.1 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by ONS. ONS may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.2.2 For an additional charge BellSouth will make available Loop Testing so that ONS may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.3 Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to ONS. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow ONS to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 **Unbundled Digital Loops**
- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ONS will be responsible for providing BellSouth with a

Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by ONS or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. ONS may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of ONS in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.



- 2.3.8.1 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.8.2 ONS may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of ONS for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, ONS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ONS, BellSouth shall perform the routine network modifications.
- 2.4 **Unbundled Copper Loops (UCL)**
- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.
- 2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.

- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by ONS.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by ONS to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by ONS or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.
- 2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, ONS can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that ONS may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.



- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by ONS to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 ONS may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 **Unbundled Loop Modifications (Line Conditioning)**

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by ONS which has over 6kft of combined bridged tap will be modified, upon request from ONS, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to ONS. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 ONS may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If ONS requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. ONS will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 ONS shall request Loop make up information pursuant to this Attachment prior to submitting a SI and/or a LSR for the Loop type that ONS desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for ONS, ONS will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by ONS is available at the location for which the ULM was requested, ONS will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, ONS will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**
- 2.6.1 Where ONS has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to ONS. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for ONS (e.g. hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  3. If capacity exists, provide "side-door" porting through the switch.
  4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from ONS, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to

determine the additional costs required to provision facilities. ONS will then have the option of paying the one-time SC rates to place the Loop.

## 2.7 **Network Interface Device**

2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit ONS to connect ONS' Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

## 2.7.3 **Access to NID**

2.7.3.1 ONS may access the End User's premise wiring by any of the following means and ONS shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow ONS to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the premise wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the premise wiring through a suitable "punch-out" hole of such NID enclosures; or

2.7.3.1.4 ONS may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party

provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be ONS' responsibility to ensure there is no safety hazard, and ONS will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 ONS shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 ONS shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with ONS to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

#### 2.7.4 Technical Requirements

- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to ONS' NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. ONS may request BellSouth to do additional work to the NID on a time and material basis. When ONS deploys its own local Loops in a multiple-line termination device, ONS shall specify the quantity of NID connections that it requires within such device.

#### 2.8 Sub-loop Elements

- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 Unbundled Sub-Loop Distribution

- 2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:
- Unbundled Sub-Loop Distribution – Voice Grade
  - Unbundled Copper Sub-Loop
  - Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)
- 2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If ONS requests a UCSL and it is not available, ONS may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from ONS, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for ONS' use on this cross-connect panel. ONS will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, ONS shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process.

ONS' cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by ONS is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ONS' request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address:  
<http://www.interconnection.bellsouth.com/products/html/unes.html>.
- 2.8.2.7 The site set-up must be completed before ONS can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ONS' cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, ONS will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when ONS requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ONS for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 **Unbundled Network Terminating Wire (UNTW)**
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.
- 2.8.3.3 **Requirements**
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.



- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, ONS will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ONS for each pair activated commensurate to the price specified in ONS' Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, ONS will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based rates have not been negotiated and ONS has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill ONS any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

- 2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by ONS, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.



2.8.6 **Dark Fiber Loop**

2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ONS to utilize Dark Fiber Loops.

2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, ONS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ONS, BellSouth shall perform the routine network modifications.

2.8.6.3 **Requirements**

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

2.8.6.3.2 ONS is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to ONS information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from ONS.

2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to ONS within twenty (20) business days after ONS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable ONS to connect ONS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 **Description of Service**

- 2.9.1.1 BellSouth shall make available to ONS LMU information so that ONS can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment ONS intends to install and the services ONS wishes to provide. This section addresses LMU as a preordering transaction, distinct from ONS ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide ONS LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to ONS as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 ONS may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by ONS and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee ONS' ability to provide advanced data services over the ordered Loop type. Further, if ONS orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. ONS is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 ONS may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if ONS needs further Loop information in order to determine Loop service capability, ONS may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: <http://interconnection.bellsouth.com/guides/html/unes.html> . The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.
- 2.9.3 **Loop Reservations**
- 2.9.3.1 For a Mechanized LMU, ONS may reserve up to ten (10) Loop facilities. For a Manual LMUSI, ONS may reserve up to three (3) Loop facilities.
- 2.9.3.2 ONS may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to ONS. During and prior to ONS placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If ONS does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. ONS will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, ONS does not reserve facilities upon an initial LMUSI, ONS' placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where ONS has reserved multiple Loop facilities on a single reservation, ONS may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to ONS, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by ONS.

### **3 Line Sharing**

#### **3.1 General**

- 3.1.1 Line Sharing is defined as the process by which ONS provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and ONS using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with ONS. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, ONS may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, ONS may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with ONS, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ONS the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ONS shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to ONS on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice

service. If ONS requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, ONS shall pay for the Loop to be restored to its original state.

- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and ONS desires to continue providing xDSL service on such Loop, ONS shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give ONS notice in a reasonable time prior to disconnect, which notice shall give ONS an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and ONS purchases the full stand-alone Loop, ONS may elect the type of Loop it will purchase. ONS will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event ONS purchases a voice grade Loop, ONS acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If ONS reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge ONS for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide ONS with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, ONS must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.
- 3.2.1.2 ONS may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of ONS' submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group (CRSG).
- 3.2.1.3 Once a splitter is installed on behalf of ONS in a CO in which ONS is located, ONS shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and ONS shall pay the electronic or manual ordering

charges as applicable when ONS orders High Frequency Spectrum for End User service.

- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for ONS' data.

### 3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide ONS access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to ONS' xDSL equipment in ONS' collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide ONS with a carrier notification letter, informing ONS of change. ONS shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. ONS shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.

- 3.3.2 BellSouth will install the splitter in (i) a common area close to ONS' collocation area, if possible; or (ii) in a BellSouth relay rack as close to ONS' DS0 termination point as possible. ONS shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for ONS on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross connect the splitter data ports to a specified ONS DS0 at such time that a ONS End User's service is established.

### 3.4 **CLEC Provided Splitter – Line Sharing**

- 3.4.1 ONS may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. ONS may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by ONS in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ONS may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

### 3.5 **Ordering – Line Sharing**



- 3.5.1 ONS shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide ONS the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.5.4 BellSouth will provide ONS access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and ONS shall pay the rates for such services, as described in Exhibit A.
- 3.6 **Maintenance and Repair – Line Sharing**
  - 3.6.1 ONS shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If ONS is using a BellSouth owned splitter, ONS may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If ONS provides its own splitter, it may test from the collocation space or the Termination Point.
  - 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. ONS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
  - 3.6.3 ONS shall inform its End Users to direct data problems to ONS, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
  - 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
  - 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to ONS, BellSouth will notify ONS. ONS will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, ONS will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue ONS' access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 **Line Splitting**

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event ONS provides its own switching or obtains switching from a third party, ONS may engage in line splitting arrangements with another CLEC using a splitter, provided by ONS, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where ONS is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 ONS shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if ONS will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by ONS or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing ONS for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of ONS or its authorized agent to determine if the Loop is compatible for Line Splitting Service. ONS or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and ONS or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When ONS or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be



individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

### **3.9 Ordering – Line Splitting**

- 3.9.1 ONS shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide ONS the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.9.4 BellSouth will provide ONS access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and ONS shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to ONS on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <http://www.interconnection.bellsouth.com/html/unes.html>. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

### **3.10 Maintenance – Line Splitting**

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. ONS will

be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.

3.10.2 ONS shall inform its End Users to direct all problems to ONS or its authorized agent.

3.10.3 If ONS is not the data provider, ONS shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### **4 Local Switching**

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to ONS for the provision of a telecommunications service.

#### **4.2 Local Circuit Switching Capability, including Tandem Switching Capability**

4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.

4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for ONS when ONS: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that ONS is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by ONS or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the

Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.

- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to ONS' End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that ONS purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a ONS local End User, or originated by a BellSouth local End User and terminated to a ONS local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge ONS the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and ONS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where ONS purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a ONS End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge ONS the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and ONS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill ONS the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to ONS selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by ONS will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to ONS an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, ONS will ensure that the following conditions are satisfied:

- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).

- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge ONS the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to ONS all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by ONS.
- 4.2.13 **Local Switching Interfaces.**
- 4.2.13.1 ONS shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
  - 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
  - 4.2.13.1.2 Coin phone signaling;
  - 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
  - 4.2.13.1.4 Two-wire analog interface to PBX;
  - 4.2.13.1.5 Four-wire analog interface to PBX;
  - 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
  - 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
  - 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
  - 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

- 4.2.14 All End Users of ONS who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 ONS shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 ONS shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 ONS will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

#### 4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

- 4.3.1.1 Where ONS utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

#### 4.3.2 **Technical Requirements**



- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
  - 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
  - 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by ONS and BellSouth;
  - 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
  - 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
  - 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
  - 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to ONS.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from ONS' local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon ONS' purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for ONS' traffic overflowing from direct end office high usage trunk groups.
- 4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**
  - 4.4.1 Where BellSouth provides local switching to ONS, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of ONS. AIN SCR will provide ONS with the capability of routing operator calls, 0+ and 0- and 0+ NPA

Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

- 4.4.2 ONS shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by ONS, the routing of ONS' End User calls shall be pursuant to information provided by ONS and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, ONS shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each ONS End User activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. ONS shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to ONS' fully completed firm order as a Regional Service Order. With the delivery of this firm order response to ONS, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.
- 4.4.7 The NRC End Office Establishment Charge will be billed to ONS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End User Establishment Charges will be billed to ONS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to ONS following the normal billing cycle for per query charges.



- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

**4.5 Selective Call Routing Using Line Class Codes**

- 4.5.1 Where ONS purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route ONS' End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for ONS to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, ONS specific and unique LCCs are programmed in each BellSouth end office switch where ONS intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify ONS' End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and ONS intends to provide ONS-branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require ONS to order dedicated trunking from each BellSouth end office identified by ONS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the ONS Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by ONS to the BellSouth TOPS.
- 4.5.7 The rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth CO. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat

rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

## **5 Unbundled Network Element Combinations**

5.1 For purposes of this Section, references to “Currently Combined” Network Elements shall mean that the particular Network Elements requested by ONS are in fact already combined by BellSouth in the BellSouth network. References to “Ordinarily Combined” Network Elements shall mean that the particular Network Elements requested by ONS are not already combined by BellSouth in the location requested by ONS but are elements that are typically combined in BellSouth’s network. References to “Not Typically Combined” Network Elements shall mean that the particular Network Elements requested by ONS are not elements that BellSouth combines for its use in its network.

5.1.1 Upon request, BellSouth shall perform the functions necessary to combine UNEs in any manner, even if those elements are not ordinarily combined in BellSouth’s network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to UNEs or to interconnect with BellSouth’s network.

## **5.2 Enhanced Extended Links**

5.2.1 Enhanced Extended Links (EELs) are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide ONS with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.

5.2.3 By placing an order for a high-capacity EEL, ONS thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit ONS’ high-capacity EELs as specified below.

5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, ONS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price

quote for the request, and upon receipt of payment by ONS, BellSouth shall perform the routine network modifications.

5.2.5 Service Eligibility Criteria

5.2.5.1 ONS must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

5.2.5.1.1 ONS has received state certification to provide local voice service in the area being served;

5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:

5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

5.2.5.2.4 Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);

5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which ONS will transmit the calling party's number in connection with calls exchanged over the trunk;

5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, ONS will have at least one (1) active DS1 local service interconnection trunk over which ONS will transmit the calling party's number in connection with calls exchanged over the trunk;

5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.

5.2.6 BellSouth may, on an annual basis, audit ONS' records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that ONS failed to comply with the service eligibility criteria, ONS must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In

the event the auditor's report concludes that ONS did not comply in any material respect with the service eligibility criteria, ONS shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that ONS did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ONS for its reasonable and demonstrable costs associated with the audit. ONS will maintain appropriate documentation to support its certifications.

- 5.2.7 In the event ONS converts special access services to UNEs, ONS shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

### **5.3 UNE Port/Loop Combinations**

- 5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to ONS if ONS' customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that ONS is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by ONS or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for ONS' UNE port/Loop combinations. BellSouth will not bill ONS for 911 surcharges. ONS is responsible for paying all 911 surcharges to the applicable governmental agency.

## **5.4        Rates**

- 5.4.1        The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- 5.4.2        The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3        Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4        BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to ONS in addition to those specifically referenced in this Section 5 above, where available. To the extent ONS requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

## **6        Transport, Channelization and Dark Fiber**

### **6.1        Transport**

- 6.1.1        BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to ONS for the provision of a qualifying service, as set forth herein.
- 6.1.1.1        Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that ONS uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 6.1.1.2        Dark Fiber Transport is defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;

- 6.1.1.3 Common (Shared) Transport is defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to ONS.
- 6.1.2 BellSouth shall:
  - 6.1.2.1 Provide ONS exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
  - 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
  - 6.1.2.3 Permit, to the extent technically feasible, ONS to connect such interoffice facilities to equipment designated by ONS, including but not limited to, ONS' collocated facilities; and
  - 6.1.2.4 Permit, to the extent technically feasible, ONS to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
  - 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
  - 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
  - 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
  - 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
    - 6.2.1.1 As capacity on a shared UNE facility.
    - 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to ONS.



- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 ONS may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, ONS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ONS, BellSouth shall perform the routine network modifications.
- 6.2.6 Technical Requirements
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to ONS designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. ONS shall specify the termination points for Dedicated Transport.

6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.2.6.6 BellSouth Technical References:

6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

### **6.3 Unbundled Channelization (Multiplexing)**

6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, ONS may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

6.3.2 BellSouth shall make available the following channelization systems and interfaces:

6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCIs are available: Voice Grade, Digital Data and ISDN.

6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 Technical Requirements

6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, ONS' channelization equipment must adhere strictly to form and protocol standards. ONS must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.3.3.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995

#### 6.4 **Dark Fiber Transport**

6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ONS to utilize Dark Fiber Transport.

6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, ONS may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by ONS, BellSouth shall perform the routine network modifications.

#### 6.4.3 **Requirements**

6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

6.4.3.2 ONS is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

6.4.3.3 BellSouth shall use its best efforts to provide to ONS information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from ONS. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to ONS within twenty (20) business days after ONS submits a valid, error free LSR.

Provisioning includes identification of appropriate connection points (e.g., LGX) to enable ONS to connect ONS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

## **7            Databases**

7.1            Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to ONS.

7.2            To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and/or CNAM at market based rates pursuant to a separate agreement or tariff.

## **8.            BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service**

8.1            The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At ONS' option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by ONS.

8.2            The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

## **9            Line Information Database**

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, ONS must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 Technical Requirements
- 9.2.1 BellSouth will offer to ONS any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process ONS' customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to ONS what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by ONS, BellSouth shall provide ONS with a list of the customer data items, which ONS would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of ONS data to the LIDB shall be solely at the direction of ONS. Such direction from ONS will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for ONS data upon ONS' request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of ONS customer records will be missing from LIDB, as measured by ONS audits. BellSouth will audit ONS records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated ONS contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to ONS within one (1) business day of audit. Once reconciled records are received back from ONS, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact ONS to negotiate a time frame for the updates, not to exceed three (3) business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of ONS' data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide ONS with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between ONS and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of ONS data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by ONS in writing.
- 9.2.13 BellSouth shall provide ONS performance of the LIDB Data Screening function, which allows LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by ONS at least at parity with BellSouth Customer Data. BellSouth shall obtain from ONS the screening information associated with LIDB Data Screening of ONS data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to ONS under the BFR/NBR process.
- 9.2.14 BellSouth shall accept queries to LIDB associated with ONS customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.



9.3            Interface Requirements

9.3.1           BellSouth shall offer LIDB in accordance with the requirements of this subsection.

9.3.2           The interface to LIDB shall be in accordance with the technical references contained within.

9.3.3           The CCS interface to LIDB shall be the standard interface described herein.

9.3.4           The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

9.3.5           The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. ONS shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. ONS shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

**10            Signaling**

10.1           BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2           **Signaling Link Transport**

10.2.1           Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between ONS designated Signaling Points of Interconnection that provide appropriate physical diversity.

10.2.2           Technical Requirements

10.2.2.1           Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

10.2.2.1.1           As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

- 10.2.2.1.2 As a “B-link” Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.2.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
  - 10.2.2.2.1 An A-link layer shall consist of two (2) links.
  - 10.2.2.2.2 A B-link layer shall consist of four (4) links.
- 10.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
  - 10.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
  - 10.2.2.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.3 Interface Requirements
- 10.2.3.1 There shall be a DS1 (1.544 Mbps) interface at ONS’ designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 Signaling Transfer Points
- 10.3.1 A Signaling Transfer Point (STP) is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and STPSs.
- 10.3.2 Technical Requirements
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a ONS local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between ONS local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a ONS or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a ONS database, then ONS agrees to provide BellSouth with the Destination Point Code for ONS database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a ONS or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 10.4 **SS7 AIN Access**
- 10.4.1 When technically feasible and upon request by ONS, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with ONS' SS7 network to exchange TCAP queries and responses with a ONS SCP.
- 10.4.2 SS7 AIN Access shall provide ONS SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and ONS SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation

device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the ONS SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3      Interface Requirements

10.4.3.1      BellSouth shall provide the following STP options to connect ONS or ONS-designated local switching systems to the BellSouth SS7 network:

10.4.3.1.1      An A-link interface from ONS local switching systems; and,

10.4.3.1.2      A B-link interface from ONS local STPs.

10.4.3.2      Each type of interface shall be provided by one or more layers of signaling links.

10.4.3.3      The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

10.4.3.4      BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

10.4.3.5      STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4      Message Screening

10.4.4.1      BellSouth shall set message screening parameters so as to accept valid messages from ONS local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the ONS switching system has a valid signaling relationship.

10.4.4.2      BellSouth shall set message screening parameters so as to pass valid messages from ONS local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the ONS switching system has a valid signaling relationship.

10.4.4.3      BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from ONS from any signaling point or network interconnected through BellSouth's SS7 network where the ONS SCP has a valid signaling relationship.

10.5      Service Control Points/Databases

10.5.1      Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall

provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and DA.

10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

10.5.3 Technical Requirements for SCPs/Databases

10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

10.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 Local Number Portability Database

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 SS7 Network Interconnection

10.7.1 SS7 Network Interconnection is the interconnection of ONS local signaling transfer point switches or ONS local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, ONS local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and ONS or other third-party switching systems with A-link access to the BellSouth SS7 network.

- 10.7.3 If traffic is routed based on dialed or translated digits between a ONS local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the ONS local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a ONS local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of ONS local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 Interface Requirements
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect ONS or ONS-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from ONS local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from ONS STPs.
- 10.7.9.2 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport



interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 10.7.9.3 BellSouth shall provide intraoffice diversity between the SPOI and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from ONS local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the ONS switching system has a valid signaling relationship.

## **11 Automatic Location Identification/Data Management System**

- 11.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. ONS will be required to provide BellSouth daily updates to E911 database. ONS shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

### **11.2 Technical Requirements**

- 11.2.1 BellSouth shall provide ONS the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to ONS after ONS provides End User information for input into the ALI/DMS database.
- 11.2.2 ONS shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

## **12 Calling Name Database Service**

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides ONS the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 ONS shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60)

calendar days prior to ONS' access to BellSouth's CNAM Database Services and shall be addressed to ONS' Local Contract Manager.

- 12.3 BellSouth's provision of CNAM Database Services to ONS requires interconnection from ONS to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, ONS shall provide its own CNAM SSP. ONS' CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If ONS elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that ONS desires to query.
- 12.6 If ONS queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by ONS for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by ONS in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of ONS to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 ONS CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

**13            Service Creation Environment and Service Management System Advanced Intelligent Network Access**

- 13.1            BellSouth's SCE/SMS AIN Access shall provide ONS the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2            BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to ONS. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3            BellSouth SCP shall partition and protect ONS service logic and data from unauthorized access.
- 13.4            When ONS selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable ONS to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5            ONS access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6            BellSouth shall allow ONS to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

**14            Operational Support Systems**

- 14.1            BellSouth has developed and made available electronic interfaces by which ONS may submit LSRs electronically.
- 14.2            LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3            Denial/Restoral OSS Charge. In the event ONS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4            Cancellation OSS Charge. ONS will incur an OSS charge for an accepted LSR that is later cancelled.

- 14.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		12.58	37.81	17.56	23.49	5.30					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		21.05	37.81	17.56	23.49	5.30					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		34.34	37.81	17.56	23.49	5.30					
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		12.58	37.81	17.56	23.49	5.30					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		21.05	37.81	17.56	23.49	5.30					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		34.34	37.81	17.56	23.49	5.30					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33	0.83							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			34.16	34.16							
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			19.85	19.85							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO			15.78	8.94							
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM			13.44								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			8.15	8.15							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)							
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		18.09											
	<b>2-WIRE Unbundled COPPER LOOP</b>																	
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15								
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15								
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83										
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.15											
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.L.)			UEQ	UEQMU		13.44											
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.16	34.16										
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.85	19.85										
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43										
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>																	
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>																	
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30								
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>																	
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>																	
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09											
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36										
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10										
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>																	
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50								
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50								
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36										
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>																	
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54								
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54								
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16										
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>																	
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09											
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40										
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																	



**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop including man'l svc inq & facility reservation-Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44					
	2W Unbundled HDSL Loop including man'l svc inq & facility reservation-Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44					
	2W Unbundled HDSL Loop including man'l svc inq & facility reservation-Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	2W Unbundled HDSL Loop w/o man'l svc inq and facility reservation-Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44					
	2W Unbundled HDSL Loop w/o man'l svc inq and facility reservation-Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44					
	2W Unbundled HDSL Loop w/o man'l svc inq and facility reservation-Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40							
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4W Unbundled HDSL Loop including man'l svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73					
	4W Unbundled HDSL Loop including man'l svc inq and facility reservation-Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73					
	4W Unbundled HDSL Loop including man'l svc inq and facility reservation-Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	4W Unbundled HDSL Loop w/o man'l svc inq and facility reservation-Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73					
	4W Unbundled HDSL Loop w/o man'l svc inq and facility reservation-Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73					
	4W Unbundled HDSL Loop w/o man'l svc inq and facility reservation-Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40							
4-WIRE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71					
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71					
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.05							
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50					
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50					
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50					
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50					
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50					
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50					
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50					
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75							

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOME	SOMAN	SOMAN	SOMAN
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)								
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.15	8.15											
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.16	34.16											
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.85	19.85											
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70									
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70									
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15											
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07									
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07									
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15											
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.16	34.16											
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.85	19.85											
	<b>Unbundled Network Terminating Wire (UNTW)</b>																		
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.40	30.01												
	<b>Network Interface Device (NID)</b>																		
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.23	28.38											
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		63.97	49.11											
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.87	5.87											
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.87	5.87											
<b>UNE OTHER, PROVISIONING ONLY - NO RATE</b>																			
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00												
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00												
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00												
<b>UNE OTHER, PROVISIONING ONLY - NO RATE</b>																			
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00												
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00												
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00												
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00												
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00												
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>																			
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	8.38													
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58									
	High Capacity Unbundled Local Loop-ST3-1-Per mi per mo			UDLSX	1L5ND	8.38													
	High Capacity Unbundled Local Loop-ST3-1-Facility Term per mo			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58									
<b>LOOP MAKE-UP</b>																			
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		20.00	20.00											
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00											
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59											
<b>LINE SHARING AND LINE SPLITTING</b>																			
<b>NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:</b>																			
<b>NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")</b>																			
<b>NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND</b>																			
<b>NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND</b>																			
<b>NOTE 1: Above will apply to USOCs: ULSDT and ULSC</b>																			
<b>**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003</b>																			
<b>LINE SHARING</b>																			
<b>SPLITTERS-CENTRAL OFFICE BASED</b>																			
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00									
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00									
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00									
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19								
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19								
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
	LINE SPLITTING															
	END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	MAINTENANCE															
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
	UNBUNDLED DEDICATED TRANSPORT															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.008838										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.008838										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.18										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.09										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.09										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
	DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	60.32										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66						
	8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		2.58	0.44								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.58	1.29								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44								
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.58									
	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.000565										
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.000565										
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.00002										
	LIDB Validation Per Query			OQU		0.012002										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
SIGNALING (CCS7)																
	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 SERVICE																
	Local Channel-Dedicated-2W VG					13.97	193.10	33.17	36.64	3.20						
	Interoffice Transport-Dedicated-2W VG Per mi					0.008838										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					21.13	40.54	27.41	16.74	6.90						
	Local Channel-Dedicated-DS1-Zone 1					35.76	177.47	153.72	22.19	15.26						
	Local Channel-Dedicated-DS1-Zone 2					49.98	177.47	153.72	22.19	15.26						
	Local Channel-Dedicated-DS1-Zone 3					107.63	177.47	153.72	22.19	15.26						
	Interoffice Transport-Dedicated-DS1 Per mi					0.18										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					60.16	89.27	81.81	16.35	14.44						
CALLING NAME (CNAM) SERVICE																
	CNAM For DB Owners-Service Establishment			OQV			22.95		21.11							
	CNAM For Non DB Owners-Service Establishment			OQV			22.95		21.11							
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			990.88	732.84	268.93	197.74						
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			342.33	245.14	275.25	197.74						
	CNAM for DB Owners, Per Query			OQV		0.000902										
	CNAM for Non DB Owners, Per Query			OQV		0.000902										
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11						
VIRTUAL COLLOCATION																
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
									Rec	Nonrecurring	NRC Disconnect				OSS Rates (\$)			
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
<b>PHYSICAL COLLOCATION</b>																		
							UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44					
<b>AIN SELECTIVE CARRIER ROUTING</b>																		
							SRC	SRCEC		101,098.91		8,590.70						
							SRC	SRCEO		169.88	169.88	1.70	1.70					
							SRC		0.002749									
<b>AIN - BELLSOUTH AIN SMS ACCESS SERVICE</b>																		
							A1N	CAMSE		39.44	39.44	40.69	40.69					
							A1N	CAMDP		7.83	7.83	9.09	9.09					
							A1N	CAM1P		7.83	7.83	9.09	9.09					
							A1N	CAMAU		35.00	35.00	27.06	27.06					
							A1N	CAMRC		41.88	41.88	11.71	11.71					
									0.002188									
									0.59									
									0.73									
<b>AIN - BELLSOUTH AIN TOOLKIT SERVICE</b>																		
							CAM	BAPSC		39.44	39.44	40.69	40.69					
								BAPVX		4,202.17	4,202.17							
								BAPTT		7.83	7.83	9.09	9.09					
								BAPTD		7.83	7.83	9.09	9.09					
								BAPTM		7.83	7.83	9.09	9.09					
								BAPTO		34.47	34.47	14.36	14.36					
								BAPTC		34.47	34.47	14.36	14.36					
								BAPTF		34.47	34.47	14.36	14.36					
									0.05									
									0.00582									
									0.05									
							CAM	BAPMS	10.17	7.83	7.83	5.50	5.50					
							CAM	BAPLS	2.87	8.66	8.66							
							CAM	BAPDS	7.39	7.83	7.83	5.50	5.50					
							CAM	BAPES	0.10	8.66	8.66							
<b>ENHANCED EXTENDED LINK (EELs)</b>																		
<b>NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.</b>																		
<b>NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.</b>																		
<b>EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																		
							1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44				
							2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44				
							3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				
								UNC1X	1L5XX	0.18								
								UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
								UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				
								UNCVX	1D1VG	0.53	6.58	4.72						
							1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44				
							2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44				
							3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				
								UNCVX	1D1VG	0.53	6.58	4.72						
								UNC1X	UNCCC	5.59	5.59	6.98	6.98					
<b>EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																		
							1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)								
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50									
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50									
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18													
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44									
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79									
	VG COCI in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72											
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50									
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50									
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50									
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																			
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50									
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50									
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50									
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18													
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44									
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79									
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72											
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50									
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50									
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50									
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																			
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50									
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50									
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50									
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44									
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79									
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72											
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50									
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50									
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50									
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																			
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71									
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71									
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71									
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>																			
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71									
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71									
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71									
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09													
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l			OSS Rates (\$)						
											SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83									
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72											
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71									
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71									
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71									
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT</b>																			
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44									
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44									
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44									
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.008838													
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT</b>																			
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50									
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50									
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50									
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.008838													
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>																			
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	8.38													
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58									
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09													
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>																			
	STS-1 Local Loop in combination-per mi per mo			UNC3X	1L5ND	8.38													
	STS-1 Local Loop in combination-Facility Term per mo			UNC3X	UDLS1	319.83	451.52	263.94	119.49	83.58									
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNC3X	1L5XX	4.09													
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNC3X	U1TFS	701.37	278.75	162.76	60.20	58.46									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT</b>																			
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54									
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54									
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54									
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.18													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44									
	1/0 Channel System in combination-per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79									
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72											
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54									
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54									
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54									
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98									
<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>																			
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71									
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71									
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71									
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNC3X	1L5XX	4.09													
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNC3X	U1TFS	701.37	278.75	162.76	60.20	58.46									
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83									
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72											
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)							
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71								
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71								
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98								
	<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>																	
	4W 56 kbps Local Loop in combination-Zone 1		1	UNC1X	UDL56	26.09	126.27	88.80	59.14	14.50								
	4W 56 kbps Local Loop in combination-Zone 2		2	UNC1X	UDL56	35.95	126.27	88.80	59.14	14.50								
	4W 56 kbps Local Loop in combination-Zone 3		3	UNC1X	UDL56	37.88	126.27	88.80	59.14	14.50								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNC1X	1L5XX	0.008838												
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNC1X	U1TD5	15.12	40.54	27.41	16.74	6.90								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98								
	<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>																	
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNC1X	UDL64	26.09	126.27	88.80	59.14	14.50								
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNC1X	UDL64	35.95	126.27	88.80	59.14	14.50								
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNC1X	UDL64	37.88	126.27	88.80	59.14	14.50								
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNC1X	1L5XX	0.008838												
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNC1X	U1TD6	15.12	40.54	27.41	16.74	6.90								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98								
	<b>EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																	
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNC1X	UEAL2	14.38	88.00	55.00	47.24	7.44								
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNC1X	UEAL2	22.85	88.00	55.00	47.24	7.44								
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNC1X	UEAL2	36.14	88.00	55.00	47.24	7.44								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.18												
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79								
	Per each VG COCI-Per mo per mo			UNC1X	1D1VG	0.53	6.58	4.72										
	3/1 Channel System in combination per mo			UNC1X	MQ3	166.13	178.14	93.97	33.26	31.83								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72										
	Each Add'l 2W VG Loop (SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UEAL2	14.38	88.00	55.00	47.24	7.44								
	Each Add'l 2W VG Loop (SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNC1X	UEAL2	22.85	88.00	55.00	47.24	7.44								
	Each Add'l 2W VG Loop (SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNC1X	UEAL2	36.14	88.00	55.00	47.24	7.44								
	Each Add'l VG COCI in combination-per mo			UNC1X	1D1VG	0.53	6.58	4.72										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	12.70	6.58	4.72										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98								
	<b>EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																	
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNC1X	UEAL4	25.34	131.97	94.51	59.14	14.50								
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNC1X	UEAL4	38.58	131.97	94.51	59.14	14.50								
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNC1X	UEAL4	60.02	131.97	94.51	59.14	14.50								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18												
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79								
	Per each VG COCI in combination-per mo			UNC1X	1D1VG	0.53	6.58	4.72										
	3/1 Channel System in combination per mo			UNC1X	MQ3	166.13	178.14	93.97	33.26	31.83								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UEAL4	25.34	131.97	94.51	59.14	14.50								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)				
						Rec	First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
<b>EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																				
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50										
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50										
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50										
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79										
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50										
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	12.70	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50										
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50										
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50										
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79										
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50										
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN			
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	12.70	6.58	4.72										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98								
<b>EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.18												
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79								
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72										
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72										
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54								
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	12.70	6.58	4.72										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98								
<b>EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																		
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71								
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71								
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18												
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83								
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	12.70	6.58	4.72										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	12.70	6.58	4.72										
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98								
<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>																		
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDCX	UDL56	26.09	126.27	88.80	59.14	14.50								
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDCX	UDL56	35.95	126.27	88.80	59.14	14.50								
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDCX	UDL56	37.88	126.27	88.80	59.14	14.50								
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDCX	1L5XX	0.008838												
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDCX	U1TD5	15.12	40.54	27.41	16.74	6.90								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDCX	UNCCC		5.59	5.59	6.98	6.98								
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>																		
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDCX	UDL64	26.09	126.27	88.80	59.14	14.50								
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDCX	UDL64	35.95	126.27	88.80	59.14	14.50								
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDCX	UDL64	37.88	126.27	88.80	59.14	14.50								
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDCX	1L5XX	0.008838												
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDCX	U1TD6	15.12	40.54	27.41	16.74	6.90								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDCX	UNCCC		5.59	5.59	6.98	6.98								
<b>ADDITIONAL NETWORK ELEMENTS</b>																		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama											Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98							
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98							
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98							
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98							
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC		5.59	5.59	6.98	6.98							
	Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0I	0I	0I	0I							
	Clear Channel Capability Super FrameOption-per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0I	0I	0I	0I							
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S							
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S							
	MULTIPLEXERS																
	DS1 to DS0 Channel System per mo			UNC1X	MQ1		101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD		1.12	6.58	4.72	0.00	0.00						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD		1.12	6.58	4.72	0.00	0.00						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN	UC1CA		2.41	6.58	4.72	0.00	0.00						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA		2.41	6.58	4.72	0.00	0.00						
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG		0.53	6.58	4.72	0.00	0.00						
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG		0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per mo			UNC3X	MQ3		166.13	178.14	93.97	33.26	31.83						
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3		166.13	178.14	93.97	33.26	31.83						
	DS1 COCI used with Loop per mo			USL	UC1D1		12.70	6.58	4.72	0.00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1		12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1		12.70	6.58	4.72	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1		12.70	6.58	4.72	0.00	0.00						
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports																
	2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL		1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC		1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO		1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAR		1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP		1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG AL res Dialing Plan w/o Caller Id			UEPSR	UEPWA		1.38	2.38	2.27	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT		1.38	2.38	2.27	1.42	1.33						
	Subsqnt Activity			UEPSR	USASC		0.00	0.00	0.00								
	FEATURES																
	All Available Vertical Features			UEPSR	UEPVF		1.98	0.00	0.00								
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL		1.38	2.38	2.27	1.42	1.33						



## EXHIBIT 1

[illegible]

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	First	Add'l	First			Add'l	SOMECH	SOMAN	SOMAN
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.14								
	New or Additional PRI Telephone Numbers														
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0697	0.49								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0697	11.51								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.049								
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02								
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPEX	UEPDX	LNPCN	1.75								
	INTERFACE (Provsioning Only)														
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00							
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00							
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00							
	New or Additional Channel														
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53								
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53								
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53								
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53								
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53								
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.53								
	CALL TYPES														
	Inward			UEPEX	UEPDX	PR7C1	0.00	0.00	0.00						
	Outward			UEPEX	PR7CO	0.00	0.00	0.00							
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00							
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY														
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33					
	Non-Recurring														
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10							
	UNBUNDLED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33					
	Non-Recurring														
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10							
	UNBUNDLED LOCAL SWITCHING, PORT USAGE														
	End Office Switching (Port Usage)														
	End Office Switching Function, Per MOU					0.0007025									
	End Office Trunk Port-Shared, Per MOU					0.0001638									
	Tandem Switching (Port Usage) (Local or Access Tandem)														
	Tandem Switching Function Per MOU					0.000095									
	Tandem Trunk Port-Shared, Per MOU					0.0002015									
	Tandem Switching Function Per MOU (Melded)					0.000040993									
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000086947									
	Melded Factor: 43.15% of the Tandem Rate														

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect			OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Common Transport															
	Common Transport-Per mi, Per MOU					0.0000023										
	Common Transport-Facilities Term Per MOU					0.0003224										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			12.70										
	2W VG Loop/Port Combo-Zone 2		2			21.19										
	2W VG Loop/Port Combo-Zone 3		3			34.80										
UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	33.65										
2-Wire Voice Grade Line Port Rates (Res)																
	2W voice unbundled port-res			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63						
	2W VG unbundled AL extended local dialing parity port with Caller ID-			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63						
	2W Voice Unbundled AL res Dialing Plan w/o Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63						
FEATURES																
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF/OFF PREMISES EXTENSION CHANNELS																
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.008838	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			12.70										
	2W VG Loop/Port Combo-Zone 2		2			21.19										
	2W VG Loop/Port Combo-Zone 3		3			34.80										
UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	33.65										
2-Wire Voice Grade Line Port (Bus)																
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2W VG unbundled AL extended local dialing parity port with Caller ID-			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
OFF/ON PREMISES EXTENSION CHANNELS																
	2W Analog VG Extension Loop – Non-Design	1		UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop – Non-Design	2		UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop – Non-Design	3		UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop – Design	1		UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop – Design	2		UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop – Design	3		UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.008838	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1	1				12.70										
	2W VG Loop/Port Combo-Zone 2	2				21.19										
	2W VG Loop/Port Combo-Zone 3	3				34.80										
UNE Loop Rates																
	2W VG Loop (SL 1)-Zone 1	1		UEPRG	UEPLX	11.55										
	2W VG Loop (SL 1)-Zone 2	2		UEPRG	UEPLX	20.04										
	2W VG Loop (SL 1)-Zone 3	3		UEPRG	UEPLX	33.65										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES																
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								

EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)				
						Rec	First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.91	1.90												
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPRG	USACC		7.81	1.90												
<b>ADDITIONAL NRCs</b>																				
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00												
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83												
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>																				
	Local Channel VG, per Term		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44										
	Local Channel VG, per Term		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44										
	Local Channel VG, per Term		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44										
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40										
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40										
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40										
<b>INTEROFFICE TRANSPORT</b>																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90										
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.008838	0.00	0.00												
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>																				
<b>UNE Port/Loop Combination Rates</b>																				
	2W VG Loop/Port Combo-Zone 1		1			12.70														
	2W VG Loop/Port Combo-Zone 2		2			21.19														
	2W VG Loop/Port Combo-Zone 3		3			34.80														
<b>UNE Loop Rates</b>																				
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	11.55														
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.04														
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	33.65														
<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>																				
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20										
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20										
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20										
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20										
<b>LOCAL NUMBER PORTABILITY</b>																				
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00												
<b>FEATURES</b>																				
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00												
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.91	1.90												
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPPX	USACC		7.91	1.90												
<b>ADDITIONAL NRCs</b>																				
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00												
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83												
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>																				
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44										
	Local Channel VG, per Term		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44										
	Local Channel VG, per Term		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.008838	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2W VG Coin Port/Loop Combo - Zone 1		1			12.70										
	2W VG Coin Port/Loop Combo - Zone 2		2			21.19										
	2W VG Coin Port/Loop Combo - Zone 3		3			34.80										
UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	33.65										
2-Wire Voice Grade Line Ports (COIN)																
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52										
UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.38										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	22.85										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	36.14										
2-Wire Voice Grade Line Port Rates (Res)																
	2W voice unbundled port-res			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
	2W VG unbundled AL extended local dialing parity port with Caller ID-			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						
	2W Voice Unbundled AL res Dialing Plan w/o Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l				
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)								
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	<b>INTEROFFICE TRANSPORT</b>																		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90									
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.008838													
	<b>FEATURES</b>																		
	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00											
	<b>LOCAL NUMBER PORTABILITY</b>																		
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35													
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		8.48	1.87											
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		8.48	1.87											
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.21	1.10											
	<b>2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)</b>																		
	<b>UNE Port/Loop Combination Rates</b>																		
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			15.76													
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.23													
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			37.52													
	<b>UNE Loop Rates</b>																		
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.38													
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	22.85													
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	36.14													
	<b>2-Wire Voice Grade Line Port (Bus)</b>																		
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77									
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77									
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77									
	2W VG unbundled AL extended local dialing parity port with Caller ID-			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77									
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77									
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77									
	<b>LOCAL NUMBER PORTABILITY</b>																		
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35													
	<b>INTEROFFICE TRANSPORT</b>																		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90									
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.008838													
	<b>FEATURES</b>																		
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00											
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		8.48	1.87											
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		8.48	1.87											
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10											
	<b>2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)</b>																		
	<b>UNE Port/Loop Combination Rates</b>																		
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			15.76													
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.23													
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			37.52													
	<b>UNE Loop Rates</b>																		
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.38													
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	22.85													
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	36.14													
	<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>																		
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34									
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34									
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34									
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34									
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34									
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34									
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.008838										
FEATURES																
	All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		8.48	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		8.48	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.21	1.10								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			22.40										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.88										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			44.17										
UNE Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.38										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	22.85										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	36.14										
UNE Port Rate																
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.31	1.87								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		7.31	1.87								
ADDITIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10								
Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	27.28										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	37.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	53.84										
UNE Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	19.03										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
									SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l					
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	29.62									
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	45.60									
	UNE Port Rate														
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB UEPPR	USACB	0.00	38.51	27.02							
	ADDITIONAL NRCs														
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPR	URETN		11.21	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL		8.33	0.83							
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00							
	B-CHANNEL USER PROFILE ACCESS:														
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00							
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)														
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00							
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00							
	USER TERMINAL PROFILE														
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00							
	VERTICAL FEATURES														
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	1.98	0.00	0.00							
	INTEROFFICE CHANNEL MILEAGE														
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.008838	0.00	0.00							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT														
	The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.														
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
	UNE Port/Loop Combination Rates														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		166.87									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		238.50									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		398.85									
	UNE Loop Rates														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	82.55									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	154.18									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	314.52									
	UNE Port Rate														
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	84.32	456.28	259.10	123.88	31.77					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	119.07	78.56							
	ADDITIONAL NRCs														
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqnt Actvy-Inward/two way Tel Nos			UEPPP	PR7TF		0.49								
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.51								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		23.02								
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75									
	INTERFACE (Provisioning Only)														
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							
	New or Additional "B" Channel														
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53								
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.53								
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.53								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l				
									OSS Rates (\$)							
						Rec	First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.18										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		142.64										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		214.26										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		374.61										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	82.55										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	154.18										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	314.52										
UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.49	67.02								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		129.49	67.02								
ADDITIONAL NRCs																
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		14.48	14.48								
BIPOLAR & ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	600.00s									
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	600.00s									
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establishment Charges																
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00									
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.18	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNO4	0.18	0.00	0.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	CO Terminating Point			UEPDC	CTG	0.00										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE DS1 Loop																
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00								
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	608.40	0.00	0.00								
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00								
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,014.00	0.00	0.00								
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00								
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00								
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliztion with Port - Conversion Charge Based on a System																
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	150.48	8.36								
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
Bipolar 8 Zero Substitution																
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Alternate Mark Inversion (AMI)																
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
	Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
	2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
	2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.56	54.55									
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.56	77.03									
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00								
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.																
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		34.80										
UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		37.29										
UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.14										
UNE Ports																
All States (Except NC and SC)																
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY, LA, MS, & TN Only																
	2W VG Port (Centrex )			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local Switching																
	Centrex Intercom Functionality, per port			UEP91	URECS	0.5488										
Local Number Portability																
	Local No Portability (1 per port)			UEP91	LNPCP	0.35										
Features																
	All Standard Features Offered, per port			UEP91	UEPVF	1.98										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Initial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Electronically per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	Unbundled Network Access Register-Outdial			UEP91	UARO X	0.00	0.00	0.00	0.00	0.00								
	<b>Miscellaneous Terminations</b>																	
	<b>2-Wire Trunk Side</b>																	
	Trunk Side Terms, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76								
	<b>Interoffice Channel Mileage - 2-Wire</b>																	
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90								
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.008838												
	<b>Feature Activations (DS0) Centrex Loops on Channelized DS1 Service</b>																	
	<b>D4 Channel Bank Feature Activations</b>																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56												
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.56												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.56												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56												
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.56												
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56												
	<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>																	
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10										
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58										
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21											
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21											
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02											
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73											
	<b>Additional Non-Recurring Charges (NRC)</b>																	
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83										
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.21	1.10										
	<b>UNE-P CENTREX - 5ESS (Valid in All States)</b>																	
	<b>2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo</b>																	
	<b>UNE Port/Loop Combination Rates (Non-Design)</b>																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.70												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.19												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		34.80												
	<b>UNE Port/Loop Combination Rates (Design)</b>																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		15.53												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		24.00												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		37.29												
	<b>UNE Loop Rate</b>																	
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.55												
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	20.04												
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	33.65												
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.38												
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	22.85												
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	36.14												
	<b>UNE Port Rate</b>																	
	<b>All States</b>																	
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63								
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63								
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63								
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77								
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77								
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63								
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63								
	<b>AL, KY, LA, MS, SC, &amp; TN Only</b>																	
	2W VG Port (Centrex )			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63								
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63								
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63								
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77								
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77								



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local Switching																
	Centrex Intercom Functionality, per port			UEP95	URECS	0.5488										
Local Number Portability																
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROXX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.008838										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWW	0.56										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73									
Additional Non-Recurring Charges (NRC)																
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
UNE-P CENTREX - DMS100 (Valid in All States)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		34.80										
UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		37.29										
UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	36.14										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
										Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
											First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
<b>UNE Port Rate</b>																			
<b>ALL STATES</b>																			
	2W VG Port (Centrex ) Basic Local Area							UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex 800 Term) Basic Local Area							UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-PSET)3 Basic Local Area							UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5009)3 Basic Local Area							UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area							UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area							UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5312)3 Basic Local Area							UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area							UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area							UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area							UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area							UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex with Caller ID) Basic Local Area							UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area							UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area							UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area							UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area							UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area							UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area							UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area							UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area							UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area							UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3 Basic Local Area							UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area							UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area							UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77					
	2W VG Port, Diff SWC-800 Service Term 2,3							UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77					
	2W VG Port terminated in on Megalink or equivalent Basic Local Area							UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63					
	2W VG Port Terminated on 800 Service Term Basic Local Area							UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63					
<b>AL, KY, LA, MS, SC, &amp; TN Only</b>																			
	2W VG Port (Centrex)							UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex 800 Term)							UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-PSET)4							UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5009)4							UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5209)4							UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5112)4							UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5312)4							UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex /EBS-M5008)4							UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-M5208)4							UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-M5216)4							UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/EBS-M5316)4							UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex with Caller ID)							UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4							UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4							UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63					
	2W VG Port (Centrex from diff SWC) 2,3							UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4							UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4							UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4							UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4							UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4							UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4							UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4							UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4							UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77					
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4							UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77					
	2W VG Port, Diff SWC-800 Service Term 2,3							UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77					
	2W VG Port terminated in on Megalink or equivalent							UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63					
	2W VG Port Terminated on 800 Service Term							UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63					
<b>Local Switching</b>																			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
						Rec									

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	First	Add'l	NRC Disconnect			First	Add'l	SOMECS	SOMAN	SOMAN
												OSS Rates (\$)				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY, LA, MS, & TN Only																
	2W VG Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPOH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local Switching																
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
Local Number Portability																
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48									
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.008838										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10								
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		34.80										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		37.29										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	36.14										
	UNE Port Rate															
	AL, KY, LA, MS, & TN only															
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex )			UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
	Local Number Portability															
	Local No Portability (1 per port)			UEP93	LNPCC	0.35										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN			
	Features										SOMAN	SOMAN			
	All Standard Features Offered, per port			UEP93	UEPVF	1.98									
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98									
	NARS														
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Initial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP93	UARO X	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76					
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46					
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.008838									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.56									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56									
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10							
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58							
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21								
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21								
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10							
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														
	Note 2 - Requires Interoffice Channel Mileage														
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port														
	Note 4 - Requires Specific Customer Premises Equipment														
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.														

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Florida														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																		
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																		
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																		
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																		
	OSS-Electronic Service Order Charge, Per LSR-UNE Only							SOMECH	3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only							SOMAN	11.90	0.00	1.83	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
						UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day							SDASP	200.00									
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL	8.33	0.83											
	Loop Testing-Basic 1st Half Hour			UEANL	URET1	48.65	48.65											
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA	23.95	23.95											
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO	15.78	8.94											
	Unbundled Voice Loop, Non-D Voice Loop, billing for BST providing make-up (Engineering Information-EI)			UEANL	UEANM	13.49												
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	9.00	9.00											
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL	23.02												



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida													Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First							NRC Disconnect Add'l		
													OSS Rates (\$)					
													SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE Unbundled COPPER LOOP																		
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45								
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45								
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83										
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		9.00											
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.49											
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		48.65	48.65										
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.95	23.95										
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43										
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57								
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57								
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02											
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35										
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10										
4-WIRE ANALOG VOICE GRADE LOOP																		
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56								
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56								
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35										
2-WIRE ISDN DIGITAL GRADE LOOP																		
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71								
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71								
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.61	44.15										
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																		
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02											
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.19	40.39										
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39								
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39								
4-WIRE DS1 DIGITAL LOOP																
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.07	43.04								
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.11	49.74								
2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.21	42.47								
4-WIRE COPPER LOOP																
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-LOOPS																
Sub-Loop Distribution																
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		487.23									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		6.25									
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		169.25									
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.95	23.95								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN	SOMAN

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
	Line Sharing-per Subsqnt Activity per Line Rearrangement -(BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
	Line Sharing-per Subsqnt Activity per Line Rearrangement -(DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	LINE SPLITTING															
	END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	MAINTENANCE															
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per			U1TVX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0091										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.1856										
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	3.87										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	Interoffice Channel-Dedicated Transport-STIS-1-Per mi per mo			U1TS1	1L5XX	3.87										
	Interoffice Channel-Dedicated Transport-STIS-1-Facility Term			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	26.85										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	55.04										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11						
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		4.15	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		4.15	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
										Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
											First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
								OHD	N8FAX		4.85	0.70							
								OHD	N8FDX		4.15	4.15							
								OHD		0.0006252									
								OHD		0.0006252									
<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>																			
								OQT		0.0000203									
								OQU		0.0136959									
								OQT, OQU	NRBPX		55.13	55.13	55.13	55.13					
<b>SIGNALING (CCS7)</b>																			
								UDB	PT8SX	135.05									
								UDB		0.0000607									
								UDB	TPP++	17.93	43.57	43.57	18.31	18.31					
								UDB	TPP++	17.93	43.57	43.57	18.31	18.31					
								UDB		0.0000152									
								UDB	STU56	694.32									
								UDB	CCAPO		46.03	46.03	46.03	46.03					
<b>E911 SERVICE</b>																			
										21.94	265.84	46.97	37.63	4.00					
										29.62	265.84	46.97	37.63	4.00					
										57.22	265.84	46.97	37.63	4.00					
										0.0091									
										25.32	47.35	31.78	18.31	7.03					
										35.28	216.65	183.54	21.47	19.05					
										47.63	216.65	183.54	21.47	19.05					
										92.01	216.65	183.54	21.47	19.05					
										0.1856									
										88.44	105.54	98.47	21.47	19.05					
<b>CALLING NAME (CNAM) SERVICE</b>																			
								OQV			25.35	25.35	19.01	19.01					
								OQV			25.35	25.35	19.01	19.01					
								OQV			1,592.00	1,177.00	352.36	259.09					
								OQV			546.51	393.82	358.06	259.09					
								OQV		0.001024									
								OQV		0.001024									
<b>SELECTIVE ROUTING</b>																			
											93.55	93.55	12.71	12.71					
<b>VIRTUAL COLLOCATION</b>																			
								UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00					
<b>PHYSICAL COLLOCATION</b>																			
								UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58					
<b>AIN SELECTIVE CARRIER ROUTING</b>																			
								SRC	SRCEC		193,444.00		7,737.00						
								SRC	SRCEO		187.36	187.36	0.69	0.69					
								SRC		0.0031868									
<b>AIN - BELL SOUTH AIN SMS ACCESS SERVICE</b>																			
								A1N	CAMSE		43.56	43.56	44.93	44.93					
								A1N	CAMPD		8.64	8.64	10.03	10.03					
								A1N	CAM1P		8.64	8.64	10.03	10.03					
								A1N	CAMAU		38.66	38.66	29.88	29.88					
								A1N	CAMRC		75.10	75.10	12.93	12.93					
										0.0028									
										0.7809									
										0.4609									
<b>AIN - BELL SOUTH AIN TOOLKIT SERVICE</b>																			
								CAM	BAPSC		43.56	43.56	44.93	44.93					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, BAPTC						38.06	38.06	15.86	15.86						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86						
	AIN Toolkit Service-Query Charge, Per Query					0.0535927										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08						
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.12	9.56	9.56								
ENHANCED EXTENDED LINK (EELs)																
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	VG COCI-Per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	VG COCI-Per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	VG COCI in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
								First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
		Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
		OCU-DP COCI (data) per mo (2.4-64kbs)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00						
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UDL56	22.20	127.59	60.54	42.79	2.81						
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNC1X	UDL56	31.56	127.59	60.54	42.79	2.81						
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNC1X	UDL56	55.99	127.59	60.54	42.79	2.81						
		Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
		EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNC1X	UDL64	22.20	127.59	60.54	42.79	2.81						
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNC1X	UDL64	31.56	127.59	60.54	42.79	2.81						
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNC1X	UDL64	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
		interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
		OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UDL64	22.20	127.59	60.54	42.79	2.81						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNC1X	UDL64	31.56	127.59	60.54	42.79	2.81						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNC1X	UDL64	55.99	127.59	60.54	42.79	2.81						
		Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
		EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
		4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
		4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
		Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0091									
		Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53					
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98					
		EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
		DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.92									
		DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82					
		Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	3.87									
		Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23					
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98					
		EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
		STS-1 Local Lolo in combination-per mi per mo			UNCSX	1L5ND	10.92									
		STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDL51	426.60	249.97	162.05	67.10	26.82					
		Interoffice Transport-Dedicated-STs-1 combination-per mi per mo			UNCSX	1L5XX	3.87									
		Interoffice Transport-Dedicated-STs-1 combination-Facility Term per			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23					
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98					
		EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT														
		First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81					
		First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81					
		First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					
		Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1856									
		Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
		1/0 Channel System in combination-per mo			UNC1X	MQ1	146.77	101.42	71.62							
		2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00					
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81					
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81					
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					
		Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00					
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					
		EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
		First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					
		First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45					
		First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					
		Interoffice Transport-Dedicated-STs-1 combination-Per mi Per mo			UNCSX	1L5XX	3.87									
		Interoffice Transport-Dedicated-STs-1 combination-Facility Term per			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	1					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida																Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
										Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)			
											First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per						UNCDX	1L5XX	0.0091										
		Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo						UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
		First 2W VG Loop (SL2) in Combination-Zone 1				1		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		First 2W VG Loop (SL2) in Combination-Zone 2				2		UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		First 2W VG Loop (SL2) in Combination-Zone 3				3		UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		First Interoffice Transport-Dedicated-DS1 combination-Per mi						UNC1X	1L5XX	0.1856										
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo						UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each DS1 Channelization System Per mo						UNC1X	MQ1	146.77	101.42	71.62								
		Per each VG COCI-Per mo per mo						UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		3/1 Channel System in combination per mo						UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI in combination per mo						UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1				1		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2				2		UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3				3		UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		Each Add'l VG COCI in combination-per mo						UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.1856										
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Add'l DS1 COCI combination per mo						UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
		First 4W Analog VG Local Loop in Combination -Zone 1				1		UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		First 4W Analog VG Local Loop in Combination -Zone 2				2		UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		First 4W Analog VG Local Loop in Combination -Zone 3				3		UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo						UNC1X	1L5XX	0.1856										
		First Interoffice Transport-Dedicated-DS1-Facility Term Per mo						UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per mo						UNC1X	MQ1	146.77	101.42	71.62								
		Per each VG COCI in combination-per mo						UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		3/1 Channel System in combination per mo						UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
		Per each DS1 COCI in combination per mo						UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1				1		UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2				2		UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3				3		UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.1856										
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Add'l VG COCI-in combination-per mo						UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1				1		UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2				2		UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3				3		UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo						UNC1X	1L5XX	0.1856										
		First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo						UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per mo						UNC1X	MQ1	146.77	101.42	71.62								
		Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)						UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Florida													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNC3X	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1856										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	146.77	101.42	71.62								
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45					
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07					
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81					
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81					
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81					
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0091									
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98					
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81					
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81					
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81					
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0091									
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98					
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98					
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98					
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNC1X	UNCCC		8.98	8.98	8.98	8.98					
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNC3X	UNCCC		8.98	8.98	8.98	8.98					
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC		8.98	8.98	8.98	8.98					
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF	OI	OI	OI	OI						
	Clear Channel Capability Super FrameOption-per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF	OI	OI	OI	OI						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN
		Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	i		ULDD1, U1TD1, UNC1X, USL		NRCCC			184.92S	23.82S	2.07S	0.8S				
		C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X		NRCC3			219.09S	7.67S	0.773S	0S				
MULTIPLEXERS																	
		DS1 to DS0 Channel System per mo			UNC1X		MQ1		146.77	101.42	71.62						
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL		1D1DD		2.10	10.07	7.08						
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD		1D1DD		2.10	10.07	7.08	0.00	0.00				
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN		UC1CA		3.66	10.07	7.08						
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB		UC1CA		3.66	10.07	7.08	0.00	0.00				
		VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA		1D1VG		1.38	10.07	7.08						
		VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC		1D1VG		1.38	10.07	7.08	0.00	0.00				
		DS3 to DS1 Channel System per mo			UNC3X		MQ3		211.19	199.28	118.64	40.34	39.07				
		STS-1 to DS1 Channel System per mo			UNXCS		MQ3		211.19	199.28	118.64	40.34	39.07				
		DS1 COCI used with Loop per mo			USL		UC1D1		13.76	10.07	7.08						
		DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA		UC1D1		13.76	10.07	7.08	0.00	0.00				
		DS1 COCI used with Interoffice Channel per mo			U1TD1		UC1D1		13.76	10.07	7.08	0.00	0.00				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1		UC1D1		13.76	10.07	7.08	0.00	0.00				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																	
Exchange Ports																	
2-WIRE VOICE GRADE LINE PORT RATES (RES)																	
		Exchange Ports-2W Analog Line Port-Res.			UEPSR		UEPRL		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR		UEPRC		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR		UEPRO		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled FL area calling with Caller ID-Res.			UEPSR		UEPAF		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled FL res Area Calling Plan, w/o Caller ID capability			UEPSR		UEPA9		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled FL extended dialing port for use with CREX7 and Caller ID			UEPSR		UEPA1		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability			UEPSR		UEPA8		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR		UEPAP		1.40	3.74	3.63	1.88	1.80				
		2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR		UEPRT		1.40	3.74	3.63	1.88	1.80				
		Subsqnt Activity			UEPSR		USASC		0.00	0.00	0.00						
FEATURES																	
		All Available Vertical Features			UEPSR		UEPVF		2.26	0.00	0.00						
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																	
		Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB		UEPBL		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB		UEPBC		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB		UEPBO		1.40	3.74	3.63	1.88	1.80				
		Exchange Ports-2W VG unbundled incoming only port with Caller ID-			UEPSB		UEPB1		1.40	3.74	3.63	1.88	1.80				
		2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB		UEPBE		1.40	3.74	3.63	1.88	1.80				
		Subsqnt Activity			UEPSB		USASC		0.00	0.00	0.00						
FEATURES																	
		All Available Vertical Features			UEPSB		UEPVF		2.26	0.00	0.00						
EXCHANGE PORT RATES (DID & PBX)																	
		2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE		UEPRD		1.40	39.06	18.18	12.35	0.7187				
		2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP		UEPPC		1.40	39.06	18.18	12.35	0.7187				
		2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP		UEPPO		1.40	39.06	18.18	12.35	0.7187				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida																Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	First	Add'l	First	Add'l	SOMECD	SOMAN	SOMAN
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187										
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187										
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187										
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187										
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00												
	FEATURES																			
	All Available Vertical Features			UEPSP	UEPSE	2.26	0.00	0.00												
	EXCHANGE PORT RATES (COIN)																			
	Exchange Ports-Coin Port					1.40	3.74	3.63	1.88	1.80										
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																			
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																			
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																			
	EXCHANGE PORT RATES																			
	The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																			
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																			
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26										
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10										
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93										
	All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00												
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00												
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																			
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																			
	EXCHANGE PORT RATES (continued)																			
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23										
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23										
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77									
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	CNC1X	7.50	155.00	14.00											
	Detailed E911 with Locator Capability (required with UEPEX port)																			
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,809.00		151.12											
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.66													
	New or Additional PRI Telephone Numbers																			
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0699	0.5412													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0699	12.71	12.71												
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.5412													
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42												
	LOCAL NUMBER PORTABILITY																			
	Local No Portability (1 per port)			UEPEX	UEPDX	LNPCN	1.75													
	INTERFACE (Provsioning Only)																			
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00												
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00												
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00												



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECSOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<b>New or Additional Channel</b>															
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48									
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48									
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00										
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	15.48									
	<b>CALL TYPES</b>															
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
	<b>UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY</b>															
	<b>UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE</b>															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80						
	<b>Non-Recurring</b>															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.102	0.102								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
	<b>UNBUNDLED REMOTE CALL FORWARDING - Bus</b>															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						

EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	NRC Disconnect First			NRC Disconnect Add'l	SOMEc	SOMAN	SOMAN
	Non-Recurring														
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.102	0.102							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102							
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
	End Office Switching (Port Usage)														
	End Office Switching Function, Per MOU					0.0007662									
	End Office Trunk Port-Shared, Per MOU					0.000164									
	Tandem Switching (Port Usage) (Local or Access Tandem)														
	Tandem Switching Function Per MOU					0.0001319									
	Tandem Trunk Port-Shared, Per MOU					0.000235									
	Tandem Switching Function Per MOU (Melded)					0.000027185									
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000048434									
	Melded Factor: 20.61% of the Tandem Rate														
	Common Transport														
	Common Transport-Per mi, Per MOU					0.0000035									
	Common Transport-Facilities Term Per MOU					0.0004372									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94									
	2W VG Loop/Port Combo-Zone 2		2			15.05									
	2W VG Loop/Port Combo-Zone 3		3			25.80									
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77									
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.88									
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.63									
2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled FL Area Calling with Caller ID-res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled FL extended dialing with Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled FL extended dialing port w/o Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37					
FEATURES															
	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.102	0.102							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57					
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57					
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57					
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01					
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01					
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01					
INTEROFFICE TRANSPORT															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0091	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.102	0.102								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.102	0.102								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0091	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	24.63										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83						
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	Local Channel VG, per Term		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01				
	Local Channel VG, per Term		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01				
	Local Channel VG, per Term		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01				
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54				
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54				
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54				
<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	25.32	47.35	31.78						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0091	0.00	0.00						
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>														
<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1		1			10.94								
	2W VG Loop/Port Combo-Zone 2		2			15.05								
	2W VG Loop/Port Combo-Zone 3		3			25.80								
<b>UNE Loop Rates</b>														
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.77								
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	13.88								
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	24.63								
<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>														
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPD	1.17	174.81	100.65	75.88	12.73				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73				
<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00						
<b>FEATURES</b>														
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00						
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91						
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		8.45	1.91						
<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00						
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83						
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	Local Channel VG, per Term		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01				
	Local Channel VG, per Term		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01				
	Local Channel VG, per Term		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01				
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54				
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54				
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54				
<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	25.32	47.35	31.78						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0091	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2W VG Coin Port/Loop Combo – Zone 2		2			15.05										
	2W VG Coin Port/Loop Combo – Zone 3		3			25.80										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	24.63										
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37						
	2W Coin 2-Way with Oper Screening and 011 Blocking (FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37						
	2W Coin 2-Way with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Oper Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37						
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.102	0.102								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.102	0.102								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.87										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundled FL Area Calling with Caller ID-res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0091										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		16.97	3.73								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		16.97	3.73								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.21	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.24									
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.40									
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87									
2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35									
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	25.32	47.35	31.78							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0091									
FEATURES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		16.97	3.73							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		16.97	3.73							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.24									
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.40									
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00							
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	25.32	47.35	31.78							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0091									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATURES															
	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		16.97	3.73								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.21	1.10								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			20.95										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.11										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			39.58										
UNE Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.24										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.40										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.87										
UNE Port Rate																
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.85	1.87								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		7.85	1.87								
ADDITIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10								
Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPPX	NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	22.63										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	29.05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	45.84										
UNE Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	15.25										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	21.67										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	38.46										
UNE Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	7.38	194.52	145.09								
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	0.00	25.22	17.00								
ADDITIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN	11.21	1.10								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL	8.33	0.83								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
										Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
											First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN
		CVS (EWSD)						UEPPB UEPPR	U1UCB	0.00	0.00	0.00						
		CSD						UEPPB UEPPR	U1UCC	0.00	0.00	0.00						
		<b>B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &amp; TN)</b>																
		<b>USER TERMINAL PROFILE</b>																
		User Terminal Profile (EWSD only)						UEPPB UEPPR	U1UMA	0.00	0.00	0.00						
		<b>VERTICAL FEATURES</b>																
		All Vertical Features-One per Channel B User Profile						UEPPB UEPPR	UEPVF	2.26	0.00	0.00						
		<b>INTEROFFICE CHANNEL MILEAGE</b>																
		Interoffice Channel miage each, including first mi and facilities Term						UEPPB UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03				
		Interoffice Channel miage each, Add'l mi						UEPPB UEPPR	M1GNM	0.0091	0.00	0.00						
		<b>4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT</b>																
		<b>The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.</b>																
		<b>Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>																
		<b>UNE Port/Loop Combination Rates</b>																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1			1			UEPPP		153.48								
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2			2			UEPPP		183.28								
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3			3			UEPPP		261.12								
		<b>UNE Loop Rates</b>																
		4W DS1 Digital Loop-UNE Zone 1			1			UEPPP	USL4P	70.74								
		4W DS1 Digital Loop-UNE Zone 2			2			UEPPP	USL4P	100.54								
		4W DS1 Digital Loop-UNE Zone 3			3			UEPPP	USL4P	178.38								
		<b>UNE Port Rate</b>																
		Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)						UEPPP	UEPPP	82.74	488.36	276.65						
		<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)						UEPPP	USACP	0.00	84.17	61.38						
		<b>ADDITIONAL NRCs</b>																
		4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqnt Actvy-Inward/two way Tel Nos						UEPPP	PR7TF		0.5412							
		4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos						UEPPP	PR7TO		12.71	12.71						
		4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos						UEPPP	PR7ZT		25.42	25.42						
		<b>LOCAL NUMBER PORTABILITY</b>																
		Local No Portability (1 per port)						UEPPP	LNPCN	1.75								
		<b>INTERFACE (Provsioning Only)</b>																
		Voice/Data						UEPPP	PR71V	0.00	0.00	0.00						
		Digital Data						UEPPP	PR71D	0.00	0.00	0.00						
		Inward Data						UEPPP	PR71E	0.00	0.00	0.00						
		<b>New or Additional "B" Channel</b>																
		New or Add'l-Voice/Data B Channel						UEPPP	PR7BV	0.00	15.48							
		New or Add'l-Digital Data B Channel						UEPPP	PR7BF	0.00	15.48							
		New or Add'l Inward Data B Channel						UEPPP	PR7BD	0.00	15.48							
		<b>CALL TYPES</b>																
		Inward						UEPPP	PR7C1	0.00	0.00	0.00						
		Outward						UEPPP	PR7CO	0.00	0.00	0.00						
		Two-way						UEPPP	PR7CC	0.00	0.00	0.00						
		<b>Interoffice Channel Mileage</b>																
		Fixed Each Including First mi						UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05				
		Each Airline-Fractional Add'l mi						UEPPP	1LN1B	0.1856								
		<b>4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT</b>																
		<b>The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.</b>																
		<b>Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>																
		<b>UNE Port/Loop Combination Rates</b>																
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1			1			UEPDC		125.69								
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2			2			UEPDC		155.49								
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3			3			UEPDC		233.33								
		<b>UNE Loop Rates</b>																
		4W DS1 Digital Loop-UNE Zone 1			1			UEPDC	USLDC	70.74								
		4W DS1 Digital Loop-UNE Zone 2			2			UEPDC	USLDC	100.54								
		4W DS1 Digital Loop-UNE Zone 3			3			UEPDC	USLDC	178.38								



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Port Rate																	
	4W DDITS Digital Trunk Port (E:4/1/2004)						UEPDC	UDD1T	54.95	464.86	259.23							
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)						UEPDC	USAC4		95.31	46.71							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)						UEPDC	USAWA		95.31	46.71							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)						UEPDC	USAWB		95.31	46.71							
	ADDITIONAL NRCs																	
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk						UEPDC	UDTTA		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk						UEPDC	UDTTB		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID						UEPDC	UDTTC		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID						UEPDC	UDTTD		15.69	15.69							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans						UEPDC	UDTTE		15.69	15.69							
	BIPOLAR 8 ZERO SUBSTITUTION																	
	B8ZS -Superframe Format						UEPDC	CCOSF		0.00i	655.00s							
	B8ZS-Extended Superframe Format						UEPDC	CCOEF		0.00i	655.00s							
	Alternate Mark Inversion																	
	AMI -Superframe Format						UEPDC	MCOSF		0.00	0.00							
	AMI-Extended SuperFrame Format						UEPDC	MCOPO		0.00	0.00							
	Telephone Number/Trunk Group Establishment Charges																	
	Tel No for 2-Way Trunk Group						UEPDC	UDTGX	0.00									
	Tel No for 1-Way Outward Trunk Group						UEPDC	UDTGY	0.00									
	Tel No for 1-Way Inward Trunk Group w/o DID						UEPDC	UDTGZ	0.00									
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID						UEPDC	NDZ	0.00	0.00	0.00							
	DID Nos for each Group of 20 DID Nos						UEPDC	ND4	0.00									
	DID Nos, Non-consecutive DID Nos , Per No						UEPDC	ND5	0.00									
	Reserve Non-Consecutive DID Nos.						UEPDC	ND6	0.00	0.00	0.00							
	Reserve DID Nos						UEPDC	NDV	0.00	0.00	0.00							
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)						UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05					
	Interoffice Channel miage-Add'l rate per mi-0-8 mis						UEPDC	1LNOA	0.1856	0.00	0.00							
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)						UEPDC	1LNO2	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-9-25 mis						UEPDC	1LNOB	0.1856	0.00	0.00							
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)						UEPDC	1LNO3	0.00	0.00	0.00	0.00						
	Interoffice Channel miage-Add'l rate per mi-25+ mis						UEPDC	1LNOC	0.1856	0.00	0.00							
	Local No Portability, per DS0 Activated						UEPDC	LNPCP	3.15	0.00	0.00	0.00						
	CO Terminating Point						UEPDC	CTG	0.00									
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																	
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																	
	Each System can have up to 24 combinations of rates depending on type and number of ports used																	
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																	
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
	UNE DS1 Loop																	
	4W DS1 Loop-UNE Zone 1					1	UEPMG	USLDC	70.74	0.00	0.00							
	4W DS1 Loop-UNE Zone 2					2	UEPMG	USLDC	100.54	0.00	0.00							
	4W DS1 Loop-UNE Zone 3					3	UEPMG	USLDC	178.38	0.00	0.00							
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																	
	24 DSO Channel Capacity-1 per DS1						UEPMG	VUM24	118.06	0.00	0.00							
	48 DSO Channel Capacity-1 per 2 DS1s						UEPMG	VUM48	236.12	0.00	0.00							
	96 DSO Channel Capacity -1per 4 DS1s						UEPMG	VUM96	472.24	0.00	0.00							
	144 DSO Channel Capacity-1 per 6 DS1s						UEPMG	VUM14	708.36	0.00	0.00							
	192 DSO Channel Capacity -1 per 8 DS1s						UEPMG	VUM19	944.48	0.00	0.00							



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	30.87										
	UNE Ports															
	All States (Except NC and SC)															
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Georgia and Florida Only															
	2W VG Port (Centrex )			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC 2,3-800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP91	URECS	0.7384										
	Local Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
	Features															
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26										
	NARS															
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP91	UARO	0.00	0.00	0.00	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.73										
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0091										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82									
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48									
	UNE-P CENTREX - 5ESS (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		25.80										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		32.04										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	30.87										
	UNE Port Rate															
	All States															
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
	FL & GA Only															
	2W VG Port (Centrex )			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP95	URECS	0.7384										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN			
	Local Number Portability														
	Local No Portability (1 per port)			UEP95	LNPCC	0.35									
	Features														
	All Standard Features Offered, per port			UEP95	UEPVF	2.26									
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70								
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26									
	NARS														
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP95	CEND6	8.73									
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP95	M1HD1	54.95									
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP95	M1GBC	25.32									
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0091									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.66									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66									
	Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot			UEP95	1PQWQ	0.66									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42							
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32							
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82								
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82								
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10							
	UNE-P CENTREX - DMS100 (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.94									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.05									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		25.80									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.41									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.57									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		32.04									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.77									
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	13.88									
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	24.63									
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.24									
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.40									
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.87									
	UNE Port Rate														
	ALL STATES														
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17									
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida																Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
										Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)			
											First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPY3	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37						
<b>FL &amp; GA Only</b>																				
								UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHI	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHK	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHL	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHM	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHN	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPH8	1.17	139.49	86.10	65.41	13.81						
								UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
								UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
<b>Local Switching</b>																				
								UEP9D	URECS	0.7384										
<b>Local Number Portability</b>																				
								UEP9D	LNPCC	0.35										
<b>Features</b>																				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UARO	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.73										
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	15.69									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0091										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		25.80										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		32.04										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	30.87										
	UNE Port Rate															
	AL, FL, KY, LA, MS, & TN only															
	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Florida Only															
	2W VG Port (Centrex )			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.7384										
	Local Number Portability															
	Local No Portability (1 per port)			UEP9E	LNPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
	NARS															
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP9E	UARIY	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.73										
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0091										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48									



EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	
	Additional Non-Recurring Charges (NRC)													
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10						
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD													
	Note 2 - Requires Interoffice Channel Mileage													
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port													
	Note 4 - Requires Specific Customer Premises Equipment													
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.													

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia													Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Electronically per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																		
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																		
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																		
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																		
	OSS-Electronic Service Order Charge, Per LSR-UNE Only							SOMECH		3.50	0.00	3.50	0.00					
	OSS-Manual Service Order Charge, Per LSR-UNE Only							SOMAN		11.73	0.00	6.13	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
						UAL, UEANL, UCL, UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																		
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2W Analog VG Loop-SL1-Zone 1					1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 2					2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 3					3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 1					1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 2					2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 3					3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72					
	Unbundled Misc Rate Element, Tag Loop at End User Premise						UEANL	URETL		8.33	0.83							
	Loop Testing-Basic 1st Half Hour						UEANL	URET1		25.12	25.12							
	Loop Testing-Basic Add'l Half Hour						UEANL	URETA		13.62	13.62							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)						UEANL	UREWO		15.75	8.92							
	Unbundled Voice Loop, Non-D Voice Loop, billing for BST providing make-up (Engineering Information-EI)						UEANL	UEANM		7.30	7.30							
	Manual Order Coordination for UVL-SL1s (per loop)						UEANL	UEAMC		18.92	18.92							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		57.79									
	2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2W Unbundled Copper Loop Non-Designed-Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2W Unbundled Copper Loop Non-Designed-Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
	2W Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOCs match the lower port- loop combo rates UEPLX)															
	2W VG Loop (SL1) for Line Splitting-Zone 1	I	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 1	I	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 2	I	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1) for Line Splitting-Zone 2	I	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1)for Line Splitting-Zone 3	I	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
	2W VG Loop (SL1)for Line Splitting-Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36								
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		120.98	33.04								
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1	I	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2	I	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3	I	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1	I	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2	I	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3	I	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UAL	UREWO		44.69	29.29								
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1	I	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2	I	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3	I	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		44.69	31.55								
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		44.69	31.55								
4-WIRE DS1 DIGITAL LOOP																
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.91	42.97								
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.95	49.66								
2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1	I	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2	I	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3	I	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)	I		UCL	UREWO		44.69	31.55								
4-WIRE COPPER LOOP																
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC conversion Charge w/o outside dispatch	I		UCL	UREWO		44.69	31.55								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop	I		UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91									
SUB-LOOPS																
Sub-Loop Distribution																
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		7.29									
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2W per Loop, Working and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4W per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Inter m	Zon e	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		13.62	13.62								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		18.92	18.92								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		18.92	18.92								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		25.12	25.12								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		13.62	13.62								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.533	25.12	12.28								
	Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines	I		UENTW	UND12		32.86	20.69								
	Network Interface Device (NID)-1-6 lines	I		UENTW	UND16		56.03	43.86								
	Network Interface Device Cross Connect-2 W	I		UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		2.45	2.45								
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTHER, PROVISIONING ONLY - NO RATE																
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,UCL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.97										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.97										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAKE-UP																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING AND LINE SPLITTING																		
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																		
NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																		
NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND																		
NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND																		
NOTE 1: Above will apply to USOCs: ULSDT and ULSC																		
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																		
LINE SHARING																		
SPLITTERS-CENTRAL OFFICE BASED																		
	Line Sharing Splitter, per System 96 Line Capacity				ULS	ULSDA		131.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, per System 24 Line Capacity				ULS	ULSDB		32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity				ULS	ULSD8		11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)				ULS	ULSDG		66.34	0.00	51.20	0.00							
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																		
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2				ULS	ULSDC		0.61	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)				ULS	ULSDT		2.76	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)				ULS	ULSDT		5.51	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)				ULS	ULSDT		8.27	10.51	7.70	7.00	4.20						
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter				ULS	ULSDS		36.23	13.23	16.94	1.69							
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter				ULS	ULSCS		36.23	13.23	16.94	1.69							
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2				ULS	ULSCC		0.61	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)				ULS	ULSCT		2.76	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)				ULS	ULSCT		5.51	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)				ULS	ULSCT		8.27	17.82	9.36	8.53	4.30						
LINE SPLITTING																		
END USER ORDERING-CENTRAL OFFICE BASED																		
	Line Splitting-per line activation DLEC owned splitter				UEPSR UEPSB	UREOS		0.61										
	Line Splitting-per line activation BST owned-physical				UEPSR UEPSB	UREBP		0.6297	20.10	12.40	7.68	4.30						
	Line Splitting-per line activation BST owned-virtual				UEPSR UEPSB	UREBV		0.6288	20.10	12.40	7.68	4.30						
MAINTENANCE																		
	No Trouble Found-per 1/2 hour increments-Basic								80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime								120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium								160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																		
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo				U1TVX	1L5XX		0.0057										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term				U1TVX	U1TV2		12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per				U1TVX	1L5XX		0.0057										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term				U1TVX	U1TR2		12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo				U1TVX	1L5XX		0.0057										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term				U1TVX	U1TV4		10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo				U1TDX	1L5XX		0.0057										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term				U1TDX	U1TD5		7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo				U1TDX	1L5XX		0.0057										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term				U1TDX	U1TD6		7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo				U1TD1	1L5XX		0.1154										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term				U1TD1	U1TF1		34.19	111.03	80.28	31.36	21.73						
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo				U1TD3	1L5XX		2.53										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted & Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
										Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
											First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
								U1TS1	1L5XX	2.53										
								U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK FIBER																				
								UDF, UDFCX	1L5DF	23.29										
								UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
								UDF, UDFCX	1L5DL	46.84										
								UDF, UDFCX	UDFL4		1,745.99	87.54	73.64	18.70						
8XX ACCESS TEN DIGIT SCREENING																				
								OHD		0.0008543										
								OHD	N8R1X		2.50	0.43								
								OHD			5.65	0.76	4.24	0.51						
								OHD	N8FTX		5.65	0.76	4.24	0.51						
								OHD	N8FCX		2.50	1.25								
								OHD	N8FMX		2.93	1.68								
								OHD	N8FAX		2.93	0.43								
								OHD	N8FDX		2.50									
								OHD		0.0008543										
								OHD		0.0008543										
LINE INFORMATION DATA BASE ACCESS (LIDB)																				
								OQT		0.0000682										
								OQU		0.0266962										
								OQT, OQU	NRBPX		33.24	33.24	39.35	39.35						
SIGNALING (CCS7)																				
								UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
								UDB	PT8SX	108.80										
								UDB		0.0000132										
								UDB		0.0000527										
								UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
								UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
								UDB		0.0000132										
								UDB	STU56	907.44										
								UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 SERVICE																				
										7.74	121.07	53.30	46.40	13.37						
										0.0057										
										12.87	48.46	19.48	16.58	5.00						
										18.47	149.46	111.20	40.36	26.12						
										56.30	149.46	111.20	40.36	26.12						
										164.70	149.46	111.20	40.36	26.12						
										0.1154										
										34.19	111.03	80.28	31.36	21.73						
CALLING NAME (CNAM) SERVICE																				
								OQV			22.90		20.32							
								OQV			22.90		20.32							
								OQV			959.77	709.83	251.47	184.91						
								OQV			331.89	237.45	257.65	184.91						
								OQV		0.0009924										



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
		CNAM for Non DB Owners, Per Query						OQV	0.0009924									
		CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)						OQV	CDDCH	595.00	595.00							
SELECTIVE ROUTING																		
		Selective Routing Per Unique Line Class Code Per Request Per								102.19	61.15	12.68	6.34					
VIRTUAL COLLOCATION																		
		Virtual Collocation-2W Cross Connects (Loop) for Line Splitting						UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00					
PHYSICAL COLLOCATION																		
		Physical Collocation-2W Cross Connects (Loop) for Line Splitting						UEPSR UEPSB	PE1LS	0.0197	0.00	0.00						
AIN SELECTIVE CARRIER ROUTING																		
		Regional Service Establishment						SRC	SRCEC	101,311.67	101,311.67	7,833.25	7,833.25					
		End Office Establishment						SRC	SRCEO	158.92	158.92	1.64	1.64					
		Line/Port NRC, per end user						SRC	SRCLP	2.06	2.06							
		Query NRC, per query						SRC		0.0020368								
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																		
		AIN SMS Access Service-Service Establishment, Per State, Initial						A1N	CAMSE	41.41	41.41	41.63	41.63					
		AIN SMS Access Service-Port Connection-Dial/Shared Access						A1N	CAMDP	8.15	8.15	9.16	9.16					
		AIN SMS Access Service-Port Connection-ISDN Access						A1N	CAM1P	8.15	8.15	9.16	9.16					
		AIN SMS Access Service-User Identification Codes-Per User ID						A1N	CAMAU	35.29	35.29	26.50	26.50					
		AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement						A1N	CAMRC	40.24	40.24	11.72	11.72					
		AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)								0.0038								
		AIN SMS Access Service-Session, Per min								1.81								
		AIN SMS Access Service-Company Performed Session, Per min								0.8323								
AIN - BELLSOUTH AIN TOOLKIT SERVICE																		
		AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup						CAM	BAPSC	41.41	41.41	41.63	41.63					
		AIN Toolkit Service-Training Session, Per Customer							BAPVX	4,236.62	4,236.62							
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt							BAPTT	8.15	8.15	9.16	9.16					
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay							BAPTD	8.15	8.15	9.16	9.16					
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate							BAPTM	8.15	8.15	9.16	9.16					
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP							BAPTO	33.98	33.98	14.09	14.09					
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code							BAPTC	33.98	33.98	14.09	14.09					
		AIN Toolkit Service-Query Charge, Per Query								0.0271438								
		AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query								0.0059195								
		AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes								0.04								
		AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription						CAM	BAPMS	14.78	8.15	8.15	5.71	5.71				
		AIN Toolkit Service-Special Study-Per AIN Toolkit Service						CAM	BAPLS	6.46	8.98	8.98						
		AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription						CAM	BAPDS	8.54	8.15	8.15	5.71	5.71				
		AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription						CAM	BAPES	0.22	8.98	8.98						
ENHANCED EXTENDED LINK (EELs)																		
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																		
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																		
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
		First 2W VG Loop (SL2) in Combination-Zone 1					1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86				
		First 2W VG Loop (SL2) in Combination-Zone 2					2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86				
		First 2W VG Loop (SL2) in Combination-Zone 3					3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86				
		Interoffice Transport-Dedicated-DS1 combination-Per mi per mo						UNC1X	1L5XX	0.1154								
		Interoffice Transport-Dedicated-DS1 combination-Facility Term per						UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A				
CATEGORY		RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	
		1/0 Channelization System in combination Per mo					UNC1X	MQ1	69.75	86.10								
		VG COCI-Per mo					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					
		Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1					UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86					
		Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2					UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					
		Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3					UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86					
		VG COCI-Per mo					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					
		NRC Currently Combined Network Elements Switch -As-Is Charge					UNC1X	UNCCC		5.70	5.70	6.61	6.61					
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
		First 4W Analog VG Loop in Combination -Zone 1					UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86					
		First 4W Analog VG Loop in Combination -Zone 2					UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86					
		First 4W Analog VG Loop in Combination -Zone 3					UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86					
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo					UNC1X	1L5XX	0.1154									
		Interoffice Transport-Dedicated-DS1-Facility Term Per mo					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
		1/0 Channel System in combination Per mo					UNC1X	MQ1	69.75	86.10								
		VG COCI in combination-per mo					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1					UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86					
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2					UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86					
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3					UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86					
		Add'l VG COCI in combination-per mo					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					
		NRC Currently Combined Network Elements Switch -As-Is Charge					UNC1X	UNCCC		5.70	5.70	6.61	6.61					
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 1					UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86					
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 2					UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86					
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 3					UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86					
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo					UNC1X	1L5XX	0.1154									
		Interoffice Transport-Dedicated-DS1-combination Facility Term Per					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
		1/0 Channel System in combination Per mo					UNC1X	MQ1	69.75	86.10								
		OCU-DP COCI (data) per mo (2.4-64kbs)					UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04					
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1					UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86					
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2					UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86					
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3					UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86					
		Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)					UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04					
		NRC Currently Combined Network Elements Switch -As-Is Charge					UNC1X	UNCCC		5.70	5.70	6.61	6.61					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
													Rec
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154							
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61			
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86			
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86			
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.53							
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88			
	3/1Channel System in combination per mo			UNC3X	MQ3	121.90							
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86			
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86			
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0057							
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61			
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86			
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86			
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0057							
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61			
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.97							
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76			
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	2.53							
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61			
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT													
	STS-1 Local Loip in combination-per mi per mo			UNC5X	1L5ND	10.97							
	STS-1 Local Loop in combination-Facility Term per mo			UNC5X	UDLS1	305.42	1,260.47	628.84	41.53	20.76			
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNC5X	1L5XX	2.53							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86									
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86									
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86									
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	2.53													
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per 3/1 Channel System in combination per mo			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88									
	DS1 COCI in combination per mo			UNCSX	MQ3	121.90													
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04									
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86									
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86									
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61									
<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>																			
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86									
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86									
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86									
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per			UNCDX	1L5XX	0.0057													
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61									
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>																			
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86									
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86									
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86									
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per			UNCDX	1L5XX	0.0057													
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61									
<b>EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																			
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86									
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86									
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86									
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1154													
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97									
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	69.75	86.10												
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04									
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90													
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04									
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86									
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86									
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86									
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04									
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154													
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97									
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61									
<b>EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																			
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86									
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86									
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10									
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDEX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDEX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDEX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	69.75	86.10									
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1154										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																		
	First 4W 56 kbps Local Loop in combination-Zone 1			1	UNCDX	UDL56		21.86		195.94	36.38	18.42	6.86					
	First 4W 56 kbps Local Loop in combination-Zone 2			2	UNCDX	UDL56		28.36		195.94	36.38	18.42	6.86					
	First 4W 56 kbps Local Loop in combination-Zone 3			3	UNCDX	UDL56		38.22		195.94	36.38	18.42	6.86					
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo				UNCDX	1L5XX		0.0057										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per				UNCDX	U1TD5		7.83		66.53	33.61	43.42	27.60					
	NRC Currently Combined Network Elements Switch -As-Is Charge				UNCDX	UNCCC		5.70		5.70	6.61	6.61						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																		
	First 4W 64 kbps Local Loop in combination-Zone 1			1	UNCDX	UDL64		21.86		195.94	36.38	18.42	6.86					
	First 4W 64 kbps Local Loop in combination-Zone 2			2	UNCDX	UDL64		28.36		195.94	36.38	18.42	6.86					
	First 4W 64 kbps Local Loop in combination-Zone 3			3	UNCDX	UDL64		38.22		195.94	36.38	18.42	6.86					
	First 4W 64 kbps Interoffice Transport-Dedicated-Per mi per mo				UNCDX	1L5XX		0.0057										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per				UNCDX	U1TD6		7.83		66.53	33.61	43.42	27.60					
	NRC Currently Combined Network Elements Switch -As-Is Charge				UNCDX	UNCCC		5.70		5.70	6.61	6.61						
ADDITIONAL NETWORK ELEMENTS																		
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																		
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																		
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																		
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG				UNCVX	UNCCC		5.70		5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps				UNCDX	UNCCC		5.70		5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1				UNC1X	UNCCC		5.70		5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3				UNC3X	UNCCC		5.70		5.70	6.61	6.61						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1				UNCSX	UNCCC		5.70		5.70	6.61	6.61						
Optional Features & Functions:																		
	Clear Channel Capability Extended Frame Option-per DS1				U1TD1, ULDD1, UNC1X	CCOEF		0I		0I		0I	0I					
	Clear Channel Capability Super FrameOption-per DS1				U1TD1, ULDD1, UNC1X	CCOSF		0I		0I		0I	0I					
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1				ULDD1, U1TD1, UNC1X, USL	NRCCC		184.62S		23.78S		2.03S	0.79S					
	C-bit Parity Option-Subsqnt Activity-per DS3				U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74S		7.66S		0.7591S	0S					
MULTIPLEXERS																		
	DS1 to DS0 Channel System per mo				UNC1X	MQ1		69.75		86.10								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop				UDL	1D1DD		0.9963		11.98		11.39	6.61	6.61				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation				U1TUD	1D1DD		0.9963		11.98		11.39	6.61	6.61				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop				UDN	UC1CA		1.66		15.81		11.39	6.61	6.61				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation				U1TUB	UC1CA		1.66		15.81		11.39	6.61	6.61				
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local				UEA	1D1VG		0.4689		11.98		11.39	6.61	6.61				
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation				U1TUC	1D1VG		0.4689		11.98		11.39	6.61	6.61				
	DS3 to DS1 Channel System per mo				UNC3X	MQ3		121.90										
	STS-1 to DS1 Channel System per mo				UNCSX	MQ3		121.90										
	DS1 COCI used with Loop per mo				USL	UC1D1		7.35		15.81		11.39	6.61	6.61				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo				U1TUA	UC1D1		7.35		15.81		11.39	6.61	6.61				
	DS1 COCI used with Interoffice Channel per mo				U1TD1	UC1D1		7.35		15.81		11.39	6.61	6.61				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)						
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61									
<b>UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)</b>																			
	Exchange Ports																		
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																		
	<b>2-WIRE VOICE GRADE LINE PORT RATES (RES)</b>																		
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W Voice GA basic dialing port w/o Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28									
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28									
	2W voice unbundled GA basic dialing port-outgoing only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28									
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28									
	2W VG Unbundled Port w/o Caller ID capability, GA			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28									
	2W VG Unbundled Port with Caller ID capability, GA			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28									
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00											
	<b>FEATURES</b>																		
	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00											
	<b>2-WIRE VOICE GRADE LINE PORT RATES (BUS)</b>																		
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W Voice GA bus Basic Dialing Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W VG unbundled incoming only port with Caller ID			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28									
	Exchange Ports-2W Voice GA bus Dialing Plan w/o Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28									
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28									
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00											
	<b>FEATURES</b>																		
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00											
	<b>EXCHANGE PORT RATES (DID &amp; PBX)</b>																		
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83									
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83									
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83									
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83									
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83									
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83									
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83									
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83									
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83									
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00											
	<b>FEATURES</b>																		
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00											
	<b>EXCHANGE PORT RATES (COIN)</b>																		





## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-			UEPVR	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
	UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
	Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-			UEPVB	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
	UNBUNDLED LOCAL SWITCHING, PORT USAGE															
	End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0006153										
	End Office Trunk Port-Shared, Per MOU					0.0001226										
	Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0000972										
	Tandem Trunk Port-Shared, Per MOU					0.0001557										
	Tandem Switching Function Per MOU (Melded)					0.000017904										
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.00002868										
	Melded Factor: 18.42% of the Tandem Rate															
	Common Transport															
	Common Transport-Per mi, Per MOU					0.0000027										
	Common Transport-Facilities Term Per MOU					0.0001914										
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.46										
	2W VG Loop/Port Combo-Zone 2		2			15.76										
	2W VG Loop/Port Combo-Zone 3		3			32.56										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.56										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.86										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	31.66										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port w/o Caller ID capability-res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port-outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
	2W VG Unbundled Port w/o Caller ID, GA			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						
	2W VG Unbundled Port with Caller ID, GA			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
	FEATURES															
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0057	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.46										
	2W VG Loop/Port Combo-Zone 2		2			15.76										
	2W VG Loop/Port Combo-Zone 3		3			32.56										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.56										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.86										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	31.66										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Inter m	Zon e	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental	Incremental	Incremental
												Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35									
	FEATURES														
	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83							
	OFF/ON PREMISES EXTENSION CHANNELS														
	2W Analog VG Extension Loop - Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72					
	2W Analog VG Extension Loop - Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72					
	2W Analog VG Extension Loop - Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72					
	2W Analog VG Extension Loop - Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87					
	2W Analog VG Extension Loop - Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87					
	2W Analog VG Extension Loop - Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87					
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0057	0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			10.46									
	2W VG Loop/Port Combo-Zone 2		2			15.76									
	2W VG Loop/Port Combo-Zone 3		3			32.56									
	UNE Loop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.56									
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.86									
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	31.66									
	2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
	FEATURES														
	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		0.10	0.10							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						6.70	6.70							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83							
	OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel VG, per Term		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87					
	Local Channel VG, per Term		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87					
	Local Channel VG, per Term		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87					
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02					
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0057	0.00	0.00							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN			
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			10.46									
	2W VG Loop/Port Combo-Zone 2		2			15.76									
	2W VG Loop/Port Combo-Zone 3		3			32.56									
	UNE Loop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.56									
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.86									
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	31.66									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-1-Way Outdial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-PBX 2-Way Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	FEATURES														
	All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		0.10	0.10							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						6.70	6.70							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83							
	OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel VG, per Term		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87					
	Local Channel VG, per Term		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87					
	Local Channel VG, per Term		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87					
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02					
	INTEROFFICE TRANSPORT														

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia													Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0057	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
		2W VG Coin Port/Loop Combo – Zone 1		1			10.46										
		2W VG Coin Port/Loop Combo – Zone 2		2			15.76										
		2W VG Coin Port/Loop Combo – Zone 3		3			32.56										
	UNE Loop Rates																
		2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.56										
		2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.86										
		2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	31.66										
	2-Wire Voice Grade Line Ports (COIN)																
		2W Coin 2-Way with Oper Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
		2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
		2W Coin 2-Way with Oper Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
		2W Coin 2-Way with Oper Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
		2W Coin 2-Way with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
		2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						
		2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
		2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						
		2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
	ADDITIONAL UNE COIN PORT/LOOP (RC)																
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY																
		Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED																
		2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10								
	ADDITIONAL NRCs																
		2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
		2W VG Loop/IO Tranport/Port Combo-Zone 1		1			25.53										
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.92										
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3			47.04										
	UNE Loop Rates																
		2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	11.57										
		2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	16.95										
		2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.08										
	2-Wire Voice Grade Line Port Rates (Res)																
		2W voice unbundled port-res			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						
		2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44						
		2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
		2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
		2W voice unbundled GA basic dialing port, w/o Caller ID capability-			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						
		2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
		2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
	INTEROFFICE TRANSPORT																
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0057	0.00	0.00								
	FEATURES																
		All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								
	LOCAL NUMBER PORTABILITY																
		Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		7.85	1.86								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.19	1.10								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			25.53										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.92										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			47.04										
UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	11.57										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	16.95										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	33.08										
2-Wire Voice Grade Line Port (Bus)																
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0057	0.00	0.00								
FEATURES																
	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.19	1.10								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																
UNE Port/Loop Combination Rates																
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			25.53										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.92										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			47.04										
UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	11.57										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	16.95										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.08										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port-1-Way Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0057	0.00	0.00								
FEATURES																
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		7.85	1.86								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		7.85	1.86								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.19	1.10								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			17.05										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			22.44										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			38.56										
UNE Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	11.57										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	16.95										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	33.08										
UNE Port Rate																
	Exchange Ports-2W DID Port			UEPPX	UEPD1	5.48	174.55	13.64	59.31	4.27						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		6.66	1.86								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		6.66	1.86								
ADDITIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.19	1.10								
Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPPX	NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	19.44										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	24.45										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	38.09										
UNE Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.25									
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26									
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	32.90									
UNE Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37					



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	42.52	26.99							
ADDITIONAL NRCs																
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB	UEPPR	USASB		0.00								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.19	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83							
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							
VERTICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00							
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00					
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00							
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP			106.15									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP			111.54									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP			127.15									
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P		41.02									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P		46.41									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P		62.03									
UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP		65.13	365.73	187.42	73.41	21.80					
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97							
ADDITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqtl Actvy-Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50								
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP		PR7TO		10.72								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqtl Inward Tel			UEPPP		PR7ZT		21.43								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPP		LNPCN	1.75									
INTERFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00							
New or Additional "B" Channel																
	New or Add'l-Voice/Data B Channel			UEPPP		PR7BV	0.00	13.59								
	New or Add'l-Digital Data B Channel			UEPPP		PR7BF	0.00	13.59								
	New or Add'l Inward Data B Channel			UEPPP		PR7BD	0.00	13.59								
CALL TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00							
	Outward			UEPPP		PR7CO	0.00	0.00	0.00							
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00							
Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Inter m	Zon e	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1154										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		82.22										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		87.61										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		103.22										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	41.02										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	46.41										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	62.03										
UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
ADDITIONAL NRCs																
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	392.25s									
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	392.25s									
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establishment Charges																
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1154	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.1154	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.1154	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	CO Terminating Point			UEPDC	CTG	0.00										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
UNE DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00							
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	46.41	0.00	0.00							
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00							
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	43.04	0.00	0.00							
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00							
	96 DSO Channel Capacity-1 per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00							
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00							
	192 DSO Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00							
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	430.40	0.00	0.00							
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00							
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00							
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	860.80	0.00	0.00							
	576 DSO Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	1,032.96	0.00	0.00							
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00							
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37							
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's															
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35					
Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s							
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s							
Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00					
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00					
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEPIX	1.09	0.00	0.00	0.00	0.00					
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00					
Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95					
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34					
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00							
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00							
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.775	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)								
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689													
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.4689													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.4689													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689													
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.4689													
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689													
<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>																			
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10											
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92									
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10												
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00												
<b>Additional Non-Recurring Charges (NRC)</b>																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83											
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP91	URETN		11.19	1.10											
<b>UNE-P CENTREX - 5ESS (Valid in All States)</b>																			
<b>2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo</b>																			
<b>UNE Port/Loop Combination Rates (Non-Design)</b>																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.46													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.76													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		32.56													
<b>UNE Port/Loop Combination Rates (Design)</b>																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		12.47													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		17.85													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		33.98													
<b>UNE Loop Rate</b>																			
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.56													
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	14.86													
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	31.66													
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	11.57													
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	16.95													
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	33.08													
<b>UNE Port Rate</b>																			
<b>All States</b>																			
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28									
<b>FL &amp; GA Only</b>																			
	2W VG Port (Centrex )			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28									
<b>Local Switching</b>																			
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237													
<b>Local Number Portability</b>																			
	Local No Portability (1 per port)			UEP95	LNPCC	0.35													
<b>Features</b>																			
	All Standard Features Offered, per port			UEP95	UEPVF	0.775													
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00												
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00													

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Inter m	Zon e	BCS	USOC	RATES (\$)	Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental	Incremental	Incremental			
									Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	NARS														
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45					
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33					
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00					
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0057									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.4689									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689									
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.4689									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10							
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92					
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92					
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.19	1.10							
	UNE-P CENTREX - DMS100 (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.46									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.76									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		32.56									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		12.47									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		17.85									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		33.98									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.56									
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.86									
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	31.66									
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	11.57									
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	16.95									
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.08									
	UNE Port Rate														
	ALL STATES														
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28					
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia																Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)								
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28									
<b>FL &amp; GA Only</b>																			
	2W VG Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPHI	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15									
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28									
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28									
<b>Local Switching</b>																			
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.4237													
<b>Local Number Portability</b>																			
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35													
<b>Features</b>																			
	All Standard Features Offered, per port			UEP9D	UEPVF	0.775													
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00												
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00													
<b>NARS</b>																			
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register-Outdial			UEP9D	UAROY	0.00	0.00	0.00	0.00	0.00									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45					
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33					
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	13.95								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00					
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0057									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.4689									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.4689									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689									
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.4689									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10							
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92					
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92					
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.19	1.10							
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL										
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9E	URETN										
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														
	Note 2 - Requires Interoffice Channel Mileage														
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port														
	Note 4 - Requires Specific Customer Premises Equipment														
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.														



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEK rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEK rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEK		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		10.56	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		15.34	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		31.11	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		10.56	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		15.34	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		31.11	46.66	22.57	26.65	7.65					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33	0.83							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			46.88	46.88							
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			24.16	24.16							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-			UEANL	UREWO			15.78	8.94							
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM			13.49	13.49							
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			9.00	9.00							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.01	23.01							
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>														
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65					
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65					
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83							
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		9.00	9.00							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.49	13.49							
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		46.88	46.88							
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		24.16	24.16							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43							
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65					
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65					
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36							
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10							
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>														
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66					
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66					
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36							
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>														
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83					
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83					
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16							
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54					
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40							
<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54					
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54					
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54					
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54					
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40							
<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80					
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80					
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40							
<b>4-WIRE DS1 DIGITAL LOOP</b>															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55					
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55					
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.04							
<b>4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP</b>															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66					
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66					
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66					
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66					
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66					
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01								
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66					
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66					
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75							
<b>2-WIRE Unbundled COPPER LOOP</b>															
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48							
4-WIRE COPPER LOOP															
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69					
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69					
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48							
LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24							
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47							
SUB-LOOPS															
Sub-Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		207.91	207.91							
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		12.50	12.50							
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		80.87	80.87							
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		45.04	45.04							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00							
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00							
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		46.88	46.88							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		24.16	24.16								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		46.88	46.88								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		24.16	24.16								
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.53	23.51	23.51								
Network Interface Device (NID)																
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		73.53	49.47								
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		115.96	91.91								
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		8.56	8.56								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		8.56	8.56								
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
UNE OTHER, PROVISIONING ONLY - NO RATE																
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	9.25										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	9.25										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP MAKE-UP																
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SHARING AND LINE SPLITTING																
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																
NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																
NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND																
NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND																
NOTE 1: Above will apply to USOCs: ULSDT and UL SCT																
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECSOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING															
SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00					
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00					
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00					
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90					
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43							
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43							
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74					
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87					
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87					
MAINTENANCE															
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00							
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50							
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00							
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.01									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi			U1TVX	1L5XX	0.01									
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.01									
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0115									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0115									
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.23									
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49					
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.97									
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75					
	Interoffice Channel-Dedicated Transport-ST5-1-Per mi per mo			U1TS1	1L5XX	4.97									
	Interoffice Channel-Dedicated Transport-ST5-1-Facility Term			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75					
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	30.74									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67					
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	47.01									
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67					
<b>8XX ACCESS TEN DIGIT SCREENING</b>															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		4.14	0.70							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	7.08	0.86					
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86					
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.14	2.07							
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78							
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70							
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4.14	4.14							
	8XX Access Ten Digit Screening w/8FL No. Delivery,			OHD		0.0006478									
	8XX Access Ten Digit Screening, w/POTS No. Delivery,			OHD		0.0006478									
<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>															
	LIDB Common Transport Per Query			OQT		0.000023									
	LIDB Validation Per Query			OQU		0.0137322									
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59						
<b>SIGNALING (CCS7)</b>															
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45					
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	151.39									
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656									
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45					
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164									
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08									
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43					
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43					
<b>E911 SERVICE</b>															
	Local Channel-Dedicated-2W VG					18.57	265.78	46.96	46.79	4.98					
	Interoffice Transport-Dedicated-2W VG Per mi					0.0115									
	Interoffice Transport-Dedicated-2W VG Per Facility Term					29.11	47.34	31.78	22.77	8.75					
	Local Channel-Dedicated-DS1-Zone 1					40.46	209.60	176.51	30.21	21.07					
	Local Channel-Dedicated-DS1-Zone 2					43.39	209.60	176.51	30.21	21.07					
	Local Channel-Dedicated-DS1-Zone 3					164.50	209.60	176.51	30.21	21.07					
	Interoffice Transport-Dedicated-DS1 Per mi					0.23									
	Interoffice Transport-Dedicated-DS1 Per Facility Term					96.04	105.52	98.46	23.09	20.49					
<b>CALLING NAME (CNAM) SERVICE</b>															
	CNAM For DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30					
	CNAM For Non DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30					
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			1,591.54	1,177.08	431.95	317.61					
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			546.40	393.74	438.93	317.61					
	CNAM for DB Owners, Per Query			OQV		0.0010348									
	CNAM for Non DB Owners, Per Query			OQV		0.0010348									
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00							
<b>SELECTIVE ROUTING</b>															
	Selective Routing Per Unique Line Class Code Per Request Per						93.53	93.53	15.58	15.58					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLLOCATION															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95					
PHYSICAL COLLOCATION															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95					
AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34					
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85					
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06							
	Query NRC, per query			SRC		0.0037502									
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service-Service Establishment, Per State, Initial			A1N	CAMSE		43.55	43.55	44.93	44.93					
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMPD		8.64	8.64	10.03	10.03					
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03					
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU		38.65	38.65	29.88	29.88					
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93					
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0025									
	AIN SMS Access Service-Session, Per min					0.666									
	AIN SMS Access Service-Company Performed Session, Per min					0.4608									
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93					
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,436.93	8,436.93							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTC		51.01	51.01	18.50	18.50					
	AIN Toolkit Service-Query Charge, Per Query				BAPTF	0.0549207	51.01	51.01	18.50	18.50					
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0066492									
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07									
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08					
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.26	9.56	9.56							
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08					
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.11	9.56	9.56							
ENHANCED EXTENDED LINK (EELs)															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.19									
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	VG COCI-Per mo			UNCVX	1D1VG	0.62	6.71	4.84							
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VG COCI-Per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>																
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>																
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Add'l DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT</b>																
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.01										
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT</b>																
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.01										
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>																
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>																
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	9.25										
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	4.09										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT</b>																
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination-per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84								
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>																
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	4.09										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)							
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39								
	3/1 Channel System in combination per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30								
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84										
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97								
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97								
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97								
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17								
<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>																		
	4W 56 kbps Local Loop in combination-Zone 1		1	UNC1X	UDL56	27.59	125.22	60.48	59.69	7.84								
	4W 56 kbps Local Loop in combination-Zone 2		2	UNC1X	UDL56	32.48	125.22	60.48	59.69	7.84								
	4W 56 kbps Local Loop in combination-Zone 3		3	UNC1X	UDL56	36.37	125.22	60.48	59.69	7.84								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNC1X	1L5XX	0.01												
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNC1X	U1TD5	17.25	98.09	53.67	56.31	22.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17								
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>																		
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNC1X	UDL64	27.59	125.22	60.48	59.69	7.84								
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNC1X	UDL64	32.48	125.22	60.48	59.69	7.84								
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNC1X	UDL64	36.37	125.22	60.48	59.69	7.84								
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNC1X	1L5XX	0.01												
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNC1X	U1TD6	17.25	98.09	53.67	56.31	22.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17								
<b>EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																		
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNC1X	UEAL2	12.67	125.22	60.48	59.69	7.84								
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNC1X	UEAL2	17.45	125.22	60.48	59.69	7.84								
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNC1X	UEAL2	33.22	125.22	60.48	59.69	7.84								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.19												
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32								
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67								
	Per each VG COCI-Per mo per mo			UNC1X	1D1VG	0.62	6.71	4.84										
	3/1 Channel System in combination per mo			UNC1X	MQ3	158.20	115.48	56.53	15.12	5.30								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84										
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UEAL2	12.67	125.22	60.48	59.69	7.84								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNC1X	UEAL2	17.45	125.22	60.48	59.69	7.84								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNC1X	UEAL2	33.22	125.22	60.48	59.69	7.84								
	Each Add'l VG COCI in combination-per mo			UNC1X	1D1VG	0.62	6.71	4.84										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32								
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	11.80	6.71	4.84										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17								
<b>EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																		
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNC1X	UEAL4	29.26	125.22	60.48	59.69	7.84								
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNC1X	UEAL4	34.25	125.22	60.48	59.69	7.84								
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNC1X	UEAL4	85.06	125.22	60.48	59.69	7.84								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19												

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84					
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84					
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84					
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84							
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84					
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97					
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97					
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	OSS Rates (\$)			
							First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.01										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First 14W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.01										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDITIONAL NETWORK ELEMENTS																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF	0I	0I	0I	0I							
	Clear Channel Capability Super FrameOption-per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF	0I	0I	0I	0I							
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.91S	23.82S	1.99S	0.78S							
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3	205.70S	7.20S	.6924S	0S							
MULTIPLEXERS																
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local			UEA	1D1VG	0.6228	10.07	7.08								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI used with Loop per mo			USL	UC1D1	11.80	10.07	7.08								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	11.80	10.07	7.08							
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	11.80	10.07	7.08							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.80	10.07	7.08							
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
Exchange Ports															
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W Voice KY res Dialing Plan w/o Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13					
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00							
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W VG unbundled incoming only port with Caller ID			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13					
	Exchange Ports-2W Voice KY bus Dialing Plan w/o Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13					
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00							
EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89					
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89					
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89					
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89					
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89					
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled PBX KY Premium Calling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled 2-Way PBX KY Area Calling Port w/o LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89					
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00							





## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERT	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.49	3.74	3.63								
	Non-Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERT	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
	Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
	End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0011971										
	End Office Trunk Port-Shared, Per MOU					0.0002112										
	Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port-Shared, Per MOU					0.0002416										
	Tandem Switching Function Per MOU (Melded)					0.000094381										
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000117538										
	Melded Factor: 48.65% of the Tandem Rate															
	Common Transport															
	Common Transport-Per mi, Per MOU					0.000003										
	Common Transport-Facilities Term Per MOU					0.0007466										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			10.79										
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										
UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.59										
2-Wire Voice Grade Line Port Rates (Res)																
	2W voice unbundled port-res			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67						
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67						
	2W VG unbundled KY extended local dialing parity port with Caller ID-res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						
	2W Voice Unbundled KY res Dialing Plan w/o Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67						
FEATURES																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35									
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPRX	USACC		0.10	0.10							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65					
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65					
	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65					
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88					
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88					
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88					
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0095	0.00	0.00							
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1		1			10.79									
	2W VG Loop/Port Combo-Zone 2		2			15.52									
	2W VG Loop/Port Combo-Zone 3		3			31.74									
	<b>UNE Loop Rates</b>														
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.64									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.37									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.59									
	<b>2-Wire Voice Grade Line Port (Bus)</b>														
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67					
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67					
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67					
	2W VG unbundled KY extended local dialing parity port with Caller ID-bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67					
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35									
	<b>FEATURES</b>														
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00							
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPBX	USACC		0.10	0.10							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83							
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65					
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65					
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65					
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88					
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88					
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88					
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0095	0.00	0.00							
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1		1			10.79									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			15.52										
	2W VG Loop/Port Combo-Zone 3		3			31.74										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	30.59										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
	Local Channel VG, per Term		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
	Local Channel VG, per Term		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0095	0.00	0.00							
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1		1			10.79									
	2W VG Loop/Port Combo-Zone 2		2			15.52									
	2W VG Loop/Port Combo-Zone 3		3			31.74									
	<b>UNE Loop Rates</b>														
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.64									
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.37									
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.59									
	<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>														
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled OutDial AL NAR Area Calling Port			UEPPX	UEPOA										
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX KY Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled OutDial KY NAR Area Calling Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67					
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	<b>FEATURES</b>														
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00							
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		8.45	1.91							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83							
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	Local Channel VG, per Term		1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88					
	Local Channel VG, per Term		2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88					
	Local Channel VG, per Term		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88					
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80					
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80					
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00					
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0095	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.79										
	2W VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2W VG Coin Port/Loop Combo – Zone 3		3			31.74										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.64										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.37										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.59										
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67						
	2W Coin 2-Way with Oper Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67						
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						
	2W Coin 2-Way with Oper Screening and 011 Blocking (KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPCO	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.22										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						
	2W VG unbundled KY extended local dialing parity port with Caller ID-res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
	2W Voice Unbundled KY res Dialing Plan w/o Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0095										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL NUMBER PORTABILITY															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		9.03	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		9.03	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.21	1.10								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	33.22										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
	2W VG unbundled KY extended local dialing parity port with Caller ID-bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0095										
	FEATURES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		9.03	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		9.03	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.67										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.45										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.22										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX KY Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0095										
	FEATURES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		9.03	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		9.03	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.21	1.10								
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	UNE Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.30										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.08										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			41.85										
	UNE Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.67										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.45										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	33.22										
	UNE Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31						
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		7.85	1.87								
	ADDITIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.25	32.25								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10								
	Telephone Number/Trunk Group Establishment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	25.69										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	50.21										
UNE Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10									
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33									
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63									
UNE Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56					
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00							
ADDITIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.21	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83							
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							
VERTICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00							
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities			UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75					
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00							
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		381.35										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP		USL4P	86.47									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP		USL4P	114.10									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP		USL4P	297.76									
UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	81.70	61.37							
ADDITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqtl Actvty-Inward/2way Tel Nos			UEPPP		PR7TF		0.54								
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP		PR7TO		12.71	12.71							
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqtl Inward Tel			UEPPP		PR7ZT		25.41	25.41							
LOCAL NUMBER PORTABILITY																



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75									
	INTERFACE (Provsioning Only)														
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							
	New or Additional "B" Channel														
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48								
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	15.48								
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48								
	CALL TYPES														
	Inward			UEPPP	PR7C1	0.00	0.00	0.00							
	Outward			UEPPP	PR7CO	0.00	0.00	0.00							
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00							
	Interoffice Channel Mileage														
	Fixed Each Including First mi			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49					
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.23									
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT														
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.															
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	UNE Port/Loop Combination Rates														
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		147.99									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		175.62									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		359.28									
	UNE Loop Rates														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	86.47									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	114.10									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	297.76									
	UNE Port Rate														
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70							
	ADDITIONAL NRCs														
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.09	15.09							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09							
	BIPOLAR 8 ZERO SUBSTITUTION														
	B8ZS - Superframe Format			UEPDC	CCOSF	0.00i	730.00s								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	730.00s								
	Alternate Mark Inversion														
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00							
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00							
	Telephone Number/Trunk Group Establishment Charges														
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00							
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00									
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00	0.00	0.00							
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00	0.00							
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.45	0.00	0.00								
	Local No Portability, per DSO Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	CO Terminating Point			UEPDC	CTG	0.00										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE DS1 Loop																
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00								
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	111.16	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00								
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00								
	192 DSO Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00								
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00								
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00								
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00								
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00								
	576 DSO Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00								
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
Bipolar 8 Zero Substitution																
	Clear Channel Capability Format, superframe-Subsqnt Activity			UEPMG	CCOSF	0.00	0.00i	730.00s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
Alternate Mark Inversion (AMI)																
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized - Outdial - (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized - Combination (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 2W Channelized – Outdial – KY Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized – Two Way-KY Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.																
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		31.74										
UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		34.37										
UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	30.59										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	12.67										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	17.45										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	33.22										
UNE Ports																
All States (Except NC and SC)																
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY, LA, MS, & TN Only																
	2W VG Port (Centrex )			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Switching															
	Centrex Intercom Functionality, per port			UEP91	URECS	0.8873										
	Local Number Portability															
	Local No Portability (1 per port)			UEP91	LNPPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
	NARS															
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Initial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP91	UARO X	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	29.11										
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.01										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP91	URETN		11.21	1.10								
	UNE-P CENTREX - 5ESS (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		31.74										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		34.37										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.64										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	14.37										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	30.59										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.67										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.45										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	33.22										
	UNE Port Rate															
	All States															
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
	AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex )			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP95	URECS	0.8873										
	Local Number Portability															
	Local No Portability (1 per port)			UEP95	LNPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
	NARS															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UARO	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	29.11										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.01										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.21	1.10								
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		31.74										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.82									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.60									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		34.37									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.64									
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.37									
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.59									
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.67									
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.45									
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.22									
	UNE Port Rate														
	ALL STATES														
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67					
	AL, KY, LA, MS, SC, & TN Only														
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local Switching																
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
Local Number Portability																
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09									
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP9D	M1GBC	29.11										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.01										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.102	0.102								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75									
Additional Non-Recurring Charges (NRC)																
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.21	1.10								
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.79										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		31.74										
UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.82										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.60										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		34.37									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.64									
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	14.37									
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	30.59									
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.67									
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.45									
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	33.22									
	UNE Port Rate														
	AL, FL, KY, LA, MS, & TN only														
	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67					
	AL, KY, LA, MS, & TN Only														
	2W VG Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67					
	Local Switching														
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.8873									
	Local Number Portability														
	Local No Portability (1 per port)			UEP9E	LNPPC	0.35									
	Features														
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00									
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66								
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00									
	NARS														
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30					
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86					
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP9E	M1GBC	29.11									
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.01									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.62									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.62									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62									
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.102	0.102							
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32							





## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)			
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP93	URETN		11.21	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
										Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
											First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																				
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																				
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																				
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																				
	OSS-Electronic Service Order Charge, Per LSR-UNE Only								SOMEC		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only								SOMAN		15.20	0.00	15.20	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																				
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																				
								UEAL, UEANE, UOE, UDF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																				
UNBUNDLED EXCHANGE ACCESS LOOP																				
2-WIRE ANALOG VOICE GRADE LOOP																				
	2W Analog VG Loop-SL1-Zone 1						1	UEANL	UEAL2		12.90	36.54	16.87							
	2W Analog VG Loop-SL1-Zone 2						2	UEANL	UEAL2		23.33	36.54	16.87							
	2W Analog VG Loop-SL1-Zone 3						3	UEANL	UEAL2		48.43	36.54	16.87							
	2W Analog VG Loop-SL1-Zone 1						1	UEANL	UEASL		12.90	36.54	16.87							
	2W Analog VG Loop-SL1-Zone 2						2	UEANL	UEASL		23.33	36.54	16.87							
	2W Analog VG Loop-SL1-Zone 3						3	UEANL	UEASL		48.43	36.54	16.87							
	Unbundled Misc Rate Element, Tag Loop at End User Premise							UEANL	URETL			8.33	0.83							
	Loop Testing-Basic 1st Half Hour							UEANL	URET1			33.17	33.17							
	Loop Testing-Basic Add'l Half Hour							UEANL	URETA			19.28	19.28							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)							UEANL	UREWO			15.75	8.93							
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)							UEANL	UEANM			13.04	13.04							
	Manual Order Coordination for UVL-SL1s (per loop)							UEANL	UEAMC			7.92	7.92							
	Order Coordination for Specified Conversion Time for UVL-SL1 (per							UEANL	OCOSL			17.56	17.56							
2-WIRE Unbundled COPPER LOOP																				



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN		
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	11.52	125.50	76.77									
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	12.74	125.50	76.77									
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56										
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	9.79	101.24	64.43									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	11.52	101.24	64.43									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	12.74	101.24	64.43									
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34									
<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																	
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	16.24	153.26	104.54									
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	16.65	153.26	104.54									
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	17.34	153.26	104.54									
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56										
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	16.24	129.00	92.20									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	16.65	129.00	92.20									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	17.34	129.00	92.20									
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34									
<b>4-WIRE DS1 DIGITAL LOOP</b>																	
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	85.70	245.16	152.98									
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	194.96	245.16	152.98									
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	491.94	245.16	152.98									
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56										
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.93	42.98									
<b>4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP</b>																	
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48									
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48									
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48									
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	30.99	121.86	85.48									
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	36.78	121.86	85.48									
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	38.92	121.86	85.48									
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56										
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	30.99	121.86	85.48									
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	36.78	121.86	85.48									
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.92	121.86	85.48									
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.97	49.67									
<b>2-WIRE Unbundled COPPER LOOP</b>																	
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	12.29	116.18	67.46									
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	14.09	116.18	67.46									
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	15.75	116.18	67.46									
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92									
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	12.29	91.92	55.12									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
		2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2		UCL	UCLPW		14.09	91.92	55.12							
		2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3		UCL	UCLPW		15.75	91.92	55.12							
		Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLMC			7.92	7.92							
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)				UCL	UREWO			91.92	42.47							
4-WIRE COPPER LOOP																		
		4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1		UCL	UCL4S		22.27	139.69	90.96							
		4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2		UCL	UCL4S		18.95	139.69	90.96							
		4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3		UCL	UCL4S		10.99	139.69	90.96							
		Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLMC			7.92	7.92							
		4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1		UCL	UCL4W		22.27	115.43	78.63							
		4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2		UCL	UCL4W		18.95	115.43	78.63							
		4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3		UCL	UCL4W		10.99	115.43	78.63							
		Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLMC			7.92	7.92							
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)				UCL	UREWO			91.92	42.47							
LOOP MODIFICATION																		
		Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop				UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L			0.00	0.00							
		Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop				UHL, UCL, UEA	ULM4L			0.00	0.00							
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop				UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT			12.15	12.15							
SUB-LOOPS																		
Sub-Loop Distribution																		
		Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up		1		UEANL	USBSA			144.09	144.09							
		Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up		1		UEANL	USBSB			10.99	10.99							
		Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up		1		UEANL	USBSC			86.16	86.16							
		Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up		1		UEANL	USBSD			27.13	27.13							
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	1	UEANL	USBN2		7.57	63.89	30.06							
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		1	2	UEANL	USBN2		12.75	63.89	30.06							
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		1	3	UEANL	USBN2		21.45	63.89	30.06							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr				UEANL	USBMC			7.92	7.92							
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1		UEANL	USBN4		11.76	76.75	42.92							
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2		UEANL	USBN4		16.84	76.75	42.92							
		Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3		UEANL	USBN4		19.27	76.75	42.92							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr				UEANL	USBMC			7.92	7.92							
		Sub-Loop 2W Intrabuilding Network Cable (INC)		1		UEANL	USBR2		2.91	51.48	17.65							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr				UEANL	USBMC			7.92	7.92							
		Sub-Loop 4W Intrabuilding Network Cable (INC)		1		UEANL	USBR4		6.58	57.54	23.71							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr				UEANL	USBMC			7.92	7.92							
		Loop Testing-Basic 1st Half Hour				UEANL	URET1			33.17	33.17							
		Loop Testing-Basic Add'l Half Hour				UEANL	URETA			19.28	19.28							
		2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	1	UEF	UCS2X		6.26	63.89	30.06							
		2W Copper Unbundled Sub-Loop Distribution-Zone 2		1	2	UEF	UCS2X		10.07	63.89	30.06							
		2W Copper Unbundled Sub-Loop Distribution-Zone 3		1	3	UEF	UCS2X		12.70	63.89	30.06							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr				UEF	USBMC			7.92	7.92							
		4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	1	UEF	UCS4X		8.03	76.75	42.92							
		4W Copper Unbundled Sub-Loop Distribution-Zone 2		1	2	UEF	UCS4X		10.71	76.75	42.92							
		4W Copper Unbundled Sub-Loop Distribution-Zone 3		1	3	UEF	UCS4X		6.08	76.75	42.92							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect			OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN		
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31									
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31									
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31									
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31									
	LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61											
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29									
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29									
	MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00									
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50									
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00									
	UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.013											
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	22.60	39.36	26.62									
	Interoffice Channel -Dedicated Transport t-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.013											
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	22.60	39.36	26.62									
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.013											
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.81	39.36	26.62									
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.013											
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.61	39.37	26.62									
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.013											
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.61	39.37	26.62									
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.2652											
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	70.47	86.69	79.44									
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	6.04											
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	850.45	270.69	158.05									
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	6.04											
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	830.19	270.69	158.05									
	DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo																
	Interoffice Channel			UDF, UDFCX	1L5DF	25.28											
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		620.60	133.88									
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo																
	Local Loop			UDF, UDFCX	1L5DL	52.23											
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		620.60	133.88									
	8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			OHD	N8R1X		2.51	0.43									
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.77	0.78									
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.77	0.78									
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		2.51	1.26									
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68									
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43									
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.51										
	8XX Access Ten Digit Screening, w/8XX No. Delivery, per query			OHD		0.0006387											
	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006387											
	LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.0000221											
	LIDB Validation Per Query			OQU		0.0135077											



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)																	
		CCS7 Signaling Term, Per STP Port			UDB	PT8SX	147.60										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911 SERVICE																	
		Local Channel-Dedicated-2W VG-Zone 1					18.32	187.51	32.21								
		Local Channel-Dedicated-2W VG-Zone 2					18.32	187.51	32.21								
		Local Channel-Dedicated-2W VG-Zone 3					18.32	187.51	32.21								
		Interoffice Transport-Dedicated-2W VG Per mi					0.013										
		Interoffice Transport-Dedicated-2W VG Per Facility Term					22.60	39.36	26.62								
		Local Channel-Dedicated-DS1-Zone 1					39.18	172.34	149.27								
		Local Channel-Dedicated-DS1-Zone 2					121.58	172.34	149.27								
		Local Channel-Dedicated-DS1-Zone 3					70.02	172.34	149.27								
		Interoffice Transport-Dedicated-DS1 Per mi					0.2652										
		Interoffice Transport-Dedicated-DS1 Per Facility Term					70.47	86.69	79.44								
CALLING NAME (CNAM) SERVICE																	
		CNAM For DB Owners-Service Establishment			OQV			22.29									
		CNAM For Non DB Owners-Service Establishment			OQV			22.29									
		CNAM For DB Owners-Service Provisioning With Point Code			OQV			962.22	711.64								
		CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			332.43	238.05								
		CNAM for DB Owners, Per Query			OQV		0.0010217										
		CNAM for Non DB Owners, Per Query			OQV		0.0010217										
SELECTIVE ROUTING																	
		Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25								
VIRTUAL COLLOCATION																	
		Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL COLLOCATION																	
		Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECTIVE CARRIER ROUTING																	
		Regional Service Establishment			UEBIB	SRCEC		100,209.33									
		End Office Establishment			UEBIB	SRCEO		164.29	164.29								
		Query NRC, per query			UEBIB		0.0030293										
AIN - BELL SOUTH AIN SMS ACCESS SERVICE																	
		AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		38.30	38.30								
		AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.60	7.60								
		AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.60	7.60								
		AIN SMS Access Service-User Identification Codes-Per User ID Code															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.60	7.60								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		33.47	33.47								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		33.47	33.47								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		33.47	33.47								
	AIN Toolkit Service-Query Charge, Per Query					0.0536446										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.90	7.60	7.60								
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41								
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.20	7.60	7.60								
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.09	8.41	8.41								
ENHANCED EXTENDED LINK (EELs)																
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	VG COCI-Per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	VG COCI-Per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	5.43	5.43									
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	5.43	5.43									
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								



## EXHIBIT 1

[illegible]

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
											OSS Rates (\$)			
						Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.2652								
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	105.09	59.97	12.96						
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.6497	5.91	4.26						
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26						
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09						
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09						
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652								
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	11.78	5.91	4.26						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43						
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09						
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09						
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652								
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96						
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26						
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652								
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43						
EXTENDED 4-WIRE 56 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652								
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	70.47	143.58	103.88						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96						
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26						
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
										First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56				36.78	94.21	45.09						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56				38.92	94.21	45.09						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD				1.38	5.91	4.26						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX				0.2652								
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1				70.47	143.58	103.88						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1				11.78	5.91	4.26						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC					5.43	5.43						
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64				30.99	94.21	45.09						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64				36.78	94.21	45.09						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64				38.92	94.21	45.09						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX				0.2652								
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1				70.47	143.58	103.88						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1				105.09	59.97	12.96						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD				1.38	5.91	4.26						
	3/1 Channel System in combination per mo			UNC3X	MQ3				201.48	107.05	91.25						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1				11.78	5.91	4.26						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64				30.99	94.21	45.09						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64				36.78	94.21	45.09						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64				38.92	94.21	45.09						
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD				1.38	5.91	4.26						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX				0.2652								
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1				70.47	143.58	103.88						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1				11.78	5.91	4.26						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC					5.43	5.43						
<b>EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																	
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X				22.09	94.21	45.09						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X				35.28	94.21	45.09						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X				65.18	94.21	45.09						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX				0.2652								
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1				70.47	143.58	103.88						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1				105.09	59.97	12.96						
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA				2.96	5.91	4.26						
	3/1 Channel System in combination per mo			UNC3X	MQ3				201.48	107.05	91.25						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1				11.78	5.91	4.26						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X				22.09	94.21	45.09						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X				35.28	94.21	45.09						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X				65.18	94.21	45.09						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA				2.96	5.91	4.26						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX				0.2652								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	11.78	5.91	4.26						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43						
	<b>EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>													
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89						
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89						
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652								
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25						
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	11.78	5.91	4.26						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652								
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	11.78	5.91	4.26						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43						
	<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>													
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09						
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09						
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.013								
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	15.61	72.60	41.75						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43						
	<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>													
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09						
	First 4W 64 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.013								
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	15.61	72.60	41.75						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43						
<b>ADDITIONAL NETWORK ELEMENTS</b>														
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.													
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.													
	<b>Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)</b>													
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.43	5.43						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.43	5.43						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.43	5.43						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.43	5.43						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.43	5.43						
	<b>Optional Features &amp; Functions:</b>													
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF	0I	0I	0I	0I					
	Clear Channel Capability Super FrameOption-per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF	0I	0I	0I	0I					
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.65S	23.79S	1.97S	0.77S					
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3	218.78S	7.66S	.7263S	0S					
<b>MULTIPLEXERS</b>														
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	105.09	59.97	12.96						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58									
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58									
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	2.96	6.39	4.58									
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58									
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58									
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58									
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	201.48	107.05	91.25									
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	201.48	107.05	91.25									
	DS1 COCI used with Loop per mo			USL	UC1D1	11.78	6.39	4.58									
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	11.78	6.39	4.58									
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	11.78	6.39	4.58									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULD1	UC1D1	11.78	6.39	4.58									
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																	
	Exchange Ports																
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																
	2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.52	2.31	2.21									
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.52	2.31	2.21									
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAS	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled LA Area Plus with Caller ID-Res			UEPSR	UEPAG	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21									
	Exchange Ports-2W VG LA res Dialing Plan w/o Caller ID			UEPSR	UEPWG	1.52	2.31	2.21									
	Exchange Ports-2W VG LA res Area Plus w/o Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21									
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.52	2.31	2.21									
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00									
	FEATURES																
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00									
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.52	2.31	2.21									
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAX	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.52	2.31	2.21									
	Exchange Ports-2W VG unbundled LA Bus Area Calling Port with Caller ID-Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21									
	Exchange Ports-2W Voice LA bus Dialing Plan w/o Caller ID			UEPSB	UEPWH	1.52	2.31	2.21									
	Exchange Ports-2W Voice LA bus Area Calling Port w/o Caller ID			UEPSB	UEPBA	1.52	2.31	2.21									
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.52	2.31	2.21									
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00									
	FEATURES																
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00									
	EXCHANGE PORT RATES (DID & PBX)																
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.52	30.37	14.42									
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.52	30.37	14.42									
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.52	30.37	14.42									
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.52	30.37	14.42									



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.52	30.37	14.42									
	2W Voice Unbundled 2-Way PBX LA Calling Port			UEPSP	UEPL2	1.52	30.37	14.42									
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42									
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42									
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42									
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42									
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42									
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42									
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPSP	UEPXC	1.52	30.37	14.42									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42									
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42									
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42									
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42									
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00									
	<b>FEATURES</b>																
	[All Available Vertical Features			UEPSP	UEPSE	0.00	0.00	0.00									
	<b>EXCHANGE PORT RATES (COIN)</b>																
	[Exchange Ports-Coin Port					1.52	2.31	2.21									
	<b>NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.</b>																
	<b>NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.</b>																
	<b>UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)</b>																
	<b>EXCHANGE PORT RATES</b>																
	<b>The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.</b>																
	<b>Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>																
	[Exchange Ports-2W DID Port			UEPEX	UEPP2	8.29	115.85	18.20									
	[Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	68.47	196.18	92.92									
	[Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46									
	[All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00									
	[Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00									
	<b>NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.</b>																
	<b>NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.</b>																
	<b>EXCHANGE PORT RATES (continued)</b>																
	[Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62									
	[Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62									
	[Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	1.04	21.39	15.47									
	[Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	1.04	21.39	15.47									
	<b>Detailed E911 with Locator Capability (required with UEPEX port)</b>																
	[Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,792.00										
	[Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	174.03										
	<b>New or Additional PRI Telephone Numbers</b>																
	[Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0692	0.48										
	[Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0692	11.18	11.18									
	[Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.48										
	[Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35									
	<b>LOCAL NUMBER PORTABILITY</b>																
	[Local No Portability (1 per port)			UEPEX	UEPDX	1.75											

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS			Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN
	<b>INTERFACE (Provisioning Only)</b>														
	Voice/Data					UEPEX	PR71V	0.00	0.00	0.00					
	Digital Data					UEPEX	PR71D	0.00	0.00	0.00					
	Inward Data					UEPDX	PR71E	0.00	0.00	0.00					
	<b>New or Additional Channel</b>														
	New or Add'l-Voice/Data "B" Channel					UEPEX	PR7BV	0.00	14.11						
	New or Add'l-Digital Data "B" Channel					UEPEX	PR7BF	0.00	14.11						
	New or Add'l Inward Data "B" Channel					UEPDX	PR7BD	0.00	14.11						
	New or Add'l Usage Sensitive Voice Data "B" Channel					UEPEX	PR7BS	0.00	14.11						
	New or Add'l Usage Sensitive Digital Data "B" Channel					UEPEX	PR7BU	0.00	14.11						
	New or Add'l PRI "D" Channel					UEPEX	PR7EX	0.00	14.11						
	<b>CALL TYPES</b>														
	Inward					UEPEX UEPDX	PR7C1	0.00	0.00	0.00					
	Outward					UEPEX	PR7CO	0.00	0.00	0.00					
	Two-way					UEPEX	PR7CC	0.00	0.00	0.00					
	<b>UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY</b>														
	<b>UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE</b>														
	Unbundled Remote Call Forwarding Service, Area Calling, Res					UEPVR	UERAC	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service, Local Calling-Res					UEPVR	UERLC	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service, InterLATA-Res					UEPVR	UERTE	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service, IntraLATA-Res					UEPVR	UERTR	1.52	2.31	2.21					
	<b>Non-Recurring</b>														
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is					UEPVR	USAC2		0.10	0.10					
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)					UEPVR	USACC		0.10	0.10					
	<b>UNBUNDLED REMOTE CALL FORWARDING - Bus</b>														
	Unbundled Remote Call Forwarding Service, Area Calling-Bus					UEPVB	UERAC	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service, Local Calling-Bus					UEPVB	UERLC	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service, InterLATA-Bus					UEPVB	UERTE	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus					UEPVB	UERTR	1.52	2.31	2.21					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling					UEPVB	UEVJ	1.52	2.31	2.21					
	<b>Non-Recurring</b>														
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is					UEPVB	USAC2		0.10	0.10					
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)					UEPVB	USACC		0.10	0.10					
	<b>UNBUNDLED LOCAL SWITCHING, PORT USAGE</b>														
	<b>End Office Switching (Port Usage)</b>														
	End Office Switching Function, Per MOU							0.001868							
	End Office Trunk Port-Shared, Per MOU							0.00018							
	<b>Tandem Switching (Port Usage) (Local or Access Tandem)</b>														
	Tandem Switching Function Per MOU							0.0001067							
	Tandem Trunk Port-Shared, Per MOU							0.000222							
	Tandem Switching Function Per MOU (Melded)							0.000035296							
	Tandem Trunk Port-Shared, Per MOU (Melded)							0.000073438							
	Melded Factor: 33.08% of the Tandem Rate														
	<b>Common Transport</b>														
	Common Transport-Per mi, Per MOU							0.0000032							
	Common Transport-Facilities Term Per MOU							0.0003748							
	<b>UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES</b>														
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.														
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.														
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1				1			13.13							
	2W VG Loop/Port Combo-Zone 2				2			23.75							
	2W VG Loop/Port Combo-Zone 3				3			49.62							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
											OSS Rates (\$)			
						Rec	First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN
<b>UNE Loop Rates</b>														
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.77								
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	22.39								
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26								
<b>2-Wire Voice Grade Line Port Rates (Res)</b>														
	2W voice unbundled port-res			UEPRX	UEPRL	1.36	38.85	19.08						
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.36	38.85	19.08						
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.36	38.85	19.08						
	2W VG unbundled LA extended local dialing parity port with Caller ID-			UEPRX	UEPAS	1.36	38.85	19.08						
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08						
	2W voice unbundles res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08						
	2W Voice Unbundled LA res Dialing Plan w/o Caller ID			UEPRX	UEPWG	1.36	38.85	19.08						
	2W voice unbundled LA Area Plus Port w/o Caller ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.36	38.85	19.08						
<b>FEATURES</b>														
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00						
<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35								
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10						
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPRX	USACC		0.10	0.10						
<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83						
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87						
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87						
	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87						
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	14.93	102.10	65.72						
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	25.35	102.10	65.72						
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72						
<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	22.60	39.36	26.62						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.013	0.00	0.00						
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>														
<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1		1			13.13								
	2W VG Loop/Port Combo-Zone 2		2			23.75								
	2W VG Loop/Port Combo-Zone 3		3			49.62								
<b>UNE Loop Rates</b>														
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.77								
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	22.39								
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	48.26								
<b>2-Wire Voice Grade Line Port (Bus)</b>														
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.36	38.85	19.08						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.36	38.85	19.08						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.36	38.85	19.08						
	2W VG unbundled LA extended local dialing parity port with Caller ID-			UEPBX	UEPAX	1.36	38.85	19.08						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.36	38.85	19.08						
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08						
	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPBX	UEPWH	1.36	38.85	19.08						
	2W voice unbundled LA bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.36	38.85	19.08						
<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35								
<b>FEATURES</b>														
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00						
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10						

EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87								
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.013	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2		2			23.75										
	2W VG Loop/Port Combo-Zone 3		3			49.62										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	48.26										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.36	66.91	31.29								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	<b>LOCAL NUMBER PORTABILITY</b>																
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00									
	<b>FEATURES</b>																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00									
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.68	1.85									
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		7.68	1.85									
	<b>ADDITIONAL NRCs</b>																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00									
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.11	7.11									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83									
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>																
	Local Channel VG, per Term	1		UEPRG	P2JHX	14.93	102.10	65.72									
	Local Channel VG, per Term	2		UEPRG	P2JHX	25.35	102.10	65.72									
	Local Channel VG, per Term	3		UEPRG	P2JHX	50.46	102.10	65.72									
	<b>INTEROFFICE TRANSPORT</b>																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	22.60	39.36	26.62									
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.013	0.00	0.00									
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>																
	<b>UNE Port/Loop Combination Rates</b>																
	2W VG Loop/Port Combo-Zone 1	1				13.13											
	2W VG Loop/Port Combo-Zone 2	2				23.75											
	2W VG Loop/Port Combo-Zone 3	3				49.62											
	<b>UNE Loop Rates</b>																
	2W VG Loop (SL 1)-Zone 1	1		UEPPX	UEPLX	11.77											
	2W VG Loop (SL 1)-Zone 2	2		UEPPX	UEPLX	22.39											
	2W VG Loop (SL 1)-Zone 3	3		UEPPX	UEPLX	48.26											
	<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.36	66.91	31.29									
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.36	66.91	31.29									
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.36	66.91	31.29									
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPPX	UEPL2	1.36	66.91	31.29									
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29									
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29									
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29									
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29									
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29									
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.36	66.91	31.29									
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPPX	UEPXK	1.36	66.91	31.29									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29									
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29									
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29									
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29									
	<b>LOCAL NUMBER PORTABILITY</b>																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00									
	<b>FEATURES</b>																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00									
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.68	1.85									
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		7.68	1.85									
	<b>ADDITIONAL NRCs</b>																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00									
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.11	7.11									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEC	SOMAN			
	OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.93	102.10	65.72							
	Local Channel VG, per Term		2	UEPPX	P2JHX	25.35	102.10	65.72							
	Local Channel VG, per Term		3	UEPPX	P2JHX	50.46	102.10	65.72							
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	22.60	39.36	26.62							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.013	0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														
	UNE Port/Loop Combination Rates														
	2W VG Coin Port/Loop Combo – Zone 1		1			13.13									
	2W VG Coin Port/Loop Combo – Zone 2		2			23.75									
	2W VG Coin Port/Loop Combo – Zone 3		3			49.62									
	UNE Loop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77									
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	22.39									
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26									
	2-Wire Voice Grade Line Ports (COIN)														
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.36	38.85	19.08							
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRA	1.36	38.85	19.08							
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.36	38.85	19.08							
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.36	38.85	19.08							
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.36	38.85	19.08							
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPLA	1.36	38.85	19.08							
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976,			UEPCO	UEPRH	1.36	38.85	19.08							
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.36	38.85	19.08							
	2W Coin 2-Way Smartline with 900/976			UEPCO	UEPNA	1.36	38.85	19.08							
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCB	1.36	38.85	19.08							
	ADDITIONAL UNE COIN PORT/LOOP (RC)														
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35									
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98									
	UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.93									
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.35									
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	50.46									
	2-Wire Voice Grade Line Port Rates (Res)														
	2W voice unbundled port-res			UEPFR	UEPRL	1.52	104.41	67.93							
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.52	104.41	67.93							
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.52	104.41	67.93							
	2W VG unbundled LA extended local dialing parity port with Caller ID-			UEPFR	UEPAS	1.52	104.41	67.93							
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPFR	UEPAG	1.52	104.41	67.93							
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93							
	2W Voice Unbundled LA res Dialing Plan w/o Caller ID			UEPFR	UEPWG	1.52	104.41	67.93							
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	22.60	39.36	26.62							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.013									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN			
FEATURES												SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		8.24	1.81							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		8.24	1.81							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.20	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93									
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35									
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46									
2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.52	104.41	67.93							
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.52	104.41	67.93							
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.52	104.41	67.93							
	2W VG unbundled LA extended local dialing parity port with Caller ID-			UEPFB	UEPAX	1.52	104.41	67.93							
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.52	104.41	67.93							
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93							
	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPFB	UEPWH	1.52	104.41	67.93							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35									
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	22.60	39.36	26.62							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.013									
FEATURES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		8.24	1.81							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		8.24	1.81							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.20	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.93									
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.35									
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	50.46									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.52	132.47	82.14							
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.52	132.47	82.14							
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.52	132.47	82.14							
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPFP	UEPL2	1.52	132.47	82.14							
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14							
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14							
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14							
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.52	132.47	82.14						
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPFP	UEPXK	1.52	132.47	82.14						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14						
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14						
	<b>LOCAL NUMBER PORTABILITY</b>													
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00						
	<b>INTEROFFICE TRANSPORT</b>													
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	22.60	39.36	26.62						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.013								
	<b>FEATURES</b>													
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00						
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		8.24	1.81						
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		8.24	1.81						
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.20	1.10						
	<b>UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES</b>													
	<b>2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT</b>													
	<b>UNE Port/Loop Combination Rates</b>													
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.20								
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			33.62								
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			58.73								
	<b>UNE Loop Rates</b>													
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.93								
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	25.35								
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	50.46								
	<b>UNE Port Rate</b>													
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.27	217.95	83.92						
	<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>													
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.10	1.81						
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		7.10	1.81						
	<b>ADDITIONAL NRCs</b>													
	2W DID Subsgnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.01	26.01						
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.20	1.10						
	<b>Telephone Number/Trunk Group Establishment Charges</b>													
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00						
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00						
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00						
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00						
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00						
	<b>LOCAL NUMBER PORTABILITY</b>													
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00						



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring	NRC Disconnect			OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN
<b>2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT</b>														
<b>UNE Port/Loop Combination Rates</b>														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	27.48								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	40.34								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	70.99								
<b>UNE Loop Rates</b>														
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09							
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95							
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60							
<b>UNE Port Rate</b>														
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42					
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	37.40	26.23					
<b>ADDITIONAL NRCs</b>														
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN	11.20	1.10						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL	8.33	0.83						
<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00					
<b>B-CHANNEL USER PROFILE ACCESS:</b>														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00					
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00					
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00					
<b>B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &amp; TN)</b>														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00					
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00					
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00					
<b>USER TERMINAL PROFILE</b>														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					
<b>VERTICAL FEATURES</b>														
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					
<b>INTEROFFICE CHANNEL MILEAGE</b>														
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	22.613	39.36	26.62					
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00					
<b>4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT</b>														
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.														
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
<b>UNE Port/Loop Combination Rates</b>														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		180.52								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		289.78								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		586.76								
<b>UNE Loop Rates</b>														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP		USL4P	85.70							
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP		USL4P	194.96							
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP		USL4P	491.94							
<b>UNE Port Rate</b>														
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP		94.82	443.08	251.60					
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	115.63	76.29					
<b>ADDITIONAL NRCs</b>														
	4W DS1 Loop/4-W ISDN Digt Trk Port-Subsqtl Actvy-Inward/two way Tel Nos			UEPPP		PR7TF	0.48							
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP		PR7TO	11.18	11.18						
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqtl Inward Tel Nos			UEPPP		PR7ZT	22.35	22.35						
<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPPP		LNPCN	1.75							
<b>INTERFACE (Provisioning Only)</b>														
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00						
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00						
	New or Additional "B" Channel													
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11							
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.11							
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.11							
	CALL TYPES													
	Inward			UEPPP	PR7C1	0.00	0.00	0.00						
	Outward			UEPPP	PR7CO	0.00	0.00	0.00						
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00						
	Interoffice Channel Mileage													
	Fixed Each Including First mi			UEPPP	1LN1A	70.7352	86.69	79.44						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.2652								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT														
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.														
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
UNE Port/Loop Combination Rates														
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		154.17								
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		263.43								
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		560.41								
UNE Loop Rates														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	85.70								
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	194.96								
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	491.94								
UNE Port Rate														
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90						
NONRECURRING CHARGES - CURRENTLY COMBINED														
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08						
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08						
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		125.75	65.08						
ADDITIONAL NRCs														
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.06	14.06						
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06						
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06						
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06						
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06						
BIPOLAR 8 ZERO SUBSTITUTION														
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i		605.00s						
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i		605.00s						
Alternate Mark Inversion														
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00						
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00						
Telephone Number/Trunk Group Establishment Charges														
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00								
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00								
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00						
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00						
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port														

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	70.47	86.69	79.44					
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.2652	0.00	0.00					
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00					
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.2652	0.00	0.00					
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00				
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.2652	0.00	0.00					
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00				
	CO Terminating Point			UEPDC	CTG	0.00							
<b>4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT</b>													
<b>System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations</b>													
<b>Each System can have up to 24 combinations of rates depending on type and number of ports used</b>													
<b>The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.</b>													
<b>Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>													
<b>UNE DS1 Loop</b>													
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00					
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00					
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00					
<b>UNE DSO Channelization Capacities (D4 Channel Bank Configurations)</b>													
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	97.35	0.00	0.00					
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00					
	96 DSO Channel Capacity-1 per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00					
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00					
	192 DSO Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00					
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00					
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00					
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00					
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00					
	576 DSO Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00					
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00					
<b>Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System</b>													
<b>A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.</b>													
<b>Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.</b>													
	[NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	146.13	8.12					
<b>System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and</b>													
<b>New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's</b>													
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54					
<b>Bipolar 8 Zero Substitution</b>													
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s					
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s					
<b>Alternate Mark Inversion (AMI)</b>													
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00					
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00					
<b>Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port</b>													
<b>Exchange Ports</b>													
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00			
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00			
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00			
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00			
	Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00			
	Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00			
	Unbundled Exchange Ports, 2W Channelized - Outdial - LA Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00			
	Unbundled Exchange Ports, 2W Channelized - Two Way-LA Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00			
<b>Feature Activations - Unbundled Loop Concentration</b>													

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40						
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40						
	Telephone Number/ Group Establishment Charges for DID Service													
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00						
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00						
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00						
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00						
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00						
	Local Number Portability													
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00						
	FEATURES - Vertical and Optional													
	Local Switching Features Offered with Line Side Ports Only													
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00						
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES														
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.														
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.														
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.														
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.														
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		13.13								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		23.75								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		49.62								
UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		16.29								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		26.71								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		48.26								
UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.77								
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	22.39								
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	48.26								
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.93								
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	25.35								
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	50.46								
UNE Ports														
All States (Except NC and SC)														
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.36	38.85	19.08						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.36	38.85	19.08						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.36	38.85	19.08						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08						
AL, KY, LA, MS, & TN Only														
	2W VG Port (Centrex )			UEP91	UEPQA	1.36	38.85	19.08						
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.36	38.85	19.08						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.36	104.41	67.93						
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.36	104.41	67.93						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08						
Local Switching														
	Centrex Intercom Functionality, per port			UEP91	URECS	0.8577								
Local Number Portability														
	Local No Portability (1 per port)			UEP91	LNPCP	0.35								
Features														

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa l Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incrementa l Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port			UEP91	UEPVF	0.00									
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25								
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00									
NARS															
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP91	UAROXX	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20							
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.60	39.36	26.62							
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.6497									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.6497									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497									
	Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10							
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10							
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40								
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31								
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.20	1.10							
	UNE-P CENTREX - 5ESS (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1		UEP95		13.13									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	2		UEP95		23.75									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	3		UEP95		49.62									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1		UEP95		16.29									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	2		UEP95		26.71									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	3		UEP95		51.82									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1	1		UEP95	UECS1	11.77									
	2W VG Loop (SL 1)-Zone 2	2		UEP95	UECS1	22.39									
	2W VG Loop (SL 1)-Zone 3	3		UEP95	UECS1	48.26									
	2W VG Loop (SL 2)-Zone 1	1		UEP95	UECS2	14.93									
	2W VG Loop (SL 2)-Zone 2	2		UEP95	UECS2	25.35									
	2W VG Loop (SL 2)-Zone 3	3		UEP95	UECS2	50.46									
	UNE Port Rate														
	All States														
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08							
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.36	38.85	19.08							
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.36	38.85	19.08							
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93							
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93							
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08							
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex )			UEP95	UEPQA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.36	104.41	67.93								
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08								
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08								
	Local Switching															
	Centrex Intercom Functionality, per port			UEP95	URECS	0.8577										
	Local Number Portability															
	Local No Portability (1 per port)			UEP95	LNPPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
	NARS															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.29	115.85	18.20								
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	22.60	39.36	26.62								
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.013										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		49.62										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		51.82										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	50.46										
	UNE Port Rate															
	ALL STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36	38.85	19.08								
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local			UEP9D	UEPYW	1.36	38.85	19.08								
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93								
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.36	104.41	67.93								
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.36	38.85	19.08								
	AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.36	38.85	19.08								
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.36	38.85	19.08								

## EXHIBIT 1

[illegible]



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
												OSS Rates (\$)					
						Rec	Nonrecurring		NRC Disconnect								
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		13.13											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		23.75											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		49.62											
	UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		16.29											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		26.71											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		51.82											
	UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	11.77											
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	22.39											
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	48.26											
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	14.93											
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	25.35											
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	50.46											
	UNE Port Rate																
	AL, FL, KY, LA, MS, & TN only																
	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08									
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08									
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08									
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93									
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93									
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08									
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08									
	AL, KY, LA, MS, & TN Only																
	2W VG Port (Centrex )			UEP9E	UEPQA	1.36	38.85	19.08									
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.36	38.85	19.08									
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08									
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.36	104.41	67.93									
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93									
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08									
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08									
	Local Switching																
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.8577											
	Local Number Portability																
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35											
	Features																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00											
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25										
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00											
	NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00							
	Miscellaneous Terminations																
	2-Wire Trunk Side																
	Trunk Side Terms, each			UEP9E	CEND6	8.29	115.85	18.20									
	4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP9E	M1HD1	68.47	196.18	92.92									
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06										
	Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP9E	M1GBC	22.60	39.36	26.62									
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.013											
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.6497											

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
												OSS Rates (\$)				
						Rec	Nonrecurring		NRC Disconnect			SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497										
	<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93									
	<b>Additional Non-Recurring Charges (NRC)</b>															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.20	1.10								
	<b>UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, &amp; TN)</b>															
	<b>2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo</b>															
	<b>UNE Port/Loop Combination Rates (Non-Design)</b>															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1		UEP93		13.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	2		UEP93		23.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	3		UEP93		49.62										
	<b>UNE Port/Loop Combination Rates (Design)</b>															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1		UEP93		16.29										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	2		UEP93		26.71										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	3		UEP93		51.82										
	<b>UNE Loop Rate</b>															
	2W VG Loop (SL 1)-Zone 1	1		UEP93	UECS1	11.77										
	2W VG Loop (SL 1)-Zone 2	2		UEP93	UECS1	22.36										
	2W VG Loop (SL 1)-Zone 3	3		UEP93	UECS1	48.26										
	2W VG Loop (SL 2)-Zone 1	1		UEP93	UECS2	14.93										
	2W VG Loop (SL 2)-Zone 2	2		UEP93	UECS2	25.35										
	2W VG Loop (SL 2)-Zone 3	3		UEP93	UECS2	50.46										
	<b>UNE Port Rate</b>															
	<b>AL, KY, LA, MS, &amp; TN only</b>															
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.36	38.85	19.08								
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93								
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08								
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
	2W VG Port (Centrex )			UEP93	UEPQA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.36	104.41	67.93								
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.36	104.41	67.93								
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08								
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08								
	<b>Local Switching</b>															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
	<b>Local Number Portability</b>															
	Local No Portability (1 per port)			UEP93	LNPPC	0.35										
	<b>Features</b>															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14								
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14								
	<b>NARS</b>															
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
	<b>Miscellaneous Terminations</b>															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<b>2-Wire Trunk Side</b>															
	Trunk Side Terms, each			UEP93	CEND6	8.27	115.85	18.20								
	<b>4-Wire Digital (1.544 Megabits)</b>															
	DS1 Circuit Terms, each			UEP93	M1HD1	68.47	196.18	92.92								
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
	<b>Interoffice Channel Mileage - 2-Wire</b>															
	Interoffice Channel Facilities Term			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.013										
	<b>Feature Activations (DS0) Centrex Loops on Channelized DS1 Service</b>															
	<b>D4 Channel Bank Feature Activations</b>															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
	<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93									
	<b>Additional Non-Recurring Charges (NRC)</b>															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.20	1.10								
	<b>Note 1 - Required Port for Centrex Control in 1AESS, 5ESS &amp; EWSD</b>															
	<b>Note 2 - Requires Interoffice Channel Mileage</b>															
	<b>Note 3 - Installation is combination of Installation charge for SL2 Loop and Port</b>															
	<b>Note 4 - Requires Specific Customer Premises Equipment</b>															
	<b>Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.</b>															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOME C		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		15.75	0.00	1.97	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																
				UEAL, UEANL, UCL, UDF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP	200.00										
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36	34.36								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECSOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		18.19	18.19							
	<b>2-WIRE Unbundled COPPER LOOP</b>														
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42					
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42					
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42					
	2W Unbundled Copper Loop-Non-Designed-Zone 4	I	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83							
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.20	8.20							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.51	13.51							
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.36	34.36							
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.97	19.97							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEQ	UREWO		14.24	7.42							
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25					
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25					
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.56	36.29							
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.19	1.10							
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>														
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64					
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64					
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64					
	4W Analog VG Loop-Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.56	36.29							
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>														
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37					
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37					
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37					
	2W ISDN Digital Grade Loop-Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.46	44.07							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A		
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
							Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93					
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93					
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93					
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93					
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19								
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93					
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93					
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93					
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93					
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19								
		CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.04	40.33							
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93					
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93					
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93					
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93					
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19								
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93					
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93					
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93					
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93					
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19								
		CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33							
		4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68					
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68					
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68					
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68					
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19								
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68					
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68					
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68					
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68					
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19								
		CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	<b>4-WIRE DS1 DIGITAL LOOP</b>														
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07					
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07					
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07					
	4W DS1 Digital Loop-Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19								
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.90	42.96							
	<b>4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP</b>														
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64					
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64					
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64					
	4W Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 56 Kbps-Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19								
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64					
	4W Unbundled Digital Loop 64 Kbps-Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.94	49.66							
	<b>2-WIRE Unbundled COPPER LOOP</b>														
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20							
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40							
	<b>4-WIRE COPPER LOOP</b>														
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20							
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68					
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68					
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40							
LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57							
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59							
SUB-LOOPS															
Sub-Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		259.69								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		22.77								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		178.47								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		56.39								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 4	I	4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20							
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20							
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36	34.36							
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.97	19.97							
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71					
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71					
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71					
	2W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.20	8.20							
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35					
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35					
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35					
	4W Copper Unbundled Sub-Loop Distribution-Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.20	8.20							
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.36	34.36							
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.97	19.97							
Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UNTW	UENPP	0.3366	30.55								
Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UNTW	UND12		43.84	28.90							
	Network Interface Device (NID)-1-6 lines			UNTW	UND16		65.30	50.36							
	Network Interface Device Cross Connect-2 W			UNTW	UNDC2		5.94	5.94							
	Network Interface Device Cross Connect-4W			UNTW	UNDC4		5.94	5.94							
UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UNTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UNTW	UENCE	0.00	0.00								



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS				Inter m	Zon e	BCS	USOC	RATES (\$)		Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa l Charge - Manual Svc Order vs. Electronic- 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Add'l Disc 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
										First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN
		Unbundled Contract Name, Provisioning Only-No Rate						UEANL,UEF,UEQ,UE	UNECSN	0.00	0.00						
UNE OTHER, PROVISIONING ONLY - NO RATE																	
								UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECSN	0.00	0.00						
		Unbundled Contact Name, Provisioning Only-no rate						UEA,UDN,UCL,UDC	USBFQ	0.00	0.00						
		Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate						UEA,USL,UCL,UDL	USBFR	0.00	0.00						
		Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate						USL	CCOSF	0.00	0.00						
		Unbundled DS1 Loop-Superframe Format Option-no rate						USL	CCOEF	0.00	0.00						
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
		High Capacity Unbundled Local Loop-DS3-Per mi per mo						UE3	1L5ND	11.20							
		High Capacity Unbundled Local Loop-DS3-Facility Term per mo						UE3	UE3PX	326.15	454.13	265.47	123.23	86.19			
		High Capacity Unbundled Local Loop-STS-1-Per mi per mo						UDLSX	1L5ND	11.20							
		High Capacity Unbundled Local Loop-STS-1-Facility Term per mo						UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19			
LOOP MAKE-UP																	
		Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).						UMK	UMKLW		24.12	24.12					
		Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).						UMK	UMKLP		25.58	25.58					
		Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)						UMK	UMKMQ		0.6652	0.6652					
LINE SHARING AND LINE SPLITTING																	
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																	
NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																	
NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND																	
NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND																	
NOTE 1: Above will apply to USOCs: ULSDT and ULSCT																	
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																	
LINE SHARING																	
SPLITTERS-CENTRAL OFFICE BASED																	
		Line Sharing Splitter, per System 96 Line Capacity						ULS	ULSDA	186.67	189.89	0.00	178.41	0.00			
		Line Sharing Splitter, per System 24 Line Capacity						ULS	ULSDB	46.67	189.89	0.00	178.41	0.00			
		Line Sharing Splitter, Per System, 8 Line Capacity						ULS	ULSD8	15.55	189.89	0.00	178.41	0.00			
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)						ULS	ULSDG		86.98	0.00	49.96	0.00			
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																	
		Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2						ULS	ULSDC	0.61	18.62	10.66	10.04	4.93			
		Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)						ULS	ULSDT	2.75	18.62	10.66	10.04	4.93			
		Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)						ULS	ULSDT	5.51	18.62	10.66	10.04	4.93			
		Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)						ULS	ULSDT	8.26	18.62	10.66	10.04	4.93			
		Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter)						ULS	ULSDS		16.48	8.24					
		Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter)						ULS	ULSCS		16.48	8.24					
		Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2						ULS	ULSCC	0.61	47.44	19.31	20.67	12.74			
		Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)						ULS	ULSCT	2.75	47.44	19.31	20.67	12.74			
		Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)						ULS	ULSCT	5.51	47.44	19.31	20.67	12.74			
		Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)						ULS	ULSCT	8.26	47.44	19.31	20.67	12.74			
LINE SPLITTING																	
END USER ORDERING-CENTRAL OFFICE BASED																	
		Line Splitting-per line activation DLEC owned splitter						UEPSR UEPSB	UREOS	0.61							
		Line Splitting-per line activation BST owned-physical						UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93			
		Line Splitting-per line activation BST owned-virtual						UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Inter m	Zon e	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
<b>MAINTENANCE</b>															
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00							
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50							
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00							
<b>UNBUNDLED DEDICATED TRANSPORT</b>															
<b>INTEROFFICE CHANNEL - DEDICATED TRANSPORT</b>															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0098									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11					
	Interoffice Channel -Dedicated Transport-t-2W VG Rev Bat-Per mi per			U1TVX	1L5XX	0.0098									
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11					
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0098									
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11					
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0098									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11					
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0098									
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11					
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.201									
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90					
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.76									
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29					
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.76									
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29					
<b>DARK FIBER</b>															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo			UDF, UDFCX	1L5DF	28.27									
	Interoffice Channel			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85					
	NRC Dark Fiber-Interoffice Channel														
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo			UDF, UDFCX	1L5DL	59.95									
	Local Loop			UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85					
	NRC Dark Fiber-Local Loop														
<b>8XX ACCESS TEN DIGIT SCREENING</b>															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		2.60	0.44							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54					
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54					
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		2.60	1.30							
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74							
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44							
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.60								
	8XX Access Ten Digit Screening, w/8FL No. Delivery, per query			OHD		0.0006216									
	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006216									
<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>															
	LIDB Common Transport Per Query			OQT		0.0000197									
	LIDB Validation Per Query			OQU		0.0137053									
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33					
<b>SIGNALING (CCS7)</b>															
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.21									
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597									
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53					
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149									
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55									
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78					
<b>E911 SERVICE</b>															
	Local Channel-Dedicated-2W VG					14.91	194.22	33.36	37.79	3.30					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECSOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG Per mi					0.0098									
	Interoffice Transport-Dedicated-2W VG Per Facility Term					22.52	40.77	27.57	17.26	7.11					
	Local Channel-Dedicated-DS1-Zone 1					36.83	178.50	154.61	22.89	15.74					
	Local Channel-Dedicated-DS1-Zone 2					35.99	178.50	154.61	22.89	15.74					
	Local Channel-Dedicated-DS1-Zone 3					221.63	178.50	154.61	22.89	15.74					
	Local Channel-Dedicated-DS1-Zone 4					221.63	178.50	154.61	22.89	15.74					
	Interoffice Transport-Dedicated-DS1 Per mi					0.2010									
	Interoffice Transport-Dedicated-DS1 Per Facility Term					57.33	89.79	82.28	16.86	14.90					
<b>CALLING NAME (CNAM) SERVICE</b>															
	CNAM For DB Owners-Service Establishment			OQV			23.09	23.09	21.23	21.23					
	CNAM For Non DB Owners-Service Establishment			OQV			23.09	23.09	21.23	21.23					
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			996.62	737.08	270.49	198.89					
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			344.32	246.56	276.85	198.89					
	CNAM for DB Owners, Per Query			OQV		0.0010231									
	CNAM for Non DB Owners, Per Query			OQV		0.0010231									
<b>SELECTIVE ROUTING</b>															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						85.19	85.19	14.19	14.19					
<b>VIRTUAL COLLOCATION</b>															
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45					
<b>PHYSICAL COLLOCATION</b>															
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45					
<b>AIN SELECTIVE CARRIER ROUTING</b>															
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51						
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71					
	Query NRC, per query			SRC		0.0030502									
<b>AIN - BELLSOUTH AIN SMS ACCESS SERVICE</b>															
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92					
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14					
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14					
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21					
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78					
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0021									
	AIN SMS Access Service-Session, Per min					0.5649									
	AIN SMS Access Service-Company Performed Session, Per min					0.8393									
<b>AIN - BELLSOUTH AIN TOOLKIT SERVICE</b>															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		39.67	39.67	40.92	40.92					
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,226.54	4,226.54							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.67	34.67	14.44	14.44					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44					
	AIN Toolkit Service-Query Charge, Per Query					0.0535577									
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063509									
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06									
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54					
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71							

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPEs	0.09	8.71	8.71						
<b>ENHANCED EXTENDED LINK (EELs)</b>														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.														
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.														
<b>EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>														
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37				
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37				
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37				
	First 2W VG Loop (SL2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1813								
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				
	VG COCI-Per mo			UNCVX	1D1VG	0.5737	6.62	4.74						
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37				
	VG COCI-Per mo			UNCVX	1D1VG	0.5737	6.62	4.74						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20				
<b>EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>														
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64				
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				
	First 4W Analog VG Loop in Combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813								
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				
	VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74						
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20				
<b>EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>														
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813								
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64				
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMECSOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>												
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNC1X	UDL64	27.44	126.53	88.85	60.68	14.64			
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNC1X	UDL64	34.55	126.53	88.85	60.68	14.64			
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNC1X	UDL64	40.76	126.53	88.85	60.68	14.64			
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 4		4	UNC1X	UDL64	32.25	126.53	88.85	60.68	14.64			
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813							
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10			
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNC1X	1D1DD	1.22	6.62	4.74	0.00	0.00			
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UDL64	27.44	126.53	88.85	60.68	14.64			
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNC1X	UDL64	34.55	126.53	88.85	60.68	14.64			
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNC1X	UDL64	40.76	126.53	88.85	60.68	14.64			
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNC1X	UDL64	32.25	126.53	88.85	60.68	14.64			
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNC1X	1D1DD	1.22	6.62	4.74	0.00	0.00			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT</b>												
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07			
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			
	4W DS1 Digital Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07			
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813							
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>												
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07			
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			
	First DS1Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07			
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.29							
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29			
	3/1Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82			
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07			
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07			
	Additoinal DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT</b>												
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37			
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37			
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37			
	2WVG Loop in combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37			
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.00088							
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT</b>												
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64			
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64			
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			
	4WVG Loop in combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.00088							
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	<b>EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>														
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	11.20									
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19					
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.29									
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20					
	<b>EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>														
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	11.20									
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19					
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	4.29									
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20					
	<b>EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT</b>														
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37					
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37					
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37					
	First 2W ISDN Loop in Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37					
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1813									
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					
	1/0 Channel System in combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10					
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20					
	<b>EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>														
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					
	First DS1 Loop Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	4.29									
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29					
	3/1 Channel System in combination per mo			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82					
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20					
	<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>														
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64					
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64					
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64					
	4W 56 kbps Local Loop in combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64					
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0098									
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN
	<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>												
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64			
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64			
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64			
	4W 64 kbps Local Loop in Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64			
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0098							
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>												
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37			
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37			
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37			
	First 2W VG Loop (SL2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37			
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1813							
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10			
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.5737	6.62	4.74					
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82			
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			
	Each Add'l 2W VG Loop (SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37			
	Each Add'l 2W VG Loop (SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37			
	Each Add'l 2W VG Loop (SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37			
	Each Add'l 2W VG Loop (SL2) in the same DS1 Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37			
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813							
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>												
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64			
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64			
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			
	First 4W Analog VG Local Loop in Combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813							
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10			
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74					
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	34.30			
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64			
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64			
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813							
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20			
	<b>EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>												

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
<b>EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1813									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10					
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00					
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1	1		UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2	2		UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3	3		UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 4	4		UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37					
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20					
<b>EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>															
	First 4W DS1 Digital Local Loop in Combination-Zone 1	1		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					
	First 4W DS1 Digital Local Loop in Combination-Zone 2	2		UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					
	First 4W DS1 Digital Local Loop in Combination-Zone 3	3		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					
	First 4W DS1 Digital Local Loop in Combination-Zone 4	4		UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82					
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.1813									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1	1		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2	2		UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3	3		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 4	4		UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20					
<b>EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>															
	First 4W 56 kbps Local Loop in combination-Zone 1	1		UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64					
	First 4W 56 kbps Local Loop in combination-Zone 2	2		UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64					
	First 4W 56 kbps Local Loop in combination-Zone 3	3		UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64					
	First 4W 56 kbps Local Loop in combination-Zone 4	4		UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64					
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0098									
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20					
<b>EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>															
	First 4W 64 kbps Local Loop in combination-Zone 1	1		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64					
	First 4W 64 kbps Local Loop in combination-Zone 2	2		UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64					
	First 4W 64 kbps Local Loop in combination-Zone 3	3		UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64					
	First 4W 64 kbps Local Loop in combination-Zone 4	4		UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64					
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0098									
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20					
<b>ADDITIONAL NETWORK ELEMENTS</b>															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																		
		NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG						UNCVX	UNCCC		5.63	5.63	7.20	7.20				
		NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps						UNCDX	UNCCC		5.63	5.63	7.20	7.20				
		NRC Currently Combined Network Elements Switch -As-Is Charge-DS1						UNC1X	UNCCC		5.63	5.63	7.20	7.20				
		NRC Currently Combined Network Elements Switch -As-Is Charge-DS3						UNC3X	UNCCC		5.63	5.63	7.20	7.20				
		NRC Currently Combined Network Elements Switch -As-Is Charge-STS1						UNCSX	UNCCC		5.63	5.63	7.20	7.20				
Optional Features & Functions:																		
		Clear Channel Capability Extended Frame Option-per DS1				I		U1TD1, ULDD1,UNC1X	CCOEF	0I	0I	0I	0I					
		Clear Channel Capability Super FrameOption-per DS1				I		U1TD1, ULDD1,UNC1X	CCOSF	0I	0I	0I	0I					
		Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1				I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.6S	23.78S	1.96S	0.76S					
		C-bit Parity Option-Subsqnt Activity-per DS3				i		U1TD3, ULDD3, UE3, UNC3X	NRCC3	218.72S	7.66S	.7201S	0S					
MULTIPLEXERS																		
		DS1 to DS0 Channel System per mo						UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop						UDL	1D1DD	1.22	6.62	4.74						
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation						U1TUD	1D1DD	1.22	6.62	4.74						
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop						UDN	UC1CA	2.62	6.62	4.74						
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation						U1TUB	UC1CA	2.62	6.62	4.74						
		VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop						UEA	1D1VG	0.5737	6.62	4.74						
		VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation						U1TUC	1D1VG	0.5737	6.62	4.74						
		DS3 to DS1 Channel System per mo						UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82				
		STS-1 to DS1 Channel System per mo						UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82				
		DS1 COCI used with Loop per mo						USL	UC1D1	12.96	6.62	4.74						
		DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo						U1TUA	UC1D1	12.96	6.62	4.74						
		DS1 COCI used with Interoffice Channel per mo						U1TD1	UC1D1	12.96	6.62	4.74						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per mo						ULDD1	UC1D1	12.96	6.62	4.74						
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																		
Exchange Ports																		
2-WIRE VOICE GRADE LINE PORT RATES (RES)																		
		Exchange Ports-2W Analog Line Port-Res.						UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W Analog Line Port with Caller ID-Res.						UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W Analog Line Port outgoing only-Res.						UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W VG unbundled MS extended local dialing parity Port with Caller ID-Res.						UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)						UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W Voice MS res Dialing Plan w/o Caller ID						UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33				
		2W voice unbundled Low Usage Line Port w/o Caller ID Capability						UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33				
		Subsqnt Activity						UEPSR	USASC	0.00	0.00	0.00						
FEATURES																		
		All Available Vertical Features						UEPSR	UEPVF	2.56	0.00	0.00						
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																		
		Exchange Ports-2W Analog Line Port w/o Caller ID-Bus						UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.						UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33				
		Exchange Ports-2W Analog Line Port outgoing only-Bus.						UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33				

EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled MS extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33					
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33					
	Exchange Ports-2W Voice MS bus Dialing Plan w/o Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33					
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00							
EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92					
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92					
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92					
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92					
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92					
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled PBX Port, MS only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92					
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00							

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATURES																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
EXCHANGE PORT RATES (COIN)																
	Exchange Ports-Coin Port					1.41	2.39	2.29	1.42	1.33						
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
EXCHANGE PORT RATES																
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
	All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
EXCHANGE PORT RATES (continued)																
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69						
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69						
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
	Virtual Collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
Detailed E911 with Locator Capability (required with UEPEX port)																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,814.00		156.15							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	176.15									
New or Additional PRI Telephone Numbers																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0701	0.49									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0701	11.58	11.58								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.49									
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.15	23.15								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTERFACE (Provsioning Only)																
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New or Additional Channel																
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61									
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61									
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61									
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61									
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									
CALL TYPES																
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY														
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33					
	Non-Recurring														
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.0988	0.0988							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988							
	UNBUNDLED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33					
	Non-Recurring														
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.0988	0.0988							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988							
	UNBUNDLED LOCAL SWITCHING, PORT USAGE														
	End Office Switching (Port Usage)														
	End Office Switching Function, Per MOU					0.0010269									
	End Office Trunk Port-Shared, Per MOU					0.000161									
	Tandem Switching (Port Usage) (Local or Access Tandem)														
	Tandem Switching Function Per MOU					0.0001723									
	Tandem Trunk Port-Shared, Per MOU					0.0001828									
	Tandem Switching Function Per MOU (Melded)					0.000063441									
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000067307									
	Melded Factor: 36.82% of the Tandem Rate														
	Common Transport														
	Common Transport-Per mi, Per MOU					0.0000026									
	Common Transport-Facilities Term Per MOU					0.0004541									
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES														
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.														
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.														
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			12.22									
	2W VG Loop/Port Combo-Zone 2		2			17.13									
	2W VG Loop/Port Combo-Zone 3		3			26.26									
	2W VG Loop/Port Combo-Zone 4		4			44.91									
	UNE Loop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.98									
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	15.91									
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	25.04									
	2W VG Loop (SL1)-Zone 4		4	UEPRX	UEPLX	43.68									
	2-Wire Voice Grade Line Port Rates (Res)														
	2W voice unbundled port-res			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58					
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58					
	2W Voice Unbundled MS res Dialing Plan w/o Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58					
	FEATURES														

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00							
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35									
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.0988	0.0988							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.0988	0.0988							
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37					
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37					
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37					
	2W Analog VG Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37					
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0088	0.00	0.00							
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/Port Combo-Zone 1		1			12.22									
	2W VG Loop/Port Combo-Zone 2		2			17.13									
	2W VG Loop/Port Combo-Zone 3		3			26.26									
	<b>UNE Loop Rates</b>														
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.98									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	15.91									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	25.04									
	2W VG Loop (SL1)-Zone 4		4	UEPBX	UEPLX	43.68									
	<b>2-Wire Voice Grade Line Port (Bus)</b>														
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58					
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58					
	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58					
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35									
	<b>FEATURES</b>														
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00							
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.0988	0.0988							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.0988	0.0988							
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83							
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>														
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Non-Design		4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25					
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37						
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37						
	2W Analog VG Extension Loop – Design		4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37						
<b>INTEROFFICE TRANSPORT</b>																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0088	0.00	0.00								
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)</b>																
<b>UNE Port/Loop Combination Rates</b>																
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	2W VG Loop/Port Combo-Zone 4		4			44.91										
<b>UNE Loop Rates</b>																
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEPRG	UEPLX	43.68										
<b>2-Wire Voice Grade Line Port Rates (RES - PBX)</b>																
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17						
<b>LOCAL NUMBER PORTABILITY</b>																
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
<b>FEATURES</b>																
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPRG	USACC		7.96	1.91								
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00								
<b>ADDITIONAL NRCs</b>																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>																
	Local Channel VG, per Term		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
<b>INTEROFFICE TRANSPORT</b>																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0088	0.00	0.00								
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>																
<b>UNE Port/Loop Combination Rates</b>																
	2W VG Loop/Port Combo-Zone 1		1			12.22										
	2W VG Loop/Port Combo-Zone 2		2			17.13										
	2W VG Loop/Port Combo-Zone 3		3			26.26										
	2W VG Loop/Port Combo-Zone 4		4			44.91										
<b>UNE Loop Rates</b>																
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEPPX	UEPLX	43.68										
<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECSOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17					
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17					
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	<b>FEATURES</b>														
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00							
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.96	1.91							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		7.96	1.91							
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83							
	<b>OFF/OFF PREMISES EXTENSION CHANNELS</b>														
	Local Channel VG, per Term		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37					
	Local Channel VG, per Term		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37					
	Local Channel VG, per Term		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37					
	Local Channel VG, per Term		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37					
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0088	0.00	0.00							
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Coin Port/Loop Combo - Zone 1		1			12.22									
	2W VG Coin Port/Loop Combo - Zone 2		2			17.13									
	2W VG Coin Port/Loop Combo - Zone 3		3			26.26									
	2W VG Coin Port/Loop Combo - Zone 4		4			44.91									
	<b>UNE Loop Rates</b>														
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.98									
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	15.91									
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	25.04									
	2W VG Loop (SL1)-Zone 4		4	UEPCO	UEPLX	43.68									
	<b>2-Wire Voice Grade Line Ports (COIN)</b>														
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-Way w/o Oper Screening and w/o Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, with Dialing Parity (MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-W with Oper Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-Way with Oper Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58					
	2W Coin 2-W Oper Screening: 900 Block: 900/976, 1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58					
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58					



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W Coin Outward w/o Blocking and w/o Oper Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58					
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58					
	2W Coin Outward with Oper Screening and 011 Blocking; with Dailing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58					
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976.			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58					
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58					
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, and Local; with Dailing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58					
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58					
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58					
	<b>ADDITIONAL UNE COIN PORT/LOOP (RC)</b>														
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00					
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35									
	<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.0988	0.0988							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.0988	0.0988							
	<b>ADDITIONAL NRCs</b>														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83							
	<b>2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			28.82									
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4			46.99									
	<b>UNE Loop Rates</b>														
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	13.89									
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	18.75									
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	27.55									
	2W VG Loop (SL2)-Zone 4		4	UEPFR	UECF2	45.72									
	<b>2-Wire Voice Grade Line Port Rates (Res)</b>														
	2W voice unbundled port-res			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70					
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70					
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70					
	2W VG unbundled MS extended local dialing parity port with Caller ID-			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70					
	2W Voice Unbundled MS res Dialing Plan w/o Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70					
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0088									
	<b>FEATURES</b>														
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00							
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is								16.94	3.72							
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change								16.94	3.72							
		Unbundled Misc Rate Element, Tag Designed Loop at End User								11.19	1.10							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																	
	UNE Port/Loop Combination Rates																	
		2W VG Loop/IO Tranport/Port Combo-Zone 1					1			15.16								
		2W VG Loop/IO Tranport/Port Combo-Zone 2					2			20.02								
		2W VG Loop/IO Tranport/Port Combo-Zone 3					3			28.82								
		2W VG Loop/IO Tranport/Port Combo-Zone 4					4			46.99								
	UNE Loop Rates																	
		2W VG Loop (SL2)-Zone 1					1	UEPFB	UECF2	13.89								
		2W VG Loop (SL2)-Zone 2					2	UEPFB	UECF2	18.75								
		2W VG Loop (SL2)-Zone 3					3	UEPFB	UECF2	27.55								
		2W VG Loop (SL2)-Zone 4					4	UEPFB	UECF2	45.72								
	2-Wire Voice Grade Line Port (Bus)																	
		2W voice unbundled port w/o Caller ID-bus						UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70				
		2W voice unbundled port with Caller + E484 ID-bus						UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70				
		2W voice unbundled port outgoing only-bus						UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70				
		2W VG unbundled MS extended local dialing parity port with Caller ID-						UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70				
		2W voice unbundled incoming only port with Caller ID-Bus						UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70				
		2W Voice Unbundled MS bus Dialing Plan w/o Caller ID						UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70				
	LOCAL NUMBER PORTABILITY																	
		Local No Portability (1 per port)						UEPFB	LNPCX	0.35								
	INTEROFFICE TRANSPORT																	
		Interoffice Transport-Dedicated-2W VG-Facility Term						UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11				
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi						UEPFB	1L5XX	0.0088								
	FEATURES																	
		All Features Offered						UEPFB	UEPVF	2.56	0.00	0.00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is						UEPFB	USAC2		16.94	3.72						
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change						UEPFB	USACC		16.94	3.72						
		Unbundled Misc Rate Element, Tag Designed Loop at End User						UEPFB	URETN		11.19	1.10						
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																	
	UNE Port/Loop Combination Rates																	
		2W VG Loop/IO Tranport/Port Combo-Zone 1					1			15.16								
		2W VG Loop/IO Tranport/Port Combo-Zone 2					2			20.02								
		2W VG Loop/IO Tranport/Port Combo-Zone 3					3			28.82								
		2W VG Loop/IO Tranport/Port Combo-Zone 4					4			46.99								
	UNE Loop Rates																	
		2W VG Loop (SL2)-Zone 1					1	UEPFP	UECF2	13.89								
		2W VG Loop (SL2)-Zone 2					2	UEPFP	UECF2	18.75								
		2W VG Loop (SL2)-Zone 3					3	UEPFP	UECF2	27.55								
		2W VG Loop (SL2)-Zone 4					4	UEPFP	UECF2	45.72								
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
		Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus						UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29				
		Line Side Unbundled Outward PBX Trunk Port-Bus						UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29				
		Line Side Unbundled Incoming PBX Trunk Port-Bus						UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29				
		2W Voice Unbundled PBX LD Terminal Ports						UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29				
		2W Voice Unbundled 2-Way Combination PBX Usage Port						UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29				
		2W Voice Unbundled PBX Toll Terminal Hotel Ports						UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29				
		2W Voice Unbundled PBX LD DDD Terminals Port						UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29				
		2W Voice Unbundled PBX LD Terminal Switchboard Port						UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29				
		2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port						UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29					
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29					
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29					
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29					
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00							
	<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0088									
	<b>FEATURES</b>														
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00							
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		16.94	3.72							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		16.94	3.72							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.19	1.10							
	<b>UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES</b>														
	<b>2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.32									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.16									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			34.98									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 4		4			53.15									
	<b>UNE Loop Rates</b>														
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	13.89									
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	18.75									
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	27.55									
	2W Analog VG Loop-(SL2)-UNE Zone 4		4	UEPPX	UECD1	45.72									
	<b>UNE Port Rate</b>														
	Exchange Ports-2W DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25					
	<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
	2W VG Loop/2W DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		7.35	1.88							
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		7.35	1.88							
	<b>ADDITIONAL NRCs</b>														
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.19	1.10							
	<b>Telephone Number/Trunk Group Establishment Charges</b>														
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00							
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
	<b>LOCAL NUMBER PORTABILITY</b>														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	<b>2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		1	UEPPB	UEPPR	28.59									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		2	UEPPB	UEPPR	35.00									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		3	UEPPB	UEPPR	45.18									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		4			67.61									
	<b>UNE Loop Rates</b>														
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi													Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS		USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
								First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85										
	2W ISDN Digital Grade Loop-UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28										
UNE Port Rate																	
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDITIONAL NRCs																	
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.19	1.10								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FEATURES																	
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																	
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP			155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP			205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 4		4	UEPPP			534.81										
UNE Loop Rates																	
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP		USL4P	79.08										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP		USL4P	129.38										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP		USL4P	206.74										
	4W DS1 Digital Loop-UNE Zone 4		4	UEPPP		USL4P	458.46										
UNE Port Rate																	
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
ADDITIONAL NRCs																	
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqnt Actvy-Inward/2way Tel Nos			UEPPP		PR7TF		0.49									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP		PR7TO		11.58	11.58								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP		PR7ZT		23.15	23.15								
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPP		LNPCN	1.75										

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Inter m	Zon e	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	<b>INTERFACE (Provisioning Only)</b>														
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							
	<b>New or Additional "B" Channel</b>														
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61								
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.61								
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.61								
	<b>CALL TYPES</b>														
	Inward			UEPPP	PR7C1	0.00	0.00	0.00							
	Outward			UEPPP	PR7CO	0.00	0.00	0.00							
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00							
	<b>Interoffice Channel Mileage</b>														
	Fixed Each Including First mi			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90					
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.20									
	<b>4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT</b>														
	<b>The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.</b>														
	<b>Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>														
	<b>UNE Port/Loop Combination Rates</b>														
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		131.78									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		182.07									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		259.44									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 4		4	UEPDC		511.15									
	<b>UNE Loop Rates</b>														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	79.08									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	129.38									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	206.74									
	4W DS1 Digital Loop-UNE Zone 4		4	UEPDC	USLDC	458.46									
	<b>UNE Port Rate</b>														
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61					
	<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41							
	<b>ADDITIONAL NRCs</b>														
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.56	14.56							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56							
	<b>BIPOLAR &amp; ZERO SUBSTITUTION</b>														
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s							
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s							
	<b>Alternate Mark Inversion</b>														
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00							
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00							
	<b>Telephone Number/Trunk Group Establishment Charges</b>														
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00									
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00									
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00									
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
										Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
											First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DID Nos, Non-consecutive DID Nos , Per No							UEPDC	ND5	0.00									
		Reserve Non-Consecutive DID Nos.							UEPDC	ND6	0.00	0.00	0.00							
		Reserve DID Nos							UEPDC	NDV	0.00	0.00	0.00							
		Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																		
		Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)							UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90					
		Interoffice Channel miage-Add'l rate per mi-0-8 mis							UEPDC	1LNOA	0.20	0.00	0.00							
		Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)							UEPDC	1LNO2	0.00	0.00	0.00							
		Interoffice Channel miage-Add'l rate per mi-9-25 mis							UEPDC	1LNOB	0.20	0.00	0.00							
		Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)							UEPDC	1LNO3	0.00	0.00	0.00	0.00						
		Interoffice Channel miage-Add'l rate per mi-25+ mis							UEPDC	1LNOC	0.20	0.00	0.00							
		Local No Portability, per DS0 Activated							UEPDC	LNPCP	3.15	0.00	0.00	0.00						
		CO Terminating Point							UEPDC	CTG	0.00									
		4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																		
		System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																		
		Each System can have up to 24 combinations of rates depending on type and number of ports used																		
		The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																		
		Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																		
		UNE DS1 Loop																		
		4W DS1 Loop-UNE Zone 1						1	UEPMG	USLDC	79.08	0.00	0.00							
		4W DS1 Loop-UNE Zone 2						2	UEPMG	USLDC	129.38	0.00	0.00							
		4W DS1 Loop-UNE Zone 3						3	UEPMG	USLDC	206.74	0.00	0.00							
		4W DS1 Loop-UNE Zone 4						4	UEPMG	USLDC	458.46	0.00	0.00							
		UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																		
		24 DSO Channel Capacity-1 per DS1							UEPMG	VUM24	95.06	0.00	0.00							
		48 DSO Channel Capacity-1 per 2 DS1s							UEPMG	VUM48	190.12	0.00	0.00							
		96 DSO Channel Capacity -1per 4 DS1s							UEPMG	VUM96	380.24	0.00	0.00							
		144 DSO Channel Capacity-1 per 6 DS1s							UEPMG	VUM14	570.36	0.00	0.00							
		192 DSO Channel Capacity -1 per 8 DS1s							UEPMG	VUM19	760.48	0.00	0.00							
		240 DSO Channel Capacity-1 per 10 DS1s							UEPMG	VUM20	950.60	0.00	0.00							
		288 DSO Channel Capacity-1 per 12 DS1s							UEPMG	VUM28	1,140.72	0.00	0.00							
		384 DSO Channel Capacity-1 per 16 DS1s							UEPMG	VUM38	1,520.96	0.00	0.00							
		480 DSO Channel Capacity-1 per 20 DS1s							UEPMG	VUM40	1,901.20	0.00	0.00							
		576 DSO Channel Capacity -1 per 24 DS1s							UEPMG	VUM57	2,281.44	0.00	0.00							
		672 DSO Channel Capacity-1 per 28 DS1s							UEPMG	VUM67	2,661.68	0.00	0.00							
		Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliztion with Port - Conversion Charge Based on a System																		
		A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																		
		Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																		
		NRC-Conversion (Currently Combined) with or w/o BST Allowed							UEPMG	USAC4	0.00	151.35	8.41							
		System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																		
		New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																		
		1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)							UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56					
		Bipolar 8 Zero Substitution																		
		Clear Channel Capability Format, superframe-Subsqnt Activity Only							UEPMG	CCOSF	0.00	0.00i	600.00s							
		Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only							UEPMG	CCOEF	0.00	0.00i	600.00s							
		Alternate Mark Inversion (AMI)																		
		Superframe Format							UEPMG	MCOSF	0.00	0.00	0.00							
		Extended Superframe Format							UEPMG	MCOPO	0.00	0.00	0.00							
		Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																		
		Exchange Ports																		
		Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)							UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00					
		Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)							UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00					
		Line Side Inward Only Channelized PBX Trunk Port w/o DID							UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	0.00				
		2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)							UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00					
		Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)							UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00					
		Unbundled Exchange Ports, 2W Channelized – Combination (Conversion from Network Access Service) (E:4/1/2004)							UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00					

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 2W Channelized – Outdial– MS Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2W Channelized – Two Way-MS Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00						
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Local Number Portability																
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.																
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP91		44.91										
UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.12										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP91		46.95										
UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP91	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP91	UECS2	45.72										
UNE Ports																
All States (Except NC and SC)																
	2W VG Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, KY, LA, MS, & TN Only																
	2W VG Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70					
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58					
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58					
	<b>Local Switching</b>														
	Centrex Intercom Funtionalty, per port			UEP91	URECS	0.7947									
	<b>Local Number Portability</b>														
	Local No Portability (1 per port)			UEP91	LNPCC	0.35									
	<b>Features</b>														
	All Standard Features Offered, per port			UEP91	UEPVF	2.56									
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98								
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56									
	<b>NARS</b>														
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP91	UAROY	0.00	0.00	0.00	0.00	0.00					
	<b>Miscellaneous Terminations</b>														
	<b>2-Wire Trunk Side</b>														
	Trunk Side Terms, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88					
	<b>Interoffice Channel Mileage - 2-Wire</b>														
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11					
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0098									
	<b>Feature Activations (DS0) Centrex Loops on Channelized DS1 Service</b>														
	<b>D4 Channel Bank Feature Activations</b>														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.57									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57									
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.57									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57									
	<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>														
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10							
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68							
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32								
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32								
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91								
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63								
	<b>Additional Non-Recurring Charges (NRC)</b>														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.19	1.10							
	<b>UNE-P CENTREX - 5ESS (Valid in All States)</b>														
	<b>2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo</b>														
	<b>UNE Port/Loop Combination Rates (Non-Design)</b>														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.22									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		17.13									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		26.26									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP95		44.91									
	<b>UNE Port/Loop Combination Rates (Design)</b>														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		15.12									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		19.98									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		28.78									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP95		46.95									
	<b>UNE Loop Rate</b>														
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.98									
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	15.91									
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	25.04									
	2W VG Loop (SL 1)-Zone 4		4	UEP95	UECS1	43.68									



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc 1st	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP95	UECS2	45.72										
UNE Port Rate																
All States																
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, KY, LA, MS, SC, & TN Only																
	2W VG Port (Centrex )			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local Switching																
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local Number Portability																
	Local No Portability (1 per port)			UEP95	LNPPC	0.35										
Features																
	All Standard Features Offered, per port			UEP95	UEPVF	2.56										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Initial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UARO X	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0098										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63									
Additional Non-Recurring Charges (NRC)																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.19	1.10							
	UNE-P CENTREX - DMS100 (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.22									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		17.13									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		26.26									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP9D		44.91									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		15.12									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		19.98									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		28.78									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9D		46.95									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.98									
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	15.91									
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	25.04									
	2W VG Loop (SL 1)-Zone 4		4	UEP9D	UECS1	43.68									
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	13.89									
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	18.75									
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	27.55									
	2W VG Loop (SL 2)-Zone 4		4	UEP9D	UECS2	45.72									
	UNE Port Rate														
	ALL STATES														
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc 1st
						Rec	First	Add'l	NRC Disconnect						
												OSS Rates (\$)			
												SOMECSOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70					
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58					
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58					
AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70					
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70					
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58					
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58					
Local Switching															
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.7947									
Local Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35									
Features															
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56									
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98								
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56									
NARS															
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP9D	UAROY	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations															
2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88					
4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54					
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.56								
Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11					
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0098									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.57									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57									
	Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot			UEP9D	1PQWQ	0.57									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10							
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68							
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32								
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32								
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10							
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.22									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		17.13									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		26.26									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP9E		44.91									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		15.12									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		19.98									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		28.78									
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9E		46.95									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	10.98									
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	15.91									
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	25.04									
	2W VG Loop (SL 1)-Zone 4		4	UEP9E	UECS1	43.68									
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	13.89									
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	18.75									
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	27.55									
	2W VG Loop (SL 2)-Zone 4		4	UEP9E	UECS2	45.72									
	UNE Port Rate														
	AL, FL, KY, LA, MS, & TN only														
	2W VG Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70					
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58					
	AL, KY, LA, MS, & TN Only														
	2W VG Port (Centrex )			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58					
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70					
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70					
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58					
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58					
	Local Switching														
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability															
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
	Features															
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56										
	NARS															
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Initial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9E	UARO X	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0098										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10								
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP93		44.91										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.12										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP93		46.95										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP93	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP93	UECS2	45.72										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Port Rate															
	AL, KY, LA, MS, & TN only															
	2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP93	URECS	0.7947										
	Local Number Portability															
	Local No Portability (1 per port)			UEP93	LNPCC	0.35										
	Features															
	All Standard Features Offered, per port			UEP93	UEPVF	2.56										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
	NARS															
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Initial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP93	UAROY	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.0098										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring	NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN
	Additional Non-Recurring Charges (NRC)												
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83					
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10					
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD												
	Note 2 - Requires Interoffice Channel Mileage												
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port												
	Note 4 - Requires Specific Customer Premises Equipment												
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.												

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina											Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																		
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																		
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																		
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																		
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for SOMAN charge**																		
	OSS-Electronic Service Order Charge, Per LSR-UNE Only							SOMECH	3.50	0.00	3.50	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
						UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNCX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP	200.00										
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																		
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37						26.94	12.76	0.00	0.00	
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37						26.94	12.76	0.00	0.00	
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37						26.94	12.76	0.00	0.00	
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	12.11	57.99	42.37						26.94	12.76	0.00	0.00	
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	21.24	57.99	42.37						26.94	12.76	0.00	0.00	
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	33.65	57.99	42.37						26.94	12.76	0.00	0.00	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83						26.94	12.76	0.00	0.00	
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		76.24	76.24						26.94	12.76	0.00	0.00	
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		39.51	39.51						26.94	12.76	0.00	0.00	
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.76	8.93						26.94	12.76	0.00	0.00	
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM		28.74	28.74										
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38										
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		45.34	45.34										



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76	0.00	0.00
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		61.38	61.38								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.00
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76	0.00	0.00
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.20	1.10					26.94	12.76	0.00	0.00
	4-WIRE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	21.32	288.47	237.45					26.94	12.76	0.00	0.00
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	36.27	288.47	237.45					26.94	12.76	0.00	0.00
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76	0.00	0.00
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76	0.00	0.00
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76	0.00	0.00
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	28.42	264.71	145.60					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76	0.00	0.00
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76	0.00	0.00
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	9.01	284.74	163.54					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	10.62	341.65	220.45					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	27.24	341.65	220.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
4-WIRE DS1 DIGITAL LOOP																
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	47.60	714.84	421.47					42.19	12.76	0.00	0.00
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	84.36	714.84	421.47					42.19	12.76	0.00	0.00
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	134.29	714.84	421.47					42.19	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48.31									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.99	43.00					26.94	12.76	0.00	0.00
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	25.32	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	43.11	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	67.26	489.04	337.51					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	43.11	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	67.26	489.04	337.51					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.03	49.70					26.94	12.76	0.00	0.00
2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	13.26	262.86	143.75					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	22.39	262.86	143.75					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	34.80	262.86	143.75					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Network Terminating Wire (UNTW)																	
	Unbundled Network Terminating Wire (UNTW) per pr						UENTW	UENPP	0.4351	64.98					26.94	12.76	0.00	0.00
	Network Interface Device (NID)																	
	Network Interface Device (NID)-1-2 lines				I		UENTW	UND12		86.37	56.69				26.94	12.76	0.00	0.00
	Network Interface Device (NID)-1-6 lines				I		UENTW	UND16		127.93	98.21				26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect-2 W				I		UENTW	UNDC2		11.68	11.68				26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect-4W				I		UENTW	UNDC4		11.68	11.68				26.94	12.76	0.00	0.00
UNE OTHER, PROVISIONING ONLY - NO RATE																		
	NID-Dispatch and Service Order for NID installation						UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only-No Rate						UENTW	UENCE	0.00	0.00								
	Unbundled Contract Name, Provisioning Only-No Rate						UEANL,UEF,UEQ,UE	UNECN	0.00	0.00								
UNE OTHER, PROVISIONING ONLY - NO RATE																		
	Unbundled Contact Name, Provisioning Only-no rate						UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00								
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate						UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate						UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop-Superframe Format Option-no rate						USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate						USL	CCOEF	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP																		
	High Capacity Unbundled Local Loop-DS3-Per mi per mo						UE3	1L5ND	13.33									
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo						UE3	UE3PX	450.69	1,071.00	646.12				53.48	53.48		
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo						UDLSX	1L5ND	13.33									
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo						UDLSX	UDLS1	464.26	1,071.00	646.12				53.48	53.48		
LOOP MAKE-UP																		
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).						UMK	UMKLW		55.44	55.44				19.99	19.99	19.99	19.99
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).						UMK	UMKLP		55.73	55.73				19.99	19.99	19.99	19.99
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)						UMK	UMKMQ		0.6960821	0.6960821							
LINE SHARING AND LINE SPLITTING																		
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																		
NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																		
NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND																		
NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND																		
NOTE 1: Above will apply to USOCs: ULSDT and ULSCT																		
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																		
LINE SHARING																		
SPLITTERS-CENTRAL OFFICE BASED																		
	Line Sharing Splitter, per System 96 Line Capacity						ULS	ULSDA	181.18	631.54	0.00				26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity						ULS	ULSDB	38.99	631.54	0.00				26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity						ULS	ULSD8	12.73	424.61	0.00				26.94	12.76		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)						ULS	ULSDG		146.32	31.27				26.94	12.76		
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																		
	Line Sharing-per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2						ULS	ULSDC	0.61	54.71	28.77				26.94	12.76		
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)						ULS	ULSDT	3.49	54.71	28.77							
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)						ULS	ULSDT	6.99	54.71	28.77							
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)						ULS	ULSDT	10.48	54.71	28.77							
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter						ULS	ULSDS		35.42	16.57				26.94	12.76		
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter						ULS	ULSCS		35.14	16.29				26.94	12.76		
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2						ULS	ULSCC	0.61	47.44	19.31				26.94	12.76		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
LINE SPLITTING																
END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59				26.94	12.76			
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59				26.94	12.76			
MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	18.00	137.48	52.58				38.07	38.07			
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	18.00	137.48	52.58				38.07	38.07			
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.16	106.11	65.95				22.32	22.32			
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0282										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.40	137.48	52.58				38.07	38.07			
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0282										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.40	137.48	52.58				38.07	38.07			
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.5753										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	71.29	217.17	163.75				38.07	38.07			
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	12.98										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	720.38	794.94	579.55				91.26	91.26			
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	6.14										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	790.37	642.23	408.89				53.48	53.48			
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	64.04										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		1,347.00	279.87								
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		7.05	0.96				26.94				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			23.82	2.73				41.35				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		23.82	2.73				41.35				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		5.63	2.82								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94				
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		5.63									
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.00003										
	LIDB Validation Per Query			OQU		0.0134										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	N8BPX		62.26					26.94	26.94			
SIGNALING (CCS7)																
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 SERVICE																
	Local Channel-Dedicated-2W VG-Zone 1		1			11.24	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 3		3			31.70	553.80	89.69					42.17	12.76		
	Interoffice Transport-Dedicated-2W VG Per mi					0.0282										
	Interoffice Transport-Dedicated-2W VG Per Facility Term					18.00	137.48	52.58					38.07	38.07		
	Local Channel-Dedicated-DS1-Zone 1		1			27.05	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 2		2			47.94	534.48	462.69					86.15	1.77		
	Local Channel-Dedicated-DS1-Zone 3		3			76.32	534.48	462.69					86.15	1.77		
	Interoffice Transport-Dedicated-DS1 Per mi					0.5753										
	Interoffice Transport-Dedicated-DS1 Per Facility Term					71.29	217.17	163.75					38.07	38.07		
CALLING NAME (CNAM) SERVICE																
	CNAM For DB Owners-Service Establishment			OQV			75.62									
	CNAM For Non DB Owners-Service Establishment			OQV			75.62									
	CNAM For DB Owners-Service Provisioning With Point Code Establishment (Initial)			OQV			2,354.00	2,354.00								
	CNAM For DB Owners-Service Provisioning With Point Code Establishment (Subsqt)			OQV			1,739.00	1,739.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment (Initial)			OQV			1,072.00	1,072.00								
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment (Subsqt)			OQV			768.44	768.44								
	CNAM for DB & Non DB Owners, Per Query			OQV		0.0009592										
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch						188.59						26.94	12.76		
VIRTUAL COLLOCATION																
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
PHYSICAL COLLOCATION																
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
AIN - BELL SOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service-Session, Per min					0.0791										
	AIN SMS Access Service-Company Performed Session, Per min					2.08										
AIN - BELL SOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		290.05									
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72.76									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		149.95									
	AIN Toolkit Service-Query Charge, Per Query					0.02										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.003	47.20									
ENHANCED EXTENDED LINK (EELs)																
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	VG COCI-Per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	VG COCI-Per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07	
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07	
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07	
		Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07	
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07	
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07	
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753									
		interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	
		1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06							
		OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07	
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07	
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07	
		Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
		4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07	
		4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07	
		4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753									
		Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
		First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07	
		First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07	
		First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	
		Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	12.98									
		Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07	
		3/1Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40							
		DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38							
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07	
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07	
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	
		Additional DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38							
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
		2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56							
		2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56							
		2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56							
		Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0282									
		Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07	
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
		4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45							
		4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45							
		4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45							
		Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0282									
		Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07	
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
								First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	13.33										
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	450.69	1,071.00	646.12								
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	12.98										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55				38.07	38.07			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	13.33										
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	464.26	1,071.00	646.12								
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.14										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89				38.07	38.07			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination-per mo			UNC1X	MQ1	146.69	197.78	140.06								
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	6.14										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per mo			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
									First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3					3	UNCDX	UDL56	67.26	489.04	337.51				38.07	38.07	
		OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)						UNCDX	1D1DD	2.00	15.76	11.28						
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.5753								
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07	
		Each Add'l DS1 COCI in the same 3/1 channel system combination per						UNC1X	UC1D1	16.07	13.09	9.38						
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		21.75	21.75	32.28	10.96		38.07	38.07	
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																		
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1					1	UNCDX	UDL64	25.32	489.04	337.51				38.07	38.07	
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2					2	UNCDX	UDL64	43.11	489.04	337.51				38.07	38.07	
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3					3	UNCDX	UDL64	67.26	489.04	337.51				38.07	38.07	
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo						UNC1X	1L5XX	0.5753								
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per						UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07	
		Per each Channel System 1/0 in combination Per mo						UNC1X	MQ1	146.69	197.78	140.06						
		Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)						UNCDX	1D1DD	2.00	15.76	11.28						
		3/1 Channel System in combination per mo						UNC3X	MQ3	233.10	403.97	234.40						
		Per each DS1 COCI in combination per mo						UNC1X	UC1D1	16.07	13.09	9.38						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1					1	UNCDX	UDL64	25.32	489.04	337.51				38.07	38.07	
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2					2	UNCDX	UDL64	43.11	489.04	337.51				38.07	38.07	
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3					3	UNCDX	UDL64	67.26	489.04	337.51				38.07	38.07	
		Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)						UNCDX	1D1DD	2.00	15.76	11.28						
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.5753								
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07	
		Each Add'l DS1 COCI in the same 3/1 channel system combination per						UNC1X	UC1D1	16.07	13.09	9.38						
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		21.75	21.75	32.28	10.96		38.07	38.07	
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																		
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1					1	UNCNX	U1L2X	19.42	325.91	251.31				38.07	38.07	
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2					2	UNCNX	U1L2X	32.88	325.91	251.31				38.07	38.07	
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3					3	UNCNX	U1L2X	51.14	325.91	251.31				38.07	38.07	
		First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo						UNC1X	1L5XX	0.5753								
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo						UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07	
		Per each Channel System 1/0 in combination-per mo						UNC1X	MQ1	146.69	197.78	140.06						
		Per each 2W ISDN COCI (BRITE) in combination-per mo						UNCNX	UC1CA	3.59	15.76	11.28						
		3/1 Channel System in combination per mo						UNC3X	MQ3	233.10	403.97	234.40						
		Per each DS1 COCI in combination per mo						UNC1X	UC1D1	16.07	13.09	9.38						
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1					1	UNCNX	U1L2X	19.42	325.91	251.31				38.07	38.07	
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2					2	UNCNX	U1L2X	32.88	325.91	251.31				38.07	38.07	
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3					3	UNCNX	U1L2X	51.14	325.91	251.31				38.07	38.07	
		Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo						UNCNX	UC1CA	3.59	15.76	11.28						
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.5753								
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07	

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNC1X	UDL56	25.32	489.04	337.51								
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNC1X	UDL56	43.11	489.04	337.51								
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNC1X	UDL56	67.26	489.04	337.51								
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNC1X	1L5XX	0.0282										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNC1X	U1TD5	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNC1X	UDL64	25.32	489.04	337.51								
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNC1X	UDL64	43.11	489.04	337.51								
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNC1X	UDL64	67.26	489.04	337.51								
	First 4W 64 kbps Interoffice Transport-Dedicated-Per mi per mo			UNC1X	1L5XX	0.0282										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNC1X	U1TD6	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
ADDITIONAL NETWORK ELEMENTS																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF	0I	0I	0I	0I							
	Clear Channel Capability Super Frame Option-per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF	0I	0I	0I	0I							
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.76S	23.8S	1.99S	0.78S				26.94	12.76		
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCCC	218.92S	7.66S	.7576S	0S				26.94	12.76		
MULTIPLEXERS																
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	233.10	403.97	234.40				26.94	12.76			
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	233.10	403.97	234.40				26.94	12.76			
	DS1 COCI used with Loop per mo			USL	UC1D1	16.07	13.09	9.38								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	16.07	13.09	9.38								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	16.07	13.09	9.38								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	16.07	13.09	9.38								
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	2.19	21.60	21.60				26.94	12.76			
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	2.19	21.60	21.60				26.94	12.76			
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.19	21.60	21.60				26.94	12.76			
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60				26.94	12.76			
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60				26.94	12.76			
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPSR	UEPRZ	2.19	21.60	21.60								
	2W VG Unbundled Port with Caller ID capability, NC			UEPSR	UEPRY	2.19	21.60	21.60								
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				26.94	12.76			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATURES																
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00						26.94	12.76	
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.19	21.60	21.60						26.94	12.76	
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	2.19	21.60	21.60						26.94	12.76	
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	2.19	21.60	21.60						26.94	12.76	
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-			UEPSB	UEPB1	2.19	21.60	21.60						26.94	12.76	
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	2.19	21.60	21.60						26.94	12.76	
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATURES																
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00						26.94	12.76	
EXCHANGE PORT RATES (DID & PBX)																
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	2.18	21.60	21.60						26.94	12.76	
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	2.18	21.60	21.60						26.94	12.76	
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	2.18	21.60	21.60						26.94	12.76	
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	2.18	21.60	21.60						26.94	12.76	
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60						26.94	12.76	
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60						26.94	12.76	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60						26.94	12.76	
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00						26.94	12.76	
FEATURES																
	All Available Vertical Features			UEPSP	UEPSE	3.40	0.00	0.00						26.94	12.76	
EXCHANGE PORT RATES (COIN)																
	Exchange Ports-Coin Port					2.59	21.60	21.60						26.94	12.76	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
EXCHANGE PORT RATES																
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
	Exchange Ports-2W DID Port			UEPEX	UEPP2	12.36	81.84	81.84						26.94	12.76	
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	123.65	116.59	69.92						26.94	12.76	
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	24.50	62.29	62.29						55.30	55.30	
	All Features Offered			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
EXCHANGE PORT RATES (continued)																
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63						53.89	53.89	
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	179.75	241.63	241.63						53.89	53.89	
	Physical Collocation-DS1 Cross-Connects	I		UEPEX	UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76	
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76	

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Detailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		
	New or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75										
	INTERFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
	New or Additional Channel															
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00							26.94	12.76		
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00							26.94	12.76		
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	36.92						26.94	12.76		
	CALL TYPES															
	Inward			UEPEX	UEPDX	0.00	0.00	0.00					26.94	12.76		
	Outward			UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00					26.94	12.76		
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
	Non-Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40								
	UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
	Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
	UNBUNDLED LOCAL SWITCHING, PORT USAGE															
	End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0015										
	End Office Trunk Port-Shared, Per MOU					0.00023										
	Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port-Shared, Per MOU					0.0003										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Tandem Switching Function Per MOU (Melded)					0.00024618										
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.00012309										
	Melded Factor: 41.03% of the Tandem Rate															
	Common Transport															
	Common Transport-Per mi, Per MOU					0.00001										
	Common Transport-Facilities Term Per MOU					0.00034										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.33										
2-Wire Voice Grade Line Port Rates (Res)																
	2W voice unbundled port-res			UEPRX	UEPRL	2.28	79.59	63.97				40.18	9.45			
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	2.28	79.59	63.97				40.18	9.45			
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	2.28	79.59	63.97				40.18	9.45			
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97				40.18	9.45			
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	2.28	79.59	63.97				40.18	9.45			
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPRX	UEPRZ	2.28	79.59	63.97								
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPRX	UEPRY	2.28	79.59	63.97								
FEATURES																
	All Features Offered			UEPRX	UEPVF	3.40	0.00	0.00				40.18	9.45			
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		2.77	0.40				40.18	9.45			
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		2.77	0.40				40.18	9.45			
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42					10.27				
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				40.18	9.45			
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83				26.94	12.76	0.00	0.00	
OFF/ON PREMISES EXTENSION CHANNELS																
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37				26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37				26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37				26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	14.97	142.97	106.56				26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	25.93	142.97	106.56				26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	40.81	142.97	106.56				26.94	12.76	0.00	0.00	
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	18.00	137.48	52.58				38.07	38.07			
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0125	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE Loop Rates																
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33										



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42						10.27			
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design	1		UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Non-Design	2		UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Non-Design	3		UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Design	1		UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Design	2		UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop – Design	3		UEPBX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0125	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1	1				13.03										
	2W VG Loop/Port Combo-Zone 2	2				21.33										
	2W VG Loop/Port Combo-Zone 3	3				32.61										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1	1		UEPRG	UEPLX	10.75										
	2W VG Loop (SL 1)-Zone 2	2		UEPRG	UEPLX	19.05										
	2W VG Loop (SL 1)-Zone 3	3		UEPRG	UEPLX	30.33										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPRG	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42						10.27			
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term	1		UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel VG, per Term	2		UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel VG, per Term	3		UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel VG	1		UEPRG	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel VG	2		UEPRG	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel VG	3		UEPRG	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
	INTEROFFICE TRANSPORT															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)			
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	18.00	137.48	52.58					38.07	38.07
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0125	0.00	0.00						
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>													
	<b>UNE Port/Loop Combination Rates</b>													
	2W VG Loop/Port Combo-Zone 1		1			13.03								
	2W VG Loop/Port Combo-Zone 2		2			21.33								
	2W VG Loop/Port Combo-Zone 3		3			32.61								
	<b>UNE Loop Rates</b>													
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.75								
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	19.05								
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.33								
	<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>													
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	2.28	164.57	128.16				40.18	9.45	
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	2.28	164.57	128.16				40.18	9.45	
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16				40.18	9.45	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16				40.18	9.45	
	<b>LOCAL NUMBER PORTABILITY</b>													
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				40.18	9.45	
	<b>FEATURES</b>													
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00				40.18	9.45	
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>													
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.77	0.40				40.18	9.45	
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPPX	USACC		2.77	0.40				40.18	9.45	
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42					10.27		
	<b>ADDITIONAL NRCs</b>													
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				40.18	9.45	
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83				26.94	12.76	0.00 0.00
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>													
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.97	142.97	106.56				26.94	12.76	0.00 0.00
	Local Channel VG, per Term		2	UEPPX	P2JHX	25.93	142.97	106.56				26.94	12.76	0.00 0.00
	Local Channel VG, per Term		3	UEPPX	P2JHX	40.81	142.97	106.56				26.94	12.76	0.00 0.00
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	14.62	252.06	109.08				26.94	12.76	0.00 0.00
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	23.86	126.03	54.54				26.94	12.76	0.00 0.00
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	36.40	126.03	54.54				26.94	12.76	0.00 0.00
	<b>INTEROFFICE TRANSPORT</b>													
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	18.00	137.48	52.58				38.07	38.07	
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0125	0.00	0.00						
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT</b>													
	<b>UNE Port/Loop Combination Rates</b>													
	2W VG Coin Port/Loop Combo - Zone 1		1			13.03								
	2W VG Coin Port/Loop Combo - Zone 2		2			21.33								
	2W VG Coin Port/Loop Combo - Zone 3		3			32.61								
	<b>UNE Loop Rates</b>													
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75								
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05								
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening and 011 Blocking (NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42									
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			17.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			28.12										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			43.00										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.93										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	40.81										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0125										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		9.03	1.87					40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User				UEPFR	URETN		11.20	1.10					26.94	12.76	0.00 0.00	
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																
	UNE Port/Loop Combination Rates																
		2W VG Loop/IO Tranport/Port Combo-Zone 1		1				17.16									
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2				28.12									
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3				43.00									
	UNE Loop Rates																
		2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2		14.97									
		2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2		25.93									
		2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2		40.81									
	2-Wire Voice Grade Line Port (Bus)																
		2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
		2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
		2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
		2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
	LOCAL NUMBER PORTABILITY																
		Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTEROFFICE TRANSPORT																
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.00	140.00	71.00								
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0125										
	FEATURES																
		All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User				UEPFB	URETN		11.20	1.10					26.94	12.76	0.00 0.00	
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																
	UNE Port/Loop Combination Rates																
		2W VG Loop/IO Tranport/Port Combo-Zone 1		1				17.16									
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2				28.12									
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3				43.00									
	UNE Loop Rates																
		2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2		14.97									
		2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2		25.93									
		2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2		40.81									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
		Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
		2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0125										
	FEATURES															
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.20	1.10					26.94	12.76	0.00	0.00
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			20.97										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			27.80										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			37.08										
UNE Loop Rates																
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	8.85										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	15.68										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	24.96										
UNE Port Rate																
	Exchange Ports-2W DID Port			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		13.26	8.39					53.89	11.34		
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
ADDITIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	0.00
Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		1	UEPPB	UEPPR	38.84										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		2	UEPPB	UEPPR	50.01										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		3	UEPPB	UEPPR	65.18										
UNE Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47									
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64									
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81									
UNE Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	388.20	302.77				19.99	19.99		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35							
	ADDITIONAL NRCs															
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.20	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83				26.94	12.76	0.00	0.00
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							
	B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							
	VERTICAL FEATURES															
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00							
	INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58				19.99	19.99		
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.															
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1	1		UEPPP			226.55									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2	2		UEPPP			263.28									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3	3		UEPPP			313.15									
	UNE Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1	1		UEPPP		USL4P	47.54									
	4W DS1 Digital Loop-UNE Zone 2	2		UEPPP		USL4P	84.27									
	4W DS1 Digital Loop-UNE Zone 3	3		UEPPP		USL4P	134.14									
	UNE Port Rate															
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	179.01	956.47	663.10				19.99	19.99		
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51							
	ADDITIONAL NRCs															
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2-Way Tel Nos-(NC Only)			UEPPP		PR7TG		1.17	1.17							
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel nos. (NC only)			UEPPP		PR7TP		28.17	28.17							
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP		PR7ZT		56.33	56.33							
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP		LNPCN	1.75									
	INTERFACE (Provsioning Only)															
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00							
	New or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP		PR7BV	0.00	36.92					19.99	19.99		
	New or Add'l-Digital Data B Channel			UEPPP		PR7BF	0.00	36.92					19.99	19.99		
	New or Add'l Inward Data B Channel			UEPPP		PR7BD	0.00	36.92					19.99	19.99		
	CALL TYPES															
	Inward			UEPPP		PR7C1	0.00	0.00	0.00							
	Outward			UEPPP		PR7CO	0.00	0.00	0.00							
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.5753										
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.															
	Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		171.06										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		207.79										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		257.66										
	UNE Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14										
	UNE Port Rate															
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
	ADDITIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								
	BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	615.00s								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	615.00s								
	Alternate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Telephone Number/Trunk Group Establishment Charges															
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CO Terminating Point			UEPDC	CTG	0.00										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	UNE DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00				19.99	19.99			
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00				19.99	19.99			
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00				19.99	19.99			
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00				19.99	19.99			
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00				19.99	19.99			
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00				19.99	19.99			
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00				19.99	19.99			
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00				19.99	19.99			
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00				19.99	19.99			
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00				19.99	19.99			
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00				19.99	19.99			
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliztion with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	330.61	16.64				19.99	19.99			
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's															
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68		19.99	19.99			
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	615.00s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	615.00s								
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00		40.18	9.45			
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00		40.18	9.45			
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00		40.18	9.45			
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00		40.18	9.45			
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12		40.18	9.45			
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48		40.18	9.45			
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00				40.18	9.45			
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECH	SOMAN	SOMAN
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.													
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.													
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.													
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.													
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.													
UNE-P CENTREX - 5ESS (Valid in All States)													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
UNE Port/Loop Combination Rates (Non-Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		13.03							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.33							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		32.61							
UNE Port/Loop Combination Rates (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		17.25							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		28.21							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		43.09							
UNE Loop Rate													
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.75							
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	19.05							
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	30.33							
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.97							
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.93							
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	40.81							
UNE Port Rate													
All States													
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97				40.18	9.45
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	2.28	79.59	63.97				40.18	9.45
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.28	79.59	63.97				40.18	9.45
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16				40.18	9.45
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	2.28						40.18	9.45
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97				40.18	9.45
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97				40.18	9.45
NC Only													
	2W VG Port (Centrex )			UEP95	UEPUA	2.28	79.59	63.97				40.18	9.45
	2W VG Port (Centrex 800 Term)			UEP95	UEPUB	2.28	79.59	63.97				40.18	9.45
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97				40.18	9.45
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPUM	2.28	164.57	128.16				40.18	9.45
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16				40.18	9.45
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97				40.18	9.45
	2W VG Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97				40.18	9.45
Local Switching													
	Centrex Intercom Functionality, per port			UEP95	URECS	0.903							
Local Number Portability													
	Local No Portability (1 per port)			UEP95	LNPPC	0.35							
Features													
	All Standard Features Offered, per port			UEP95	UEPVF	3.40							
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83						
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40							
NARS													
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		40.18	9.45
	Unbundled Network Access Register-Initial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		40.18	9.45
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00		40.18	9.45

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	12.36										
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65						40.18	9.45			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81					40.18	9.45			
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0282										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		2.77	0.40				40.18	9.45			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11					40.18	9.45			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11					40.18	9.45			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73					40.18	9.45			
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10								
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		13.03										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		32.61										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		17.25										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		28.21										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		43.09										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.33										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.97										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81										
	UNE Port Rate															
	ALL STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97				40.18	9.45			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
										First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - North Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	M1GBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0282										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.20	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMECH		3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		14.94	37.92	17.62	23.56	5.32					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		21.39	37.92	17.62	23.56	5.32					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		26.72	37.92	17.62	23.56	5.32					
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		14.94	37.92	17.62	23.56	5.32					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		21.39	37.92	17.62	23.56	5.32					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		26.72	37.92	17.62	23.56	5.32					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33		0.83						
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			34.23		34.23						
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			19.90		19.90						
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-			UEANL	UREWO			15.81		8.96						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM			13.47		13.47						
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			8.17		8.17						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.17	8.17								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.47	13.47								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-			UEQ	UREWO		14.30	7.45								
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.90	36.44								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.24	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.90	36.44								
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.82	44.25								
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECD	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.38	40.48								
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48								
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48								
4-WIRE DS1 DIGITAL LOOP																
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.30	43.13								
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.34	49.85								
2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		94.87	42.57								
4-WIRE COPPER LOOP																
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		94.87	42.57								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		241.42	241.42								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		22.69	22.69								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		177.84	177.84								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.23	34.23								



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.90	19.90							
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71					
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71					
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17							
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09					
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09					
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17							
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.23	34.23							
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.90	19.90							
Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3303	30.20	30.20							
Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.68	28.79							
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		64.42	49.53							
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.92	5.92							
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.92	5.92							
UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00								
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00								
UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00								
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop-Expanded Superframe Format option-no			USL	CCOEF	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	12.26									
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77					
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	12.26									
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77					
LOOP MAKE-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.04	24.04							
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49							
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34							
LINE SHARING AND LINE SPLITTING															
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															
NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
NOTE 1: Above will apply to USOCs: ULSDT and ULSCT															
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003															
LINE SHARING															
SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00					
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00					
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00					
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21								
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21								
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
LINE SPLITTING																
END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0167										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0167										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3415										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	8.02										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	8.02										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	36.41										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	97.65										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11						
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		2.59	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.95	0.81	4.58	0.54						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54							
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.59	1.30									
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74									
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44									
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.59	2.59									
	8XX Access Ten Digit Screening, w/8XX No. Delivery			OHD		0.0006673											
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0006673											
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
	LIDB Common Transport Per Query			OQT		0.0000246											
	LIDB Validation Per Query			OQU		0.0138158											
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18								
SIGNALING (CCS7)																	
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48							
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	163.49											
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692											
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48							
	CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	TPP++	16.93	35.61	35.61	16.48	16.48							
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173											
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	29.08	29.08	35.65	35.65								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD	29.08	29.08	35.65	35.65								
E911 SERVICE																	
	Local Channel-Dedicated-2W VG					15.33	193.53	33.24	36.72	3.21							
	Interoffice Transport-Dedicated-2W VG Per mi					0.0167											
	Interoffice Transport-Dedicated-2W VG Per Facility Term					24.30	40.63	27.47	16.77	6.91							
	Local Channel-Dedicated-DS1-Zone 1					42.62	177.87	154.06	22.24	15.30							
	Local Channel-Dedicated-DS1-Zone 2					70.32	177.87	154.06	22.24	15.30							
	Local Channel-Dedicated-DS1-Zone 3					190.68	177.87	154.06	22.24	15.30							
	Interoffice Transport-Dedicated-DS1 Per mi					0.3415											
	Interoffice Transport-Dedicated-DS1 Per Facility Term					77.14	89.47	81.99	16.39	14.48							
CALLING NAME (CNAM) SERVICE																	
	CNAM For DB Owners-Service Establishment			OQV		23.00	23.00	21.15	21.15								
	CNAM For Non DB Owners-Service Establishment			OQV		23.00	23.00	21.15	21.15								
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV		993.09	734.47	269.53	198.18								
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV		343.09	245.69	275.87	198.18								
	CNAM for DB Owners, Per Query			OQV		0.0010433											
	CNAM for Non DB Owners, Per Query			OQV		0.0010433											
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per					84.89	84.89	14.14	14.14								
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45							
PHYSICAL COLLOCATION																	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45							
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			SRC	SRCEC	101,324.34	101,324.34	8,609.85	8,609.85								
	End Office Establishment			SRC	SRCEO	175.66	175.66	1.70	1.70								
	Query NRC, per query			SRC		0.0035036											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE	39.53	39.53	40.78	40.78								
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMPD	7.85	7.85	9.11	9.11								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
										First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							A1N	CAM1P		7.85	7.85	9.11	9.11						
							A1N	CAMAU		35.08	35.08	27.12	27.12						
							A1N	CAMRC		41.98	41.98	11.74	11.74						
									0.0027										
									0.7121										
									0.8364										
AIN - BELL SOUTH AIN TOOLKIT SERVICE																			
							CAM	BAPSC		39.53	39.53	40.78	40.78						
								BAPVX		4,211.54	4,211.54	0.00	0.00						
								BAPTT		7.85	7.85	9.11	9.11						
								BAPTD		7.85	7.85	9.11	9.11						
								BAPTM		7.85	7.85	9.11	9.11						
								BAPTO		34.54	34.54	14.39	14.39						
								BAPTC		34.54	34.54	14.39	14.39						
								BAPTF		34.54	34.54	14.39	14.39						
									0.0558238										
									0.0069214										
									0.07										
							CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
							CAM	BAPLS	3.51	8.68	8.68								
							CAM	BAPDS	8.48	7.85	7.85	5.52	5.52						
							CAM	BAPES	0.12	8.68	8.68								
ENHANCED EXTENDED LINK (EELs)																			
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																			
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																			
						1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
						2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
						3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
							UNC1X	1L5XX	0.27										
							UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
							UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
							UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
						1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
						2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
						3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
							UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
							UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																			
						1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
						2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
						3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
							UNC1X	1L5XX	0.27										
							UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
							UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
							UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina													Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
							Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
								First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
		Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
		Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
		4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27										
		Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																	
		First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.42										
		Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		3/1Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Additional DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS			Inter im	Zone	BCS	USOC	RATES (\$)				Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa l Charge - Manual Svc Order vs. Electronic- 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Rec	Nonrecurring		NRC Disconnect				OSS Rates (\$)		
									First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina															Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
										First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
							UNC5X	UNCCC		5.61	5.61	7.00	7.00						
							EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
						1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
						2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
						3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
							UNCDX	1L5XX	0.0134										
							UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
							UNCDX	UNCCC		5.61	5.61	7.00	7.00						
							EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT												
						1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
						2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
						3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
							UNCDX	1L5XX	0.0134										
							UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
							UNCDX	UNCCC		5.61	5.61	7.00	7.00						
							EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
						1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
						2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
						3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
							UNC1X	1L5XX	0.27										
							UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
							UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
							UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
							UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
							UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
						1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
						2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
						3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
							UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
							UNC1X	1L5XX	0.27										
							UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
							UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
							UNC1X	UNCCC		5.61	5.61	7.00	7.00						
							EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
						1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
						2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
						3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
							UNC1X	1L5XX	0.27										
							UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
							UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
							UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
							UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
							UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
						1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
						2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4		43.38		132.38	94.83	59.35	14.61					
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX		0.27										
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1		61.71		89.47	81.99	16.39	14.48					
		Add'l VG COCI-in combination-per mo			UNCVX	1D1VG		0.56		6.59	4.73	0.00	0.00					
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC				5.61	5.61	7.00	7.00					
		<b>EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56		29.93		126.66	89.12	59.35	14.61					
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56		33.99		126.66	89.12	59.35	14.61					
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56		34.74		126.66	89.12	59.35	14.61					
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX		0.27										
		First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1		61.71		89.47	81.99	16.39	14.48					
		Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1		107.57		91.24	62.71	10.56	9.81					
		Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD		1.19		6.59	4.73	0.00	0.00					
		3/1 Channel System in combination per mo			UNC3X	MQ3		144.02		178.54	94.18	33.33	31.90					
		Per each DS1 COCI in combination per mo			UNC1X	UC1D1		8.64		6.59	4.73	0.00	0.00					
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56		29.93		126.66	89.12	59.35	14.61					
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56		33.99		126.66	89.12	59.35	14.61					
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56		34.74		126.66	89.12	59.35	14.61					
		OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD		1.19		6.59	4.73	0.00	0.00					
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX		0.27										
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1		61.71		89.47	81.99	16.39	14.48					
		Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1		8.64		6.59	4.73	0.00	0.00					
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC				5.61	5.61	7.00	7.00					
		<b>EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX</b>																
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64		29.93		126.66	89.12	59.35	14.61					
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64		33.99		126.66	89.12	59.35	14.61					
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64		34.74		126.66	89.12	59.35	14.61					
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX		0.27										
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1		61.71		89.47	81.99	16.39	14.48					
		Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1		107.57		91.24	62.71	10.56	9.81					
		Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD		1.19		6.59	4.73	0.00	0.00					
		3/1 Channel System in combination per mo			UNC3X	MQ3		144.02		178.54	94.18	33.33	31.90					
		Per each DS1 COCI in combination per mo			UNC1X	UC1D1		8.64		6.59	4.73	0.00	0.00					
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64		29.93		126.66	89.12	59.35	14.61					
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64		33.99		126.66	89.12	59.35	14.61					
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64		34.74		126.66	89.12	59.35	14.61					
		Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD		1.19		6.59	4.73	0.00	0.00					
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX		0.27										
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1		61.71		89.47	81.99	16.39	14.48					



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina															Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
										First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Add'l DS1 COCI in the same 3/1 channel system combination per mo						UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		5.61	5.61	7.00	7.00					
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1					1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61					
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2					2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61					
		First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3					3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61					
		First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo						UNC1X	1L5XX	0.27									
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo						UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					
		Per each Channel System 1/0 in combination-per mo						UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81					
		Per each 2W ISDN COCI (BRITE) in combination-per mo						UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00					
		3/1 Channel System in combination per mo						UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90					
		Per each DS1 COCI in combination per mo						UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1					1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61					
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2					2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61					
		Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3					3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61					
		Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo						UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00					
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.27									
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					
		Each Add'l DS1 COCI in the same 3/1 channel system combination per mo						UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		5.61	5.61	7.00	7.00					
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
		First 4W DS1 Digital Lcoal Loop in Combination-Zone 1					1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73					
		First 4W DS1 Digital Lcoal Loop in Combination-Zone 2					2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73					
		First 4W DS1 Digital Lcoal Loop in Combination-Zone 3					3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73					
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per						UNC1X	1L5XX	0.27									
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo						UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					
		3/1 Channel System in combination per mo						UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90					
		Per each DS1 COCI combination per mo						UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo						UNC1X	1L5XX	0.27									
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo						UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					
		Each Add'l DS1 COCI in the same 3/1 channel system combination per mo						UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					
		Add'l 4W DS1 Digital Local Loop in Combination-Zone 1					1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73					
		Add'l 4W DS1 Digital Local Loop in Combination-Zone 2					2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73					
		Add'l 4W DS1 Digital Local Loop in Combination-Zone 3					3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73					
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNC1X	UNCCC		5.61	5.61	7.00	7.00					
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																			
		First 4W 56 kbps Local Loop in combination-Zone 1					1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61					
		First 4W 56 kbps Local Loop in combination-Zone 2					2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61					
		First 4W 56 kbps Local Loop in combination-Zone 3					3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61					
		First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo						UNCDX	1L5XX	0.0134									
		First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per						UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91					
		NRC Currently Combined Network Elements Switch -As-Is Charge						UNCDX	UNCCC		5.61	5.61	7.00	7.00					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First 14W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0134										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
ADDITIONAL NETWORK ELEMENTS																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF		0I	0I	0I	0I						
	Clear Channel Capability Super FrameOption-per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF		0I	0I	0I	0I						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
MULTIPLEXERS																
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local			UEA	1D1VG	0.56	6.59	4.73								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per mo			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	8.64	6.59	4.73								
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
Exchange Ports																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC	RATES (\$)	Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Incrementa l Charge - Manual Svc Order vs. Electronic- 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa l Charge - Manual Svc Order vs. Electronic- Disc Add'l			
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)	
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled SC extended local dialing party Port with Caller ID-Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG unbundled SC Area Calling port with Caller ID-Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG SC res Dialing Plan w/o Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG SC res Area Calling Plan w/o Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33					
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00							
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG unbundled SC extended local dialing party Port with Caller ID-Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG unbundled incoming only port with Caller			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W VG unbundled SC Bus Area Calling Port with Caller ID-Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W Voice SC bus Dialing Plan w/o Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33					
	Exchange Ports-2W Voice SC bus Area Calling Port w/o Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33					
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00							
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st Add'l
						Rec	Nonrecurring		NRC Disconnect			OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN
<b>EXCHANGE PORT RATES (DID &amp; PBX)</b>													
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90			
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90			
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90			
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90			
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90			
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90			
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					
<b>FEATURES</b>													
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00					
<b>EXCHANGE PORT RATES (COIN)</b>													
	Exchange Ports-Coin Port					1.65	2.38	2.28	1.42	1.33			
<b>Local Switching Features offered with Port</b>													
<b>NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.</b>													
<b>NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.</b>													
<b>UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)</b>													
<b>EXCHANGE PORT RATES</b>													
<b>The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.</b>													
<b>Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>													
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77			
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47			
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPXS	U1PMA	13.38	72.93	53.11	47.90	10.76			
	All Features Offered			UEPTX, UEPXS	UEPVF	3.04	0.00	0.00					
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPXS	U1UMA	0.00	0.00	0.00					
<b>NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.</b>													
<b>NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.</b>													
<b>EXCHANGE PORT RATES (continued)</b>													
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10			
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10			
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80			
	Virtual collocation-Special Access & UNE,cross-connect per DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80			
<b>Detailed E911 with Locator Capability (required with UEPEX port)</b>													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,808.00		156.43				
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.53						
<b>New or Additional PRI Telephone Numbers</b>													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0698	0.49	0.49					
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0698	11.54	11.54					
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.49	0.49					

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07								
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTERFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New or Additional Channel															
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.56									
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.56									
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.56									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00										
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.56									
	CALL TYPES															
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
	Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
	UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
	Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	UNBUNDLED LOCAL SWITCHING, PORT USAGE															
	End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010519										
	End Office Trunk Port-Shared, Per MOU					0.0002136										
	Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port-Shared, Per MOU					0.0002863										
	Tandem Switching Function Per MOU (Melded)					0.00004951										
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000086749										
	Melded Factor: 30.30% of the Tandem Rate															
	Common Transport															
	Common Transport-Per mi, Per MOU					0.0000045										
	Common Transport-Facilities Term Per MOU					0.0004095										
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89									
	2W VG Loop/Port Combo-Zone 2		2			21.52									
	2W VG Loop/Port Combo-Zone 3		3			27.17									
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	13.76									
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	20.38									
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	26.04									
2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65					
	2W VG unbundled SC extended local dialing parity port with Caller ID-res			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.13	37.93	16.72							
	2W Voice Unbundled SC res Dialing Plan w/o Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled SC Area Calling Port w/o Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65					
FEATURES															
	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPRX	USACC		0.10	0.10							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32					
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32					
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32					
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61					
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61					
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0167	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89									
	2W VG Loop/Port Combo-Zone 2		2			21.52									
	2W VG Loop/Port Combo-Zone 3		3			27.17									
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	13.76									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.38									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	26.04									
2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65					
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65					
	2W voice unbundled SC Bus Area Calling Port with Caller ID			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65					
	2W Voice Unbundled SC bus Dialing Plan w/o Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundled SC bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with			UEPBX	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0167	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89										
	2W VG Loop/Port Combo-Zone 2		2			21.52										
	2W VG Loop/Port Combo-Zone 3		3			27.17										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	26.04										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-			UEPRG	USAC2		7.93	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		7.93	1.91								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0167	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			21.52										
	2W VG Loop/Port Combo-Zone 3		3			27.17										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	26.04										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.93	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		7.93	1.91								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0167	0.00	0.00								



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			14.89										
	2W VG Coin Port/Loop Combo – Zone 2		2			21.52										
	2W VG Coin Port/Loop Combo – Zone 3		3			27.17										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and 011 Blocking (SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and 011 Blocking; with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward w/o Blocking and w/o Oper Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and 011 Blocking (SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YV (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination-Conversion-Switch w change			UEPCO	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.00										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			29.78										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.68										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	23.13										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.46										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2W VG unbundled SC extended local dialing parity port with Caller ID-res			UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled SC res Dialing Plan w/o Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0134										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		8.50	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		8.50	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.24	1.10								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.00										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			29.78										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.68										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	23.13										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.46										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
	2W voice unbundled SC Bus Area Calling Port with Caller ID			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33						
	2W Voice Unbundled SC bus Dialing Plan w/o Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0134										
	FEATURES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		8.50	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		8.50	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.24	1.10								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.00										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			29.78										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.68										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	23.13										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.46										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51						
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0134										
	FEATURES															
	All Features Offered			UEPFP	UEPVF	3.04	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		8.50	1.87								
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		8.50	1.87								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.24	1.10								
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	UNE Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.75										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.20										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			35.52										
	UNE Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	16.68										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	23.13										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	28.46										
	UNE Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38						
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.32	1.87								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		7.32	1.87								
	ADDITIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.84									
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.24	1.10								
	Telephone Number/Trunk Group Establishment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPPX	NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	LOCAL NUMBER PORTABILITY															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	44.23										
UNE Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90									
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64									
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27									
UNE Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37					
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08							
ADDITIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.24	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83							
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00							
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							
VERTICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00							
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities			UEPPB	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91					
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00							
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		1	UEPPP		176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		2	UEPPP		241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		3	UEPPP		347.84										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	90.87										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	155.43										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	261.89										
UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP		85.95	457.30	259.67	124.15	31.83					
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP		0.00	119.34	78.73							

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	ADDITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digitl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.49	0.49									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.54	11.54									
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqt Inward Tel			UEPPP	PR7ZT		23.07	23.07									
	LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00									
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00									
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00									
	New or Additional "B" Channel																
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56										
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.56										
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.56										
	CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00									
	Outward			UEPPP	PR7CO	0.00	0.00	0.00									
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00									
	Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48							
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415											
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																	
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
	UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		149.77											
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		214.33											
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		320.78											
	UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	90.87											
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	155.43											
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	261.89											
	UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20							
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17									
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.78	67.17									
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		129.78	67.17									
	ADDITIONAL NRCs																
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.51	14.51									
	4W DS1 Loop/4W DDITS Trunk Port-Subsqt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51									
	4W DS1 Loop/4W DDITS Trunk Port-Subsqt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51									
	4W DS1 Loop/4W DDITS Trunk Port-Subsqt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51									
	4W DS1 Loop/4W DDITS Trunk Port-Subsqt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51									
	BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	605.00s										
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	605.00s										
	Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00									
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00									
	Telephone Number/Trunk Group Establishment Charges																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
<b>Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port</b>																
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3415	0.00	0.00								
	Local No Portability, per DSO Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	CO Terminating Point			UEPDC	CTG	0.00										
<b>4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT</b>																
<b>System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations</b>																
<b>Each System can have up to 24 combinations of rates depending on type and number of ports used</b>																
<b>The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.</b>																
<b>Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.</b>																
<b>UNE DS1 Loop</b>																
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
<b>UNE DSO Channelization Capacities (D4 Channel Bank Configurations)</b>																
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	82.78	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00								
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00								
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00								
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00								
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00								
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,655.60	0.00	0.00								
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,317.84	0.00	0.00								
<b>Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System</b>																
<b>A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.</b>																
<b>Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.</b>																
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
<b>System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's</b>																
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
<b>Bipolar 8 Zero Substitution</b>																
	Clear Channel Capability Format, superframe-Subsqnt Activity			UEPMG	CCOSF	0.00	0.00i	605.00s								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
<b>Alternate Mark Inversion (AMI)</b>																
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
<b>Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port</b>																
<b>Exchange Ports</b>																
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEPIX	1.13	0.00	0.00	0.00	0.00						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
										First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	
		2W Trunk Side Unbundled Channelized DID Trunk Port						UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00					
		Feature Activations - Unbundled Loop Concentration																	
		Feature (Service) Activation for each Line Port Terminated in D4						UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17					
		Feature (Service) Activation for each Trunk Port Terminated in D4						UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60					
		Telephone Number/ Group Establishment Charges for DID Service																	
		DID Trunk Term (1 per Port)						UEPPX	NDT	0.00	0.00	0.00							
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)						UEPPX	NDZ	0.00	0.00	0.00							
		DID Nos-groups of 20-Valid all States						UEPPX	ND4	0.00	0.00	0.00							
		Non-Consecutive DID Nos-per No						UEPPX	ND5	0.00	0.00	0.00							
		Reserve Non-Consecutive DID Nos						UEPPX	ND6	0.00	0.00	0.00							
		Reserve DID Nos						UEPPX	NDV	0.00	0.00	0.00							
		Local Number Portability																	
		Local No Portability-1 per port						UEPPX	LNPCP	3.15	0.00	0.00							
		FEATURES - Vertical and Optional																	
		Local Switching Features Offered with Line Side Ports Only																	
		All Features Available						UEPPX	UEPVF	3.04	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																			
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																			
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																			
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																			
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.																			
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																			
UNE-P CENTREX - 5ESS (Valid in All States)																			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
UNE Port/Loop Combination Rates (Non-Design)																			
		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design				1		UEP95		14.89									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design				2		UEP95		21.52									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design				3		UEP95		27.17									
UNE Port/Loop Combination Rates (Design)																			
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design				1		UEP95		17.81									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design				2		UEP95		24.26									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design				3		UEP95		29.59									
UNE Loop Rate																			
		2W VG Loop (SL 1)-Zone 1				1		UEP95	UECS1	13.76									
		2W VG Loop (SL 1)-Zone 2				2		UEP95	UECS1	20.38									
		2W VG Loop (SL 1)-Zone 3				3		UEP95	UECS1	26.04									
		2W VG Loop (SL 2)-Zone 1				1		UEP95	UECS2	16.68									
		2W VG Loop (SL 2)-Zone 2				2		UEP95	UECS2	23.13									
		2W VG Loop (SL 2)-Zone 3				3		UEP95	UECS2	28.46									
UNE Port Rate																			
All States																			
		2W VG Port (Centrex ) Basic Local Area						UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65					
		2W VG Port (Centrex 800 Term)						UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65					
		2W VG Port (Centrex with Caller ID)1Basic Local Area						UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65					
		2W VG Port (Centrex from diff SWC)2,3 Basic Local Area						UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94					
		2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area						UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94					
		2W VG Port terminated in on Megalink or equivalent-Basic Local						UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65					
		2W VG Port Terminated on 800 Service Term-Basic Local Area						UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65					
AL, KY, LA, MS, SC, & TN Only																			
		2W VG Port (Centrex )						UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65					
		2W VG Port (Centrex 800 Term)						UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65					
		2W VG Port (Centrex with Caller ID)1						UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65					
		2W VG Port (Centrex from diff SWC)2,3						UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94					
		2W VG Port, Diff SWC-800 Service Term 2,3						UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94					
		2W VG Port terminated in on Megalink or equivalent						UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65					
		2W VG Port Terminated on 800 Service Term						UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65					
Local Switching																			
		Centrex Intercom Funtionality, per port						UEP95	URECS	0.7996									

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect			OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
	Features															
	All Standard Features Offered, per port			UEP95	UEPVF	3.04										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04										
	NARS															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UAROXX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0167										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.24	1.10								
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.89										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.52										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		27.17										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		17.81										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.59										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	13.76										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.38										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	26.04										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.68										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	23.13										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.46										
	UNE Port Rate															
	ALL STATES															
	2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina																Attachment: 2		Exhibit: A		
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Rec	OSS Rates (\$)					
															First	Add'l	First	Add'l	SOME C	SOMAN
		2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94									
		2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94									
		2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65									
		2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65									
		AL, KY, LA, MS, SC, & TN Only																		
		2W VG Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65									
		2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94									
		2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94									
		2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94									
		2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65									
		2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65									
		Local Switching																		
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996													
		Local Number Portability																		
		Local No Portability (1 per port)			UEP9D	LNPCC	0.35													
		Features																		
		All Standard Features Offered, per port			UEP9D	UEPVF	3.04													

EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - South Carolina													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UAROXX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.51									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0167										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.24	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS			Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>																	
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																	
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																	
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																	
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for SOMAN charge**																	
OSS-Electronic Service Order Charge, Per LSR-UNE Only																	
UNE SERVICE DATE ADVANCEMENT CHARGE																	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																	
					UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP	200.00										
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
				1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
				2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
				3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
				1	UEANL	UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
				2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
				3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
					Unbundled Misc Rate Element, Tag Loop at End User Premise	UEANL	URETL	8.33	0.83					20.35	10.54	13.32	13.32
					Loop Testing-Basic 1st Half Hour	UEANL	URET1	78.92	78.92					20.35	10.54	13.32	13.32
					Loop Testing-Basic Add'l Half Hour	UEANL	URETA	23.33	23.33					20.35	10.54	13.32	13.32
					CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)	UEANL	UREWO	15.80	8.95					20.35	10.54	13.32	13.32

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring	Add'l	Nonrecurring	Disconnect	OSS Rates (\$)					
								First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		34.29	34.29								
	2-WIRE Unbundled COPPER LOOP																
		2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		36.52	36.52								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing-Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
		Loop Tagging-SL2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
	4-WIRE ANALOG VOICE GRADE LOOP																
		4W Analog VG Loop-Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Analog VG Loop-Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Analog VG Loop-Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)					
												SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1	I	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2	I	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3	I	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch	I		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE DS1 DIGITAL LOOP																	
		4W DS1 Digital Loop-Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
		4W DS1 Digital Loop-Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
		4W DS1 Digital Loop-Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
		CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
		4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)					
												SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	
		4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
	2-WIRE Unbundled COPPER LOOP																
		2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1	I	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2	I	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3	I	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE COPPER LOOP																
		4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS																	
Sub-Loop Distribution																	
		Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
		Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.29	34.29								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.29	34.29								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		78.92	78.92								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		23.33	23.33								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr	I		UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
	Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	9.19										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
	Note (1): Rates provided in TN for both electronic and manual Loop Makeup are interim and subject to retro-active true-up adjustments pending a permanent rate ruling on these rate elements from the Tennessee Regulatory Authority.															
	LOOP MAKE-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
	LINE SHARING AND LINE SPLITTING															
	NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First							Add'l	
												OSS Rates (\$)					
												SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																
	NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND																
	NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND																
	NOTE 1: Above will apply to USOCs: ULSDT and ULSCT																
	**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																
	LINE SHARING																
	SPLITTERS-CENTRAL OFFICE BASED																
				ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32	
				ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32	
				ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32	
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
				ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32	
				ULS	ULSDT	2.94	40.00	31.39	0.00	0.00							
				ULS	ULSDT	5.87	40.00	31.39	0.00	0.00							
				ULS	ULSDT	8.81	40.00	31.39	0.00	0.00							
				ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32	
				ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32	
				ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32	
				ULS	ULSCT	2.94	47.44	19.31	0.00	0.00							
				ULS	ULSCT	5.87	47.44	19.31	0.00	0.00							
				ULS	ULSCT	8.81	47.44	19.31	0.00	0.00							
	LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED																
				UEPSR UEPSB	UREOS	0.61											
				UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32	
				UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32	
	MAINTENANCE																
							80.00	55.00									
							120.00	82.50									
							160.00	110.00									
	UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
				U1TVX	1L5XX	0.0054											
				U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09			
				U1TVX	1L5XX	0.0054											
				U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09			
				U1TVX	1L5XX	0.0054											
				U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08			
				U1TDX	1L5XX	0.0174											



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)				
												SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	
		Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0174									
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	
		Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3562									
		Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	
		Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	2.34									
		Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	
		Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.34									
		Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	
DARK FIBER																
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	28.74									
		NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32
		Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	58.83									
		NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32
8XX ACCESS TEN DIGIT SCREENING																
		8XX Access Ten Digit Screening, Per Call			OHD		0.0005192									
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28
		8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4.47						20.35	20.35	13.28
LINE INFORMATION DATA BASE ACCESS (LIDB)																
		LIDB Common Transport Per Query			OQT		0.0000354									
		LIDB Validation Per Query			OQU		0.0117403									
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		49.03						20.35	20.35	13.28
SIGNALING (CCS7)																
		CCS7 Signaling Term, Per STP Port			UDB	PT8SX	138.41									
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916									
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373									
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30									
		Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32
CALLING NAME (CNAM) SERVICE																
		CNAM For DB Owners-Service Establishment			OQV			43.27								
		CNAM For Non DB Owners-Service Establishment			OQV			43.27								
		CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			1,868.00	1,382.00							
		CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			645.50	432.23							
		CNAM for DB Owners, Per Query			OQV		0.0010541									
		CNAM for Non DB Owners, Per Query			OQV		0.0010541									
		CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH								20.35	20.35	13.28
SELECTIVE ROUTING																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A			
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
		Selective Routing Per Unique Line Class Code Per Request Per Switch						179.60	179.60					20.35	20.35	
VIRTUAL COLLOCATION																
		Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99
PHYSICAL COLLOCATION																
		Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99
AIN SELECTIVE CARRIER ROUTING																
		Regional Service Establishment			SRC	SRCEC		190,638.00						20.35		
		End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28
		Query NRC, per query			SRC		0.0206047									
AIN - BELL SOUTH AIN SMS ACCESS SERVICE																
		AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28
		AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28
		AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28
		AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28
		AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28
		AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0024									
		AIN SMS Access Service-Session, Per min					0.0820123									
		AIN SMS Access Service-Company Performed Session, Per min					2.27									
AIN - BELL SOUTH AIN TOOLKIT SERVICE																
		AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28
		AIN Toolkit Service-Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28
		AIN Toolkit Service-Query Charge, Per Query					0.0211882									
		AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0054774									
		AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.50									
		AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28
		AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28
		AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28
		AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28
ENHANCED EXTENDED LINK (EELs)																
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect		OSS Rates (\$)					
									First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	VG COCI-Per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	VG COCI-Per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					
											SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.34										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
	DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additonal DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86						
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0174										
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86						
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0174										
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	9.19										

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring	Add'l	Nonrecurring	Disconnect	OSS Rates (\$)						
									First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)				
												SOME C	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
		4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86					
		4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86					
		4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86					
		Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0174									
		Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
		First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	
		First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	
		First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	
		First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.3562									
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	
		Per each DS1 Channelization System Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74					
		Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.91	5.70	4.42							
		3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84	
		Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42							
		Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	
		Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	
		Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	
		Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42							
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562									
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	
		Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	17.58	5.70	4.42							
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
		First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	
		First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	
		First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562									
		First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	
		Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74					
		Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42							
		3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84	
		Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42							
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562									

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)					
												SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42								
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
		First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562										
		Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
		First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					
											SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.3562										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	3.24	5.70	4.42								
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	3.24	5.70	4.42								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	17.58	5.70	4.42								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09							
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																					
		First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86											
		First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86											
		First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86											
		First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0174															
		First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09							
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09							
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																					
		First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86											
		First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86											
		First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86											
		First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0174															
		First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09							
		NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54							
ADDITIONAL NETWORK ELEMENTS																						
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																					
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																					
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																					
		NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62							
		NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54							
		NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62							
		NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62							
		NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62							
Optional Features & Functions:																						
		Clear Channel Capability Extended Frame Option-per DS1	i		U1TD1, ULDD1,UNC1X	CCOEF		0I	0I	0I	0I											
		Clear Channel Capability Super FrameOption-per DS1	i		U1TD1, ULDD1,UNC1X	CCOSF		0I	0I	0I	0I											
		Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	i		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.16S	23.85S	2.03S	0.79S			45.68	1.76							
		C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46S	7.68S	7637S	OS			45.68	1.76							
MULTIPLEXERS																						
		DS1 to DS0 Channel System per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80							
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80							
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66													
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN	UC1CA	3.10	6.07	4.66													
		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66													
		VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66													

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect		OSS Rates (\$)					
									First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	STS-1 to DS1 Channel System per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	DS1 COCI used with Loop per mo			USL	UC1D1	17.58	6.07	4.66								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	17.58	6.07	4.66								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	17.58	6.07	4.66								
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port-2W VG TN res Dialing Plan w/o Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Port-2W VG TN res Area Plus w/o Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port Economy Option-Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port Standard Option-Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port-Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)					
											SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2-W VG unbundled TN, bus Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports-2W Voice TN bus Dialing Plan w/o Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Analog TN 2-Way Calling Plan PBX Trunk-Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W TN Outward Calling Plan PBX Trunk-Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX TN Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATURES															
	All Available Vertical Features			UEPSP	UEPSE	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCHANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	EXCHANGE PORT RATES															
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSP	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
	All Features Offered			UEPTX, UEPSP	UEPVF	0.00	0.00	0.00								
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSP	U1UMA	0.00	0.00	0.00								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
EXCHANGE PORT RATES (continued)																
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						
Detailed E911 with Locator Capability (required with UEPEX port)																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
New or Additional PRI Telephone Numbers																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							20.35	10.54		
INTERFACE (Provisioning Only)																
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					20.35	10.54		
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					20.35	10.54		
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					20.35	10.54		
New or Additional Channel																
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.39						20.35	10.54		
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	29.11						20.35	10.54		
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	29.39						20.35	10.54		
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	29.39						20.35	10.54		
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	29.39						20.35	10.54		
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	29.39						20.35	10.54		
CALL TYPES																
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-Recurring																
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29								
UNBUNDLED REMOTE CALL FORWARDING - Bus																
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring	Add'l	Nonrecurring	Disconnect	OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76					15.69				
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0174	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	TN Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	TN 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76					15.69				
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0174	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	21.32										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
	FEATURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76					15.69				
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel VG, per Term		2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel VG, per Term		3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel VG		SW	UEPRG	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0174	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18										
	2W VG Loop/Port Combo-Zone 2		2			18.01										
	2W VG Loop/Port Combo-Zone 3		3			23.02										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	21.32										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				

**EXHIBIT 1**

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring	Add'l	Nonrecurring	Disconnect	SOMEc	SOMAN	OSS Rates (\$)			
							First		First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	TN PBX 2-Way Combo Each Add'l Trunk Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	TN PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
	FEATURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76					15.69				
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel VG, per Term		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel VG, per Term		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel VG		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0174	0.00	0.00								
	UNE Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			14.18										
	2W VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2W VG Coin Port/Loop Combo – Zone 3		3			23.02										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	12.48										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	16.31										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	21.32										
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				



EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME C	SOMAN	OSS Rates (\$)			
													SOMAN	SOMAN	SOMAN	SOMAN
	2W Coin 2-Way with Oper Screening and 011 Blocking (TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin Outward with Oper Screening and 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88						15.69				
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88						15.69				
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		1.03	0.29				15.69				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	21.63										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.28										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
	2W VG unbundled TN extended local dialing parity port with Caller ID-res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
	2W Voice Unbundled TN res Dialing Plan w/o Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0174										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.23	1.10					20.35	10.54	13.32	13.32
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
		2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52										
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17										
UNE Loop Rates																	
		2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.56										
		2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	21.63										
		2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.28										
2-Wire Voice Grade Line Port (Bus)																	
		2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
		2W VG unbundled TN extended local dialing parity port with Caller ID-bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
		2W voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
		2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
		TN Inward Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
		TN 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOCAL NUMBER PORTABILITY																	
		Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTEROFFICE TRANSPORT																	
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0174										
FEATURES																	
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		16.94	3.72				15.69				
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		16.94	3.72				15.69				
		Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.32
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																	
UNE Port/Loop Combination Rates																	
		2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45										
		2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52										
		2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17										
UNE Loop Rates																	
		2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.56										
		2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	21.63										
		2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.28										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
		Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
		Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69				

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First Add'l		OSS Rates (\$)					
						SOMEc						SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
	LOCAL NUMBER PORTABILITY																
		Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
	INTEROFFICE TRANSPORT																
		Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0174										
	FEATURES																
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
		2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		16.94	3.72				15.69				
		Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	UNE Port/Loop Combination Rates																
		2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			18.38										
		2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			19.87										
		2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			24.78										
	UNE Loop Rates																
		2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	9.60										
		2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	11.09										
		2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	16.00										
	UNE Port Rate																
		Exchange Ports-2W DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		
	NONRECURRING CHARGES - CURRENTLY COMBINED																
		2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		8.76	5.75					30.89	7.03		
		2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03		
		Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPX	URETN		11.23	1.10								
	Telephone Number/Trunk Group Establishment Charges																
		DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00								
		DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	LOCAL NUMBER PORTABILITY																
		Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
	UNE Port/Loop Combination Rates																

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS		USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l					
								Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)				SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27														
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78														
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32														
	UNE Loop Rates																					
		2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20														
		2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71														
		2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25														
	UNE Port Rate																					
		Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26					19.99	19.99				
	NONRECURRING CHARGES - CURRENTLY COMBINED																					
		2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23							19.99	19.99				
	ADDITIONAL NRCs																					
		2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88								19.99	19.99				
		Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.23	1.10												
		Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83												
	LOCAL NUMBER PORTABILITY																					
		Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00												
	B-CHANNEL USER PROFILE ACCESS:																					
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00												
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00												
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00												
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																					
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00												
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00												
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00												
	USER TERMINAL PROFILE																					
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00												
	VERTICAL FEATURES																					
		All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00												
	INTEROFFICE CHANNEL MILEAGE																					
		Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37							19.99	19.99				
		Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00												
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																					
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																					
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																					
	UNE Port/Loop Combination Rates																					
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			132.58														
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			150.25														
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			173.44														
	UNE Loop Rates																					
		4W DS1 Digital Loop-UNE Zone 1		1	UEPPP		USL4P	57.73														
		4W DS1 Digital Loop-UNE Zone 2		2	UEPPP		USL4P	75.40														
		4W DS1 Digital Loop-UNE Zone 3		3	UEPPP		USL4P	98.59														
	UNE Port Rate																					
		Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	74.85	415.53	366.90	89.28	77.43					19.99	19.99				
	NONRECURRING CHARGES - CURRENTLY COMBINED																					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53						19.99	19.99						
		ADDITIONAL NRCs																				
		4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqnt Actvy-Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94							19.99	19.99						
		4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos (All States except NC)			UEPPP	PR7TO		22.36	22.36						19.99	19.99						
		4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		44.71	44.70						19.99	19.99						
		LOCAL NUMBER PORTABILITY																				
		Local No Portability (1 per port)			UEPPP	LNPCN	1.75															
		INTERFACE (Provsioning Only)																				
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00													
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00													
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00													
		New or Additional "B" Channel																				
		New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39							19.99	19.99						
		New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	29.11							19.99	19.99						
		New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	29.39							19.99	19.99						
		CALL TYPES																				
		Inward			UEPPP	PR7C1	0.00	0.00	0.00													
		Outward			UEPPP	PR7CO	0.00	0.00	0.00													
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00													
		Interoffice Channel Mileage																				
		Fixed Each Including First mi			UEPPP	1LN1A	76.1825	145.98	109.85	19.55					19.99	19.99						
		Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3525															
		4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																				
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																					
	Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																					
		UNE Port/Loop Combination Rates																				
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		93.28								19.99	19.99						
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		110.95								19.99	19.99						
		4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		134.14								19.99	19.99						
		UNE Loop Rates																				
		4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	57.53															
		4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	75.40															
		4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	98.59															
		UNE Port Rate																				
		4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49				19.99	19.99						
		NONRECURRING CHARGES - CURRENTLY COMBINED																				
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		312.91	312.91						19.99	19.99						
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		312.91	312.91						19.99	19.99						
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		312.91	312.91						19.99	19.99						
		ADDITIONAL NRCs																				
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88													
		4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		108.67	108.67						19.99	19.99						
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67						19.99	19.99						
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67						19.99	19.99						
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67						19.99	19.99						
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67						19.99	19.99						

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS				Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Rec	Nonrecurring			Nonrecurring Disconnect	OSS Rates (\$)					
									First	Add'l		First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	BIPOLAR 8 ZERO SUBSTITUTION																	
		B8ZS -Superframe Format						UEPDC	CCOSF	0.00i	590.00s					19.99	19.99	
		B8ZS-Extended Superframe Format						UEPDC	CCOEF	0.00i	590.00s					19.99	19.99	
	Alternate Mark Inversion																	
		AMI -Superframe Format						UEPDC	MCOSF	0.00	0.00							
		AMI-Extended SuperFrame Format						UEPDC	MCOPO	0.00	0.00							
	Telephone Number/Trunk Group Establishment Charges																	
		Tel No for 2-Way Trunk Group						UEPDC	UDTGX	0.00						19.99	19.99	
		Tel No for 1-Way Outward Trunk Group						UEPDC	UDTGY	0.00						19.99	19.99	
		Tel No for 1-Way Inward Trunk Group w/o DID						UEPDC	UDTGZ	0.00						19.99	19.99	
		DID Nos for each Group of 20 DID Nos						UEPDC	ND4	0.00						19.99	19.99	
		DID Nos, Non-consecutive DID Nos , Per No						UEPDC	ND5	0.00						19.99	19.99	
		Reserve Non-Consecutive DID Nos.						UEPDC	ND6	0.00	0.00	0.00						
		Reserve DID Nos						UEPDC	NDV	0.00	0.00	0.00						
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
		Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)						UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99				
		Interoffice Channel miage-Add'l rate per mi-0-8 mis						UEPDC	1LNOA	0.3525	0.00	0.00						
		Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)						UEPDC	1LNO2	0.00	0.00	0.00						
		Interoffice Channel miage-Add'l rate per mi-9-25 mis						UEPDC	1LNOB	0.3525	0.00	0.00						
		Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)						UEPDC	1LNO3	0.00	0.00	0.00						
		Interoffice Channel miage-Add'l rate per mi-25+ mis						UEPDC	1LNOc	0.3525	0.00	0.00						
		Local No Portability, per DS0 Activated						UEPDC	LNPCP	3.15	0.00	0.00						
		CO Terminating Point						UEPDC	CTG	0.00								
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																	
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																	
	Each System can have up to 24 combinations of rates depending on type and number of ports used																	
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																	
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
	UNE DS1 Loop																	
		4W DS1 Loop-UNE Zone 1					1	UEPMG	USLDC	57.73	0.00	0.00						
		4W DS1 Loop-UNE Zone 2					2	UEPMG	USLDC	75.40	0.00	0.00						
		4W DS1 Loop-UNE Zone 3					3	UEPMG	USLDC	98.59	0.00	0.00						
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																	
		24 DSO Channel Capacity-1 per DS1						UEPMG	VUM24	131.87	0.00	0.00				19.99	19.99	
		48 DSO Channel Capacity-1 per 2 DS1s						UEPMG	VUM48	263.74	0.00	0.00				19.99	19.99	
		96 DSO Channel Capacity -1per 4 DS1s						UEPMG	VUM96	527.48	0.00	0.00				19.99	19.99	
		144 DSO Channel Capacity-1 per 6 DS1s						UEPMG	VUM14	791.42	0.00	0.00				19.99	19.99	
		192 DSO Channel Capacity -1 per 8 DS1s						UEPMG	VUM19	827.76	0.00	0.00				19.99	19.99	
		240 DSO Channel Capacity-1 per 10 DS1s						UEPMG	VUM20	1,318.70	0.00	0.00				19.99	19.99	
		288 DSO Channel Capacity-1 per 12 DS1s						UEPMG	VUM28	1,582.44	0.00	0.00				19.99	19.99	
		384 DSO Channel Capacity-1 per 16 DS1s						UEPMG	VUM38	2,109.92	0.00	0.00				19.99	19.99	
		480 DSO Channel Capacity-1 per 20 DS1s						UEPMG	VUM40	2,637.40	0.00	0.00				19.99	19.99	
		576 DSO Channel Capacity -1 per 24 DS1s						UEPMG	VUM57	3,164.88	0.00	0.00				19.99	19.99	
		672 DSO Channel Capacity-1 per 28 DS1s						UEPMG	VUM67	3,692.36	0.00	0.00				19.99	19.99	
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																	
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																	
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																	
		NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes						UEPMG	USAC4	0.00	303.61	15.74				19.99	19.99	
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																	
	New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																	
		1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)						UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41		19.99		
	Bipolar 8 Zero Substitution																	
		Clear Channel Capability Format, superframe-Subsqnt Activity Only						UEPMG	CCOSF	0.00	0.00i	590.00s						
		Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only						UEPMG	CCOEF	0.00	0.00i	590.00s						
	Alternate Mark Inversion (AMI)																	

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00													
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00													
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																					
Exchange Ports																					
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID (E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00				30.89	7.03						
	Unbundled Exchange Ports, 2W Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
	Unbundled Exchange Ports, 2W Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
	Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
	Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling Plan-Regionserv (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00				30.89	7.03						
Feature Activations - Unbundled Loop Concentration																					
	Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80				30.89	7.03						
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57				30.89	7.03						
Telephone Number/ Group Establishment Charges for DID Service																					
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00													
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00													
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00													
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00													
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00													
Local Number Portability																					
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00													
FEATURES - Vertical and Optional																					
Local Switching Features Offered with Line Side Ports Only																					
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00													
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																					
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																					
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																					
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																					
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.																					
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																					
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																					
UNE Port/Loop Combination Rates (Non-Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		14.18															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		18.01															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		23.02															
UNE Port/Loop Combination Rates (Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		18.26															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		23.33															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		29.98															
UNE Loop Rate																					
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	12.48															
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	16.31															
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	21.32															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)									
											SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
								</												



## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect		OSS Rates (\$)					
									First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.23	1.10								
	UNE-P CENTREX - 5ESS (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		14.18										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		18.01										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		23.02										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		18.26										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		23.33										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		29.98										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	12.48										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	16.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	21.32										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	16.56										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	21.63										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	28.28										
	UNE Port Rate															
	All States															
	2W VG Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex )			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	FL & GA Only															
	Local Switching															
	Centrex Intercom Functionality, per port			UEP95	URECS	0.6381										
	Local Number Portability															
	Local No Portability (1 per port)			UEP95	LNPPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
	NARS															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Miscellaneous Terminations															
	2-Wire Trunk Side															

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS		Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)				
		Trunk Side Terms, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Digital (1.544 Megabits)														
		DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03		
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03		
		Interoffice Channel Mileage - 2-Wire														
		Interoffice Channel Facilities Term			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03		
		Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0174									
		Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
		D4 Channel Bank Feature Activations														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66									
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66									
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66									
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.66									
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66									
		Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.66									
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66									
		Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03		
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03		
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03		
		Additional Non-Recurring Charges (NRC)														
		Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83							
		Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.23	1.10							
		UNE-P CENTREX - DMS100 (Valid in All States)														
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
		UNE Port/Loop Combination Rates (Non-Design)														
		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.18									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		18.01									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		23.02									
		UNE Port/Loop Combination Rates (Design)														
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		18.26									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		23.33									
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.98									
		UNE Loop Rate														
		2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	12.48									
		2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	16.31									
		2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	21.32									
		2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.56									
		2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	21.63									
		2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.28									
		UNE Port Rate														
		ALL STATES														
		2W VG Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03		
		2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03		

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					
											SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS					Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	16.56															
		2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	21.63															
		2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	28.28															
	UNE Port Rate																					
	AL, FL, KY, LA, MS, & TN only																					
		2W VG Port (Centrex )Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
	AL, KY, LA, MS, & TN Only																					
		2W VG Port (Centrex )			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
		2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03								
	Local Switching																					
		Centrex Intercom Functionality, per port			UEP9E	URECS	0.6381															
	Local Number Portability																					
		Local No Portability (1 per port)			UEP9E	LNPC	0.35															
	Features																					
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03								
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03								
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03								
	NARS																					
		Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03								
		Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03								
		Unbundled Network Access Register-Outdial			UEP9E	UARO	0.00	0.00	0.00	0.00	0.00		0.00	7.03								
	Miscellaneous Terminations																					
	2-Wire Trunk Side																					
		Trunk Side Terms, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03								
	4-Wire Digital (1.544 Megabits)																					
		DS1 Circuit Terms, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03								
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03								
	Interoffice Channel Mileage - 2-Wire																					
		Interoffice Channel Facilities Term			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03								
		Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0174															
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																					
	D4 Channel Bank Feature Activations																					
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66															
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.66															
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66															
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66															
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66															
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																					

## EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)					SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		1.03	0.29									30.89	7.03			
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60										30.89	7.03			
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60										30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57										30.89	7.03			
		Additional Non-Recurring Charges (NRC)																				
		Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83													
		Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.23	1.10													
		UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)																				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																				
		UNE Port/Loop Combination Rates (Non-Design)																				
		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93			14.18														
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93			18.01														
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93			23.02														
		UNE Port/Loop Combination Rates (Design)																				
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93			18.26														
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93			23.33														
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93			29.98														
		UNE Loop Rate																				
		2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1		12.48														
		2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1		16.31														
		2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1		21.32														
		2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2		16.56														
		2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2		21.63														
		2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2		28.28														
		UNE Port Rate																				
		AL, KY, LA, MS, & TN only																				
		2W VG Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex )			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91						30.89	7.03				
		Local Switching																				
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381															
		Local Number Portability																				
		Local No Portability (1 per port)			UEP93	LNPCC	0.35															
		Features																				
		All Standard Features Offered, per port			UEP93	UEPVF	0.00															
		All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00															
		NARS																				
		Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						0.00	7.03				
		Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						0.00	7.03				
		Unbundled Network Access Register-Outdial			UEP93	UAROY	0.00	0.00	0.00	0.00	0.00						0.00	7.03				
		Miscellaneous Terminations																				
		2-Wire Trunk Side																				
		Trunk Side Terms, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91						30.89	7.03				

EXHIBIT 1

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03			
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.0174										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

**Attachment 6**

**Pre-Ordering, Ordering, Provisioning,  
Maintenance and Repair**



**TABLE OF CONTENTS**

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR ...	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS .....	3
3.	MISCELLANEOUS .....	5

## **PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR**

### **1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR**

- 1.1 BellSouth shall provide to ONS nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that ONS can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide ONS with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of ONS and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent ONS requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of ONS, BellSouth will not assess ONS additional charges beyond the rates and charges specified in this Agreement.

### **2. ACCESS TO OPERATIONS SUPPORT SYSTEMS**

- 2.1 BellSouth shall provide ONS nondiscriminatory access to its OSS and the necessary information contained therein in order that ONS can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of ONS to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for ONS' access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 Pre-Ordering. BellSouth will provide electronic access to its OSS and the information contained therein in order that ONS can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection

website and are incorporated herein by reference. The process by which BellSouth and ONS will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. ONS shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. ONS shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, ONS shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. ONS will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit ONS' access to customer record information. If a BellSouth audit of ONS' access to customer record information reveals that ONS is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to ONS may take corrective action, including but not limited to suspending or terminating ONS' electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.

2.1.3 Ordering. BellSouth will make available to ONS electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and ONS will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.

2.1.4 Maintenance and Repair. BellSouth will make available to ONS electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and ONS will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and ONS agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by

reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 Billing. BellSouth will provide ONS nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and ONS agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and ONS agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The CCP will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to ONS at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.
- 3. MISCELLANEOUS**
- 3.1 Pending Orders. Orders placed in the hold or pending status by ONS will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, ONS shall be required to submit a new service request. Incorrect or invalid requests returned to ONS for correction or clarification will be held for thirty (30) calendar days. If ONS does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. ONS will be the single point of contact with BellSouth for ordering activity for network elements and other services used by ONS to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. ONS and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by ONS to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify ONS that such a request has been processed but will not be required to notify ONS in advance of such processing.

- 3.2.1 Neither BellSouth nor ONS shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and LSR rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 ONS shall return a FOC to BellSouth within thirty-six (36) hours after ONS' receipt from BellSouth of a valid LSR.
- 3.2.4 ONS shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 Use of Facilities. When a customer of ONS elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to ONS by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify ONS that such a request has been processed after the disconnect order has been completed.
- 3.4 Contact Numbers. The Parties agree to provide one another with toll-free nationwide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 Subscription Functions. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
  - 3.5.1 When ONS' End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the IXC elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to ONS, which has the billing relationship with that End User, and ONS may pass such charge to the End User.
- 3.6 Cancellation Charges. If ONS cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if ONS places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare

compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where ONS places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, ONS may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should ONS elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 3.7 Service Date Advancement Charges (a.k.a. Expedites). For Service Date Advancement requests by ONS, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.