Amendment to the Agreement Between

Universal Beepers Express, Inc. d/b/a Universal Wireless and

BellSouth Telecommunications, Inc. Dated January 17, 2004

Pursuant to this Amendment, (the "Amendment"), Universal Beepers Express, Inc. d/b/a Universal Wireless ("Universal Beepers"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 17, 2004 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and Universal Beepers entered into the Agreement on January 17, 2004, and;

WHEREAS, BellSouth and Universal Beepers desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

10 BASIC 911 AND E911 INTERCONNECTION

- 10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to Universal Beepers a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Universal Beepers will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the

Version: TRRO Amendment

list provided by BellSouth. Universal Beepers will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Universal Beepers will be required to begin using E911 procedures.

10.3 E911 Interconnection. Universal Beepers shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMAtype signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Universal Beepers shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Universal Beepers will be required to provide BellSouth daily updates to the E911 database. Universal Beepers will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Universal Beepers will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Universal Beepers shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of

Trunks and facilities for 911 Interconnection may be ordered by Universal Beepers from BellSouth pursuant to the terms and conditions set forth in this Attachment.

providing 911/E911 to its End Users.

10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 SS7 Network Interconnection is the interconnection of Universal Beepers local signaling transfer point switches or Universal Beepers local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among

Version: TRRO Amendment

BellSouth switching systems and databases, Universal Beepers local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Universal Beepers or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a Universal Beepers Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Universal Beepers local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
- 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Universal Beepers local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Universal Beepers local STPs and shall not include SCCP Subsystem Management of the destination.
- 11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

Version: TRRO Amendment

- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.9 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect Universal Beepers or Universal Beepers-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.9.1 A-link interface from Universal Beepers local or tandem switching systems; and
- 11.9.2 B-link interface from Universal Beepers STPs.
- 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 11.9.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.9.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.9.6 BellSouth shall set message screening parameters to accept messages from Universal Beepers local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Universal Beepers switching system has a valid signaling relationship.
- 3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
- 4. The Parties agree to add Section 3.8 to Attachment 6 as follows:
 - 3.8 If Universal Beepers modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Universal Beepers in accordance with FCC No. 1 Tariff, Section 5.

Version: TRRO Amendment

- 5. All of the other provisions of the Agreement dated January 17, 2004 shall remain unchanged and in full force and effect.
- 6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: TRRO Amendment

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.	Universal Beepers Express, Inc. d/b/a Universal Wireless		
By: Jul Ele	By: The fifty		
Name: Kristen Rowe	Name: MKe Khali		
Title: Director	Title: V.P		
Date: 5/25/05	Date: 6-24005		

Version: TRRO Amendment

Attachment 2

Network Elements and Other Services

Version: ATT 2 TRRO Amendment 05/19/05

TABLE OF CONTENTS

1	INTRODUCTION	3
2	LOOPS	7
3	LINE SPLITTING	27
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	29
5	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	31
6	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 36
7	CNAM DATABASE SERVICE FOR FACILITY BASED CUSTOMERS	38
8	OSS	39
Ra	ites	Exhibit A
Ra	ites	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Universal Beepers for Universal Beepers's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Universal Beepers (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Universal Beepers to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Universal Beepers purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Universal Beepers may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Universal Beepers shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Universal Beepers pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Universal Beepers pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as

Version: ATT 2 TRRO Amendment

05/19/05

of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Universal Beepers. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Universal Beepers and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Universal Beepers may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Universal Beepers has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to Universal Beepers.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Universal Beepers shall undertake a reasonably diligent inquiry to determine whether Universal Beepers is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Universal Beepers self-certifies that to the best of Universal Beepers's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Universal Beepers's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 Universal Beepers may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to

the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Universal Beepers, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Universal Beepers has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Universal Beepers must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.

1.13 Ordering Guidelines and Processes

- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Universal Beepers should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Universal Beepers's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Universal Beepers's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment.

1.13.4 <u>Testing/Trouble Reporting.</u>

- 1.13.4.1 Universal Beepers will be responsible for testing and isolating troubles on Network Elements. Universal Beepers must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Universal Beepers will be required to provide the results of the Universal Beepers test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once Universal Beepers has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Universal Beepers reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Universal Beepers a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Universal Beepers (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Universal Beepers for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Universal Beepers shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly

residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Universal Beepers on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Universal Beepers. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Universal Beepers with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Universal Beepers as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 2.1.4.4.1 or 2.1.4.4.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Universal Beepers's Embedded Base during the Transition Period:

- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Universal Beepers's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to Universal Beepers's Embedded Base and Universal Beepers shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Universal Beepers in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Universal Beepers wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and

UCL-ND), Universal Beepers may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Universal Beepers shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and Universal Beepers to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Universal Beepers's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Universal Beepers to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Universal Beepers's specific conversion time request. However, BellSouth reserves the right to negotiate with Universal Beepers a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Universal Beepers may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Universal Beepers specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Universal Beepers must order and will be billed for both OC and OCTS if requesting OC-TS.

2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by Universal Beepers when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Universal Beepers's Interconnection Agreement before requesting a conversion.

Version: ATT 2 TRRO Amendment

05/19/05

- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.9.3 The Loops converted to Universal Beepers pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 <u>Bulk Migration</u>

- 2.1.10.1 BellSouth will make available to Universal Beepers a Bulk Migration process pursuant to which Universal Beepers may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should Universal Beepers request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Universal Beepers must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Universal Beepers will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Universal Beepers, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Universal Beepers may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Universal Beepers may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Universal Beepers. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Universal Beepers to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

- 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Unbundled ADSL Compatible Loop 2.3.2.3 2-wire Unbundled HDSL Compatible Loop 2.3.2.4 4-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled DS1 Digital Loop 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.7 DS3 Loop 2.3.2.8 STS-1 Loop 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Universal Beepers will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 <u>4-wire Unbundled DS1 Digital Loop.</u>
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-2ire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.

- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Universal Beepers at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Universal Beepers may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.

Version: ATT 2 TRRO Amendment

05/19/05

- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Universal Beepers.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Universal Beepers to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Universal Beepers can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Universal Beepers may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Universal Beepers to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Universal Beepers may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Universal Beepers which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Universal Beepers, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Universal Beepers. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Universal Beepers may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Universal Beepers requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Universal Beepers will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Universal Beepers shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Universal Beepers desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Universal Beepers, Universal Beepers will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Universal Beepers is available at the location for which the ULM was requested, Universal Beepers will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Universal Beepers will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 <u>Loop Provisioning Involving IDLC</u>
- 2.6.1 Where Universal Beepers has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Universal Beepers. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Universal Beepers (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Universal Beepers, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Universal Beepers will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Universal Beepers to connect Universal Beepers's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Universal Beepers may access the End User's premises wiring by any of the following means and Universal Beepers shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Universal Beepers to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire

from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Universal Beepers may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Universal Beepers's responsibility to ensure there is no safety hazard, and Universal Beepers will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Universal Beepers shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Universal Beepers shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Universal Beepers to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Universal Beepers's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Universal Beepers may request BellSouth to do additional work to the NID on a

time and material basis. When Universal Beepers deploys its own local loops in a multiple-line termination device, Universal Beepers shall specify the quantity of NID connections that it requires within such device.

- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Universal Beepers requests a UCSL and it is not available, Universal Beepers may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Universal Beepers, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing

USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Universal Beepers's use on this cross-connect panel. Universal Beepers will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Universal Beepers shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Universal Beepers's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Universal Beepers is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Universal Beepers's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Universal Beepers can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Universal Beepers's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Universal Beepers will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Universal Beepers requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Universal Beepers for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Universal Beepers does own or control such wiring, Universal Beepers will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Universal Beepers.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Universal Beepers for each pair activated commensurate to the price specified in Universal Beepers's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

- 2.8.4 <u>Dark Fiber Loop.</u>
- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Universal Beepers to utilize Dark Fiber Loops.
- 2.8.4.2 <u>Transition for Dark Fiber Loop</u>
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Universal Beepers as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Universal Beepers at the terms and conditions set forth in this Attachment.
- 2.8.4.4 Notwithstanding the Effective Date of this Agreement, the rates for Universal Beepers's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Universal Beepers's Embedded Base and Universal Beepers shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Universal Beepers LMU information with respect to Loops that are required to be unbundled under this Agreement so that Universal Beepers can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Universal Beepers intends to install and the services Universal Beepers wishes to provide. LMU is a preordering transaction, distinct from Universal Beepers ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU

Version: ATT 2 TRRO Amendment 05/19/05

queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide Universal Beepers LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Universal Beepers as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Universal Beepers may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Universal Beepers and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Universal Beepers's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Universal Beepers or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Universal Beepers is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Universal

Beepers, according to the applicable network disclosure requirements. It will be Universal Beepers's responsibility to move any service it may provide over such facilities to alternative facilities. If Universal Beepers fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

- 2.9.2.1 Universal Beepers may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Universal Beepers needs further Loop information in order to determine Loop service capability, Universal Beepers may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Universal Beepers will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Universal Beepers does not reserve facilities upon an initial LMUSI, Universal Beepers's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Universal Beepers has reserved multiple Loop facilities on a single reservation, Universal Beepers may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Universal Beepers, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Universal Beepers.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Universal Beepers provides its own switching or obtains switching from a third party, Universal Beepers may engage in line splitting arrangements with another CLEC using a splitter, provided by

Version: ATT 2 TRRO Amendment

05/19/05

Universal Beepers, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

- 3.3 <u>Provisioning Line Splitting and Splitter Space</u>
- 3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Universal Beepers or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.
- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 <u>CLEC Provided Splitter Line Splitting</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, Universal Beepers must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Universal Beepers must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.4.3 Universal Beepers may purchase, install and maintain central office POTS splitters in its collocation arrangements. Universal Beepers may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.4 Any splitters installed by Universal Beepers in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Universal Beepers may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 <u>Maintenance Line Splitting.</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.5.2 Universal Beepers shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Universal Beepers are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Universal Beepers are not already combined by BellSouth in the location requested by Universal Beepers but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Universal Beepers are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Universal Beepers requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the

Version: ATT 2 TRRO Amendment

05/19/05

recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Universal Beepers.
- 4.3 <u>Enhanced Extended Links (EELs)</u>
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Universal Beepers with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Universal Beepers thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Universal Beepers's high-capacity EELs as specified below.
- 4.3.4 <u>Service Eligibility Criteria</u>
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Universal Beepers must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Universal Beepers has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Universal Beepers will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Universal Beepers will have at least one (1) active DS1 local service interconnection trunk over which Universal Beepers will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Universal Beepers's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Universal Beepers failed to comply with the service eligibility criteria, Universal Beepers must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Universal Beepers did not comply in any material respect with the service eligibility criteria, Universal Beepers shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Universal Beepers did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Universal Beepers for its reasonable and demonstrable costs associated with the audit. Universal Beepers will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Universal Beepers converts special access services to UNEs, Universal Beepers shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Universal Beepers. Including but not limited to DS1, DS3 and OCn level services, as well as

Version: ATT 2 TRRO Amendment

05/19/05

dark fiber, dedicated to Universal Beepers. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Universal Beepers unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

- 5.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3</u> Entrance Facilities
- 5.2.1 For purposes of this Section 5.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for Universal Beepers as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 5.2.4.1 or 5.2.4.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for Universal Beepers's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.4.3 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Universal Beepers's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B and the rates for Universal Beepers's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 5.2 shall be as set forth in Exhibit A.
- 5.2.4.4 The Transition Period shall apply only to Universal Beepers's Embedded Base and Universal Beepers shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.

- 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 5.3 BellSouth shall:
- 5.3.1 Provide Universal Beepers exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.3.3 Permit, to the extent technically feasible, Universal Beepers to connect Dedicated Transport to equipment designated by Universal Beepers, including but not limited to, Universal Beepers's collocated facilities; and
- Permit, to the extent technically feasible, Universal Beepers to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.4 BellSouth shall offer Dedicated Transport:
- 5.4.1 As capacity on a shared facility; and
- 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Universal Beepers.
- 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- Universal Beepers may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.7 Technical Requirements

- 5.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.7.2.1 DS0 Equivalent;
- 5.7.2.2 DS1;
- 5.7.2.3 DS3; and
- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Universal Beepers shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 <u>Unbundled Channelization (Multiplexing)</u>
- To the extent Universal Beepers is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Universal Beepers may request channel activation on a channelized facility and BellSouth shall connect the requested

facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Universal Beepers's channelization equipment must adhere strictly to form and protocol standards. Universal Beepers must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for Universal Beepers as of March 10, 2005 in those wire centers that, as of such date, met with the criteria set forth in 5.9.1.4.1. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for Universal Beepers's Embedded Base during the Transition Period:

- Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.9.1.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Universal Beepers's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B and the rates for Universal Beepers's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 5.9.1 shall be as set forth in Exhibit A.
- 5.9.1.6 The Transition Period shall apply only to Universal Beepers's Embedded Base and Universal Beepers shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement.
- 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 5.10 Rearrangements
- A request to move a working Universal Beepers CFA to another Universal Beepers CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of Universal Beepers, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Universal Beepers may request OC-TS for such orders.
- BellSouth shall accept a Letter of Authorization (LOA) between Universal Beepers and another carrier that will allow Universal Beepers to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.
- 6 Automatic Location Identification/Data Management System (ALI/DMS)
- 6.1 911 and E911 Databases

Version: ATT 2 TRRO Amendment

05/19/05

- 6.1.1 BellSouth shall provide Universal Beepers with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Universal Beepers will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.
- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide Universal Beepers the capability of providing updates to the ALI/DMS database through a specified electronic interface. Universal Beepers shall contact BellSouth's 911 database vendor directly to request interface. Universal Beepers shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Universal Beepers and BellSouth shall not be liable for the transactions between Universal Beepers and BellSouth's 911 database vendor.
- 6.2.2 It is Universal Beepers's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- Universal Beepers shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Universal Beepers, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Universal Beepers to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Universal Beepers that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Universal Beepers shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Universal Beepers within two (2) months following the date

of the Stranded Unlock report provided by BellSouth. Universal Beepers shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Universal Beepers's records.

7 CNAM Database Service for Facility Based Customers

- 7.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Universal Beepers the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Universal Beepers shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Universal Beepers's access to BellSouth's CNAM Database Services and shall be addressed to Universal Beepers's Local Contract Manager.
- 7.3 BellSouth's provision of CNAM Database Services to Universal Beepers requires interconnection from Universal Beepers to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 7.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Universal Beepers shall provide its own CNAM SSP. Universal Beepers's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 7.5 If Universal Beepers elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Universal Beepers desires to query.
- If Universal Beepers queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

Version: ATT 2 TRRO Amendment 05/19/05

- 7.7 The mechanism to be used by Universal Beepers for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Universal Beepers in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Universal Beepers to provide accurate information to BellSouth on a current basis.
- 7.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 7.9 BellSouth currently does not have a billing mechanism for CNAM queries.
 BellSouth shall bill Universal Beepers at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per Universal Beepers's End Users with the Caller ID feature. Such charges shall not be subject to true-up or retroactive billing for any of Universal Beepers's End Users.

8 OSS

- 8.1 BellSouth has developed and made available electronic interfaces by which Universal Beepers may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
- 8.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 8.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 8.5 <u>Denial/Restoral OSS Charge.</u> BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event Universal Beepers provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

8.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

Version: ATT 2 TRRO Amendment 05/19/05

UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attachmen	nt: 2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CAILC	JONI	RATE ELEMENTS	miteriii	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates (\$)	COMAN	COMAN
	1							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Geog	raphically D	eaveraged UNE 2	Zones. To view	u W Geographica	ally Deaverage	I UNE Zone De	signations	by Central	Office, refer to	internet Web	site:	l
	http://v	www.interconnection.bellsouth.com/become_a_clec/html/inter				,			3 4	,			,				
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th															
	1	ther the state specific Commission ordered rates for the servi f the 9 states.	ce orderi	ng char	ges, or CLEC may el	ect the regio	nal service orde	ring charge, h	owever, CLEC	can not obtain	a mixture of t	he two rega	ardless if Cl	LEC has a inte	erconnection	contract estal	olished in
		rtne 9 states. (2) Any element that can be ordered electronically will be bill	ed accord	ding to t	he SOMEC rate liste	d in this cate	egory. Please re	fer to BellSou	th's Local Ord	ering Handboo	k (I OH) to det	ermine if a	product car	he ordered e	electronically	For those ele	ements that
		be ordered electronically at present per the LOH, the listed Se															
		applied to a CLECs bill when it submits an LSR to BellSouth.			0 ,	•				٠.				•		0 0	
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE				OOMAN		13.00	0.00	1.57	0.00						
	NOTE:	The Expedite charge will be maintained commensurate with I	BellSouth	's FCC	No.1 Tariff, Section 5	as applical	ole.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ, UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX, UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL, UC1HC, UC1HL,												
					UDL12. UDL48.												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		LINE Franchis Character Circuit and inc. Assistant LICOC and			UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNBU	NDLED E	EXCHANGE ACCESS LOOP			335, 0110/1	02/101		200.00		1							
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30				L		
<u> </u>	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	21.05 34.34	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30			1	-		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	34.34 12.58	37.81	17.56	23.49	5.30				 		
	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
<u> </u>	1	Premise			UEANL	URETL		8.33	0.83	 		-	-				
	 	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		 	UEANL UEANL	URET1 URETA		34.16 19.85	34.16 19.85	 				-	 		
Ь		Loop resumy - Dasic Additional Hall Flour			OLAINL	ONLIA	I	13.03	13.03	I		1	1		I	L	l

INRUNDU	ED NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1															
- 11/15	(per LSR)			UEANL	OCOSL		18.09									
2-WIR	RE Unbundled COPPER LOOP			LIEO	115001	11.00		15.10	21.25							
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10		4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10		4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15	 	ļ	 		 	+
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		1	UEQ	URETL		8.33	0.83				1				1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			UEQ	UKEIL	-	8.33	0.83								+
	Non-Designed (per loop)		1	UEQ	USBMC		8.15					1				I
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		-	UEQ	USBIVIC	-	0.10				-	-				
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16			1					+
-	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85			1					-
+	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	OLQ	OKLIA	 	13.03	13.03					1			+
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
NRUNDI ED	EXCHANGE ACCESS LOOP			OL Q	ORLIVO		17.27	7.40			†					+
	RE ANALOG VOICE GRADE LOOP				+						1					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						1					
	Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-									0.00						1
	Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-					ĺ										
	Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						<u> </u>
	EXCHANGE ACCESS LOOP															
2-WIR	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							== 00	4= 04							
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3		UEAL2	00.44	00.00	55.00	47.04	7.44						
	Ground Start Signaling - Zone 3		3	UEA		36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	-	18.09									+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	UEA	UEARZ	14.30	00.00	55.00	47.24	7.44	1					+
1	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		1				1
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OLARZ	22.00	00.00	33.00	77.27	7.44						+
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						1
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.14	18.09	55.50	77.27	7.44			i		 	
	CLEC to CLEC Conversion Charge without outside dispatch		t	UEA	UREWO		87.72	36.36		İ			İ		İ	1
	Loop Tagging - Service Level 2 (SL2)	İ	1	UEA	URETL		11.21	1.10		İ			İ		l	1
4-WIR	RE ANALOG VOICE GRADE LOOP	İ	1		İ					İ			İ		l	1
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch		T T	UEA	UREWO		87.72	36.36	1		г — —					Г

NBUNDLED	NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Name		T 81	g Disconnect					D130 13t	DISC Add
-+					+	Rec	First	curring Add'l	First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
2-WIRE IS	SDN DIGITAL GRADE LOOP						FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
	-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						1
	-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						1
0	order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
C	LEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								1
	SYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP													
	Wire Unbundled ADSL Loop including manual service inquiry															
	facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	Wire Unbundled ADSL Loop including manual service inquiry															
	facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	Wire Unbundled ADSL Loop including manual service inquiry			l												
	facility reservation - Zone 3		3	UAL	UAL2X OCOSL	14.30	110.00 18.09	68.00	47.24	7.44						ļ
	order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	-	18.09		1	1						-
	Wire Unbundled ADSL Loop without manual service inquiry & acility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	Wire Unbundled ADSL Loop without manual service inquiry &		'	UAL	UALZVV	11.01	90.00	57.00	47.24	7.44	1					
	acility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	Wire Unbundled ADSL Loop without manual service inquiry &			OAL	UALZVV	12.75	30.00	37.00	77.27	7.44						
	acility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	order Coordination for Specified Conversion Time (per LSR)		Ŭ	UAL	OCOSL	1 1.00	18.09	07.00								†
	LEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								<u> </u>
	IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP													
2	Wire Unbundled HDSL Loop including manual service inquiry															
	facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
2	Wire Unbundled HDSL Loop including manual service inquiry															
	facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	Wire Unbundled HDSL Loop including manual service inquiry															
	facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									ļ
	Wire Unbundled HDSL Loop without manual service inquiry			l												
	nd facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHLZVV	10.17	90.00	57.00	47.24	7.44	-					
	nd facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
	order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.44	18.09	37.00	47.24	7.44						
	LEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP	0.12	0.1.2.7.0		00	10.10			1					
	Wire Unbundled HDSL Loop including manual service inquiry															t
	nd facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
4-	-Wire Unbundled HDSL Loop including manual service inquiry															1
ar	nd facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
4-	-Wire Unbundled HDSL Loop including manual service inquiry															1
	nd facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	-Wire Unbundled HDSL Loop without manual service inquiry															
	nd facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
	-Wire Unbundled HDSL Loop without manual service inquiry	1	l _	l	L	ı l			I	l .						
	nd facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
	-Wire Unbundled HDSL Loop without manual service inquiry	1	_	L												
	nd facility reservation - Zone 3	 	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73			 		 	₩
	order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL UREWO	 	18.09 86.14	40.40	 	 			 		 	₩
	DEC to CLEC Conversion Charge without outside dispatch		-	UTL	UKEWU		80.14	40.40	-	-				-		\vdash
	-Wire DS1 Digital Loop - Zone 1	 	1	USL	USLXX	82.55	252.47	157.54	44.70	11.71		-	 		 	+
	-Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2	 	2	USL	USLXX	154.18	252.47	157.54	44.70	11.71	H		l		l	\vdash
	-Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						\vdash
	order Coordination for Specified Conversion Time (per LSR)	 	3	USL	OCOSL	314.02	18.09	137.34	44.70	11./1	 	 	 		 	+

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmer	nt: 2 Exh. A		
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -		Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 14/15/	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								——
4-WIRI	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						——
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	26.09 35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UDL	OCOSL	01.00	18.09	00.00	55.11							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75							ĺ	
2-WIRI	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual											1				1
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop-Designed without manual		1		LIOL DVA	44.04	04.40	54.00	47.04	7.44						
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
	service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPVV	12.73	91.46	54.30	47.24	7.44						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.30	8.15	8.15	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		0.10	0.13							1	
	(UCL-Des)			UCL	UREWO		97.23	42.48								ĺ
4-WIRI	COPPER LOOP			OOL	OKEVVO		07.20	72.70								
	4-Wire Copper Loop-Designed including manual service inquiry				1											
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						ĺ
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						ĺ
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						ĺ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15							ĺ	
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry							·					l			1
	and facility reservation - Zone 2	I	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry															1
	and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
\vdash	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
LOOP MODIFI	CLEC to CLEC conversion Charge without outside dispatch		-	UCL	UREWO	1	97.23	42.48	<u> </u>			ļ	 	1	 	
LOOP MODIFI	CATION			UAL, UHL, UCL,												——
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L	-	0.00	0.00	<u> </u>		ļ		 		ļ	1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								1
	possession of equal to forcit, per oribunated 200p	<u> </u>		UAL, UHL, UCL,	CLIVITE		0.00	0.00			 			1		<u> </u>
	Unbundled Loop Modification Removal of Bridged Tap Removal,	,		UEQ,ULS,UEA, UEANL, UEPSR, UEPSB	ULMBT		32.41	32.41								
SUB LOOPS	per unbundled loop	- 1	-	UEPOB	OLIVIB I	 	3∠.41	32.41	 		-			1	 	
SUB-LOOPS			<u> </u>		1				1		1	<u> </u>	l	1		

JNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachmen	nt: 2 Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge -
				300	3000			.,			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Electronic Disc Add'
\longrightarrow		-	-			Rec	Nonrec First	urring Add'l	Nonrecurring First		COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
Sub	Loop Distribution						FIRST	Addi	FIRST	Add'l	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
- Jub-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1				 	 						+
	Up	I		UEANL	USBSA		244.42									
-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		22.64									
	Facility Set-Up	1		UEANL	USBSC		177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			027.112	00200				t	t			t	t		+
	Set-Up	I		UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
-+-	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			ULANL	USBIN4	10.07	79.03	44.13	45.71	9.07				-		+
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16	<u> </u>	<u> </u>			 	1		+
-	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								1
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						1
-+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF UEF	USBMC UCS4X	6.11	8.15 79.03	8.15 44.19	49.71	9.07						
$-\!+\!-$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						+
+-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						+
-+-	4 Wile Copper Oriburialed Sub-Loop Distribution - Zone 3		3	OLI	00347	15.50	79.03	44.13	45.71	9.07				-		+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15	1	I			I	I		
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	34.16			İ	İ	1			1
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85								
Unbı	undled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01						ļ	ļ		
Netw	rork Interface Device (NID)			LIENTA	LINIDAS		10.0-						ļ	ļ		——
$-\!+\!-$	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38	 	 			 	 	1	+
+-	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16 UNDC2		63.97	49.11 5.87	 	 			 	 	-	+
-+	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	-	 	UENTW	UNDC2 UNDC4		5.87 5.87	5.87	 	 	-	-	 	 	1	+
INF OTHER	. PROVISIONING ONLY - NO RATE	1		OLIVIV	UNDU4		ე.0/	5.67	 	 			 	 	1	+
TILLY,	NID - Dispatch and Service Order for NID installation	-	-	UENTW	UNDBX	0.00	0.00		 	 			t	t	1	+
-+	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		-	-	 	 	-	†	1	+
	2 Should be be a beautiful for the first of the firs	<u> </u>		UEANL,UEF,UEQ,U												†
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. A		
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				ļ				Nonred	urring	Nonrecurring	n Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
																	1
		Habita diad Contact Name Description of Columbia			UAL,UCL,UDC,UDL,	LINICAL	0.00	0.00									
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		-	UDN,UEA,UHL, USL	UNECN	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															1
		rate		ļ	UEA,USL,UCL,UDL		0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		-	USL	CCOSF	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.38										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	ILOND	8.38										
		Termination per month			UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
-		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	8.38										
		Termination per month			UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117						
LOOP N	IAKE-U			1	0020/	05201	0.0.00	010.210	000.001	10111100	00.111						1
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility		-	UMK	UMKLW		20.00	20.00								
		queried (Manual).			UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or															1
		spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
LINE S		ig Plitting		-													
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						<u> </u>
MAINTE	NI A NIC	Line Splitting - per line activation BST owned - virtual E OF SERVICE		-	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
WAINTE		The Expedite charge will be maintained commensurate with	l BellSouth	's FCC	No.1 Tariff. Section	13.3.1 as ani	plicable.										+
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								<u> </u>
LINDLIN	DI ED I	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT		-				100.00	75.00								
		OFFICE CHANNEL - DEDICATED TRANSPORT		1													+
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
\square		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01177	011172	21.13	70.34	21.41	10.74	0.90						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			LIATION	LIATOS	24.4-				2.5-						
\vdash		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		-	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						+
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			-												
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.008838										
\vdash		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.10/	. 20/01	0.00000										
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
l J	_	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5707	0.00000										
\vdash		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.008838										
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						

	NDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. A		
_													Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sv
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		001150	0011411		Rates (\$)	001441	001111
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		month			U1TD1	1L5XX	0.18										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.09										
\rightarrow		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILJAA	4.09										
		Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	4.09										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
DARK F	IBER	Termination			01101	01110	701.07	270.70	102.70	00.20	20.40						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
\longrightarrow		Thereof per month - Local Channel			UDF, UDFCX	1L5DC	69.37										
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF. UDFCX	1L5DF	23,29										
\rightarrow		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	23.29	639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			,												
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	69.37										
VIRTUA	L COL	LOCATION					1										
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
PHYSIC	AL CO	LLOCATION			OLI OIL OLI OD	VEILO	0.00	12.00	11.00	0.00	0.44						
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
		KTENDED LINK (EELs) The monthly recurring and non-recurring charges below will	annly and	the Su	vitch-As-Is Charge v	vill not apply	for LINE combin	atione proviei	oned as ' Ordi	narily Combine	d' Network Ele	monte					
		The monthly recurring and the Switch-As-Is Charge and not t															
	2-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
\longrightarrow		2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2 UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						
\rightarrow		Voice Grade COCI - Per Month		J		ULALZ			33.00	77.27							
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION			UNCVX	1D1VG			4.72								
		VOICE GRADE LOOF FOR USE IN A COMBINATION					0.53	6.58	4.72								
		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	0.53 25.34	6.58	94.51	59.14	14.50						
\Rightarrow		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX UNCVX	UEAL4 UEAL4	0.53 25.34 38.58	6.58 131.97 131.97	94.51 94.51	59.14	14.50						
\equiv		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	0.53 25.34	6.58	94.51								
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Yoice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 1D1VG	0.53 25.34 38.58 60.02 0.53	6.58 131.97 131.97 131.97 6.58	94.51 94.51 94.51 4.72	59.14 59.14	14.50 14.50						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		3	UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 1D1VG	0.53 25.34 38.58 60.02 0.53	131.97 131.97 131.97 131.97 6.58	94.51 94.51 94.51 4.72 88.80	59.14 59.14 59.14	14.50 14.50						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 5 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		3 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56	0.53 25.34 38.58 60.02 0.53 26.09 35.95	6.58 131.97 131.97 131.97 6.58 126.27	94.51 94.51 94.51 4.72 88.80 88.80	59.14 59.14 59.14 59.14	14.50 14.50 14.50						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 88.80	59.14 59.14 59.14	14.50 14.50						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 5 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		3 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56	0.53 25.34 38.58 60.02 0.53 26.09 35.95	6.58 131.97 131.97 131.97 6.58 126.27	94.51 94.51 94.51 4.72 88.80 88.80	59.14 59.14 59.14 59.14	14.50 14.50 14.50						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09	6.58 131.97 131.97 131.97 6.58 126.27 126.27 6.58 126.27	94.51 94.51 94.51 4.72 88.80 88.80 88.80 4.72	59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 54 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80	59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Yoice Grade COCI in combination - per month 5-66 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 5-64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88	6.58 131.97 131.97 131.97 6.58 126.27 126.27 6.58 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 88.80	59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50						
4	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 54 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80	59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 5-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 CU-DP COCI (data) - in combination - per month (2.4-64kbs) 1-SDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 4.72 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade CoOf in Combination - Zone 3 Voice Grade COCI in combination - per month 5 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 5 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 1D1DD UL64 UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 5-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 0CU-DP COCI (data) - in combination - per month (2.4-64kbs) 1-SDN Loop FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL6	25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4	4-WIRE 4-WIRE 2-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 556 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 CU-DP COCI (data) per month (2.4-64kbs) 544 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 556 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 657 COCI (data) per month (2.4-64kbs) 658 CHOP COCI (data) Grade Loop in Combination - Zone 1 659 CU-DP COCI (data) - in combination - per month (2.4-64kbs) 659 CU-DP COCI (data) - in combination - per month (2.4-64kbs) 650 CU-DP COCI (data) - in combination - Zone 1 650 CU-DP COCI (data) - in combination - Zone 1 650 CU-DP COCI (data) - in combination - Zone 1 650 CU-DP COCI (data) - in combination - Zone 2 650 CU-DP COCI (data) - in combination - Zone 1 650 CU-DP COCI (data) - in combination - Zone 2 651 CU-DP COCI (data) - in combination - Zone 2 652 CU-DP COCI (data) - in combination - Zone 2 653 CU-DP COCI (data) - in combination - Zone 2 654 CU-DP COCI (data) - in combination - Zone 2 655 CU-DP COCI (data) - in combination - Zone 2 656 CU-DP COCI (data) - in combination - Zone 2 677 CU-DP COCI (data) - in combination - Zone 2		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 1D1DD UL64 UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4	4-WIRE 4-WIRE 2-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 5-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 0CU-DP COCI (data) - in combination - per month (2.4-64kbs) 1-SDN Loop FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL6	25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
	4-WIRE 4-WIRE 2-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade CoOp in Combination - Zone 3 Voice Grade COCI in combination - per month 556 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN LOOP FOR USE IN A COMBINATION		1 2 3 3 1 2 3 3 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64	0.53 25.34 38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55 2.41	6.58 131.97 131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 6.58	94.51 94.51 94.51 94.51 4.72 88.80 88.80 4.72 88.80 88.80 4.72 79.77 79.77 79.77 4.72	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						

UNBUNDI	LED N	IETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. A		
CATEGORY	,	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
														ist	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 W		DICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ION													
		eroffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		nth			UNCVX	1L5XX	0.008838										
		eroffice Transport - 2-wire VG - Dedicated - Facility						40 = 4									
4 10/		rmination per month DICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MADINIAT	I ON	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						<u> </u>
4 VV		eroffice Transport - 4-wire VG - Dedicated - Per Mile Per	MIBINAI	ION		_						-					+
		nth			UNCVX	1L5XX	0.008838										
<u> </u>		eroffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	TLJAA	0.000030					1					1
		rmination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
DS1		ROFFICE TRANSPORT FOR COMBINATION			ONOVA	01114	10.70	40.04	27.41	10.74	0.00	1					†
		eroffice Transport - Dedicated - DS1 combination - Per Mile													İ		
		month		l	UNC1X	1L5XX	0.18										
		eroffice Transport - Dedicated - DS1 combination - Facility															
		rmination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
DS3		ROFFICE TRANSPORT FOR USE IN A COMBINATION															
		eroffice Transport - Dedicated - DS3 combination - Per Mile															
		r Month			UNC3X	1L5XX	4.09										
		eroffice Transport - Dedicated - DS3 - Facility Termination per				==	=		400 =0		=0.40						
		nth			UNC3X	U1TF3	703.52	278.75	162.76		58.46						
CTC		Channel System in combination per month EROFFICE TRANSPORT FOR USE IN COMBINATION			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
313		eroffice Transport - Dedicated - STS-1 combination - Per Mile				_						-					
		r Month			UNCSX	1L5XX	4.09										
		eroffice Transport - Dedicated - STS-1 combination - Facility			CHOOK	120701	4.00										
		rmination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
		Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97		31.83						
4-W		KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS	SPORT														
İ	4-w	vire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
		vire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80		14.50						
		vire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
		eroffice Transport - Dedicated - 4-wire 56 kbps combination -															
		r Mile per month			UNCDX	1L5XX	0.008838										
		eroffice Transport - Dedicated - 4-wire 56 kbps combination -															
4 144		cility Termination per month	FIOE TO	ANIODO	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
4-W		KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF vire 64 kbps Lcoal Loop in Combination - Zone 1	FILE IK	ANSPO	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	-					
-		wire 64 kbps Lcoal Loop in Combination - Zone 1 wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80		14.50			 	-	 	
- 		vire 64 kbps Lcoal Loop in Combination - Zone 2		3	UNCDX	UDL64	37.88	126.27	88.80		14.50	 		 	 	 	
		eroffice Transport - Dedicated - 4-wire 64 kbps combination -		Ť		3320.	300	.20.27	55.00	55.14	00						
		r Mile per month			UNCDX	1L5XX	0.008838										
		eroffice Transport - Dedicated - 4-wire 64 kbps combination -												1		1	
	Fac	cility Termination per month		<u> </u>	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90				<u> </u>	<u> </u>	
4-W		KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	PORT													
		wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80		14.50						
		wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80		14.50						
		wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
		wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			LINCDY	41.577	0.000000										
		onth wire 56 kbps Interoffice Transport - Dedicated - Facility		 	UNCDX	1L5XX	0.008838			1		-		 	-	 	-
		wire 56 kbps interoffice Transport - Dedicated - Facility rmination per month		l	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
4-W		KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	PORT	OINODA	01100	10.12	40.54	21.41	10.74	0.90			 		 	
7-44		wire 64 kbps Local Loop in combination - Zone 1	- 111/110	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	 					†
		wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80		14.50						
		wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80		14.50			İ		İ	†
		wire 65 kbps Interoffice Transport - Dedicated - Per Mile per												1		1	
L	mo	nth		<u> </u>	UNCDX	1L5XX	0.008838								<u> </u>	<u> </u>	
		wire 64 kbps Interoffice Transport - Dedicated - Facility													I		
	Ter	rmination per month		l	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90				1	1	l

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attachmen	nt: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1			Rec	Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS1 [DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month		ļ	UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
500.5	Termination per month	ODT		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	ļ					
DS3 L	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	OKI	<u> </u>	LINIONY	41 END	0.007					1					-
	DS3 Local Loop in combination - per mile per month	 	 	UNC3X	1L5ND	9.637			 		 			 	-	+
	DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	355.327	519.248	303.531	137.4135	96.117				I		1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	 	 	UNC3X	1L5XX	4.09	313.248	303.331	137.4135	90.117	1			t	l	+
 	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	 	 	014007	ILUAA	4.09		 	 		1			t	l	+
	Termination per month	1	1	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46				I		1
STS-1	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT	1	CHOOK	01110	700.02	270.70	102.70	00.20	00.40	1					
0.0	STS-1 Local Lolp in combination - per mile per month	10. 0		UNCSX	1L5ND	9.637					İ					
	STS-1 Local Loop in combination - Facility Termination per		1		1						İ					1
	month			UNCSX	UDLS1	367.8045	519.248	303.531	137.4135	96.117						
	Interoffice Transport - Dedicated - STS-1 combination - per mile		i e													1
	per month .			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
ADDITIONAL	. NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recur															
	n used as ordinarily combined network elements in All States, t					s Is Charge does	s not.									↓
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge (One app		nation)						ļ					-
	Name of the Control o			UNCVX, UNCDX,												
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X, UNCSX	111000		5.50	5.50	0.00	0.00						
Ontio	Is Charge onal Features & Functions:		-	UNCSX	UNCCC		5.59	5.59	6.98	6.98	 					+
Optio	onal Features & Functions:		<u> </u>	U1TD1,	+				-		-			-		
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
+	Clear Charmer Capability Extended Frame Option - per Do i	<u> </u>		U1TD1,	CCCLI		0.00	0.00	0.00	0.00	<u> </u>					+
	Clear Channel Capability Super FrameOption - per DS1	1 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent	<u> </u>		ULDD1, U1TD1,			0.00	0.00	0.00	0.00	İ					
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
ĺ				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3	<u> </u>	219.13	7.67	0.7355	0.00						<u> </u>
MULT	TIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
ı l	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			l	1				1					1		
	month (2.4-64kbs) used for a Local Loop	<u> </u>	ļ	UDL	1D1DD	1.12	6.58	4.72	0.00	0.00				L		↓
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	1	1	1				I					I		1
	month (2.4-64kbs) used for connection to a channelized DS1	1	1	LIATUD	10100									I		1
	Local Channel in the same SWC as collocation	1	!	U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00	ļ	-		 		+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	1	1	UDN	UC1CA	2.41	6.58	4.72	0.00	0.00				I		1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	 	1	אוטט	JUC TUA	2.41	86.0	4.72	0.00	0.00	 	-			-	+
	month used for connection to a channelized DS1 Local Channel	1	1	1	1				I					I		1
	in the same SWC as collocation	1	1	U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00				I		1
l		1	t	0.100	30134	4.71	0.36	7.72	0.00	0.00	1	-		I		
	Voice Grade COCL - DS1 to DS0 Channel System - per month		1	L	1D1VG	0.53	6.58	4.72	0.00	0.00				I		1
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA					0.50	5.50	1					
	used for a Local Loop			UEA	IDIVG	0.00										
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	0.00										
	used for a Local Loop			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the						6.58 178.14	4.72 93.97	0.00 33.26	0.00 31.83						
	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.53			33.26 33.26							

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachmer	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
		1				Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72		0.00						
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
COM	MINGLING														,	
	Commingling Authorization			UE3, UDLSX, UNCDX, UNCSX, UNCVX, UNC1X, UNC3X, U1TD1, U1TD3, U1TDX, U1TS1, U1TUB, U1TVX	CMGAU	0.00	0.00	0.00	0.00	0.00						
Note:	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.												

Version TRRO:05/20/05

UNBU	INDLE	D NETWORK ELEMENTS - Florida												Attachmen	nt: 2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Na		I Name a committee	Disconnect			220	Rates (\$)		
	-						Rec	First	curring Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
								FIISL	Addi	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	nart of a	combin	ation refers to Geog	raphically De	averaged UNF	Zones. To vie	ew Geographic	ally Deaverage	d UNF Zone D	esignations	s by Central	Office, refer t	o internet We	hsite:	
		www.interconnection.bellsouth.com/become a clec/html/inter				. проп	aroragoa orr		o 000g.up	any Douronage	0.1.2 20.1.0 2	00.9	, co	000, 10.0.			
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	e "state s	pecific'	OSS charges as ord	lered by the S	State Commiss	sions. The OS	S charges curr	ently containe	d in this rate e	xhibit are th	ne BellSouth	"regional" s	ervice orderir	ng charges. C	LEC may
	elect e	ther the state specific Commission ordered rates for the servi	ce orderii	ng char	ges, or CLEC may ele	ect the region	nal service ord	lering charge,	however, CLE	C can not obtain	n a mixture of	the two reg	ardless if C	LEC has a int	terconnection	contract esta	blished in
	each o	f the 9 states.				ū		0 0 /									
	NOTE:	(2) Any element that can be ordered electronically will be billed	ed accord	ling to t	the SOMEC rate liste	d in this cate	gory. Please	refer to BellSo	uth's Local Or	dering Handbo	ok (LOH) to de	termine if a	product ca	n be ordered	electronically	. For those e	ements that
	cannot	be ordered electronically at present per the LOH, the listed So	OMEC rat	e in this	s category reflects th	e charge that	t would be bill	led to a CLEC	once electronic	c ordering cap	abilities come	on-line for t	that element	t. Otherwise,	the manual o	rdering charg	e, SOMAN,
	will be	applied to a CLECs bill when it submits an LSR to BellSouth.				_											
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S		DATE ADVANCEMENT CHARGE					_										
	NOTE:	The Expedite charge will be maintained commensurate with I	BellSouth	's FCC	No.1 Tariff, Section	as applicab	le.										
					UAL, UEANL, UCL, UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3.												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
İ					UNCVX, UNLD1.												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
1	1	Day			U1TUB, U1TUA	SDASP		200.00		I					I	I	
UNBUN	DLED F	EXCHANGE ACCESS LOOP						200.00	İ	i e				İ	1	1	
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
<u> </u>	ļ	Premise			UEANL	URETL		8.33	0.83	ļ				ļ	1	1	
	-	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65	-		-		ļ	-	-	
Щ		Loop Testing - Basic Additional Half Hour		L	UEANL	URETA		23.95	23.95	L		L	L	L	L	l	

UNRI	INDI F	D NETWORK ELEMENTS - Florida												Attachmen	t 2 Exh A		
3,450	J. 10 L L	- INC. INC. CELINER TO TROITE		1								Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonre		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch														l	
	<u> </u>	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
-	1	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00			-	-				-
	1	Order Coordination for Specified Conversion Time for UVL-SL1			UEAINL	UEAIVIC		9.00	9.00			1	1				-
		(per LSR)			UEANL	OCOSL		23.02								l	
-	2-WIRI	Unbundled COPPER LOOP	1		OLANE	OCCOL		23.02									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45	1	1				1
	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
L_		Premise		<u> </u>	UEQ	URETL		8.33	0.83							<u> </u>	<u> </u>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -														1	
		Non-Designed (per loop)			UEQ	USBMC		9.00									ļ
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for														l	
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	1	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								_
	<u> </u>	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43							l	
HINDH	NDI ED I	EXCHANGE ACCESS LOOP			UEQ	UKEWU		14.27	7.43	1		1	1				
ONBO		E ANALOG VOICE GRADE LOOP															+
-	2 *****	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										-	-				1
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57					l	
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-														l	
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57					l	
HINDH	NDI ED I	EXCHANGE ACCESS LOOP	1	3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57	-	-				
ONBO		ANALOG VOICE GRADE LOOP															+
	2 *****	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1	1				1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					l	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			-												
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01					l	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			1154	LIEADO	47.40	405.75	00.47	60.50	40.04					1	
<u> </u>	 	Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01					├	
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01					1	
-	+	Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	OCOSL	30.87	23.02	02.47	03.53	12.01						+
	1	CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO		87.71	36.35	+		-	-			 	†
	1	Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL		11.21	1.10			t	t			—	†
	4-WIRI	E ANALOG VOICE GRADE LOOP	1						0	1							†
	1	4-Wire Analog Voice Grade Loop - Zone 1	Ì	1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						Î .
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56				·		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
1		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35							1	

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
<u> </u>			1	Т Т		1						Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		= ===										per LSK	perLak	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDN	UREWO		91.61	44.15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	_OOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry			1141	1141.00	0.00	440.50	400.05	75.05	45.00						
		& facility reservation - Zone 1	ļ	1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry		2	1141	UAL2X	44.00	440.50	400.05	75.05	45.00						
-	-	& facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry	+		UAL	UAL2X	11.80	149.53	103.85	75.05	15.63	-	-		-	-	+
		& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
-	+	Order Coordination for Specified Conversion Time (per LSR)	ļ	3	UAL	OCOSL	20.94	23.02	103.03	75.05	15.65	-					+
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	OCOGL		23.02				1					+
		facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	<u> </u>	O/IL	ONLEVV	0.00	124.00	71.12	00.04	0.12	1					
		facility reservation - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	-	0712	O/ ILLI	11.00	12 1.00	72	00.01	0.12	1					
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	1	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02			****						1
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP													1
		2 Wire Unbundled HDSL Loop including manual service inquiry															1
		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	ļ	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry				1 11 11 0147	40.00	101.10	00.00	00.04	0.40						
		and facility reservation - Zone 2	ļ	2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						-
		2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	40.04	134.40	80.69	00.04	9.12						
	+	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	ļ	3	UHL	OCOSL	18.21	23.02	80.09	60.64	9.12	-					+
	+	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		86.12	40.39			1					+
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLETO	OP	OFIL	UKLWO		00.12	40.35			1					+
	7 77117.2	4 Wire Unbundled HDSL Loop including manual service inquiry	T T	1		+											+
		and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry		1	01.12	0112174	10.00	100.01	100.00		12.01						—
		and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	1	4-Wire Unbundled HDSL Loop including manual service inquiry															1
		and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
		Order Coordination for Specified Conversion Time (per LSR)		i i	UHL	OCOSL		23.02									1
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	ļ	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
1		4-Wire Unbundled HDSL Loop without manual service inquiry	1	T													1
		and facility reservation - Zone 3	ļ	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						↓
		Order Coordination for Specified Conversion Time (per LSR)	ļ	\sqcup	UHL	OCOSL		23.02									↓
		CLEC to CLEC Conversion Charge without outside dispatch	 	\vdash	UHL	UREWO		86.12	40.39								_
	4-WIRE	DS1 DIGITAL LOOP	 	1		110110	=0 -:	0.10	101 :-								_
<u> </u>	-	4-Wire DS1 Digital Loop - Zone 1	 	1	USL	USLXX	70.74	313.75	181.48	61.22	13.53		 	 			+
-	_	4-Wire DS1 Digital Loop - Zone 2	1	2	USL	USLXX	100.54	313.75	181.48	61.22	13.53	1		-			+
-	-	4-Wire DS1 Digital Loop - Zone 3	 	3	USL	USLXX	178.39	313.75	181.48	61.22	13.53		 	 			+
		Order Coordination for Specified Conversion Time (per LSR)	i .		USL	UCUSL		23.02				1					

IINBI	INDI F	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A	I	
ONDO	NULL	NETWORK ELLINENTS - Florida										Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Poo	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						ļ
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						_
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56	-			ļ	 	
<u> </u>	<u> </u>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56			 	 	 	
<u> </u>	-	Order Coordination for Specified Conversion Time (per LSR)	_	\vdash	UDL	OCOSL		23.02	40.74			-		.	.	 	├
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								ļ
-	2-WIRE	Unbundled COPPER LOOP		_													
		2-Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	8.30	148.50	102.82	75.05	45.00						
-	1	service inquiry & facility reservation - Zone 1			UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	-					+
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
_	1				UCL	UCLPB	11.00	140.30	102.02	75.05	15.03	-					
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	+	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	9.00	9.00	75.05	15.03	-	-				
	1	2-Wire Unbundled Copper Loop-Designed without manual			UCL	OCLIVIC		9.00	9.00			1					-
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual			COL	OOLI W	0.00	120.01	70.00	00.04	0.12						-
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	1	2-Wire Unbundled Copper Loop-Designed without manual		-	002	OOL! !!	11.00	120.01	70.00	00.04	0.12	1					<u> </u>
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	1	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	20.01	9.00	9.00	00.01	02	1					<u> </u>
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL -Des)			UCL	UREWO		97.21	42.47								
	4-WIRE	COPPER LOOP															
	1	4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		4-Wire Copper Loop-Designed without manual service inquiry															
	1	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22			ļ	ļ		ļ
		4-Wire Copper Loop-Designed without manual service inquiry															
	L	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22			ļ	ļ		ļ
		4-Wire Copper Loop-Designed without manual service inquiry	1	1 . !													
	ļ	and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								ļ
1 0 0 D	MODIFIC	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP	MODIFIC	CATION			1141 1111 1101												
					UAL, UHL, UCL,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEQ, ULS, UEA, UEANL. UEPSR.												
		pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSK, UEPSB	ULM2L]	0.00	0.00								
-	1	Unbundled Loop Modification Removal of Load Coils - 4 Wire			ULFOD	ULIVIZE		0.00	0.00					 	 		
		less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00				1				
—	t	need than or equal to forcit, per oribundied boop			UAL, UHL, UCL,	CLIVITE		0.00	0.00			H		 	 	 	
1			1		UEQ, ULS, UEA,	1							1				
1		Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,	1							1				
1		per unbundled loop	1		UEPSB	ULMBT		10.52	10.52				1				
SUB-L	OOPS	E			02. 02	0221											†
	•												L		1	L	

UNBU	INDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
												Svc Order	Svc Order		Incremental	Incremental	Incrementa
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add I
				i			Rec	Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
				i			Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	oop Distribution										ĺ				Î	
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										ĺ				Î	
		Up	- 1		UEANL	USBSA		487.23									
				i													
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															ĺ
		Facility Set-Up	- 1		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															ĺ
		Set-Up	- 1		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										ĺ				Î	
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
												ĺ				Î	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										ĺ				Î	
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										ĺ				Î	
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										ĺ				Î	
		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
				i													
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26	ĺ				Î	
		-										ĺ					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		i	UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
												ĺ				Î	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								ĺ
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								ĺ
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						ĺ
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						ĺ
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00	<u> </u>	<u></u>						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42		6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42		6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
			I	I										_			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
		dled Network Terminating Wire (UNTW)						·									
		Unbundled Network Terminating Wire (UNTW) per Pair		ļ	UENTW	UENPP	0.4572	18.02						ļ			ļ
		k Interface Device (NID)		ļ													<u> </u>
		Network Interface Device (NID) - 1-2 lines		ļ	UENTW	UND12		71.49	48.87								ļ
		Network Interface Device (NID) - 1-6 lines		ļ	UENTW	UND16		113.89	89.07					ļ			1
		Network Interface Device Cross Connect - 2 W		ļ	UENTW	UNDC2		7.63	7.63					ļ		ļ	ļ
		Network Interface Device Cross Connect - 4W		ļ	UENTW	UNDC4		7.63	7.63	ļ				ļ		ļ	ļ
UNE O		ROVISIONING ONLY - NO RATE		ļ						ļ		ļ					ļ
		NID - Dispatch and Service Order for NID installation		ļ	UENTW	UNDBX	0.00	0.00									ļ
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		ļ	UENTW	UENCE	0.00	0.00						ļ			
					UEANL,UEF,UEQ,U									1			
		Unbundled Contract Name, Provisioning Only - No Rate		ļ	ENTW	UNECN	0.00	0.00				ļ					
TUNE O	THER. P	ROVISIONING ONLY - NO RATE								<u> </u>	<u> </u>					1	

UNBI	NDLF	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
3.100	.,,,,,,,		1				I					Svc Order	Svc Order		Incremental	Incremental	Incremental
												I .	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			LIEA LIDALLIOL LIDO	LIODEO	0.00	0.00									
-		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		1		1					ļ
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA.USL.UCL.UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00		1		1					-
		Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00		 		<u> </u>					
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP			OOL	COOL	0.00	0.00				1					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per										İ					
		month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	10.92										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366						
LOOP	MAKE-L																
		Loop Makeup - Preordering Without Reservation, per working or															
-		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17			1					
		Loop Makeup - Preordering With Reservation, per spare facility			LIMIZ	LIMIZLD		55.07	55.07								
		queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		55.07	55.07	-		-					├──
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE S	I DI ITTIN				Olvir	UIVIRIVIQ		0.0704	0.0704	 		<u> </u>					+
LINE O		PLITTING										1					
		SER ORDERING-CENTRAL OFFICE BASED										1					
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					İ					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
MAINT	ENANC	E OF SERVICE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	licable.										
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	<u> </u>	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
UNBUN		DEDICATED TRANSPORT										ļ					<u> </u>
-	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT										1					
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
-		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	ILSAA	0.0091			-		1					
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	OTTVZ	25.52	47.55	31.70	10.51	7.03	<u> </u>					+
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			01117	120701	0.0001					İ					
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile	I							_							
		per month			U1TDX	1L5XX	0.0091										
	l	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1		l					I	_		1				
	!	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03	ļ					_
	l	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		LIATOV	41.EVV	0.000			I			1				
—	-	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		-	U1TDX	1L5XX	0.0091			-		-		-			
	l	Termination	1		U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		1			I	
L	l	Terrimanori	l	I	אטווטא	סווט	10.44	41.35	31./8	10.31	1.03	<u> </u>	l	1	l	l	

UNBL	INDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1						Rec	First	curring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	<u> </u>	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					1	FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
		month			U1TD1	1L5XX	0.1856										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATED	41.5007	0.07										
	!	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	-	U1TD3	1L5XX	3.87			-							
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
		month			U1TS1	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			114704		4 050 00	005 10	040.00	70.00	70						
DARK	FIREP	Termination	-	-	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DAIN	I	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															+
		Thereof per month - Local Channel			UDF, UDFCX	1L5DC	53.87			1							
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	ļ	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85										<u> </u>
	ļ	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	-	751.34	193.88	356.21	230.11						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	41 EDI	53.87										
VIRTII	AL COL	Thereof per month - Local Loop LOCATION			ODF, ODFCX	1L5DL	53.87			 							-
*****	I OOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line					1			1							
		Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSI	CAL CO	LLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOD	DEALO	0.0070	0.00	7.00		4.50						
ΕΝΗΔΙ	ICED E	Splitting XTENDED LINK (EELs)			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						1
LIVIDA		The monthly recurring and non-recurring charges below will	apply and	the Sv	ı vitch-As-Is Charge w	ill not apply	for UNE combi	nations provis	ioned as ' Ord	inarily Combin	ed' Network E	lements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not	he non-re	curring	charges below will	apply for UN	E combination	s provisioned	as ' Currently	Combined' Net	work Elements	s.					
	2-WIRI	VOICE GRADE LOOP FOR USE IN A COMBINATION															ļ
	ļ	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						4
-	!	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX UNCVX	UEAL2	17.40 30.87	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						1
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08	42.70	2.01						
	4-WIRI	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ļ
-	1	4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month		3	UNCVX	UEAL4 1D1VG	47.62 1.38	127.59 10.07	60.54 7.08	42.79	2.81						.
	4-WIRI	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	1		ONCVA	IDIVG	1.30	10.07	7.00								
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						ļ
	4 W/IDI	OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON			UNCDX	1D1DD	2.10	10.07	7.08	-				-			
-	4-4411/1	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						+
	i i	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						1
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08								<u> </u>
	2-WIRI	E ISDN LOOP FOR USE IN COMBINATION	-	4	LINICNIV	LIALOV	40.00	407.50	00.00	40.70	0.04			-			_
	-	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2	1	1 2	UNCNX UNCNX	U1L2X U1L2X	19.28 27.40	127.59 127.59	60.60 60.60	42.79 42.79	2.81 2.81			 			+
	t	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3	 	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	 		 			+
		2-wire ISDN COCI (BRITE) - in combination - per month	1	Ť	UNCNX	UC1CA	3.66	10.07	7.08								†
	4-WIRI	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
<u> </u>	-	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3	-	2	UNC1X UNC1X	USLXX	100.54 178.39	217.75 217.75	121.62 121.62	51.44 51.44	14.45 14.45			—			
-	1	DS1 COCI in combination per month	1	3	UNC1X UNC1X	UC1D1	178.39	10.07	7.08		14.45	-		 			+
	1	155. 555rm combination per month	L		0.1017	100101	10.70	10.07	7.00		L	l .	L	1			

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
		1	1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			1								Submitted			Charge -	Charge -	Charge -
											Elec	Manually		•	•	_
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)					Manual Svc	Manual Svc	Manual Svc	l .
OATEGORT	NATE ELEMENTO		20110	500	0000			πATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	rurring	Nonrecurring	n Disconnect			OSS	Rates (\$)		<u> </u>
-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMRINAT	ION		+		11130	Auu	11130	Addi	CONIEC	COMPAR	COMPAR	OOMAN	OOMPAR	COMPAR
2 WIII	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	I	I													+
	Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility			ONOVA	TESKK	0.0031										
	Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
4 WID	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMPINAT	ION	UNCVA	01172	25.52	34.70	32.35	30.49	21.55						
4 WIIN	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	DIVIDINAT	ION													
	Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 4-wire VG - Dedicated - Facility		-	UNCVA	ILJAA	0.0091			-		-					
	Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
DC4 II	NTEROFFICE TRANSPORT FOR COMBINATION		-	UNCVA	01174	22.30	94.70	52.59	50.49	21.55	-					
וו ויפע	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	 		+				+	-	 					
				UNC1X	1L5XX	0.1856										
 	per month Interoffice Transport - Dedicated - DS1 combination - Facility	1	 	UNC IA	ILOAA	U. 1836			-		-					
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
DC2			1	UNC1X	UTIFT	88.44	174.46	122.46	45.61	17.95						
D53 II	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION	ļ														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIONY	41.500/	0.07										
\vdash	Per Month			UNC3X	1L5XX	3.87										ļ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINIONY	114750	4 074 00	005.40	040.00	70.00	70.50						
	month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						ļ
\$18-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION															.
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				41 =>07											
	Per Month			UNCSX	1L5XX	3.87										.
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
<u> </u>	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						.
4-WIR	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														.
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54		2.81						.
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54		2.81						ļ
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54		2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54		2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		I							<u> </u>						
	Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1													
	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						<u> </u>
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54		2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54		2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month	<u></u>	<u> </u>	UNCDX	1L5XX	0.0091						<u></u>				<u> </u>
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		1	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
l i	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
I I	month		1	UNCDX	1L5XX	0.0091										
l I		1	1													
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
DS1 D				UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						

UNR	UNDI F	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
CIAD	CHDLE		1	1	1	1						Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			I	-				
CAIL	OOKI	KATE ELEMENTO	interim	20116	500	0000			ICATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				† 		1		Nonred	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		1
	<u> </u>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	1	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	0020	00		00		00
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	DS3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.558										
		DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5XX	3.87			1							1
		Interoffice Transport - Dedicated - DS3 combination - Facility		1									1	[]			I
		Termination per month		ļ	UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						1
	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT	ļ													
		STS-1 Local Lolp in combination - per mile per month		-	UNCSX	1L5ND	12.558										
		STS-1 Local Loop in combination - Facility Termination per			LINGOV	LIDL 04	400.50	000 0055	004 4045	450 0005	444.000						
-	-	month		 	UNCSX	UDLS1	490.59	639.8255	394.4615	159.9995	111.366						
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.87										
	+			1	UNCSX	ILSAA	3.87			-		-					
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
A DDI3	TIONAL A	NETWORK ELEMENTS		+	UNCOX	UTIFS	1,056.00	314.43	130.00	36.00	10.23	ł	-				-
ADDI		used as a part of a currently combined facility, the non-recurr	rna chara	os do n	ot apply but a Swit	ch As Is cha	rae dees apply										
-		used as ordinarily combined network elements in All States, t								 		<u> </u>					
		curring Currently Combined Network Elements "Switch As Is"					1					1					1
				1	UNCVX, UNCDX,	1						İ					
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
		Is Charge - 2 wire/4-Wire VG			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	I		UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i	ļ	UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
	MULII	PLEXERS		-	LINIOAY	1404	440.77	101.10	74.00								
-	-	DS1 to DS0 Channel System per month		-	UNC1X	MQ1	146.77	101.42	71.62			1					
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	0.40	10.07	7.08								
	+	month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UDL	טטוטו	2.10	10.07	7.08	-		-					
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	+	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1	OTTOD	10100	2.10	10.07	7.00	0.00	0.00	<u> </u>					1
		month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
ĺ					ODIT	0010/1	0.00	10.07	7.00			1					1
	+																
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															i
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB UEA	UC1CA 1D1VG	3.66 1.38	10.07	7.08 7.08	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month								0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop								0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UEA U1TUC	1D1VG 1D1VG	1.38	10.07	7.08	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month			UEA	1D1VG 1D1VG MQ3	1.38 1.38 211.19	10.07 10.07 199.28	7.08 7.08 118.64	0.00 40.34	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UEA U1TUC UNC3X UNCSX	1D1VG 1D1VG MQ3 MQ3	1.38 1.38 211.19 211.19	10.07 10.07 199.28 199.28	7.08 7.08 118.64 118.64	0.00 40.34 40.34	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UEA U1TUC UNC3X	1D1VG 1D1VG MQ3	1.38 1.38 211.19	10.07 10.07 199.28	7.08 7.08 118.64	0.00 40.34 40.34	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UEA U1TUC UNC3X UNCSX	1D1VG 1D1VG MQ3 MQ3	1.38 1.38 211.19 211.19	10.07 10.07 199.28 199.28	7.08 7.08 118.64 118.64	0.00 40.34 40.34	0.00						

UNBUN	NDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		l.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	COMM	INGLING															
					UE3, UDLSX, UNCDX, UNCSX, UNCVX, UNC1X, UNC3X, U1TD1, U1TD3, U1TDX,												
		Commingling Authorization			U1TS1, U1TUB, U1TVX	CMGAU	0.00	0.00	0.00	0.00	0.00						
1		Rates displaying an "I" in Interim column are interim as a resi	ult of a Co			55.10	0.00	0.00	0.00	0.00	0.00						

UNBUND	DLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		
													Svc Order	Incremental	Incremental	Incremental	
l												Submitted		Charge -	Charge -	Charge -	Charge -
CATEGOR	RΥ	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
	• •					0000			(4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
l														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.00.
\vdash							Rec	First	curring Add'l	Nonrecurring	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
\vdash				<u> </u>				FIISL	Addi	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
Th	ne "Z	one" shown in the sections for stand-alone loops or loops as	part of a	combir	ation refers to Geog	raphically De	eaveraged UNE	Zones. To vie	ew Geographic	cally Deaverage	ed UNE Zone D	esignations	by Central	Office, refer t	o internet We	bsite:	L
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	connecti	on.htm			_										
		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	. "			Lana I haa dhaa	0	The 00	0 -1		1 11						1
		(1) CLEC should contact its contract negotiator if it prefers the ither the state specific Commission ordered rates for the servi-															
l I		f the 9 states.	ce ordern	ing cinai	ges, or occomay er	ect the regio	nai service ord	iering charge,	nowever, occ	o can not obta	iii a iiiixtale oi	tile two reg	araiess ii c	LLO Has a Hit	erconnection	contract esta	abilished iii
NC	OTE:	(2) Any element that can be ordered electronically will be billed	ed accord	ling to	the SOMEC rate liste	d in this cate	egory. Please	refer to BellSo	uth's Local Or	dering Handbo	ok (LOH) to de	termine if a	product ca	n be ordered	electronically	. For those e	lements that
ca	nnot	be ordered electronically at present per the LOH, the listed So	OMEC rat	e in thi	s category reflects th	e charge tha	t would be bill	led to a CLEC	once electroni	c ordering cap	abilities come	on-line for t	hat element	. Otherwise,	the manual or	rdering charg	je, SOMAN,
wi	II be	applied to a CLECs bill when it submits an LSR to BellSouth.															
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
\vdash		OSS - Manual Service Order Charge, Per Local Service Request		 		SOIVIEC		3.50	0.00	3.50	0.00						
ł l		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
		DATE ADVANCEMENT CHARGE															
NC	OTE:	The Expedite charge will be maintained commensurate with I	BellSouth	's FCC	No.1 Tariff, Section	5 as applicat	ole.										
ł l					UAL. UEANL. UCL.												
ł l					UEF, UDC, UDF,												
ł l					UEQ, UDL, UENTW,												
1					UDN, UEA, UHL,												
1					ULC, USL, U1T12,												
1					U1T48, U1TD1,												
1					U1TD3, U1TDX,												
1					U1TO3, U1TS1, U1TVX, UC1BC,												
1					UC1BL, UC1CC,												
1					UC1CL, UC1DC,												
1					UC1DL, UC1EC,												
1					UC1EL, UC1FC,												
1					UC1FL, UC1GC,												
1					UC1GL, UC1HC,												
i l					UC1HL, UDL12, UDL48, UDLO3,												
1					UDLSX, UE3,												
1					ULD12, ULD48,												
1					ULDD1, ULDD3,												
1					ULDDX, ULDO3,												
ł l					ULDS1, ULDVX,												
1					UNC1X, UNC3X,												
ł l					UNCDX, UNCNX, UNCSX, UNCVX,												
1					UNLD1, UNLD3.												
ł l					UXTD1, UXTD3,												
1					UXTS1, U1TUC,												
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,												
LINDING	FF -	Day		ļ	U1TUA	SDASP		200.00			<u> </u>						<u> </u>
		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		-						+	 						
	**!!	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						+
-+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
$\vdash \vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
$\vdash \vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						-
		Premise			UEANL	URETL		8.33	0.83								
				+													+
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								

IINRI	INDI F	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A	I	
OND	JINDEL			1	ı		1					Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			I					
CAIL	JOINT	KATE ELEMENTO	IIIteriiii	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					1		Nonred	curring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															1
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	1	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								1
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		57.79									
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					ı 7										
	1	Premise			UEQ	URETL		8.33	0.83							ļ	↓
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			l												1
		Non-Designed (per loop)			UEQ	USBMC		18.92	18.92								<u> </u>
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	1	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	1	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	1	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.25	7.40								
LIMBII	UDI ED E	(UCL-ND)			UEQ	UREWO	-	14.25	7.42			-					
UNBU		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP										 	-				+
		pop Rates for Line Splitting (In Ga. PSC ordered the line spli	itting loor	LISOC	s match the lower n	ort-loon com	ho ratos HEDI	٧١				 	-				+
	OIVE E	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	itting loop	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28	ł	-				+
	+	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	 	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						+
	1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i i	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28		-				+
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i i	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28		1				+
	1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	ti	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28	†	-				+
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i i	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28	1	1				+
UNBU	NDLED E	EXCHANGE ACCESS LOOP	<u> </u>	Ŭ	02. 0. 02. 02	02/120	01.00	10.00	7.00	1.01	1.20	İ					†
		ANALOG VOICE GRADE LOOP											İ				1
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3	ļ	3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	1	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	1	CLEC to CLEC Conversion Charge without outside dispatch	ļ	-	UEA	UREWO		87.72	36.36			1					+
	4 MUDE	Loop Tagging - Service Level 2 (SL2)	ļ	-	UEA	URETL	 	11.19	1.10	1	-	ļ				 	+
	4-WIRE	ANALOG VOICE GRADE LOOP		1	UEA	UEAL4	17.80	93.01	28.17	40.50	8.12	-					+
	1	4-Wire Analog Voice Grade Loop - Zone 1	-	2	UEA	UEAL4	21.68	93.01	28.17	19.52 19.52	8.12 8.12		-			-	+
	1	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12 8.12	}	 			 	+
	+	Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	OCOSL	3∪.∠5	57.79	20.17	19.52	0.12	1	H			 	+
	+	CLEC to CLEC Conversion Charge without outside dispatch	1	 	UEA	UREWO	 	87.72	36.36	1	 	1	H			 	+
	2-WIRE	EISDN DIGITAL GRADE LOOP	 	-	02/1	O.K.EVVO	 	01.12	50.50			 	-				+
	- *****	2-Wire ISDN Digital Grade Loop - Zone 1	t	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97	1	 			1	+
	1		 	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97		t	1		 	
		2-Wire ISDN Digital Grade Loop - Zone Z															
		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						

UNBL	NDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		
						T						Svc Order	Svc Order		Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								
OA!L		NATE ELEMENTO		20110	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04		71441	0020					
	2-WIRI	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP													†
		2 Wire Unbundled ADSL Loop including manual service inquiry															1
		& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop including manual service inquiry															†
		& facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop including manual service inquiry															1
		& facility reservation - Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									1
		2 Wire Unbundled ADSL Loop without manual service inquiry &															1
		facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															1
1		facility reservaton - Zone 2	I	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	1					1
		2 Wire Unbundled ADSL Loop without manual service inquiry &															1
		facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									1
		CLEC to CLEC Conversion Charge without outside dispatch	ı		UAL	UREWO		44.69	29.29								1
	2-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															1
		& facility reservation - Zone 1	- 1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop including manual service inquiry															1
		& facility reservation - Zone 2	- 1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3	- 1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		44.69	31.55								
	4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1	ı	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
		4-Wire Unbundled HDSL Loop including manual service inquiry		_	l												
		and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									+
		4-Wire Unbundled HDSL Loop without manual service inquiry		_	l		10.00	44.00	04.55		0.00						1
<u> </u>	—	and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00			-	.		+
1		4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.				40.00	44.00	04		0.00	1					1
	-	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00	-		 	 		+
		4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	LILL AVA	19.07	44.69	31.55	0.00	0.00						1
	-	and facility reservation - Zone 3		3	UHL	UHL4W OCOSL	19.07	57.79	31.55	0.00	0.00						+
	-	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		-	UHL	UREWO		44.69	31.55	 							+
	4-14/15	E DS1 DIGITAL LOOP	-	-	OI IL	OKLANO		44.09	31.35					-	-		+
	vV IT(1	4-Wire DS1 Digital Loop - Zone 1	 	-1	USL	USLXX	41.02	211.93	72.49	38.24	7.20	1		1	1		+
	 	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	41.02	211.93	72.49	38.24	7.20			 	 		+
	 	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	 	3	USL	USLXX	62.03	211.93	72.49	38.24	7.20	1		1	1		+
	 	Order Coordination for Specified Conversion Time (per LSR)	 		USL	OCOSL	02.03	57.79	12.49	30.24	1.20	1		1	1		+
	 	CLEC to CLEC Conversion Charge without outside dispatch		 	USL	UREWO		100.91	42.97					 	 		+
	4-WIP	E 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP			UUL	ONLWO		100.91	42.97	 				 	 		+
-	-T-VVII(1	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20			 	 		+
	—	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20						
-		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00		7.20	+		 	 		+
		1	1			SPEIS	50.22	130.00	51.00	10.02	1.20	1		L	L		

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		
												1	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
0.475	2001	DATE EL EMENTO		-	200				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	JURY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					<u> </u>	t i	Nonred	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		<u> </u>
	1					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20	0020	00			00	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	1	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	1	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
<u> </u>	2-WIRE	Unbundled COPPER LOOP	 	 		+	 			-			ļ		 		
		2-Wire Unbundled Copper Loop-Designed including manual	l ,	4	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
-	 	service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual	- '-	-	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00		 				
		service inquiry & facility reservation - Zone 2	l ,	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00		1				
-	 	2 Wire Unbundled Copper Loop-Designed including manual	-		001	COLID	13.00	44.05	31.33	0.00	0.00		 				
		service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	1	2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without outside dispatch	l .														
	4 14/100	(UCL-Des)		-	UCL	UREWO	-	44.69	31.55								
-	4-WIRE	4-Wire Copper Loop-Designed including manual service inquiry		-		+	-					-					
		and facility reservation - Zone 1	l ,	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry	'	<u> </u>	UCL	UCL43	10.05	44.03	31.33	0.00	0.00						
		and facility reservation - Zone 2	l 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry		<u> </u>	002	002.0	10.22	11.00	01.00	0.00	0.00						
		and facility reservation - Zone 3	1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		4-Wire Copper Loop-Designed without manual service inquiry	ĺ														
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	ı	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry	l .														
	1	and facility reservation - Zone 3	l	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
-	1	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch		-	UCL UCL	UCLMC UREWO	-	18.92 44.69	18.92 31.55								<u> </u>
LOOP	MODIFIC			-	UCL	UREWU	-	44.09	31.55			-					
LOOF	IVIODIFI	CATION		1	UAL, UHL, UCL,	1						1					-
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop	l i		UEPSB	ULM2L		0.00	0.00								
	1	Unbundled Loop Modification Removal of Load Coils - 4 Wire			ĺ	1									l		
L		less than or equal to 18K ft, per Unbundled Loop	I	Ш.	UHL, UCL, UEA	ULM4L	<u> </u>	0.00	0.00	<u> </u>			<u> </u>				
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
1		Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,								1				
L		per Unbundled Loop	ļ	ļ	UEPSB	ULMBT	ļ	17.91									1
SUB-L		en Bietributien	 	-		1	 			<u> </u>			 		 		├
<u> </u>	Sub-Lo	pop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	-			1	 			 		1			-		
		Up			UEANL	USBSA		255.76									
ш	1	loh	L	Ь	OLAN	JODON		200.10		1	l	1	L		L		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		-
CITECITE	Coordinate		I	I		I					Svc Order	Svc Order		Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	1	1_ '	500	11000			D 4 T F O (A)			Elec per LSR	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Dan	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															†
	Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		t	0271112	00000		170.00									+
	Set-Up			UEANL	USBSD		51.61									
—	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		1	ULANL	USBSD		31.01		-							-
				LIFANII	USBRC	2.04	20.40	2.05	2.00	0.04						
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			_												1
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		i i	0271112	005.11	0.00	01.01	0		0.01						+
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
—				ULANL	USBIN4	9.71	31.07	4.75	2.21	0.01						-
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	LIFANI	USBN4	18.85	31.07	4.79	2.27	0.01						
	Zone 3		3	UEANL	USBIN4	18.85	31.07	4.79	2.21	0.01						+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.22	28,46	3.85	2.20	0.01						1
																†
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	1	UEF	USBMC		18.92	18.92	I		1	1			1	I
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						1
 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01	 	 				+
 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01					 	+
-	T WITE COPPET ORBUTUIED SUB-LOOP DISTRIBUTION - ZOTTE 3		3	UL1	00047	5.10	31.07	4.79	2.21	0.01						+
	Order Coordination for Unbundled Sub Leans, per sub-least acid	l	1	UEF	USBMC		18.92	18.92	I		1	1			1	I
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-						 		-	-				+
\vdash	Loop Testing - Basic 1st Half Hour		-	UEF	URET1		25.12	25.12	.	-					 	+
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62							ļ	↓
Unbu	ndled Network Terminating Wire (UNTW)		L						L							↓
\vdash	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								↓
Netw	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		32.86	20.69								
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		56.03	43.86								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OTHER.	PROVISIONING ONLY - NO RATE															
T '	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									1
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		1							1
	The state of the s			UEANL,UEF,UEQ,U		2.00	2.00		<u> </u>							
l	Unbundled Contract Name, Provisioning Only - No Rate		1	ENTW	UNECN	0.00	0.00		I		1	1			1	I

UNBUNI	DLE	D NETWORK ELEMENTS - Georgia												Attachmen			
													Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
CATEGORY		DATE EL EMENTO	Interim	Zone	B00	usoc			DATEO (6)			Elec	Manually		Manual Svc	Manual Svc	
		RATE ELEMENTS			BCS				RATES (\$)			per LSR per	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
				1		l '						1		1st	Add'l	Disc 1st	Disc Add'l
				1				Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
				1													
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									_
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				LIODED	0.00	0.00									
-		rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		1	USL	CCOSF	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH CAP	ACIT	Y UNBUNDLED LOCAL LOOP			002	COOL	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per		1								İ					1
		month		<u> </u>	UE3	1L5ND	10.97						<u> </u>				
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month		<u> </u>	UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month		ļ	UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262						
LOOP MA	VE II				UDLSX	UDLST	305.42	2,016.2145	151.085	129.8465	87.202						
LOOP WA		Loop Makeup - Preordering Without Reservation, per working or		1													
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility		<u> </u>	O.V.II.C	0		10.10	10.10								
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE SPL																	
		PLITTING		ļ													
EN		SER ORDERING-CENTRAL OFFICE BASED		ļ	LIEDOD LIEDOD	LIDEOO	0.04										
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.6297	20.10	12.40	7.68	4.30						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
MAINTEN		E OF SERVICE			OLI OK OLI OB	OKEDV	0.0200	20.10	12.40	7.00	4.00						
		The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	plicable.										
		No Trouble Found - per 1/2 hour increments - Basic			,			80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
		No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
		DEDICATED TRANSPORT															
IN	IER(OFFICE CHANNEL - DEDICATED TRANSPORT	 	.									 				
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
\vdash		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 	 	UIIVA	ILOAA	0.0057										
		Facility Termination	1	1	U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00		1				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		<u> </u>			.2.07	10.40	.0.40	. 5.00	0.00						
		Rev Bat Per Mile per month	1	1	U1TVX	1L5XX	0.0057						1				
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination		<u> </u>	U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						Ļ
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1	1			0.00						1				
\vdash		Per Mile per month	 	.	U1TVX	1L5XX	0.0057						 				
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination	1	1	U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00		1				
 		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	UIIVA	01174	10.78	40.40	19.48	10.58	5.00						+
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		1		. 20,01	0.0007					†					t
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0057										<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination	l	I	U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00	L	l				<u> </u>

CIADO	NDI F	D NETWORK ELEMENTS - Georgia												Attachmen	t· 2 Evh A		
	HULL						1					Svc Order	Svc Order		Incremental	Incremental	Increments
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				,				
071120						0000			(4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonre	urring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
'		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.1154										
'		Interoffice Channel - Dedicated Tranport - DS1 - Facility			l												
		Termination Policy III	ļ		U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			LIATES	41.577	0.50										
			-	-	U1TD3	1L5XX	2.53										-
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	<u> </u>		01103	01113	342.02	320.47	00.32	00.77	32.01						
		month			U1TS1	1L5XX	2.53										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			01101	120701	2.00										
		Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK F	FIBER		1	1	-	T -	1 1		55.52							l	
_		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
L'	<u> </u>	Thereof per month - Local Channel	Ш	<u> </u>	UDF, UDFCX	1L5DC	46.84					<u></u>				<u> </u>	<u></u>
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										
VIRTU/	AL COL	LOCATION															
'		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
DUVCI	AL 60	Splitting LLOCATION	ļ		UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHISIC	AL CO		<u> </u>			+	 										
'		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
ENHAN	ICED EX	(TENDED LINK (EELs)			OLFSK OLFSB	FLILS	0.0197	0.00	0.00								
		The monthly recurring and non-recurring charges below will	apply and	the Sv	ritch-As-Is Charge v	ill not apply	for UNE combin	nations provis	ioned as ' Ord	inarily Combin	ed' Network E	ements.					
		The monthly recurring and the Switch-As-Is Charge and not															
		VOICE GRADE LOOP FOR USE IN A COMBINATION		Ī		T		•									
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX												
		Voice Grade COCI - Per Month	1	J		UEAL2	33.08	195.94	36.38	18.42	6.86						
				J	UNCVX	1D1VG	33.08 0.4689	195.94 27.33	36.38 2.90	18.42 16.86	1.04						
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION		j	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	1D1VG UEAL4	0.4689	27.33 195.94	2.90 36.38	16.86 18.42	1.04						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2		1 2	UNCVX UNCVX UNCVX	1D1VG UEAL4 UEAL4	0.4689 17.80 21.68	27.33 195.94 195.94	2.90 36.38 36.38	16.86 18.42 18.42	1.04 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3		1	UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 UEAL4	0.4689 17.80 21.68 30.25	27.33 195.94 195.94 195.94	2.90 36.38 36.38 36.38	16.86 18.42 18.42 18.42	1.04 6.86 6.86 6.86						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month		1 2	UNCVX UNCVX UNCVX	1D1VG UEAL4 UEAL4	0.4689 17.80 21.68	27.33 195.94 195.94	2.90 36.38 36.38	16.86 18.42 18.42	1.04 6.86 6.86						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3	UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG	0.4689 17.80 21.68 30.25 0.4689	27.33 195.94 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90	16.86 18.42 18.42 18.42 16.86	1.04 6.86 6.86 6.86 1.04						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG	0.4689 17.80 21.68 30.25 0.4689 21.86	27.33 195.94 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90	16.86 18.42 18.42 18.42 16.86	6.86 6.86 6.86 1.04						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36	27.33 195.94 195.94 195.94 27.33 195.94 195.94	2.90 36.38 36.38 36.38 2.90 36.38	16.86 18.42 18.42 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86						
		4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22	27.33 195.94 195.94 195.94 27.33 195.94 195.94 195.94	2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38	16.86 18.42 18.42 18.42 16.86 18.42 18.42 18.42	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36	27.33 195.94 195.94 195.94 27.33 195.94 195.94	2.90 36.38 36.38 36.38 2.90 36.38	16.86 18.42 18.42 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 UDL56	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963	27.33 195.94 195.94 195.94 27.33 195.94 195.94 195.94	2.90 36.38 36.38 2.90 36.38 36.38 36.38 2.90	16.86 18.42 18.42 18.42 16.86 18.42 18.42 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22	27.33 195.94 195.94 195.94 27.33 195.94 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38	16.86 18.42 18.42 18.42 16.86 18.42 18.42 18.42	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963	27.33 195.94 195.94 195.94 27.33 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 2.90	16.86 18.42 18.42 16.86 18.42 18.42 16.86 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 29.9963	27.33 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 2.90	16.86 18.42 18.42 16.86 18.42 18.42 18.42 16.86 18.42 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 1.04						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 COU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION		1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963	27.33 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 2.90	16.86 18.42 18.42 16.86 18.42 18.42 16.86 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 OCU-DP COCI (data) - in combination - Zone 3 SOU-DP COCI (data) - in combination - Zone 3 CU-DP COCI (data) - in combination - Zone 3 CU-DP COCI (data) - in combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963	27.33 195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 27.33 195.94 195.94 195.94	2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38	16.86 18.42 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86 18.42 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 1.04 6.86 6.86 1.04 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 6-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL64	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963	27.33 195.94 195.94 27.33 195.94 195.94 195.94 27.33 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38	16.86 18.42 18.42 16.86 18.42 18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 CU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 1 2 1 1 1 1	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL2X U1L2X U1L2X	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.82 26.26 42.17	27.33 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	16.86 18.42 18.42 16.86 18.42 16.86 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42	1.04 6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN Loop FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL64	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963	27.33 195.94 195.94 27.33 195.94 195.94 195.94 27.33 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38	16.86 18.42 18.42 16.86 18.42 18.42 18.42 18.42 16.86 18.42 18.42 18.42 18.42 18.42 18.42 18.42	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN COCI (BRITE) - in combination - per month EST DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL64 UD	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.82 26.26 42.17 1.66	27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	16.86 18.42 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 1.04						
	4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3		1 2 3 3 1 2 3 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX UNCNX UNCNX UNCNX	1D1VG UEAL4 UEAL4 UEAL4 UEAL4 UDL56 UDL56 UDL56 1D1DD UDL64 UD	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.82 26.26 42.17 1.66	27.33 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 195.94 195.94 195.94 195.94 27.33 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 2.90 70.44	16.86 18.42 18.42 16.86 18.42 16.86 18.42 18.42 16.86 18.42 18.42 18.42 16.86 18.42 18.42 16.86 37.91	1.04 6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86 6.8						
	4-WIRE 2-WIRE 4-WIRE	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN COCI (BRITE) - in combination - per month EST DIGITAL LOOP FOR USE IN A COMBINATION		1 2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX	1D1VG UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL64 UD	0.4689 17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.82 26.26 42.17 1.66	27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 195.94 27.33	2.90 36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38 36.38	16.86 18.42 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86	1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 1.04						

CHDONDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
1												Submitted		Charge -	Charge -	Charge -
İ											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								== (+)			per LSK	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
İ																
1													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
4 WIRI	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
D04 II	Termination per month		-	UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						-
DS1 IN	ITEROFFICE TRANSPORT FOR COMBINATION	-	+		+				 	-	1		 		-	+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		1	UNC1X	1L5XX	0.1154										1
-+-	Interoffice Transport - Dedicated - DS1 combination - Facility	-	 	OINO IA	ILUAA	0.1154			1	1			 		 	+
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
DS3 IN	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION	 	t	5.101/	01111	34.13	07.70	40.73	45.50	21.31	 		 		1	†
200	Interoffice Transport - Dedicated - DS3 combination - Per Mile															—
	Per Month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															1
	month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						↓
4-WIRI	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT	1	LINIORY/	1101.50	24.22	105.01		10.10							
	4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	21.86	195.94 195.94	36.38 36.38		6.86						+
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56 UDL56	28.36 38.22	195.94	36.38		6.86 6.86						+
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDA	UDLS6	30.22	195.94	30.30	10.42	0.00	-					+
	Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	120/01	0.0001			1		1					
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO													†
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -														l	
	Per Mile per month			UNCDX	1L5XX	0.0057										
. [Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1	l	1	_			l							
4 1477	Facility Termination per month	E EDANO	DODT	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60			-			₩
4-WIRI	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC 4-wire 56 kbps Local Loop in combination - Zone 1	⊑ IKANS	PUK I	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86	1					
	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	21.86	195.94	36.38		6.86						+
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	38.22	195.94	36.38		6.86			 		 	+
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		-	UNODA	JDLJU	30.22	133.34	30.30	10.42	0.00			 			+
. [month		1	UNCDX	1L5XX	0.0057										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility					2.2207			İ						İ	†
. [Termination per month		1	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38		6.86						
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38		6.86						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						<u> </u>
. [I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		1	LINODY	41.5007											
	month		!	UNCDX	1L5XX	0.0057			 	 			 		 	
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		1	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
· I			1	ONODA	01100	1.03	00.33	33.01	43.42	27.00	1	1	1	1	1	
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															

JURUNULE	ED NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Fxh. A		
NONDEL	Congression		1	1	1	1					Svc Order	Svc Order		Incremental	Incremental	Increments
											Submitted			Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Manually				
AILGORI	KATE EEEMENTO	IIIteriiii	20116	500	0000			KATES (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month	<u> </u>	ļ	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
DS3 D	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT	ļ													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.6155										
					LIEODY.											
	DS3 Local Loop in combination - Facility Termination per month	ļ	<u> </u>	UNC3X	UE3PX	291.387	2,016.2145	151.685	129.8465	87.262						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		<u> </u>	UNC3X	1L5XX	2.53										
	Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT	!	UNCOX	01113	342.02	323.91	77.07	49.30	32.00						
010-1	STS-1 Local Lolp in combination - per mile per month	IOI OIKI		UNCSX	1L5ND	12.6155										
	STS-1 Local Loop in combination - Facility Termination per		1	CHOOK	TEGINE	12.0100										
	month			UNCSX	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262						
	Interoffice Transport - Dedicated - STS-1 combination - per mile		1				_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recur															
	used as ordinarily combined network elements in All States, t					s Is Charge do	es not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge (One app	lies to each combin	ation)											
				UNCVX, UNCDX.												
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
	Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
Option	nal Features & Functions:			011007	011000		0.70	0.70	0.01	0.01						
- Japanes																
	Clear Channel Capability Extended Frame Option - per DS1	l .	1	U1TD1.												
					CCOEF		0.00	0.00	0.00	0.00						
		-		U1TD1, ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	1		ULDD1,UNC1X U1TD1,												
		1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X												
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOSF		0.00 184.62	0.00 23.78	0.00 2.03	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOSF		0.00	0.00	0.00	0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOSF NRCCC NRCC3		0.00 184.62 218.74	0.00 23.78	0.00 2.03	0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOSF	69.75	0.00 184.62	0.00 23.78	0.00 2.03	0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3		0.00 184.62 218.74 86.10	0.00 23.78 7.66	0.00 2.03 0.7591	0.00 0.79 0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	l l		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOSF NRCCC NRCC3	69.75 0.9963	0.00 184.62 218.74	0.00 23.78	0.00 2.03	0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l l		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3		0.00 184.62 218.74 86.10	0.00 23.78 7.66	0.00 2.03 0.7591	0.00 0.79 0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0.00 184.62 218.74 86.10 11.98	0.00 23.78 7.66	0.00 2.03 0.7591 6.61	0.00 0.79 0.00 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3		0.00 184.62 218.74 86.10	0.00 23.78 7.66	0.00 2.03 0.7591	0.00 0.79 0.00						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0.00 184.62 218.74 86.10 11.98	0.00 23.78 7.66 11.39	0.00 2.03 0.7591 6.61	0.00 0.79 0.00 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0.00 184.62 218.74 86.10 11.98	0.00 23.78 7.66	0.00 2.03 0.7591 6.61	0.00 0.79 0.00 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0.00 184.62 218.74 86.10 11.98	0.00 23.78 7.66 11.39	0.00 2.03 0.7591 6.61	0.00 0.79 0.00 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD	0.9963	0.00 184.62 218.74 86.10 11.98	0.00 23.78 7.66 11.39	0.00 2.03 0.7591 6.61	0.00 0.79 0.00 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0.00 184.62 218.74 86.10 11.98 15.81	0.00 23.78 7.66 11.39 11.39	0.00 2.03 0.7591 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0.00 184.62 218.74 86.10 11.98 11.98	0.00 23.78 7.66 11.39 11.39	0.00 2.03 0.7591 6.61 6.61	0.00 0.79 0.00 6.61 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	0.9963 0.9963 1.66	0.00 184.62 218.74 86.10 11.98 15.81	0.00 23.78 7.66 11.39 11.39	0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66 1.66 0.4689	0.00 184.62 218.74 86.10 11.98 11.98 15.81 15.81	0.00 23.78 7.66 11.39 11.39 11.39	0.00 2.03 0.7591 6.61 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66 1.66 0.4689	0.00 184.62 218.74 86.10 11.98 15.81	0.00 23.78 7.66 11.39 11.39	0.00 2.03 0.7591 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	0.9963 0.9963 1.66 1.66 0.4689 0.4689	0.00 184.62 218.74 86.10 11.98 11.98 15.81 15.81	0.00 23.78 7.66 11.39 11.39 11.39	0.00 2.03 0.7591 6.61 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61 6.61						
MULT	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 IPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	0.9963 0.9963 1.66 1.66 0.4689	0.00 184.62 218.74 86.10 11.98 11.98 15.81 15.81	0.00 23.78 7.66 11.39 11.39 11.39	0.00 2.03 0.7591 6.61 6.61 6.61 6.61	0.00 0.79 0.00 6.61 6.61 6.61 6.61						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Charge - Manual Svc	Charge -		Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month				UC1D1 UC1D1	7.35 7.35	15.81 15.81	11.39 11.39	6.61 6.61	6.61 6.61						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month				UC1D1	7.35	15.81	11.39		6.61						
COMM	INGLING								i						j	
	Commingling Authorization				CMGAU	0.00	0.00	0.00	0.00	0.00						
Note:	Rates displaying an "I" in Interim column are interim as a resu	ult of a Co	mmissi	on order.												

Version TRRO:05/20/05 Page 30 of 90

l																ı	
UNBU	JNDLE	NETWORK ELEMENTS - Kentucky	•										1		t: 2 Exh. A		
												1	Svc Order	Incremental			Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
OATE		TATE ELEMENTO		20110	500				πΑΤΕΟ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring		g Disconnect				Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	nart of a	combin	ation refers to Geog	raphically De	averaged UNF	Zones. To vi	ew Geographic	ally Deaverag	ed UNF Zone D	esignations	s by Central	Office, refer t	o internet We	hsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				. цро ш у 2-о	aro.agoa o		on ocograpiii	Jany Douronag	0.12 20.10 2	oo.gao	, o o o o o o o o o o o o o o o o o o o	000, 10.0.		20.10.	
OPER		. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	1	ther the state specific Commission ordered rates for the servi	ce orderi	ng char	ges, or CLEC may ele	ect the regior	nal service ord	dering charge,	however, CLE	C can not obta	in a mixture of	the two reg	jardless if C	LEC has a int	erconnection	contract esta	blished in
		the 9 states. (2) Any element that can be ordered electronically will be bille	ad accord	ling to	the SOMEC rate liste	d in this cate	nory Please	refer to BellSo	uth's Local Or	dering Handh	ok (LOH) to de	termine if a	nroduct ca	n he ordered	electronically	For those e	laments that
	1	be ordered electronically at present per the LOH, the listed So		-						•	` '		•				
		applied to a CLECs bill when it submits an LSR to BellSouth.			o dategory remedia in	e onarge tha	t would be bii	100 10 0 0220	onoc ciconom	o oracining dap	abilities come	011 11110 101 1	inat cicinon	• • • • • • • • • • • • • • • • • •	tile illaliaal o	acing onarg	c, coman,
		OSS - Electronic Service Order Charge, Per Local Service															
	1	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request						= 00									
LINE	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE		ļ		SOMAN		7.86	0.00	0.99	0.00						
UNE 3		The Expedite charge will be maintained commensurate with I	RellSouth	's FCC	No 1 Tariff Section (l 5 as annlicah	le.										
	INOTE.	The Expedite ondige will be maintained commensurate with	Bonoodti	10100	lion raini, ocodon (из арриоав											
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL, UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX, UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBU		XCHANGE ACCESS LOOP		ļ					-	ļ	ļ		1				
	2-WIRE	ANALOG VOICE GRADE LOOP		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	1	1				
-	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2 UEAL2	10.56	46.66 46.66		26.65		-	}				
<u> </u>	t -	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66		26.65		†					
	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66		26.65							
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66		26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User				LIDET:											
	1	Premise Loop Testing - Basic 1st Half Hour		-	UEANL UEANL	URETL URET1		8.33 46.88			1	-					
-	1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		 	UEANL	URETA		24.16				-					
		Loop resumg Dasic Additional Flair Flour		<u> </u>	OLANE	JINLIA		۷٦.10	27.10			L	L	1	L		L

Svc Order Submitted Submitted Charge -	UNBUN	IDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		-
ATE ELEMENTS Intering 2000 8CS USC) PATE (8) But minute Submitted Clumps Clum	311		:··································										Svc Order	Svc Order			Incremental	Incremental
RATE FLEMENTS Mario Beck BCS USC RATE SLEMENTS PLANS																		Charge -
## CATEGORY RATE ELEMENTS Interim Zones BCS USO RATE Special Control Contr																		
Casic Bittle Concessor Charge William Charge William Concessor Charge William Concessor Charge William C	CATEGO	PV	PATE ELEMENTS	Interim	Zone	BCS.	usoc			DATES (\$)			l l					
Second Control Seco	CAILGO	11.1	KATE ELEMENTO	interim	20116	ВОО	0000			KATEO (ψ)			per LSR	per LSR				Order vs.
Common C																		Electronic-
Control Control Control (Ching William) Control (Ching William)															1st	Add'l	Disc 1st	Disc Add'l
SEC IL CASE Convenion Charge Without Dusside Dispatch				-	1				Nonro	urring	Monrocurring	Disconnect	+	l	200	Pates (\$)		
CLECK OR LECT COMPARION CONTRIBUTION CONTR	-			-	1			Rec					COMEC	COMAN			COM AN	SOMAN
CHANGE Company Compa	-		CLEC to CLEC Conversion Charge Without Outside Dispetch	-	1				FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
Unburned Votes Loop, Non-Design Votes Loop, Billing for BST UPCAN, UPCAN, 115, 60 13, 6						LIEANI	LIBEWO		15 70	9.04								
providing reake up (Engineering Information £.1)	_				1	UEANL	UREWU		15.78	8.94			-					
Manual Charles Conventant in Vis. 61.1 per long)						LIFANII			10.10	40.40								
Order Coordination for Special Convention Tree for UV-SL1				ļ	1								1					
Comparison Com				ļ	1	UEANL	UEAMC		9.00	9.00			1					
2-Wire Unbounded Cooper Loop - Non-Chesigned Zure 1						115 441	00001		00.04	00.04								
2-Wine Unbounded Copper Loso - Nano-Designed Zone 1		14/10/0		ļ	1	UEANL	OCOSL		23.01	23.01			1					
2 WWW Unbendied Copper Loop - Nan-Designed - Zenze 3	2.	-WIKE		ļ	.		LIEGOV	10.50	44.0=		004							
2. Wise Inhabited Corper Lore - Nan-Designet - Zone 3 3 UEO UEOXX 13 19 44.97 20.89 26.64 6.65																		
Unburneded Mecellamenus Rate Element, Trigit Logo at End Iden Previous Previous Control Cont																		
Premise					3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
Menual Order Coordination 2 Wine Unblandied Copper Loop.				1		1150	LIDET.						1	1				
Nan-Designed (ger loop) UEG USBNC 9.00 9.00				ļ	\sqcup	UEQ	URETL		8.33	0.83			_	ļ				↓
Stribunded Copper Loop, Non-Design Copper Loop, Non-Design Copper Loop, Dilling for STR ST Providing Manuary (Emphasiding Manuary (Em																		
BST proxisting make-up (Emphaemish Information - EL)	\vdash			ļ	$\sqcup \sqcup$	UEQ	USBMC		9.00	9.00			1					
Loop Testing - Basic 1st Half Hour																		
Loop Testing - Basic Additional Half Hour UEQ URETA 24.16 24.16																		1
CLEG to CLEG Conversion Charge Without Cutside Dispatch (ULCN)																		
URENNOLED EXCRESS LOOP						UEQ	URETA		24.16	24.16								
UNBUNICED EXCHANGE ACCESS LOOP																		
A						UEQ	UREWO		14.27	7.43								
2 Wire Anialog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	UNBUND	LED E	EXCHANGE ACCESS LOOP															
Lepac Lepa	2-	-WIRE	ANALOG VOICE GRADE LOOP															
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2 UEPSR UEPSR UEALS 10.56 46.66 22.57 26.65 7.65			2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Cone 1			Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS 15.34 46.66 22.57 26.65 7.65			2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zone 2			Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2 UEPSR UEAS 15,34 46,66 22,57 26,65 7,65 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 UEPSR UEALS 31,11 46,66 22,57 26,65 7,65 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 UEPSR UEALS 31,11 46,66 22,57 26,65 7,65 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 UEPSR UEALS 31,11 46,66 22,57 26,65 7,65 2 Wire Analog Voice Grade Loop-Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiLcop or Grade Loop - Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiLcop or ZeWire Analog Voice Grade Loop - Service Level 2 WiRcoverse Sattery Signaling - Zone 1 UEA UEAL2 12,67 134,89 81,87 73,65 14,88 2 Wire Analog Voice Grade Loop - Service Level 2 WiRcoverse Sattery Signaling - Zone 1 UEA UEAR2 12,67 134,89 81,87 73,65 14,88 2 Wire Analog Voice Grade Loop - Service Level 2 WiRcoverse Sattery Signaling - Zone 3 UEA UEAR2 17,45 134,89 81,87 73,65 14,88 3 UEA UEAR2 17,45 134,89 81,87 73,65 14,88 4 Wire Analog Voice Grade Loop - Service Level 2 WiRcoverse Sattery Signaling - Zone 3 UEA UEAR2 17,45 134,89 81,87 73,65 14,88 4 Wire Analog Voice Grade Loop - Service Level 2 WiRcoverse Sattery Signaling - Zone 3 UEA UEAR2 17,45 134,89 81,87 73,65 14,88 4 Wire Analog Voice Grade Loop - Service Level 2 WiRcoverse Sattery Signaling - Zone 3 UEA UEAR4 28,26 164,11 11,26 78,91 18,66 4 Wire Analog Voice Grade Loop - Zone 2 UEA UEAR4 50,00 Ind. 11,1			2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
Zone 2 Zure Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 3 UEPSR UEPSB UEALS 31.11 46.66 22.57 26.65 7.65			Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
Zone 2 Zivire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 3 UEPSR UEPSB UEALS 31.11 46.66 22.57 26.65 7.65			2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3					2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3 3 UEPSR UEPSB UEALS 31.11 46.66 22.57 26.65 7.65					1													1
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3					3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
UNBUNDLE EXCHANGE ACCESS LOOP																		
UNBUNDLED EXCHANGE ACCESS LOOP					3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
2-WIRE ANALOG VOICE GRADE LOOP	UNBUND	I FD F			L J	02. 0 02. 02	027.00	0	10.00	22.07	20.00	7.00						
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1				1	1 1													†
Ground Start Signaling - Zone 1	- F																	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2					1	UFA	UFAL2	12 67	134 89	81 87	73.65	14 88						
Cround Start Signaling - Zone 2				1	1								1					
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 UEA UEAL2 33.22 134.89 81.87 73.65 14.88 Order Coordination for Specified Conversion Time (per LSR) UEA UEAR2 12.67 134.89 81.87 73.65 14.88 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2 UEA UEAR2 17.45 134.89 81.87 73.65 14.88 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2 UEA UEAR2 17.45 134.89 81.87 73.65 14.88 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2 UEA UEAR2 17.45 134.89 81.87 73.65 14.88 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 UEA UEAR2 33.22 134.89 81.87 73.65 14.88 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.01 CLEC to CleC Conversion Charge without outside dispatch UEA UREWO 87.72 36.36 UEA URERUL 11.21 1.10 4-WIRE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 1 UEA UEAL4 29.26 164.11 112.36 78.91 18.66 4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEAL4 85.06 164.11 112.36 78.91 18.66 4-Wire Analog Voice Grade Loop - Zone 2 3 UEA UEAL4 85.06 164.11 112.36 78.91 18.66 Order Coordination for Specified Conversion Time (per LSR) UEA UEAL4 85.06 164.11 112.36 78.91 18.66 Order Coordination for Specified Conversion Time (per LSR) UEA UEAL4 85.06 164.11 112.36 78.91 18.66 Order Coordination for Specified Conversion Time (per LSR) UEA UEAL4 85.06 164.11 112.36 78.91 18.66 Order Coordination for Specified Conversion Time (per LSR) UEA UEAL4 85.06 164.11 112.36 78.91 18.66				1	2	UFA	UFAL2	17 45	134 89	81 87	73.65	14 88	1	l				1
Ground Start Signaling - Zone 3 3 UEA UEAL2 33.22 134.89 81.87 73.65 14.88				1	-	OLA	OLALL	17.40	104.00	01.07	70.00	14.00	+					
Order Coordination for Specified Conversion Time (per LSR)					3	ΠΕΔ	LIEAL 2	33 22	134 89	81 87	73.65	14 88						
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 1					l -			00.22		01.07	70.00	14.00	+					+
Battery Signaling - Zone 1						OLA	COCCE		20.01				1					+
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 2					1	1 IE A	I IE A D 2	12.67	124 90	01 07	72.65	1/1 00						
Battery Signaling - Zone 2				1		ULA	ULANZ	12.07	134.03	01.07	73.03	14.00	1					
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 3				1	2	I IE A	LIEVES	17 15	124 00	01 07	72 65	1/1 00	1	1				
Battery Signalling - Zone 3 3 UEA UEAR2 33.22 134.89 81.87 73.65 14.88	_					UEA	UEARZ	17.45	134.09	01.07	73.00	14.00	-					
Order Coordination for Specified Conversion Time (per LSR)						115 ^	LIEADO	20.00	404.00	04.07	70.05	44.00	1					1
CLEC to CLEC Conversion Charge without outside dispatch				<u> </u>	3			33.22		81.87	73.00	14.88	1					+
Loop Tagging - Service Level 2 (SL2)				1	\vdash					20.22			1					+
4-Wire Analog Voice Grade Loop - Zone 1				 	\vdash								+	 				+
4-Wire Analog Voice Grade Loop - Zone 1	.	MUD		1	\vdash	UEA	UKEIL		11.21	1.10			1					+
4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEAL4 34.25 164.11 112.36 78.91 18.66 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 85.06 164.11 112.36 78.91 18.66	4-			1	\vdash						=====		1					+
4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 85.06 164.11 112.36 78.91 18.66 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.01 18.66 164.11 112.36 78.91 18.66				<u> </u>									-					
Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 23.01				1														
				1	3			85.06		112.36	78.91	18.66						
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 87.72 36.36				<u> </u>	\sqcup								1					↓
			CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UEA	UREWO		87.72	36.36			1	l				

IINRI	INDI E	D NETWORK ELEMENTS - Kentucky												Attachmon	nt: 2 Exh. A	I	
ONDO	NULL	NETWORK ELEMENTS - Rentucky	1	1		1						Cua Ordar	Svc Order	Incremental		Ingramantal	Ingramantal
															Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc			Manual Svc
CATE	JUKI	RATE ELEMENTS	mterim	Zone	БСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Monroe	curring	Nonrecurring	Diocennest	-	l	000	Rates (\$)		ь
-	1						Rec	First	Add'l	First	Add'l	COMEC	SOMAN			SOMAN	SOMAN
-	2 WIDE	I SISDN DIGITAL GRADE LOOP				-		riist	Addi	FIISL	Add I	SOMEC	SOWAN	SUMAIN	SUMAN	SOWAN	SOWAN
-	Z-VVIRE	2-Wire ISDN Digital Grade Loop - Zone 1		-1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83	ł	-		-		
	 	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83	1	1		-		
	1	2-Wire ISDN Digital Grade Loop - Zone 2		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83	-	-				
	-	Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	42.01	23.01	95.02	11.30	13.03	 	-				<u> </u>
	+	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16			ł	-		-		
	2 WIDE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	OOB	UDIN	UKEWU		91.03	44.10			ł	-		-		
	Z-VVIRE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	JUUP						-		1	1		-		
		& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	+	2 Wire Unbundled ADSL Loop including manual service inquiry		'	UAL	UALZA	10.02	141.50	19.13	09.02	11.47	ł	-		-		
		& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	 	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	11.79	141.90	19.13	09.02	11.47	1	1		-		
		& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	1	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	12.07	23.01	19.13	69.02	11.47	-	-				
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UCUSL		23.01				-	-				
		facility reservaton - Zone 1			UAL	UAL2W	10.82	121.18	69.00	69.09	44.54						
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	UAL	UALZVV	10.62	121.10	69.00	69.09	11.54	ł	-		-		
				2	UAL	UAL2W	44.70	404.40	69.00	69.09	44.54						
	<u> </u>	facility reservaton - Zone 2			UAL	UALZVV	11.79	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	40.07	101.10	00.00	69.09	44.54						
	<u> </u>	facility reservaton - Zone 3		3	UAL		12.87	121.18 23.01	69.00	69.09	11.54						
	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)				OCOSL			10.10								
	0.14/10/5	CLEC to CLEC Conversion Charge without outside dispatch	TIDLELA		UAL	UREWO		86.20	40.40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	(HBLE FC	JOP													ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry				1111101/	0.75	454.54	00.00	00.00	44.54						
		& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry															
	<u> </u>	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
	ļ	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	ļ	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		2 Wire Unbundled HDSL Loop without manual service inquiry							=								
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						ļ
		2 Wire Unbundled HDSL Loop without manual service inquiry							=								
		and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry							=								
		and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01	10.10								
	4 14/15/5	CLEC to CLEC Conversion Charge without outside dispatch	TIDLEL	100	UHL	UREWO		86.14	40.40								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	(HBLE FC	JOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry					40.05										
		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
		4-Wire Unbundled HDSL Loop including manual service inquiry					4= 00										
	ļ	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
		4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	1	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		4-Wire Unbundled HDSL Loop without manual service inquiry					40.05										
	1	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80	 					
		4-Wire Unbundled HDSL Loop without manual service inquiry			,	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									I		
		and facility reservation - Zone 2	_	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	<u> </u>	-	ļ	-	 	
		4-Wire Unbundled HDSL Loop without manual service inquiry					40.00	404.5=	444.51	77.00	45.00	1			1		
		and facility reservation - Zone 3	_	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	<u> </u>	-	ļ	-	 	
	1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01	40.10			 					
	4 14/15	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40	-		1	-		-		
	4-WIKE	DS1 DIGITAL LOOP			1101	HOLYO	00.4=	200.00	474.44	05.00	1155	}	 	 	 	 	
	₩	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	}	 	 	 	 	
	1	4-Wire DS1 Digital Loop - Zone 2	-	2	USL	USLXX	114.10	306.69	174.44	65.83	14.55	 	1	 	1		
<u> </u>		4-Wire DS1 Digital Loop - Zone 3	_	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55	<u> </u>	-	ļ	-	 	
	1	Order Coordination for Specified Conversion Time (per LSR)	l		USL	OCOSL		23.01		1		<u> </u>	1		1	<u> </u>	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						B	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)	•	*
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04							Î	
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															1
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						1
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						1
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	ļ	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66					ļ	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						_
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDL	UREWO		102.13	49.75								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual					40.00		=====								
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						ļ
	2-Wire Unbundled Copper Loop-Designed including manual			1101	LIOL DD	44.70	440.05	70.70	00.00	44.54						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual			1101	LIOL DD	40.07	440.05	70.70	00.00	44.54						
	service inquiry & facility reservation - Zone 3		3	UCL UCL	UCLPB UCLMC	12.87	140.95	78.70	69.09	11.54					-	
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual	-		UCL	UCLIVIC		9.00	9.00			-					
			4	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual	-		UCL	OCLFVV	10.02	120.13	01.91	09.09	11.54	-	-			-	
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	OCLF VV	11.75	120.13	01.51	09.09	11.54					1	
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12.01	9.00	9.00	00.00	11.04						1
	CLEC to CLEC Conversion Charge without outside dispatch			002	0020		0.00	0.00			1					1
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry														Î	
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	ļ		UCL	UREWO		97.23	42.48								
LOOP MODIF	CATION															
				UAL, UHL, UCL, UEQ. ULS. UEA.								1				
	Unbundled Lean Medification, Removal of Lead Coils, 2 Wire			UEQ, ULS, UEA, UEANL. UEPSR.								1				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSK, UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-		UEFOD	ULIVIZL		9.24	9.24						-	-	
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24				1				
-	ress man or equal to rork it, per Ulibunitied Loop	 	\vdash	UAL, UHL, UCL,	ULIVI4L		9.24	9.24	<u> </u>		 		1	 	1	+
ı I				UEQ, ULS, UEA,								1				
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,								1				
	per unbundled loop			UEPSB	ULMBT		10.47	10.47				1				
	In the transfer fook			02.00	CLINDI		10.77	10.47	1		1		L	l	1	

UNBU	INDLE	D NETWORK ELEMENTS - Kentucky													t: 2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental		Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L	OOPS																T
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		12.50	12.50								↓
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	I		UEANL	USBSC		80.87	80.87								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up			UEANL	USBSD		45.04	45.04								<u> </u>
1		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	Ι.	1 .			_				_		1				
	\vdash	Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90	ļ					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	Ι.	_									1				
		Zone 2	ı	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						↓
1		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	l .	1 _									1				
		Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90	ļ					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							=0.00								
-		Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88	1					+
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			115.44.0	LIODALA	05.00	100.01	50.00	05.04	40.00						
-		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88	1					+
		Order Coordination for Habrardlad Cub Large and sub-large asia			UEANL	USBMC		9.00	9.00								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.57	68.35	22.36		7.90	 					+
-		Sub-Loop 2-wife intrabuliding Network Cable (INC)	- '	1	UEAINL	USBRZ	2.57	00.33	22.30	59.61	7.90	1					+
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88	<u> </u>					+
-		Oub-Loop 4-Wile Intrabuliding Network Cable (INO)	-	<u> </u>	OLANE	OODIN	4.30	70.43	30.31	03.24	10.00	†					+
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88			1					+
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16			1					+
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.45	85.03	39.05		7.90	İ					1
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	7.06	85.03	39.05		7.90	i e					†
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.67	85.03	39.05		7.90	İ					†
																	1
1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		9.00	9.00				1				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.09	102.31	56.32		10.88	1					1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	8.66	102.31	56.32		10.88						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
L_		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u></u>	<u></u>	UEF	USBMC		9.00	9.00	<u> </u>		<u></u>	<u> </u>				
		Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
		dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								
		k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91								
		Network Interface Device Cross Connect - 2 W		ļ	UENTW	UNDC2		8.56	8.56								<u> </u>
L		Network Interface Device Cross Connect - 4W		ļ	UENTW	UNDC4		8.56	8.56								
UNE O		ROVISIONING ONLY - NO RATE		ļ						ļ							<u> </u>
L		NID - Dispatch and Service Order for NID installation		ļ	UENTW	UNDBX	0.00	0.00		ļ							
I		UNTW Circuit Id Establishment, Provisioning Only - No Rate		ļ	UENTW	UENCE	0.00	0.00		ļ							
					UEANL,UEF,UEQ,U							l					
		Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									

UNB	UNDLE	D NETWORK ELEMENTS - Kentucky													t: 2 Exh. A		
													Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
CAIL	GONT	RATE ELEMENTS	interiii	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic-	Electronic-	Electronic- Disc Add'l
															Add'l	Disc 1st	DISC Add I
							Rec	Nonre		Nonrecurring					Rates (\$)		
_				ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,											1	
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00								1	
	+	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1	ODIT, OLIT, OTIL, OOL	ONLON	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								1	
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no														i	
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -	ļ		USL	CCOSF	0.00	0.00									ļ
		no rate			USL	CCOEF	0.00	0.00								1	
HIGH	CAPACI	TY UNBUNDLED LOCAL LOOP		<u> </u>	UGL	CCOLI	0.00	0.00								—	
T	1	High Capacity Unbundled Local Loop - DS3 - Per Mile per															1
		month]		UE3	1L5ND	9.25										<u> </u>
		High Capacity Unbundled Local Loop - DS3 - Facility															
<u> </u>	+	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	-	-	UE3	UE3PX	308.31	634.087	388.792	198.95	138.483	ļ	-	—			
		month			UDLSX	1L5ND	9.25									1	
	+	High Capacity Unbundled Local Loop - STS-1 - Facility		1	ODLOX	TESIND	9.23										
		Termination per month			UDLSX	UDLS1	320.51	634.087	388.792	198.95	138.483					1	
LOOF	MAKE-																
		Loop Makeup - Preordering Without Reservation, per working or														ĺ	
		spare facility queried (Manual).	ļ		UMK	UMKLW		23.40	23.40								↓
		Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual).			UMK	UMKLP		24.85	24.85							1	
	+	Loop MakeupWith or Without Reservation, per working or	<u> </u>		OWIX	UIVINLE		24.03	24.03								+
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67							1	
LINE	SPLITTII																
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED		ļ			2.24									├	<u> </u>
-	+	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	1	ļ	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	37.02	21.20	21.10	9.87					 	-
	+	Line Splitting - per line activation BST owned - virtual		1	UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
MAIN	TENANO	E OF SERVICE									0.0.						
	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	olicable.										
		No Trouble Found - per 1/2 hour increments - Basic	ļ					80.00	55.00								ļ
-	4	No Trouble Found - per 1/2 hour increments - Overtime		ļ				90.00	65.00 75.00								<u> </u>
LINRI	INDI FD	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT		1				100.00	75.00								
ONE		OFFICE CHANNEL - DEDICATED TRANSPORT		1													
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	İ	i i													
		Per Mile per month	<u> </u>	<u> </u>	U1TVX	1L5XX	0.01			1		ļ					<u> </u>
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		LIATON	LIAT) (C	00.4	47.0:	04 =0	00.77						İ	
-	+	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-	 	U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75	1	1	 			
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01									İ	
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTTVX	TLOTOR	0.01										<u> </u>
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1													1	
<u> </u>	+	Per Mile per month	 	<u> </u>	U1TVX	1L5XX	0.01			1				-			
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination	1		U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75					İ	
	1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		†	5.1VA	C11 V-T	20.00	47.54	31.76	22.11	0.73	1					†
		per month			U1TDX	1L5XX	0.0115									İ	
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
<u> </u>	4	Termination	ļ	<u> </u>	U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115									İ	
H	+	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-	†	UTIDA	ILDAA	0.0115			+			 				
		Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75					1	
		ı.						00									

ATSORY RATE LEMMTS Interim Zee 003 USO Research Control Search C	UNR	UNDI F	D NETWORK ELEMENTS - Kentucky												Attachmen	t· 2 Evh A		
ATTE ELEMENTS Number 2016 BCG UBCC PATES (S) Classes	OND	ONDEL		1	l			1					Svc Order	Svc Order			Incremental	Incremental
ATTERLEMENTS IN INVESTIGATION OF THE PROPERTY																		
ATTECH ATTECH BATE ELMNTS INSTITUTE ATTECH ATTEC																		
Electronic Ele	CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			l .					
Part													poi zoit	po. 2011				
Proceduce Charges - 1561 - 194 May 194																		
Mex. Mex. Mex. Mex. First Agert First Agert SOME SOM				ļ												- (A)		
Part		_						Rec					001450	001111			0014411	001111
Procedure Proc		+	Intereffice Channel Dedicated Channel DC1 Der Mile per				-		FIRSt	Addi	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Internation Channel - Decisional Transport - 503 - Feeling UTTD1 UTTP1 06.04 106.05 98.46 23.06 20.40			·			LI1TD1	11 5YY	0.23										
Terrensides UTD1	-	1		1		OTIDI	TESKK	0.23					1					+
Interesting Columnian - Decident Françant - DSS - Per Mile per UTIDS						U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
International Coloration Description Proceedings per month		1				-							İ					1
Terrination per morth UTTD UTTS 1,75,15 355.00 219.24 98.57 97.75			month			U1TD3	1L5XX	4.97										
Insurative Columnia - Declared Transport - SIS-1 - Fer Wile por Insurative Columnia - Declared Transport - SIS-1 - Fer Wile por Insurative Columnia - Declared Transport - SIS-1 - Fer Wile por Insurative Columnia - Declared Transport - SIS-1 - Fer Wile Por Insurative Columnia - Declared Transport - SIS-1 - Fer Wile Por Insurative Columnia - Declared Transport - SIS-1 - Fer Wile Por Insurative Columnia - Declared Transport - SIS-1 - Fer Wile Por Insurative Columnia - Declared Por Insurative Columnia -																		
morth mort						U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
Intendition Description			· · ·															
Terresolation	-	_	THO TELL			U1TS1	1L5XX	4.97					ļ					
DARK Filter Four Filter Strands, Per Route Wile or Fraction DARK Filter Four Filter Strands, Per Route Wile or Fraction DOF, LOPCX 15.5F 30.74						114T04	LIATES	1 140 51	225 40	240.24	90.57	07.75						
Dark Flex, Flow Flex Stands, New Route Miles or Fraction UPF, UPFCX 155C 54.66	DARK	FIBER	TOTTIITALION	1	-	01101	011170	1,149.51	333.40	219.24	05.57	01.15	1					+
Theory of person Local Channel UPF, UPFCX 150C 54.66	DAIN	I	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-	-		 						†					†
Dust Flex, Four Flee Strands, Per Route Mile of Fraction UDF, UDFCX LSDF S074						UDF, UDFCX	1L5DC	54.06										1
Thereof per month - Interoffice Channel UDF, UDFCX LSDF S074 NRC Dust Fiber - Timetifice Channel UDF, UDFCX LSDE S074 S77.27 241.67 S17.27 S1					İ	, -												1
Dark Fiber, Four Flow Strands, Per Route Mile or Fraction DEF, UDFCX 1.5DL 54.66			Thereof per month - Interoffice Channel					30.74										
Thereof per month - Local Loop						UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
VIRTUAL COLLOCATION																		
Virtual Collocation-2 Wire Cross Connects (Loop) for Line UEPSR UEPSB VE1LS 0.0309 24.66 23.68 12.14 10.95				ļ		UDF, UDFCX	1L5DL	54.06										
Splitting	VIRTU	JAL COL											ļ					
PRISTACL COLLOCATION Project Collocation-2 Wire Cross Connects (Loop) for Line UEPSR UEPSB PEILS 0.0333 24.68 23.68 12.14 10.95						LIEDOD LIEDOD	\/E4L0	0.0200	24.69	22.60	10.14	10.05						
Physical Colicolation-2-Wire Cross Connects (Loop) for Line UEPSR UEPSR PE1LS 0.0333 24.68 23.68 12.14 10.95	DHVS	ICAL CO		-		UEFSK UEFSB	VEILS	0.0309	24.00	23.00	12.14	10.95	-					
Splitting	11110	TOAL CO																+
ENHANCED EXTENDED LINK (EELs)						UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as *Currenty Combined* Network Elements.	ENHA	NCED E																1
2-WIRE VIOLE GRADE LOOP FOR USE IN A COMBINATION 1 UNCVX UEAL2 12.67 12.522 60.48 59.69 7.84 1 UNCVX UEAL2 12.67 12.522 60.48 59.69 7.84 1 UNCVX UEAL2 13.322 12.522 60.48 59.69 7.84 1 UNCVX UEAL2 13.22 12.67 12.67 12.622 60.48 59.69 7.84 1 UNCVX UEAL2 13.22 12.62 60.48 59.69 7.8																		
2-Wire VG Loop (SL2) in Combination - Zone 1				he non-re	curring	charges below will	apply for UN	E combination	s provisioned	as ' Currently (Combined' Nety	work Elements	S.					
2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 17.45 125.22 60.48 59.69 7.84		2-WIR			_	1110000	LIEALO	10.07	105.00	00.40	50.00	7.04						
2-Wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 33.22 125.22 60.48 59.69 7.84		+																+
Voice Grade COC: Per Month UNCVX 101VG 0.62 6.71 4.84	-	+											1					+
A-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION		+									39.09	7.04						+
4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 34.25 125.22 60.48 59.69 7.84		4-WIRI									†							†
A-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84					1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
Voice Grade COCI in combination - per month																		
### SERBED BIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1					3						59.69	7.84						
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1				ļ		UNCVX	1D1VG	0.62	6.71	4.84								
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84		4-WIR			_	LINODY	LIDI 50	07.50	105.00	00.40	50.00	7.04						
A-Wire 58Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84		+		ļ									1					+
OCU-DP COCI (data) per month (2.4-64kbs)		-		-									-					
4-Wire 64KBps Digital Grade Loop in Combination - Zone 1		+			3						39.09	7.04						+
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		4-WIR				ONODA	10100	1.02	0.71	4.04			i e					†
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84		1			1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						†
CCU-DP COCI (data) - in combination - per month (2.4-64kbs)			4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						1
2-Wire ISDN Loop in Combination - Zone 1					3						59.69	7.84						
2-Wire ISDN Loop in Combination - Zone 1						UNCDX	1D1DD	1.32	6.71	4.84								
2-Wire ISDN Loop in Combination - Zone 2 2 UNCNX U1L2X 25.08 125.22 60.48 59.69 7.84		2-WIRI			ļ.,	LINIONIV	1141.027		105.5				ļ					ļ
2-Wire ISDN Loop in Combination - Zone 3 3 UNCNX U1L2X 42.87 125.22 60.48 59.69 7.84	<u> </u>	_		-	1								ļ					
2-wire ISDN COCI (BRITE) - in combination - per month		+		1									1	-				
4-WIRÉ DS1 DIGITAL LOOP FOR USE IN A COMBINATION		+		 	3							7.84	1	1				+
4-Wire DS1 Digital Loop in Combination - Zone 1 1 UNC1X USLXX 86.47 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 14-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 210.70 210.70 210.70 210.70 210.70 210.70 210.70 210.70 210.70 2		4-WIRI		-	-	0140147	JUIUA	2.04	0.71	4.04			†					
4-Wire DS1 Digital Loop in Combination - Zone 2 2 UNC1X USLXX 114.10 210.70 114.60 63.96 17.97 4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97		1			1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
4-Wire DS1 Digital Loop in Combination - Zone 3 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97				1	2								Ì	İ				1
DS1 COCI in combination per month UNC1X UC1D1 11.80 6.71 4.84			4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX					17.97						
			DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											per Lore	per Lore	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIR	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													<u> </u>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				41 =>04											
\vdash	Month	ļ		UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility								====							
4 1005	Termination per month	ONA DUNIA T		UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						-
4 WIR	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	OMBINAT	ON						-		-					+
	Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVA	ILSAA	0.01					-					+
	Termination per month			UNCVX	U1TV4	23.95	98.09	53.67	56.31	22.42						
DS1 I	NTEROFFICE TRANSPORT FOR COMBINATION			UNCVA	01174	23.93	30.03	33.07	30.31	22.42					1	+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	t	t						1		 		 			†
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility	i e				20			1				i		i	1
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channelization System in combination Per Month	Ì		UNC1X	MQ1	113.33	57.26	14.74		1.67			1		1	1
DS3 I	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															T .
	month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
\longrightarrow	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
4-WIR	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT	4	LINIODY	LIDI 50	07.50	105.00	00.40	59.69	7.04						+
$\vdash \vdash \vdash$	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48		7.84						+
	4-wire 56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	32.48	125.22	60.48		7.84						+
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	-					+
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA	ILJAA	0.01									1	+
	Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO		01120	20	00.00	00.01	00.01		1					+
1	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						†
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48		7.84						†
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															1
	Per Mile per month	<u> </u>		UNCDX	1L5XX	0.01			<u> </u>	<u></u>			L	<u></u>		
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
\vdash	Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42			ļ	ļ		
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT						ļ				ļ		ļ	↓
\longmapsto	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48		7.84						
\vdash	4-wire 56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	32.48	125.22	60.48		7.84						
	4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84			 	 	.	+
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			LINCDY	11 5 7 7	0.04										
	month 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.01			+							+
	Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
/-/A/IE	Termination per month RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANC	PORT	OINCDA	פטווט	17.25	90.09	55.67	30.31	22.42	 					+
4-4411	4-wire 64 kbps Local Loop in combination - Zone 1	LINANS	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84			 		 	+
 	4-wire 64 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL64	32.48	125.22	60.48		7.84						+
 	4-wire 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	36.37	125.22	60.48		7.84						+
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1				55.57	.20.22	00.10	55.50				1		1	1
	month			UNCDX	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility	Ì											1		1	1
1 1	Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	-		-	-1				1				t	-	1	+

	BUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. A		
F												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												per LSK	per LSK				Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
						+	1	Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates (\$)	<u> </u>	
	+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	0020	00		00		
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.19										
	_	Interoffice Transport - Dedicated - DS1 combination - Facility				1											
		Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	DS3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT		OTTO 174		70.02	.0	120.00	00.72	22.02						
	2002.	DS3 Local Loop in combination - per mile per month	1		UNC3X	1L5ND	10.6375										
		Dec 2000 2000 in combination per mile per menti			0.100/1	120.12	10.00.0										
	1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	354.5565	634.087	388.792	198.95	138.483						
	+	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	l	UNC3X	1L5XX	4.09	23007	-30 32		. 50. 150						
\vdash	+	Interoffice Transport - Dedicated - DS3 - 1 et Mile per Month	1	t	5.136/		4.03										
		Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT	1	CHOOK	01110	500.00	000.00	141.00	40.00	20.00						
	0.0.	STS-1 Local Lolp in combination - per mile per month	10. 0		UNCSX	1L5ND	10.6375										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	368,5865	634.087	388.792	198.95	138.483						
		Interoffice Transport - Dedicated - STS-1 combination - per mile			C. LOGA	0020.	000.0000	00001	000.702	100.00	100.100						
		per month			UNCSX	1L5XX	4.09										
	+	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.1007	120701											
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
ADDI	TIONAL	NETWORK ELEMENTS		1	CHOOK	01110	540.75	000.00	141.00	40.00	20.00						
7122.		used as a part of a currently combined facility, the non-recurr	rng charg	es do n	ot apply, but a Swi	tch As Is cha	rge does apply.			1							
		used as ordinarily combined network elements in All States, t															
		curring Currently Combined Network Elements "Switch As Is"					T 1										
			_ <u>, </u>		UNCVX, UNCDX,	T '											
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
		Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	Option	al Features & Functions:		1													
				1			1										
		la a la lii e la la la la la la la la la la la la la		l .	U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Extended Frame Option - per DS1	I			CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
1			I I		ULDD1,UNC1X U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X												
		Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOSF		0.00	0.00	0.00	0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOSF		0.00	0.00 23.82	0.00	0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOSF	113.33	0.00	0.00 23.82	0.00	0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOSF NRCCC NRCC3	113.33	0.00 184.91 205.70	0.00 23.82 7.20	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOSF NRCCC NRCC3	113.33	0.00 184.91 205.70	0.00 23.82 7.20	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3 MQ1		0.00 184.91 205.70 57.26	0.00 23.82 7.20 14.74	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	I I i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 184.91 205.70 57.26 10.07	0.00 23.82 7.20 14.74 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3 MQ1		0.00 184.91 205.70 57.26	0.00 23.82 7.20 14.74	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 184.91 205.70 57.26 10.07	0.00 23.82 7.20 14.74 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 184.91 205.70 57.26 10.07	0.00 23.82 7.20 14.74 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	I I I I I I I I I I I I I I I I I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 184.91 205.70 57.26 10.07	0.00 23.82 7.20 14.74 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channel Systsem - per month used for connection to a channel Systsem - per	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 184.91 205.70 57.26 10.07 10.07	0.00 23.82 7.20 14.74 7.08 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.32	0.00 184.91 205.70 57.26 10.07	0.00 23.82 7.20 14.74 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month same SWC as collocation	I I I		ULDDI,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 184.91 205.70 57.26 10.07 10.07	0.00 23.82 7.20 14.74 7.08 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 184.91 205.70 57.26 10.07 10.07	0.00 23.82 7.20 14.74 7.08 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	i		ULDDI,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.32 1.32 2.84	0.00 184.91 205.70 57.26 10.07 10.07	0.00 23.82 7.20 14.74 7.08 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the	I I I I I I I I I I I I I I I I I I I		ULDDI,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB U1TUB	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.32 1.32 2.84 2.84 0.6228	0.00 184.91 205.70 57.26 10.07 10.07 10.07	7.08 7.08 7.08 7.08	0.00 1.99 0.6924	0.00 0.78 0.00						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for cannel connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.32 1.32 2.84 2.84 0.6228	0.00 184.91 205.70 57.26 10.07 10.07 10.07	7.08 7.08 7.08	0.00 1.99 0.6924 1.86	0.00 0.78 0.00 1.67						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month 1 Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	1.32 1.32 2.84 2.84 0.6228 0.6228	0.00 184.91 205.70 57.26 10.07 10.07 10.07 10.07	7.08 7.08 7.08 7.08 7.08 7.08 7.08 7.08	0.00 1.99 0.6924 1.86	0.00 0.78 0.00 1.67						
	MULTI	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for cannel connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.32 1.32 2.84 2.84 0.6228	0.00 184.91 205.70 57.26 10.07 10.07 10.07	7.08 7.08 7.08	0.00 1.99 0.6924 1.86	0.00 0.78 0.00 1.67						

UNBUNDLE	UNDLED NETWORK ELEMENTS - Kentucky Attachment: 2 Exh. A Svc Order Svc Order Incremental Incr															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted	Charge -	Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.80	10.07	7.08								
COMM	INGLING															
	Commingling Authorization			UE3, UDLSX, UNCDX, UNCSX, UNCVX, UNC1X, UNC3X, U1TD1, U1TD3, U1TDX, U1TS1, U1TUB, U1TVX	CMGAU	0.00	0.00	0.00	0.00	0.00						
Note:	Rates displaying an "I" in Interim column are interim as a resi	ult of a Co	mmissi	on order.											(T	

Version TRRO:05/20/05

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachmer	nt: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
								,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7144.	0020				00	
The "7	one" shown in the sections for stand-alone loops or loops as	nart of a	combin	ation refers to Geog	ranhically De	averaged LINE	Zones To vie	w Geographic	ally Deaverage	d UNF Zone D	esignations	s by Central	Office refer t	to internet We	hsite:	l
	vww.interconnection.bellsouth.com/become_a_clec/html/inte				.ap.mouny 20	gou 0		coog.upc	any Douronage		00.9	, Co	······································		00.101	
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Commectiv	1		1				I	I		I		I		1
	(1) CLEC should contact its contract negotiator if it prefers the	o "etato e	nocific'	OSS charges as ore	lored by the S	State Commiss	ions The OS	S charges curr	ontly contains	d in this rate o	vhihit ara th	o PoliSouth	"rogional" c	orvice orderin	a charace C	I EC may
	ither the state specific Commission ordered rates for the servi	ice oraerii	ng char	ges, or CLEC may en	ect the region	iai service ord	ering charge, i	lowever, CLE	can not obta	n a mixture of	the two reg	jardiess if C	LEC has a in	terconnection	contract esta	ibiisnea in
	f the 9 states.															
	(2) Any element that can be ordered electronically will be bill															
	be ordered electronically at present per the LOH, the listed S		e in this	s category reflects th	e charge that	would be bill	ed to a CLEC of	nce electronic	ordering cap	abilities come	on-line for t	that element	t. Otherwise,	the manual or	dering charg	e, SOMAN,
will be	applied to a CLECs bill when it submits an LSR to BellSouth															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00					1 '	
	OSS - Manual Service Order Charge, Per Local Service Request				0020		0.00	0.00	0.00	0.00						
	(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00					1 '	
LINE SEDVICE	DATE ADVANCEMENT CHARGE	-	-		SOMAN		13.20	0.00	13.20	0.00	-	ł	-			
		DallCaush	I- FCC	No 4 Touiss Continu	 	_						1			—	
NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	'S FCC	No.1 Taritt, Section	as applicable	e.					ļ					
															1 '	
				UAL, UEANL, UCL,											1 '	
1				UEF, UDF, UEQ,											1 '	
				UDL, UENTW, UDN,											1 '	
				UEA, UHL, ULC,											1 '	
				USL, U1T12, U1T48,											1 '	
				U1TD1, U1TD3,											1 '	
				U1TDX, U1TO3,											1 '	
				U1TS1, U1TVX.											1 '	
				UC1BC, UC1BL,											1 '	
				UC1CC, UC1CL,											1 '	
				UC1DC, UC1DL,											1 '	
				UC1EC, UC1EL,											1 '	
															1 '	
				UC1FC, UC1FL,											1 '	
				UC1GC, UC1GL,											1 '	
				UC1HC, UC1HL,											1 '	
				UDL12, UDL48,											1 '	
				UDLO3, UDLSX,											1 '	
				UE3, ULD12,											1 '	
				ULD48, ULDD1,											1 '	
				ULDD3, ULDDX,											1 '	
				ULDO3, ULDS1,											1 '	
				ULDVX, UNC1X,											1 '	
				UNC3X, UNCDX,											1 '	
				UNCNX, UNCSX,											1 '	
				UNCVX, UNLD1,											1 '	
															1 '	
				UNLD3, UXTD1,											1 '	
				UXTD3, UXTS1,											1 '	
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,											1 '	
	Day			U1TUB, U1TUA	SDASP		200.00									
	EXCHANGE ACCESS LOOP				<u> </u>											
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	48.43	36.54	16.87				İ	İ			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEASL	12.90	36.54	16.87			1	1	t	1		l
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	t	2	UEANL	UEASL	23.33	36.54	16.87			-	 	 	 		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL	UEASL	48.43	36.54	16.87	 	 	1	1	 	1	<u> </u>	
+-		1	3	ULANL	ULAGL	40.43	30.54	10.87			1	 	-	1	 '	ļ
ı I	Unbundled Miscellaneous Rate Element, Tag Loop at End User				Luber,							1			1 '	
\vdash	Premise	-	-	UEANL	URETL		8.33	0.83	ļ	ļ		 		ļ		ļ
\vdash	Loop Testing - Basic 1st Half Hour	ļ		UEANL	URET1		33.17	33.17			!	ļ			 '	
	Loop Testing - Basic Additional Half Hour	1	1	UEANL	URETA		19.28	19.28	l	l	1	<u> </u>		1	1	

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
3.150		ELEMENTO EURIORIA										Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			l .					
0,						0000			101120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	l						_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		17.56	17.56								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.32	35.27	15.60								
	ļ	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ļ	3	UEQ	UEQ2X	16.87	35.27	15.60			ļ					
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		l							1	[]			1
		Premise		L	UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															1
		Non-Designed (per loop)	ļ		UEQ	USBMC		7.92	7.92								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	-	BST providing make-up (Engineering Information - E.I.)	ļ	-	UEQ	UEQMU		13.04	13.04			1					+
	-	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	ļ	-	UEQ UEQ	URET1 URETA		33.17	33.17			1					+
	-		ļ	-	UEQ	URETA		19.28	19.28			1					+
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
LIMBLE	IDI ED I	EXCHANGE ACCESS LOOP			UEQ	UREWU		14.25	7.42			 					+
UNDUI		E ANALOG VOICE GRADE LOOP		-								1					+
	Z-VVIIXL	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						<u> </u>					+
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u>'</u>	OLI OR OLI OB	OLIVILO	12.00	00.04	10.07	0.00	0.00	1					
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			0 = 1 0 1 0 = 1 0 =					0.00		İ					1
		Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP	ļ														
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					44.00	400.40	05.70								
	-	Ground Start Signaling - Zone 1	ļ	1	UEA	UEAL2	14.93	102.10	65.72			1					-
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2			05.05	400.40	65.72								
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	25.35	102.10	65.72			 					+
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72								
	1	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.40	17.56	05.72			1					+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OCCOL		17.50				<u> </u>					+
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	027	0271112		102.10	00.72			İ					
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										İ					
1	1	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72			1	1				1
	i –	Order Coordination for Specified Conversion Time (per LSR)	Ì		UEA	OCOSL		17.56				İ					1
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP						·									
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.32	127.40	91.02								↓
<u> </u>	ļ	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	60.39	127.40	91.02			ļ					
	ļ	Order Coordination for Specified Conversion Time (per LSR)	ļ	ļ	UEA	OCOSL		17.56				ļ					
i e	1	CLEC to CLEC Conversion Charge without outside dispatch	ı	I	UEA	UREWO		87.59	36.30	1	l	1	1	1	1	l	1

NBUNDI	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A	1	
DUNDL	LES ITE : WORK ELEMENTS - Louisiana				1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.		Order vs.	Order vs.
					0000			101120 (4)			perLSR	per LSR	Electronic-	Order vs. Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WI	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									1
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE L	OOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry				1141.00/	40.00	447.00	00.00								
	& facility reservation - Zone 1	ļ	1	UAL	UAL2X	12.29	117.08	68.36			1					
	2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	LIALOV	44.00	447.00	00.00								
	& facility reservation - Zone 2	 	12	UAL	UAL2X	14.09	117.08	68.36	1	1	1	 			 	+
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36			1	1			I	1
	Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UAL	OCOSL	15.75	17.08	00.30	1	1	+	-	 	 	 	+
-	2 Wire Unbundled ADSL Loop without manual service inquiry &	+	 	UAL	OOOOL	 	17.30	 	1	1	 		 	 	t	+
	facility reservation - Zone 1	1	1	UAL	UAL2W	12.29	92.83	56.02			1	1			I	1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>		J. 1.2.44	12.20	02.00	55.52		1			1	1	<u> </u>	
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								1
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE LO	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								_
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL	OCOSL		17.56									
	2 Wire Unbundled HDSL Loop without manual service inquiry					0.70	404.04	04.40								
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	9.79	101.24	64.43		-	+					+
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UNLZVV	11.52	101.24	04.43		-	-					+
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
	Order Coordination for Specified Conversion Time (per LSR)		- 3	UHL	OCOSL	12.74	17.56	04.43		1	+		1			+
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		86.00	40.34	†	+	+					+
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE LO	OOP	OTIL	OREWO		00.00	40.04	†	+	+					+
	4 Wire Unbundled HDSL Loop including manual service inquiry	1	, <u>, , , , , , , , , , , , , , , , , , </u>								1					
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry															1
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry															1
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4-Wire Unbundled HDSL Loop without manual service inquiry						-									
	and facility reservation - Zone 1	ļ	1	UHL	UHL4W	16.24	129.00	92.20								1
	4-Wire Unbundled HDSL Loop without manual service inquiry						-									
_	and facility reservation - Zone 2	ļ	2	UHL	UHL4W	16.65	129.00	92.20	ļ	ļ			ļ	ļ	1	
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	_	l	L	I l					1	1			I	
	and facility reservation - Zone 3	ļ	3	UHL	UHL4W	17.34	129.00	92.20	-	-					-	
	Order Coordination for Specified Conversion Time (per LSR)	ļ	<u> </u>	UHL	OCOSL	ļ	17.56	40.01	-	-					-	
4 1000	CLEC to CLEC Conversion Charge without outside dispatch	 	!	UHL	UREWO	 	86.00	40.34	1	1			-	-	 	₩
4-1/1	RE DS1 DIGITAL LOOP	1	4	LICI	USLXX	05.70	045.40	450.00	 	+	1		 	 	 	+
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	 	2	USL	USLXX	85.70 194.96	245.16 245.16	152.98 152.98	1	1	1	 			 	+
	19-yviie DO I Didikii LOOD - ZOHê Z	1	4	USL	USLAA	194.96	240.16	152.98	1	1	1	1	1	1	ļ	+
	4-Wire DS1 Digital Loop - Zone 3	1	3	USL	USLXX	491.94	245.16	152.98								

UNBUNDL	.ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
											Svc Order Submitted		Incremental	Incremental Charge -	Incremental Charge -	Incrementa Charge -
			l _								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurrin	g Disconnect		•		Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 14/1	CLEC to CLEC Conversion Charge without outside dispatch	ļ	-	USL	UREWO		100.93	42.98			1	-				
4-VVI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48		 	+					-
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48			+					-
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48			1					1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48								ļ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	20.00	17.56	0= 40								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1 2	UDL UDL	UDL64 UDL64	30.99 36.78	121.86 121.86	85.48 85.48		<u> </u>	+					-
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64 UDL64	36.78	121.86	85.48 85.48	1	1	+	 				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	30.92	17.56	05.40		1	+					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67			1					
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	14.09	116.18	67.46			1	-				
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	13.73	7.92	7.92		1	+					
	2-Wire Unbundled Copper Loop-Designed without manual			002	0020		7.02	7.02			†					†
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12			1					
	2-Wire Unbundled Copper Loop-Designed without manual		_	UCL	LICI DW	45.75	04.00	55.40								
	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPW	15.75	91.92 7.92	55.12 7.92		<u> </u>	+					-
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	OCLIVIC		7.52	7.92			+					
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								ļ
	4-Wire Copper Loop-Designed including manual service inquiry					40.05										
	and facility reservation - Zone 2	ļ	2	UCL	UCL4S	18.95	139.69	90.96			+					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.55	7.92	7.92		1	+					+
	4-Wire Copper Loop-Designed without manual service inquiry										†					†
	and facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry		_	UCL	UCL4W	10.99	445 40	78.63								
	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4W UCLMC	10.99	115.43 7.92	78.63		 	+					-
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	OCLIVIC		7.52	7.52			+					-
	(UCL-Des)			UCL	UREWO		91.92	42.47								
LOOP MODI																
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	LILMO		0.00	0.00								
	pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	<u> </u>	UEPSB	ULM2L		0.00	0.00	1	 	1	1				ļ
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	1355 than or equal to forth, por oribunities book	1		UAL, UHL, UCL,	OLIVITL		0.00	0.00		1						—
				UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
1	per unbundled loop			UEPSB	ULMBT		12.15	12.15								

													Attachmen	t: 2 EXN. A		
	ED NETWORK ELEMENTS - Louisiana											Svc Order Submitted Manually	Incremental	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Rec	Nonrec			g Disconnect	001150	001441		Rates (\$)	0011411	0011411
SUB-LOOPS			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	oop Distribution		1								1					†
- 000 -	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		144.09	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder		-	UEANL	USBSB		10.99	10.99		-						
	Facility Set-Up	l 1		UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	· ·		OL7 II VL	CODOC		00.10	00.10								
	Set-Up	I		UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	ı	1	UEANL	USBN2	7.57	63.89	30.06		ļ						1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.75	63.89	30.06								
-+	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u>'</u>		OLANE	OODINZ	12.73	03.03	30.00			1					†
	Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIN4	11.76	76.75	42.92		<u> </u>						
	Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
							=									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL UEANL	USBMC USBR2	2.91	7.92 51.48	7.92 17.65		-						_
-+	Sub-Loop 2-Wile intrabuliding Network Cable (INC)	<u>'</u>	1	OLANL	USBRZ	2.91	31.40	17.05			1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	6.58	57.54	23.71								
							=									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		-	UEANL UEANL	USBMC URET1		7.92 33.17	7.92 33.17		-						
-	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.26	63.89	30.06								1
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	10.07	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	12.70	63.89	30.06								
	Order Consideration for Habitan divides to the constant of the			uee	LICDMO		7.00	7.00								
\longrightarrow	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	8.03	7.92 76.75	7.92 42.92		-	 					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	10.71	76.75	42.92		<u> </u>						
-+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	6.08	76.75	42.92	İ							†
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEF	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	33.17		-						
Unbu	Loop Testing - Basic Additional Half Hour ndled Network Terminating Wire (UNTW)	-		UEF	URETA		19.28	19.28		-	1					
Ulibur	Unbundled Network Terminating Wire (UNTW) per Pair	1	†	UENTW	UENPP	0.3454	14.72	14.72								+
Netwo	ork Interface Device (NID)				J	3.0-04	17.72	17.72	1							
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83			İ					
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43								lacksquare
	Network Interface Device Cross Connect - 2 W	 		UENTW	UNDC2		5.73	5.73	-	 						₩
INF OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	-	 	UENTW	UNDC4		5.73	5.73		 	1	-				
JAL OTHER,	NID - Dispatch and Service Order for NID installation	 		UENTW	UNDBX	0.00	0.00			 	 					+
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		İ	1	†					†
				UEANL,UEF,UEQ,U												
I	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00									

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana													t: 2 Exh. A		
													Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
	0001	DATE EL EMENTO	to to obe	-	200	11000			DATEO (A)			Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			1	Nonred	curring	Nonrecurrin	g Disconnect	1		oss	Rates (\$)		
	1			<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
					UAL,UCL,UDC,UDL,											1	
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00								<u> </u>	
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no														i .	
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ļ
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								i .	
-	+	Unbundled DS1 Loop - Superframe Format Option - no rate		1	USL	CCOSF	0.00	0.00		1		1	1				
	+	Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00				+					
		no rate			USL	CCOEF	0.00	0.00								1	
HIGH	CAPACI	TY UNBUNDLED LOCAL LOOP									<u> </u>						
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	1	month			UE3	1L5ND	10.04										<u> </u>
	1	High Capacity Unbundled Local Loop - DS3 - Facility		1				=0.4.0		I						1	
-	-	Termination per month	-	ļ	UE3	UE3PX	362.34	504.229	294.745	1		1	-				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04									1	
	+	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	ILSIND	10.04					+					
		Termination per month			UDLSX	UDLS1	374.56	504.229	294,745							1	
LOOP	MAKE-			<u> </u>						t		1					
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29							L	
		Loop Makeup - Preordering With Reservation, per spare facility														1	
		queried (Manual).		ļ	UMK	UMKLP		24.70	24.70								<u> </u>
		Loop MakeupWith or Without Reservation, per working or			UMK			0.40	0.19							1	
LINE	SPLITTI	spare facility queried (Mechanized)		ļ	UIVIK	UMKMQ	+	0.19	0.19	-	 	+				 	-
LINE		SPLITTING					+					+					
		JSER ORDERING-CENTRAL OFFICE BASED		1							1	+					
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29								
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
MAIN		CE OF SERVICE	L	L			1										
	NOTE	: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	plicable.	00.00	FF 00								ļ
-	+	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		<u> </u>			+	80.00 90.00	55.00 65.00	-	1	.	-				
	+	No Trouble Found - per 1/2 hour increments - Premium		1			1	100.00	75.00		1	1				—	1
UNBU	NDLED	DEDICATED TRANSPORT		1			1		10.00	t				t			
		OFFICE CHANNEL - DEDICATED TRANSPORT									1						
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
L	+	Per Mile per month		ļ	U1TVX	1L5XX	0.013				ļ	1		ļ			
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	U1TV2	20.00	39.36	26.62	1						1	
-	+	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1	1	UIIVA	UTIVZ	22.60	39.36	26.62	-	+	1	1	 		 	
	1	Rev Bat Per Mile per month	1		U1TVX	1L5XX	0.013			1						İ	
	1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1	1		0, 0 (0.010			1	1	1	l				
L		Facility Termination	<u></u>	<u>L</u>	U1TVX	U1TR2	22.60	39.36	26.62	<u></u>	<u> </u>		<u></u>			<u> </u>	<u> </u>
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -														1	
L	+	Per Mile per month		ļ	U1TVX	1L5XX	0.013				ļ	1		ļ			↓
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	U1TV4	19.81	39.36	26.62	1						1	
-	+	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile	-	1	UIIVA	U11V4	19.81	39.36	26.62	 	1	+	-	 			1
	1	per month	1		U1TDX	1L5XX	0.013			1						İ	
	†	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<u> </u>			3.310			<u> </u>	1						
		Termination		<u> </u>	U1TDX	U1TD5	15.61	39.37	26.62	<u> </u>						<u> </u>	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
<u> </u>	1	per month		 	U1TDX	1L5XX	0.013				ļ	1	1	<u> </u>			
	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		1	U1TDX	U1TD6	15.61	39.37	26.62	I						1	
L	1	Termination	l	1	אטווט	סטווט	10.61	39.37	20.02	1		1	1				

UNBI	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
0.11												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
						ļ	Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.2652										
-	1	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטווטו	1L5XX	0.2652					.					
		Termination			U1TD1	U1TF1	70.47	86.69	79.44								
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTE	011111	70.47	00.03	75.44			+					-
		month			U1TD3	1L5XX	6.04										
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility			01150	120701	0.01					†					
		Termination per month			U1TD3	U1TF3	850.45	270.69	158.05								
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	6.04										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	830.19	270.69	158.05								
DARK	FIBER					1											ļ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	1	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	60.06										
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		UDF, UDFCX	1L5DF	05.00										
	1	Thereof per month - Interoffice Channel			UDF, UDFCX	UDF14	25.28	620.60	133.88			.					
	1	NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	UDF14		620.60	133.88			.					
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.06										
VIRTI	AL COL	LOCATION			ODI, ODI CA	ILJDL	00.00					<u> </u>					+
VIICIO	T	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				1						1					†
		Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSI	CAL CO	LLOCATION										İ					
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
ENHA		XTENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will															
		The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combination:	s provisioned	as ' Currently (Combined' Net	work Element	5.					
-	2-WIRI	E VOICE GRADE LOOP FOR USE IN A COMBINATION		1	UNCVX	UEAL2	14.93	94.21	45.00								<u> </u>
		2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09 45.09			 					
_	1	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			1					
	1	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.6497	5.91	4.26			+					
	4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION			0.1017	13.10	0.0.07	0.01	20								1
	1	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09			†					<u> </u>
		4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	4-WIRI	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09					ļ			ļ
	1	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								!
	1	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								!
-	4 10/10	OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON	-	-	UNCDX	1D1DD	1.38	5.91	4.26			ļ		 	-	-	
-	4-WIR	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDL64	30.99	94.21	45.09				-				
—	+	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	2	UNCDX	UDL64	36.78	94.21	45.09			1		 	1		
	1	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	 	3	UNCDX	UDL64	38.92	94.21	45.09			1	-	 		1	†
	1	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		Ť	UNCDX	1D1DD	1.38	5.91	4.26								
	2-WIRI	E ISDN LOOP FOR USE IN COMBINATION			-	† -			20					İ			1
		2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09			İ		1			
		2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
		2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	4-WIR	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION				1											ļ
<u> </u>	1	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								_
<u> </u>	1	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			ļ		 	 	ļ	
<u> </u>	 	4-Wire DS1 Digital Loop in Combination - Zone 3	-	3	UNC1X	USLXX	491.94	169.22 5.91	100.89			ļ		 	 	 	
	1	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26			<u> </u>					l

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachmen	t: 2 Exh. A		
										Svc Order	Svc Order		Incremental	Incremental	Incremental
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			_							Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring Disconnec	t	1	oss	Rates (\$)		
						Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON												
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per														
	Month			UNCVX	1L5XX	0.013									ļ
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75							
4 WIRE	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON	ONOVA	OTTVZ	22.00	72.00	41.75			1				+
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per														
	Month			UNCVX	1L5XX	0.013									
	Interoffice Transport - 4-wire VG - Dedicated - Facility														
D04 IN	Termination per month			UNCVX	U1TV4	19.81	72.60	41.75							
DS1 IN	ITEROFFICE TRANSPORT FOR COMBINATION Interoffice Transport - Dedicated - DS1 combination - Per Mile	-			-				 	+	 	-			
1 1	per month			UNC1X	1L5XX	0.2652					1	1			
	Interoffice Transport - Dedicated - DS1 combination - Facility	1				3.2002					†	1			1
	Termination per month	<u></u> _	<u> </u>	UNC1X	U1TF1	70.47	143.58	103.88				<u> </u>			
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
DS3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION				_										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6.04									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNCSA	ILSAA	0.04					+	 			
	month			UNC3X	U1TF3	850.45	270.69	158.05							
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION														
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile														
	Per Month			UNCSX	1L5XX	6.04									ļ
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	LIATEC	830.19	270.69	158.05							
4-WIDI	Termination per month 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT		UNCSX	U1TFS	830.19	270.69	158.05		-	1	-			
4-11111	4-wire 56 kbps Local Loop in combination - Zone 1	IOI OIKI	1	UNCDX	UDL56	30.99	94.21	45.09		-					
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -														
	Per Mile per month	ļ	-	UNCDX	1L5XX	0.013					1	-			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75							
4-WIRI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO		01120	10.01	72.00	71.70			†				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	1	3	UNCDX	UDL64	38.92	94.21	45.09			1				<u> </u>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.013									
 	Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		OINCDA	ILJAA	0.013			 		1	 			
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75				1			
4-WIRI	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANSI	PORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	36.78	94.21	45.09			1				<u> </u>
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	 	3	UNCDX	UDL56	38.92	94.21	45.09	+	+	+	 			
	month			UNCDX	1L5XX	0.013						1			
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			2.102/1	.20,00	0.010			 		t	1			
	Termination per month	<u> </u>		UNCDX	U1TD5	15.61	72.60	41.75	<u> </u>		1	<u> </u>			
4-WIRI	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANSI	PORT					-							
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			1				ļ
	4-wire 64 kbps Local Loop in combination - Zone 2 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64 UDL64	36.78 38.92	94.21 94.21	45.09 45.09	1		1	 			
 	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	 	3	UNCDA	UDL04	30.92	94.21	45.09	 	+	 	 			
	month			UNCDX	1L5XX	0.013					1	1			
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility										1				
	Termination per month			UNCDX	U1TD6	15.61	72.60	41.75							ļ
DS1 D	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT										1	L			<u> </u>

NBUNDL'	ED NETWORK ELEMENTS - Louisiana					-							Attachmen	t: 2 Exh. A		
		1	1	1	Т —	T					Svc Order	Svc Order			Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)								
VI LOOK I	NATE ELEMENTO		20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					+	 	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		l
-+-			<u> </u>		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+-	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89	71130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
-+-	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			 					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1	1										
	per month			UNC1X	1L5XX	0.2652								, ,		
	Interoffice Transport - Dedicated - DS1 combination - Facility				+	-										
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88						,		
DS3 I	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT	1		1	1										
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.546										
			1		+	1										
	DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	416.691	504.229	294.745			1			, ,		1
\neg	Interoffice Transport - Dedicated - DS3 - Per Mile per month	İ		UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 combination - Facility			İ	1											1
	Termination per month			UNC3X	U1TF3	850.45	270.69	158.05						, ,		
STS-	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT			1											
	STS-1 Local Lolp in combination - per mile per month		i –	UNCSX	1L5ND	11.546										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	430.744	504.229	294.745						, ,		
	Interoffice Transport - Dedicated - STS-1 combination - per mile		i –		1											
	per month			UNCSX	1L5XX	6.04								,		
	Interoffice Transport - Dedicated - STS-1 combination - Facility				T											
	Termination per month			UNCSX	U1TFS	830.19	270.69	158.05						,		
DITIONAL	NETWORK ELEMENTS				T											
When	n used as a part of a currently combined facility, the non-recur	rng charg	es do n	ot apply, but a Swi	tch As Is cha	rge does apply.										
Wher	n used as ordinarily combined network elements in All States, t	he non-re	curring	charges apply and	the Switch A	s Is Charge doe	s not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge (One app		nation)											
				UNCVX, UNCDX,										, ,		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X, UNC3X,										,		
	Is Charge			UNCSX	UNCCC		5.43	5.43								
Optio	onal Features & Functions:															
				U1TD1,										, ,		
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,			0.00									
	Clear Channel Capability Super FrameOption - per DS1	I I			00005											
			ļ	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
- 1	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1,UNC1X ULDD1, U1TD1,			0.00									
\bot	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOSF NRCCC			0.00 23.79	0.00	0.00						
	Activity - per DS1	I		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	NRCCC		0.00	23.79	1.97	0.77						
	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	l i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL			0.00									
MUL1	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS	i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	NRCCC NRCC3		0.00 184.65 218.78	23.79 7.66	1.97	0.77						
MUL1	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month	i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	NRCCC	105.09	0.00	23.79	1.97	0.77						
MUL1	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	NRCCC NRCC3		0.00 184.65 218.78 59.97	23.79 7.66 12.96	1.97	0.77						
MUL1	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	NRCCC NRCC3	105.09	0.00 184.65 218.78	23.79 7.66	1.97	0.77						
MUL1	C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	NRCCC NRCC3		0.00 184.65 218.78 59.97	23.79 7.66 12.96	1.97	0.77						
MUL1	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	i		ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	NRCCC NRCC3 MQ1 1D1DD	1.38	0.00 184.65 218.78 59.97 6.39	23.79 7.66 12.96 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	NRCCC NRCC3		0.00 184.65 218.78 59.97	23.79 7.66 12.96	1.97	0.77						
MUL	C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	i		ULDDÍ,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	NRCCC NRCC3 MQ1 1D1DD	1.38	0.00 184.65 218.78 59.97 6.39	23.79 7.66 12.96 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	NRCCC NRCC3 MQ1 1D1DD	1.38	0.00 184.65 218.78 59.97 6.39	23.79 7.66 12.96 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ULDDÍ,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	NRCCC NRCC3 MQ1 1D1DD	1.38	0.00 184.65 218.78 59.97 6.39	23.79 7.66 12.96 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Cocal Loop			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UDL U1TUD	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.38 1.38 2.96	0.00 184.65 218.78 59.97 6.39 6.39	23.79 7.66 12.96 4.58 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			ULDDÍ,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	NRCCC NRCC3 MQ1 1D1DD	1.38	0.00 184.65 218.78 59.97 6.39	23.79 7.66 12.96 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.38 1.38 2.96	0.00 184.65 218.78 59.97 6.39 6.39 6.39	23.79 7.66 12.96 4.58 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UDL U1TUD	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.38 1.38 2.96	0.00 184.65 218.78 59.97 6.39 6.39	23.79 7.66 12.96 4.58 4.58	1.97	0.77						
MUL	Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.38 1.38 2.96	0.00 184.65 218.78 59.97 6.39 6.39 6.39	23.79 7.66 12.96 4.58 4.58	1.97	0.77						
MUL	C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the deformance of the connection to a channel System - per month used for connection to a channelized DS1 Local Channel in the			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.38 1.38 2.96 2.96 0.6497	0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	23.79 7.66 12.96 4.58 4.58 4.58 4.58	1.97	0.77						
MUL	C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			ULDDI, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UDL U1TUD UDN U1TUB UEA	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.38 1.38 2.96 2.96 0.6497	0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	23.79 7.66 12.96 4.58 4.58 4.58 4.58 4.58	1.97	0.77						
MUL	C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the deformance of the connection to a channel System - per month used for connection to a channelized DS1 Local Channel in the			ULDD1, UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.38 1.38 2.96 2.96 0.6497	0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	23.79 7.66 12.96 4.58 4.58 4.58 4.58	1.97	0.77						

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted	Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.78	6.39	4.58								
COMM	INGLING															
	Commingling Authorization			UE3, UDLSX, UNCDX, UNCSX, UNCVX, UNC1X, UNC3X, U1TD1, U1TD3, U1TDX, U1TS1, U1TUB, U1TVX	CMGAU	0.00	0.00	0.00	0.00	0.00						
Note:	Rates displaying an "I" in Interim column are interim as a resi	ult of a Co	mmissi	on order.			, and the second second									

Version TRRO:05/20/05

UNBUND	DLED NETWORK ELEMENTS - Mississippi												Attachmer	nt: 2 Exh. A		
CHECHE			1								Svc Order	Svc Order	. 	Incremental	Incremental	Increment
											Submitted	1	l l	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEGORY	Y RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
															D130 131	DISO Auu
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-					 		<u> </u>			LUNE Zono Bo			000		1	
	e "Zone" shown in the sections for stand-alone loops or lo				raphically De	eaveraged UNE	Zones. To vie	w Geographic	ally Deaverage	UNE Zone De	signations	by Central	Office, refer to	internet wer	osite:	
	p://www.interconnection.bellsouth.com/become_a_clec/htm DNAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	ni/interconnecti	on.ntm		1	ı	ı	1	ı	1	ı	1		1	1	1
	TE: (1) CLEC should contact its contract negotiator if it pro	fore the "etate	cnocific	" OSS charges as ore	lored by the	State Commiss	ione The OSS	Charges curr	ontly contained	in this rate ov	hibit are th	n BallSauth	"rogional" co	rvice orderin	a charges Cl	EC may
	ect either the state specific Commission ordered rates for the															
	ch of the 9 states.	e service order	ing cital	ges, or CLEC may er	ect the regio	nai service oru	ering charge, i	iowever, CLLC	can not obtain	i a illixture or i	ne two reg	aruless ii Ci	LEC Has a Hite	erconnection	COIIII act estat	Jiisiieu III
	OTE: (2) Any element that can be ordered electronically will	he hilled accor	ding to	the SOMEC rate liste	d in this cate	enory Please r	efer to BellSou	ith's Local Ord	lering Handboo	k (LOH) to det	ermine if a	nroduct car	he ordered e	electronically	For those ele	ements tha
	nnot be ordered electronically at present per the LOH, the I															
	Il be applied to a CLECs bill when it submits an LSR to Bel			o dategory remedia in	ic onarge the	it would be bill	.a 10 a 0220 0	nioc cicoti onio	oracining dapa	billios come c		iai cicinciii.	Otherwise, i	ne manaar or	acing onargo	, 001117414,
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - UNE Only		1		SOMEC		3.50	0.00	3.50	0.00	1			I	I	1
	OSS - Manual Service Order Charge, Per Local Service R	equest														
	(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
UNE SERVI	/ICE DATE ADVANCEMENT CHARGE															
NO	TE: The Expedite charge will be maintained commensurat	e with BellSout	h's FCC	No.1 Tariff, Section	5 as applicat	ole.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
	LINE For adita Channe and Circuit and in a Assistant LICC	0		UXTD3, UXTS1,												
	UNE Expedite Charge per Circuit or Line Assignable USC	C, per		U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
HINBHIND! E	Day ED EXCHANGE ACCESS LOOP		1	OTTUB, UTTUA	SUASP		∠00.00	 	1		-	-	1	 	 	-
	WIRE ANALOG VOICE GRADE LOOP	-	+					 	 				1	 	 	
2.44	2-Wire Analog Voice Grade Loop - Service Level 1- Zone	1	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	 	 	1	I	I	†
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone			UEANL	UEAL2	16.87	37.92	17.55		5.25				<u> </u>	<u> </u>	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone	3		UEANL	UEAL2	25.68	37.92	17.55		5.25				1	1	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55		5.25				1	1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone		1	UEANL	UEASL	12.03	37.92	17.55		5.25				1	1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25				t	t	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25				1	1	İ
							37.92	17.55	23.48	5.25	l	i e	t	1	t	1
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.40	5.25						
			4	UEANL	UEASL	43.85	37.92	17.55	23.40	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	8.33	0.83	23.40	5.25						

JNBUNDI	LED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Fxh. A		
CATEGORY		Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001150			Rates (\$)		
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		<u> </u>		UEANL	UREWO	 	19.97 15.75	19.97 8.92				-				
	CLEC to CLEC Conversion Charge Without Outside Dispatch Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1		UEANL	UREWO	+	15.75	8.92								
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1					†										
	(per LSR)			UEANL	OCOSL		18.19	18.19								
2-W	IRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ļ	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						Ļ
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ļ		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	1	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEQ	URETL		8.33	0.83			1					
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1		UEW	UKEIL	+ +	8.33	0.83		 		1				+
	Non-Designed (per loop)	1		UEQ	USBMC		8.20	8.20			1					
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			024	0020		0.20	0.20								
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-					İ										1
	Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	OLI OK OLI OD	OLABO	23.00	51.32	17.55	25.40	5.25						
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1		91.102									
	Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
	D EXCHANGE ACCESS LOOP															
2-W	IRE ANALOG VOICE GRADE LOOP															ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3													
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Ground Start Signaling - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UEA UEA	UEAL2 OCOSL	45.72	105.96 18.19	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		02/1	JUUGE	 	10.19				 	-				
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						<u> </u>
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4			UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
1																

BUNDLE	D NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring			•		Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
4 14/15	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						-
-	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
-	4-Wire Analog Voice Grade Loop - Zone 2		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.00	18.19	0 1.00	00.00							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WIR	E ISDN DIGITAL GRADE LOOP					i										
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						
_	2-Wire ISDN Digital Grade Loop - Zone 4	ļ	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19	44.0=								ļ
0.14/10	CLEC to CLEC Conversion Charge without outside dispatch	ATIDLE	000	UDN	UREWO		91.46	44.07								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	.00P									-				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
-	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	11.11	121.21	70.01	50.36	7.93						
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry			OAL	UALZA	11.47	121.21	70.01	30.30	1.55						
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		Ŭ	07.12	O/ LEE/ C			7 0.0 1	00.00	7.00						
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &					i										
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						<u> </u>
_	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19	40.00								<u> </u>
O MUD	CLEC to CLEC Conversion Charge without outside dispatch	TIDLELO	LOD.	UAL	UREWO		86.04	40.33								├
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	LIBLE LC	OP		+											
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
_	2 Wire Unbundled HDSL Loop including manual service inquiry		- '	OFIL	UTILZX	0.75	129.90	19.52	30.30	7.55						
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry		-	0.12	O. ILLX	0.22	.20.00	70.02	00.00	7.00						
	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	i	18.19									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	_				,				1					1
_	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry		4	ш	LILLI OVA	40.40	404.00	00.74	50.00	7.00	1					1
-	and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	!	4	UHL UHL	UHL2W OCOSL	10.46	104.86 18.19	66.74	50.38	7.93	-					
+	CLEC to CLEC Conversion Charge without outside dispatch	-	 	UHL	UREWO		85.98	40.33			 	-				
4-WIP	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLETO	OP	OLIE	SIVEAAO		05.50	40.00								
7-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDEE EC	, , ,		+						 					
1	and facility reservation - Zone 1	I		UHL	UHL4X	13.78	158.74	108.28	56.72	10.68	l	l				1

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Name		Nonrecurring	- Di					2.00 .00	2.007.444
		-	-		+	Rec	Nonred First	urring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	1		<u> </u>		FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						ĺ
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFILTIX	10.40	100.14	100.20	00.72	10.00						
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						İ
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry						400.00		====	40.00						ĺ
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	ļ	1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						ĺ
-	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OFFERV	13.43	133.02	33.30	30.72	10.00						
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ť	0.12	0.12.11	10.00	100.02	00.00	00.72	10.00						
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						ĺ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WI	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	206.74 458.46	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07						
	4-Wire DS1 Digital Loop - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	-	4	USL USL	OCOSL	458.46	253.93 18.19	158.45	46.10	12.07						
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1		002	O.K.E.V.O	İ	100.00	12.00								
	4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ	2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	1	3	UDL UDL	UDL56 UDL56	40.76 32.25	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						-
-	Order Coordination for Specified Conversion Time (per LSR)		-	UDL	OCOSL	32.23	18.19	00.00	00.00	14.04						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19		1							
0.14//	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-1/1	RE Unbundled COPPER LOOP	ļ	-		1	-										
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						ĺ
-	2-Wire Unbundled Copper Loop-Designed including manual		-	UCL	OCLFB	11.11	120.34	09.07	30.36	7.55						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						ĺ
	2 Wire Unbundled Copper Loop-Designed including manual	1		1												
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						ĺ
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC	ļ	8.20	8.20	1		ļ	ļ				
	2-Wire Unbundled Copper Loop-Designed without manual				LIGI DIA	.	05.01	F7 00	50.00	7.00						1
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93	-	-			-	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed without manual	+	 	UUL	JOLF W	11.47	95.21	57.09	50.38	7.93		<u> </u>			 	
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						1
-	2-Wire Unbundled Copper Loop-Designed without manual	1	ΙŤ	İ	<u> </u>	1		230	1	50						
	service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								

JNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
CATEGORY		Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring		001450	001441		Rates (\$)	001111	
	CLEC to CLEC Conversion Charge without outside dispatch				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UCL-Des)			UCL	UREWO		95.21	42.40								
4-WI	IRE COPPER LOOP	+		COL	OKEWO		30.21	72.70								1
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry	+	3	UCL	UCL43	21.33	144.00	94.22	56.72	10.00						
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1	1	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry				1101 414	40.04	110.50	04.44	50.70	40.00						
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						<u> </u>
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry	+	l -	COL	COLTVI	21.00	110.00	01.44	00.72	10.00						1
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40								<u> </u>
OOP MODI	FICATION	-	-	UAL, UHL, UCL,	-											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L ULM4L		32.57 32.57	32.57 32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal per unbundled loop	,		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
UB-LOOPS																
Sub-	-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-		+											_
	Up			UEANL	USBSA		259.69									
	0.1.1															
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	1	-	UEANL	USBSB		22.77						-	-	-	-
	Facility Set-Up			UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	+ '-	†	OLAIVL	30000	 	170.47					 				
	Set-Up	1		UEANL	USBSD		56.39									
İ	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+ '-		OLAINL	UODINZ	7.15	81.00	31.14	45.36	0./1		-				+
	Zone 2	1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	ΙĪ			2.01	22.10									
	Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	2010 7	+	+	OLAINL	JODINZ	10.20	00.18	31.14	45.36	0.71			 	 	 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai	r		UEANL	USBMC		8.20	8.20				1				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					1										
1	Zone 1	1	1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					1										

CATEGORY RATE ELEMENTS Interim Zone . USD . Description RATES (8) RATES (9) RATE	NRUNDI ED	NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
ACTEONY RATE ELEMENTS Washington	NBONDLED	NETWORK ELEMENTS - MISSISSIPPI		1	I	I						Svc Order	Svc Order			Incremental	Incremental
CATECORY PATE ELEMENTS Union Color C																	
### CATECORY RATE ELEMENTS Interim Zone . USO RATES ()																	Charge -
Secretarian Secretarian	ATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)								Manual Svc
Section Sect	TI LOOK!	RATE ELEMENTO		20110	· ·	0000			τιλίτο (ψ)			per LSR	per LSR				Order vs.
Section Sect																	Electronic-
Sub-Loco Distribution Per 4-Wire Analog Victor Grade Loco 1 1 1 1 1 1 1 1 1														1st	Add'l	Disc 1st	Disc Add'l
Section Perform Perf							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Sec. Licys Dembution Per 4 Wish Androgly Votes Grade Loop - 3 UEANL USSN4 16.77 77.46 44.45 51.27 9.35							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Sec. Licys Dembution Per 4 Wish Androgly Votes Grade Loop - 3 UEANL USSN4 16.77 77.46 44.45 51.27 9.35		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
Sto-Large Dathburster For AVM Availary (or Grante Loup - 4 UEAM, USBNH 19,73 79,49 44.46 5127 0.35				3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
Dept. Control Cont																	
Sub-Luop 2-Wire Institutioning Networks Cable (NC)				4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
Sub-Luop 2-Wire Institutioning Networks Cable (NC)																	
Order Coordination for Unbounded Sub-Loop Engineering Page 500-500 page 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
Sub-Loop 4 Winnerhander Sub-Loop patholoop path ULEANL USBREA 4.40 59.00 2.25 51.77 9.35		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
Sub-Loop 4 Winnerhander Sub-Loop patholoop path ULEANL USBREA 4.40 59.00 2.25 51.77 9.35		. ,															
Orient Conditionation for Linbinardied Sub-Loops per sub-loop pair UEANL USBMC 8.20 8		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
Loop Testings - Base 14 Hard Hour		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
Loop Testings - Base 14 Hard Hour				1	1	1											
Loop Testings - Base 14 Hard Hour		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								1
Loop Testing: Basic Additional Half Hour																	
2 Wire Copper Unbursded Sub-Loan Distribution - Zone 1																	
2 Wire Copper Unburded Sub-Loop Distribution - Zone 2			1	1			6.06			45.36	6.71						
2 Wee Copper Unbundled Sub-Loop Destrobution - Zono 3			ı	2	UEF												
Direct Coordination for Unburndled Sub-Loops, per sub-loop pair UEF USBMC 8.20	2	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
4 Wire Copper Libraried Sub-Loop Destribution - Zone 1 1 UEF UCSAX 5.10 79.49 44.45 51.27 9.35 4 Wire Copper Libraried Sub-Loop Destribution - Zone 3 1 3 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 4 Wire Copper Libraried Sub-Loop Destribution - Zone 4 4 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 4 Wire Copper Libraried Sub-Loop Destribution - Zone 4 4 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 4 Wire Copper Libraried Sub-Loop Destribution - Zone 4 4 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 5 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 6 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 7 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 8 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 8 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 9 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 9 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 9 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 9 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 9 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49 44.45 51.27 9.35 10 UEF UCSAX 14.00 79.49	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
4 Wire Copper Unburndled Sub-Loop Destinution - Zone 1 1 UEF UCS4X 5.10 79.49 44.45 51.27 9.35																	
4 Wire Copper Unburndied Sub-Loop Distribution - Zone 2		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
4 Wire Copper Unbundled Sub-Loop Destriction - Zone 3	4	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
A Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 8.20 8.20	4	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF		14.00	79.49	44.45		9.35						
Loop Testing - Basic Additional Half Hour	4	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
Loop Testing - Basic Additional Half Hour																	
Upbundled Network Terminating Wire (UNTW)		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
Unbundled Network Terminating Wire (UNTW) UENTW	L	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENTP 0.3366 30.55	l	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Network Interface Device (NID) -1-2 lines																	
Network Interface Device (NID) - 1-2 lines					UENTW	UENPP	0.3366	30.55									
Network Interface Device (ND) - 1-6 lines																	
Network Interface Device Cross Connect - 2 W																	
Network Interface Device Cross Connect - 4/W																	
UNE OTHER, PROVISIONING ONLY - NO RATE																	
NID - Dispatch and Service Order for NID installation					UENTW	UNDC4		5.94	5.94								
UNTW Circuit Id Establishment, Provisioning Only - No Rate				ļ	L	L	1										1
Unbundled Contract Name, Provisioning Only - No Rate UNE OTHER, PROVISIONING ONLY - NO RATE Unbundled Contact Name, Provisioning Only - no rate UDN,UEA,UHL,USL UNECN Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate UEA,UDN,UCL,UDC USBFQ 0.00 0.00 Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate UEA,UDN,UCL,UDC USBFQ 0.00 0.00 Unbundled DS1 Loop - Superframe Format Option - no rate USL CCOSF 0.00 0.00 Unbundled DS1 Loop - Expanded Superframe Format option - no rate USL CCOEF 0.00 0.00 0.00 USL CCOEF 0.00 0.00 0.00 USL CCOEF 0.00 0.00 0.00 USL CCOEF 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																	
Unbundled Contract Name, Provisioning Only - No Rate		UNTW Circuit id Establishment, Provisioning Only - No Rate		!		UENCE	0.00	0.00									├
Unbundled Contact Name, Provisioning Only - no rate	l.	Haland Hall Control Name Books and Called N. B.		1		LINEON	0.00	0.00				1	1				1
Unbundled Contact Name, Provisioning Only - no rate UDN,UEA,UHL,USL UNECN UDN,UEA,UHL,USL UNECN UEA,UDN,UCL,UDC USBFQ UEA,UDN,UCL,UDC USBFQ UEA,UDN,UCL,UDC USBFQ UEA,UDN,UCL,UDL USBFR UEA,UDN,UCL,UDL USBFR UEA,USL,UCL,UDL USBFR UEA,USL,UCL,UDL USBFR UEA,USL,UCL,UDL USBFR USL CCOSF UNbundled DS1 Loop - Superframe Format Option - no rate USL CCOSF UNBundled DS1 Loop - Expanded Superframe Format option - no rate USL CCOFF USL				!	⊏IN I VV	UNECN	0.00	0.00				ļ			-		├
Unbundled Contact Name, Provisioning Only - no rate	NE OTHER, PI	KUVISIUNING UNLY - NU KATE		-		-							-				
Unbundled Contact Name, Provisioning Only - no rate					HAL HOL HBO HB!												1
Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	l.	Linkundled Contact Name Browings - Column				LINEON	0.00	0.00									1
Tate				-	UDIN,UEA,UHL,USL	UNECN	0.00	0.00									
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate UEA, USL, UCL, UDL USBFR 0.00 0.				1	HEV HOW HOL HOO	LICREO	0.00	0.00				1	1				1
Tate				+	UEA,UDIN,UCL,UDC	nobla	0.00	0.00			-				-		
Unbundled DS1 Loop - Superframe Format Option - no rate USL CCOSF 0.00 0.00 Unbundled DS1 Loop - Expanded Superframe Format option - no rate USL CCOEF 0.00 0.00 HIGH CAPACITY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per month UE3 1L5ND 11.20 High Capacity Unbundled Local Loop - DS3 - Facility Termination per month UE3 UE3PX 326.15 522.2495 305.2905 141.7145 99.1185		·		1	HEATISI HOLLIDI	LICDED	0.00	0.00				1	1				1
Unbundled DS1 Loop - Expanded Superframe Format option - no rate USL CCOEF 0.00 0.00				-													
no rate				 	UUL	CCOSF	0.00	0.00				-			-		
HIGH CAPACITY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per month					LISI	CCOEE	0.00	0.00									1
High Capacity Unbundled Local Loop - DS3 - Per Mile per month UE3 1L5ND 11.20 High Capacity Unbundled Local Loop - DS3 - Facility Termination per month UE3 UE3PX 326.15 522.2495 305.2905 141.7145 99.1185				-	USL	CCOEF	0.00	0.00							-		
month				-		-									-		
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month UE3 UE3PX 326.15 522.2495 305.2905 141.7145 99.1185				1	LIE3	11 5ND	11 20					1	1				1
Termination per month				 	ULU	TEJIND	11.20										
High Capacity Unbundled Local Loop - STS-1 - Per Mile per					LIE3	LIE3PX	326 15	522 2405	305 2905	141 7145	99 1195						1
				 	0_0	SEG! A	320.13	022.2700	555.2565	1-1.71-40	55.1105	-					
I I IIIIISX 1115ND I 1 1 1101SX 1115ND I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		month		1	UDLSX	1L5ND	11.20				1	1	l				1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
CATEGORY		Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonred	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS-1 - Facility			LIDLOY	LIDI 04	000 55	500 0405	005 0005	444 7445	00.4405						
LOOP MAKE	Termination per month			UDLSX	UDLS1	338.55	522.2495	305.2905	141.7145	99.1185						
LOOF WARE	Loop Makeup - Preordering Without Reservation, per working or		<u> </u>		+											
	spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.58	25.58								_
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE SPLIT				UIVIK	UIVIKIVIQ		0.6652	0.0052	<u> </u>							
	SPLITTING				1				1							1
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						<u> </u>
	ICE OF SERVICE	D.IIC :	1- 500	No 4 Tours Co. C.	10.0.1	Parkin					1		ļ			<u> </u>
NOT	E: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	olicable.	80.00	55.00								
\vdash	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		<u> </u>		<u> </u>		90.00	65.00	-		-					
\vdash	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
UNBUNDLE	D DEDICATED TRANSPORT						100.00	70.00			1					
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
\vdash	Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						ļ
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTIVA	ILSAA	0.0096			 							+
	Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade		1													†
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						ļ
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month	-	ļ	U1TDX	1L5XX	0.0098			1		-					
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	OTIDA	01103	13.00	40.70	21.01	17.20	7.11	1					
	per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month		ļ	U1TD1	1L5XX	0.201										ļ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
\vdash	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		ļ	וטווטו	UTIFT	57.33	89.79	82.28	10.86	14.90						_
	month			U1TD3	1L5XX	4.76			1							
	Interoffice Channel - Dedicated Transport - DS3 - Facility	i –	†		1	0			1							†
	Termination per month	<u> </u>	<u>L</u>	U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
\vdash	month CT 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T		<u> </u>	U1TS1	1L5XX	4.76										<u> </u>
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			LIATEA	LIATEO	044.04	200 27	400.70	00.00	00.00						
DARK FIBER	Termination	-	1	U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29	-		1			
DANK FIDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	 	+	+	+			 		 		 			
1 1	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	68.94			1							
				1 1 - 1 - 1 - 1	 	22.31			1		1 		 			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1L5DF											I

JNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		•
CATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
(IDTUAL CO	Thereof per month - Local Loop DLLOCATION		-	UDF, UDFCX	1L5DL	68.94										
/IRTUAL CO	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				<u> </u>											
	Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSICAL C	COLLOCATION			OLI OK OLI OB	VETEG	0.0200	12.07	11.07	0.04	0.40						†
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
	EXTENDED LINK (EELs)															
	E: The monthly recurring and non-recurring charges below will										ments.					
	E: The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combinations	provisioned a	s ' Currently C	ombined' Netw	ork Elements.						
2-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	-	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
-	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	 	2	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
- 	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 4	†	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74	02.02	10.01						
4-WIF	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
4 1807	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
4-441	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						-
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4			UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						1
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74								
4-WIF	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON															Ī
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		4	UNCDX	UDL64 1D1DD	32.25 1.22	126.53 6.62	88.85 4.74	60.68	14.64						
2-WIF	RE ISDN LOOP FOR USE IN COMBINATION		-	UNCDX	טטוטו	1.22	0.0∠	4.74								
2-1111	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74								ļ
4-WIF	RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	ļ	L .	LINIOAV	1101.107	70.00	0=0.0-	.=0		10.5-						
	4-Wire DS1 Digital Loop in Combination - Zone 1	-	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07					 	
_	4-Wire DS1 Digital Loop in Combination - Zone 3		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month		7	UNC1X	UC1D1	2.62	6.62	4.74	70.10	12.07						
2 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ON												İ	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
4 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ON						·							
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month	1	1	UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		l	1		I	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												 	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 204											
	per month	ļ	-	UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	U1TF1	54.70	00.70	00.00	40.00	44.00						
Des	Termination per month INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	-	-	UNC1X	UTIFT	51.72	89.79	82.28	16.86	14.90						
D33	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.76										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			0.100/	120701											
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
STS	-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.76										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
4-WI	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT	.	LINODY	LIDLE?		100 =-		00.5-							ļ
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						ļ
	4-wire 56 kbps Local Loop in combination - Zone 2	ļ	3	UNCDX	UDL56	34.55 40.76	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56 UDL56	40.76 32.25	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	4	UNCDA	UDLS6	32.23	120.55	00.00	60.06	14.04						+
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TLOAK	0.0030										+
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERC	FFICE TR	ANSPO		01120	22.02	.00	21.01	11.20							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						40 =0		4= 00							
4 147	Facility Termination per month	E EDANO	DODT	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						-
4-001	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC 4-wire 56 kbps Local Loop in combination - Zone 1	EIRANS	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85		14.64					1	
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85		14.64						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			0.1027	00200	02.20	120.00	00.00	00.00							
	month		1	UNCDX	1L5XX	0.0098					1	1				
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													ļ
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL64	34.55	126.53	88.85		14.64						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85		14.64						.
	4-wire 64 kbps Local Loop in combination - Zone 4	ļ	4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0098										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	 	OINCDA	ILUAA	0.0098			1				1		 	
	Termination per month		1	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11	1	1				
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	1	t		050	22.02	70.70	21.01	17.20	7.77	†	†			1	†
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					İ	
	4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X	USLXX	129.38	253.93	158.45		12.07	İ	İ			İ	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45		12.07						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility		 	UNUIA	ILUAA	0.1013			 						 	
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						

UNBUNDLED N	ETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonre	curring	Nonrecurring	Disconnect			220	Rates (\$)		
					1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
DS3 DIGITA	L AL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT					11130	Auu i	11130	Addi	JONILO	JOHAN	JOINAIN	JOHAN	JOHIAN	JONIAN
	B Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88										
1 200	2 2000 2000 III OOMOMAAAAN POI MIIIO POI MIONA			01100/1	120112	12.00			t							
DS3	B Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	375.0725	522.2495	305.2905	141.7145	99.1185						
	roffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.76										
	roffice Transport - Dedicated - DS3 combination - Facility															
	mination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
	TAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	S-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.88										
mon	S-1 Local Loop in combination - Facility Termination per			LINICOV	UDLS1	200 2225	522.2495	305.2905	141.7145	99.1185						
	roffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLST	389.3325	522.2495	305.2905	141.7145	99.1185						-
	month			UNCSX	1L5XX	4.76										
	roffice Transport - Dedicated - STS-1 combination - Facility			011007	ILUAA	4.70			+							
	mination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
ADDITIONAL NETW						9										
When used	as a part of a currently combined facility, the non-recurr	ng charg	es do n	ot apply, but a Swit	ch As Is cha	rge does apply.										
	as ordinarily combined network elements in All States, th						not.									
Nonrecurrir	ng Currently Combined Network Elements "Switch As Is"	Charge (One app		ation)											
				UNCVX, UNCDX,												
	recurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
	harge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Optional Fe	eatures & Functions:		-	U1TD1,					1							—
Class	ar Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
Cie	ai Chairlei Capability Exterided Frame Option - per 031	- '		U1TD1.	CCOLI		0.00	0.00	0.00	0.00						
Clea	ar Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	ar Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	00001		0.00	0.00	0.00	0.00						
	vity - per DS1	- 1		UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76						
	7 1			U1TD3, ULDD3,												
C-bi	it Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
MULTIPLE)																
	1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	U-DP COCI (data) - DS1 to DS0 Channel System - per															
	nth (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
	U-DP COCI (data) - DS1 to DS0 Channel System - per onth (2.4-64kbs) used for connection to a channelized DS1															
	al Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	ire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	וטוטו	1.22	0.02	4.74								
	onth for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
	ire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					2.02	0.02	4	1	1						
	onth used for connection to a channelized DS1 Local Channel								1							1
in th	ne same SWC as collocation	<u></u>		U1TUB	UC1CA	2.62	6.62	4.74	<u> </u>	<u> </u>	<u> </u>	<u> </u>				<u></u>
	ce Grade COCI - DS1 to DS0 Channel System - per month			_												
	d for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	ce Grade COCI - DS1 to DS0 Channel System - per month			<u> </u>					_							1
	d for connection to a channelized DS1 Local Channel in the		1		45.040				I		1					1
	ne SWC as collocation		-	U1TUC	1D1VG	0.5737	6.62 179.17	4.74	24.00	20.00	-					
	3 to DS1 Channel System per month S-1 to DS1 Channel System per month		-	UNC3X UNCSX	MQ3 MQ3	170.63 170.63	179.17 179.17	94.52 94.52	34.30 34.30	32.82 32.82	 	-	-			
	6-1 to DS1 Channel System per month 1 COCI used with Loop per month			USL	UC1D1	170.63	1/9.17	94.52 4.74	34.30	32.82	-	-				
	1 COCI used with Loop per month 1 COCI (used for connection to a channelized DS1 Local		-	USL	OCIDI	12.90	0.02	4.74	-		-	-				
	annel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74	1							1
	1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74	†		†	†				
	B Interface Unit (DS1 COCI) used with Local Channel per				1		3.02				İ	İ				
mon				ULDD1	UC1D1	12.96	6.62	4.74	I		1					1
COMMINGL	ING			İ						İ						

U	INBUND	DLED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. A		
Г												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
				_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	ATEGOR	RY RATE ELEMENTS	Interim	Zone	•	USOC			RATES (\$)			per LSR	per LSR	Order vs.		Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
F							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Г							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Г					UE3, UDLSX,									l	l		
					UNCDX, UNCSX,												
					UNCDX, UNCSX, UNCVX, UNC1X,												
					UNCDX, UNCSX,												
					UNCDX, UNCSX, UNCVX, UNC1X,												
					UNCDX, UNCSX, UNCVX, UNC1X, UNC3X, U1TD1,												
		Commingling Authorization			UNCDX, UNCSX, UNCVX, UNC1X, UNC3X, U1TD1, U1TD3, U1TDX, U1TS1, U1TUB,	CMGAU	0.00	0.00	0.00	0.00	0.00						

UNBUN	DLE	NETWORK ELEMENTS - North Carolina	1										T -		nt: 2 Exh. A		
													Svc Order				Incremental
													Submitted		Charge -	Charge -	Charge -
CATEGO	PΛ	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Elec	Manually			Manual Svc	Manual Svc
OAILOO		TATE ELEMENTO	IIII	20110	500	0000			παι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Aud I
							Rec	Nonrec			Disconnect		T =		Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Т	he "Zo	one" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Geog	raphically De	averaged UNE	Zones. To vie	w Geographic	ally Deaverage	ed UNE Zone D	l esignations	by Central	Office, refer t	to internet We	bsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				,			3 4	. ,			,				
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi the 9 states.	ce oraerii	ng cnar	ges, or CLEC may el	ect the region	nai service ord	iering charge, i	nowever, CLE	can not obta	in a mixture of	tne two reg	jardiess if C	LEC has a int	terconnection	contract esta	ibiisnea in
		(2) Any element that can be ordered electronically will be bill	ed accord	lina to t	he SOMEC rate liste	d in this cate	gory. Please	refer to BellSou	uth's Local Ord	dering Handbo	ok (LOH) to de	termine if a	product ca	n be ordered	electronically	. For those e	lements that
		be ordered electronically at present per the LOH, the listed S		-						•	` '		•				
w	ill be	applied to a CLECs bill when it submits an LSR to BellSouth.															
		OSS - Electronic Service Order Charge, Per Local Service				2015											
\vdash		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service	-			SOMEC		3.50	0.00	3.50	0.00		1				
		Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE SER		DATE ADVANCEMENT CHARGE				00.112.11		10.20	0.00	10.20	0.00						
N	OTE:	The Expedite charge will be maintained commensurate with I	BellSouth	's FCC	No.1 Tariff, Section 5	as applicabl	le.										
					UAL, UEANL, UCL, UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL, UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day				SDASP		200.00									
		XCHANGE ACCESS LOOP															
2		ANALOG VOICE GRADE LOOP		_	LIFANI	LIEALO	10.11	F7.00	10.6=				-				
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL UEANL	UEAL2 UEAL2	12.11 21.24	57.99 57.99	42.37 42.37				-		 		
+		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37				 		 		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37		<u> </u>						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.24	57.99	42.37								
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	33.65	57.99	42.37						ļ		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
\vdash		Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		76.24	76.24				†				
\vdash		Loop Testing - Basic Additional Half Hour	1			URETA		39.51	39.51		İ	İ			1		
													•		•		

HINRIII	אוון די	D NETWORK ELEMENTS - North Carolina												Attachman	t- 2 Evh A	1	
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	t: 2 Exh. A Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonred		Nonrecurring	Dissennest			220	Rates (\$)		
				<u> </u>		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch						11131	Addi	11131	Auu	JOINLO	JONIAN	JONIAN	JONIAN	JONAN	JOINTAIN
		(UVL-SL1)			UEANL	UREWO		15.76	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST				l											
		providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop)		ļ	UEANL UEANL	UEANM UEAMC		28.74 61.38	28.74 61.38	ļ							
+		Order Coordination for OVL-SL1s (per 100p) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		61.38	61.38								+
		(per LSR)			UEANL	OCOSL		45.34	45.34								
1	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.16	35.27	15.60								_
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ UEQ	UEQ2X UEQ2X	17.55 27.58	35.27 35.27	15.60 15.60								+
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLG	OEGEX	27.00	00.27	10.00								1
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
\vdash		Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for	-	-	UEQ	USBMC		61.38	61.38	 		-	-				+
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26	7.42								
UNBUN	DI FD F	EXCHANGE ACCESS LOOP			UEQ	UREWU		14.26	7.42								+
		ANALOG VOICE GRADE LOOP															1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00						<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		- '-	OLI OK OLI OB	OLABO	12.11	31.99	42.57	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
\longrightarrow		Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>													†
		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00						
		EXCHANGE ACCESS LOOP		ļ													
	2-WIKE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													+
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56								<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56								
		Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL	40.01	45.34	100.50								+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	25.95	142.97	100.56								
		Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
		CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO		87.64	36.33	 		-	-				
	1-WIRE	Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP	-	-	UEA	URETL		11.20	1.10	 		-	-				+
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.32	288.47	237.45	<u> </u>			<u> </u>				
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	36.27	288.47	237.45								
T		4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	56.57	288.47 45.34	237.45	ļ							
$\vdash \!$																	

HINRI	INDI E	D NETWORK ELEMENTS - North Carolina												Attachmon	nt: 2 Exh. A	1	
CIADO	MULE	D NETWORK ELEMENTS - NORTH CAROLINA		I	I	1	T					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc		Manual Svc
CATE	JUKI	RATE ELEMENTS	menin	Zone	BC3	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		-	-			<u> </u>	Monro	curring	Monroourrin	g Disconnect	-		000	Rates (\$)		ь
	+		-	-			Rec	First	Add'l	First	Add'I	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	2 WIDE	ISDN DIGITAL GRADE LOOP	-	-		_	-	LIISI	Addi	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SUMAN	SOWAN	SOWAN
-	Z-VVIKE	2-Wire ISDN Digital Grade Loop - Zone 1	-	-1	UDN	U1L2X	19.42	325.91	251.31	1	1	-	-	-		-	
	+	2-Wire ISDN Digital Grade Loop - Zone 1	1	2	UDN	U1L2X	32.88	325.91	251.31			1		-		-	
	+	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X	51.14	325.91	251.31			-					
	+	Order Coordination For Specified Conversion Time (per LSR)	-	3	UDN	OCOSL	31.14	45.34	231.31	1	1	-	-	-		-	
	+	CLEC to CLEC Conversion Charge without outside dispatch	-	-	UDN	UREWO	-	91.55	44.12	1	1	-	-	-		-	
	2 WIDE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	OOB	UDIN	UKEWU	-	91.55	44.12	1	1	-	-	-		-	
	Z-VVIKE	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	.00F		+						1		-		-	
		& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60								
	+	2 Wire Unbundled ADSL Loop including manual service inquiry	-	-	UAL	UALZX	11.00	204.71	145.00	1	1	-	-	-		-	
		& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60								
	+	2 Wire Unbundled ADSL Loop including manual service inquiry	1		UAL	UALZA	10.39	204.71	145.60			1		-		-	
		& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								
	+	Order Coordination for Specified Conversion Time (per LSR)	-	3	UAL	OCOSL	20.42	45.34	145.00								
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &	-	-	UAL	UCUSL	_	45.54									
		facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82								
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	UAL	UALZVV	11.00	190.25	114.82		1	-					-
				2	UAL	UAL2W	40.00	190.25	114.82								
	-	facility reservaton - Zone 2	-		UAL	UALZVV	18.39	190.25	114.82			1					
		2 Wire Unbundled ADSL Loop without manual service inquiry &		3		1141 0141	00.40	100.05	444.00								
	-	facility reservaton - Zone 3	-	3	UAL	UAL2W	28.42	190.25	114.82			1					
	-	Order Coordination for Specified Conversion Time (per LSR)	-	-	UAL	OCOSL	-	45.34	40.00			1					
	0.14/10/5	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE	100	UAL	UREWO	-	86.12	40.36			1					
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	JOP													ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry			l		0.04	00474	400.54								
	-	& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54								ļ
		2 Wire Unbundled HDSL Loop including manual service inquiry			l												
	-	& facility reservation - Zone 2	-	2	UHL	UHL2X	14.87	284.74	163.54		1	1					
		2 Wire Unbundled HDSL Loop including manual service inquiry			l												
		& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
		2 Wire Unbundled HDSL Loop without manual service inquiry			l												
	-	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05								ļ
		2 Wire Unbundled HDSL Loop without manual service inquiry			l		44.07	007.40	400.05								
	-	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05								ļ
		2 Wire Unbundled HDSL Loop without manual service inquiry			l												
	1	and facility reservation - Zone 3	ļ	3	UHL	UHL2W	22.82	207.48	132.05								
	-	Order Coordination for Specified Conversion Time (per LSR)	-	-	UHL	OCOSL	-	45.34	40.00		1	1					
	4 14/15/5	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE	100	UHL	UREWO		86.06	40.36								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	JOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry			l		40.00										
	1	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	10.62	341.65	220.45								
		4-Wire Unbundled HDSL Loop including manual service inquiry			l	1 11 11 437	47.07	044.05	000.45								
	1	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45								
		4-Wire Unbundled HDSL Loop including manual service inquiry			l												
	-	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
	1	Order Coordination for Specified Conversion Time (per LSR)	ļ	-	UHL	OCOSL		45.34									
		4-Wire Unbundled HDSL Loop without manual service inquiry		1	l		40.00	004.00	400.00				1	I		I	
	 	and facility reservation - Zone 1	}	1	UHL	UHL4W	10.62	264.39	188.96	 	 	 	-	 	 	 	
		4-Wire Unbundled HDSL Loop without manual service inquiry		_	l	11111 4147	17.0-	004.00	100.00				1	I		I	
	+	and facility reservation - Zone 2	 	2	UHL	UHL4W	17.67	264.39	188.96	 	 	 	-	 	 	 	
		4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	UHL4W	07.04	004.00	400.00				1	I		I	
	+	and facility reservation - Zone 3	 	3			27.24	264.39	188.96	 	 	 	-	 	 	 	
	 	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	}	├	UHL	OCOSL UREWO	 	45.34	40.00	 	 	 	-	 	 	 	
	A MURE			-	UHL	UKEWU	 	86.06	40.36	1	1	<u> </u>		 		 	
	4-WIKE	DS1 DIGITAL LOOP	1	4	USL	USLXX	47.60	714.84	421.47	1	 	 		 		 	
	+	4-Wire DS1 Digital Loop - Zone 1	1	1						1	 	 		 		 	
	+	4-Wire DS1 Digital Loop - Zone 2	1	2	USL	USLXX	84.36 134.29	714.84 714.84	421.47 421.47	1	 	 		 		 	
	+	4-Wire DS1 Digital Loop - Zone 3	 	3	USL	USLXX	134.29		421.47	 	 	 	-	 	 	 	
	1	Order Coordination for Specified Conversion Time (per LSR)	1	<u> </u>	USL	OCOSL		48.31	l	1	1	1	l			<u> </u>	<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sve
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								
OATEOORT	KATE ELEMENTO		20110	500	0000			IIAT LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1		1					Nonred	rurring	Nonrecurring	g Disconnect	1		oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.99	43.00		Addi	CONIEC	COMPAN	COMPAR	COMPAN	COMPAR	COMPAR
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			002	OKEWO		100.00	40.00								
7 ***	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51	1		1					
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51	1		1					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51	1		+					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51	1		+					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51	1		+					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	01.20	45.34	007.01			+					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51			+					
-+-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 	2	UDL	UDL64	43.11	489.04	337.51	 	 	+		1	 	 	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 	3	UDL	UDL64	67.26	489.04	337.51	 	 	+		1	 	 	+
+	Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	01.20	45.34	337.31	 	1	+		 	 	 	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70			1					
2 14/1	RE Unbundled COPPER LOOP	-	-	ODL	UKLWO		102.03	45.70	1		-	-	-		-	-
2-9911	2-Wire Unbundled Copper Loop-Designed including manual	-	-		-				1		-	-	-		-	-
			1	UCL	UCLPB	13.26	262.86	143.75								
	service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual	-		UCL	UCLPB	13.20	202.00	143.73	1		-	-	-		-	-
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
		-		UCL	UCLPB	22.39	202.00	143.73			+					
	2 Wire Unbundled Copper Loop-Designed including manual		_	LICI	LICLED	24.00	202.00	440.75								
	service inquiry & facility reservation - Zone 3	-	3	UCL	UCLPB	34.80	262.86	143.75			1					
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		61.38	61.38			1					
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPW	40.00	188.39	112.96								
	service inquiry and facility reservation - Zone 1	-	-	UCL	UCLPVV	13.26	188.39	112.96			1					
	2-Wire Unbundled Copper Loop-Designed without manual		2													
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96								
	2-Wire Unbundled Copper Loop-Designed without manual			1101	LIOL DIA	04.00	400.00	440.00								
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.14	42.44								
4-WII	RE COPPER LOOP															
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4-Wire Copper Loop including manual service inquiry and facility	1														
	reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Copper Loop without manual service inquiry and facility															
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14								
	4-Wire Copper Loop without manual service inquiry and facility															
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14								
	4-Wire Copper Loop without manual service inquiry and facility															
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.14	42.44								
LOOP MODIF	FICATION															
				UAL, UHL, UCL,												
1				UEQ, ULS, UEA,												1
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,								1	I			
I	pair less than or equal to 18k ft, per Unbundled Loop	<u></u>	<u></u>	UEPSB	ULM2L	<u> </u>	21.24	21.24	<u> </u>	<u> </u>	<u>1</u>	<u> </u>	L	<u> </u>		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
I	less than or equal to 18K ft, per Unbundled Loop	<u></u>	<u></u>	UHL, UCL, UEA	ULM4L	<u> </u>	21.24	21.24	<u> </u>	<u> </u>	<u>1</u>	<u> </u>	L	<u> </u>		<u></u>
				UAL, UHL, UCL,												
.				UEQ, ULS, UEA,												1
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,								1	I			l
	per unbundled loop	1	1	UEPSB	ULMBT		24.84	24.84				1	1	1	l	l
•																

	ED NETWORK ELEMENTS - North Carolina													t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1										per LSK	per Lak				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$		<u> </u>		<u> </u>			Nonred	urring	Nonrecurring Disco	onnoct			088	Rates (\$)		
+-		-				Rec					COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ļ					First	Add'l	First A	\dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS		ļ														
Sub-L	oop Distribution	ļ														
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up			UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel									i						
	Set-Up	1 1		UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
1	Zone 1	1	1	UEANL	USBN2	7.31	126.03	54.54					l			1
-+-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	_	_			7.01	120.00	04.04	†	-			†			t
1	Zone 2	1 .	2	UEANL	USBN2	11.93	126.03	54.54								
-+-				OLANL	USBINZ	11.55	120.03	34.34		+						-
1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	UEANL	USBN2	18.20	400.00	54.54					l			1
\longrightarrow	Zone 3		3	UEANL	OSBINZ	18.20	126.03	54.54	+ + + + + + + + + + + + + + + + + + + +				 			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
-+-	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20		+						
	Sub-Loop 2-Wile intrabuliding Network Cable (INC)	<u> </u>	1	OLANL	USBRZ	2.19	114.03	37.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
+-						0.74										
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82								ļ
\longrightarrow	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	6.10	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	9.70	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	14.59	137.10	60.24								
							_									
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.58	162.24	85.38					İ			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	t i	2	UEF	UCS4X	10.51	162.24	85.38								
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i	3	UEF	UCS4X	15.84	162.24	85.38					1			t
-+	. This sappar officialist our Ecop Distribution - Zolle s		ل	J-1.	2304/	10.04	102.27	00.00		-						
I	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.[1	UEF	USBMC		61.38	61.38					l			1
\longrightarrow		 	1						 	+						
\longrightarrow	Loop Testing - Basic 1st Half Hour	1	 	UEF	URET1		76.24	76.24					 			
	Loop Testing - Basic Additional Half Hour	.	├	UEF	URETA		39.51	39.51	 				.			-
Unbur	ndled Network Terminating Wire (UNTW)	 	 						 							
	Unbundled Network Terminating Wire (UNTW) per Pair	ļ	<u> </u>	UENTW	UENPP	0.4351	64.98									1
Netwo	ork Interface Device (NID)	ļ	L													
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69								
	Network Interface Device (NID) - 1-6 lines	I	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	UENTW	UND16		127.93	98.21								
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		11.68	11.68								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.68	11.68								
1	PROVISIONING ONLY - NO RATE	i	1				_						ĺ			
UNE OTHER.		1	-	UENTW	UNDBX	0.00	0.00			<u> </u>			i			1
UNE OTHER,	NID - Dispatch and Service Order for NID installation			IUENIW												
UNE OTHER,	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate									i						
UNE OTHER,	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
UNE OTHER,																

UNBUN	NDLE	D NETWORK ELEMENTS - North Carolina												Attachmen			
													Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
0.47500	2DV	DATE EL EMENTO		-	B00				DATEO (6)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonred	curring	Nonrecurring	g Disconnect	†	l	oss	Rates (\$)		
				<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															l
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				LIODED	0.00	0.00									l
\vdash		rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00				+					
-		Unbundled DS1 Loop - Superframe Format Option - no rate		1	USL	CCOSF	0.00	0.00				1					
		no rate			USL	CCOEF	0.00	0.00									İ
HIGH CA	APACI	TY UNBUNDLED LOCAL LOOP			002	COOL	0.00	0.00				1					
Ī		High Capacity Unbundled Local Loop - DS3 - Per Mile per		1			1			ĺ		İ	İ				
		month		<u> </u>	UE3	1L5ND	13.33										1
		High Capacity Unbundled Local Loop - DS3 - Facility															
\perp		Termination per month		<u> </u>	UE3	UE3PX	450.69	1,231.65	743.038		ļ.						└
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1													1
		month		ļ	UDLSX	1L5ND	13.33					1					
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	464.26	1,231.65	743.038								l
LOOP M	IAVEI				UDLSX	UDLST	464.26	1,231.00	743.038			+					-
LOOP IVI	IANE-U	Loop Makeup - Preordering Without Reservation, per working or		1								1					—
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								l
		Loop Makeup - Preordering With Reservation, per spare facility			OWIIX	OWNER		00.44	00.44			1					
		queried (Manual).			UMK	UMKLP		55.73	55.73								İ
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SP																	
		PLITTING		ļ													
	END U	SER ORDERING-CENTRAL OFFICE BASED		ļ	LIEDOD LIEDOD	LIDEOO	0.04					1					-
-		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	56.92	28.59			+					
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59			+					<u> </u>
MAINTE	NANC	E OF SERVICE			OLI OIL OLI OB	OKEDV	0.01	00.02	20.00			1					
		The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	plicable.					<u> </u>					
		No Trouble Found - per 1/2 hour increments - Basic			,			80.00	55.00			1					
		No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
		No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	 	.			1			-	1	1					
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125										1
\vdash		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 	 	UIIVA	ILOAA	0.0125			 	1	+					
		Facility Termination	1	1	U1TVX	U1TV2	18.00	137.48	52.58								1
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		<u> </u>				.040	32.00								
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		İ						1							
		Facility Termination		ļ	U1TVX	U1TR2	18.00	137.48	52.58								
1 T		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1	1	L												1
\vdash		Per Mile per month		<u> </u>	U1TVX	1L5XX	0.0125					1					
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	1	1	U1TVX	U1TV4	00.40	106.11	05.05								1
\vdash		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile		-	UTIVX	UTIV4	22.16	106.11	65.95								
		per month			U1TDX	1L5XX	0.0282										1
\vdash		Interoffice Channel - Dedicated Transport - 56 kbps - Facility	 	1	5.15A	. 20///	0.0202				1	1					—
		Termination	1	1	U1TDX	U1TD5	17.40	137.48	52.58								1
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		İ		-							Ì				
		per month			U1TDX	1L5XX	0.0282										
1 T		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															1
		Termination	<u> </u>	l	U1TDX	U1TD6	17.40	137.48	52.58			1					1

CATEGORY	RATE ELEMENTS										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
CATEGORY	DATE ELEMENTS				1	1										
CATEGORY	DATE EI EMENTS					l .					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	DATE ELEMENTS										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
	KATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
					<u> </u>	ļ ,										
					<u> </u>	Rec	Nonrec		Nonrecurring					Rates (\$)		
	1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATOA	41.577	0.5750										
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.5753										-
	Termination			U1TD1	U1TF1	71.29	217.17	163.75								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIDI	01111	71.25	217.17	103.73								1
	month			U1TD3	1L5XX	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	120/01	12.00										
	Termination per month			U1TD3	U1TF3	720.38	794.94	579.55								
- 1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	6.14										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination	1		U1TS1	U1TFS	790.37	642.23	408.89								
DARK FIBER	<u> </u>															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	73.65										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	I														
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIBE LIBEOU		== ==										
WETHER COL	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	73.65										1
VIRTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				+						-					-
	Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
PHYSICAL CO				OLFSK OLFSB	VLILO	0.0267	33.90	32.00	0.00	0.00						1
FITISICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+											
	Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00						
ENHANCED E	XTENDED LINK (EELs)			02. 0.0 02. 02	1 2 1 2 0	0.0000	00.00	01.00	0.00	0.00						İ
	The monthly recurring and non-recurring charges below will	apply and	the Sw	itch-As-Is Charge v	vill not apply	for UNE combi	nations provis	ioned as ' Ord	inarily Combin	ed' Network E	ements.					
NOTE:	: The monthly recurring and the Switch-As-Is Charge and not t															
2-WIRE	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
4-WIRE	E VOICE GRADE LOOP FOR USE IN A COMBINATION		1	11110101	LIE AL 4	04.00	288.47	237.45								1
+-	4-Wire Analog Voice Grade Loop in Combination - Zone 1		2	UNCVX	UEAL4 UEAL4	21.32 36.27	288.47	237.45			-					-
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								-
	Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	1.27	13.09	9.38								1
4-WIRI	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			ONOVA	IDIVO	1.21	13.03	9.50								1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
4-WIRE	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
2-WIRI	E ISDN LOOP FOR USE IN COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								
	2-wire ISDN COCI (BRITE) - in combination - per month	ļ		UNCNX	UC1CA	3.59	15.76	11.28								
	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION			LINIOAV	1101.107		=									
4-WIRI	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	47.60	714.84	421.47	1		1	l	I	l .	l	1
4-WIRI			_	LINIOAN	1101.107	0.4.0-								1		
4-WIRI	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		2	UNC1X UNC1X	USLXX	84.36 134.29	714.84 714.84	421.47 421.47								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	_	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											po. 2011	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.00.
						Rec	Nonred			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION		_											
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			110000	41.500	0.0000										
—	Month Interoffice Transport - 2-wire VG - Dedicated - Facility	ļ		UNCVX	1L5XX	0.0282			1		-					<u> </u>
	Termination per month			UNCVX	U1TV2	18.00	137.48	52.58								
4 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ON	UNCVA	UTIVZ	16.00	137.40	52.56	1		1					
7 1111	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	I			+						+					1
	Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - 4-wire VG - Dedicated - Facility			0.1017	120701	0.0202										
	Termination per month			UNCVX	U1TV4	22.16	106.11	65.95								
DS1 II	NTEROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	16.07										ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility								_							
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75								
DS3 II	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile					40.00										
	Per Month	ļ		UNC3X	1L5XX	12.98			1		-					<u> </u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720.38	794.94	579.55								
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION	1		UNCSA	UTIFS	120.30	794.94	579.55	-		-					
0.0-1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				+	1			 		+					+
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility					-										
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89								
4-WIR	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														1
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	U1TD5	47.40	407.40	52.58								
4-WID	Facility Termination per month E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE TD	ANSDO		פטווט	17.40	137.48	52.58	-		-					
4-9918	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	FFICE IK	ANSFU 1	UNCDX	UDL64	25.32	489.04	337.51	-		-					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	1	2	UNCDX	UDL64	43.11	489.04	337.51			1					1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ť			020	100.04	3001	1				İ			1
	Per Mile per month			UNCDX	1L5XX	0.0282			I			1				
i	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					l i										
	Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58								
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
 	4-wire 56 kbps Local Loop in combination - Zone 1	ļ	1	UNCDX	UDL56	25.32	489.04	337.51			1					<u> </u>
L	4-wire 56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	43.11	489.04	337.51		1	1					↓
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282			I			1				
 	4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1	 	OINCDV	ILOAA	0.0282			 		+	 	 	 	 	
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58	1							
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	2.102/1	050	17.30	107.70	02.00	I	1	 	 	 		1	†
	4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	25.32	489.04	337.51	1				İ			i e
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51			1			İ	İ	
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0282								<u> </u>	<u> </u>	
1	4-wire 64 kbps Interoffice Transport - Dedicated - Facility													l	l	
	Termination per month			UNCDX	U1TD6	17.40	137.48	52.58	ļ							
DS1 D	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	ļ	<u> </u>								1					
	4-Wire DS1 Digital Loop in Combination - Zone 1]	1	UNC1X	USLXX	47.60	714.84	421.47	1							

CATEGORY MATE ELEMENTS Interior Zone BCS USCC RATES (8) Security Company Com	UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A	1	
ATTECHNIS Interior Zone 0.05 USC PATE (§) USC	3.1.30112		The state of the s										Svc Order	Svc Order			Incremental	Incremental
ACTIONY RATE ELEMENTS Interim Done BCS USOC RATE 5 (8) RATE 5 (
CATEGORY NATE ELEMENTS Story DCS USC PATE (S) Part LSR part LSR Order vs. Doler vs																		
Billion	CATEGOR	Y	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								
Section Process Proc		.											per LSK	per LSK				
Column C																		
Control Cont															1st	Addi	Disc 1st	Disc Add'I
Control Cont							†	_ 1	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
6-Vites CS1 Date lase pain Combinations 2 min 2 3 3 NEX 3 NEX 1 NEX							†	Rec					SOMEC	SOMAN			SOMAN	SOMAN
4-Mine DST Data Labor In Open Emboration - Park (Mark DST Company Co			4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36										
Interditive Taniques - Decicated - DSS continuation - Per Male DACTAX 11,50X 11,50Y 11,50X 11,50Y 11,50X 11,50Y 11,50X 11,50Y 11,50X 11,50Y									714.84									
Description Description			Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
Terrecution per month						UNC1X	1L5XX	16.07										
Terrecution per month			Interoffice Transport - Dedicated - DS1 combination - Facility															
DS3 Local Loop in combination - per mile per month DKCSS LLSD S3.31						UNC1X	U1TF1	71.29	217.17	163.75								
DSS Local Loop in constraints - Facility Termination per month UNCDX US	DS	3 DIG	SITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
DS3 Local Loop In combranton - Pacilly Terrenation per month UNCSX UESPX 400.60 1,671.00 646.12			DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										1
Interchical Transport - Decidencial - DSS - Per Alley per recorn DNCSX 1,52X 1,22X 1,22X 1,23X 1			·															
Interchical Transport - Decidencial - DSS - Per Alley per recorn DNCSX 1,52X 1,22X 1,22X 1,23X 1			DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1.071.00	646.12								
Interoffice Transport - Dedicated - SSS combination - Family UNCSX									*									
Termination per month UNCXX																		
STS-1 Local Lop in Combination - per mile per month LNCSX LSND 13.33				1		UNC3X	U1TF3	720.38	794.94	579.55			1	1				
STS-1 Local Login in Combination. p part implies per month UNCSX USAS U	ST	S-1 E		SPORT														
STS-1 Local Loop in continuation - Facility Termination pair UNCSX						UNCSX	1L5ND	13.33										
month																		
Interoffice Transport - Dedicated - \$154-combination - per mile UNCSX 11,50X 6,14						UNCSX	UDLS1	464.26	1.071.00	646.12								
per month Interoffice Transport - Dedicated - STS-1 combination - Facility UNCSX 1LSXX 6.14			Interoffice Transport - Dedicated - STS-1 combination - per mile						*									
Interestica parametrs Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - STS-1 continuation - Facility Decicated - Facili						UNCSX	1L5XX	6.14										
ADDITIONAL PRIVAGE ELEMENTS																		
ADDITIONAL NETWORK ELEMENTS When used as part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.						UNCSX	U1TFS	790.37	642.23	408.89								
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is Charge does apply.	ADDITION	AL N																
When used as ordinarily combined network elements in All States, the non-recurring charactery combined network Elements Switch As is Charge (does not.)				rng charg	es do n	ot apply, but a Swit	ch As Is cha	rge does apply.										
Nonrecurring Currently Combined Network Elements 'Switch As Is' Charge (One applies to each combination)																		
Nonrecurring Currently Combined Network Elements Switch - As- Is Charge Optional Features & Functions: UNICX UNICX U																		
Scharge			<u> </u>				1											
Scharge			Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
Optional Features & Functions:							UNCCC		21.75	21.75	32.28	10.96						
Clear Channel Capability Extended Frame Option - per DS1	Op	tiona	I Features & Functions:															
Clear Channel Capability Super FrameOption - per DS1						U1TD1,												1
Clear Channel Capability Super FrameOption - per DS1			Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
Clear Channel Capability (SF/ESF) Option - Subsequent ULDD1, UTTD1, UNCTX, USL NRCCC 184.76 23.80 1.99 0.78																		
Activity - per DS1			Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
C-bit Parity Option - Subsequent Activity - per DS3																		
C-bit Parity Option - Subsequent Activity - per DS3				1		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
C-bit Parity Option - Subsequent Activity - per DS3 UE3, UNC3X NRCC3 218.92 7.66 0.7576 0.00																		
MULTIPLEKERS			C-bit Parity Option - Subsequent Activity - per DS3	i			NRCC3		218 92	7 66	0.7576	0.00						
DS1 to DS0 Channel System per month	MI	JI TIE		<u> </u>		020, 01100/1	1111000	1	2.0.02	7.00	00.0	0.00	+					
DCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop					1	UNC1X	MQ1	146 69	197 78	140.06	1	1	1			 	i	t
month (2.4-64kbs) used for a Local Loop	\vdash				1			140.00	107.70	140.00	1	1	1			 	i	t
COU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1DD 2.00 13.09 9.38						UDL	1D1DD	2.00	13.09	9.38								
Month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1DD 2.00 13.09 9.38						- ·-	1	2.30	.0.00	5.50	1	i	†			i	i	
Local Channel in the same SWC as collocation	1												1					
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop				1		U1TUD	1D1DD	2 00	13.09	9.38			1	1				
month for a Local Loop	\vdash	-1			1			2.00	10.09	5.50	1	1	1			 	i	t
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB UC1CA 3.59 13.09 9.38 Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 1.27 13.09 9.38 U1TUC 1D1VG 1.27 13.09 9.38 DS3 to DS1 Channel System per month UNC3X MQ3 233.10 403.97 234.40 STS-1 to DS1 Channel System per month UNC3X MQ3 233.10 403.97 234.40 DS1 COCI used with Loop per month USL UC1D1 16.07 13.09 9.38 DS1 COCI (used for connection to a channelized DS1 Local			month for a Local Loop			UDN	UC1CA	3 59	13 09	9.38								
month used for connection to a channelized DS1 Local Channel u1TUB uC1CA 3.59 13.09 9.38							12.31	5.55	.0.00	5.50	1	i	†			i	i	
In the same SWC as collocation													1					
Voice Grade COCI - DS1 to DS0 Channel System - per month UEA 1D1VG 1.27 13.09 9.38						U1TUB	UC1CA	3 59	13 09	9.38								
Used for a Local Loop							12.31	5.55	.0.00	5.50	1	i	†			i	i	
Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation						UEA	1D1VG	1,27	13,09	9.38			1					
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation							1	/	.0.00	5.50	1	i	†			i	i	
Same SWC as collocation													1					
DS3 to DS1 Channel System per month				1		U1TUC	1D1VG	1 27	13.09	9.38			1	1				
STS-1 to DS1 Channel System per month		-									1	1	1				1	
DS1 COCI used with Loop per month			STS-1 to DS1 Channel System per month									i	†	<u> </u>			i	
DS1 COCI (used for connection to a channelized DS1 Local	\vdash	-1			1							1	1			 	i	†
	\vdash				1		12.2.		.0.00	5.50	1	1	1			 	i	t
			Channel in the same SWC as collocation) per month	l	1	U1TUA	UC1D1	16.07	13.09	9.38			1	1			l	

UNB	UNDLE	NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	16.07	13.09	9.38								
	COMM	NGLING															
					UE3, UDLSX,												
					UNCDX, UNCSX,												
					UNCVX, UNC1X,												
					UNC3X, U1TD1,												
		U1TD3			U1TD3, U1TDX,												
					U1TS1, U1TUB,												
	Commingling Authorization U1TVX				U1TVX	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Note:	te: Rates displaying an "I" in Interim column are interim as a result of a Commission order.					, and the second second										

UNRI	JNDI F	D NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Exh. A		
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
								Filst	Add I	Filst	Add I	SOMEC	JOWAN	JOIVIAN	SOWAN	JOWAN	SOWAN
		ne" shown in the sections for stand-alone loops or loops as par			n refers to Geographi	cally Deaver	aged UNE Zones.	To view Geogr	aphically Deav	eraged UNE Zo	ne Designation	s by Centra	Office, refe	r to internet W	ebsite:	•	
ODED	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	nnection.l	ntm	ı			1	1								
	state sp NOTE: ordered	(1) CLEC should contact its contract negotiator if it prefers the "ecific Commission ordered rates for the service ordering charge (2) Any element that can be ordered electronically will be billed electronically at present per the LOH, the listed SOMEC rate in a tis submits an LSR to BellSouth.	es, or CLE according	C may	elect the regional services of the services of	vice ordering	charge, however . Please refer to E	, CLEC can not BellSouth's Loca	obtain a mixtur al Ordering Han	re of the two re	gardless if CLE o determine if a	C has a inte	rconnection be ordered	contract estal	blished in each	h of the 9 state	es. Innot be
İ		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00			ĺ '	'		
		OSS - Manual Service Order Charge, Per Local Service Request	l .			SOIVIEU	†					<u> </u>	<u> </u>		\vdash		
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00			<u> </u>	└ ──'		
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	110		4 T166 O11 5									<u> </u>			
UNBUI	NDLED E	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day XCHANGE ACCESS LOOP			UDL, UENTW, UDN, UEA, UHL, ULC, USL, UHTL2, UHTD3, UHTD4, UHTD4, UHTD5, UHTD4, UCHCL, ULDAS, ULDD1, ULDD3, ULDD1, ULDD3, ULDD1, ULDD3, ULDD1, ULDD3, UNCD3, UNCCX, UNCCX, UNCCX, UNCCX, UNCCX, UNCCX, UNCCX, UNCCX, UNCTA, UTTUB, UHTUA, UTTUA,	SDASP		200.00									
	2-WIRE	ANALOG VOICE GRADE LOOP								<u> </u>							
	\Box	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	14.94		17.62	23.56							
	\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	2	UEANL UEANL	UEAL2 UEAL2	21.39 26.72	37.92 37.92	17.62 17.62	23.56 23.56		-	-	 	\vdash	-	-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	14.94	37.92	17.62	23.56					\vdash		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56							
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32			<u> </u>	\vdash		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83					1	1 '		
—		Loop Testing - Basic 1st Half Hour			UEANL	URET1	<u> </u>	34.23	34.23	 					\vdash		
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch				LIBELLO		45.04	1								
		(UVL-SL1)			UEANL	UREWO		15.81	8.96		Ļ			L	<u> </u>		
		(UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		15.81	13.47								

BUNDLE	ED NETWORK ELEMENTS - South Carolina					-							Attachmen	t: 2 Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
_							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
2-WIRI	E Unbundled COPPER LOOP			UEANL	OCOSL		10.13	10.13								-
2 *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
_	Premise			UEQ	URETL		8.33	0.83								<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEQ	USBMC		8.17	8.17								
-	Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	USBIVIC		0.17	0.17								-
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47			1					1
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch				upe											
UNDI ED	(UCL-ND)			UEQ	UREWO		14.30	7.45								
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP		-		-											-
Z-WIIN	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+											
	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						ļ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	LIEDOD LIEDOD	LIEADO	04.00	07.00	47.00	00.50	F 00						
-	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						-
	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0. 02. 03	027120	20.72	07.02	11.02	20.00	0.02						†
	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
	EXCHANGE ACCESS LOOP															
2-WIRI	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		115410	40.00	405.00	00.40	50.05	40.04						
-	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						-
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			02/1	OL/ KLE	20.10	100.00	00.10	00.00	10.01						†
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
_	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	23.13	105.96	00.43	55.05	10.01						
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
4-WIRI	E ANALOG VOICE GRADE LOOP		_	LIEA	LIEAL .	00.5-	400.00		=0.5-							_
_	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	 	1 2	UEA UEA	UEAL4 UEAL4	32.59 43.89	132.38 132.38	94.83 94.83	59.35 59.35	14.61 14.61						-
+	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	 	3	UEA	UEAL4 UEAL4	43.89	132.38	94.83	59.35	14.61						†
1	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL	40.00	18.13	54.00	55.55	17.01						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
2-WIRI	E ISDN DIGITAL GRADE LOOP							-								
	2-Wire ISDN Digital Grade Loop - Zone 1	ļ		UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
_	2-Wire ISDN Digital Grade Loop - Zone 2	 	3	UDN	U1L2X	32.76 37.70	117.58	80.03	53.05	10.61						₩
\dashv	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)	 	3	UDN UDN	U1L2X OCOSL	31.70	117.58 18.13	80.03	53.05	10.61	-					├
\dashv	CLEC to CLEC Conversion Charge without outside dispatch	 		UDN	UREWO		91.82	44.25	<u> </u>							\vdash
2-WIRI	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE LO	OP				002	20								
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 1		1 .	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93	1			ı	1	

UNBUND	DLED NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. A		
ATEGORY	Y RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre		Nonrecurring					Rates (\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			OAL	UALZA	13.71	120.04	70.30	30.37	7.93						
	facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2 Wire Unbundled ADSL Loop without manual service inquiry &					40.40	05.04	== 00	50.07	7.00						
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	-	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						-
	facility reservation - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0712	O/ ILLY	10.7 1	00.01	07.02	00.07	7.00						
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									<u> </u>
0.144	CLEC to CLEC Conversion Charge without outside dispatch VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLELO		UAL	UREWO		86.38	40.48								
2-00	2 Wire Unbundled HDSL Loop including manual service inquiry &	I IBLE LOC	JP T		+											
	facility reservation - Zone 1	1	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		1				1
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1														
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_													
	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	3	UHL UHL	UHL2X OCOSL	11.40	129.52 18.13	79.24	50.37	7.93						├
_	2 Wire Unbundled HDSL Loop without manual service inquiry and	+		UNL	UCUSL		10.13									-
	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		_													
_	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	+	3	UHL UHL	UHL2W OCOSL	11.40	104.49 18.13	66.50	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	+		UHL	UREWO		86.32	40.48								
4-W	VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LOC	DР		1											
	4 Wire Unbundled HDSL Loop including manual service inquiry an	d														
	facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						ļ
	4-Wire Unbundled HDSL Loop including manual service inquiry an facility reservation - Zone 2	d	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry an	Н	-	OFIL	UHL4X	14.33	130.10	107.69	55.12	10.36						
	facility reservation - Zone 3	ŭ	3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1	+	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						├
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1		0112	0112111	11.00	100.11	00.10	00.12	10.00						
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch	-	-	UHL	UREWO		86.32	40.48	1							
4-W	VIRE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1	+	1	USL	USLXX	79.51	253.03	157.89	44.80	11.73	1					
	4-Wire DS1 Digital Loop - Zone 1	+	2	USL	USLXX	136.00	253.03	157.89	44.80	11.73	 	 				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	USL	UREWO		101.30	43.13								
4-W	VIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps	+	1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61	1					-
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	+	2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61	 					
	4 Wire Unbundled Digital 19.2 Kbps	1	3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61	t e					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+	1	UDL UDL	OCOSL UDL64	29.93	18.13 126.66	89.12	59.35	14.61	1					-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+	2	UDL	UDL64	33.99	126.66	89.12 89.12	59.35	14.61	 					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates (\$)		
0.14/19.5							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual				-											
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						ł
	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>	002	002. 2	12.10	110.01	00.02	00.07	7.00						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						1
	2 Wire Unbundled Copper Loop-Designed including manual service															·
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								——
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						1
	2-Wire Unbundled Copper Loop-Designed without manual service			OCL	OCLI W	12.13	34.07	30.03	30.37	7.93						ſ
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						í
	2-Wire Unbundled Copper Loop-Designed without manual service															<u> </u>
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	1		UCL	UREWO		94.87	42.57								í
4-WIRE	COPPER LOOP		1	UCL	UKEWU		94.07	42.57								
4 ******	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						í
	4-Wire Copper Loop-Designed including manual service inquiry		1													i
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry															í
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and			UCL	UCLMC		8.17	8.17								
	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						l
	4-Wire Copper Loop-Designed without manual service inquiry and		<u> </u>	002	002	10.01	110.10	01.10	00.12	10.00						
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						1
	4-Wire Copper Loop-Designed without manual service inquiry and															1
	facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-			UCL	UCLMC		8.17	8.17								——
	Des)			UCL	UREWO		94.87	42.57								l
LOOP MODIFIC	ATION			002	OKEWO		34.07	42.01								
				UAL, UHL, UCL,	1											
				UEQ, ULS, UEA,												1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												ı
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46								——
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								1
	than or equal to forcit, per oribunated Loop		1	UAL, UHL, UCL,	OLIVI4L		32.40	32.40								ſ
				UEQ, ULS, UEA,												Í
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												Í
	per unbundled loop			UEPSB	ULMBT		32.48	32.48								
SUB-LOOPS	an Distribution															
Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								-							
	IIIn	l ,		UEANL	USBSA		241.42	241.42								1
				027.1112	CCBC/		22	211112								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.69	22.69								ı
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															1
	Set-Up	-		UEANL	USBSC		177.84	177.84								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	l .		LIFANI	USBSD		FF F0	FF F0								í
 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- ' -	1	UEANL	USBSD		55.58	55.58	 							
	Zone 1	l .	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						í
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		† †		T	5.51	1	230	12.30							
	Zone 2	I	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															ı ———
	Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	Order Coordination for Habrardled Cub Loons, per cub land and	1		LIFANI	USBMC		0.47	0.47							1	i
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	OSRINC	l	8.17	8.17	I						l	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	nt: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		١.				70.04	44.00	40.00							
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						-
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	OLITAL	OODIV	10.40	75.21	44.23	40.02	5.05						t
	Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						Ì
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Habrardle 4 Ort 1			LIFANI	LICDMO		0.4-	0.47			1				1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	1	 	UEANL UEANL	USBMC URET1		8.17 34.23	8.17 34.23			 			 	 	
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour	 	 	UEANL	URETA		19.90	19.90						 	 	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71				†		†
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						1
	·															1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						Ì
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						ļ
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	-	UEF	USBMC		8.17	8.17								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEF UEF	URET1 URETA		34.23 19.90	34.23 19.90								
Unbun	dled Network Terminating Wire (UNTW)			UEF	UNETA		19.90	19.90								+
Onban	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								t
Netwo	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								1
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								Î
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								1
UNE OTHER, F	PROVISIONING ONLY - NO RATE	ļ														
	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00									<u> </u>
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00									-
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER.	PROVISIONING ONLY - NO RATE			LIVIVV	ONLON	0.00	0.00									
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL, USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate Unbundled DS1 Loop - Superframe Format Option - no rate		-	UEA,USL,UCL,UDL	USBFR CCOSF	0.00	0.00									-
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no	1		USL	CCOSF	0.00	0.00									
	rate			USL	CCOEF	0.00	0.00				1				1	
HIGH CAPACIT	Y UNBUNDLED LOCAL LOOP	1				0.00	0.00		İ		İ			İ		1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month	ļ		UE3	1L5ND	12.26								ļ	ļ	ļ
	High Capacity Unbundled Local Loop - DS3 - Facility Termination			l	I T	\neg			I 7							
	per month	-	ļ	UE3	UE3PX	306.36	520.398	304.2095	137.7125	96.3355				ļ		
	High Consists I laborated Local Loop, CTC 4. Do-Mile]	1	LIDLOY	41 END	40.00					1			1	1	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	1	-	UDLSX	1L5ND	12.26								-	-	
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	313.49	520.398	304.2095	137.7125	96.3355						
LOOP MAKE-U		 	 	ODLOX	ODLOI	313.49	320.380	304.2093	137.7 123	30.0300						
	Loop Makeup - Preordering Without Reservation, per working or	1	<u> </u>											1		
ı	spare facility queried (Manual).	1	1	UMK	UMKLW		24.04	24.04						1	l	

ONBONDLE	D NETWORK ELEMENTS - South Carolina													t: 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
			-		-	Rec	Nonred		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		First 25.49	Add'I 25.49	First	Add'l	SONEC	JUNIAN	JOWAN	JOINAN	JUNIAN	JOWAN
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SPLITTIN																
	PLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED			LIEDED LIEDED	LIBEOS	0.64										
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical		1	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	37.09	21.24	20.07	9.85						
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
MAINTENANCE				021 011 021 02	O.KEB V	0.01	01.00	22.	20.01	0.00						†
	The Expedite charge will be maintained commensurate with Be	llSouth's	FCC No	.1 Tariff, Section 13.3	3.1 as applica	ble.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
\vdash	No Trouble Found - per 1/2 hour increments - Overtime	 	ļ				90.00	65.00	-	ļ	<u> </u>	ļ				
IINBIINDI ED I	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT	-	1		-		100.00	75.00	 		1					
	DEFICE CHANNEL - DEDICATED TRANSPORT	 	1		+				 	 						
IIVI EK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		†						-		 					
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			U1TVX	1L5XX	0.0167	40.00	07.47	40.77	0.04						1
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0167	40.00	07.47	40.77	0.04						
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX U1TDX	U1TD5 1L5XX	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	0.0167	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3415	40.03	21.41	10.77	0.31						
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	8.02										
DARK FIRE	Termination		-	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59	-					
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof	-	 						<u> </u>		 					+
	per month - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof			UDF, UDFCX	1L5DC	112.30										
	per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	36.41	640.51	138.17	317.76	198.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	112.30										
VIRTUAL COLL							_									
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSICAL COI	Physical Collocation-2 Wire Cross Connects (Loop) for Line								_	_						
ENULANOED EX	Splitting (TENDED LINK (EELs)	-	-	UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45	-					+

DUNDL	ED NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	: The monthly recurring and non-recurring charges below will app															
	The monthly recurring and the Switch-As-Is Charge and not the	non-recu	rring ch	arges below will app	y for UNE co	mbinations provis	ioned as ' Curre	ently Combined	d' Network Elem	nents.						
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION		4	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
$+\!-\!$	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	-	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	-		-			
-	2-Wire VG Loop (SL2) in Combination - Zone 2		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
\neg	Voice Grade COCI - Per Month		Ŭ	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
4-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
4-WIR	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	<u> </u>	L.	LINIODY	1101 50		100									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
+-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		3	UNCDX	UDL56	33.99 34.74		89.12 89.12	59.35 59.35	14.61 14.61						
+-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)	 	3	UNCDX UNCDX	UDL56 1D1DD	1.19	126.66 6.59	4.73	0.00	0.00	 					
4-WIR	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	-		CINODA	טטוטו	1.19	0.59	4./3	0.00	0.00						
7 ****	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99		89.12	59.35	14.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
2-WIR	E ISDN LOOP FOR USE IN COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
4 14/15	2-wire ISDN COCI (BRITE) - in combination - per month		-	UNCNX	UC1CA	2.56	6.59	4.73								
4-WIR	LE DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
+	4-Wire DS1 Digital Loop in Combination - Zone 1		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
-	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	DS1 COCI in combination per month		Ŭ	UNC1X	UC1D1	8.64	6.59	4.73								
2 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATIO	ON				0.00									
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
4 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATIO	ON													
	Interesting Transport Augra VC Dedicated Design Design	1		LINCVY	1L5XX	0.0404					1					1
+-	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility	 		UNCVX	ILSXX	0.0134			1		-			-		
	Termination per month	1		UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
DS1 II	NTEROFFICE TRANSPORT FOR COMBINATION			5.10 V A	J11 V4	17.03	40.03	21.41	10.77	0.91	 					
20.1	Interoffice Transport - Dedicated - DS1 combination - Per Mile per					<u> </u>				1						
	month	1		UNC1X	1L5XX	0.27					1					1
$\overline{}$	Interesting Transport Desired and DOA combination Facility															
	Interoffice Transport - Dedicated - DS1 combination - Facility			lunio es	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Termination per month			UNC1X						9.81						
	Termination per month 1/0 Channelization System in combination Per Month			UNC1X UNC1X	MQ1	107.57	91.24	62.71	10.56	9.01						
DS3 II	Termination per month 1/0 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION						91.24	62.71	10.56	9.01						
DS3 III	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.01						
DS3 II	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month						91.24	62.71	10.56	9.01						
DS3 II	Termination per month 1/0 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC1X UNC3X	MQ1 1L5XX	6.42										
	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC1X	MQ1	107.57	91.24	163.12	60.33	58.59						
	Termination per month 1/0 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month I INTEROFFICE TRANSPORT FOR USE IN COMBINATION			UNC1X UNC3X	MQ1 1L5XX	6.42										
	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC1X UNC3X	MQ1 1L5XX	107.57 6.42 704.52										
	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile			UNC1X UNC3X UNC3X	MQ1 1L5XX U1TF3	6.42										
	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC1X UNC3X UNC3X	MQ1 1L5XX U1TF3	107.57 6.42 704.52										
STS-1	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility	SPORT		UNC3X UNC3X UNC3X UNCSX UNCSX	MQ1 1L5XX U1TF3 1L5XX U1TFS	107.57 6.42 704.52 6.42 704.44	279.37	163.12	60.33	58.59						
STS-1	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month Es 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS 4-wire 56 kbps Local Loop in combination - Zone 1	SPORT	1	UNC3X UNC3X UNC3X UNCSX UNCSX UNCSX UNCDX	MQ1 1L5XX U1TF3 1L5XX U1TFS UDL56	107.57 6.42 704.52 6.42 704.44	279.37 279.37 126.66	163.12 163.12 89.12	60.33 60.33 59.35	58.59 58.59						
STS-1	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month IE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS 4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2	SPORT	1 2	UNC3X UNC3X UNCSX UNCSX UNCSX UNCDX UNCDX UNCDX	MQ1 1L5XX U1TF3 1L5XX U1TFS UDL56 UDL56	107.57 6.42 704.52 6.42 704.44 29.93 33.99	279.37 279.37 126.66 126.66	163.12 163.12 89.12 89.12	60.33 60.33 59.35 59.35	58.59 58.59 14.61 14.61						
STS-1	Termination per month 1/10 Channelization System in combination Per Month NTEROFFICE TRANSPORT FOR USE IN A COMBINATION Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month Es 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS 4-wire 56 kbps Local Loop in combination - Zone 1	SPORT	1 2 3	UNC3X UNC3X UNC3X UNCSX UNCSX UNCSX UNCDX	MQ1 1L5XX U1TF3 1L5XX U1TFS UDL56	107.57 6.42 704.52 6.42 704.44	279.37 279.37 126.66	163.12 163.12 89.12	60.33 60.33 59.35	58.59 58.59						

JNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachmen	nt: 2 Exh. A	l	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec		Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINGSV		40.44	40.00		40.77						í '	
4 MID	Facility Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	CICE TO	ANCRO	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91				\vdash		
4-4411/1	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I I I I	ANOF U	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61				 		
-+-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ŭ	ONODA	ODLOT	04.74	120.00	03.12	00.00	14.01				 		
	Per Mile per month			UNCDX	1L5XX	0.0134									<i>i</i> '	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															†
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91					<i>i</i> '	
4-WIR	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANSF	ORT												·	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						1
	4-wire 56 kbps Local Loop in combination - Zone 2	Ì	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61					i	
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61					í	
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.0134									<u> </u>	
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility	l			1									1 -7		
	Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91					ļ'	
4-WIR	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANS	PORT												ļ'	
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61					 '	
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per														<i>i</i> '	
	month			UNCDX	1L5XX	0.0134									 '	4
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility														<i>i</i> '	
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91					 '	
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		—	11110414	11013/3/	00.07	050.00	457.00	44.00	44.70					 '	
-+-	4-Wire DS1 Digital Loop in Combination - Zone 1		2	UNC1X	USLXX	90.87	253.03 253.03	157.89	44.80 44.80	11.73 11.73						
+	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	155.43 261.89	253.03	157.89 157.89	44.80	11.73						├
+	Interoffice Transport - Dedicated - DS1 combination - Per Mile per	-	3	UNCIX	USLAA	201.09	253.03	157.69	44.60	11./3						
	month			UNC1X	1L5XX	0.27									i '	
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSAA	0.27										
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					i '	
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT	 	ONOTA	011111	01.71	00.47	01.00	10.00	14.40				 		+
2002	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26									$\overline{}$	
	Dec 2000 2000 in combination per mile per month			0.1007	120.12	12.20										—
	DS3 Local Loop in combination - Facility Termination per month	1		UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77				1 1	1	1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42									· · · · · · · · · · · · · · · · · · ·	†
	Interoffice Transport - Dedicated - DS3 combination - Facility		1												i	
	Termination per month	1		UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59				1 1	1	1
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS	SPORT													(
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
															ı	T
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77					<u> </u>	
	Interoffice Transport - Dedicated - STS-1 combination - per mile	l	1		1 7									1 -7		
	per month	ļ		UNCSX	1L5XX	6.42								ldot		1
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1 7					·				1 7		
	Termination per month	ļ		UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59				ldot	<u> </u>	L
	IETWORK ELEMENTS	L		L	1										 	↓
When	used as a part of a currently combined facility, the non-recurring	charges d	o not a	pply, but a Switch A	s is charge doe	es apply.								─ ──		₩
	used as ordinarily combined network elements in All States, the r					arge does not.								\vdash		₩
Nonrec	curring Currently Combined Network Elements "Switch As Is" Ch	iarge (One	applie		11)									\vdash	 '	
	Nanragurring Currently Combined Naturals Flamonta Switch As Is	l		UNCVX, UNCDX,	1 1									1 !	1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1		UNC1X, UNC3X,	UNCCC		E G4	E G4	7.00	7.00				1 1	1	1
Ontine	Charge	!	+	UNCSX	UNCCC		5.61	5.61	7.00	7.00				\vdash	<u>'</u>	+
Option	al Features & Functions:	 	1	U1TD1,	+ +									\vdash		+
- 1	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00				1 1	1	
			1	OLDD I, DING IX	OUDER		0.00	0.00	0.00	0.00						+
_			1	LI1TD1	1	I								,		
_				U1TD1,	CCOSE	l	0.00	0.00	0.00	0.00					١,	
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	ı		U1TD1, ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		0.00	0.00	0.00	0.00						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachmer	t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p = = = = = = = = = = = = = = = = = = =	p-00	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.001
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
MULT	IPLEXERS										ļ					
	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month															
	(2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73			ļ					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month															
	(2.4-64kbs) used for connection to a channelized DS1 Local	l		l	1		_									
	Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel in															
	the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33							
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per month		-	U1TD1	UC1D1	8.64	6.59	4.73			ļ					
	DOOL . (11 % /DO4 000)						0.50									
COMM	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		-	ULDD1	UC1D1	8.64	6.59	4.73								
COIVIIV	IINGLING		-	UE3. UDLSX.	+						-					-
				UNCDX, UNCSX,												
				UNCVX, UNC1X,												
		l		UNC3X, UNC1X,												
		l		U1TD3, U1TD1,												
		l		U1TS1, U1TUB,												
	Commingling Authorization	l		U1TVX	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Rates displaying an "I" in Interim column are interim as a result of		!		CIVIGAU	0.00	0.00	0.00	0.00	0.00	 	-		 		

LIMBU	INDI E	D NETWORK ELEMENTO, Tarresses													=	1	
ONRO	INULE	D NETWORK ELEMENTS - Tennessee		ı	Ι		1					10	la a :	 	t: 2 Exh. A	In any 1 1	Diameter 1
												1	Svc Order	l .	Incremental	Incremental	1
												Submitted			Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Sv
CAILC	JOINT	KATE ELEMENTO	interim	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring			g Disconnect		•		Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			L.,	L	<u> </u>		l	<u> </u>	L	l	l		<u> </u>		l		
		one" shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically De	eaveraged UNE	Zones. To vie	ew Geographic	cally Deaverage	ed UNE Zone D	esignations	by Central	Office, refer t	o internet We	bsite:	
OPERA		vww.interconnection.bellsouth.com/become_a_clec/html/inter L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connection	on.ntm			I	1			ı	I			1	I	
OI LIKE		(1) CLEC should contact its contract negotiator if it prefers the	e "state s	necific	' OSS charges as ord	ered by the	State Commiss	sions. The OS	S charges curr	rently containe	d in this rate e	xhibit are th	ne BellSouti	h "regional" s	ervice orderin	g charges. C	I FC may
		ither the state specific Commission ordered rates for the servi															
	I	f the 9 states.			goo, o. ooa, o	, or m.o . og.o			, 0				ju. u. 000 1. 0			001111111111111111111111111111111111111	
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed accord	ling to	the SOMEC rate liste	d in this cate	egory. Please	refer to BellSo	uth's Local Or	dering Handbo	ok (LOH) to de	termine if a	product ca	n be ordered	electronically	. For those e	lements that
	cannot	be ordered electronically at present per the LOH, the listed S	OMEC rat	e in thi	s category reflects th	e charge tha	t would be bill	led to a CLEC	once electronic	c ordering cap	abilities come	on-line for	hat elemen	t. Otherwise,	the manual o	rdering charg	e, SOMAN,
	will be	applied to a CLECs bill when it submits an LSR to BellSouth															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Plea	se see	applicable rate eleme	nt for SOMA	N charge**										
		OSS - Electronic Service Order Charge, Per Local Service															
	<u> </u>	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	<u> </u>	1	ļ			1
UNE SI		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	DallCaudh	I- FCC	No 4 Touiss Continus		1-										
-	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	SFCC	No.1 Tariff, Section :	as applicat	DIE.				-						-
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL, UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBUN		EXCHANGE ACCESS LOOP															
		E ANALOG VOICE GRADE LOOP		1	LIFANI	LIEALO	10.10	04.00	20.00	10.0=				20.05	10.51	10.00	10.00
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	1 2	UEANL UEANL	UEAL2 UEAL2	13.19 17.23	31.99 31.99	20.02	10.65 10.65	1.41	1	1	20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL	UEAL2	22.53	31.99	20.02		1.41	1	-	20.35	10.54	13.32	13.3
H	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEASL	13.19	31.99	20.02	10.65	1.41	+	 	20.35	10.54	13.32	13.3
—	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	†	2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41		t	20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.3
	l	Unbundled Miscellaneous Rate Element, Tag Loop at End User	İ									İ					
L	<u></u>	Premise		<u></u>	UEANL	URETL		8.33	0.83		<u> </u>	<u> </u>		20.35	10.54	13.32	13.3
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.3
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
1	1	CLEC to CLEC Conversion Charge Without Outside Dispatch		1	l						I						1
1	1	(UVL-SL1)	l	1	UEANL	UREWO	l	15.80	8.95	1	1	1	1	20.35	10.54	13.32	13.32

	D NETWORK ELEMENTS - Tennessee															
											Svc Order	Svc Order	Incremental	t: 2 Exh. A Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
i											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1											po. zo.t	por zort	Electronic-	Electronic-	Electronic-	Electronic
1													1st	Add'l	Disc 1st	Disc Add'
															2.00 .01	2.007.444
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
.	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						00.00	00.00								
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		34.29	34.29								
2 WID	E Unbundled COPPER LOOP			UEANL	UCUSL		34.29	34.29			-					
Z-VVIKI	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed Zone 1		2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	OLG	OLGEA	22.00	01.00	20.02	10.00	1.41			20.00	10.04	10.02	10.02
	Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	Manual Order Coordination 2 Wire Unbundled Copper Loop -				1		3.30	0.50	1	İ	1		20.00		.0.02	10.02
. [Non-Designed (per loop)			UEQ	USBMC		36.52	36.52	I			1				
	Unbundled Copper Loop, Non-Design Copper Loop, billing for								1	l			l	l	İ	
. [BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80	I			1	20.35	10.54	13.32	13.32
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				l											
	Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-									l						40.04
	Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.33	10.54	13.32	13.32
	Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	OLI OK OLI OD	CEABO	17.20	01.00	20.02	10.00	1.71			20.00	10.04	10.02	10.02
	Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1		000									
	Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
.	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		l											
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		UEAL2	00.00	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	OCOSL	28.28	75.06 34.29	48.20	28.70	17.64	1	-	20.35	10.54	13.32	13.32
				UEA	OCOSL		34.29		-		1					1
. [2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64		1	20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u>'</u>	OLA	OLARZ	10.50	75.00	40.20	20.70	17.04	1		20.55	10.54	13.32	13.32
. [Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		1											
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29								1	
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16	ļ	ļ	20.35	10.54	13.32	13.32
. 1	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16	1		20.35	10.54	13.32	13.32
		1	1	UEA	OCOSL		34.29					ļ				40.00
	Order Coordination for Specified Conversion Time (per LSR)			LIEA	LIDEMA											
2 W/D	CLEC to CLEC Conversion Charge without outside dispatch E ISDN DIGITAL GRADE LOOP			UEA	UREWO		75.06	36.41	-				20.35	10.54	13.32	13.32

Version TRRO:05/20/05

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		,
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29								Î	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP													1
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry														Î	
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry														Î	
	& facility reservation - Zone 3	<u> </u>	3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14	<u></u>	<u> </u>	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &														Î	
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															T
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29								Î	
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															T
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															T
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	ı	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LC	OP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	l	l								1	I			
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14	ļ		20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4-Wire Unbundled HDSL Loop without manual service inquiry			l												
	and facility reservation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	l												
	and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.	l .									1				
	and facility reservation - Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41	ļ		20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	ļ	UHL	OCOSL		34.29		-		-				10.5-	
	CLEC to CLEC Conversion Charge without outside dispatch		.	UHL	UREWO		31.99	20.02	-		<u> </u>		20.35	10.54	13.32	13.32
4-WIR	RE DS1 DIGITAL LOOP		<u> </u>	1101	1101.777	F7 =0	040.00	040 =0	00.00	40.15	ļ		40.00	0.10	44.00	4
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73		219.72		40.45	-		18.98	8.43	11.95	
	4-Wire DS1 Digital Loop - Zone 2	_	2	USL	USLXX	75.40		219.72		40.45	<u> </u>		18.98	8.43	11.95	
	4-Wire DS1 Digital Loop - Zone 3	-	3	USL	USLXX	98.59	313.08	219.72	96.86	40.45	ļ	-	18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)		-	USL	OCOSL		34.59	40.44	ļ		ļ	-	20.05	10.51	10.00	10.00
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	UREWO		130.47	40.11	ļ		 		20.35	10.54	13.32	13.32
14-14/12	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	l											l		

UNBUI	IDLE	NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
		,										Svc Order	Svc Order		Incremental	Incremental	Incrementa
1					1							Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
									.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
$\sqcup \sqcup$		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
\vdash		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29	49.82					00.25	10.54	40.00	40.00
\vdash)_WIDE	CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP		-	UDL	UREWO		102.28	49.82	 		-	 	20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual		-	+	+				 		-	 	1		-	1
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash		2-Wire Unbundled Copper Loop-Designed including manual	- '	-	UCL	OCLEB	13.19	31.99	20.02	10.03	1.41			20.55	10.54	13.32	13.32
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash		2 Wire Unbundled Copper Loop-Designed including manual			002	OOL! D	17.20	01.00	20.02	10.00	1.71			20.00	10.0-1	10.02	10.02
		service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)	-	Ť	UCL	UCLMC		36.52	36.52								
		2-Wire Unbundled Copper Loop-Designed without manual			-	1		00.00									
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch															
\sqcup		(UCL-Des)	ı		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
<u> </u>		COPPER LOOP				ļ											
		4-Wire Copper Loop-Designed including manual service inquiry			LICI	1101.40	24.70	400.70	85.57	70.05	20.40			20.35	10.54	13.32	13.32
\vdash		and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		and facility reservation - Zone 2		2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
\vdash	_	4-Wire Copper Loop-Designed including manual service inquiry	- '		UCL	UCL43	32.23	122.70	05.57	70.33	39.10			20.55	10.54	13.32	13.32
		and facility reservation - Zone 3		3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		36.52	36.52	7 0.00	00.10			20.00	10.01	10.02	10.02
		4-Wire Copper Loop-Designed without manual service inquiry			-	1		00.00									
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
$oxed{oxed}$		and facility reservation - Zone 2		2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
1 T	٦	4-Wire Copper Loop-Designed without manual service inquiry													l		
\sqcup		and facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
$\vdash \vdash$		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52	ļ						ļ	ļ
		CLEC to CLEC Conversion Charge without outside dispatch				LIDELLIC							1				
LOOP	ODIE	(UCL-Des)			UCL	UREWO		31.99	20.02			-	-	20.35	10.54	13.32	13.32
LOOP M	ODIFIC	ATION			UAL, UHL, UCL,	+				 		-	-	1	-		-
1					UEQ, ULS, UEA,								1				
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL. UEPSR.								1				
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40				1	20.35	10.54	13.32	13.32
\vdash		Unbundled Loop Modification Removal of Load Coils - 4 Wire			021 00	JEIVIZE		00.40	05.40	1		-	 	20.33	10.34	13.32	13.32
1		less than or equal to 18K ft, per Unbundled Loop			UHL. UCL. UEA	ULM4L		65.40	65.40				1	20.35	10.54	13.32	13.32
\vdash					UAL, UHL, UCL,	1		556	55.10					20.00		.5.52	
					UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,								1				
		per unbundled loop	I		UEPSB	ULMBT		65.44	65.44	<u> </u>		<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
SUB-LO																	
1/	Sub-Lo	op Distribution				1								1			

LINBLIND	LED NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
ONDONE	TED NETWORK ELEMENTO TERMESSEE		I	l							Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	_
CATEGOR	Y RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC AUU I
						Rec	Nonrecurring		Nonrecurring	Disconnect	ĺ	•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	ı		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel				LIODOD		400.00	400.00					00.05	40.54	40.00	40.00
	Set-Up	ı		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				USBN2	10.02	148.84	440.04	70.44	00.05			20.35	10.54	13.32	40.00
-	Statewide		SW	UEANL	USBNZ	10.02	148.84	112.34	73.14	36.65	-	-	20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		34.29	34.29					I			
\vdash	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 	OLAINL	OODIVIC	1	34.29	34.29	1		 	H	t	l	 	
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
 	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OL/ 14L	CODINT	7.30	177.33	75.11	33.30	10.50			20.33	10.34	10.02	15.52
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	OL7 II VL	CODIT	0.04	147.50	70.11	55.50	10.00	1	1	20.00	10.04	10.02	10.02
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	25/10 0		Ŭ	027412	002111		111.00	70.11	00.00	10.00	1	1	20.00	10.01	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
											ĺ					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEF	USBMC	0.50	34.29	34.29	00.00	10.00			00.05	40.54	40.00	40.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l	2	UEF	UCS4X	8.52	117.12	44.30 44.30	99.96 99.96	16.98	 	1	20.35	10.54	13.32	13.32
\vdash	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98	1	-	20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					1			
+	Loop Testing - Basic 1st Half Hour		 	UEF	URET1	1	78.92	78.92			<u> </u>		 		-	
\vdash	Loop Testing - Basic 1st Hall Hour	-	 	UEF	URETA	1	23.33	23.33				-	 		 	
Un	bundled Network Terminating Wire (UNTW)				J. (L 1/)		20.00	20.00			1		<u> </u>			1
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Net	twork Interface Device (NID)	<u> </u>	t			3556	2. 70	2.70	İ				20.00	.0.54	.0.02	10.02
	Network Interface Device (NID) - 1-2 lines		t	UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines	İ	1	UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U									_	l		
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
1 1													1			
1 1				UAL,UCL,UDC,UDL,									1			
\vdash	Unbundled Contact Name, Provisioning Only - no rate		 	UDN,UEA,UHL,USL	UNECN	0.00	0.00				ļ		ļ			ļ
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1										I		1	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				J.		1	l		1

UNBL	NDLE	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1 '		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrecurring		Nonrecurring	Disconnect			088	Rates (\$)		<u> </u>
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no						1 11 31	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	1	no rate			USL	CCOEF	0.00	0.00									ļ
HIGH	APACI	TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per		-										-			<u> </u>
		Imonth			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility			020	120112	0.10										
		Termination per month			UE3	UE3PX	374.24	684.6755	350.175	270.0545	195.684			20.35	10.54		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility			LIDI OV	1101.04	000.05	004.0755	050 475	040 400	470 0005			00.05	40.54		
-	Nata (Termination per month): Rates provided in TN for both electronic and manual Loop	Malaaria	!	UDLSX	UDLS1	389.35	684.6755	350.175	248.193	173.8225		T	20.35	10.54		
LOOP	MAKE-U		wakeup	are inte	rim and subject to re	tro-active tr	ue-up adjustme	ents pending a	permanent rat	e ruling on the	se rate elemei	its from the	rennessee	Regulatory A	utnority.		-
LOOI	I AILE-	Loop Makeup - Preordering Without Reservation, per working or												<u> </u>			
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or															
	D. 1771	spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
LINE S	PLITTIN	PLITTING												-			
-		SER ORDERING-CENTRAL OFFICE BASED												 			
	LIND 0	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61							<u> </u>			
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
MAINT		E OF SERVICE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as apı	olicable.		== 00								
-		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime						80.00 90.00	55.00 65.00					-			
—		No Trouble Found - per 1/2 hour increments - Overtime						100.00	75.00					 			-
UNBU	IDLED	DEDICATED TRANSPORT						100.00	70.00					<u> </u>			1
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			11477.07	1.14T) (O	40.50	55.00	47.07	07.00	0.54			00.05	04.00		
-		Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTTVX	TEO/O	0.0004										
		Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			11477.07	11477.74	04.00	07.07	00.00	00.70	40.07			45.00	45.00		
-		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile		-	U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		<u> </u>
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			01157	120701	0.017										
		Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
-	-	Termination		-	U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51		-	20.35	21.09		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month	1	1	U1TD1	1L5XX	0.3562							I			
—	 	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	1	0.101	ILOAA	0.3302					1	-	t			
		Termination	1	1	U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		

UNBL	NDLE	D NETWORK ELEMENTS - Tennessee			1	1	1					T _a	1-	Attachmen			т.
					1								Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
				_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrecurring		Nonrecurring	Dissennest	-		000	Rates (\$)		Ь
-							Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
-		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			1			FIISL	Add I	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		month			U1TD3	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	120701	2.04					1					1
		Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
DARK	FIBER											ĺ					ĺ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									-						
		Thereof per month - Local Channel			UDF, UDFCX	1L5DC	67.65										ļ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				l											
L		Thereof per month - Interoffice Channel	ļ		UDF, UDFCX	1L5DF	28.74										<u> </u>
		NRC Dark Fiber - Interoffice Channel	ļ		UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17	ļ		20.35	10.54	13.32	13.32
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			Lune Luneau								1				
VIDT	1 00:	Thereof per month - Local Loop	-		UDF, UDFCX	1L5DL	67.65							—			
VIRTU	AL COL	LOCATION	ļ	-								1					<u> </u>
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			HEDOD HEDOD	V/E41.0	0.57	44.00	0.00	40.00	0.00			40.00	19.99	19.99	40.00
DUVC	241.00	Splitting LLOCATION			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	-		19.99	19.99	19.99	19.99
PHIS	JAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line										-					
		Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
ENHAR	ICED EX	(TENDED LINK (EELs)			OLFSK OLFSB	FLILS	0.7903	11.02	9.90	10.30	0.00	 		15.55	15.55	19.99	19.99
LINITAL		The monthly recurring and non-recurring charges below will	annly and	the Sv	l vitch-Δs-Is Charne w	ill not annly	for UNE combi	nations provis	ioned as ' Ord	inarily Combin	ed' Network F	lements					+
		The monthly recurring and the Switch-As-Is Charge and not t															1
		VOICE GRADE LOOP FOR USE IN A COMBINATION	1		Cital goo Dolo II IIII			o providencia	ac carronay	1		T T					
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42			ļ					
	4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			LINIODY		04 :-	100			10	<u> </u>			04		
<u> </u>		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	ļ	2	UNCDX	UDL56 UDL56	40.61 53.11	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09		
-	-		 	3	UNCDX	1D1DD	0.91	5.70	35.47 4.42	72.94	10.86	1	-	∠0.35	∠1.09	-	
	4-WIDE	OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON	1	-	UNCDX	טטוטו	0.91	5.70	4.42	<u> </u>		 	-	+			+
	VVIIXE	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1	-	20.35	21.09		
—	H	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	 		20.35	21.09		1
—	H	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	1	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	 		20.35	21.09		
-	-	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 		UNCDX	1D1DD	0.91	5.70	4.42	12.34	10.00			20.00	21.03		+
	2-WIRE	EISDN LOOP FOR USE IN COMBINATION	1		5.13DA	.5100	5.51	3.70	7.72			1					
		2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	1	2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86		İ	20.35	21.09		1
		2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		2-wire ISDN COCI (BRITE) - in combination - per month	Ì	1	UNCNX	UC1CA	3.24	5.70	4.42								
	4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
		DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42		· ·						
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ON	ļ	ļ						ļ					
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per					0.04=:										
		Month	<u> </u>	l	UNCVX	1L5XX	0.0174			l .		<u> </u>	l				<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			l l					
CATEGORI	RATE ELEMENTS	Interim	20116	BC3	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		L 81	B'		1		D-((A)		1
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		
4 WI	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
DS1	INTEROFFICE TRANSPORT FOR COMBINATION	1									1					
501	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	 								<u> </u>					+
	per month	1	1	UNC1X	1L5XX	0.3562					1	1	1		l	1
	Interoffice Transport - Dedicated - DS1 combination - Facility	+	 	OINO IA	ILUAA	0.3362					1	-	 	 	 	+
		1	1	LINICAY	LIATEA	77.00	474.04	440.40	70.07	20.00	1	1	20.05	04.00	l	1
D.2.2	Termination per month	1	1	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	 		20.35	21.09		
บริง	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	1									ļ					↓
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	1	l 							1	1	1		l	1
	Per Month	1	<u> </u>	UNC3X	1L5XX	2.34					ļ		ļ		ļ	↓
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1								1	1	1		l	1
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
STS-	-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1									ĺ		1			1
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
4-WI	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRA	NSPORT		01100X	00	0.0.00	102.01	100.01	01.10	00.10	1		00.01	00.01		+
	4-wire 56 kbps Local Loop in combination - Zone 1	T OILL	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86	+					+
	4-wire 56 kbps Local Loop in combination - Zone 2	+	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 3	+	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	ł	-	-		-	+
		+	3	UNCDX	UDLS6	53.11	108.76	35.47	72.94	10.86	-					+
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINIODY	41.500/	0.0474										
	Per Mile per month			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERC	FFICE TR	ANSPO													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	ľ														
	Per Mile per month	1	1	UNCDX	1L5XX	0.0174					1	1	1		l	1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					İ					1				İ	1
	Facility Termination per month	1	1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00	1	1	20.35	21.09	l	1
4-WI	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT			1					İ				İ	†
1. ***	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86	1		1		1	
- 	4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86	1	†	t		l	+
	4-wire 56 kbps Local Loop in combination - Zone 3	†	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	1		 			+
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	+	-	0.1007	JDLJO	55.11	100.70	33.47	12.34	10.00	 	 	 		 	+
1		1	1	LINCDY	1L5XX	0.0174					1	1	1		l	1
	month	+	-	UNCDX	ILDXX	0.0174					 	-	 		!	+
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINODY	LIATOS	04 10	70.00	44.00	00.00	04.00	1		00.05	04.00	1	1
4. 1871	Termination per month IRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TO AND	BORT	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00	 		20.35	21.09		
4-771		CINANO		LINCDV	LIDL 64	24.40	100.70	25 47	70.04	10.00	 	-	 		!	+
	4-wire 64 kbps Local Loop in combination - Zone 1	+	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1	-	 	-	 	+
	4-wire 64 kbps Local Loop in combination - Zone 2	+	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	1	-	 	-	 	+
	4-wire 64 kbps Local Loop in combination - Zone 3	+	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1	<u> </u>	-	-	-	+
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1	1	l							1	1	1		l	1
	month	1		UNCDX	1L5XX	0.0174					ļ					1
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1								1	1	1		l	1
	Termination per month	<u> </u>		UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88		İ	Ì		Ì	1

	ED NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								
AILGORI	RATE ELEMENTS	miteriiii	Zone	ВСЗ	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ			1		I & I		I M	. D'	ļ		000	D-1 (A)		1
		ļ				Rec	Nonrecurring			Disconnect				Rates (\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.19										
				İ	1											
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	2.34					1					
	Interoffice Transport - Dedicated - DS3 combination - Facility	1	 	01100/1	120701	2.01					1					
	Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
		10000	 	OINCOV	0111.9	004.97	402.01	103.61	04.43	30.43	 		30.04	30.04		
STS-	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	NSPORT	1		-	ļ					ļ					
	070 41 11 -15 -15 15 15	1	1	LINGOV	41.51/5				I							I
	STS-1 Local Lolp in combination - per mile per month	ļ	1	UNCSX	1L5ND	9.19			L							ļ
	STS-1 Local Loop in combination - Facility Termination per															1
	month	<u> </u>		UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24	ļ					
	Interoffice Transport - Dedicated - STS-1 combination - per mile	1	1		1				I							l
	per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
ADDITIONAL	NETWORK ELEMENTS															
Whe	n used as a part of a currently combined facility, the non-recur	rng charg	es do n	ot apply, but a Swi	tch As Is cha	rge does apply										
	n used as ordinarily combined network elements in All States, t															
	ecurring Currently Combined Network Elements "Switch As Is"															
		Ι ,	T	UNCVX, UNCDX.	1											
	Nonrecurring Currently Combined Network Elements Switch -As-	_		UNC1X UNC3X												
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X, UNC3X,	LINCCC		52 73	24 62	9 12	9 12			53.73	24 62		
Ontid	Is Charge			UNC1X, UNC3X, UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Optio		-		UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Optio	Is Charge onal Features & Functions:	-		UNCSX U1TD1,									53.73	24.62		
Optio	Is Charge	- I		UNCSX U1TD1, ULDD1,UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Optio	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	- I		UNCSX U1TD1, ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00			53.73	24.62		
Optio	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X									53.73	24.62		
Optio	Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	l i		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
Optio	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	l i		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOEF		0.00	0.00	0.00	0.00			53.73	24.62		
Optio	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3,	CCOEF CCOSF NRCCC		0.00 0.00 185.16	0.00 0.00 23.85	0.00 0.00 2.03	0.00 0.00 0.79			45.68	1.76		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	l i		U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOEF		0.00	0.00	0.00	0.00						
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 185.16 219.46	0.00 0.00 23.85 7.68	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3,	CCOEF CCOSF NRCCC	80.77	0.00 0.00 185.16	0.00 0.00 23.85	0.00 0.00 2.03	0.00 0.00 0.79			45.68	1.76		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3	80.77	0.00 0.00 185.16 219.46	0.00 0.00 23.85 7.68	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOEF CCOSF NRCCC NRCC3	80.77	0.00 0.00 185.16 219.46	0.00 0.00 23.85 7.68	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 185.16 219.46	0.00 0.00 23.85 7.68	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 185.16 219.46	0.00 0.00 23.85 7.68	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	l i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.82	0.00 0.00 185.16 219.46 105.76	0.00 0.00 23.85 7.68 14.48 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3		0.00 0.00 185.16 219.46	0.00 0.00 23.85 7.68	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, ULD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.82	0.00 0.00 185.16 219.46 105.76 6.07	0.00 0.00 23.85 7.68 14.48 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.82	0.00 0.00 185.16 219.46 105.76	0.00 0.00 23.85 7.68 14.48 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge onal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, ULD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.82	0.00 0.00 185.16 219.46 105.76 6.07	0.00 0.00 23.85 7.68 14.48 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.82 1.82 3.10	0.00 0.00 185.16 219.46 105.76 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, ULD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	1.82	0.00 0.00 185.16 219.46 105.76 6.07	0.00 0.00 23.85 7.68 14.48 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.82 1.82 3.10 3.10	0.00 0.00 185.16 219.46 105.76 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.82 1.82 3.10	0.00 0.00 185.16 219.46 105.76 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.82 1.82 3.10 3.10	0.00 0.00 185.16 219.46 105.76 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.82 1.82 3.10 3.10 0.91	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.82 1.82 3.10 3.10 0.91	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66 4.66	0.00 0.00 2.03 0.7637 3.04	0.00 0.00 0.79 0.00 2.74			45.68 45.68 20.35	1.76 1.76 9.80 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.82 1.82 3.10 3.10 0.91	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66	0.00 0.00 2.03 0.7637	0.00 0.00 0.79 0.00			45.68 45.68	1.76 1.76 9.80		
	Is Charge Is Charge Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month seed for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUB UDN U1TUB UEA U1TUC UNC3X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.82 1.82 3.10 3.10 0.91 0.91 222.98	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66 4.66	0.00 0.00 2.03 0.7637 3.04	0.00 0.00 0.79 0.00 2.74			45.68 45.68 20.35	1.76 1.76 9.80 9.80		
	Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to System - per month used for connection to System - per month used for connection to System - per month used for connection to System - per month used for Connection to System - per month System - Syst	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 MQ3	1.82 1.82 3.10 3.10 0.91 0.91 222.98 222.98	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07 6.07 6.07 156.02	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66 4.66 4.66 4.66 4.66	0.00 0.00 2.03 0.7637 3.04	0.00 0.00 0.79 0.00 2.74			45.68 45.68 20.35	1.76 1.76 9.80 9.80		
	Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Sisch St Channel System per month STS-1 to DS1 Channel System per month DS3 to DS1 Channel System per month DS1 COCI used with Loop per month	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUB UDN U1TUB UEA U1TUC UNC3X	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	1.82 1.82 3.10 3.10 0.91 0.91 222.98	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07 6.07	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66 4.66 4.66 4.66 4.66	0.00 0.00 2.03 0.7637 3.04	0.00 0.00 0.79 0.00 2.74			45.68 45.68 20.35	1.76 1.76 9.80 9.80		
	Is Charge nal Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 TIPLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to System - per month used for connection to System - per month used for connection to System - per month used for connection to System - per month used for Connection to System - per month System - Syst	I i i i i i i i i i i i i i i i i i i i		UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, ULDD1, U1TD1, ULDD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX	CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 MQ3	1.82 1.82 3.10 3.10 0.91 0.91 222.98 222.98	0.00 0.00 185.16 219.46 105.76 6.07 6.07 6.07 6.07 6.07 156.02	0.00 0.00 23.85 7.68 14.48 4.66 4.66 4.66 4.66 4.66 4.66 4.66	0.00 0.00 2.03 0.7637 3.04	0.00 0.00 0.79 0.00 2.74			45.68 45.68 20.35	1.76 1.76 9.80 9.80		

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -	Charge -	Charge -	Charge -
		DATE ELEMENTO	to to other	-	500	11000			DATEO (A)			1	_				Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR			Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	17.58	6.07	4.66								
	COMM	INGLING															
					UE3, UDLSX,												
					UNCDX, UNCSX,												
					UNCVX, UNC1X,												
					UNC3X, U1TD1,												
					U1TD3, U1TDX,												
				I	U1TS1, U1TUB,												
		Commingling Authorization				CMGAU	0.00	0.00	0.00	0.00	0.00						
	Note:	Rates displaying an "I" in Interim column are interim as a resu	ult of a Co	mmissi	on order.												

UNBUNE	DLED	NETWORK ELEMENTS - Alabama												Attachmer	nt: 2 Ex. B		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc			Manual Svc
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							_	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		U
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDL	ED EX	CHANGE ACCESS LOOP															
2-\	WIRE I	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2	Wire Unbundled HDSL Loop including manual service inquiry															
	8	k facility reservation - Zone 1		1	UHL	UHL2X	10.05										
	2	Wire Unbundled HDSL Loop including manual service inquiry															
		k facility reservation - Zone 2		2	UHL	UHL2X	11.70										
	2	Wire Unbundled HDSL Loop including manual service inquiry															
	8	k facility reservation - Zone 3		3	UHL	UHL2X	13.16										
	2	Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	1	1	UHL	UHL2W	10.05						1		I		
	2	Wire Unbundled HDSL Loop without manual service inquiry															
	a	and facility reservation - Zone 2	1	2	UHL	UHL2W	11.70						1		I		
	2	Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3	1	3	UHL	UHL2W	13.16						1		I		
4-\		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE														
	4	Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	16.04										
	4	I-Wire Unbundled HDSL Loop including manual service inquiry															
	a	and facility reservation - Zone 2		2	UHL	UHL4X	17.89										
	4	I-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	17.54										
	4	I-Wire Unbundled HDSL Loop without manual service inquiry															
	a	and facility reservation - Zone 1		1	UHL	UHL4W	16.04										
	4	I-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	17.89										
	4	I-Wire Unbundled HDSL Loop without manual service inquiry															
	a	and facility reservation - Zone 3		3	UHL	UHL4W	17.54										
4-\	NIRE I	DS1 DIGITAL LOOP															
	4	I-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	94.93										
	4	I-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	177.31										
	4	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	361.70										
HIGH CAP		UNBUNDLED LOCAL LOOP															
	H	ligh Capacity Unbundled Local Loop - DS3 - Per Mile per															
		nonth			UE3	1L5ND	9.64										
		ligh Capacity Unbundled Local Loop - DS3 - Facility															
L l		Fermination per month	<u></u>		UE3	UE3PX	355.33			<u> </u>	<u></u>	<u> </u>	<u></u>		<u> </u>	<u> </u>	
		ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		nonth			UDLSX	1L5ND	9.64			<u> </u>	L						
		ligh Capacity Unbundled Local Loop - STS-1 - Facility															
		Fermination per month			UDLSX	UDLS1	367.80			<u> </u>					<u> </u>	<u> </u>	
		EDICATED TRANSPORT															
IN		FFICE CHANNEL - DEDICATED TRANSPORT															
		nteroffice Channel - Dedicated Channel - DS1 - Per Mile per															
		nonth			U1TD1	1L5XX	0.21										
		nteroffice Channel - Dedicated Tranport - DS1 - Facility	1													I	-
		Termination			U1TD1	U1TF1	69.18			<u> </u>					<u> </u>	<u> </u>	
		nteroffice Channel - Dedicated Transport - DS3 - Per Mile per															
		nonth			U1TD3	1L5XX	4.70										
		nteroffice Channel - Dedicated Transport - DS3 - Facility	1													I	
		ermination per month			U1TD3	U1TF3	809.05										
		nteroffice Channel - Dedicated Transport - STS-1 - Per Mile per	1													I	
		nonth	<u> </u>		U1TS1	1L5XX	4.70			<u> </u>	L					<u></u>	
		nteroffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	806.58										
		ocal Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	16.07										
		ocal Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	16.07										
		ocal Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	17.17										
	L	ocal Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	41.12										

UNRI	JNDLF	D NETWORK ELEMENTS - Alabama												Attachme	nt: 2 Ex. B		
21120	J. NULL		I		1	1						Svc Order	Svc Order			Incremental	Incremental
													Submitted	Charge -			
															Charge - Manual Svc	Charge -	Charge -
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc		Manual Svc	
CAIL	JOINT	KATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						<u> </u>	Nonre	curring	Nonrecurrin	a Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	57.48										
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	123.77										
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	7.96										
	+	Local Charmer - Dedicated - D33 - Fer Wille per month		1	OLDDS, ONCSA	ILSING	7.50			1		+					
		Lacal Channel Dedicated DC2 Facility Tarasia stice			LILDDO LINGOV	ULDF3	479.02										
	<u> </u>	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDD3, UNC3X ULDS1, UNCSX	1L5NC	7.96			-		-					
-	1	Local Channel - Dedicated - STS-1 - Fer Wile per Month Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	469.76					1	1				
ENHA	NCED E	KTENDED LINK (EELs)		1	OLDST, UNCSA	OLDI 3	405.70			1		+					
LIVITA		The monthly recurring and non-recurring charges below will	anniv a	nd the	Switch-As-Is Char	re will not an	nly for LINE com	hinations pro	visioned as ' (Ordinarily Com	hined' Netwo	k Flements					
-		The monthly recurring and the Switch-As-Is Charge and not t															
		VOICE GRADE LOOP FOR USE IN A COMBINATION	11011	l	ling changes below	ин арргу ю	l combinati	ons provision	ca as Carrein	l combined	THE LICITION CONTRACTOR	1					
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.54			1	1				1	1	1
	 	2-Wire VG Loop (SL2) in Combination - Zone 2	†		UNCVX	UEAL2	26.28			1	1	1			t	1	1
	1	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	41.56			1	1				1	İ	İ
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.61			1	1	1			İ	İ	İ
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.14										
		4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	44.37										
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	69.02										
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.61										
	4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.00										
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	41.34										
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.56										
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.29										
	4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON															
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	30.00										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	41.34										
	<u> </u>	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	43.56										
-	0.14(10)	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.29										
	2-WIRE	I ISDN LOOP FOR USE IN COMBINATION		1	UNCNX	U1L2X	25.16					+					
-	-	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	37.78				-	+	-		-		
	<u> </u>	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	55.83			-		-					
	+	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.77			1		+					
-	4-WIRE	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION			ONONA	OCTOA	2.11										
	7 *************************************	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	94.93					1					
	1	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	177.31			1	1				1	İ	İ
		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	361.70			1	1	1			İ	İ	İ
	1	DS1 COCI in combination per month			UNC1X	UC1D1	14.60			İ	1			İ	1		İ
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													1
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
L	1	Month	<u></u>	L	UNCVX	1L5XX	0.01			<u> </u>	1		<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	24.30				<u> </u>						
	4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		1							1	1			_	<u> </u>	<u> </u>
		Month			UNCVX	1L5XX	0.01			1		1					
		Interoffice Transport - 4-wire VG - Dedicated - Facility		1	l <u></u> .	L					1				I	1	1
	<u> </u>	Termination per month	ļ		UNCVX	U1TV4	21.54			ļ	1	ļ			1	ļ	ļ
	DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION	<u> </u>	ļ		-				ļ	+				-		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.500/					1				1		
	<u> </u>	per month	<u> </u>		UNC1X	1L5XX	0.21			 	+	1		ļ	-	 	ļ
		Interoffice Transport - Dedicated - DS1 combination - Facility		1	LINGAY	LIATE 4	00.40				1				I	1	1
-	Dea In	Termination per month	 	-	UNC1X	U1TF1	69.18			 	+	1	-	-	 	 	
-	DO3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION	├	 		+	 			1	+	1				-	-
		Interoffice Transport - Dedicated - DS3 combination - Per Mile			UNC3X	1L5XX	4.70				1				1		
1	1	Per Month	1	Ì	UNC3X	ILOXX	4.70			1	1	1	ĺ	l	l	1	1

LINIDLINID	ED NETWORK ELEMENTS. Alabama												A441		1	
ONBOND	LED NETWORK ELEMENTS - Alabama	1			1	ı					Cua Oudan	Cura Oudan		nt: 2 Ex. B	la sassas sastal	In annual and all
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		recurring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINGOV	114750	200.05										
ете	month -1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION			UNC3X	U1TF3	809.05					-					
313	Interoffice Transport - Dedicated - STS-1 combination - Per Mile										1					
	Per Month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	806.58										
4-W	IRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT			1101 =0	20.00					1					
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.00					1					
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX UNCDX	UDL56 UDL56	41.34 43.56					-					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDA	UDL30	43.30					-					
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	17.39					1					<u> </u>
4-W	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30.00										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX UNCDX	UDL64 UDL64	41.34 43.56					-					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	43.30										
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1-91-1											
	Facility Termination per month			UNCDX	U1TD6	17.39										
4-W	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.00					1					
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	41.34 43.56										
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL56	43.56					-					
	month			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1						1					
	Termination per month			UNCDX	U1TD5	17.39										
4-W	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPOR													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.00										
	4-wire 64 kbps Local Loop in combination - Zone 2				UDL64	41.34					1					
	4-wire 64 kbps Local Loop in combination - Zone 3 I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL64	43.56					-					ļ
	month			UNCDX	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			0110271	120701	0.01										
	Termination per month			UNCDX	U1TD6	17.39										
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	94.93					1					
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	177.31 361.70					1					
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	361.70					-					
	per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120/01	0.21										
	Termination per month	<u>L</u>		UNC1X	U1TF1	69.18				<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month	ļ		UNC3X	1L5ND	11.08			ļ	 						
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	408.63										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X UNC3X	1L5XX	408.63		+		 	 			1	1	+
	Interoffice Transport - Dedicated - DS3 - Fet Mile per Month Interoffice Transport - Dedicated - DS3 combination - Facility	-		5.100A	ILONA	4.70		+	1	1	+					
	Termination per month			UNC3X	U1TF3	809.05										
STS	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.08										lacksquare
.	STS-1 Local Loop in combination - Facility Termination per	1		LINGOV	LIDL C4	400.00								1	1	
	month	<u> </u>		UNCSX	UDLS1	422.98				1	1		l			

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attachmer	nt: 2 Ex. B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		L
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	4.70										ł '
		Interoffice Transport - Dedicated - STS-1 combination - Facility															1
		Termination per month			UNCSX	U1TFS	806.58										<u> </u>
		ETWORK ELEMENTS															<u> </u>
		sed as a part of a currently combined facility, the non-recurr															
		ised as ordinarily combined network elements in All States, the					As Is Charge d	oes not.									
		urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	ination)											
-	Option	al Features & Functions:			III TD4												
		Class Channel Carability Fidended France Online and DC4	١.		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						i
		Clear Channel Capability Extended Frame Option - per DS1			U1TD1.	CCOEF	1	0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1	l ,		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						í
-		Clear Channel Capability (SF/ESF) Option - Subsequent	-		ULDD1, U1TD1,	CCCGI		0.00	0.00	0.00	0.00						
		Activity - per DS1	l ,		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						i
		76017KJ PG1 201	<u> </u>		U1TD3, ULDD3,	TTTCCC		104.00	20.01	1.00	0.7741						
		C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						ł '
	MULTII	PLEXERS															i
		DS1 to DS0 Channel System per month			UNC1X	MQ1	116.22										í
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															í T
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.29										l
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															í
		month (2.4-64kbs) used for connection to a channelized DS1															í
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.29										ļ
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															í
-		month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2.77										
		2-wire ISDN COCI (BRITE) - DST to DSU Channel Systsem - per month used for connection to a channelized DS1 Local Channel															í
		in the same SWC as collocation			U1TUB	UC1CA	2.77										í
		Voice Grade COCI - DS1 to DS0 Channel System - per month			ОТТОВ	OCTOA	2.11										
		used for a Local Loop	l		UEA	1D1VG	0.61										ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month	1		J.,	.2.10	0.01										1
		used for connection to a channelized DS1 Local Channel in the	l														í
		same SWC as collocation	l		U1TUC	1D1VG	0.61										í
		DS3 to DS1 Channel System per month			UNC3X	MQ3	191.05										ĺ
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	191.05										i
		DS1 COCI used with Loop per month			USL	UC1D1	14.60										
	-	DS1 COCI (used for connection to a channelized DS1 Local			_									_			
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	14.60										<u> </u>
ļ		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	14.60										
		DS3 Interface Unit (DS1 COCI) used with Local Channel per	l														í
<u> </u>		month	l		ULDD1	UC1D1	14.60										<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - Florida			T							Ι -	T -		nt: 2 Ex. B		
														Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												_	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring		g Disconnect				Rates (\$)		
							Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		EXCHANGE ACCESS LOOP															
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.30										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.80										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	20.94										
		2 Wire Unbundled HDSL Loop without manual service inquiry	1							1			1		Ì		Ì
		and facility reservation - Zone 1		1	UHL	UHL2W	8.30										
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	11.80			1							
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	20.94										
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	12.49										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	17.76										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	31.50										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	12.49										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	17.76										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	31.50										
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	81.35										
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	115.62										
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	205.15										
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					40.50										
-		month Poor 5 115	<u> </u>		UE3	1L5ND	12.56										
		High Capacity Unbundled Local Loop - DS3 - Facility			1150	LIEODY	444.04										
\vdash		Termination per month	<u> </u>		UE3	UE3PX	444.91			1	.						1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.56										
\vdash		Imonth High Capacity Unbundled Local Loop - STS-1 - Facility	-		ODESY	ILDIND	1∠.56			 	<u> </u>						
		Termination per month	1		UDLSX	UDLS1	490.59			1			1		Ì		Ì
LINIDIIN	DIED	DEDICATED TRANSPORT	-		ODLOV	UDLOT	490.59			+	 	-			 		
		OFFICE CHANNEL - DEDICATED TRANSPORT	-			1	+			+	 	-			 		
\vdash	MIER	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-			1	 			+	 	-			 		
		month			U1TD1	1L5XX	0.21			1			1		Ì		Ì
\vdash		Interoffice Channel - Dedicated Tranport - DS1 - Facility	 		וטווטו	ILUAA	0.21			1	1	1			1		1
		Termination			U1TD1	U1TF1	101.71			1			1		Ì		Ì
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		01101	01111	101.71			†	 				 		
		month			U1TD3	1L5XX	4.45										
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Facility				. 20,01	0			1	1						
		Termination per month			U1TD3	U1TF3	1231.65			1			1		Ì		Ì
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				1 0	.201.00			1	1				1		1
		month			U1TS1	1L5XX	4.45										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				1	10			1	1				1		1
		Termination			U1TS1	U1TFS	1214.40										
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	†	1	ULDVX, UNCVX	ULDV2	22.61			1	1				1		1
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV2	32.13			1	1				İ		İ
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV2	57.02			1	1				1		1
			<u> </u>		,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	31.02			1	1	1	l		1		l

UNBUN	IDLED	NETWORK ELEMENTS - Florida												Attachmei	nt: 2 Ex. B		
		2										Svc Order	Svc Order	Incremental		Incremental	Incrementa
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	
														1st	Add'I	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
		Zone 1		1	ULDVX	ULDR2	22.61										
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
		Zone 2		2	ULDVX	ULDR2	32.13										
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat			1 II D) 0/	550	57.00										
		Zone 3		3	ULDVX	ULDR2	57.02					1					+
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX, UNCVX ULDVX, UNCVX	ULDV4 ULDV4	23.52 33.42					1					+
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV4	59.29										+
		Local Channel - Dedicated - 4-Wire Voice Grade - 2016 3			ULDD1, UNC1X	ULDF1	41.96										+
		Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2			ULDD1, UNC1X	ULDF1	59.63										+
-+		Local Channel - Dedicated - DS1 - Zone 3	 		ULDD1, UNC1X	ULDF1	105.80		 	 	 	 	 		1		+
-+		Local Channel - Dedicated - DS3 - Per Mile per month	 	"	ULDD3, UNC3X	1L5NC	9.78		 	 	 	 	 		1		+
$-\!\!\!\!+$		Local Channel - Dedicated - DS3 - Fer Mile per Month	1	<u> </u>	ULDD3, UNC3X	ULDF3	611.70			1	1		 	1	1	1	+
-+		Local Channel - Dedicated - STS-1- Per Mile per month	1		ULDS1, UNCSX	1L5NC	9.78			1	1	1					+
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	621.79										+
ENHANC		TENDED LINK (EELs)															+
		The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE com	binations pro	visioned as ' (Ordinarily Com	bined' Networl	k Elements.					1
N	IOTE: 1	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ing charges below v	will apply for	UNE combination	ons provision	ed as ' Current	tly Combined'	Network Eleme	ents.					1
2	-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION						•									
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.08										
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	20.01										
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	35.50										
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.59										<u> </u>
4		VOICE GRADE LOOP FOR USE IN A COMBINATION															
		4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	21.72										
		4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	30.87										
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4 1D1VG	54.76 1.59										
		Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCVX	IDIVG	1.59										
4-	-WIKE	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.53										+
<u>_</u>		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	36.29										+
<u>_</u>		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	64.39										+
		OCU-DP COCI (data) per month (2.4-64kbs)		_ J	UNCDX	1D1DD	2.42					1					+
4		64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			ONODA	10100	2.72										+
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53										+
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	36.29										†
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	64.39										1
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.42										1
2		ISDN LOOP FOR USE IN COMBINATION	<u> </u>														
		2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.17										
		2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	31.51										
		2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	55.91										
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	4.21										
4		DS1 DIGITAL LOOP FOR USE IN A COMBINATION	<u> </u>														
		4-Wire DS1 Digital Loop in Combination - Zone 1	ļ		UNC1X	USLXX	81.35		ļ	ļ	ļ	ļ					4
		4-Wire DS1 Digital Loop in Combination - Zone 2	ļ		UNC1X	USLXX	115.62		ļ	ļ	ļ	ļ					4
		4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	205.15					ļ			ļ		4
		DS1 COCI in combination per month			UNC1X	UC1D1	15.82										
2		VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	OMBINA	HON	1	+			 	 	 	 		-	1	-	+
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1	1	LINCVY	11.5	0.04						1				
		Month Interoffice Transport - 2-wire VG - Dedicated - Facility	1	-	UNCVX	1L5XX	0.01		 	 	 	 		-	1	-	+
1		Interoπice Transport - 2-wire VG - Dedicated - Facility Termination per month	1	1	UNCVX	U1TV2	29.12						1				
J		remination per month	1		OINOVA	01172	29.12		 	 	1	 		-	1		+
- 4		VOICE GRADE INTERCEDE TRANSPORT FOR USE IN A CO	UMBINI	TION													
4	WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													+
4	WIRE	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	OMBINA	TION	UNCVX	1L5XX	0.01										
4	WIRE		OMBINA	TION	UNCVX	1L5XX	0.01										

UNBUN	DLE	NETWORK ELEMENTS - Florida												Attachmei	nt: 2 Ex. B		
												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually			Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Dan	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D:	S1 IN	EROFFICE TRANSPORT FOR COMBINATION															
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.21										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	101.71										
D:	S3 IN1	EROFFICE TRANSPORT FOR USE IN A COMBINATION															
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
		Per Month			UNC3X	1L5XX	4.45										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
		month			UNC3X	U1TF3	1231.65										
S	TS-1 I	NTEROFFICE TRANSPORT FOR USE IN COMBINATION															
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month	<u> </u>	<u></u>	UNCSX	1L5XX	4.45			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	1214.40										
4-	-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	25.53										
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.29										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	64.39										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	21.21										
4-	-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53										
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.29										
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	21.21										
4-	-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT	Ī												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.53										
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.29										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	64.39										
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per						·	· -						1		
		month	<u></u>		UNCDX	1L5XX	0.01										
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1											1		I	I
		Termination per month			UNCDX	U1TD5	21.21			ļ				ļ			
4-	WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN							1							
		4-wire 64 kbps Local Loop in combination - Zone 1	ļ		UNCDX	UDL64	25.53			ļ					.		
		4-wire 64 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL64	36.29			ļ					ļ		
		4-wire 64 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL64	64.39			ļ					ļ		
		I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1		l .	1									1		
$oxed{oxed}$		month	ļ		UNCDX	1L5XX	0.01			ļ				ļ	.		
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1	l .	1								Ì	I		
		Termination per month	ļ		UNCDX	U1TD6	21.21			ļ				ļ	.		
D:		GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	ļ	L .	111041	110175				ļ				ļ	.		
$oxed{oxed}$		4-Wire DS1 Digital Loop in Combination - Zone 1	ļ	1	UNC1X	USLXX	81.35			ļ				ļ	.		
		4-Wire DS1 Digital Loop in Combination - Zone 2	!	2	UNC1X	USLXX	115.62			ļ							
 -		4-Wire DS1 Digital Loop in Combination - Zone 3	!	3	UNC1X	USLXX	205.15			1					-		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1										Ì	I		
$oxed{oxed}$		per month	ļ		UNC1X	1L5XX	0.21			ļ				ļ	.		
		Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	l .	1								Ì	I		
igspace		Termination per month	<u></u>		UNC1X	U1TF1	101.71			ļ				ļ	.		
D	S3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	URT			10.505				ļ							
$oxed{oxed}$		DS3 Local Loop in combination - per mile per month	ļ		UNC3X	1L5ND	14.44			ļ				ļ	.		
		BOOL COLLEGE CONTROL STORY	1	1	LINIONY	LIEODY								Ì	I		
		DS3 Local Loop in combination - Facility Termination per month	l	l	UNC3X	UE3PX	511.65			L	l			l	L		I

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachme	nt: 2 Ex. B		
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45	11131	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1231.65										ĺ
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.44										
	STS-1 Local Loop in combination - Facility Termination per															1
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	564.18										├ ──
	per month			UNCSX	1L5XX	4.45										ĺ
-	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOA	ILSAA	4.45			-			-		-		
	Termination per month			UNCSX	U1TFS	1214.40										1
ADDITIONAL	NETWORK ELEMENTS			0.100/	01110	1211110			İ							
	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
When	used as ordinarily combined network elements in All States, t	he non-	recurrii	ng charges apply ar	nd the Switch	As Is Charge o	loes not.									
	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
Option	nal Features & Functions:															
				U1TD1,												1
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						├ ──
	Clear Channel Capability Super FrameOption - per DS1	١.		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						ĺ
-	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	CCOSF		0.00	0.00	0.00	0.00		-		-		
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						1
	rounty per ber	<u> </u>		U1TD3, ULDD3,	HILOGO		104.02	20.02	2.07	0.00						
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						ĺ
MULT	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.79										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.42										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															1
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.42										1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	טטוטו	2.42										
	month for a Local Loop			UDN	UC1CA	4.21										ĺ
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per								İ							
	month used for connection to a channelized DS1 Local Channel															1
	in the same SWC as collocation			U1TUB	UC1CA	4.21										1
	Voice Grade COCI - DS1 to DS0 Channel System - per month															ĺ
	used for a Local Loop	ļ		UEA	1D1VG	1.59			ļ					1		
	Voice Grade COCI - DS1 to DS0 Channel System - per month	1				1			1							1
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.50								1		1
	DS3 to DS1 Channel System per month	1		UNC3X	MQ3	1.59 242.87			+		-			+		
 	STS-1 to DS1 Channel System per month	l		UNCSX	MQ3	242.87			 				-	 		
 	DS1 COCI used with Loop per month	1		USL	UC1D1	15.82			+					 		
	DS1 COCI (used for connection to a channelized DS1 Local	i			1	15.02			1					1		
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	15.82								1		1
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	15.82										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															1
	month			ULDD1	UC1D1	15.82							l			1

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attachmei	nt: 2 Ex. B		
3.150	,,, <u>,,,</u>	- TETTION CELINETTO CONGRE										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	Disc Add'l
														1st	Add'l	DISC ISI	DISC Add I
							_ 1	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		U
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN	NDLED E	XCHANGE ACCESS LOOP															
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1	- 1	1	UHL	UHL2X	9.06										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2	- 1	2	UHL	UHL2X	10.45										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3	- 1	3	UHL	UHL2X	16.65										
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UHL	UHL2W	9.06										
1		2 Wire Unbundled HDSL Loop without manual service inquiry	l	1												I	
		and facility reservation - Zone 2		2	UHL	UHL2W	10.45										
1		2 Wire Unbundled HDSL Loop without manual service inquiry	l	1												I	
		and facility reservation - Zone 3	I	3	UHL	UHL2W	16.65]							
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UHL	UHL4X	11.95										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UHL	UHL4X	13.80										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3	I	3	UHL	UHL4X	21.93										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	I	1	UHL	UHL4W	11.95										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	ı	2	UHL	UHL4W	13.80										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	21.93										
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	47.17										
		4-Wire DS1 Digital Loop - Zone 2		2		USLXX	53.37										
	24 5 4 615	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	71.33										
HIGH	APACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per			1150	41.5110	40.00										
	1	month High Capacity Unbundled Local Loop - DS3 - Facility	-	<u> </u>	UE3	1L5ND	12.62			-					 		
1			l		UE3	UE3PX	291.39							Ì	I		
-	1	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 	 	UE3	UE3PX	291.39			 	ļ			 	 		
		Inign Capacity Unbundled Local Loop - \$15-1 - Per Mile per Imonth	l		UDLSX	1L5ND	12.62							1	I		
	1	High Capacity Unbundled Local Loop - STS-1 - Facility	1	1	UDLOA	ILUND	12.02			1		1	1		1		
		Termination per month	l		UDLSX	UDLS1	351.23								1		
LINELIN	NDI ED I	DEDICATED TRANSPORT	1	 	ODLOX	JULUI	331.23			 	 			 	 		
CHECK		OFFICE CHANNEL - DEDICATED TRANSPORT	1	 	 	+	1			1	1	1	1	1	 	1	
-		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-	†	 	1	+			 				 	t		
		month	l		U1TD1	1L5XX	0.13								1		
—	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	 	0.101	. 20/0/	0.13			 	 			 	 		
1		Termination	l		U1TD1	U1TF1	39.32							Ì	I		
1	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	!	0.101	51111	33.32			1				 	I		
1		month	l		U1TD3	1L5XX	2.91							Ì	I		
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	-		. 20, 0 .	2.01			1				1	†		
1		Termination per month	l		U1TD3	U1TF3	393.32							Ì	I		
	1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	†		,	555.52			1	1			1	1		
		month	l		U1TS1	1L5XX	2.92								1		
	1	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	t	1		2.32			1	1			1	t		
1		Termination	l		U1TS1	U1TFS	412.47							Ì	I		
		Local Channel - Dedicated - 2-Wire Voice Grade		1	ULDVX, UNCVX	ULDV2	8.90			1	1			İ	1		
	1	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	8.90			İ				İ	İ		
	1	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	10.03			İ	İ			İ	İ	İ	
		Local Channel - Dedicated - DS1 Zone 1		1	ULDD1, UNC1X	ULDF1	21.24										
				• •	,					1	1	1	1	ı			

LINBLINDI	ED NETWORK ELEMENTS - Georgia												Attachme	nt: 2 Ex. B		
ONDONDE	LD NETWORK ELLINENTS - Georgia			1	1	1					Svc Order	Svc Order			Incremental	Incremental
												Submitted				
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc		Manual Svc	
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-		-		Nonre		Monroourrin	g Disconnect		l	000	Rates (\$)		
			-		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
-	Local Channel - Dedicated - DS1 Zone 2		2	ULDD1, UNC1X	ULDF1	64.75	FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Local Channel - Dedicated - DS1 Zone 2 Local Channel - Dedicated - DS1 Zone 3			ULDD1, UNC1X	ULDF1	189.41				-	+			-		
	Local Channel - Dedicated - DS1 Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3, UNC3X	1L5NC	1.66										
	Local Channel - Dedicated - DS3 - Fel Mile per month			ULDD3, UNC3X	ULDF3	169.06				-	+			-		
-	Local Channel - Dedicated - BSS - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	1.66				-	+			-		
-	Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	177.81				-	+			-		-
ENILLANCED	EXTENDED LINK (EELs)		-	ULDST, UNCSX	ULDF5	177.81										
	:: The monthly recurring and non-recurring charges below will	onnh. o	nd tha	Switch As Is Chara	o will not on	alv for LINE con	hinations pro	visioned so ! C	rdinarily Cam	hinad' Naturar	k Elemente					
	: The monthly recurring and hon-recurring charges below win															
		the non-	recurri	ing charges below t	viii appiy ioi	UNE COMBINALI	ons provision	eu as Current	ly Combined	Network Eleme	ints.					
2-1/11	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	1	4	UNCVX	UEAL2	13.31				+	1			 		
 	2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		UNCVX	UEAL2	13.31			-	+	<u> </u>		-			
 	2-Wire VG Loop (SL2) in Combination - Zone 2	1			UEAL2	19.49 38.04			ļ	+	1	-	-	1		
\vdash	2-Wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	1D1VG	38.04 0.54				+	1			 		
4 1477	Voice Grade COCI - Per Month RE VOICE GRADE LOOP FOR USE IN A COMBINATION	1	-	UNCVX	טועו	0.54			ļ	1	1	-	-	1		
4-1/11		-	1	LINIONA	115414	00.47										-
\vdash	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1		UNCVX UNCVX	UEAL4 UEAL4	20.47 24.93				+	1			 		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2															
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4 1D1VG	34.79										
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.54										
4-WIF	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		<u> </u>	LINIORY/		0.5.4.4										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	25.14										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.61										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.95										
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.15										
4-WIF	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		<u> </u>	LINIORY/		0.5.4.4										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.14										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	32.61										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	43.95										
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.15										
2-WIF	RE ISDN LOOP FOR USE IN COMBINATION			LINIONIN	1141.07/	00.70										
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.79										
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	30.20										
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.50 1.91										
4 14/15	2-wire ISDN COCI (BRITE) - in combination - per month	-		UNCIX	UC1CA	1.91										-
4-1/11	RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	-	1	LINIOAY	1101 1/1/	47.47										-
	4-Wire DS1 Digital Loop in Combination - Zone 1	-		UNC1X UNC1X	USLXX	47.17										-
-	4-Wire DS1 Digital Loop in Combination - Zone 2	-		UNC1X	USLXX	53.37 71.33										-
	4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month		3	UNC1X	UC1D1	8.45										
0.14/15	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMPINIA	TION	UNCIA	OCIDI	0.40										
2 WIF		OWIBINA	HION		-											
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01]			1		I		
	Interoffice Transport - 2-wire VG - Dedicated - Facility	-		UNCVX	ILSXX	0.01										-
	Termination per month			UNCVX	U1TV2	14.80										
4 14/15		ONE DINIA	TION	UNCVX	UTIVZ	14.80										-
4 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OWIBINA	HION		-											
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility		-	UNCVA	ILSAA	0.01										
	Termination per month			UNCVX	U1TV4	12.40]			1		I		
DC4 I	NTEROFFICE TRANSPORT FOR COMBINATION	!		0140 4 V	01174	12.40			-	+	-		-	 		
ו ופען	Interoffice Transport - Dedicated - DS1 combination - Per Mile	!			+				-	+	-		-	 		
1 1				UNC1X	1L5XX	0.13				1	1					
 	per month Interoffice Transport - Dedicated - DS1 combination - Facility	1	-	UNCIA	ILDXX	0.13			ļ	1	1	-	-	1		<u> </u>
				UNC1X	U1TF1	39.32				1				1		
 	Termination per month	1			_				 	+	1	ļ	-	 		<u> </u>
	1/0 Channelization System in combination Per Month	1		UNC1X	MQ1	80.21			 	+	1	ļ	-	 		<u> </u>
D23 I	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION	1			1					+	1			 		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINICOV	11.5	0.04]			1		I		
<u> </u>	Per Month		1	UNC3X	1L5XX	2.91					1	l				

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachmer	nt: 2 Ex. B		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lon	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonre	curring	Nonrecurrin	g Disconnect		l	oss	Rates (\$)	<u> </u>	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 - Facility Termination per							71441		7.44	0020					
		month			UNC3X	U1TF3	393.32										1
	STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			OHOOA	01110	000.02										
	0.0	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															——
		Per Month			UNCSX	1L5XX	2.91										1
		Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	TLOAK	2.51										
		Termination per month			UNCSX	U1TFS	412.47										1
	4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT		ONOOX	01110	712.77										——
	- *************************************	4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	25.14										
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.61										
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	43.95										—
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	ONODA	ODLOG	40.00										
1	1	Per Mile per month	l	1	UNCDX	1L5XX	0.01				1		1		l		1
-		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA	ILJAA	0.01				-						
		Facility Termination per month			UNCDX	U1TD5	9.00										1
-	4 WIDE	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 1	DANCI		UTIDS	9.00				-						
-	4-WIRE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	FFICE		UNCDX	UDL64	25.14				-						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2													
-	-	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64 UDL64	32.61 43.95										
-	-			3	UNCDX	UDL64	43.95										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	41.5007	0.04										1
-	-	Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															1
		Facility Termination per month			UNCDX	U1TD6	9.00										
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	EIRAN														
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	25.14										
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.61										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	43.95										
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															1
		month			UNCDX	1L5XX	0.01										
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility															1
		Termination per month			UNCDX	U1TD5	9.00										
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														!
		4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.14										!
		4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.61										!
		4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	43.95			ļ	_				ļ		
		I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															1
<u></u>	ļ	month			UNCDX	1L5XX	0.01			ļ	1	<u> </u>					
1	1	4-wire 64 kbps Interoffice Transport - Dedicated - Facility	l	1	l .	1					1		1		Ì		1
		Termination per month	<u> </u>		UNCDX	U1TD6	9.00			ļ	1	ļ	ļ				
	DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT				1				ļ	_				ļ		
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17			ļ	_				ļ		
<u></u>	ļ	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	53.37			ļ	1	<u> </u>					
<u></u>	ļ	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	71.33				1	<u> </u>					
1	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	l	1							1		1		Ì		1
<u></u>	ļ	per month			UNC1X	1L5XX	0.13				1	<u> </u>					
	l	Interoffice Transport - Dedicated - DS1 combination - Facility	l								1						1
		Termination per month	<u> </u>		UNC1X	U1TF1	39.32				1	<u> </u>					
	DS3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT			1					1	<u> </u>					
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.51			ļ	_				ļ		
1	1		l	1	l .	1 !					1		1		Ì		1
	ļ	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	335.10				1	<u> </u>					
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.91										
	l	Interoffice Transport - Dedicated - DS3 combination - Facility	l				1				1						1
		Termination per month			UNC3X	U1TF3	393.32			ļ	1]		!
	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT					· ·]							
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.51	· ·]							
	1	STS-1 Local Loop in combination - Facility Termination per	1			1	Π						1]		1
1	l	month	<u> </u>	<u></u>	UNCSX	UDLS1	403.92		<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>		L		L

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attachmer	nt: 2 Ex. B		
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.91										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															1
		Termination per month			UNCSX	U1TFS	412.47										<u> </u>
ADDIT		ETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															 '
		used as ordinarily combined network elements in All States, the					As Is Charge o	loes not.									 '
		urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	oination)											
	Option	al Features & Functions:															<u>'</u>
		Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Olace Olace at Occasion Control Title Occasion Control Control Title Occasion Control			U1TD1, ULDD1.UNC1X	CCOSF		0.00	0.00	0.00	0.00						1
		Clear Channel Capability (SE/ESE) Option - per DS1				CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						<u> </u>
		C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
	MUI TII	PLEXERS	-		OLO, ONCOX	NICOOS		210.74	7.00	0.7331	0.00						
	MIOLIII	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.21										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQI	00.21			1		1					
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.15										İ
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.15										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01105	.5.55							1				f
		month for a Local Loop			UDN	UC1CA	1.91										1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.91										
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	1	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.54			 			 				
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.54										
	1	DS3 to DS1 Channel System per month			UNC3X	MQ3	140.18			-							ſ
	1	STS-1 to DS1 Channel System per month			UNCSX	MQ3	140.18			t							í
	1	DS1 COCI used with Loop per month			USL	UC1D1	8.45			İ							í
	1	DS1 COCI (used for connection to a channelized DS1 Local					5. 10			İ							í
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.45			1							i
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.45										í
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	8.45										

UNBI	INDLF	D NETWORK ELEMENTS - Kentucky												Attachme	nt: 2 Ex. B		
3,100		- HETTIOTIC ELEMENTO ROMANY										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1	1								Submitted	Submitted		Charge -	Charge -	Charge -
				1								Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Diac Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry		١.			40.00										
		& facility reservation - Zone 1		1	UHL	UHL2X	10.06			-							
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.99										
		2 Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHLZA	10.99			-							
		& facility reservation - Zone 3		3	UHL	UHL2X	12.20										
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILEX	12.20										
1		and facility reservation - Zone 1	1	1	UHL	UHL2W	10.06							1	I	I	
	1	2 Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>		,	.5.50			İ	Ì			İ	1	1	
		and facility reservation - Zone 2	l	2	UHL	UHL2W	10.99								1	1	
	İ	2 Wire Unbundled HDSL Loop without manual service inquiry								1				1			
	<u></u>	and facility reservation - Zone 3		3	UHL	UHL2W	12.20							<u> </u>	<u></u>	<u></u>	
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	_OOP				-									
1		4 Wire Unbundled HDSL Loop including manual service inquiry	l]			
	<u> </u>	and facility reservation - Zone 1		1	UHL	UHL4X	16.04							ļ	1	1	
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2	l	2	UHL	UHL4X	18.03										
		4-Wire Unbundled HDSL Loop including manual service inquiry		_			40.50										
	<u> </u>	and facility reservation - Zone 3		3	UHL	UHL4X	19.53										
		4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	1 11 11 4147	40.04										
		and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	16.04			-							
		and facility reservation - Zone 2		2	UHL	UHL4W	18.03										
		4-Wire Unbundled HDSL Loop without manual service inquiry			OFF	OI IL4VV	10.03			1							
		and facility reservation - Zone 3		3	UHL	UHL4W	19.53										
	4-WIRE	DS1 DIGITAL LOOP			0.12	0.12.11	10.00										
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	99.44										
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	131.22										
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	342.42										
HIGH C	CAPACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.64										
		High Capacity Unbundled Local Loop - DS3 - Facility	1		l	I	Π							1	_	_	
	ļ	Termination per month	ļ		UE3	UE3PX	354.56				ļ			ļ	1	1	
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1	LIDLOV	41.515								1			
<u> </u>	<u> </u>	month	<u> </u>	<u> </u>	UDLSX	1L5ND	10.64			 				 	-	-	
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	l	l	UDLSX	UDLS1	368.59								1	1	
LINIDITA	IDI ED 1	DEDICATED TRANSPORT	<u> </u>		UDLSX	UDLST	368.59			 					-	-	
UNBUI		DEDICATED TRANSPORT DEFICE CHANNEL - DEDICATED TRANSPORT	-			+	-			1	-			-			
-	AT ER	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 			1				1	1			1	t	t	
1		month	1	1	U1TD1	1L5XX	0.26							1	I	I	
 	†	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	-	0.101	. 20/01	0.20			1				 	I	I	
1		Termination	1	1	U1TD1	U1TF1	110.45							1	I	I	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per								1	1			1	1	1	
		month	l	l	U1TD3	1L5XX	5.72								1	1	
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
	<u></u>	Termination per month		<u></u>	U1TD3	U1TF3	1351.42			<u> </u>				<u> </u>	<u></u>	<u></u>	
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															_
		month			U1TS1	1L5XX	5.72										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	<u> </u>	Termination			U1TS1	U1TFS	1321.94										
	ļ	Local Channel - Dedicated - 2-Wire Voice Grade	ļ		ULDVX, UNCVX	ULDV2	21.36			ļ				ļ	1	1	
	ļ	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	ļ		ULDVX	ULDR2	21.36			ļ				ļ	1	1	
	ļ	Local Channel - Dedicated - 4-Wire Voice Grade		<u> </u>	ULDVX, UNCVX	ULDV4	22.84			ļ							
L	1	Local Channel - Dedicated - DS1 - Zone 1	l	1	ULDD1, UNC1X	ULDF1	46.53			1		<u> </u>	<u> </u>		1	1	

LINDI	INDI E	D NETWORK ELEMENTS - Kentucky												Attachman	nt: 2 Ex. B	1	
UND	JNDLE	NETWORK ELEMENTS - Relitucky	1									Svc Order	Svc Order			Incremental	Incremental
												Submitted	Submitted	Charge -			
												Elec	Manually	Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OA.L		NATE ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonre	curring	Nonrecurrin	g Disconnect	1	l	oss	Rates (\$)	l	l
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	49.90		71441		71441						
		Local Channel - Dedicated - DS1 - Zone 3			ULDD1, UNC1X	ULDF1	189.18										
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	10.05										
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	662.46										
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	10.05										
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	624.73										
ENHA	NCED EX	XTENDED LINK (EELs)															
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE con	nbinations pro	visioned as ' C	Ordinarily Com	bined' Network	Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined'	Network Eleme	nts.					
	2-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.57										
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	20.07										
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	38.20										
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.71										
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	33.65										
		4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	39.39										
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	97.82										
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.71										
	4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.73										
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	37.35										
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	41.83										
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.52										
	4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON				L											
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.73										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	37.35										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	41.83										
	O MUDI	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.52			-							
	Z-WIRE	E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21,21										
	+	2-Wire ISDN Loop in Combination - Zone 1		2	UNCNX	U1L2X	28.84					1					
		2-Wire ISDN Loop in Combination - Zone 2		3	UNCNX	U1L2X	49.30										
-		2-wire ISDN COCI (BRITE) - in combination - per month		3	UNCNX	UC1CA	3.27			-		-			-		
	4-WIDE	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION			ONONA	OCTOA	5.27										
	7-VVIIX	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44										
	1	4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X	USLXX	131.22			-	1	<u> </u>	 		I		1
	1	4-Wire DS1 Digital Loop in Combination - Zone 3	 		UNC1X	USLXX	342.42			 	1		l		 		
	1	DS1 COCI in combination per month	1	Ť	UNC1X	UC1D1	13.57				†				<u> </u>		
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION			.5.07				†				<u> </u>		
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1	1													
	1	Month	1		UNCVX	1L5XX	0.01			1					1		
	1	Interoffice Transport - 2-wire VG - Dedicated - Facility	1			1				1	İ				1	İ	İ
1	1	Termination per month	1		UNCVX	U1TV2	27.54			I			1		I		
	4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
		Month			UNCVX	1L5XX	0.01										
		Interoffice Transport - 4-wire VG - Dedicated - Facility															
	ļ	Termination per month	ļ		UNCVX	U1TV4	27.54										
	<u> </u>		<u> </u>								[
	DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION	<u> </u>			1				ļ					ļ		
	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1							1					1		
<u> </u>	 	per month	ļ		UNC1X	1L5XX	0.22				ļ						
	1	Interoffice Transport - Dedicated - DS1 combination - Facility	1		LINGAY					1					1		
-	D00 !::	Termination per month	!		UNC1X	U1TF1	90.87			!	ļ				!	1	ļ
<u> </u>	DS3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION	1			+	1			 	 	-	ļ		 	-	-
1	1	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	1		UNC3X	1L5XX	4.70			I			1		I		
L	1	Let Mount			OINCOV	ILOVY	4.70			1	l	1	l		1	l	<u> </u>

LINDUNE	ED NETWORK ELEMENTS. Ventuales												A441		1	
ONBONDE	ED NETWORK ELEMENTS - Kentucky	1	1	ı		1					0	00		nt: 2 Ex. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		recurring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1111.92										
979	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION			UNC3X	UTIF3	1111.92		_			-					
0.0	Interoffice Transport - Dedicated - STS-1 combination - Per Mile										+					
	Per Month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1087.66										
4-WI	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT		LINIORY/	1101 50			_								
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.73										
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX UNCDX	UDL56 UDL56	37.35 41.83		_			+					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	ODESO	41.03		_			-					
	Per Mile per month			UNCDX	1L5XX	0.01			1							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	19.84					1					<u> </u>
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1			1				ļ							ļ
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	31.73										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64 UDL64	37.35 41.83										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	41.83		_			+					
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			0.105/	120701	0.01		1	1		1					
	Facility Termination per month			UNCDX	U1TD6	19.84										
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.73										
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	37.35										
	4-wire 56 kbps Local Loop in combination - Zone 3 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL56	41.83					-					
	month			UNCDX	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			0.105/	120/01	0.01										
	Termination per month			UNCDX	U1TD5	19.84										
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	ISPOR													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.73										
	4-wire 64 kbps Local Loop in combination - Zone 2				UDL64	37.35										
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	41.83										ļ
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
-	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			ONODA	120701	0.01										1
	Termination per month			UNCDX	U1TD6	19.84			1							
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	99.44										
	4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>		UNC1X	USLXX	131.22			ļ	ļ	1					<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	342.42		+	 	1	1					<u> </u>
	per month			UNC1X	1L5XX	0.22			1							
	Interoffice Transport - Dedicated - DS1 combination - Facility	-		SINOIA	ILOAA	0.22		+	-	1	+					
	Termination per month			UNC1X	U1TF1	90.87			1							
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT								<u> </u>						
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.23										
									1							
	DS3 Local Loop in combination - Facility Termination per month	1	-	UNC3X	UE3PX	407.74		+	 	<u> </u>	1			-		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	 	 	UNC3X	1L5XX	4.70		+	 	 	 					
	Termination per month			UNC3X	U1TF3	1111.92			1							
STS-	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT	 			52		1	1	İ	1					
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.23										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	423.87			L	1]		<u> </u>

UNBU	NDLE	NETWORK ELEMENTS - Kentucky												Attachmer	nt: 2 Ex. B		
														Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	j	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	ILSXX	4.70										
		Termination per month			UNCSX	U1TFS	1087.66										1
ADDIT	ONAL N	ETWORK ELEMENTS			OHOOK	01110	1007.00										<u> </u>
ADDITI		ised as a part of a currently combined facility, the non-recurr	ng chai	raes do	not apply, but a Sy	vitch As Is c	harge does app	lv.									
		ised as ordinarily combined network elements in All States, the															
		urring Currently Combined Network Elements "Switch As Is"															
	Option	al Features & Functions:		Ì		, , , , , , , , , , , , , , , , , , ,											
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
					U1TD1,												1
		Clear Channel Capability Super FrameOption - per DS1	-		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						.
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	NDOOO		404.04	00.00	4.00	0.70						1
		Activity - per DS1	ı		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.91	23.82	1.99	0.78						
		C-bit Parity Option - Subsequent Activity - per DS3			UE3, ULDD3, UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
	MIII TI	PLEXERS			UES, UNUSA	NRCC3		205.70	7.20	0.0924	0.00						
	WIOLIII	DS1 to DS0 Channel System per month			UNC1X	MQ1	130.33										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			011017	IVIQ I	100.00										
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.52										1
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															1
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.52										1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.27										
	1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															1
	l	month used for connection to a channelized DS1 Local Channel															1
<u> </u>	ļ	in the same SWC as collocation			U1TUB	UC1CA	3.27										
	l	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.72										1
-	-	used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	אועו	0.72										
	l	used for connection to a channelized DS1 Local Channel in the															1
	l	same SWC as collocation			U1TUC	1D1VG	0.72										1
	l -	DS3 to DS1 Channel System per month			UNC3X	MQ3	181.93										
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	181.93										
		DS1 COCI used with Loop per month			USL	UC1D1	13.57										
		DS1 COCI (used for connection to a channelized DS1 Local															
L	L	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.57										1
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.57										
	l	DS3 Interface Unit (DS1 COCI) used with Local Channel per				<u> </u>											1
		month			ULDD1	UC1D1	13.57										ı

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attachme	nt: 2 Ex. B		
CITECIADE	LED ILLI ITOTAL ELEMENTO EGGIGIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									1							
UNBUNDLE	D EXCHANGE ACCESS LOOP															
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.26										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	13.25										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	14.65										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	ļ	1	UHL	UHL2W	11.26										ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry	1												1		
	and facility reservation - Zone 2	ļ	2	UHL	UHL2W	13.25								1		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1		l	[<u>_</u>							1		I		1
	and facility reservation - Zone 3		3	UHL	UHL2W	14.65										
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		1				ļ							
	4 Wire Unbundled HDSL Loop including manual service inquiry		1			40.00										
\vdash	and facility reservation - Zone 1		1	UHL	UHL4X	18.68										
	4-Wire Unbundled HDSL Loop including manual service inquiry		_			40.45										
\vdash	and facility reservation - Zone 2		2	UHL	UHL4X	19.15										
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19.94										
\vdash	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	19.94										
	and facility reservation - Zone 1		1	UHL	UHL4W	18.68										
\vdash	4-Wire Unbundled HDSL Loop without manual service inquiry		- '	OFF	OI IL4VV	10.00					1					
	and facility reservation - Zone 2		2	UHL	UHL4W	19.15										
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILTVV	13.13										
	and facility reservation - Zone 3		3	UHL	UHL4W	19.94										
4-WI	RE DS1 DIGITAL LOOP		Ŭ	01.12	0.12.11	.0.01										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	98.56										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	224.20										
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	565.73										
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.55										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month	<u> </u>		UE3	UE3PX	416.69										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per]
	month	<u> </u>		UDLSX	1L5ND	11.55			[1		
	High Capacity Unbundled Local Loop - STS-1 - Facility	1			1							1		I		1
<u> </u>	Termination per month	ļ		UDLSX	UDLS1	430.74			ļ							
	D DEDICATED TRANSPORT	ļ			1				ļ							
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	!			 				ļ	 				!	1	
		1		LIATDA	11 5 7 7	0.00						1		I		1
\vdash	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	 		U1TD1	1L5XX	0.30			 					 		
	Termination	1		U1TD1	U1TF1	81.04						1		I		1
\vdash	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		וטווט	UTIFI	01.04			1	1		-		+	1	1
	month	1		U1TD3	1L5XX	6.95						1		I		1
\vdash	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		01100	ILOAA	0.93			 	 				 		
	Termination per month	1		U1TD3	U1TF3	978.02						1		I		1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1			55	37 3.32			1	1				1		1
	month	1		U1TS1	1L5XX	6.95								1		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	†			1	5.30			1	1				1		1
	Termination	1		U1TS1	U1TFS	954.72						1		I		1
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	21.07			1							
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	21.07										
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	22.32										
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	45.06										

UNRUN	DLFD	NETWORK ELEMENTS - Louisiana												Attachmen	nt: 2 Ex. B		
ONDON		THE TWO THE ELEMENTO LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''										•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
-						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	139.82										
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	80.52										
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	8.99										
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	539.86										
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	8.99										
ENHANCE		_ocal Channel - Dedicated - STS-1 - Facility Termination FENDED LINK (EELs)			ULDS1, UNCSX	ULDFS	525.80										
		he monthly recurring and non-recurring charges below will a	anniv a	nd the	Switch-As-Is Charg	e will not and	oly for UNE com	binations pro	visioned as ' C	l Ordinarily Com	bined' Network	Flements					
		The monthly recurring and the Switch-As-Is Charge and not the															
		VOICE GRADE LOOP FOR USE IN A COMBINATION				1		•		ĺ							
		2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	17.17	-	-								
		2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	29.15										
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	58.03				ļ						
-		Voice Grade COCI - Per Month VOICE GRADE LOOP FOR USE IN A COMBINATION		!	UNCVX	1D1VG	0.75				1						
4-		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	35.43			1	1						
		4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	44.07										
		4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	69.45										
	1	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.75										
4-		56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.64										
-		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX UNCDX	UDL56 UDL56	42.30 44.76										
		OCU-DP COCI (data) per month (2.4-64kbs)		3	UNCDX	1D1DD	1.59										
4-		64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			ONODA	10100	1.00										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	35.64										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	42.30										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76										
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.59										
2-		ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.40										
-		2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	40.57										
		2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	74.96										
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.40										
4-	WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	98.56										
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	224.20										
-		4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month		3	UNC1X UNC1X	USLXX UC1D1	565.73 13.55										
2		VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MRINA	TION	UNCIA	OCIDI	13.33										
		nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per		I													
		Month		1	UNCVX	1L5XX	0.01										
		nteroffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	25.99										
4		VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINA	TION							ļ						
		nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		1	UNCVX	1L5XX	0.01										
\vdash		nteroffice Transport - 4-wire VG - Dedicated - Facility	1	-	OINCVA	ILOAA	0.01										
		Fermination per month	l	ĺ	UNCVX	U1TV4	22.78										
D		EROFFICE TRANSPORT FOR COMBINATION			-	<u> </u>											
		nteroffice Transport - Dedicated - DS1 combination - Per Mile															
$\vdash \bot$		per month			UNC1X	1L5XX	0.30										
		nteroffice Transport - Dedicated - DS1 combination - Facility	1	1	LINGAY	LIATEA	04.04								1		
- Di		Termination per month EROFFICE TRANSPORT FOR USE IN A COMBINATION		<u> </u>	UNC1X	U1TF1	81.04			-	1						
		nteroffice Transport - Dedicated - DS3 combination - Per Mile				<u> </u>					1						
		Per Month	l	ĺ	UNC3X	1L5XX	6.95										
		nteroffice Transport - Dedicated - DS3 - Facility Termination per															
	I	month			UNC3X	U1TF3	978.02										

IINRII	INDI FI	D NETWORK ELEMENTS - Louisiana												Attachmer	nt: 2 Ex. B		
CIADO	MULL		1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted					
												1	Submitted		Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILG	OKI	KATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>	1			-	Monro	curring	Monroourrin	g Disconnect		l	000	Rates (\$)		
			<u> </u>	1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	CTC 4 I	I INTEROFFICE TRANSPORT FOR USE IN COMBINATION				-		FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SUMAIN	SOWAN	SUMAN	SOWAN
-	313-11	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				-						-					
		Per Month			UNCSX	1L5XX	6.95										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	954.72										
	4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.64										
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	42.30										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	44.76										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	1	İ						1		1		Ì		1
		Facility Termination per month			UNCDX	U1TD5	17.95										
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	35.64										
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	42.30										
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	17.95										
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.64										
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	42.30										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	44.76										
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
		month			UNCDX	1L5XX	0.01										
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	17.95										
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN														
		4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	35.64										
		4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	42.30										
		4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	44.76										
		I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															İ
		month			UNCDX	1L5XX	0.01										
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1	LINODY	LIATES					1		1		Ì		1
<u> </u>	D0: -	Termination per month	ļ	<u> </u>	UNCDX	U1TD6	17.95			-							
<u></u>	DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	<u> </u>		LINGAY	1101.307	00.50				+						
<u></u>	<u> </u>	4-Wire DS1 Digital Loop in Combination - Zone 1	<u> </u>	1	UNC1X	USLXX	98.56		ļ	ļ	+			1	1		
-	 	4-Wire DS1 Digital Loop in Combination - Zone 2	 	2	UNC1X	USLXX	224.20		-	1	+	-	ļ	-	 		
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73				 						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			LINC1V	1L5XX	0.30				1						1
				1	UNC1X	ILDAA	0.30				 						
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	LIATE4	04.04				1						1
	DC2 DI	Termination per month GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO) DDT	 	UNC1X	U1TF1	81.04			-	 	 	-				\vdash
-	الا دور	DS3 Local Loop in combination - per mile per month	ואכ	 	UNC3X	1L5ND	13.28		-	1	+				 		
-	-	200 Local Loop III combination - per mile per month	-	 	UNUSA	ILUIND	13.28		-	1	+				 		
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	479.19				1						1
-	1	Interoffice Transport - Dedicated - DS3 - Per Mile per month	 	1	UNC3X	1L5XX	6.95		1	1	+	 		1	1		1
-	1	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	 	1	UNUSA	ILUAA	0.95		1	1	+	 		1	1		
		Termination per month		1	UNC3X	U1TF3	978.02				1						1
-	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT	1	UNUSA	01113	310.02				+	1					
-	313-11	STS-1 Local Lolp in combination - per mile per month	JOF OR I	1	UNCSX	1L5ND	13.28				+	1					
-	1	STS-1 Local Loop in combination - Facility Termination per	 	1	U. NOUX	ILOIND	13.20		1	1	+	 		1	1		
		month		1	UNCSX	UDLS1	495.36				1						
	1	Interoffice Transport - Dedicated - STS-1 combination - per mile							İ		1			İ	İ		
1	1	per month	1	1	UNCSX	1L5XX	6.95				1		1		İ		1
		п			1	,	0.00		·					·			

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachmer	nt: 2 Ex. B		
1												Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	954.72										
ADDIT	IONAL N	IETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, tl					As Is Charge o	loes not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
	Option	al Features & Functions:															
					U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Cical Original Supublity Extended Fluine Option per 201	•		U1TD1.	COOL		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
						CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	ı		UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00						
	MULTI	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	120.85										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.59										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.59										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.40										
1		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	l										1				
1		month used for connection to a channelized DS1 Local Channel															
<u> </u>	1	in the same SWC as collocation		1	U1TUB	UC1CA	3.40										
1		Voice Grade COCI - DS1 to DS0 Channel System - per month															
<u> </u>	1	used for a Local Loop		<u> </u>	UEA	1D1VG	0.75					1					
1		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the				4541/0	0										
<u> </u>	1	same SWC as collocation		1	U1TUC	1D1VG	0.75										
<u> </u>	 	DS3 to DS1 Channel System per month			UNC3X	MQ3	231.70										
<u> </u>	1	STS-1 to DS1 Channel System per month		<u> </u>	UNCSX	MQ3	231.70					1					
<u> </u>	1	DS1 COCI used with Loop per month		<u> </u>	USL	UC1D1	13.55					1					
1		DS1 COCI (used for connection to a channelized DS1 Local			1147114	110454	40 ==										
	<u> </u>	Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	13.55										
<u> </u>	<u> </u>	DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	13.55										
1		DS3 Interface Unit (DS1 COCI) used with Local Channel per					40										
	1	month			ULDD1	UC1D1	13.55]		1	l		l		

LINDUND	ED NETWORK ELEMENTO Missississis														ı	
ONBOND	LED NETWORK ELEMENTS - Mississippi	1			1	1					00	00		nt: 2 Ex. B		
													Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEGOR	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurrin	a Disconnect			oss	Rates (\$)	l	
					+	Rec		Add'I		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								Auui		Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
UNBUNDLE	D EXCHANGE ACCESS LOOP															
	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.60										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	11.35										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03										
	2 Wire Unbundled HDSL Loop without manual service inquiry					40.00										
-	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	10.06										
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.60										İ
-	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHLZW	10.60										-
	and facility reservation - Zone 3		3	UHL	UHL2W	11.35										
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	OFILZVV	11.33										
	and facility reservation - Zone 4		4	UHL	UHL2W	12.03										
4-W	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	OOP	OTIL	OTTLEAV	12.00										
H	4 Wire Unbundled HDSL Loop including manual service inquiry	T T	1													
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.93										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
-	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4W	15.85										
	4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	45 44										
-	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	15.44					1					
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93										
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	OI IL4VV	17.53										
	and facility reservation - Zone 4		4	UHL	UHL4W	16.63			I					1		1
4-W	IRE DS1 DIGITAL LOOP				J ***	10.00			1					1		t
	4-Wire DS1 Digital Loop - Zone 1	<u> </u>	1	USL	USLXX	118.62			1	1				1		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	148.79		1	1							
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	237.75										
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	527.23										
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP			-												
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															1
$oxed{oxed}$	month	ļ		UE3	1L5ND	12.88			1					ļ		
	High Capacity Unbundled Local Loop - DS3 - Facility								1							1
\vdash	Termination per month	<u> </u>		UE3	UE3PX	375.07		ļ	+		<u> </u>			 	ļ	├
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UDLSX	1L5ND	12.88			I					1		1
	month High Capacity Unbundled Local Loop - STS-1 - Facility	 		UDLOX	ILDIND	1∠.88			 	+	-				-	
	Termination per month			UDLSX	UDLS1	389.33			1							1
LINBLINDI F	D DEDICATED TRANSPORT	 		ODLOA	ODEST	309.33		1	1	1	1			1	1	
	EROFFICE CHANNEL - DEDICATED TRANSPORT	 			1				+	1						\vdash
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 			1				+	+						
	month			U1TD1	1L5XX	0.23			I					1		1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1			l	1						İ	
	Termination	<u></u>		U1TD1	U1TF1	65.93		<u></u>	1						<u> </u>	1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						_									
	month	<u> </u>		U1TD3	1L5XX	5.47		<u> </u>	1		<u> </u>				<u> </u>	1

LINDI	INDI E	D NETWORK ELEMENTS Mississippi												Attachman	-4.0 Fu D	1	
UNDU	JNDLE	D NETWORK ELEMENTS - Mississippi	1	1			1					Svc Order	Svc Order		nt: 2 Ex. B	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444
							Rec	Nonre		Nonrecurring	g Disconnect				Rates (\$)		
		Little (Co. Olever) Bullion I Transport BOO Feeling							Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	738.18										
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	01103	UTIF3	738.18										
		month			U1TS1	1L5XX	5.47										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			31.01	120701	0										
		Termination			U1TS1	U1TFS	740.84										
		Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	17.15										
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.15										
		Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	18.39										
		Local Channel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	42.35										
	 	Local Channel - Dedicated - DS1 - Zone 2	<u> </u>		ULDD1, UNC1X	ULDF1	41.39			ļ		<u> </u>			ļ	ļ	
	 	Local Channel - Dedicated - DS1 - Zone 3	!		ULDD1, UNC1X	ULDF1	254.87			1	1	1			1	 	
<u> </u>	+	Local Channel - Dedicated - DS1 - Zone 4 Local Channel - Dedicated - DS3 - Per Mile per month	 	4	ULDD1, UNC1X ULDD3, UNC3X	ULDF1 1L5NC	254.87 11.11			-	 	1			-	-	
-	1	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination	1		ULDD3, UNC3X	ULDF3	475.95			1	 	1			1	1	
-	1	Local Channel - Dedicated - DSS - Pacificy Termination Local Channel - Dedicated - STS-1- Per Mile per month	1		ULDS1, UNCSX	1L5NC	11.11			†	†				1		
	1	Local Channel - Dedicated - STS-1 - Facility Termination	1		ULDS1, UNCSX	ULDFS	469.22			1	1					1	
ENHA	NCED EX	KTENDED LINK (EELs)															
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	oly for UNE con	nbinations pro	visioned as ' (Ordinarily Com	bined' Networ	k Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	recurri	ng charges below w	ill apply for	UNE combinati	ons provision	ed as ' Curren	tly Combined' I	Network Eleme	nts.					
	2-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
		2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	15.97										
		2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	21.56										
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2 UEAL2	31.68					1					
-		2-Wire VG Loop (SL2) in Combination - Zone 4 Voice Grade COCI - Per Month		4	UNCVX UNCVX	1D1VG	52.58 0.66				-						
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION	1		ONOVA	IDIVO	0.00										
		4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	31.59										
		4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	44.00										
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	57.53										
		4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	57.53										
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.66										
	4-WIRE	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCDX	UDL56	31.56										
	-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX UNCDX	UDL56 UDL56	39.73 46.87			 							
-	+	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	4	UNCDX	UDL56	37.09			<u> </u>	 					1	
<u> </u>	1	OCU-DP COCI (data) per month (2.4-64kbs)	1	-	UNCDX	1D1DD	1.40			†	†				1		
	4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON					7.10			Ì	1					İ	
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	L	1	UNCDX	UDL64	31.56								<u> </u>	<u> </u>	
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	39.73										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	46.87										
	<u> </u>	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4	<u> </u>	4	UNCDX	UDL64	37.09				ļ					ļ	
<u> </u>	2-14/15	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 		UNCDX	1D1DD	1.40			-	 	1			-	-	
-	Z-WIRE	E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	24.16			 	+						
<u> </u>	1	2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	31.73				+						
	1	2-Wire ISDN Loop in Combination - Zone 3	1		UNCNX	U1L2X	42.94			1	1					1	
	1	2-Wire ISDN Loop in Combination - Zone 4	1		UNCNX	U1L2X	68.06			1							
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.01										
	4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION							·					_			
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.94										
	 	4-Wire DS1 Digital Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	148.79										
<u> </u>	 	4-Wire DS1 Digital Loop in Combination - Zone 3	!	3	UNC1X	USLXX	237.75			1	1	1			1	 	
	1	4-Wire DS1 Digital Loop in Combination - Zone 4 DS1 COCI in combination per month	1	4	UNC1X UNC1X	USLXX UC1D1	527.23 3.01			ļ	 	1				 	
-	2 WIRE	EVOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION	OINO IA	וטוטו	3.01			1	 	1			1	1	
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1				-			†	-						
1	1	Month	1		UNCVX	1L5XX	0.00				1		1			1	
		•								ė .		•					

UNBUND	DLE	NETWORK ELEMENTS - Mississippi												Attachmer	nt: 2 Ex. B		
J50,112												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			١									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
h +		Interoffice Transport - 2-wire VG - Dedicated - Facility				+	+		Addi	1	Auu	COMILO	COMPAN	COMPAR	COMPAN	COMPAN	COMPAN
		Termination per month			UNCVX	U1TV2	23.37										1
4 1	MIDE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MPINA	TION	ONOVA	01172	20.01										
H-7.		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		IIIOI		+											
		Month			UNCVX	1L5XX	0.00										i
-		Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.00										
		Termination per month			UNCVX	U1TV4	20.54										i
DC		TEROFFICE TRANSPORT FOR COMBINATION			UNCVA	01174	20.54										
סט																	+
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5307	0.04										i
\vdash		per month		-	UNC1X	1L5XX	0.21		-	<u> </u>		1	 	 	 		
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	LIATE 4	50.40							Ì	Ì		1
		Termination per month			UNC1X	U1TF1	59.48			ļ			ļ				
DS		TEROFFICE TRANSPORT FOR USE IN A COMBINATION				+											
		Interoffice Transport - Dedicated - DS3 combination - Per Mile					!							Ì	Ì		1
		Per Month			UNC3X	1L5XX	5.47										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per												Ì	Ì		1
L		month			UNC3X	U1TF3	738.18							ļ	ļ		
ST		NTEROFFICE TRANSPORT FOR USE IN COMBINATION															1
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															i
		Per Month			UNCSX	1L5XX	5.47										1
		3/1 Channel System in combination per month			UNCSX	MQ3	196.22										1
4-V		56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														1
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.56										1
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	39.73										1
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	46.87										1
		4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	37.09										[
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															ſ
		Per Mile per month			UNCDX	1L5XX	0.01										i
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															1
		Facility Termination per month			UNCDX	U1TD5	25.90										i
4-V	WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT												1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.56										1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	39.73										
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	46.87										
		4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	37.09										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					İ										
		Per Mile per month		1	UNCDX	1L5XX	0.01		I			1	l	Ì	l		1
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	25.90							Ì	Ì		1
4-V	NIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT													
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.56						İ				
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	39.73										
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	46.87		İ	İ				İ	İ		ſ
		4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	37.09		İ	İ		1	İ	İ	İ		
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per											İ	İ	İ		
		month		1	UNCDX	1L5XX	0.01		I			1	l	Ì	l		1
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility				1	2.01						İ	İ	İ		
		Termination per month		1	UNCDX	U1TD5	25.90		I			1	l	Ì	l		1
4-1	WIRF	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN	SPORT									1	1	1		
		4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	31.56			1		1	i	1	1		
		4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	39.73							1	1		
		4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	46.87							1	1		
		4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	37.09		 			<u> </u>	 	 	 		
		14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per		_		02207	07.00										t
		month			UNCDX	1L5XX	0.01							Ì	Ì		1
\vdash		4-wire 64 kbps Interoffice Transport - Dedicated - Facility		 	CITODA	ILUXX	0.01						 		 		
		Termination per month		1	UNCDX	U1TD6	25.90		I			1	İ	Ì	l		1
ne	1 DIC	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		1	OHODA	31100	25.50					1	1	1	1		
100		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.94		1	1		+	 	 	 		
L		4-vviie DO i Digital Loop in Combination - Zone i			OINCIA	USLAA	90.94		L	1		l	<u> </u>	<u> </u>	1		

HINRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attachmer	nt: 2 Ex. B		
CIAD	JINDEL			l		1	l					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
									Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75										
		4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.21										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month	<u></u>		UNC1X	U1TF1	59.48										
	DS3 DI	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT		LINIONY		1101										
		DS3 Local Loop in combination - per mile per month		<u> </u>	UNC3X	1L5ND	14.81										
		DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	431.33										
<u> </u>	+	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	 	UNC3X UNC3X	1L5XX									 		
<u> </u>	+	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	1	 	OINCOV	ILOAA	5.47								 		
		Termination per month	1	1	UNC3X	U1TF3	738.18										
	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT		UNUSA	01113	730.10										
-	010-1	STS-1 Local Lolp in combination - per mile per month	T OK		UNCSX	1L5ND	14.81										
		STS-1 Local Loop in combination - Facility Termination per			CHOOK	TEGINE	14.01										
		month			UNCSX	UDLS1	447.73										
		Interoffice Transport - Dedicated - STS-1 combination - per mile			0.10071	0220.											
		per month			UNCSX	1L5XX	5.47										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	740.84										
ADDIT	IONAL N	NETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	ly.									
	When	used as ordinarily combined network elements in All States, t	he non-	recurri	ng charges apply ar	nd the Switch	As Is Charge of	oes not.									
		curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
	Option	nal Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL												
		Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOSF NRCCC		0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL	CCOSF		0.00	0.00	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	I I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOSF NRCCC NRCC3	118 20	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month	I I i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3,	CCOSF NRCCC	118.28	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	I I		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3		0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	1 1 i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	CCOSF NRCCC NRCC3	118.28	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1 1 i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3		0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1 1 1		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3		0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.40	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.40	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.40	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.40 1.40 3.01	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Cocal Loop	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL	CCOSF NRCCC NRCC3 MQ1 1D1DD	1.40	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month SWC as collocation	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.40 1.40 3.01 3.01	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL UTUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.40 1.40 3.01	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUD	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	1.40 1.40 3.01 3.01	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB U1TUB	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.40 1.40 3.01 3.01 0.66	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	i		ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	1.40 1.40 3.01 3.01 0.66	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	i		ULDDÍ,UNC1X U1TD1, ULDDÍ,UNC1X ULDDÍ, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	1.40 1.40 3.01 3.01 0.66 0.66	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation SS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	i		ULDDÍ, UNC1X U1TDÍ, ULDDÍ, UNC1X ULDDÍ, U1TDÍ, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX UNCSX	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 MQ3	1.40 1.40 3.01 3.01 0.66 0.66 196.22	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month DS3 to DS1 Channel System per month DS1 COCI used with Loop per month	i		ULDDÍ,UNC1X U1TD1, ULDDÍ,UNC1X ULDDÍ, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3	1.40 1.40 3.01 3.01 0.66 0.66	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI (used for connection to a channelized DS1 Local	i		ULDDÍ,UNC1X U1TDÍ, ULDDÍ,UNC1X ULDDÍ,UNTDÍ, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX UNCSX	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 UC1D1	1.40 1.40 3.01 3.01 0.66 196.22 196.22	0.00 184.60	0.00 23.78	0.00	0.00						
	MULTI	Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month DS3 to DS1 Channel System per month DS1 COCI used with Loop per month	i		ULDDÍ, UNC1X U1TDÍ, ULDDÍ, UNC1X ULDDÍ, U1TDÍ, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD UDN U1TUB UEA U1TUC UNC3X UNCSX UNCSX UNCSX	CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG MQ3 MQ3 MQ3	1.40 1.40 3.01 3.01 0.66 0.66 196.22	0.00 184.60	0.00 23.78	0.00	0.00						

UNB	JNDLE	NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Ex. B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS3 Interface Unit (DS1 COCI) used with Local Channel per							•		•						
	1	month			ULDD1	UC1D1	14.90					1					

Version TRRO:05/20/05 Page 25 of 37

UNRUN	IDI FI	O NETWORK ELEMENTS - North Carolina												Attachme	nt: 2 Ex. B		
3.1501		Horar Garonia				1 1						Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1	1								Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually				Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
0711200			m						101120 (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)	l	l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11100	Addi	11100	Addi	COME	COMPAN	COMPAR	COMPAR	COMPAN	COMPAR
UNRUND	I FD F	XCHANGE ACCESS LOOP								1							
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP		+											
		2 Wire Unbundled HDSL Loop including manual service inquiry	1	1		+											
		& facility reservation - Zone 1		1	UHL	UHL2X	10.36										
		2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFFICEX	10.50										
		& facility reservation - Zone 2		2	UHL	UHL2X	17.10										
-		2 Wire Unbundled HDSL Loop including manual service inquiry	-		OFIL	UTILZX	17.10			+					-		
		& facility reservation - Zone 3		3	UHL	UHL2X	26.24										
		2 Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	UTILZX	20.24			+					-		
		and facility reservation - Zone 1	l	1	UHL	UHL2W	10.36			1	Ì	İ	l	Ì			1
+		2 Wire Unbundled HDSL Loop without manual service inquiry	1		OI IL	UI ILZVV	10.36			1	1	1	1	1	 	1	1
		and facility reservation - Zone 2	1	2	UHL	UHL2W	17.10							Ì	I		
\vdash		2 Wire Unbundled HDSL Loop without manual service inquiry	-		OI IL	UI ILZVV	17.10			 	-			-		-	-
		and facility reservation - Zone 3	l	3	UHL	UHL2W	26.24					1	1				
-	WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I		UNL	UHLZVV	20.24			+					-		
4	-WIKE	4 Wire Unbundled HDSL Loop including manual service inquiry	IIIBLE	1		-				+					-		
		and facility reservation - Zone 1		1	UHL	UHL4X	12.21										
-		4-Wire Unbundled HDSL Loop including manual service inquiry		-	OFIL	UI IL4X	12.21			+					-		
		and facility reservation - Zone 2		2	UHL	UHL4X	20.32										
-					UHL	UHL4X	20.32										
		4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL4X	31.33										
-		and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	31.33										
					UHL	11111 4147	40.04										
-		and facility reservation - Zone 1		1	UHL	UHL4W	12.21										
		4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL		00.00										
-		and facility reservation - Zone 2		2	UHL	UHL4W	20.32										
		4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4W	31.33										
	WIDE	and facility reservation - Zone 3	-	3	UHL	UHL4VV	31.33										
4	-WIKE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1	-		USL	USLXX	54.74										
-		4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	97.01										
11101104	DA OIT	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	154.43										
HIGH CA	PACII	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per					4=00										
		month	1	<u> </u>	UE3	1L5ND	15.33			 	-			-	1		
		High Capacity Unbundled Local Loop - DS3 - Facility	1	1	LIEO	LIEODY	540.00							Ì	I		
		Termination per month	ļ		UE3	UE3PX	518.29			1					-		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1	LIDLOY	41.5115	45.00							Ì	I		
		month			UDLSX	1L5ND	15.33			ļ							
		High Capacity Unbundled Local Loop - STS-1 - Facility	1	1	LIDLOY	LIDI G	=00.0-							Ì	I		
LINIBURE		Termination per month	<u> </u>		UDLSX	UDLS1	533.90			.					-	1	
		DEDICATED TRANSPORT	<u> </u>			+				1					-		
├ ──#	NIEKC	OFFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>			+				.					-	1	-
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l	l	114704	41.500									1		
\vdash		month	<u> </u>		U1TD1	1L5XX	0.66			.					-	1	-
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1	LIATE	LIATE?								Ì	I		
		Termination			U1TD1	U1TF1	81.98			ļ				ļ	.		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	LIATEDO	41.500								Ì	I		
\vdash		month	 		U1TD3	1L5XX	14.93			ļ							
		Interoffice Channel - Dedicated Transport - DS3 - Facility	l			===						1	1				
\vdash		Termination per month	 		U1TD3	U1TF3	828.44			ļ							
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	1										Ì	I		
		month	ļ		U1TS1	1L5XX	7.06										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	1										Ì	I		
		Termination			U1TS1	U1TFS	908.93										
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV2	12.93										
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV2	22.90										
		Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV2	36.46										
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV4	13.83										

UNBUNDI P	D NETWORK ELEMENTS - North Carolina												Attachmor	nt: 2 Ex. B		
CHOONDE	D ITE I WORK ELEMENTS - NOITH CAIONNA			I		1					Svc Ordor	Svc Order			Incremental	Incremental
												Submitted				
														Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	
CATEGORI	KATE EEEMENTO	m	20116	B00	0000			ICATEO (Ψ)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonre	curring	Nonrecurrin	g Disconnect	+	1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN		SOMAN	SOMAN
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	24.53										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV4	39.04										
	Local Channel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	31.11										
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	55.13										
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	87.77										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	1.14										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	343.76										
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1, UNCSX	1L5NC	1.14										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	329.05										
ENHANCED E	XTENDED LINK (EELs)															
NOTE	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	ge will not ap	ply for UNE con	binations pro	visioned as '	Ordinarily Com	bined' Networ	k Elements.					
	: The monthly recurring and the Switch-As-Is Charge and not	the non	-recurri	ng charges below	will apply for	UNE combinati	ons provision	ed as ' Curren	tly Combined'	Network Elem	ents.					
2-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	17.22										
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	29.82										
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	46.93										
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.46										
4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	24.52										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	41.71										
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	65.06										
	Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	1.46										
4-WIR	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	1	1	LINIODY	LIDLEO	00.40										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1		UNCDX	UDL56	29.12										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1		UNCDX UNCDX	UDL56 UDL56	49.58 77.35										
	OCU-DP COCI (data) per month (2.4-64kbs)	1	3	UNCDX	1D1DD	2.30					+					
4-WID	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	1		UNCDA	וטוטט	2.30				-	+					-
4-1111	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	29.12										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	1		UNCDX	UDL64	49.58					+					+
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	77.35					+					†
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		Ť	UNCDX	1D1DD	2.30										
2-WIR	E ISDN LOOP FOR USE IN COMBINATION	1		0.105/1	10.00	2.00					+					†
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.33										
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	37.81										
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	58.81										
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	4.13										
4-WIR	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	54.74										
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	97.01	<u> </u>									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	154.43										
	DS1 COCI in combination per month			UNC1X	UC1D1	18.48	·									<u> </u>
2 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBIN/	ATION													
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per									1	1					
	Month	<u> </u>		UNCVX	1L5XX	0.03		ļ		1	1					<u> </u>
	Interoffice Transport - 2-wire VG - Dedicated - Facility	1]		1						
	Termination per month	0115	1	UNCVX	U1TV2	20.70					-					_
4 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINA	ATION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINCVO	41.5727	0.00				1	1					
	Month	+	1	UNCVX	1L5XX	0.03		 	+	+	+	1				
	Interoffice Transport - 4-wire VG - Dedicated - Facility	1		LINCVY	11471/4	20.40]		1						
DC4 II	Termination per month TEROFFICE TRANSPORT FOR COMBINATION	-	1	UNCVX	U1TV4	22.16				 	+					
וו ויפע	Interoffice Transport - Dedicated - DS1 combination - Per Mile	+	1			1		-	+	+	+	 				
	per month	1		UNC1X	1L5XX	0.66]		1						
$\overline{}$	Interoffice Transport - Dedicated - DS1 combination - Facility	+		OINCIA	ILUAA	0.00		1	+	1	+	1	1			
	Termination per month			UNC1X	U1TF1	81.98				1	1					
DS3 II	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION	1	1	5.1317	31111	57.90			+	+	+					
20011		1		1				1				1		•		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachmei	nt: 2 Ex. B		
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
					-		Nonre	curring	Nonrecurrin	g Disconnect		l	OSS	Rates (\$)	l	
					-	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				-		11131	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	Per Month			UNC3X	1L5XX	14.93										
-	Interoffice Transport - Dedicated - DS3 - Facility Termination per			OHOOX	TEO/O	14.00			-	1						
	month			UNC3X	U1TF3	828.44										
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			OHOOX	01110	020.11			-	1						
313-1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	7.06										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILJAA	7.00		-	+	+				-		
	Termination per month			UNCSX	U1TFS	908.93										
4 14/15	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	CDODT		UNCSA	UTIFS	906.93			-							
4-7711		ISPURI	-1	LINICDV	UDL56	29.12		-	+	+				-		
 	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX UNCDX	UDL56	29.12 49.58		-	_	_	 	-		-		
	4-wire 56 kbps Local Loop in combination - Zone 2		2			49.58 77.35		 	1	1	1	ļ	-	 	-	
 	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	77.35		.	1	.			1	-	1	├
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	LINORY	41.500			I				1		I		1
	Per Mile per month			UNCDX	1L5XX	0.03										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	20.01										
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.12										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	49.58										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	77.35										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.03										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	20.01										
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	ISPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.12										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	49.58										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	77.35										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.03										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility									Î						
	Termination per month			UNCDX	U1TD5	20.01										
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.12										
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	49.58										
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	77.35					1	l				
$\overline{}$	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per				1			İ	İ	İ	İ	İ	İ	1	İ	
	month		1	UNCDX	1L5XX	0.03		1	1		I	1				1
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	20.01		1								1
DS1 F	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT							1	1	İ	İ					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	54.74										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	97.01		t	†	 			1	t	1	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	154.43										
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile		ľ		002.00	10-140		t	†	 			1	t	1	
	per month			UNC1X	1L5XX	0.66		1								1
	Interoffice Transport - Dedicated - DS1 combination - Facility		 	5517		0.00		†	+	 	 					
	Termination per month		1	UNC1X	U1TF1	81.98		1	1		I	1				1
DS3 E	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT	 		J I	01.30		t	+	 	 			1		<u> </u>
D03 L	DS3 Local Loop in combination - per mile per month	- N I	 	UNC3X	1L5ND	15.33		t	 	 	1			 		
 	200 Local Loop in combination - per fille per filoriti		 	01100/	ILUIVD	15.55		t	 	 	1			 		
	DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	518.29		1	1		I	1				1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	14.93		 	+	+	1	1	1	 	1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		 	014037	ILUAA	14.93			+	+	-		-		-	+
1 1			1	LINICSY	U1TF3	828.44		I				1		I		1
OTC 4	Termination per month	ICDORT	 	UNC3X	UIIF3	8∠8.44		-	_	_	 	-		-		⊢—
515-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPUK I	!	LINCCV	41 END	45.00		1	1	1	1	ļ	1	-	1	+
	STS-1 Local Lolp in combination - per mile per month		<u> </u>	UNCSX	1L5ND	15.33			1							

LINIDI	INDI E	D NETWORK ELEMENTS - North Carolina												A44b	nt: 2 Ex. B		
UNDU	INDLE	D NETWORK ELEMENTS - NORTH Carolina															
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			perLak	per Lak				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ														
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	533.90										
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	7.06										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			01100/1	120701	7.00										
		Termination per month			UNCSX	U1TFS	908.93										
			1		UNCSX	UTIFS	908.93										
ADDII		IETWORK ELEMENTS	l .	l		l <u>. </u>		_									
	When t	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
		used as ordinarily combined network elements in All States, the					As Is Charge of	loes not.									
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	oination)								-			
		al Features & Functions:				,						ĺ					
					U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	l ,		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Charifer Capability Extended Frame Option - per 2001	<u>'</u>		U1TD1.	CCOLI		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	1		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3. UNC3X	NRCC3		218.92	7.66	0.7576	0.00						
	MIII TI	PLEXERS	<u> </u>		020, 01100/1			210.02	7.00	0.1010	0.00						
	WIOLII	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.69										
			ļ		UNC1X	MQ1	168.69										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.30										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.30										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			• • -												
		month for a Local Loop			UDN	UC1CA	4.13					l					
<u> </u>	-	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	-	-	ODIN	COTOA	4.13					 					
												l					
		month used for connection to a channelized DS1 Local Channel				l <u>.</u>						l					
		in the same SWC as collocation			U1TUB	UC1CA	4.13										
		Voice Grade COCI - DS1 to DS0 Channel System - per month										l					
		used for a Local Loop			UEA	1D1VG	1.46					l					
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the										l					
		same SWC as collocation			U1TUC	1D1VG	1.46					l					
-		DS3 to DS1 Channel System per month	 		UNC3X	MQ3	268.06										
-	-		 									 			-		
		STS-1 to DS1 Channel System per month	 		UNCSX	MQ3	268.06										
		DS1 COCI used with Loop per month			USL	UC1D1	18.48										
		DS1 COCI (used for connection to a channelized DS1 Local										l					
		Channel in the same SWC as collocation) per month	<u></u>		U1TUA	UC1D1	18.48					l			<u> </u>		
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	18.48										
		DS3 Interface Unit (DS1 COCI) used with Local Channel per				Ì						i			i		
		month			ULDD1	UC1D1	18.48					l					
	1			1	-	00101	10.40								1		

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
3											Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							11131	Addi	11130	Addi	JONEC	JONAN	JONAN	JOHAN	JOHAN	JOHAN
LINDLINDI EL	D EXCHANGE ACCESS LOOP		-						+							
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	OOB		-											
2-441	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF						+					-		
	& facility reservation - Zone 1			UHL	UHL2X	11.02										
			1	UHL	UHLZX	11.02			1							
	2 Wire Unbundled HDSL Loop including manual service inquiry		_			40.50										
	& facility reservation - Zone 2		2	UHL	UHL2X	12.56										
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UHL	UHL2X	13.11										
	2 Wire Unbundled HDSL Loop without manual service inquiry	1														
	and facility reservation - Zone 1	ļ	1	UHL	UHL2W	11.02					ļ					
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	l _	l	1				1	Ì	l	1				
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL2W	12.56										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL2W	13.11										
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	18.42										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	16.48										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	19.37										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	18.42										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	16.48										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	19.37										
4-WI	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	91.44										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	156.40										
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	263.52										
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month	1		UE3	1L5ND	14.10										
	High Capacity Unbundled Local Loop - DS3 - Facility	1		- ·-		0			1	1				t		
	Termination per month	1	1	UE3	UE3PX	352.31			1	Ì	l	1				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	†			302.01			1	 	 	 				
	month	1		UDLSX	1L5ND	14.10				Ì		1		I		
	High Capacity Unbundled Local Loop - STS-1 - Facility	1	†		. 20.12	10			1	 	 	 				
	Termination per month	1		UDLSX	UDLS1	360.51				Ì		1		I		
UNBUNDI FI	D DEDICATED TRANSPORT	1	†	00200	55251	555.51			1	 	 	1				1
	ROFFICE CHANNEL - DEDICATED TRANSPORT	 			+ -	-			 	 				 		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 	1		1				1	1	1	l		1	1	l
	month	1		U1TD1	1L5XX	0.39					1					
\vdash	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		וטווטו	ILUAA	0.39			1	1	1			 	1	1
	Termination	1	1	U1TD1	U1TF1	88.71			1	Ì	İ	1				1
\vdash	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	 	ועווט	UIIFI	00.71			-			-		-		
	month	1		U1TD3	1L5XX	9.22				Ì		1		I		
		1	!	פעווט	ILOAA	9.22			 	 	 	 		1	-	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		LIATES	LIATES	1040.75				Ì		1		I		
\vdash	Termination per month	 		U1TD3	U1TF3	1012.75			1					 		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		LIATOA	41.577	0.00					1					
\vdash	month	!		U1TS1	1L5XX	9.22			.					-	1	1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		114704		4040.00					1					
	Termination	!		U1TS1	U1TFS	1012.63			ļ							
\vdash	Local Channel - Dedicated - 2-Wire Voice Grade	!		ULDVX	ULDV2	17.63			ļ							
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	ļ		ULDVX	ULDR2	17.63			ļ							
	Local Channel - Dedicated - 4-Wire Voice Grade	ļ		ULDVX, UNCVX	ULDV4	19.02					ļ					
	Local Channel - Dedicated - DS1 - Zone 1	<u> </u>	1	ULDD1, UNC1X	ULDF1	49.01]]	l]		1]

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
011201122											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—						† 1	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	80.87										
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	219.28										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	13.72										igspace
-	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	512.90										
-	Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX ULDS1, UNCSX	1L5NC ULDFS	13.72 500.37										
ENHANCED	EXTENDED LINK (EELs)			OLDST, UNCSX	OLDI 3	300.37										
	E: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not ap	ply for UNE com	binations pro	visioned as ' (Ordinarily Com	bined' Networl	Elements.					
	E: The monthly recurring and the Switch-As-Is Charge and not t				•											
	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	lie non-	lecuiii	ling charges below t	l apply lot	I COMBINATION	ons provision	Cu as Curren	lly Combined	I LIGHT	1110.					—
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	19.18				İ						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	26.60										
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	32.73										\Box
4	Voice Grade COCI - Per Month	ļ		UNCVX	1D1VG	0.64										
4-WII	RE VOICE GRADE LOOP FOR USE IN A COMBINATION		1	UNCVX	UEAL4	37.48			1	1	1			-		
 	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2	1		UNCVX	UEAL4 UEAL4	37.48 50.47				1				+		
-	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	49.89										
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.64										
4-WIF	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	34.42										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	39.09										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs)		3	UNCDX UNCDX	UDL56 1D1DD	39.95 1.37								-		
4-WIF	RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			UNCDA	טטוטו	1.37										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	34.42										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	39.09										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	39.95										
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.37										
2-WIF	RE ISDN LOOP FOR USE IN COMBINATION		1	LINIONIN	1141.07	00.00										
	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2			UNCNX UNCNX	U1L2X U1L2X	28.99 37.67										
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	43.36										
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.94										
4-WIF	RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	104.50										
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178.74										
-	4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCI in combination per month		3	UNC1X UNC1X	USLXX UC1D1	301.17 9.94										
2 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION	UNCIX	OCIDI	5.54								1		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1														
	Month			UNCVX	1L5XX	0.02										1
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
ļ	Termination per month	<u> </u>		UNCVX	U1TV2	22.36										igspace
4 WIF	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	TION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.02										1
	Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.02										
	Termination per month			UNCVX	U1TV4	19.58								1		1
DS1 I	INTEROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				I											1 -
\vdash	per month			UNC1X	1L5XX	0.31		-	1	1						\vdash
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.97										[]
DS3 I	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION			ONCIA	0111-1	70.97		1	1	1	1					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile					†				1						
L	Per Month	<u>L</u>		UNC3X	1L5XX	7.38		<u> </u>	<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1 </u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per						·									
	month			UNC3X	U1TF3	810.20							l	L		

HINBLINDI	LED NETWORK ELEMENTS - South Carolina												Attachmo	nt: 2 Ex. B	1	
ONBONDE	LED NETWORK ELEMENTS - 30dtil Carollila	1			1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
						Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
STS	3-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	7.38										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month		<u> </u>	UNCSX	U1TFS	810.11										
4-WI	IRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT		LINODY	LIDI 50	34.42										
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	34.42										
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	1		UNCDX	UDL56 UDL56	39.09			+							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	<u> </u>	3	UNCDX	UDLS6	39.93			-							
1 1	Per Mile per month			UNCDX	1L5XX	0.02							1	I	1	
 	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	+		014007	ILUAA	0.02		<u> </u>	+	 	 		 	t	 	
1 1	Facility Termination per month			UNCDX	U1TD5	15.42							1	I	1	
4-WI	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANSI		01100	10.42			 	†				-		
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	34.42										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	39.09										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	39.95										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	15.42										
4-WI	IRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	34.42										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	39.09										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	39.95										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.02										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month	<u> </u>		UNCDX	U1TD5	15.42										
4-WI	IRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN				24.42										
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	34.42 39.09										
	4-wire 64 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL64 UDL64	39.09										
	4-wire 64 kbps Local Loop in combination - Zone 3 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1	3	UNCDX	UDL64	39.95			+							
	month			UNCDX	1L5XX	0.02										
 	4-wire 64 kbps Interoffice Transport - Dedicated - Facility	+		OINODA	ILUAA	0.02		1	1	1	1		1	t	1	1
	Termination per month			UNCDX	U1TD6	15.42			1					1		
DS1	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT	+		5.10D/	31120	15.42		<u> </u>	+	 	 		 	t	 	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50			1					1		
	4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X	USLXX	178.74		1	1	Ì			İ	1	1	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17		İ	1	1				1		l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
1 1	per month		1	UNC1X	1L5XX	0.31			1					1		
	Interoffice Transport - Dedicated - DS1 combination - Facility	1									Ì					
1 1	Termination per month			UNC1X	U1TF1	70.97							1	I	1	
Des	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT		OINOIA	UTTET	10.97		1	1	1	1		1	t	1	1
1033	DS3 Local Loop in combination - per mile per month	T T		UNC3X	1L5ND	14.10		<u> </u>	+	 	 		 	t	 	
	200 2000. 200p in combination per mile per month	1	1	C.130A	.20112	14.10			 	†			1	<u> </u>		
1 1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	352.31							1	I	1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	7.38		1	1	Ì			1	1	1	
	Interoffice Transport - Dedicated - DS3 combination - Facility					50		İ	1	1				1		l
1 1	Termination per month			UNC3X	U1TF3	810.20							1	I	1	
STS	-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAIN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.10										
	STS-1 Local Loop in combination - Facility Termination per]	
	month	1		UNCSX	UDLS1	360.51			1							
1 1	Interoffice Transport - Dedicated - STS-1 combination - per mile				1				1					1		
	per month	1		UNCSX	1L5XX	7.38		l	1				Ì	l	Ì	

UNBU	NDLEI	D NETWORK ELEMENTS - South Carolina												Attachmer	nt: 2 Ex. B		
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc		Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	-		m						- (17			per Lon	per LOR	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	810.11										
ADDITI	ONAL N	ETWORK ELEMENTS															
	When t	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a Sv	witch As Is c	harge does app	ly.									
	When u	used as ordinarily combined network elements in All States, th	ne non-	recurrii	ng charges apply an	d the Switch	As Is Charge d	oes not.									
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each comb	oination)											
		al Features & Functions:															
					U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		, , , , , , , , , , , , , , , , , , , ,			U1TD1.												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1.	0000.		0.00	0.00	0.00	0.00						
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
		received be a per per			U1TD3, ULDD3,	1411000		100.20	20.00	1.00	0.70						
		C-bit Parity Option - Subsequent Activity - per DS3	- 1		UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
		PLEXERS			OLO, ONCOX	WICCOS		213.50	7.03	0.737	0.00						
	WOLIN	DS1 to DS0 Channel System per month			UNC1X	MQ1	123.71										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQI	123.71										
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.37										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	1.07										
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.37										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	10100	1.57										
		month for a Local Loop			UDN	UC1CA	2.94										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIN	OCTOA	2.34										
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.94										
		Voice Grade COCI - DS1 to DS0 Channel System - per month			01100	SSTOA	2.54					1					
1		used for a Local Loop			UEA	1D1VG	0.64										
—		Voice Grade COCI - DS1 to DS0 Channel System - per month			J	.5140	0.04					 					
1		used for connection to a channelized DS1 Local Channel in the											l				
1		same SWC as collocation			U1TUC	1D1VG	0.64										
		DS3 to DS1 Channel System per month			UNC3X	MQ3	165.62					1					
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	165.62					1					
		DS1 COCI used with Loop per month			USL	UC1D1	9.94					1					
		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			OOL	COIDI	5.94					1					
1		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	9.94					1					
-		DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	9.94			-	-	-	-		-		
-		DS3 Interface Unit (DS1 COCI) used with Local Channel per		1	וטווט	00101	5.94			-	-	-	-		-		
		month			ULDD1	UC1D1	9.94						l				
		monu		1	ULUU I	ועוטט	9.94										

LINDI	INDI E	D NETWORK ELEMENTS - Tennessee												Attachman	nt: 2 Ex. B		
UNBU	MULE	D MET MOUVETEMENTO - TELLIGOSEE	l	ı	1	1	T					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,1120		10002 ==================================	m			0000			== (+)			per LSR	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	12.45										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	16.27										
		2 Wire Unbundled HDSL Loop including manual service inquiry		_	l												
	<u> </u>	& facility reservation - Zone 3		3	UHL	UHL2X	21.28										
		2 Wire Unbundled HDSL Loop without manual service inquiry	Ι.	١,	UHL		40.45			1							
-	 	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UTL	UHL2W	12.45			 	+		 		-		
		and facility reservation - Zone 2		2	UHL	UHL2W	16.27			I			1		1		
-	}	2 Wire Unbundled HDSL Loop without manual service inquiry	- '-		OI IL	UI ILZVV	10.27			+			 		1		
		and facility reservation - Zone 3	١,	3	UHL	UHL2W	21.28										
	4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I		OFIL	OTILZVV	21.20										
	7 *******	4 Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>													
		and facility reservation - Zone 1		1	UHL	UHL4X	16.02										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	20.93										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	27.37										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	- 1	1	UHL	UHL4W	16.02										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	I	2	UHL	UHL4W	20.93										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3	I	3	UHL	UHL4W	27.37										
	4-WIRE	DS1 DIGITAL LOOP															
	<u> </u>	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	66.39										
-		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	86.71										
	A D A O	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	113.38										
HIGH C	APACII	TY UNBUNDLED LOCAL LOOP					-										
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.57										
-	}	High Capacity Unbundled Local Loop - DS3 - Facility	1	 	013	ILJIND	10.57			+			 		1		
		Termination per month	l	l	UE3	UE3PX	430.38			1							
-	 	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	JEJI A	430.30			 	+		 		 		
		Imonth	1	1	UDLSX	1L5ND	10.57			I			1		1		
		High Capacity Unbundled Local Loop - STS-1 - Facility					.5.57			†							
		Termination per month	1	1	UDLSX	UDLS1	447.75			I			1		1		
UNBUN	NDLED I	DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	<u></u>														
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	<u> </u>	month	<u> </u>	<u> </u>	U1TD1	1L5XX	0.41			<u></u>					L		
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	<u> </u>	Termination			U1TD1	U1TF1	89.54			ļ							
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	l					I			1		1		
	ļ	month	ļ		U1TD3	1L5XX	2.69			ļ					ļ		
		Interoffice Channel - Dedicated Transport - DS3 - Facility	l	l	LIATES					1							
	ļ	Termination per month	ļ	<u> </u>	U1TD3	U1TF3	976.34				1						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	1		41.5307				I			1		1		
-	 	month	1	<u> </u>	U1TS1	1L5XX	2.69			 					ļ		
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	1	1	U1TS1	U1TFS	976.70			I			1		1		
	-	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	-	- 1	ULDVX, UNCVX	ULDV2	19.76			 							
-	}	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2	1		ULDVX, UNCVX	ULDV2	25.81			+			 		1		
-	1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3	1		ULDVX, UNCVX	ULDV2	33.74			 	1	 			1		
L	1	Local Orialities - Dedicated - 2-Wile Voice Grade - 2018 3			OLDVA, UNCVA	ULDVZ	33.74			1	l	1	l		1		

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attachme	nt: 2 Ex. B		
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
		Zone 1		1	ULDVX	ULDR2	19.76										
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
		Zone 2		2	ULDVX	ULDR2	25.81										
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat															
		Zone 3		3	ULDVX	ULDR2	33.74										
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			ULDVX, UNCVX	ULDV4	20.91										
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2			ULDVX, UNCVX	ULDV4	27.30										
		Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			ULDVX, UNCVX	ULDV4	35.71										
	1	Local Channel - Dedicated - DS1 - Zone 1			ULDD1, UNC1X	ULDF1	41.68										
	-	Local Channel - Dedicated - DS1 - Zone 2	!		ULDD1, UNC1X	ULDF1	54.43			ļ		1			ļ		1
	-	Local Channel - Dedicated - DS1 - Zone 3	<u> </u>	3	ULDD1, UNC1X	ULDF1	71.17			-	1		<u> </u>	ļ	ļ	 	
	-	Local Channel - Dedicated - DS3 - Per Mile per month	!	ļ	ULDD3, UNC3X	1L5NC	8.22	ļ		1					1		
	1	Local Channel - Dedicated - DS3 - Facility Termination	!	 	ULDD3, UNC3X	ULDF3	703.00			1	1	1	}	 	ļ	 	
	+	Local Channel - Dedicated - STS-1- Per Mile per month	1	<u> </u>	ULDS1, UNCSX	1L5NC ULDFS	8.22	-		 	1	1	1	1	 	1	
CALLA	NOED E	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDF5	689.53										
ENHA		CTENDED LINK (EELs) AND THEIR COMPONETS			Conitale As Is Chans		lu fan IINE aan			andin anily Cam	alaina all Matrica	l. Flamanta					
		The monthly recurring and non-recurring charges below will															-
		The monthly recurring and the Switch-As-Is Charge and not t	ne non-	recurr	ing charges below	will apply for	UNE combinati	ons provision	ed as Current	ily Combined	Network Elem	ents.					
	Z-WIRI	VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1		-	UNCVX	UEAL2	19.04				-						
		2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	24.87										
	-	2-Wire VG Loop (SL2) in Combination - Zone 2		3	UNCVX	UEAL2	32.52										
	+	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	1.05						1				1
	4-WIDI	E VOICE GRADE LOOP FOR USE IN A COMBINATION		1	ONCVX	IDIVO	1.00						1				
	4-4411	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	28.40						1				
		4-Wire Analog Voice Grade Loop in Combination - Zone 2				UEAL4	37.10					+					1
		4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	48.51					+					1
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.05										1
	4-WIRI	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.76										
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	46.70										
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	61.08										
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.05										1
	4-WIRI	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON															
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	35.76										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	46.70										1
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	61.08										
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.05										
	2-WIRI	ISDN LOOP FOR USE IN COMBINATION															
		2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.55										
		2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	33.37										
		2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	43.64										
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.73										1
	4-WIRI	DS1 DIGITAL LOOP FOR USE IN A COMBINATION	<u> </u>		1												1
		4-Wire DS1 Digital Loop in Combination - Zone 1	ļ		UNC1X	USLXX	66.39			ļ					ļ	ļ	ļ
		4-Wire DS1 Digital Loop in Combination - Zone 2	ļ		UNC1X	USLXX	86.71			ļ					ļ		
		4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	113.38			ļ					ļ		
	0.1477	DS1 COCI in combination per month	DMC:::	TICY	UNC1X	UC1D1	20.22			1	1	1	}	1	ļ	 	
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINA	HION	 	+	 			 	+	1	1	 	 	 	
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1		UNCVX	11.5	0.00										
	1		 	-	UNCVA	1L5XX	0.02	-		 	+	1		-	 	-	
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month	1	1	UNCVX	U1TV2	25.06							l		Ì	
	4 WIDE	EVOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MDINA	TION	OINCVA	01172	23.06			 	1		-	-	1	-	
	4 WIRI	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	JIVI BINA	HION	 	+	1			1	1	1	}	1	1	1	
		Interoffice Transport - 4-wire vG - Dedicated - Per Mile Per	1	1	UNCVX	1L5XX	0.02							1		1	
	+	Interoffice Transport - 4-wire VG - Dedicated - Facility	 		OI NO VA	ILOAA	0.02			 	+	+	 	 	 	 	+
		Termination per month	1		UNCVX	U1TV4	31.40										
	1	rommation per month	1	1	J. 10 VA	101177	31.40	l		1	1	1	1	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachmer	nt: 2 Ex. B		
CHECHEL	I TOTAL ELEMENTS TOTAL COSC										Svc Order	Svc Order	Incremental	1	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Manragurrin	g Disconnect			000	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS1 IN	I ITEROFFICE TRANSPORT FOR COMBINATION						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
301	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.41										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	89.54										
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	92.89										
DS3 IN	ITEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINCOV	41.577	2.00										
	Per Month		<u> </u>	UNC3X	1L5XX	2.69										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	983.22				1		1				
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			J. 100/	51113	300.22	+		1	†	1			†		
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile						İ			1				1		
	Per Month	L		UNCSX	1L5XX	2.69				<u> </u>	<u> </u>	<u> </u>		<u> </u>		
	3/1 Channel System in combination per month			UNCSX	MQ3	256.43										
4-WIRI	E 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.76										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	61.08										
	Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	120/01	0.02										
	Facility Termination per month			UNCDX	U1TD5	24.37										
4-WIRI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	35.76										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	46.70										
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	61.08										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.02										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.02										
	Facility Termination per month			UNCDX	U1TD6	24.37										
4-WIRI	E 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRAN	SPORT		01120	2				İ				İ		
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.76										
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	46.70										
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	61.08										
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per															
	month			UNCDX	1L5XX	0.02										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	24.37	1			1		1				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRAN	SPOR	5.10DA	51155	24.37	-		1	†				 		
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	35.76		•								
	4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	46.70										
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	61.08										
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			LINCDY	11.577	0.02				1						
 	month 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		-	UNCDX	1L5XX	0.02			1	 	1			 		
	Termination per month			UNCDX	U1TD6	24.37				I		1				
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			-			İ			1				1		
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	66.39										
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	86.71										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	113.38										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	11.577	0.44				1						
\vdash	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.41			1	-	-			 		
	Termination per month			UNC1X	U1TF1	89.54				I		1				
DS3 D	IGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	DRT		S.131A	3	55.54				1				1		
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57										
							İ									
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	429.49				L]				

UNBU	NDLEI	NETWORK ELEMENTS - Tennessee												Attachmer	nt: 2 Ex. B		
0.1.20														Incremental	Incremental		Incremental
												Submitted Elec	Submitted		Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
	-		m						- (,,			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
							ı	Nonrecurring		l Names according	- Diazamasat			220	Rates (\$)		
-						1	Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69	THOL	Addi	11130	Addi	JOINLO	JOHAN	JONAN	JOMAN	JOHAN	JONIAN
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	983.22										
	STS-1 I	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT														
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.57										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	453.74										
-		Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCOX	ODEST	455.74			1							
		per month			UNCSX	1L5XX	2.69										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	976.70										
		ETWORK ELEMENTS				l		_									
		ised as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, that it is used as working Currently Combined Network Elements "Switch As Is"					AS IS Charge of	ioes not.									
		al Features & Functions:	Charge	One a	pplies to each comi	I				1							
	Option	ar reactives ar anotheris.			U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1, UNC1X, USL	NRCCC		405.40	23.85	2.03	0.79						
_		Activity - per DS1	-		U1TD3, ULDD3.	NRCCC		185.16	23.85	2.03	0.79						
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00						
	MULTII	PLEXERS			/												
		DS1 to DS0 Channel System per month			UNC1X	MQ1	92.89										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.09										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.09										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01102	15.55	2.00			İ							
		month for a Local Loop			UDN	UC1CA	3.56			<u></u>		<u></u>					
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per									· · · · · ·						
		month used for connection to a channelized DS1 Local Channel			LIATUD		0										
		in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	3.56			-							
		used for a Local Loop			UEA	1D1VG	1.05										
		Voice Grade COCI - DS1 to DS0 Channel System - per month			<u></u>	.5140	1.00										
		used for connection to a channelized DS1 Local Channel in the								1							
		same SWC as collocation			U1TUC	1D1VG	1.05										
		DS3 to DS1 Channel System per month			UNC3X	MQ3	256.43			ļ							
<u> </u>		STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month		 	UNCSX USL	MQ3 UC1D1	256.43 20.22			 		-					
		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		-	USL	OCIDI	20.22			 							
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	20.22										
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	20.22										
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	20.22										

Version TRRO:05/20/05 Page 37 of 37

LOCAL	L INTERCONNECTION - Alabama							•		•	_		Attachment:	3 Exh. A		
CATEG	ORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
			1	İ			Nonre	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1													
SIGNAL	ING (CCS7)	1	1													1
	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						1
	CCS7 Signaling Termination, Per STP Port	1	1	UDB	PT8SX	130.83										1
	CCS7 Signaling Usage, Per TCAP Message					0.0000569					1					
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44	1					1
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.46	35.53	35.53		16.44						
	CCS7 Signaling Connection-A link, per month		+	UDB	TPP9A	15.46	35.53	35.53	16.44	16.44	ļ					
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Usage, Per ISUP Message	1				0.0000142										
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	650.33					ļ	ļ		ļ		1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						

LOCAL INT	ERCONNECTION - Florida												Attachment:	3 Exh. A		
	T	I	1		I	I					Svc Order	Syc Order			Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec					Manual Svc
CATEGORI	KATE ELEMENTS	m	20116	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message					0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling			UDB	TPP6X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection-B link(also known as D link) per															
	month			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface										Î			Î	Î	
	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message					0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						

LOCAL	INTERCONNECTION - Georgia												Attachment:	3 Fxh. A		
		1	1	I	1	1					Svc Order	Svc Order			Incremental	Incremental
														l l		
												Submitted		Charge -	Charge -	Charge -
CATEGO	RY RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(6)			Elec					Manual Svc
CATEGO	RATE ELEMENTS	m	Zone	BCS	0500			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash			1				Nonred	urrina	Nonrecurring	Disconnect	-	1	OSS	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1													
SIGNALII	NG (CCS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80					1					
	CCS7 Signaling Usage, Per TCAP Message					0.0000527										
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link) (same as E.3.1)			UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Switched access service, interface	i	1													
	groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling			UDB	TPP6X	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)		i	UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						1
	CCS7 Signaling Connection-B link(also known as D link) per		i													
	month (same as E.3.1)			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Switched access service, interface										1					
	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)	i –	1			0.0000132						1				
	CCS7 Signaling Usage Surrogate, per link	i –	1	UDB	STU56	907.44						1				
	CCS7 Signaling Point Code, Establishment or Change, per STP	i –	1									1				
1 1	affected			UDB	CCAPO		28.15	28.15	33.32	33.32	1					

LOCAL INT	ERCONNECTION - Kentucky												Attachment:	3 Evh A		
LOCAL IIVI	LINCONNECTION - Nemtucky		т т		1						00					Tr
											1	1	Incremental	1	Incremental	
											1	Submitted		Charge -	Charge -	Charge -
		Interi	1_ 1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										1
	CCS7 Signaling Usage, Per TCAP Message					0.0000656										1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-B link(also known as D link) per															
	month			UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message					0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08	·	·								
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						1
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected	1		UDB	CCAPD		46.02	46.02	56.43	56.43	1					1

LOCAL INT	ERCONNECTION - Louisiana												Attachment:	2 Evb A	1	
LOCAL INT	ERCONNECTION - Louisiana			1	_						T					т
												1	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Usage, Per TCAP Message					0.000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP6B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.77	34.50	34.50								
	CCS7 Signaling Connection-B link(also known as D link) per															
	month			UDB	TPP9B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	15.77	34.50	34.50								
	CCS7 Signaling Usage, Per ISUP Message					0.000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected		<u></u>	UDB	CCAPO	<u> </u>	28.17	28.17		<u> </u>	L					1
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected	1	1	UDB	CCAPD		28.17	28.17		1	1	1		1	1	

LOCAL INT	ERCONNECTION - Mississippi			•	•			•		•	_		Attachment:	3 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														ĺ		
SIGNALING (CCS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Usage, Per TCAP Message					0.0000597										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message					0.0000149										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						

LOCAL INT	ERCONNECTION - North Carolina												Attachment:	2 Evb A		
LOCAL INTI	ENCONNECTION - NOITH Calonna							I				1.				
																Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1	1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonrec	<u> </u>		g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C																
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	18.22	278.02	278.02								
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP6B	18.22	278.02	278.02								
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling			UDB	TPP6X	18.22	278.02	278.02								
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	18.22	278.02	278.02								
	CCS7 Signaling Connection-B link(also known as D link) per															
	month			UDB	TPP9B	18.22	278.02	278.02								
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	18.22	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message					0.00004										
	CCS7 Signaling Usage, Per TCAP Message					0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code					ĺ										
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00								
	CCS7 Signaling Point Code, per Destination Point Code					l										
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								

LOCAL INTERCONNECTION - South Carolina												Attachment: 3 Exh. A				
CATEGOR	7 RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
			1		+		Nonre	OSS Rates(\$)								
 		-	+		+	Rec	First	Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1		+		11131	Addi	11130	Addi	CONIEC	COMPAN	COMPAN	COMAN	COMPAN	COMPAN
SIGNALING	(CCS7)													1		
	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	163.49										1
	CCS7 Signaling Usage, Per TCAP Message		1			0.0000692										1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48		1				1
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message		ļ			0.0000173					ļ	ļ				↓
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						

LOCAL INTERCONNECTION - Tennessee												Attachment:				
	RATE ELEMENTS	Interi m	Zone									Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
						RATES(\$)			Elec		Manual Svc					
CATEGORY				BCS	USOC					per LSR		Order vs.	Order vs.	Order vs.	Order vs.	
										p	Electronic-	Electronic-	Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
			1			Rec	Nonrecurring Nonrecurring Disconn									
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)		ļ	1		_											
SIGNALING (CCS7 Signaling Termination, Per STP Port	1	 	UDB	PT8SX	138.41				+		-				
	CCS7 Signaling Termination, Per STP Fort		-	UDB	F100A	0.0000916					<u> </u>	-				
—	CCS7 Signaling Connection, Per link (A link)	1	 	UDB	TPP6A	17.84	130.84	130.84		+	+	1	20.35	20.35	13.32	13.32
 	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		 	ODB	IFFOA	17.04	130.04	130.04		+	1	 	20.33	20.33	13.32	13.32
	link)			UDB	TPP6B	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface															
	groups, transmissiom paths 6 DS1 level path with bit stream															
	signaling		ļ	UDB	TPP6X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface											1				
	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling			UDB	TPP9X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message					0.0000373	·	•								
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment						·	•								
	or Change, per STP	1	1	UDB	CCAPO		121.77	121.77			1	1	20.35	20.35	13.32	13.32