BELLSOUTH® / CLEC Agreement

Customer Name: Hotline, Inc. dba Hotline Telephone Service, Inc.

tline, Inc. dba Hotline Telephone Service, Inc.	
Adoption Papers	3
Signature Page	6
Exhibit 1-Att 2-UNEs	7
Exhibit 2-Att 2-UNE Rates	70
Exhibit 3-Att 6-Ordering	418

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

By and Between

BellSouth Telecommunications, Inc.

And

Hotline, Inc. dba Hotline Telephone Service, Inc.

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between Hotline, Inc. d/b/a Hotline Telephone Service, Inc. ("Hotline"), a New Jersey corporation on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, Hotline has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and NUI Telecom, Inc. dated May 17, 2002 for the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, Hotline and BellSouth hereby agree as follows:

1. Hotline and BellSouth shall adopt in its entirety, with exception to those items listed in numbers 2. through 3. below, the NUI Telecom, Inc. Interconnection Agreement dated May 17, 2002 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The NUI Telecom, Inc. Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO.
	PAGES
Title Page	1
Adoption Papers	3
Signature Page	1
Exhibit 1	63
Exhibit 2	348
Exhibit 3	7
NUI Agreement	685
TOTAL	1108

- 2. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Agreement.
- 3. The Parties agree to delete Attachment 2 Rates in its entirety and replace with Attachment 2 Rates reflected as Exhibit 2, attached hereto and by reference incorporated into this Agreement.
- 4. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Exhibit 3, attached hereto and by reference incorporated into this Agreement.
- 5. In the event that Hotline consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Hotline under this Agreement.
- 6. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in section 2.1 of the NUI Telecom, Inc. Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to section 2.1 of the NUI Telecom, Inc. Interconnection Agreement, the effective date shall be May 17, 2002.
- 7. Hotline shall accept and incorporate any amendments to the NUI Telecom, Inc. Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 8. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Hotline, Inc. dba Hotline Telephone Service, Inc.

Mitchell Zafrani Vice President Hotline, Inc. 786 Broad Street Newark, New Jersey 07102 (973) 642-2754 (973 642-2509 fax

and

Tamara E. Conner Counsel to Hotline, Inc. Kelley Drye & Warren LLP 8000 Towers Crescent Drive Suite 1200 Vienna, Virginia 22182 (703) 918-2311 (703) 918-2450 fax

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.	Hotline, Inc. d/b/a Hotline Telephone Service, Inc.
By: 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	By: Mitchell LAKARAN
Name: Kristen E. Rowe	Name: 99 1
Title: Director	Title: PNCiSOAVT
Date: 4///5 / 6 */	Date: 4/9/04

MARIA L. SILVESTRIE
NOTARY PUDLIG OF NEW JERSEY
MY COMMISSION LIGHTHAN
APPLL W, 2003

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

Ra	tes Exhibit	ł A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	. 62
ADV	VANCED INTELLIGENT NETWORK (AIN) ACCESS	
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)	
12	CALLING NAME (CNAM) DATABASE SERVICE	. 61
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	. 60
10	SIGNALING	. 54
9	LINE INFORMATION DATABASE (LIDB)	
SER	RVICE	.51
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN	
7	DATABASES	. 50
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	. 46
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 42
4	LOCAL SWITCHING	. 34
3	LINE SHARING	
2	UNBUNDLED LOOPS	7
1	INTRODUCTION	

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Hotline in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Hotline (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Hotline to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Hotline used in the provision of a qualifying service, as defined by the FCC. Hotline may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Hotline, and to the extent technically feasible, provide to Hotline access to its Network Elements for the provision of Hotline's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- Hotline may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 To the extent any Network Elements, combinations of Network Elements, services or terms and conditions contained herein are based upon FCC rules and orders that are vacated by the DC Circuit Court of Appeals in an effective order, such Network Elements, combinations of Network Elements and services shall no longer be available pursuant to this Attachment. Upon the effective date of such order, Hotline will not attempt to order any such Network Elements, combinations of Network Elements or services that are subject to the vacatur. BellSouth and Hotline will work cooperatively to transition the embedded base of such Network Elements, combinations of Network Elements and services to tariffed services or to services offered pursuant to a separate commercial agreement, provided that the appropriate tariff rate or rate set forth in such commercial agreement shall apply

Version 3Q03: 11/12/2003

from the effective date of the vacatur. In the event Hotline has not entered into a separate commercial agreement, or transitioned such services to a tariffed service, or if the parties are unable to agree on a transition schedule for the embedded base Network Elements, combinations of Network Elements or services within thirty (30) calendar days of the effective date of the vacatur, BellSouth may disconnect those Network Elements, combinations of Network Elements or services upon thirty (30) calendar days notice. If Hotline has not entered into a commercial agreement necessary for certain Network Elements, combinations of Network Elements or services, and BellSouth disconnects such Network Elements, combinations of Network Elements or services pursuant to the preceding sentence, BellSouth's then current market rates shall apply to such Network Elements, combinations of Network Elements or services from the effective date of the vacatur until disconnection.

- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Hotline under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Hotline and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.
- 1.8 Except to the extent expressly provided otherwise in this Attachment, for Network Elements or combinations of Network Elements (collectively "Arrangements") that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or noncompliant EELs), Hotline will submit orders to rearrange, disconnect or convert those arrangements or services within thirty (30) calendar days of the last signature date of this Agreement. If orders to rearrange, disconnect or convert those Arrangements are not received by the thirty-first (31st) calendar day after the last signature date of this Agreement, BellSouth shall provide Hotline notice of those Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement, and Hotline shall submit orders to rearrange, disconnect or convert those Arrangements within sixteen (16) calendar days of the date of such notice from BellSouth. If Hotline fails to submit orders to rearrange, disconnect or convert such Arrangements within sixteen (16) calendar days of BellSouth's notice, BellSouth may disconnect those Arrangements without further notice.
- 1.8.1 In the event all orders to rearrange, disconnect or convert Arrangements are not received by the thirty-first (31st) calendar day after the last signature date of this Agreement, then 1) in the event no orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30th) calendar day after

BellSouth's notice, Hotline shall pay BellSouth the rate BellSouth could have charged had Hotline transitioned those Arrangements to another tariffed or contract service arrangement beginning on the Effective Date of this Agreement to the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed; or 2) in the event orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30th) calendar day after BellSouth's notice, Hotline shall pay BellSouth the rate charged for such Arrangements under this Agreement until the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed and the new rate applicable to such services as specified in BellSouth's tariffs or in a separate contract once the orders are actually completed. If Hotline has failed to identify at least 98% of the Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement prior to the thirty-first (31st) calendar day after the last signature date of this Agreement, then Hotline shall reimburse BellSouth for labor incurred in identifying such Network Elements or combinations of Network Elements pursuant to the rates set forth in the Access Tariff.

- 1.8.3 Where no re-termination or physical rearrangement of the Arrangement is required, Hotline will be charged a non-recurring switch-as-is-charge established for the individual Network Elements(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of the Arrangement to comply with the terms of this Agreement, full non-recurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent an Arrangement requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply. Hotline shall be responsible for all applicable disconnection charges pursuant to this Agreement for Arrangements that are disconnected or rearranged pursuant to these Sections 1.8 1.8.1.
- 1.8.3 Hotline may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.4 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Hotline may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Hotline, BellSouth shall perform the routine network modifications.
- 1.8.5 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements

with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Hotline has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Hotline reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Hotline for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Hotline shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Hotline purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Hotline modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by

BellSouth to accommodate the modification will be paid by Hotline in accordance with FCC No. 1 Tariff, Section 5.

1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Hotline shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties. BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Hotline on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Hotline. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

- 2.1.1.5 For hybrid loops, where Hotline seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Hotline with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.
- 2.1.1.6 Hotline may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to Hotline's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Hotline in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Hotline wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Hotline may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Hotline (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Hotline for each additional dispatch required to provision the circuit due to the incorrect/incomplete

information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 <u>Loop Testing/Trouble Reporting</u>

- 2.1.6.1 Hotline will be responsible for testing and isolating troubles on the Loops. Hotline must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Hotline will be required to provide the results of the Hotline test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once Hotline has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Hotline reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Hotline for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Hotline (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Hotline for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and Hotline to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Hotline's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows Hotline to order a specific time for OC to take place. BellSouth will make every effort to accommodate Hotline's specific conversion time request. However, BellSouth reserves the right to negotiate with Hotline a conversion time based on load and appointment control

when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Hotline may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Hotline specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Hotline when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Hotline's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Hotline pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Hotline must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Hotline requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Hotline must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

Version 3Q03: 11/12/2003

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 <u>Ordering Guidelines and Processes</u>

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Hotline should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Hotline will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Hotline. Hotline may also order OC-TS when a specified

conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Hotline may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Hotline. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Hotline to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

Version 3Q03: 11/12/2003

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Hotline will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Hotline or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Hotline may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Hotline may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Hotline, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Hotline may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 Unbundled Copper Loops (UCL)

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Hotline.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Hotline to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Hotline or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Hotline can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Hotline may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Hotline to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Hotline may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Hotline which has over 6,000 feet of combined bridged tap will be modified, upon request from Hotline, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Hotline. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Hotline may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Hotline requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Hotline will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Hotline shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Hotline desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Hotline, Hotline will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Hotline is available at the location for which the ULM was requested, Hotline will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Hotline will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Hotline has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Hotline. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Hotline (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Hotline, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Hotline will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Hotline to connect Hotline's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Hotline may access the End User's customer premises wiring by any of the following means and Hotline shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Hotline to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Hotline may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Hotline's responsibility to ensure there is no safety hazard, and Hotline will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Hotline shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Hotline shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Hotline to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Hotline's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Hotline may request BellSouth to do additional work to the NID on a time and material basis.

When Hotline deploys its own local Loops in a multiple-line termination device, Hotline shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Hotline requests a UCSL and it is not available, Hotline may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Hotline, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC

pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Hotline's use on this cross-connect panel. Hotline will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Hotline shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Hotline's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Hotline is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Hotline's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Hotline can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Hotline's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Hotline will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Hotline requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Hotline for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Hotline will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Hotline for each pair activated commensurate to the price specified in Hotline's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Hotline will either negotiate market-based rates for these elements or will issue orders to have these

elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Hotline has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Hotline any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Hotline, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Hotline to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Hotline may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Hotline, BellSouth shall perform the routine network modifications.

2.8.6.3 Requirements

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 Hotline is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Hotline information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Hotline.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Hotline within twenty (20) business days after Hotline submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Hotline to connect Hotline provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to Hotline LMU information so that Hotline can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Hotline intends to install and the services Hotline wishes to provide. This section addresses LMU as a preordering transaction, distinct from Hotline ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Hotline LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Hotline as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 Hotline may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Hotline and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Hotline's ability to provide advanced data services over the ordered Loop type. Further, if Hotline orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Hotline is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Hotline may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Hotline needs further Loop information in order to determine Loop service capability, Hotline may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Hotline may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Hotline may reserve up to three (3) Loop facilities.
- 2.9.3.2 Hotline may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Hotline. During and prior to Hotline placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Hotline does not submit an LSR for a UNE service on a reserved facility within the four (4)-day

reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Hotline will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Hotline does not reserve facilities upon an initial LMUSI, Hotline's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where Hotline has reserved multiple Loop facilities on a single reservation, Hotline may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Hotline, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Hotline.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Hotline provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Hotline using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Hotline. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Hotline may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Hotline may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Hotline, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.

- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Hotline the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Hotline shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Hotline on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Hotline requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Hotline shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Hotline desires to continue providing xDSL service on such Loop, Hotline shall be required to purchase a full standalone Loop UNE. To the extent commercially practicable, BellSouth shall give Hotline notice in a reasonable time prior to disconnect, which notice shall give Hotline an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Hotline purchases the full stand-alone Loop, Hotline may elect the type of Loop it will purchase. Hotline will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Hotline purchases a voice grade Loop, Hotline acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Hotline reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Hotline for

any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.

3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Hotline with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Hotline must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Hotline may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Hotline's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Hotline in a central office in which Hotline is located, Hotline shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Hotline shall pay the electronic or manual ordering charges as applicable when Hotline orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Hotline's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Hotline access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Hotline's xDSL equipment in Hotline's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Hotline with a carrier notification letter, informing Hotline of change. Hotline shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Hotline shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Hotline's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Hotline's

DS0 termination point as possible. Hotline shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Hotline on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Hotline DS0 at such time that a Hotline End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 Hotline may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Hotline may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Hotline in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Hotline may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 Hotline shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Hotline the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Hotline access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Hotline shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

3.6.1 Hotline shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Hotline is using a BellSouth owned splitter, Hotline may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test

jack. If Hotline provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Hotline will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Hotline shall inform its End Users to direct data problems to Hotline, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Hotline, BellSouth will notify Hotline. Hotline will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Hotline will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Hotline's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 **Line Splitting**

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Hotline provides its own switching or obtains switching from a third party, Hotline may engage in line splitting arrangements with another CLEC using a splitter, provided by Hotline, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Hotline is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Hotline shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Hotline will not provide voice and data services.

- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Hotline or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Hotline for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Hotline or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Hotline or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Hotline or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Hotline or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 Hotline shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Hotline the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Hotline access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Hotline shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Hotline on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Hotline will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Hotline shall inform its End Users to direct all problems to Hotline or its authorized agent.
- 3.10.3 If Hotline is not the data provider, Hotline shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 <u>Local Switching</u>

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Hotline for the provision of a telecommunications service.
- 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Hotline for a particular End User when Hotline: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Hotline is serving any End User as described in (2) above as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by Hotline or transitioned by Hotline, pursuant to Section 1.8 of this Attachment or BellSouth shall disconnect such Arrangements pursuant to Section 1.8.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Hotline's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Hotline purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Hotline local End User, or originated by a BellSouth local End User and terminated to a Hotline local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched

access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Hotline the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Hotline shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

- Where Hotline purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Hotline End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Hotline the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Hotline shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Hotline the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 <u>Unbundled Port Features</u>

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Hotline selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Hotline will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

4.2.11.1 As an option, BellSouth shall make available to Hotline an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF

service subscriber. When ordering URCF service, Hotline will ensure that the following conditions are satisfied:

- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Hotline the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Hotline all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Hotline.

4.2.13	Local Switching Interfaces.
4.2.13.1	Hotline shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
4.2.13.1.1	Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
4.2.13.1.2	Coin phone signaling;
4.2.13.1.3	Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
4.2.13.1.4	Two-wire analog interface to PBX;
4.2.13.1.5	Four-wire analog interface to PBX;
4.2.13.1.6	Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
4.2.13.1.7	Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
4.2.13.1.8	Switched Fractional DS1 with capabilities to configure Nx64 channels (where $N=1\ \text{to}\ 24$); and
4.2.13.1.9	Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
4.2.14	All End Users of Hotline who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
4.2.15	Hotline shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
4.2.16	Hotline shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
4.2.17	Hotline will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

Tandem Switching

4.3

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Hotline utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Hotline and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and

- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Hotline.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Hotline's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Hotline's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Hotline's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 Where BellSouth provides local switching to Hotline, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Hotline. AIN SCR will provide Hotline with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Hotline shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Hotline, the routing of Hotline's End User calls shall be pursuant to information provided by Hotline and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Hotline shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this

Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Hotline End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Hotline shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.

- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Hotline's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Hotline, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Hotline following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Hotline following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Hotline following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where Hotline purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Hotline's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Hotline to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Hotline specific and unique LCCs are programmed in each BellSouth end office switch where Hotline intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Hotline's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Hotline intends to provide Hotline -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Hotline to order dedicated trunking from each BellSouth end office identified by Hotline, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Hotline Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Hotline to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Hotline are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Hotline are not already combined by BellSouth in the location requested by Hotline but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Hotline are not elements that BellSouth combines for its use in its network.

5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Hotline with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, Hotline thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Hotline's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Hotline may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Hotline, BellSouth shall perform the routine network modifications.

5.2.5 <u>Service Eligibility Criteria</u>

- 5.2.5.1 Hotline must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Hotline has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Hotline will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Hotline will have at least one (1) active DS1 local service interconnection trunk over which Hotline will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Hotline's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Hotline failed to comply with the service eligibility criteria, Hotline must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, Hotline did not comply in any material respect with the service eligibility criteria, Hotline shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Hotline did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Hotline for its reasonable and demonstrable costs associated with the audit. Hotline will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Hotline converts special access services to UNEs, Hotline shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Hotline for a particular End User when Hotline: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Hotline is serving any End User as described in (2) above as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by Hotline or transitioned by Hotline, pursuant to Section 1.8 of this Attachment or BellSouth shall disconnect such Arrangements pursuant to Section 1.8.
- 5.3.4 BellSouth shall make 911 updates in the BellSouth 911 database for Hotline's UNE port/Loop combinations. BellSouth will not bill Hotline for 911 surcharges. Hotline is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of

Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.

- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Hotline in addition to those specifically referenced in this Section 5 above, where available. To the extent Hotline requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Hotline for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Hotline uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Hotline.
- 6.1.2 BellSouth shall:

- 6.1.2.1 Provide Hotline exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Hotline to connect such interoffice facilities to equipment designated by Hotline, including but not limited to, Hotline's collocated facilities; and
- Permit, to the extent technically feasible, Hotline to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Hotline.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Hotline may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more

intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Hotline may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Hotline, BellSouth shall perform the routine network modifications.
- 6.2.6 <u>Technical Requirements</u>
- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Hotline designated traffic.
- For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Hotline shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:

- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Hotline may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 Technical Requirements

6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Hotline's channelization equipment must adhere strictly to form and protocol standards. Hotline must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Hotline to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Hotline may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Hotline, BellSouth shall perform the routine network modifications.

6.4.3 <u>Requirements</u>

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Hotline is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Hotline information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Hotline. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Hotline within twenty (20) business days after Hotline submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Hotline to connect Hotline provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

Version 3O03: 11/12/2003

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Hotline.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> <u>Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Hotline's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Hotline.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Hotline must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the

ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 Technical Requirements

- 9.2.1 BellSouth will offer to Hotline any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Hotline's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Hotline what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Hotline, BellSouth shall provide Hotline with a list of the customer data items, which Hotline would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Hotline data to the LIDB shall be solely at the direction of Hotline. Such direction from Hotline will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Hotline data upon Hotline's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Hotline customer records will be missing from LIDB, as measured by Hotline audits. BellSouth will audit Hotline records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Hotline contact person to resolve the status of the records and

BellSouth will update system appropriately. BellSouth will refer record of mismatches to Hotline within one (1) business day of audit. Once reconciled records are received back from Hotline, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Hotline to negotiate a time frame for the updates, not to exceed three business days.

- 9.2.10 BellSouth shall perform backup and recovery of all of Hotline's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Hotline with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Hotline and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Hotline data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Hotline in writing.
- 9.2.13 BellSouth shall provide Hotline performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Hotline at least at parity with BellSouth Customer Data. BellSouth shall obtain from Hotline the screening information associated with LIDB Data Screening of Hotline data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Hotline under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Hotline customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Hotline shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Hotline shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 **Signaling Link Transport**

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Hotline designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 <u>Interface Requirements</u>
- 10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Hotline's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 **Signaling Transfer Points**
- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 <u>Technical Requirements</u>
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network

Version 3Q03: 11/12/2003

User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Hotline local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Hotline local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Hotline or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Hotline database, then Hotline agrees to provide BellSouth with the Destination Point Code for Hotline database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Hotline or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7</u>

10.4.1 When technically feasible and upon request by Hotline, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Hotline's SS7 network to exchange TCAP queries and responses with a Hotline SCP.

SS7 AIN Access shall provide Hotline SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Hotline SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Hotline SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 Interface Requirements

- 10.4.3.1 BellSouth shall provide the following STP options to connect Hotline or Hotline-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Hotline local switching systems; and,
- 10.4.3.1.2 A B-link interface from Hotline local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

10.4.4 Message Screening

- BellSouth shall set message screening parameters so as to accept valid messages from Hotline local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Hotline switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Hotline local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Hotline switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Hotline from any signaling point or network

interconnected through BellSouth's SS7 network where the Hotline SCP has a valid signaling relationship.

10.5 Service Control Points (SCP)/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

10.7.1 SS7 Network Interconnection is the interconnection of Hotline local signaling transfer point switches or Hotline local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Hotline local or tandem switching systems, and

Version 3Q03: 11/12/2003

other third-party switching systems directly connected to the BellSouth SS7 network.

- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Hotline or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Hotline local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Hotline local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Hotline local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Hotline local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Hotline or Hotline-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Hotline local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Hotline STPs.
- 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Hotline local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Hotline switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Hotline will be required to provide BellSouth daily updates to E911 database. Hotline shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 Technical Requirements

11.2.1 BellSouth shall provide Hotline the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS

database to Hotline after Hotline provides End User information for input into the ALI/DMS database.

Hotline shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Hotline the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Hotline shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Hotline's access to BellSouth's CNAM Database Services and shall be addressed to Hotline's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Hotline requires interconnection from Hotline to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Hotline shall provide its own CNAM SSP. Hotline's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Hotline elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Hotline desires to query.
- 12.6 If Hotline queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

Version 3Q03: 11/12/2003

- The mechanism to be used by Hotline for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Hotline in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Hotline to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Hotline CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System (SCE/SMS)</u> <u>Advanced Intelligent Network Access</u>

- BellSouth's SCE/SMS AIN Access shall provide Hotline the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Hotline. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Hotline service logic and data from unauthorized access.
- When Hotline selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Hotline to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Hotline access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Hotline to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

14.1 BellSouth has developed and made available electronic interfaces by which Hotline may submit LSRs electronically.

EXHIBIT 1 Attachment 2 Page 63

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 Denial/Restoral OSS Charge
- 14.3.1 In the event Hotline provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Hotline will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

Version 3Q03: 11/12/2003

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR Order vs. Electronic- Ist	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc M Order vs. Clectronic- Disc 1st C	t: A ncremental Charge - Wanual Svc Order vs. Electronic- Disc Add'I
CATEGORY RATE ELEMENTS Interior m Zone BCS USOC RATES (\$) Submitted Elec Manually per LSR Per LSR Manually per LSR	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc M Order vs. Clectronic- Disc 1st C	Charge - Manual Svc Order vs. Electronic-
CATEGORY RATE ELEMENTS Interign Zone BCS USOC RATES (\$)	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc M Order vs. (Electronic- Disc 1st C	Manual Svc Order vs. Electronic-
CATEGORY RATE ELEMENTS INTERIOR Zone BCS USOC RATES (\$) per LSR per LSR Order vs. Electronic- Ist Start Star	Order vs. Electronic- Add'I Rates (\$) SOMAN	Order vs. C Electronic- E Disc 1st C	Order vs. Electronic-
Rec Nonrecurring Nonrecurring Disconnect OSS R First Add'l First Add'l SOMEC SOMAN SOMAN The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	Electronic- Add'l Rates (\$)	Electronic- E Disc 1st E	Electronic-
Rec Nonrecurring Nonrecurring Disconnect OSS R First Add'l First Add'l SOMEC SOMAN SOMAN The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	Add'I Rates (\$) SOMAN	Disc 1st D	
Rec Nonrecurring Nonrecurring Disconnect OSS R First Add'l First Add'l SOMEC SOMAN SOMAN The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	Rates (\$) SOMAN		Disc Add'l
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	SOMAN	SOMAN	
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm		SOMAN	
http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	er to internet V		SOMAN
http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	r to internet V		
		Vebsite:	
TUPERATUMAL SUPPURI STSTEMS (USS) - "REGIONAL RATES"			
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" state specific "oss charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the Commission of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in this rate exhibit are the BellSouth "regional" state of the OSS charges currently contained in the OSS charges charges currently contained in the OSS charges charges charge charges charges charge charges charges charge charges charge charges charge charges charge charge	' service order	ring charges. C	CLEC may
elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a in			
each of the 9 states.			
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered			
that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Other	rwise, the ma	nual ordering c	charge,
SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.	-	, , , , , , , , , , , , , , , , , , ,	
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only SOMEC 3.50 0.00 3.50 0.00			
Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		+	
(LSR) - UNE Only SOMAN 15.66 0.00 1.97 0.00			
UNE SERVICE DATE ADVANCEMENT CHARGE			
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.			
UAL, UEANL, UCL, UEF. UDF. UEQ.			
UDL, UENTW, UDN,			
UEA, UHL, ULC.			
USL, U1T12, U1T48,			
U1TD1, U1TD3,			
U1TS1, U1TVX,			
UC1CC, UC1CL,			
UC1DC, UC1DL,			
UC1EC, UC1EL,			
UC1FC, UC1FL, UC			
UC1GC, UC1GL,			
UC1HC, UC1HL, UDL12, UDL48, UD			
UDLO3, UDLSX,			
UE3, ULD12,			
ULD48, ULDD1,			
ULDD3, ULDDX,			
ULDO3, ULDS1,			
ULDVX, UNC1X, UNC3X, UNCDX,			
UNCNX, UNCSX,			
UNCVX, UNLD1,			
UNLD3, UXTD1,			
UXTD3, UXTS1, USD			
UNE Expedite Charge per Circuit or Line Assignable USOC, per U1TUD, U1TUD,			
Day			
ONBUNDLED EXCHANGE ACCESS LOUP [2-WIRE ANALOG VOICE GRADE LOOP [3-WIRE ANALOG VOICE GRADE LOOP	 		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.05 37.81 17.56 23.49 5.30 5.30			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 5.30			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.58 37.81 17.56 23.49 5.30			
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		
Z-YWIE Ariady Voice Graue Europ - Service Event in Zuries 3 JEANE UEASE 34.34 37.61 17.36 23.49 3.30 Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		
Premise UEANL URETL 8.33 0.83		1	
Loop Testing - Basic 1st Half Hour UEANL URET1 34.16 34.16			
Loop Testing - Basic Additional Half Hour UEANL URETA 19.85 19.85			

UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY		RATE ELEMENTS	Interi m	Zone	ne BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.		Incremental Charge -	Incremental Charge - Manual Svc Order vs.
													per zerk	Electronic- 1st		Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-	1	CLEC to CLEC Conversion Charge Without Outside Dispatch						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						.,,,,,,									
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
	1	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC		8.15	8.15								
		(per LSR)			UEANL	OCOSL		18.09									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I		UEQ UEQ	UEQ2X UEQ2X	13.27 15.07	34.14 34.14	15.10 15.10	21.25 21.25	4.15 4.15						
	<u> </u>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	- ' -	3	UEQ	UEQZX	15.07	34.14	15.10	21.25	4.15						
		Premise		1	UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -								l i							
	<u> </u>	Non-Designed (per loop)	<u> </u>	<u> </u>	UEQ	USBMC		8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
LINIDIIN	IDI ED E	(UCL-ND) EXCHANGE ACCESS LOOP			UEQ	UREWO		14.27	7.43								
ONBOI		ANALOG VOICE GRADE LOOP															
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		4	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	<u> </u>	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	UEFSK UEFSB	UEABS	12.30	37.01	17.50	23.49	5.30						
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	1	Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
UNBUN		EXCHANGE ACCESS LOOP	<u> </u>	<u> </u>	1												
	∠-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				-											
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
<u> </u>	<u> </u>	Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
 		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.14	18.09	55.00	71.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
<u> </u>		Battery Signaling - Zone 1	<u> </u>	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		OLA.	JLAIL	22.03	00.00	33.00	41.24	1.44						
		Battery Signaling - Zone 3	<u> </u>	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
<u> </u>	 	CLEC to CLEC Conversion Charge without outside dispatch			UEA UEA	UREWO URETL		87.72	36.36								
-	4-WIRF	Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP	 	-	ULA	UKEIL		11.21	1.10								
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		-	UEA UEA	OCOSL UREWO		18.09 87.72	36.36								
	1	OLLO to OLEO Conversion Charge without outside dispatch	1	<u> </u>	IOL:A	UKEWU		81.12	30.36			ı	l		<u> </u>		1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
0.14/15	LE ISDN DIGITAL GRADE LOOP				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-9915	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
-	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
+	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	40.00	18.09	70.77	02.00	10.04						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2	ļ	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry	1									1]				
\vdash	& facility reservation - Zone 3	ļ	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UAL	OCOSL		18.09									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	40.70	00.00	F7.00	47.04	7.44						
	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	12.73	90.00	57.00	47.24	7.44						
	facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
+	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	14.30	18.09	37.00	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	O/ IL	OILLWO		00.20	40.40								
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry					40.47	00.00	F7.00	47.04	7.44						
	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
 	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UHL	OCOSL	11.44	18.09	57.00	41.24	1.44				-	-	
 	CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO		86.14	40.40	1					1	1	
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	O	SILLIVO	-	55.14	40.40								
	4 Wire Unbundled HDSL Loop including manual service inquiry	T														
	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73	1	1				
	4-Wire Unbundled HDSL Loop including manual service inquiry	1														
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73	<u> </u>	<u> </u>	<u> </u>			
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3	ļ	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL		18.09									
	4-Wire Unbundled HDSL Loop without manual service inquiry	1		l	[]						1	1				
\vdash	and facility reservation - Zone 1	ļ	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	_	UHL		45.50	04.00	57. 00	-1	0 =0	1	1				
\vdash	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	 	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
	and facility reservation - Zone 3	1	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	1	1				
 	Order Coordination for Specified Conversion Time (per LSR)	 	J	UHL	OCOSL	15.25	18.09	57.00	31.70	9.13				-	-	
 	CLEC to CLEC Conversion Charge without outside dispatch	!		UHL	UREWO		86.14	40.40	 		 	 				
4-WIF	RE DS1 DIGITAL LOOP	<u> </u>			3		33.14	.5.40								
1 1 1 1 1 1 1	4-Wire DS1 Digital Loop - Zone 1	†	1	USL	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3	Ì	3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09									

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	OLFO to OLFO Commercian Observation with a standard dispertal			USL	UREWO		First 101.09	Add'I 43.05	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-10/15	CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWU		101.09	43.05								
4-7711	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL UDL	UDL64 UDL64	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50					-	
 	Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	31.88	18.09	00.80	59.14	14.50						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UDL	UREWO		102.13	49.75	1							-
2-WIF	RE Unbundled COPPER LOOP			002	GILLIVO		102.10									
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						İ
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual		_													İ
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								—
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	l ,	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						İ
	2-Wire Unbundled Copper Loop-Designed without manual	-		OCL	OCLI W	11.01	31.40	34.30	77.27	7.44						
	service inquiry and facility reservation - Zone 2	l ı	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						İ
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						İ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch															İ
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WII	RE COPPER LOOP															-
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						İ
	4-Wire Copper Loop-Designed including manual service inquiry		<u>'</u>	UCL	UCL43	17.30	133.21	00.03	31.70	9.13						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						İ
	4-Wire Copper Loop-Designed including manual service inquiry				0.000											
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						İ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Copper Loop-Designed without manual service inquiry	1		l <u>.</u> .	L		. 7	·		·]				1
	and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry	١.	2	UCL	UCL4W	20.76	114.21	67.05	54.70	0.70						İ
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>		UCL	UCL4VV	20.76	114.21	67.05	51.70	9.73						
	and facility reservation - Zone 3	l ,	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						İ
	Order Coordination for Unbundled Copper Loops (per loop)	- '-	Ŭ	UCL	UCLMC	20.21	8.15	8.15	31.70	5.75						
r t	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								
LOOP MODIF									<u> </u>							
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l .		UEANL, UEPSR,				2.5-				1				1
	pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00			1				-	├
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								1
	iess than or equal to forcit, per oribundied Loop	- ' -		UAL, UHL, UCL,	GLIVIAL		0.00	0.00								
		l		UEQ,ULS,UEA,												1
ı l	Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,								1				1
	per unbundled loop	<u>ı</u>		UEPSB	ULMBT		32.41	32.41			<u> </u>	<u> </u>			<u></u>	1
SUB-LOOPS																

UNBU	NDLE	NETWORK ELEMENTS - Alabama							·		·			Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,	•		m		200	5555			= (4)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		1
-			 	 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
—	Sub-Lo	op Distribution	 	 				11131	Auu i	11130	Auu	JOINEC	JONAN	JONAN	JONAN	JOHAN	JOHIAN
	OUD-LO	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		The			UEANL	USBSA		244.42									
-		ор			OLANL	USBSA	+	244.42				-					
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		ULANL	USBSB		22.04									
		Facility Set-Up			UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		UEAINL	USBSC		177.45									
		Set-Up			UEANL	USBSD		55.15									
-			- '		UEAINL	USBSD		33.13									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				LIODNIO	44.04	05.00	00.00	45.05	0.70						
-		Zone 1	-	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_						4= 0=							
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		3 · · · · · · · · · · · · · · · · · · ·															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	19.85	19.85			1					
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70	1					
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70	<u> </u>	 	 	 		
\vdash		2 Wire Copper Unburidled Sub-Loop Distribution - Zone 3	 		UEF	UCS2X	11.27	65.80	30.96	45.25	6.70	1	 		 		
\vdash		2 This sappor officialist our Loop Distribution - Zorie 3	 	٢	0_1	JUULA	11.21	00.00	30.30	70.23	0.70	1	 		 		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF	USBMC		8.15	8.15			1	İ		Ì		Ì
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07	 	1	1	1		1
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	+	 	1	 		
\vdash			-		UEF	UCS4X UCS4X	12.61	79.03	44.19	49.71	9.07			-	 		-
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 	3	UEF	UU34X	15.36	79.03	44.19	49.71	9.07	-					
		Order Coordination for Unbundled Cub Leans, non-sub-least asis	1	1	UEF	USBMC		0.45	0.45			1	İ		Ì		Ì
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	1	UEF	URET1		8.15 34.16	8.15 34.16			1		-	1		1
\vdash		Loop Testing - Basic 1st Half Hour	 	1			ļ					1		-	1		1
\vdash	l line la · · · ·	Loop Testing - Basic Additional Half Hour	 	1	UEF	URETA	ļ	19.85	19.85			1		-	1		1
	Unbund	dled Network Terminating Wire (UNTW)			LIENTON	LIENDD	0 10	00.01				1					
<u> </u>	Matrice	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01				1					
$\vdash \vdash \vdash$		k Interface Device (NID)	<u> </u>	<u> </u>	LIENTA/	LINIDAO	ļ .	40.00	00.00				ļ		ļ		
\vdash		Network Interface Device (NID) - 1-2 lines	<u> </u>	<u> </u>	UENTW	UND12	ļ .	43.23	28.38				ļ		ļ		
\vdash		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
		Network Interface Device Cross Connect - 2 W	ļ	 	UENTW	UNDC2		5.87	5.87				ļ				
		Network Interface Device Cross Connect - 4W	<u> </u>	<u> </u>	UENTW	UNDC4		5.87	5.87								
UNE OT	HER, P	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
1 T				1	UEANL,UEF,UEQ,U								l	I			
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
		ROVISIONING ONLY - NO RATE		1													

UNBUN	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
3501	<u></u>	/ MANAGINA										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc	Manual Svc	
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OAILOC		KATE EEEMENTO	m	20110	500	0000			πατ ΣΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							I	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)	I.	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11100	Addi	11100	Addi	COMILO	COMPAR	COMPAN	COMPAN	COMPAR	COMPAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			05:1,02:1,01:12,020	0.120.1	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBEO	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			02/1,03/1,002,030	00B. Q	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -			002	0000.	0.00	0.00									†
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	TY UNBUNDLED LOCAL LOOP	1	1			0.00	0.00							1	1	t
1		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		Imonth	1	1	UE3	1L5ND	8.38						1				
		High Capacity Unbundled Local Loop - DS3 - Facility			OLO	TEONE	0.00										
		Termination per month	l	1	UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1	0_0	OLGI A	300.30	- 1 01.02	200.04	110.43	00.00	1	l				
		Imonth			UDLSX	1L5ND	8.38										
		High Capacity Unbundled Local Loop - STS-1 - Facility		1	ODLOX	TESIND	0.50										
		Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
LOOP M	VKE-II				ODLOX	ODLOT	010.00	401.02	200.04	110.40	00.00						
LOOF WI	AKL-U	Loop Makeup - Preordering Without Reservation, per working or		1													
		Ispare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
-		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWINLY		20.00	20.00								1
		queried (Manual).			UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or		1	OWIK	OWINE		21.00	21.00								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
I INE SH	ARING	S AND LINE SPLITTING			OWIN	OWINIVIQ		0.55	0.55								
		1: The Line Sharing monthly recurring rates for all installation	is comr	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	l he hilled as f	ollows:							1
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lumgnt octobe	1 01, 2004 31101	i be billed as i	Ollows.							1
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	ррое	I	. acc.gca (CC2.12	ľ											
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits installe	ed and inservic	e on or before	October 1, 200	03							
		HARING		1	- принести				.,								
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
E	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															1
		Line Sharing - per Line Activation (BST Owned splitter) -															1
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)	1	1	ULS	ULSDT	5.60	18.51	10.60	10.01	4.92		1				
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1									1				
		(E:10/2/2005)	1	1	ULS	ULSDT	8.40	18.51	10.60	10.01	4.92		1				
		Line Sharing - per Subsequent Activity per Line															1
		Rearrangement(BST Owned Splitter	<u></u>	L	ULS	ULSDS	<u> </u>	16.39	8.19	<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	<u></u>
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter	<u> </u>	<u></u>	ULS	ULSCS		16.39	8.19			<u> </u>			<u></u>	<u></u>	<u></u>
		Line Sharing - per Line Activation (DLEC owned Splitter) -							<u> </u>								
		OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31	20.02	9.83	1	l		l	l	1

UNRU	NDI F	D NETWORK ELEMENTS - Alabama												Δttach	ment: 2	Fyhi	bit: A
CIADO	NDLL	Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING		ļ													
-	END U	SER ORDERING-CENTRAL OFFICE BASED		<u> </u>	HEDOD HEDOD	LIDECO	0.01			1		}		 	 	 	
<u> </u>	 	Line Splitting - per line activation DLEC owned splitter		<u> </u>	UEPSR UEPSB	UREOS UREBP	0.61 0.61	27.04	04.40	00.00	0.00	}		 	 	 	
-	 	Line Splitting - per line activation BST owned - physical		1	UEPSR UEPSB UEPSR UEPSB	UREBV		37.01	21.19	20.02	9.83	1		-	-	-	
-	NA A IN'T	Line Splitting - per line activation BST owned - virtual ENANCE		-	UEFOR UEFOR	UKEBV	0.61	37.01	21.19	20.02	9.83						
	WAINI	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			1					
		No Trouble Found - per 1/2 hour increments - Dasic No Trouble Found - per 1/2 hour increments - Overtime		1				120.00	82.50			1					
		No Trouble Found - per 1/2 hour increments - Premium		1				160.00	110.00			1					
UNBUN	IDLED I	DEDICATED TRANSPORT						100.00	1.0.00								
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month		<u> </u>	U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			LIATON	LIATVA	40.70	40.54	07.44	40.74	0.00						
		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90	1					
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILSAA	0.000030					1					
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01127	01120	10.12	10.01	2	10.11	0.00						
	1	per month			U1TDX	1L5XX	0.008838							1	1	1	
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
L	<u> </u>	Termination	<u></u>	L	U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	<u></u>	<u> </u>	<u></u>	<u></u>	<u> </u>	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per							-]	
		month			U1TD1	1L5XX	0.18										
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility				I								1	1]	
ļ	ļ	Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44			ļ	ļ	ļ	
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LUTDO	41.5307								1	1	1	
-	 	month		1	U1TD3	1L5XX	4.09			1		1		-	-	-	
	l	Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
-	 	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	 	פעווט	UIIF3	703.52	218.15	102.76	60.20	∠8.46	 		-	-	-	
	1	month			U1TS1	1L5XX	4.09							1	1	1	
1	1	Interoffice Channel - Dedicated Transport - STS-1 - Facility			51151	LOAA	4.09										
1	1	Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			1	1	1	
DARK	FIBER	* ****			. ,.					55,20							
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	<u></u>	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
1	l	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction									-]]]	
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.32										
		NRC Dark Fiber - Local Loop		<u> </u>	UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66						

UNRI	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
CABC	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	METHORIC ELEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15												
<u> </u>		Number Reserved			OHD	N8R1X		2.58	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			5.04	0.04	4.53	0.54						
		POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			5.94	0.81	4.57	0.54						
		POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
-		8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOF I A		5.94	0.61	4.57	0.54						
		Per 8XX Number			OHD	N8FCX		2.58	1.29						1		
-	1	8XX Access Ten Digit Screening, Multiple InterLATA CXR	 		טווט	1401 07		2.30	1.29	 			 		t		
		Routing Per CXR Requested Per 8XX No.	1		OHD	N8FMX]	3.02	1.73				1		I		
	1	8XX Access Ten Digit Screening, Change Charge Per Request	1		OHD	N8FAX		3.02	0.44	1					1		
		8XX Access Ten Digit Screening, Call Handling and Destination															
		Features			OHD	N8FDX		2.58									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE I	NFORMA	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.00002										
		LIDB Validation Per Query			OQU		0.012002										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
SIGNA	LING (C																
		CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
<u> </u>		CCS7 Signaling Usage, Per Call Setup Message					0.0000142										
-		CCS7 Signaling Usage, Per TCAP Message			UDB	TDD	0.0000569	05.50	05.50	40.44	40.44						
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
	1	CCS7 Signaling Usage, Per ISUP Message			UDB	IFFTT	0.0000142	33.33	33.33	10.44	10.44						
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
		CCS7 Signaling Point Code, per Originating Point Code			000	01000	000.00										
		Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 S	ERVICE	ger per en en en en en en en en en en en en en															
		Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20						
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1				0.008838										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
		Termination	<u> </u>				21.13	40.54	27.41	16.74	6.90				<u></u>	<u></u>	
		Local Channel - Dedicated - DS1 - Zone 1					35.76	177.47	153.72	22.19	15.26						
		Local Channel - Dedicated - DS1 - Zone 2					49.98	177.47	153.72	22.19	15.26						
		Local Channel - Dedicated - DS1 - Zone 3					107.63	177.47	153.72	22.19	15.26				1		
		Interoffice Transport - Dedicated - DS1 Per Mile					0.18								1		
		Later (Co. Transport Bulliotte L. BOA Bra Forth T. C.	1				00.10	00.57	04.01	40.00			1		I		
0	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination	<u> </u>			1	60.16	89.27	81.81	16.35	14.44				-	ļ	
CALLI	NG NAM	E (CNAM) SERVICE	 		001/	+		20.05		04.44					 		
-	1	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	├		OQV OQV	+	 	22.95 22.95		21.11 21.11			 				
-	<u> </u>	CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	 		UQV	+		22.95		21.11	-				-	-	
		Establishment	1		OQV]	990.88	732.84	268.93	197.74		1		I		
1	1	CNAM For Non DB Owners - Service Provisioning With Point	†			1		300.00	702.04	200.00	107.74		 		I		
		Code Establishment	1		OQV]	342.33	245.14	275.25	197.74		1		I		
	1	CNAM for DB Owners, Per Query			OQV		0.000902	5 12.00									
	1	CNAM for Non DB Owners, Per Query			OQV		0.000902			1							
SELEC	TIVE R																
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch	<u></u>				<u> </u>	84.70	84.70	14.11	14.11				<u></u>		
VIRTU	AL COL	OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting	<u> </u>		UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		l		I		

1														ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION							7.44.		,,,,,,		00			00	
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		7.83 7.83	7.83 7.83	9.09 9.09	9.09	1					
-+	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		1.03	1.63	9.09	9.09	1	1			1	
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.00	35.00	27.06	27.06						
	Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
ı	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer			O/ UVI	BAPVX		4.202.17	4.202.17	40.00	40.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ ii V/		7,202.17	4,202.17								
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTD		7.00	7.00	0.00	0.00						
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.83	7.83	9.09	9.09						
	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D, u		7.00	7.00	0.00	0.00						
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.36	14.36						
i	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query					0.05										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00582										
	Account, Per 100 Kilobytes AllN Toolkit Service - Monthly report - Per AlN Toolkit Service					0.05										
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
ENHANCED	Service Subscription XTENDED LINK (EELs)			CAM	BAPES	0.10	8.66	8.66								
	The monthly recurring and non-recurring charges below will	anniv a	nd the	Switch-As-Is Charg	e will not ann	ly for LINE con	hinations pro	visioned as ' C	ordinarily Comb	nined' Network	Flements			-	1	
	The monthly recurring and the Switch-As-Is Charge and not the															
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					comoman	p. 5 11 51 11 11	_ uo ounone	.,	Lioille					1	†
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						1
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
·			3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	ULALZ	30.14	00.00	00.00								

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) RATE SUBMITTED Submitted Elec Manually per LSR Order Electron 1st Poor Nonrecurring Disconnect Nonrecurring Disconnect Svc Order Submitted Charge Manually per LSR Order Electron 1st Nonrecurring Disconnect Order Manually per LSR Order Submitted Charge Manually pe	d Charge - Charge - Manual Svc Order vs. Electronic-1st Add'l OSS Rates (\$)	Exhibit: A Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN SOMAN SOMAN
CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (5) Submitted Charge Manual 2 Manual	d Charge - Manual Svc Order vs. Electronic- 1st Charge - Manual Svc Order vs. Electronic- Add'I OSS Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (5) Since	Manual Svc Order vs. Electronic- 1st OSS Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Min Zone BCS USOC RATES (\$) Per LSR Per LSR Order v Electron Per LSR Per LSR Order v Electron Elect	Order vs. Electronic- 1st OSS Rates (\$)	Order vs. Electronic- Disc 1st Order vs. Electronic- Disc Add'l
Rec Nonrecurring Nonrecurring Disconnect First Add First First Add First	Electronic- 1st Electronic- Add'l OSS Rates (\$)	Electronic- Disc 1st Disc Add'l
Second S	1st Add'I OSS Rates (\$)	Disc 1st Disc Add'l
Nonrecurring Nonrecurring Nonrecurring Nonrecurring Disconnect	OSS Rates (\$)	
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 14.44 17.45 17.44		SOMAN SOMAN
Interdiffice Transport - Dedicated - DS1 combination - Facility UNC1X	SOMAN SOMAN	SOMAN SOMAN
Termination per month		
1/10 Channelization System in combination Per Month UNC1X MO1 101.06 91.04 62.57 10.55 9.79		
Voice Grade COCI - Per Month		
Voice Grade COCI - Per Month		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		
Voice Grade COCI - Per Month		
Voice Grade COCI - Per Month		
Nonrecurring Currently Combined Network Elements Switch -As- IUNC1X		
Is charge		
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 1/0 Channel System in combination - Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COC1 in combination - per month UNCX 1D1VG 0.53 6.58 4.72 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Nonrecurring Currently Combined Network Elements Switch -As-UNCX UEAL4 60.02 131.97 94.51 59.14 14.50 EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1L5XX 0.18 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 1/0 Channel System in combination Per Month UNC1X MQ1 101.06 91.04 62.57 10.54 9.79 Voice Grade COCI in combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 25.34 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Nonrecurring Currently Combined Network Elements Switch - As INCX UNCX UNCX UNCX UNCX UNCX UNCX UNCX U		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.18 UNC1X 1L5XX 0.18 UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 UNC1X U1TF1 60.16 89.27 81.81 16.35 14.44 UNC1X U1TF1 60.16 91.04 62.57 10.54 9.79 UNC1X UNC1X U1TF1 UNC1X U1TF1 U1TF1 UNC1X U1TF1 UNC1X U1TF1 U1		
Interoffice Transport - Dedicated - DS1 combination - Per Mile		
Per Month		
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		
Month		
1/0 Channel System in combination Per Month		
Voice Grade COCI in combination - per month		
Additional 4-Wire Analog Voice Grade Loop in same DS1		
Interoffice Transport Combination - Zone 1		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.58 131.97 94.51 59.14 14.50		
Interoffice Transport Combination - Zone 2		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50		
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 60.02 131.97 94.51 59.14 14.50 Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Nonrecurring Currently Combined Network Elements Switch - As- UNC1X UNCCC 5.59 5.59 6.98 6.98 EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT 59.14 14.50 UNC1X UNCCC 5.59 5.59 6.98 6.98 UNC1X UNCCC 5.59 5.59 6.98 6.98	 	
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.53 6.58 4.72 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98 EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT UNCCC 5.59 5.59 6.98 6.98 6.98	 	
Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98 EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		
	+ + +	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+ + +	
	+ + +	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		
1 103 - TYTHE SOTUPS SIGNATE CONTROL TO STATE SOTUP 11 CONTROL TO STAT	+ +	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14 14.50		
First 4-vivile storops bigliar Glade Europ in Commination - Zone's 3 ONEDA 00139 37.88 120.27 66.80 39.14 14.50 Interoffice Transport - Dedicated - DSI combination - Per Mile	+ +	
Per Month UNC1X 1L5XX 0.18		
Interoffice Transport - Dedicated - DS1 - combination Facility	+ + +	
1/0 Channel System in combination Per Month	 	
OCU-DP COCI (data) per month (2.4-64kbs)	 	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	
Interoffice Transport Combination - Zone 1		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1 1	
Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 35.95 126.27 88.80 59.14 14.50		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1 1	
Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 37.88 126.27 88.80 59.14 14.50		
Additional OCU-DP COCI (data) - in combination per month (2.4-	+ + +	
	1 1	
Nonrecurring Currently Combined Network Elements Switch -As-		
Is Charge UNC1X UNCCC 5.59 5.59 6.98 6.98		
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
350,10					1						Svc Order	Svc Order	Incremental		Incremental	
						ĺ					Submitted	Submitted		Charge -	Charge -	Charge -
		Inter.				I					Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
			_				400.00		=0.44							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDX	UDL64	37.88	120.27	88.80	59.14	14.50						-
	Per Month			UNC1X	1L5XX	0.18										
—	interoffice Transport - Dedicated - DS1 combination - Facility	1		UNCIX	ILSAA	0.16										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
h +	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		1		I		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		<u> </u>		<u> </u>		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1												_			
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EX	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1	ļ	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
-	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
-	Interoffice Transport - Dedicated - DS1 combination - Facility	-		UNCIA	ILSAA	0.16										-
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Nonrecurring Currently Combined Network Elements Switch -As-	_		ONOTA	01111	00.10	03.21	01.01	10.55	14.44						
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EX	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.00	0.00	0.00	0.00						
	First DS1Loop in Combination - Zone 1	<u> </u>	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.09								<u> </u>	<u> </u>	<u> </u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per						_	-								1
	month	1		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month	1		UNC1X	UC1D1	12.70	6.58	4.72	ļ							├
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINICAY	LICLYS!	20.5-	050 45	457.51	44 ===			1		I		1
	Zone 1	1	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				!	1	├
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	LINICAV	USLXX	454.40	050.47	457.54	44.70	44 74		1		I		1
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -	1	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		 		 		
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		1		I		1
H	Additoinal DS1 COCI in combination per month	1	3	UNC1X	UC1D1	12.70	6.58	4.72	44.70	11.71	1			1		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		5.101/	30101	12.70	0.50	7.72	1			 		t		
	Is Charge			UNC3X	UNCCC]	5.59	5.59	6.98	6.98		1		I		1
EX	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE			†	2.00	2.00	2.00	2.00						
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.008838								<u></u>		<u></u>
	Interoffice Transport - 2-wire VG - Dedicated - Facility												_			
	Termination per month		<u> </u>	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						<u> </u>

UNBUNDI	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
3.1201101	LE RELITORIX ELEMENTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-							7144	101	71441	0020					
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE				0.00	0.00	0.00	0.00						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		Ť	O. CO VA	02/12/	00.02	.0	0 1.0 1	00.11	1 1.00						
	Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-		1		3	10.73	70.04	2111	10.74	3.30				t	t	
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98	1					
FXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE		3550		0.00	0.00	0.50	3.30		l		 	 	
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	8.38			 			l		 	 	
	200 2000. 200p in combination per mile per month	 	1	C.130/1	.20112	0.00			-					-	-	
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58	1					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	401.02	200.04	113.43	00.00						
-	Interoffice Transport - Dedicated - DS3 - 1 et Mile per Horitin			014037	TESTON	4.03										
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
-	Nonrecurring Currently Combined Network Elements Switch -As-			014037	01113	703.32	210.13	102.70	00.20	30.40						
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
EVT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INIT	EDOEE		UNCCC		3.39	3.35	0.90	0.90						
LAI	STS-1 Local Lolp in combination - per mile per month	3-1 1141	LKOFF	UNCSX	1L5ND	8.38								-	-	
-	STS-1 Local Loop in combination - Facility Termination per			UNCOX	ILJIND	0.30								-	-	
	month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
-	Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCOA	UDLST	319.03	451.52	203.94	119.49	03.30				-	-	
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		-	UNCOA	ILSAA	4.09										
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
-			-	UNCOA	UTIFS	701.37	210.13	102.70	60.20	36.40						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EVT	IN CHAIGE ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TDAN	CDODT	UNCOA	UNCCC		5.59	5.59	0.90	0.90				-	-	
EAI		IKAN	1	LINICNIV	U1L2X	21.88	117.24	79.77	52.88	10.54						
\vdash	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
\vdash			3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
-	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCINA	UILZA	40.55	117.24	19.11	32.00	10.54				-	-	
1 1	Interoffice Transport - Dedicated - DS1 combination - per mile per month	1		UNC1X	1L5XX	0.18			I			1		I	I	
\vdash	Interoffice Transport - Dedicated - DS1 combination - Facility	 	1	ONCIA	ILOAA	0.18			 					 	 	
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				1	1	
\vdash	1/0 Channel System in combination - per month	 	 	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
\vdash	2-wire ISDN COCI (BRITE) - in combination - per month	 	 	UNCIX	UC1CA	2.41	6.58	4.72	10.54	9.79						
\vdash	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	OINCINA	UCICA	2.41	0.38	4.72	1		1			1	1	
1 1	Combination - Zone 1	1	4	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		1		I	I	
\vdash	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	+ '-	OINOINA	UILZA	∠1.00	117.24	13.11	32.00	10.54	-	-		-	-	
1 1		1	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		1		I	I	
\vdash	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		ONCINA	UILZX	3∠.85	117.24	19.77	5∠.88	10.54						
	Combination - Zone 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1		I	I	
\vdash	Additional 2-wire ISDN COCI (BRITE) - in combination- per	1	1 3	OINCINA	UILZA	40.33	117.24	19.77	32.88	10.54		-		-	-	
	month	1		UNCNX	UC1CA	2.41	6.58	4.72	I			1		I	I	
\vdash		 	 	CIACIAV	JUICA	2.41	0.08	4.72	 							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.59	5.59	6.98	6.98	1					
EVT	IS Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	L INT			1	5.59	5.59	0.98	0.98	1			 	 	
EXI	First DS1 Loop Combination - Zone 1	LU 313		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		-		-	-	
\vdash		 			USLXX				44.70					 	 	
\vdash	First DS1 Loop Combination - Zone 2	 		UNC1X UNC1X		154.18 314.52	252.47	157.54		11.71				 	 	
	First DS1 Loop Combination - Zone 3	1	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	 	-		1	1	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1		LINCSY	11.577	4.00			I			1		I	I	
	Per Month	1	1	UNCSX	1L5XX	4.09			 	-		ļ		 	 	
	Interoffice Transport - Dedicated - STS-1 combination - Facility	I	1	LINCCV	U1TFS	704.07	070.75	400.70	00.00	50.40	l	1				
	Termination per month	<u> </u>		UNCSX	UTIFS	701.37	278.75	162.76	60.20	58.46	l .	l		1	1	

UNBUN	IDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
2201												Svc Order	Svc Order	Incremental		Incremental	Incremental
				1								Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Manually	Manual Svc			
CAILGO	'K I	RATE ELEMENTS	m	Zone	B03	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															- (4)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
 		DS1 COCI in combination per month	_	<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72	77.70	11.71						
		Nonrecurring Currently Combined Network Elements Switch -As-	_	_	ONOTA	COIDI	12.70	0.00	7.72								
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
 	VTC	is charge DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DDC INT	EDOC		UNCCC		5.59	5.59	0.98	0.98	-	-		 		
F			oro INT			LIDLE?	00.00	400.07	00.00	50.44	4450	 	 		 	-	
\vdash		4-wire 56 kbps Local Loop in combination - Zone 1	-	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	1	1	1	1		
\vdash		4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	ļ	ļ				
\vdash		4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	ļ	ļ				
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1								l	l		I		İ
		Per Mile per month		1	UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
F	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1 1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
h +		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
-		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL04	37.00	120.27	00.00	39.14	14.50						
					UNCDX	1L5XX	0.008838										
		Per Mile per month	ļ	1	UNCDX	ILOXX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	LIATEDO	45.40	40.54	07.44	40.74	0.00						
		Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		ls Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
E	XTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile		1	UNC1X	1L5XX	0.18					l	l		I		İ
		First Interoffice Transport - Dedicated - DS1 combination -										İ	İ				
		Facility Termination per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	İ	İ		I		İ
\vdash		Per each DS1 Channelization System Per Month		1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	1		1		1
\vdash		Per each Voice Grade COCI - Per Month per month		1	UNCVX	1D1VG	0.53	6.58	4.72		50	1	1		1		1
+		3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	 	 		†		†
+		Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72	55.20	31.03	1	1	1	t	1	1
+		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	1	014017	ועוטט	12.10	0.56	4.12	1	1	 	 	1	 	-	
				_	LINCVY	LIEALO	44.00	00.00	FF 00	47.04	7.44	İ	İ		I		İ
\vdash		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	1	1		-		!
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			1,10,0		00.0=	00.00	FF 00	47.01	.						1
\vdash		Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		1 -							_	İ	İ		I		İ
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				ļ		
												1	1		1		
		Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month		1	UNC1X	1L5XX	0.18					İ	İ		I		İ
		Each Additional DS1 Interoffice Channel Facility Termination in										İ	İ				
		same 3/1 Channel System per month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	İ	İ		I		İ
\vdash		Each Additional DS1 COCI combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72	10.00	1-1-1-1	 	 		†		†
\vdash		Nonrecurring Currently Combined Network Elements Switch -As-	1	 	J. 10 1/	30101	12.10	0.50	7.12	1		 	 		t		
1 1			1	1	UNC1X	UNCCC		5.59	5.59	6.98	6.98	ĺ	ĺ	l		l	1
		Is Charge															

UNBUNDLI	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						ļ
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			UNCVA	ULAL4	30.30	131.97	54.51	39.14	14.50						
	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ļ
	Per each 1/0 Channel System in combination Per Month	<u> </u>	!	UNC1X	MQ1 1D1VG	101.06	91.04 6.58	62.57 4.72	10.54	9.79	1			-		
	Per each Voice Grade COCI in combination - per month 3/1 Channel System in combination per month	 	 	UNCVX UNC3X	MQ3	0.53 166.13	178.14	93.97	33.26	31.83	-		1	-	-	+
 	Per each DS1 COCI in combination per month	1	 	UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03	1			 		†
	Additional 4-Wire Analog Voice Grade Loop in same DS1	†	1		55.51	12.70	0.00	7.72	 				1	1		†
	Interoffice Transport Combination - Zone 1	<u>L</u>	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50			<u> </u>	<u> </u>	<u> </u>	
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_						=0.44	44.50						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILJAA	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDLS6	20.09	120.21	00.00	59.14	14.50						
	Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -								-							
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	ļ	ļ	UNC1X	1L5XX	0.18										ļ
	First Interoffice Transport - Dedicated - DS1 - combination			LINGAY	LIATE 4	00.40	20.27	04.61	40.0-							
	Facility Termination Per Month Per each 1/0 Channel System in combination Per Month	 	!	UNC1X UNC1X	U1TF1 MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79	ļ			 		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		 	UNCDX	1D1DD	1.12	6.58	4.72	10.54	9.79	1					
	3/1 Channel System in combination per month	 	l	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1					
	Per each DS1 COCI in combination per month	l		UNC1X	UC1D1	12.70	6.58	4.72	33.20	000				İ		†
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	Ì														1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	l	l	1 7				I T					1		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	1					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	OCU-DP COCI (data) COCI in combination per month (2.4-		-	CINODA	0000	31.00	120.27	00.00	35.14	14.30	 					
	64kbs)		1	UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in				=											
	same 3/1 Channel System per month	<u> </u>	!	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			ļ	ļ		_
	Each Additional DS1 COCI in the same 3/1 channel system combination per month	1	1	UNC1X	UC1D1	12.70	6.58	4.72						1		
-	Nonrecurring Currently Combined Network Elements Switch -As-	 	 	OINCIA	ועוטט	12.70	86.0	4.72	+		1			 		
	Is Charge	1	1	UNC1X	UNCCC		5.59	5.59	6.98	6.98				1		
	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	!===	FEIRE								1		l		-	+

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	hit: A
CHECHEL	THE THORIT LEEMENTO TRADAMIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						i
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1
	Per each Channel System 1/0 in combination Per Month	Ì		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each OCU-DP COCI (data) in combination - per month (2.4-	Ì														
	64kbs)	1	1	UNCDX	1D1DD	1.12	6.58	4.72	I			1		I		i
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1													
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						i
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										1
	Each Additional DS1 Interoffice Channel Facility Termination in															i
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						i
	Each Additional DS1 COCI in the same 3/1 channel system															i
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						<u>. </u>
EXT	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						ı
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						!
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1								<u> </u>	1		_		<u></u>
	Transport - Zone 3	ļ	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						!
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1						I			1		I		i
	Mile per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.18			ļ					ļ		1
	First Interoffice Transport - Dedicated - DS1 combination -	1			1				1					1		1
\vdash	Facility Termination per month	ļ		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				.		
	Per each Channel System 1/0 in combination - per month	ļ	 	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				.		
		1		l .	1				1					1		1
\vdash	Per each 2-wire ISDN COCI (BRITE) in combination - per month	ļ	 	UNCNX	UC1CA	2.41	6.58	4.72	.					.		
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINGNIY	1141.037			===						1		1
\vdash	Combination - Zone 1	!	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54				-		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINGNIY	1141.037			===				1		I		i
	Combination - Zone 2	!	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54				!		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINIONIV	LIALOY	40.55	447.01	70	50.00	10.51				1		1
	Combination - Zone 3	!	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINGNIY	11046				1					1		1
\vdash	system combination- per month	!	<u> </u>	UNCNX	UC1CA	2.41	6.58	4.72	.					-		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1	LINGAY	41.577	0.40			I			1		I		i
	Channel System per month	!	<u> </u>	UNC1X	1L5XX	0.18			!					!		
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1		I		i
	same 3/1 Channel System per month	1	<u> </u>	UNUTX	UTIFT	60.16	89.27	81.81	10.35	14.44	1	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -		Charge -	Charge -
														Charge -		
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7144	2.00 .01	2.007.444.
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system							71441		71441	0020	00		00		00
				LINIOAY	110454	12.70	0.50	4.70								
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
			3	UNCIA	USLAA	314.32	232.41	137.34	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -			1							1					
	Facility Termination Per Month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	I]		1]
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				İ		İ
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			CITO IX	00.5.	12.70	0.00									
			1	LINICAY	1L5XX	0.18					I]		1]
	Channel System per month	1	-	UNC1X	ILOXX	0.18					1			1		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		4	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional A Wiss DC4 Digital Level Level in Combination 7			UNCIA	USLAA	02.33	232.41	137.34	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
LX I L	First 4-wire 56 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.008838										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility														-	
	Termination per month		1	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	I]		1]
- 1	Nonrecurring Currently Combined Network Elements Switch -As-			1	1	.02	.0.04	2		3.30	i	i		1		1
	Is Charge		1	UNCDX	UNCCC		5.59	5.59	6.98	6.98	I]		1]
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERR	EEICE :		DINCCC		5.59	5.59	0.98	0.98	-	 		 		-
EXIE		NIEKO				00	100		=0		.			ļ		
	First 4-wire 64 kbps Local Loop in combination - Zone 1	ļ		UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	1			<u> </u>		1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month		1	UNCDX	1L5XX	0.008838					I]		1]
- 	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1		+						1			1		l
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1					
		1	-	OINCDV	סטווט	15.12	40.54	21.41	10.74	0.90	-	 		 		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	Linioni							I]		1]
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98	1]
	NETWORK ELEMENTS															L
When	used as a part of a currently combined facility, the non-recurr	rng cha	rges do	not apply, but a S	Switch As Is c	harge does app	ly.									
	used as ordinarily combined network elements in All States, t															
	curring Currently Combined Network Elements "Switch As Is"															ĺ
1.01110	Nonrecurring Currently Combined Network Elements Switch -As-	.	, 55													
	Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		5.59	5.59	6.98	6.98	I]		1]
		1	-	0140 4V	DINCCC		5.59	5.59	0.98	0.98	-	 		 		-
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l	1		_				I]		1]
																i
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,11201			m			0000			== (+)			perLSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			 					Monro	curring	Monroourrin	g Disconnect	1		000	Rates (\$)		
-							Rec					001450	001111			001111	001111
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		ls Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		01	01	01	OI						
		, ,			U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	l ı		ULDD1,UNC1X	CCOSF		01	01	OI	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,				-								
		Activity - per DS1	l ,		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						
H		reality per bot	<u> </u>		U1TD3, ULDD3,	MICOCO		104.000	20.010	1.000	0.77410	-					
		C hit Bority Ontion - Subanguent Activity - nor DC2			UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S						
 	MID T:	C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS		1	ULO, UNUOX	INRUUS	 	219.130	1.013	0.73000	uo	 	 	 	 		
$\vdash \vdash \vdash$	WULIII		-	<u> </u>	LINIOAY	1101			20.5-			1	1		1		
\vdash		DS1 to DS0 Channel System per month	<u> </u>	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	ļ				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		l	1	Ì				1	I	l	Ì	İ		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1														
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
-		Voice Grade COCI - DS1 to DS0 Channel System - per month	 		UTTUB	UCTCA	2.41	0.36	4.72	0.00	0.00	1					
					UEA	4041/0	0.50	0.50	4.70	0.00	0.00						
		used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
		DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26							
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00	1					
UNRUN	DLED I	OCAL EXCHANGE SWITCHING(PORTS)		1	- · ·	1	.20	3.50	2	5.50	5.50	1	 	†	 		
		ige Ports		1		1	 				 	1	 	†	 		
		Although the Port Rate includes all available features in GA, I	KYIA	& TNI 4	he desired features	will need to b	ne ordered usi	ng retail LISOC	<u> </u>	1	t	 	 	 	 		
		VOICE GRADE LINE PORT RATES (RES)	IXI, LA	L IIV, U	ine addited realures	T HEEU IO I	l	ig retail 0300	Î	1	+	1	 	1	1		
+	L-VVIRE			1	LIEDOD	LIEDDI	1.00	2.20	2.07	1 40	1 22	 	1	ļ	-		
\vdash		Exchange Ports - 2-Wire Analog Line Port- Res.	-	<u> </u>	UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33	1	1		1		
		L	1		l	1	1	_	_		I .	1	I	1	1		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		ļ	UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						
			1		l		Ì				1	I	l	Ì	İ		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u></u>	<u></u>	UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33	<u> </u>		L	L		
		Exchange Ports - 2-Wire VG unbundled AL extended local															-
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33	1					
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)	1		UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33	I	l	Ì	İ		
		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan				1						İ					
		without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33	1					
\vdash		2-Wire voice unbundled Low Usage Line Port without Caller ID	 	 	021 011	JEI WA	1.30	2.30	2.21	1.42	1.55	1	1	1	1		
					LIEDOD	UEPRT	1.38	2.20	2.27	1 40	1 22	1					
\vdash		Capability		1	UEPSR			2.38		1.42	1.33	 	1	ļ	-		
 		Subsequent Activity	1	1	UEPSR	USASC	0.00	0.00	0.00	1	1	1	1	1			
ļ	FEATU		ļ	ļ	LIEBOD		L				ļ	ļ	ļ				
		All Available Vertical Features	<u> </u>		UEPSR	UEPVF	1.98	0.00	0.00		ļ	ļ					
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)	1					1	1]		1		I	I		l.

JNBUNDLE	D NETWORK ELEMENTS - Alabama										-	-	Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	_	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-				
ALLOOKI	NATE ELEMENTO	m	20.10	500	0000			πΑΤΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\overline{}$							Nonre	curring	Nonrecurring	Disconnect			220	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -						FIISL	Auu i	FIISL	Addi	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
-+-	Exchange Ports - 2-Wire VG unbundled Line Port with			OLFOD	OLFBL	1.30	2.30	2.21	1.42	1.33	-					
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	unbundied port with Caller+E+0+ ib - Bus.			OLI OD	OLI DO	1.50	2.30	2.21	1.42	1.55						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
-+-	Exchange Ports - 2-Wire Arialog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local			UEFOD	UEPBU	1.30	2.30	2.21	1.42	1.33	-					
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
-+-	Exhange Ports - 2-Wire VG unbundled incoming only port with	1		UEFOD	UEPAVV	1.30	2.30	2.21	1.42	1.33						
	Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
-+-	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan			UEFOB	UEPBI	1.30	2.30	2.21	1.42	1.33	-					
	without Caller ID			LIEDOD	UEPWB	4.00	0.00	2.27	4.40	4.00						
				UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	HEDDE	4.00	0.00	0.07	4.40	4.00						
	Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU				LIEBOR												
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
EXCHA	ANGE PORT RATES (DID & PBX)				<u> </u>											
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85		0.90						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port	<u> </u>		UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90		<u> </u>	<u> </u>			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00								
EXCH/	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33						
NOTE:	: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	ircuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Cl	nannels assoc	iated with 2	wire ISDN	oorts.			
														s Request Pro	cess.	
NOTE:	: Access to B Channel or D Channel Packet capabilities will be	<u>av</u> ailal	DIE OILLY	tillough bi laten					1							
NOTE:	: Access to B Channel of D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	e availal		ranough Britine					l							
NOTE: UNBUNDLED I EXCH	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES			_												
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to								riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES	DN Port	in this	rate exhibit apply to								riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to					ent or tariff at	BellSouth's d	iscretion.	riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	DN Port	in this	rate exhibit apply to	ndment shall	be provided p	ursuant to a se	parate agreen	ent or tariff at	BellSouth's d	iscretion.	riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port	DN Port	in this	rate exhibit apply to	ndment shall	be provided p	ursuant to a se	parate agreen	ent or tariff at	BellSouth's d	iscretion.	riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	DN Port	in this	rate exhibit apply to the date of this amenue	UEPP2	be provided p 8.05	ursuant to a se 119.31	parate agreen 18.74	59.90 72.59	BellSouth's d 3.76	iscretion.	riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)	DN Port	in this	rate exhibit apply to ve date of this amer UEPEX	UEPDD	8.05 60.09	119.31 202.02	18.74 95.69	59.90 72.59	3.76 2.46	iscretion.	riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	DN Port	in this	rate exhibit apply to ve date of this amenue DEPEX UEPDD UEPTX, UEPSX	UEPPD U1PMA	8.05 60.09 9.79	119.31 202.02 72.77	95.69 52.99	59.90 72.59 47.79	3.76 2.46	iscretion.	riff rates or	a separate ag	reement.		
NOTE: UNBUNDLED I EXCHA The DS Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES SI Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered Exchange Ports - 2-Wire ISDN Port - Channel Profiles	DN Portafter the	in this	rate exhibit apply to ve date of this amerupeex UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	UEPPD U1PMA UEPVF U1UMA	8.05 8.09 9.79 1.98 0.00	202.02 72.77 0.00	95.69 52.99 0.00	59.90 72.59 47.79	3.76 2.46 10.74	iscretion.			reement.		
NOTE: UNBUNDLED I EXCH/ The DS Reque	LOCAL EXCHANGE SWITCHING(PORTS) ANGE PORT RATES S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sets for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004) Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	DN Portafter the	in thise effecti	rate exhibit apply to ve date of this amenuepex UEPDD UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX Will also apply to ci	UEPP2 UEPDD U1PMA UEPVF U1UMA ircuit switche	8.05 60.09 9.79 1.98 0.00 d voice and/or	202.02 72.77 0.00 0.00	95.69 52.99 0.00 ed data transn	72.59 47.79	3.76 2.46 10.74	iscretion.	-wire ISDN p	ports.		cess.	

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
Ì		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						_	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Detai	led E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1											
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						1,001100									
	Locator Capability - Subsequent Profile Changes, Additions,											1		1		
]]	Deletions			UEPEX	UEP1B	0.00	175.14							I	Ì	
New	or Additional PRI Telephone Numbers	 	+	01. LX	521 15	0.00	170.14					 		 	-	
14644	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	 	+		 							 		 	-	
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
-	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			ULFLX	OLFIC	0.0097	0.49				-			-		
	Locator Capability - Outdial Telephone Numbers, per number in															
				UEPEX	UEP1D	0.0007	11.51									
	E911 profile [New or Additional]	1	-	UEPEX	UEPID	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or			LIEDDY	LIEDAE	0.00	0.040									
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOCA	AL NUMBER PORTABILITY			HEREY HERRY	LUBOU											
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			LIEBEV	00701											
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
L	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel			LIEBEV	DD#D\/											
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
 	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BS	0.00	14.53		ļ	ļ		ļ			ļ	
igwdow	New or Additional Useage Sensitive Digital Data "B" Channel	1	ļ	UEPEX	PR7BU	0.00	14.53							.	ļ	
	New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	14.53									
CALL	TYPES	1	1	uenev ··	2220				ļ							
	Inward	1	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
igwdow	Outward	1	ļ	UEPEX	PR7CO	0.00	0.00	0.00						.	ļ	
<u> </u>	Two-way		<u> </u>	UEPEX	PR7CC	0.00	0.00	0.00		ļ	1			ļ	ļ	
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY		ļ		ļ									.	ļ	
UNBU	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	<u> </u>	<u> </u>							ļ	1			ļ	ļ	
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<u> </u>	UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33				1		
]]														I	Ì	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res		1	UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33		ļ				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
Non-	Recurring															
I I -	Unbundled Remote Call Forwarding Service - Conversion -											<u> </u>		_	<u> </u>	
	Switch-as-is		<u>L</u>	UEPVR	USAC2		0.10	0.10		L						
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)	<u> </u>	<u>L</u>	UEPVR	USACC		0.10	0.10		L			<u></u>	<u></u>	L	<u></u>
UNBU	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33				1		
		1							1							
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33						

UNBUNDLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
Ī	****										Svc Order	Svc Order		Incremental	Incremental	
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-			Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33						
L	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
Non-Rec																
	Unbundled Remote Call Forwarding Service - Conversion -		1													
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with		1	OLF VB	USACZ		0.10	0.10			1					
				LIED//D	USACC		0.10	0.10								
	allowed change (PIC and LPIC)		1	UEPVB	USACC		0.10	0.10								
	OCAL SWITCHING, PORT USAGE		1													
	ice Switching (Port Usage)		1													
	End Office Switching Function, Per MOU		1		1	0.0007025					Į]			
	End Office Trunk Port - Shared, Per MOU					0.0001638										
	Switching (Port Usage) (Local or Access Tandem)															
T	Tandem Switching Function Per MOU					0.000095										
T	Tandem Trunk Port - Shared, Per MOU					0.0002015										
T	Tandem Switching Function Per MOU (Melded)					0.000040993										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
	Melded Factor: 43.15% of the Tandem Rate		1													
	n Transport		1													
			+			0.0000023					1					
1 1						0.0000023										
	Common Transport - Per Mile, Per MOU	-	1	1		0.0000004										
C	Common Transport - Facilities Termination Per MOU					0.0003224										
UNBUNDLED PO	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES							L D. d								
UNBUNDLED PO Cost Bas	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar					dled Local Swi										
UNBUNDLED PO Cost Bas Features	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same	manner as th	dled Local Swi	to the Stand-A	lone Unbundle								
UNBUNDLED PO Cost Bas Features End Office	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us	t Based sage rat	d Rate stes in the	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PO Cost Bas Features End Offic The first	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr	t Based sage rat	d Rate stes in the	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first 2-WIRE \	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	t Based sage rat	d Rate stes in the	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first 2-WIRE \	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Ust and additional Port nonrecurring charges apply to Not Curr	t Based sage rat	d Rate stes in the	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PO Cost Bas Features End Offic The first 2-WIRE \ UNE Por	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	t Based sage rat	d Rate stes in the	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PO Cost Bas Features End Offic The first 2-WIRE V	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates	t Based sage rat	d Rate stes in the	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to ned Combos ti	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first 2-WIRE V UNE Por	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	d Rate stes in the ombine	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED FOR Cost Bas Features End Offit The first 2-WIRE \ UNE Por	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	t Based sage rat	d Rate stes in the ombine 1 2	section in the same he Port section of th	manner as th	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first UNE Por UNE Por 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 2 UNE POR 4 UNE POR	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates	t Based sage rat	d Rate stes in the ombine 1 2	section in the same he Port section of the ed Combos. For Cur	manner as th	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first 2-WIRE OF UNE PO 2 2 UNE LOO 2 UNE LOO 2	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar se shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of the ed Combos. For Cur	manner as this rate exhibit rently Comb	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED FOOD Cost Bas Features End Offic The first 2-WIRE V UNE Por 2 2 2 UNE Loo UNE Loo	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same he Port section of the ed Combos. For Cur UEPRX UEPRX	manner as this rate exhibits rate exhibits rently Combination of the c	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first 2-WIRE \ UNE Por 2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of the ed Combos. For Cur	manner as this rate exhibit rently Comb	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network ele	nents except	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first UNE Por 2 UNE Por 2 UNE Lo UNE Lo 2 UNE Lo 2 2 2 2-Wire V	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same he Port section of the ed Combos. For Cur UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibit rently Combination of the combination of t	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/po g charges sha	rt network elei	nents except tified in the N	for UNE Coi					
UNBUNDLED FOOD Cost Bas Features End Offic The first 2-WIRE V UNE Por 2 UNE LO UNE LO UNE LO 2 2 2 2 2-Wire V 2 2-Wire V	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	Section in the same he Port section of the ed Combos. For Cur	manner as this rate exhibited in the combination of	died Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/po g charges sha	rt network elei II be those ide	nents except tiffied in the N	for UNE Coi					
UNBUNDLED FOR Cost Bas Features End Offit The first 2-WIRE \\ UNE POR UNE LOO UNE LOO 2 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2 2-Wire \\ 2	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibiterently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	11.55 20.04 33.65 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/po g charges sha	rt network elei II be those ide	nents except tiffied in the N	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first UNE Por 2 UNE Por 2 UNE Loc 2 2 UNE Loc 2 2 2 2 2-Wire V	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	Section in the same he Port section of the ed Combos. For Cur	manner as this rate exhibited in the combination of	died Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/po g charges sha	rt network elei II be those ide	nents except tiffied in the N	for UNE Coi					
UNBUNDLED / COST Bas Features End Offic The first 2-WIRE \(\) UNE Por 2 UNE Loc 2 2 2-Wire \(\) 2 2-Wire \(\) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //orice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	th network elei ii be those ide be those ide 24.91 24.91 24.91	ents except tiffied in the N	for UNE Coi					
UNBUNDLED FOR COST BASE Features End Office The first 2-WIRE V UNE POR POR POR POR POR POR POR POR POR POR	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibiterently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	11.55 20.04 33.65 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19	lone Unbundle ons of loop/po g charges sha	rt network elei II be those ide	nents except tiffied in the N	for UNE Coi					
UNBUNDLED FOR COST BASE Features End Office The first 2-WIRE V UNE POR POR POR POR POR POR POR POR POR POR	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //orice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	th network elei ii be those ide be those ide 24.91 24.91 24.91	ents except tiffied in the N	for UNE Coi					
UNBUNDLED COST BAS Features End Offic The first 2-WIRE V UNE POT 2 2 2 2 2 2-Wire V 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	to the Stand-A all combination in nonrecurring 40.19 40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	th network elei ii be those ide be those ide 24.91 24.91 24.91	ents except tiffied in the N	for UNE Coi					
UNBUNDLED / COST Bas Features End Offic The first 2-WIRE \(\) UNE Por 2 2 2 2 2-Wire \(\) 2 2-Wire \(\) 2 2 2 4 6 6 6 7 7 8 7 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //orice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port dutgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Wanner as this rate exhibited is rate exhibited in the combination of	11.55 1.15 1.15	40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	24.91 24.91	6.63 6.63	for UNE Coi					
UNBUNDLED FOOD Cost Bas Features End Offic The first 2-WIRE V UNE Por 2 2 2 2 2-Wire V 2 2-Wire V 2 2 2-Wire V 2 2 2 2-Wire V 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	died Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63	for UNE Coi					
UNBUNDLED FOR Cost Bas Features End Offic The first 2-WIRE \(\) UNE Por UNE Loo 2 2 2-Wire \(\) 2 2-Wire \(\) 2 2 2-Wire \(\) 2 2 4 2 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Wanner as this rate exhibited is rate exhibited in the combination of	11.55 1.15 1.15	40.19 40.19	lone Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	24.91 24.91	6.63 6.63	for UNE Coi					
UNBUNDLED COST BASE Features End Office The first 2-WIRE V UNE Por 2 UNE Loo 2 2 2-Wire V 2 2 2 4 6 6 6 7 8 8 9 9 9 9 9 9 9 9 9 9 9	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /orice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Rabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Rabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	Idled Local Swi ey are applied tt shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED FOR COST BASE Features End Office The first 2-WIRE V UNE Por L 2 L 2 L 2 L 2 L 2 L 2 L 2 L 2 L 2 L	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	died Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63	for UNE Coi					
UNBUNDLED FEATURE COST BAS Features End Offic The first 2-WIRE \(\) UNE Por UNE Loo 2 2-Wire \(\) 2-Wire \(\) 2 2-Wire \(\) 2 2-Wire \(\) 2 2-Wire \(\) 2 2 4 2 4 6 6 6 6 6 6 6 6 6 6 6 6	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Roth usage line port with Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED COST BASS Features End Offic The first 2-WIRE V UNE POR UNE LOC 2 2 2 2 2 2-Wire V 2 2 2 2 4 2 4 4 6 6 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	Idled Local Swi ey are applied tt shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED COST BASE Features End Office The first 2-WIRE V UNE Por 2 2 2 2 2 2-Wire V 2 2 2 2 2 4 2 4 2 6 6 6 6 7 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID Capability XES All Features Offered NUMBER PORTABILITY	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED FEATURE COST BAS Features End Offic The first 2-WIRE \(\) UNE Por 2 UNE Loo 2 2-Wire \(\) 2-Wire \(\) 2 2-Wire \(\) 2 2 4 2 4 2 5 6 7 7 7 7 7 7 7 7 7 7 7 7	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED COST BASS Features End Office The first 2-WIRE V UNE POR UNE LOO 2 2 2 2-Wire V 2 2 2-Wire V 2 2 4 2 2 4 2 4 4 4 4 4 4 4 4 4 4 4 4	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port utgoing only - res 2-Wire voice unbundled port usage line port with Caller ID parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID Capability KES All Features Offered NUMBER PORTABILITY Local Number PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED PC COST Bas Features End Offic The first 2-WIRE V UNE Por 2 2 2 2 2 2-Wire V 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability XES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED F COST BAS Features End Office The first 2-WIRE V UNE Por 2 2 2 2 2-Wire V 2 2 2-Wire V 2 2 2 2-Wire V 5 2 2 2 4 2 2 4 2 2 4 2 4 4 4 4 4 4 4 4	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wirk - voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED F COST BASE Features End Office The first 2-WIRE V UNE POR 2 2 2-WIRE V 2 2 2-Wire V 2 2 2-Wire V 2 2 2-Wire V 4 2 2 2 4 2 2 4 2 4 4 4 4 4 4 4 4 4 4	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPC UEPRO UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					
UNBUNDLED PC Cost Bas Features End Offic The first 2-WIRE \\ UNE POP UNE Loo 2 2 2-Wire \\ 3-Wire \\ 4-Wir	Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES sed Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us t and additional Port nonrecurring charges apply to Not Curr VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wirk - voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA UEPVF	Idled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 	40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63	for UNE Coi					

UNBU	NDLE	D NETWORK ELEMENTS - Alabama						_						Attach	ment: 2	Exhi	ibit: A
		**** **										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OA!LO		NATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1		+		Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)		
				1		+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2 Wire Voice Crade Lean/Line Bort Combination - Subsequent				+		riist	Auu i	FIISL	Auu i	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>	UEPRA	U3A32	0.00	0.00	0.00								
					UEPRX	URETL		8.33	0.83								
	055/01	Premise		-	UEPRX	UREIL		8.33	0.83								
-	OFF/OR	N PREMISES EXTENSION CHANNELS		_	LIEDDY	LIEAENI	10.50	07.04	47.50	00.40	5.00						
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						ļ
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
	INTER	OFFICE TRANSPORT															
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	1					_						
		Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	UNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										1
	2-Wire	Voice Grade Line Port (Bus)															1
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						1
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Unbundled Alabama Business Dialing Plan without			02. 5%	02. 5.	0	10.10	10.00	2	0.00						
		Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
		2-Wire voice unbundled Incoming Only Port without Caller ID			02. 5%	02. 112	0	10.10	10.00	2	0.00						
		Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
	LOCAL	NUMBER PORTABILITY			OLI DX	OLI DL	1.10	40.13	19.00	24.31	0.03						
	LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU		-	 	OLI DA	2111 0/	0.55								 		
—		All Features Offered	-	 	UEPBX	UEPVF	1.98	0.00	0.00						 		
	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		 	OLI DA	OLF VI	1.90	0.00	0.00			1			1		
-	HONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 		+						1			1		
	l	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	-	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	OLFDA	USAUZ		0.10	0.10						 		
					LIEDDY	110400		0.40	0.40								
-	ADDIT	Switch with change		-	UEPBX	USACC		0.10	0.10								
	ADDLL	ONAL NRCs		1		+							ļ		1		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400		0.00	0.00								
	<u> </u>	Activity		<u> </u>	UEPBX	USAS2		0.00	0.00			ļ	ļ		ļ		
ı	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l	1								I	1		Ì		
		Premise			UEPBX	URETL		8.33	0.83								
L	OFF/O	PREMISES EXTENSION CHANNELS		<u> </u>		 						ļ					
	ļ	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATE	SODV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																	<u> </u>
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
	0.12.	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.70										
	+	2-Wire VG Loop/Port Combo - Zone 2	 	2		+	21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
			1	3			34.00										
	UNE LO	pop Rates		<u> </u>													
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	11.55			1	1		ļ		1		├
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65						<u> </u>				
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															1
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU		1														
		All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI KO	OLI VI	1.30	0.00	0.00								
-	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		-													
					LIEDDO	110400		7.04	4.00								
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS			OL: NO	ONLINE		0.00	0.00								
	011701	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
						P2JHX											
—	+	Local Channel Voice grade, per termination	 	3	UEPRG		22.85	88.00	55.00	47.24	7.44		-		 		
	1	Local Channel Voice grade, per termination	-	_	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44	1	 		1	1	
	1	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
.	1	Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40						
<u> </u>	1	Non-Wire Direct Serve Channel Voice Grade	<u> </u>	3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40		ļ		ļ		1
	INTER	OFFICE TRANSPORT											<u> </u>				
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		1 -					1	1]			1	1
		Termination			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90		l				1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	1	or Fraction Mile	1	1	UEPRG	U1TVM	0.008838	0.00	0.00	Ì		1	1		I	Ì	1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											i				
		ort/Loop Combination Rates		1						1		1	1		1	1	
-	J.1.	2-Wire VG Loop/Port Combo - Zone 1	1	1			12.70										<u> </u>
 	1	2-Wire VG Loop/Port Combo - Zone 2	 	2		1	21.19			1	1	1	l		1	1	
-	1	2-Wire VG Loop/Port Combo - Zone 3	 	3		+	34.80			1	1		1		 	 	
 	LIME		 	3		+	34.00						-		 		
-	UNE LO	pop Rates	1	-	LIEDDY	LIEDLY	44 ==								1		
<u> </u>	 	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPPX	UEPLX	11.55										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEPPX	UEPLX	20.04			ļ			ļ		ļ		1
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	1			1		1					1		1	-			1
l	1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20	I]		1	1	1
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20						
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20	İ				İ	

UNRU	NDI FI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
314801	1066	HEI HORR ELLINERTO - Alaballia										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAILO	JIK 1	KATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)	l	
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
-		2-Wire Voice Unbundled 2-Way Combination PBX Alabama						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20				-		
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20				-		
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20				-		
-		2-Wire Voice Unbundled PBX LD DDD Terminal Poter Ports			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20				-		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		UEFFA	UEFAD	1.15	09.06	32.41	37.43	6.20						
		Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFFX	ULFAL	1.13	09.00	32.41	37.43	0.20						
		Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20						
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		ULFFA	UEFAL	1.15	09.08	32.41	31.43	6.20		-		-	-	
		Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20						
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	-	ULFFA	UEFAIVI	1.15	80.69	32.41	31.43	6.20				 		
					HEDDY	LIEDVO	4.45	00.00	00.44	07.40	0.00						
\vdash		Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		-		1		
⊢		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 		UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20	ļ	ļ		 	-	
<u> </u>		NUMBER PORTABILITY			LIEDDY	LNDOD	0.45	0.00	0.00								
<u> </u>		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
<u> </u>	FEATU				LIEBBY .												
L .		All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
!	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
	ADDIII	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/ON	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination	ļ	2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
\vdash		Local Channel Voice grade, per termination	ļ	3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Non-Wire Direct Serve Channel Voice Grade	ļ		UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40				.		
		Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40				.		
igwdow		Non-Wire Direct Serve Channel Voice Grade	ļ	3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40				.		
\vdash	INTERC	OFFICE TRANSPORT				1											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1									1	1		I		
		Termination	ļ		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90				.		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1									1	1		I		
		or Fraction Mile	<u> </u>		UEPPX	U1TVM	0.008838	0.00	0.00	ļ					.		
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T			ļ				ļ					.		
	UNE Po	ort/Loop Combination Rates	ļ			ļ				ļ					.		
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70			ļ					.		
		2-Wire VG Coin Port/Loop Combo – Zone 2	ļ	2		ļ	21.19			ļ					.		
igwdow		2-Wire VG Coin Port/Loop Combo – Zone 3	ļ	3		ļ	34.80			ļ					.		
\sqcup		pop Rates	ļ			<u> </u>				ļ					.		
		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPCO	UEPLX	20.04								ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPCO	UEPLX	33.65								ļ		
	2-Wire	Voice Grade Line Ports (COIN)								ļ					.		
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63				ļ		
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1			1						1	1		I		
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		l		l .		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.120			1			1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OA.LO	O	NATE ELEMENTO	m	20110	500	0000			παι 20 (φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonred	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking				+		11100	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						ł '
		2-Wire Coin 2-Way with Operator Screening & Blocking:			OLI CO	OLITE	1.10	70.10	10.00	24.01	0.00						
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI CO	OLI OD	1.10	70.10	10.00	24.01	0.00						
		(AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						í
		2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLI KK	1.15	40.13	13.03	24.51	0.03						
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI CO	OLI IXII	1.10	70.10	10.00	24.01	0.00						
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						ł
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin Outward Smartline with 900/976 (all states except			OLI CO	OLI OK	1.15	40.13	13.03	24.51	0.03						
		LA)	l	1	UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		1		Ì		1
	ADDIT	ONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFCK	1.13	40.19	19.00	24.51	0.03	1					
\vdash	ADDI 1	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	1.56	0.00	0.00	0.00	0.00	 	-		1		1
	LOCAL	. NUMBER PORTABILITY			UEFCU	UKECU	1.30	0.00	0.00	0.00	0.00	-					
	LUCAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					1					
-	NONDE	ECURRING CHARGES - CURRENTLY COMBINED			UEFCU	LINECX	0.33										
-	NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-											
		Switch-as-is			UEPCO	USAC2		0.10	0.10								ł
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCU	USAC2		0.10	0.10								
		Switch with change			UEPCO	USACC		0.10	0.10								ł
	ADDIT	ONAL NRCs			UEFCU	USACC		0.10	0.10								
	ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				-											
		Activity			UEPCO	USAS2		0.00	0.00								í
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USA52		0.00	0.00								
		Premise			UEPCO	URETL		8.33	0.83								í
-	2 WIDE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INE	ODT (UKEIL		0.33	0.03								
		ort/Loop Combination Rates	LINE	OKT (NLO)	+						-					
	ONL F	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.76					-					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	24.23					-					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
	LINE L	pop Rates		3		+	31.32					-					
	ONL L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38					-					
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85					-					
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14					-					
	2 14/:20	Voice Grade Line Port Rates (Res)		3	UEFFK	UECFZ	30.14					-					
\vdash	Z-44116	2-Wire voice unbundled port - residence	-	 	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77				 		
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77	-					
\vdash		2-Wire voice unbundled port outgoing only - res	1	1	UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77	1					
\vdash		2-Wire voice Grade unbundled Alabama extended local dialing	1	1	ULFFR	UEPRU	1.38	90.38	51.21	40.00	0.77	1					
		parity port with Caller ID - res	l	1	UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		1		Ì		1
\vdash		2-Wire voice unbundles res, low usage line port with Caller ID	-	 	OLFIN	OLFAR	1.38	90.38	51.21	40.00	0.77				 		
		(LUM)	l	1	UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		1		Ì		1
\vdash		2-Wire Voice Unbundled Alabama Residence Dialing Plan	-	 	OLFIN	ULFAF	1.38	90.38	51.21	40.00	0.77				 		
		without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						ł
\vdash	INTER	OFFICE TRANSPORT	1	1	OLFIN	OLF WA	1.38	90.38	51.21	40.00	0.77	 	-		1		1
\vdash	v. ER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	 		1	-								 		
		Termination	l		UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						1
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	OLITIK	31172	21.13	40.54	21.41	10.74	0.90	+	1		 		
		or Fraction Mile	l	1	UEPFR	1L5XX	0.008838						1		Ì		1
\vdash	FEATU		1	1	OLFIN	ILUAA	0.000038			1		 			1		1
\vdash	LAIU	All Features Offered	-	 	UEPFR	UEPVF	1.98	0.00	0.00						 		
\vdash	I OC A	NUMBER PORTABILITY	-	 	OLFIN	OLF VF	1.98	0.00	0.00						 		
\vdash	LOCAL	Local Number Portability (1 per port)	-	 	UEPFR	LNPCX	0.35								 		
\vdash	NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	 	OLPFR	LINECX	0.35								 		
\vdash	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	 		1	-								 		
		Combination - Conversion - Switch-as-is	l		UEPFR	USAC2		8.48	1.87								1
		Combination - Conversion - Switch-as-is	<u> </u>	<u> </u>	ULFFR	USAUZ	l	0.48	1.87	l	l	1	l				

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
																Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)	l .	<u> </u>
 						Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITIK	OOACC		0.40	1.07								
	End User Premise			UEPFR	URETN		11.21	1.10								
2-WID	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	OPT (ORLIN		11.21	1.10								+
	ort/Loop Combination Rates	I	- OKT (1												
ONLF	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			24.23					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52					1					1
LINE	pop Rates		3			37.32					1					1
UNEL	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	14.38					1	-	1	 	1	1
-	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFB	UECF2	22.85					1	-	1	 	1	1
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 		UEPFB	UECF2	36.14					-		-		-	
2-14/:	Voice Grade Line Port (Bus)	 	J	OLPED	UEUFZ	30.14							-	-	-	
z-wire	2-Wire voice unbundled port without Caller ID - bus	1	 	UEPFB	UEPBL	1.00	90.38	57.27	40.00	0 77	-	 		-		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPFB UEPFB	UEPBC	1.38	90.38		48.66	8.77 8.77	1			 		
			-	UEPFB	UEPBO	1.38		57.27	48.66							
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBU	1.38	90.38	57.27	48.66	8.77						ļ
	2-Wire voice Grade unbundled Alabama extended local dialing			LIEDED	LIEDAW.	4.00	00.00	F7 07	40.00	0.77						
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						ļ
	2-Wire Voice Unbundled Alabama Business Dialing Plan without			LIEDED	LIEDWD	4.00	00.00	F7.07	40.00	0.77						
1.004	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOCAL	NUMBER PORTABILITY			LIEDED	LNDOV	0.05										
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	04.40	40.54	07.44	40.74	0.00						
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	1L5XX	0.000000										
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FEATU				HEDED	LIEDVE	4.00	0.00	0.00								
NONE	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEPVF	1.98	0.00	0.00								ļ
NONK																
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.40	4.07								
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		44.04	1.10								
O WID	End Oser Premise E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ODT /		UREIN		11.21	1.10								ļ
		LINE	ORI (PBA)												
UNE P	ort/Loop Combination Rates		4			45.70					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
I I I I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE L	oop Rates	1	-	LIEDED	LIEGES	1100					1	-	-	 	-	
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	14.38					1	-	-	 	-	
	2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFP UEPFP	UECF2 UECF2	22.85					1			 		
0.14/	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	36.14					1	-	-	 	-	
∠-wire	Voice Grade Line Port Rates (BUS - PBX)	!	-	 	-						1	1	-	1	-	<u> </u>
	Line Side Unbundled Combination C. Way DDV Tavali Day	1		UEPFP	LIEDDO	4.00	119.27	00.05	04.40	0.04				I		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	 		UEPFP	UEPPC UEPPO	1.38 1.38	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34	1			 		
		1	 	UEPFP	UEPPO UEPP1						-	 		-		
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama	1		UEPFP	UEPPI	1.38	119.27	69.85	61.18	8.34	1	-	-	 	-	
	Calling Port	1		UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34				I		
		1	 	UEPFP	UEPLD						-	 		-		
	2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPFP	UEPLD	1.38	119.27	69.85 69.85	61.18	8.34 8.34	1			 		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 				1.38	119.27		61.18					 		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	!		UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34	1			1		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	!		UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34			1	-	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34	1			1		<u> </u>

UNRU	NDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
ONDO	NULL	NETWORK ELLMENTS - Alabama				1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	Disc Add I
							Rec	Nonred			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				l											ļ '
		Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						l
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEFFF	UEPAIVI	1.30	119.27	09.00	01.10	0.34	1					-
		Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34	1					
	LOCAL	NUMBER PORTABILITY			OLITT	OLI AO	1.00	110.21	00.00	01.10	0.04						
	LOOKE	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTER	OFFICE TRANSPORT					0.10		0.00								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.008838										
	FEATU																
		All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
LINIDLIN	DI ED I	End User Premise PORT/LOOP COMBINATIONS - COST BASED RATES			UEPFP	URETN		11.21	1.10	-		1					
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT			-											-
		ort/Loop Combination Rates	PORT							-			-		-		
	OI4L I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	22.40			†		1					
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.88										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44.17										
	UNE L	pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										
	UNE P	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -								1					1		1
		Switch-as-is			UEPPX	USAC1		7.31	1.87			ļ					
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			HEDDY]	7.0.	4	I					I		1
<u> </u>	ADD:-	with BellSouth Allowable Changes			UEPPX	USA1C		7.31	1.87	.		<u> </u>		ļ	-	ļ	
<u> </u>	AUUIII	ONAL NRCs		1	UEPPX	USAS1		26.78	26.78	 		1			1		
<u> </u>	-	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	 	ULFFA	USASI	 	∠0.78	∠0.78	 		 					
		End User Premise			UEPPX	URETN]	11.21	1.10	I					I		1
-	Telenh	one Number/Trunk Group Establisment Charges		1	OLI FA	OKLIN		11.21	1.10	 		 			 		
-	, ciebii	DID Trunk Termination (One Per Port)	-		UEPPX	NDT	0.00	0.00	0.00	t		 			t		
—		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	<u> </u>					<u> </u>		†
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00	1					1		
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00	1				İ	1	İ	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY					<u> </u>										
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT													
	UNE P	ort/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1												_		1 7
		UNE Zone 1		1	UEPPB UEPPF	₹	27.28			I					I.		

UNBUN	IDLE	NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit: A
		****											Svc Order	Svc Order	Incremental		Incremental	
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			١										Elec		Manual Svc	Manual Svc		
CATEGO	RY	RATE ELEMENTS	Interi	Zone	E	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m		_								per LSK	per LSK				
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							1	1	Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates (\$)		ــــــــــــــــــــــــــــــــــــــ
							1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -								71441		71441						
		UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		 -	02 5	<u> </u>		01.00										
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
	INF Lo	op Rates			02	02	1	00.01					1					1
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LISL 2X	19.03					1					
		2 Wile lobit bigital Glade Loop City Zone 1		<u> </u>	OLITE	OLITIK	OOLEX	10.00					1					1
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		45.60										
- 1		ort Rate		-	OLITE	OLITIK	COLEX	40.00										
- 10		Exchange Port - 2-Wire ISDN Line Side Port		1	UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28				 		
N.		CURRING CHARGES - CURRENTLY COMBINED		1	OLI F D	OLITER	OLI I D	0.24	190.01	132.10	100.07	21.20				 		
l IN	OHIVE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1	1		1	+					 			1		1
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02								
	ידוחח	ONAL NRCs		1	SEIFB	OLITER	JUAUD	0.00	30.31	21.02			 			1		1
-	וווטטו	Unbundled Miscellaneous Rate Element, Tag Designed Loop at					-	+					-					-
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10				1		Ì		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPB	UEFFR	UKETIN		11.21	1.10								
					LIEDDD	UEPPR	URETL		0.00	0.00								
-	2041	Premise Premis			UEPPB	UEPPR	UKEIL		8.33	0.83								
		NUMBER PORTABILITY			LIEDDD	LIEDDD	LNDOV	0.05	0.00	0.00								
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	S-CHAP	NNEL USER PROFILE ACCESS:			LIEDDD	LIEDDD	1141104	0.00	0.00	0.00								ļ
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								ļ
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								ļ
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								ļ
E		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	(IN)														ļ
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
U		ERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
V		AL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								
II.	NIERC	OFFICE CHANNEL MILEAGE																<u> </u>
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
	1000-1	Interoffice Channel mileage each, additional mile		<u> </u>	UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00						ļ		
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK				E =	<u> </u>								L	L		<u></u>
		E-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-wire I	SUN DS1	וטוgital Tru	nk Port in th	is rate exhibit a	pply to the em	pedded base i	n place as of 1	0/2/03 until 4/1	1/U4. After 4	/1/04 these	rates shall re	vert to tariff ra	ites or a sepa	rate
	greem																	т
		ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effe	ctive date o	this amend	ment shall be p	rovided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.		ļ		
u		ort/Loop Combination Rates		ļ														
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			l====									1		Ì		
		Zone 1		1	UEPPP			166.87										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE												1		İ		
		Zone 2		2	UEPPP		1	238.50										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE												1		Ì		
		Zone 3		3	UEPPP			398.85										
u		op Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	314.52										
U	JNE Po	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77						
N	IONRE	CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port						İ										
1			1	1	UEPPP		USACP	0.00	119.07	78.56		l	1	ı		1		1
		Combination - Conversion -Switch-as-is (E:4/1/2004)			ULFFF		OOAOI	0.00	119.07	70.50								

NBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge -
													1st	Add'l	Disc 1st	Disc Add'
1						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
LOCA	L NUMBER PORTABILITY			UEPPP	PR/ZI		23.02									
LOUA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			02	2.1. 0.1											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New c	r Additional "B" Channel		<u> </u>	LIEDDD	DD3D1	0.00	44 =		1		ļ					
	New or Additional - Voice/Data B Channel		-	UEPPP UEPPP	PR7BV PR7BF	0.00	14.53 14.53	 		-			1			
	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel		-	UEPPP UEPPP	PR7BD	0.00	14.53 14.53	 	1	-	 			1	-	
CALL	TYPES			OLFFF	FRIDD	0.00	14.55									
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
4 14/10	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	1LN1B	0.18										
	NE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wiro F	DITS Trunk Bort in	this rate oxhi	ibit apply to the	o omboddod b	aco in placo ac	of 10/2/02 unti	//1/04 After	4/1/04 those	ratoe chall	rovert to tarif	f rates or a se	narato agroo	mont
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe	ective d	late of	this amendment sh	all be provide	ed nursuant to	a separate agr	eement or tarif	f at BellSouth's	s discretion.	4/1/04 111050	rates silali	l revert to tarr	l lates of a se	parate agree	lient.
	Port/Loop Combination Rates		1			l parodant to	l copulate ag.	1					İ			
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		142.64										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		214.26										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		1	UEPDC UEPDC	USLDC	82.55 154.18										
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	314.52										
UNF F	Port Rate		3	OLFDC	USLDC	314.32		1					1			
OIIL I	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
NONR	ECURRING CHARGES - CURRENTLY COMBINED					00.00										
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.49	67.02								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	USAWB		400.40	67.00								
ADDIT	- Conversion with Change - Trunk (E:4/1/2004)		<u> </u>	UEPDC	USAWB		129.49	67.02								
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+			1					1			
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.48	14.48								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48					1			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				l											
	Activation Per Chan - Inward Trunk with DID		ļ	UEPDC	UDTTD		14.48	14.48	ļ	ļ	<u> </u>			ļ		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.48	14.48								
RIP∩I	ACTIVATION / Chan - 2-Way DID w Oser Trans			OLFDO	ODITE	1	14.48	14.48	1	1	 					
Dii OL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s					—			
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges			LIEBBO	LIBTOY											
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00				-					
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00	0.00									
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	tted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital														
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.18	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00					1		1	1
	Interoffice Channel Mileage - Additional rate per mile - 9-25				1LNOB			0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC		0.18	0.00									
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	4 !														
Each S	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti System can have up to 24 combinations of rates depending on	tuno ar	d num	har of parts used							1					
The UN	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C	hannel	ization	with Port in this rat	e exhibit ann	ly to the embe	dded base in i	place as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement.	
	sts for 4-Wire DS1 Loop with Channelization with Port after the											I		l coparate	l ag. comona	
UNE D	S1 Loop							Ī								
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE DS	SO Channelization Capacities (D4 Channel Bank Configuration	ıs)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00					ļ	ļ	ļ	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00					 	ļ	 	
	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM14 VUM19	608.40 811.20	0.00	0.00					 		 	
	240 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG	VUM2O	1,014.00	0.00	0.00	-				-	1	-	-
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,014.00	0.00	0.00	1				1	1	1	
	384 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM4O	2,028.00	0.00	0.00			1		1	1	1	
l	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00	Ì				1		1	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	<u>Chan</u> r			sion Charge	Based on a Sy	stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															
Multipl	les of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system con	figuration is	counted.		_	_							
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36								
	n Additions at End User Locations Where 4-Wire DS1 Loop wit				ination Curre	ntly Exists and	ı									
New (N	lot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65						
Bipolar	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -															

LINBUNDU	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit. A
UNBUNDLI	I NETWORK ELEMENTS - Alabama		ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi	-	BCS				DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Alterr	nate Mark Inversion (AMI)															<u></u>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								l
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								i
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													í
Excha	ange Ports															í
	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						ł
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						í
	Line Side Inward Only Channelized PBX Trunk Port without DID			OL: 17	02.07	0	0.00	0.00	0.00	0.00						
	(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						i
-	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEFFA	UEPIX	1.15	0.00	0.00	0.00	0.00						
				LIEDDY	LIEDDM	0.05	0.00	0.00	0.00	0.00						í
	(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															í
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															í
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										<u> </u>
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															ł
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															ł
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										ł
	2-Wire Channelized PBX Area Calling Service Combination Port															1
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								ł
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								ł
Featu	re Activations - Unbundled Loop Concentration			OLITA	OLI 710	1.10	0.00	0.00								
1 Gatu	Feature (Service) Activation for each Line Port Terminated in D4				+									-		
	Bank			UEPPX	1PQWM	0.56	54.55									ł
				UEPPX	IPQWW	0.56	54.55									
	Feature (Service) Activation for each Trunk Port Terminated in															í
L	D4 Bank			UEPPX	1PQWU	0.56	77.03									
I elep	hone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								ı
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								ı
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								i
FEAT	URES - Vertical and Optional															1
	Switching Features Offered with Line Side Ports Only					i i						l				1
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00	İ		1	İ		1		
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	Š			1	1			1							i
	st Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports	<u> </u>		1	1		1		(
	atures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Pate	Exhibit			1		ſ
	d Office and Tandem Switching Usage and Common Transport											oin Port/I o	on Combinat	ione		
	e first and additional Port nonrecurring charges apply to Not Ci														Additional NB	Ce may
		urrennly	Combi	mea Combos. For	Currently CO	mismed Combo	o, ale nomect	ming charges	andii be iii05e	identined III t	ne Nomecu	iiiig - curre	and Combin	eu sections. /	additional NR	OS IIIay
	also and are categorized accordingly.		41-7-		D'-	4!I formally				1		1	1			
	arket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an individual C	ase Basis, un	tii turtner notice	э.		1		1			1		
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		 		 											
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•	1		1							1				1
L	Non-Design	<u></u>	1	UEP91	1	12.70			<u> </u>		<u> </u>	<u> </u>		<u> </u>		i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		2	UEP91		21.19			1			l				ł
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											i				
	Non-Design		3	UEP91	1	34.80			I		1	1				1
LINE	Port/Loop Combination Rates (Design)		Ť		+	04.00			t		1			1		$\overline{}$
- CAL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>		+	1			 		 	 		1		
	Design		1	UEP91	1	15.53			I		1	1				1
	pesign	L		טבראו	1	15.53			1		1	l		1		

UNBUND	LED NETWORK ELEMENTS - Alabama										-	-	Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK	THATE ELEMENTO	m	20.10	500	0000			πΑΙ ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	088	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire VC Lean/2 Wire Voice Crade Bort (Centrey) Bort Comba						riist	Add I	LIISI	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2	LIEDOA		24.00										
	Design		2	UEP91		24.00										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Design		3	UEP91		37.29										
UNE	E Loop Rate															L
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										
UNE	E Ports															
	States (Except North Carolina and Sout Carolina)															
7	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 31	OLITA	1.15	40.13	13.03	24.31	0.03						
				UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
-	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	0.03						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic							40.00								
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						L
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t														
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
ΔI	, KY, LA, MS, & TN Only		1	OLI 01	OLI 12	1.10	40.10	10.00	24.01	0.00						
AL,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
-																
-	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						Ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						L
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t		UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Loc	cal Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488								İ		
Loc	cal Number Portability										İ	l				
	Local Number Portability (1 per port)	1	i –	UEP91	LNPCC	0.35					İ	İ		İ	İ	
Fea	atures	1	1			0.00					1	1		1		
1 50	All Standard Features Offered, per port	 	!	UEP91	UEPVF	1.98					 			 		
	All Select Features Offered, per port	1	 	UEP91	UEPVS	0.00	405.52				1	l		1	1	
	All Centrex Control Features Offered, per port	1	<u> </u>	UEP91	UEPVC	1.98	400.02				-	 		-	-	├
A147		 	1	OLFSI	UEFVU	1.98					-	-				₩
NAF			1	LIEDO4	LIADOV	0.00	0.00	0.00	0.00	0.00	1			 		
	Unbundled Network Access Register - Combination	 	1	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	ļ	ļ		ļ		
	Unbundled Network Access Register - Indial	ļ	ļ	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ					
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	scellaneous Terminations	ļ									ļ	<u> </u>				
2-W	Vire Trunk Side															<u> </u>
	Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
Inte	eroffice Channel Mileage - 2-Wire															
1	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP91	M1GBM	0.008838						i				
Fea	ature Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce	1			2.200000					i	1		1		1
	Channel Bank Feature Activations	1	1	1	1						i	1		1	1	1

UNBUNI	DLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
J.1.3014L		7 advanta										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
\vdash		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	IPQW6	0.06			-							
		Slot			UEP91	1PQW7	0.56										
-		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	II QVV7	0.50			<u> </u>							
		Different Wire Center			UEP91	1PQWP	0.56										
		Sillotott Titlo Contol			02. 0.		0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
No		curring Charges (NRC) Associated with UNE-P Centrex							· · · · · · · · · · · · · · · · · · ·								
		Conversion - Currently Combined Switch-As-Is with allowed															
\vdash		changes, per port		<u> </u>	UEP91	USAC2	ļ	0.10	0.10								1
$\vdash \vdash$		Conversion of Existing Centrex Common Block		<u> </u>	UEP91	USACN		37.75	16.58	ļ					1		
\vdash		New Centrex Standard Common Block		<u> </u>	UEP91	M1ACS	0.00	667.21									
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
\vdash		Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
Ac		nal Non-Recurring Charges (NRC)				-				-							
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP91	UKEIL		0.33	0.63	-					-		-
		End Use Premise			UEP91	URETN		11.21	1.10								
LIP.		CENTREX - 5ESS (Valid in All States)			OLI OI	OILLIIV		11.21	1.10								
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP95		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		34.80										
UN		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
$\vdash \vdash$		Design		1	UEP95		15.53			!					!	1	!
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		24.00			1					1		1
\vdash		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	_	05190		24.00			 							
		Design		3	UEP95		37.29								1		
110		op Rate		-	OL1 33	+ -	31.29			 					 		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55			-					-		-
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP95	UECS1	20.04			†					†	1	†
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65			1					1		1
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38			1					1	İ	
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14										
		rt Rate															
Al	II State																
\Box		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63						
$\perp \perp$		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63				1		1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			l	I I				1	_				1		1
\vdash		Area		<u> </u>	UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIED.									1		
\vdash		Center)2,3 Basic Local Area		<u> </u>	UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77				1		1
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	LIEBOE	LIEDVZ	4 45	00.00	E7 07	49.00	0 77				I		I
$\vdash \vdash$		Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77				 		
				1	1	1				1	1				1		I

UNR	INDI FI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
CIAD	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO Alabama	l			1	l					Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CAIL	JOICI	KATE ELEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
-							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -						FIISL	Auu i	FIISL	Addi	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						1
	VI KA	LA, MS, SC, & TN Only			ULF 93	ULF 12	1.13	40.19	19.03	24.31	0.03	-					
	AL, KI	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63	-					
-	1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63	-					
-	1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63	-					
-	1	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF93	UEPQH	1.15	40.19	19.03	24.91	0.03	-					
		Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEF93	UEPQIVI	1.10	90.36	31.21	40.00	0.11						
		Term 2.3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						1
		Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.00	8.77						
		2 Wire Voice Crade Bort terminated in an Magaliali as assistant	l		UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63						1
-		2-Wire Voice Grade Port terminated in on Megalink or equivalent					1.15		19.83								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Local S	witching					0.5100										
	ļ	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
	Local N	lumber Portability				LLIBOO											
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature				115505		4.00										
		All Standard Features Offered, per port			UEP95	UEPVF	1.98										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
1	1		l										1		Ì		1
	!	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	 	<u> </u>	UEP95	1PQW6	0.56										├
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l										1		Ì		1
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
		Different Wire Center			UEP95	1PQWP	0.56										
																	1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
		Slot			UEP95	1PQWQ	0.56										<u> </u>
	<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
<u> </u>		curring Charges (NRC) Associated with UNE-P Centrex	ļ	<u> </u>		<u> </u>									ļ		
	1	NRC Conversion Currently Combined Switch-As-Is with allowed	l		l	1							1		Ì		1
<u> </u>	ļ	changes, per port	ļ	<u> </u>	UEP95	USAC2		0.10	0.10						ļ		
<u></u>	<u> </u>	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58								
<u></u>	<u> </u>	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
<u></u>	<u> </u>	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73									
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	l														1
		Premise			UEP95	URETL		8.33	0.83			l .	l				1

LINBLINDI E	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
CHECHEL											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Addi	Disc 1st	Disc Add I
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.21	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE F	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	l	_											1		1
	Non-Design	 	3	UEP9D		34.80										├
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOD		45.50						1		I		I
	Design		1	UEP9D	-	15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		24.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	-	24.00										
	Design		3	UEP9D		37.29										
LINE	oop Rate		3	UEF9D	-	31.29										
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	36.14										
UNE F	Port Rate															
	TATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				1											
	Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYF	4.45	40.40	19.83	24.91	6.63						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPTF	1.15	40.19	19.83	24.91	6.63						
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
 	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	 		OLFBD	JLF 1G	1.15	40.19	19.63	24.91	0.03				t		
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI II	1.10	40.10	10.00	24.01	0.00						
	Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local								-							
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
1 1 -	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1										1		_		_
	Indication))4 Basic Local Area	ļ		UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63				1		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1		LIEDOD	LIEDY (1		I		I
	Basic Local Area	!		UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63				-		├
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l		LIEDOD	LIEDVA	4.45	00.00	F7 07	40.00	0.77				1		1
\vdash	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	 		UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		 				├
	Basic Local Area	1	1	UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77		1		I		I
	Dasic Local Alea	l .	L	OLLAD	UEFIU	1.15	90.38	51.21	48.00	ŏ.//	<u> </u>	L		1		1

HINRHIND	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
UNBUND	LED NETWORK ELEMENTS - Alabama	1	1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	ВСО	0000			IAILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
H							Nonred	urring	Nonrecurring	Disconnect	-	l	220	Rates (\$)		
			-		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Miro Voice Crade Bort (Centroy/differ SWC /EBS ME000)2 3.4						FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYP	1 15	90.38	57.27	48.66	8.77						ł
	Basic Local Area			UEF9D	UEFTF	1.15	90.36	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEF9D	UEFTQ	1.10	90.36	31.21	40.00	0.11						
				UEP9D	UEPYR	1 15	00.30	E7 07	48.66	8.77						ł
-	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPTK	1.15	90.38	57.27	40.00	0.11	-					
	Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEF9D	UEFTS	1.10	90.36	31.21	40.00	0.11						
	Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEP14	1.15	90.36	31.21	40.00	0.11	-					
	, ,			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						í
	Basic Local Area			UEF9D	UEPTO	1.10	90.36	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			LIEDOD	UEPY6	1 15	00.30	57.27	48.66	8.77						í
				UEP9D	UEPTO	1.15	90.38	31.21	40.00	0.11						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEDOD	LIEDVZ	4.45	00.00	57.07	40.00	0.77						í
	Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.45	00.00	57.07	40.00	0.77						ł
	Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															ł
	Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															ł
—	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL,	KY, LA, MS, SC, & TN Only			LIEDAD	LIEBO A		10.10	10.00	0.1.0.1							
—	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1		LIEDOD	LIEBO							1				1
\vdash	Indication)4	!	<u> </u>	UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDOD	LIEDC:											í
\vdash	2,3	!		UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	0 M/2 - Maio - O - I - D - 1 (O - 1) 1/4 - 0 M O /FEC 50 FT 0 0 1	1		LIEDOD	LIEBOO		00.00	F7 0-	40.00	0						1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	<u> </u>		UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	O Miles Visias Orada Dart (Oantes 1877 - OMO (EDO MESSOS)	1		LIEDOD	LIEDOS		20.00	F7.0-	40.00	0						í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
																ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						
	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1								40.00							í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
		1										1				1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	!	<u> </u>	UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
		1		l	1					_						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	<u> </u>		UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						
		1							40							1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	ļ		UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						
		1		l	1					_						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	!	<u> </u>	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						
		1														1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						

UNBUNDLE	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						rico -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Local	Number Portability			UEP9D	URECS	0.5488										
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										-
Featu				OLI 3D	LIVI OC	0.55										-
i eatu	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										
t t	All Select Features Offered, per port		1	UEP9D	UEPVS	0.00	405.52									
1	All Centrex Control Features Offered, per port		1	UEP9D	UEPVC	1.98								1		
NARS									†				1			
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00		0.00				İ		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48									
Intero	ffice Channel Mileage - 2-Wire			LIEDOD	144000	04.40	40.54	07.44	40.74	0.00						-
	Interoffice Channel Facilities Termination			UEP9D UEP9D	M1GBC M1GBM	21.13 0.008838	40.54	27.41	16.74	6.90						
Eostu	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	MIGBIN	0.008838										
	annel Bank Feature Activations	e														
D4 01	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
 	reaction formation on B. Fernandiner Barm Control 2009 Gree			02. 02		0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.56										1
	Slot			UEP9D	1PQW7	0.56										l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWV	0.56										
	Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	110400		0.40	0.40								
	changes, per port			UEP9D UEP9D	USAC2 USACN		0.10 37.75	0.10 16.58								
	Conversion of existing Centrex Common Block, each					0.00		16.58								
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D UEP9D	M1ACS M1ACC	0.00	667.21 667.21									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73									
Addit	ional Non-Recurring Charges (NRC)		 	021 30	JILOA	0.00	12.13		1		 			 		
Addit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21.19										1

UNBUNI	DLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
J.12011		TEEMENTO / NOVONING										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										T 51	. B'						
\vdash				<u> </u>		1	Rec	Nonrec		Nonrecurring		COMEO	COMAS		Rates (\$)	COM AN:	COMAN:
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire vg Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		34.80			I			1		I		
H-111	NE Po	non-Design ort/Loop Combination Rates (Design)		3	OLF 3L	1	34.00			 		1	-		 	1	1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
		Design		1	UEP9E		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			<u> </u>												
		Design		2	UEP9E		24.00			I			1		I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		37.29								<u> </u>	<u> </u>	<u> </u>
UI		op Rate						_	•								
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04								1		
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85			.					1	-	-
 		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14			 		1			1		
UI	NE PO	rt Rate				1				1							
AI	_, rl,	KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63				+		
—		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI BL	OLFIA	1.15	40.19	19.03	24.91	0.03				 	-	-
		Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		1		I		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OL. 0L	02110	1.10	40.19	10.00	2-7.01	0.00				1		
		Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		1		I		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					17			1							
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		1		I		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63				1		
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	LIEDVC									1		
		Basic Local Area		<u> </u>	UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63				!	1	1
AI		LA, MS, & TN Only		-	LIEDOE	LIEDO A	1.15	40.19	19.83	24.04	6.60	-			 		
\vdash		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	 	UEP9E UEP9E	UEPQA UEPQB	1.15	40.19	19.83	24.91 24.91	6.63 6.63		 		 		
 		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63				 	-	-
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI OL	טבו עוו	1.13	40.19	19.03	24.31	0.03		 		t		
		Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		1		I		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800				, <u>,</u>	5	55.56	027	.5.50	0				1		
		Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77				1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Lo		witching				ļ				ļ							
\vdash		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488			ļ					ļ		
Lo		umber Portability			LIEBAE	LUBGO											
		Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.35			1					1		
Fe	ature	S All Standard Features Offered, per port			UEP9E	UEPVF	1.98			 		1			1		
\vdash		All Select Features Offered, per port		<u> </u>	UEP9E UEP9E	UEPVF	0.00	405.52		-					-	-	
\vdash		All Centrex Control Features Offered, per port	-		UEP9E UEP9E	UEPVS	1.98	+05.52		 		-	-		 	1	1
NI.	ARS	7 an Control Control i Gatares Cherea, per port			OLI OL	JLI VO	1.30			t			 		t		
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	<u> </u>	 		I		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	<u> </u>	 		I		
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00				1		
М		aneous Terminations													1	İ	İ
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4-		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
0.1.20.1												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				Order vs.
OAT LOO		KATE EEEMENTO	m	20.10	200	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	rurring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
Ir	teroff	fice Channel Mileage - 2-Wire			OLI OL	WITIBO	0.00	14.40				1					
	110.011	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
h +		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838	10.01		10.7 1	0.00						
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	-		02. 02		0.000000					1					
		nnel Bank Feature Activations	Ĭ														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										ĺ
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02	4.1.0	0.00					1					1
		Slot			UEP9E	1PQW7	0.56										ł
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 02		0.00										
		Different Wire Center			UEP9E	1PQWP	0.56										ł
\vdash			1			~,,,	0.00						l				<u> </u>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										1
\vdash		Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	1		J_1 J_	11 04 77 7	0.30						l				<u> </u>
		Slot			UEP9E	1PQWQ	0.56										ł
-		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
N	lon-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI OL	11 001171	0.00										
	011 110	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		0.10	0.10								ł
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58			1					
-		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21	10.00								
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									1
Δ		onal Non-Recurring Charges (NRC)			02. 02	OTTEOT	0.00										
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9E	URETL		8.33	0.83								ł
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								ł
u	NE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		12.70										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		2	UEP93		21.19										ĺ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ
		Non-Design	1	3	UEP93		34.80						1		Ì		i
U	NE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						_									1
		Design		1	UEP93		15.53										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		2	UEP93		24.00										l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		3	UEP93		37.29										<u> </u>
U	NE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55	, and the second									
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
$oxed{oxed}$		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP93	UECS1	33.65										
igsquare		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38								ļ		
igspace		2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP93	UECS2	22.85										
igspace		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP93	UECS2	36.14										
		ort Rate	ļ			1											
L A	L, KY	, LA, MS, & TN only	ļ			1											
igsquare		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63				ļ		
1 1		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l	1	L	1				l	_	1	1		İ		i
1 1		Area			UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63]		<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63	ļ					↓
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						↓
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63						
	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						
	Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
1	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63	1					
Loca	I Switching Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488					1	-				+
Loca	I Number Portability			OLF 93	UNLUS	0.3400										
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS	Unbundled Network Access Register - Combination			LIEDOS	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial			UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations			OLI SO	O/ II CO/C	0.00	0.00	0.00	0.00	0.00						
	re Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						
Intore	DS0 Channels Activated, Per Channel office Channel Mileage - 2-Wire			UEP93	M1HDO	0.00	14.48									
interc	Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838										
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 CI	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										<u> </u>
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP93	1PQWA	0.56			ļ		ļ					<u> </u>
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		1				1		 	-				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each			UEP93 UEP93	USAC2 USACN		0.10 37.75	0.10 16.58								
			1	IUEP93	USACN		37.75	16.58	1		1	1	i	Ì	i	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Doo	Nonrec	urring	Nonrecurring	g Disconnect		l .	OSS	Rates (\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage															
	3 - Installation is combination of Installation charge for SL2 Loc	op and F	Port													
	I - Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth in	General Term	ns and Condition	ns.				1					1

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
OND	ONDEL	NETWORK ELLINENTO TIONA										Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Order vs. Electronic-	Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		l one" shown in the sections for stand-alone loops or loops as yww.interconnection.bellsouth.com/become a clec/html/inter				eographically	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	elect e	 CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the servi f the 9 states. Any element that can be ordered electronically will be bill 	ice orde	ering ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	that ca	nnot be ordered electronically at present per the LOH, the list V, will be applied to a CLECs bill when it submits an LSR to E	ed SON	IEC rate													
	JOWA	OSS - Electronic Service Order Charge, Per Local Service	ensout	11.											1	l	l
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
LINE 6	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN		11.90	0.00	1.83	0.00						
UNE		The Expedite charge will be maintained commensurate with	ReliSor	ith's FC	C No 1 Tariff Section	nn 5 as annli	icable			1					1		
	NOTE.	The Expedite sharpe will be maintained commensurate with	Denoce	1	o No. 1 Tallii, Ocolic	on o as appr	louble.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN, UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		L			UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNBU	NDLED E	EXCHANGE ACCESS LOOP			01100, 01107	OD/IOI		200.00									
		ANALOG VOICE GRADE LOOP															
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57	 	 		 		
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57	-					
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83						1		
	1	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		48.65	48.65	1	İ						
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								

UNRU	NDI F	D NETWORK ELEMENTS - Florida												Δttach	ment: 2	Fyhi	bit: A
3.150	. 12 LL											Svc Order	Svc Order	Incremental		Incremental	
			1		1							Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.02									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User													1		1
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -													1		1
		Non-Designed (per loop)	ļ		UEQ	USBMC		9.00								ļ	
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for	1		<u> </u>								<u> </u>		_]	1
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_			4= 00	40.55									
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2			4= 00	40.55									
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	LIEDOD LIEDOD	LIEALO	20.07	40.57	20.02	25.02	0.57						
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	20.07	40.57	20.02	25.02	0.57						
LINDII	DI ED 5	Zone 3 EXCHANGE ACCESS LOOP	1	3	ULFOR UEFOB	UEABO	26.97	49.57	22.83	25.62	6.57	}		1	+	1	
		E ANALOG VOICE GRADE LOOP	1		1	+				1		}		1	+	1	
<u> </u>	Z-VVIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 		-	+				1				-	-	-	
		Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01				1		1
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	<u> </u>	0271	ULALL	12.24	155.75	02.47	00.00	12.01				 	 	
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01				I	1	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 		02,1	ULALL	17.40	155.75	02.47	00.00	12.01				-		
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01				1		1
		Order Coordination for Specified Conversion Time (per LSR)	 	_	UEA	OCOSL	55.57	23.02	02.47	00.00	12.01				-		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			30000	-	20.02		1		1		1	I	 	—
	1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01				I	Ì	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	Ė	1	, <u></u>	.2.27		32. H	55.50	.2.51				t	1	
	1	Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01				I	Ì	1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1												İ	İ	
	1	Battery Signaling - Zone 3	1	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01				I	Ì	1
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10			İ					
	4-WIRE	ANALOĞ VÖICE GRADE LOOP	Ì														
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								

UNRI	INDI FI	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fvhi	bit: A
ONDO	HULL	NETWORK ELEMENTO TIONA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	1141 01/	0.00	440.50	100.05	75.05	45.00						
		& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		1		I	I	
-	}	2 Wire Unbundled ADSL Loop including manual service inquiry	 		UAL	UALZX	11.80	149.53	103.85	75.05	15.63	-	-		+	+	
		& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		1		I	I	
	1	Order Coordination for Specified Conversion Time (per LSR)	 	J	UAL	OCOSL	20.54	23.02	103.03	75.05	10.03				t	t	
		2 Wire Unbundled ADSL Loop without manual service inquiry &			OAL	OCCOL		20.02		†							
		facility reservation - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		1		I	I	
		2 Wire Unbundled ADSL Loop without manual service inquiry &		-	One	OTILLETY	0.00	124.00	71.12	00.04	0.12						
		facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry		_			40.00	4=0.00									
		& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.21	23.02	113.41	75.05	15.03						
		2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	OCOSL		23.02				1					
		and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILETY	7.22	104.40	00.00	00.04	0.12						
		and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry			-												
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry													1	1	
	ļ	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61				ļ	ļ	
		4-Wire Unbundled HDSL Loop including manual service inquiry		_				,					1		I	I	
	<u> </u>	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61				-	-	
		4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	LILLI AV	07.00	400.04	400.00	77.45	40.04				1	1	
<u> </u>	 	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	├	3	UHL	UHL4X OCOSL	27.39	193.31 23.02	138.98	77.15	12.61		 				
-	}	4-Wire Unbundled HDSL Loop without manual service inquiry	 		UI 1L	OCOSL		23.02		 		-	 		+	+	
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		1		I	I	
	†	4-Wire Unbundled HDSL Loop without manual service inquiry	†	<u> </u>		JL.TVV	10.00	100.02	110.47	02.74	11.22	<u> </u>	 		I	I	
		and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22				1	1	
	1	4-Wire Unbundled HDSL Loop without manual service inquiry													1	1	
		and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22				1	1	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	4-WIRE	DS1 DIGITAL LOOP															
	ļ	4-Wire DS1 Digital Loop - Zone 1	ļ		USL	USLXX	70.74	313.75	181.48	61.22	13.53				1	1	
	ļ	4-Wire DS1 Digital Loop - Zone 2	ļ		USL	USLXX	100.54	313.75	181.48	61.22	13.53				ļ	ļ	
	<u> </u>	4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	USL	USLXX	178.39	313.75	181.48	61.22	13.53				-	-	
		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	l	USL	OCOSL		23.02					l				

<u>UNBUNE</u>	LED	NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge -			Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect		L.	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
4-1		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	22.20	161.56	108.85		15.56						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85		15.56						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85		15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85		15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85		15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL UDL	OCOSL UDL64	22.20	23.02 161.56	108.85	67.08	15.56		1				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2	UDL	UDL64	31.56	161.56	108.85		15.56		1				-
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85		15.56		 	1	 	 	
		Order Coordination for Specified Conversion Time (per LSR)		_	UDL	OCOSL	55.55	23.02	100.00	57.00	10.00			1	-		—
		CLEC to CLEC Conversion Charge without outside dispatch		†	UDL	UREWO		102.11	49.74						1	1	
2-1		Unbundled COPPER LOOP		1		1 1									1	İ	
		2-Wire Unbundled Copper Loop-Designed including manual		1		1											
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63				I	1	1
	- 1	2-Wire Unbundled Copper Loop-Designed including manual															
	:	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	:	2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82		15.63						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2-Wire Unbundled Copper Loop-Designed without manual															ĺ
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual		_													İ
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual		_	UCL	UCLPW	20.94	123.81	70.00	60.64	9.12						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	9.00	70.09 9.00		9.12		1				
		Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		9.00	9.00								-
		(UCL -Des)			UCL	UREWO		97.21	42.47								
4-1		COPPER LOOP			UCL	UKLWO		31.21	42.47	1		1	1				
7.		4-Wire Copper Loop-Designed including manual service inquiry				+											-
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						ĺ
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						ĺ
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	·	4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry		_													
		and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03		11.22						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
LOOP MOI		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47			1					—
LOOP WO	DIFIC	ATION			UAL, UHL, UCL,	+											
					UEQ, ULS, UEA,												ĺ
	lı	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,										I	1	1
		pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		0.00	0.00						I	1	1
		Unbundled Loop Modification Removal of Load Coils - 4 Wire		†				0.00	0.00						1	1	t
		less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		0.00	0.00						I	1	1
			1		UAL, UHL, UCL,	1 1							Ì			1	
				1	UEQ, ULS, UEA,										I	1	1
		Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,										I	1	1
		per unbundled loop			UEPSB	ULMBT		10.52	10.52								
SUB-LOOF	PS		<u></u>	<u></u>								<u> </u>	<u> </u>	<u> </u>	<u> </u>	L	<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						== (+)			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)	I.	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Cub I o	op Distribution						riist	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
-	Sub-Lo			-													
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.		LIFANII	USBSA		487.23									
		о р			UEANL	USBSA		487.23					ļ				
			١.														
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	l l		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	I		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										1					
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1							1			I		I	
		Zone 2	1	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						l
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3	1	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						l
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLITAL	OODIV	10.47	00.00	00.42	40.71	0.00		1				
		Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
		2016 3		3	OLANE	OODIV	10.50	00.03	30.42	43.71	0.00						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
		Sub-Loop 2-Wile intrabuliding Network Cable (INC)			UEAINL	USBRZ	3.90	31.04	13.44	47.50	5.26		-		-		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60	1					
		Sub-Loop 4-Wile intrabuliding Network Cable (INC)	- '		UEAINL	USBR4	9.37	55.91	17.51	49.71	0.00	1					
		0-10				1100110		0.00	0.00								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00				ļ				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
		Loop Testing - Basic Additional Half Hour	ļ		UEANL	URETA		23.95	23.95								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26		ļ		1		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
			1	1													l
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I		UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEF	URET1	i i	48.65	48.65			1					
		Loop Testing - Basic Additional Half Hour			UEF	URETA	i i	23.95	23.95			1					
	Unbund	dled Network Terminating Wire (UNTW)				1	i i					1					
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
	Networ	k Interface Device (NID)	1	<u> </u>		İ						Ì	1		1		1
		Network Interface Device (NID) - 1-2 lines	1	<u> </u>	UENTW	UND12	1	71.49	48.87			Ì	1		1		1
		Network Interface Device (NID) - 1-6 lines	1	<u> </u>	UENTW	UND16	1	113.89	89.07			Ì	1		1		1
\vdash		Network Interface Device (NID) - 1-0 lines Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC2		7.63	7.63		1	1		1	t	1	1
		Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4	 	7.63	7.63			1	i				
LINE OT	HFR P	ROVISIONING ONLY - NO RATE	 	 	0211111	311237	1	7.00	7.03			1	1	1	1	1	1
3142 01	···LIX, F	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0.00	0.00				t	1		1		1
\vdash		UNTW Circuit Id Establishment, Provisioning Only - No Rate	 	1	UENTW	UENCE	0.00	0.00		-	1	}	 	1	 	1	
\vdash		ON TWO GIRCUIT IN ESTADIISTITIETT, PROVISIONING ONLY - INO RATE	-	 	UEANL,UEF,UEQ,U	DEINCE	0.00	0.00		-		-		-		-	
		Unbundled Contract Name Brodelines - Only No Bett	1	1		UNECN	0.00	0.00									Ì
LINE C	IIIEE -	Unbundled Contract Name, Provisioning Only - No Rate	-	!	ENTW	UNEUN	0.00	0.00			1	1	1	1	-	1	1
UNE OT	п∟к, Р	ROVISIONING ONLY - NO RATE		1		1						1			1		

LIMBI	INDI E	D NETWORK ELEMENTS. Florido												A 1		F. 1.1	
UNBU	JNDLE	D NETWORK ELEMENTS - Florida	1	1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	2007	DATE ELEMENTS	Interi	7	BCS	11000			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	JURY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	,																
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,												ı l
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı l
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									1
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															ı l
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															i l
		no rate			USL	CCOEF	0.00	0.00									
HIGH (CAPACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															i l
		month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility															1
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						ı
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															1
		month			UDLSX	1L5ND	10.92										ı l
		High Capacity Unbundled Local Loop - STS-1 - Facility															1
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						ı l
LOOP	MAKE-U	JP															1
		Loop Makeup - Preordering Without Reservation, per working or															1
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								ı l
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		55.07	55.07								ı l
		Loop MakeupWith or Without Reservation, per working or															
		spare facility gueried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								ı l
LINE S	SHARING	S AND LINE SPLITTING															
	NOTE '	1: The Line Sharing monthly recurring rates for all installation	is com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 sha	I be billed as f	ollows:							
	NOTE '	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
	NOTE '	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1													
	NOTE '	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															1
	NOTE '	1: Above will apply to USOCS: ULSDT and ULSCT															1
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLIT1	FERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						1
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						1
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						1
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															1
1	1	deactivation (per LSOD)	l	1	ULS	ULSDG		173.66	0.00	97.42	0.00		1		Ì		i
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															1
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						i l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						ı l
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															i l
1	1	(E:10/2/2004)	l	1	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61		1		Ì		i
		Line Share Service, TRO per line activation, BST owned splitter -				_						İ			İ		$\overline{}$
1		Central Office Located (75% of UCLND) - please see NOTE 1	l									1					₁ 1
1	1	(E:10/2/2005)	l	1	ULS	ULSDT	5.97	29.68	21.28	19.57	9.61		1		Ì		i
	1	Line Sharing - per Subsequent Activity per Line Rearrangement	1	1		l ·	5.57	20.00	220	.0.07	5.51				1		
1	1	- (BST Owned Splitter)	l	1	ULS	ULSDS		21.68	16.44				1		Ì		, l
	1	Line Sharing - per Subsequent Activity per Line Rearrangement	1	1				250							1		
	1	- (DLEC Owned Splitter)	l	1	ULS	ULSCS		21.68	16.44				1		Ì		, l
		Line Sharing - per Line Activation (DLEC owned Splitter) -										İ			İ		
1		OBSOLETE see **NOTE 2	l	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	İ	1		l		ı l
	1		L	<u> </u>		,	3.01		.0.01		,-	L	L		1		

UNRU	NDI F	D NETWORK ELEMENTS - Florida												Δttach	ment: 2	Fyhi	bit: A
CIADO	NULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC ISL	DISC Add I
							Dee	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
<u> </u>		PLITTING				1						ļ			ļ		
<u> </u>	END U	SER ORDERING-CENTRAL OFFICE BASED			HEDOD HESSS	LIDECC				ļ	 	<u> </u>		ļ	_	 	ļ
	ļ	Line Splitting - per line activation DLEC owned splitter		ļ	UEPSR UEPSB	UREOS	0.61	00.00	04.00	40.55	0.01	<u> </u>			ļ		
<u> </u>	!	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61	<u> </u>		ļ	_	 	ļ
<u> </u>	B4 A 15 1-	Line Splitting - per line activation BST owned - virtual		<u> </u>	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	ļ		1	 	 	1
\vdash	WAINT	ENANCE No Trouble Found - per 1/2 hour increments - Basic		-		1		80.00	55.00	 	 	 	-	 	 	 	-
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime				-		120.00	82.50						-		
		No Trouble Found - per 1/2 hour increments - Overtime				-		160.00	110.00						-		
LINBUN	IDI ED I	DEDICATED TRANSPORT						100.00	110.00			1	1		1		
ONDON		OFFICE CHANNEL - DEDICATED TRANSPORT		1								1			1		
	IIVI LIK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			01117	120701	0.0001					1					
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-														
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41 EVV	0.0004										
		per month			U1TDX	1L5XX	0.0091					1			 		
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
—	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	אטווטא	01100	10.44	47.30	31.70	10.31	1.03			 	 	 	
1	l	per month		1	U1TDX	1L5XX	0.0091										
	1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1				3.0001			1			<u> </u>	 	1	 	
1	1	Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03			1		1	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per							20	15.01							
1	1	month			U1TD1	1L5XX	0.1856							1		1	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	<u> </u>	Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05			<u> </u>	<u> </u>	<u> </u>	<u></u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						_	-]	
		month			U1TD3	1L5XX	3.87							ļ	ļ		
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				41 =>04											
\vdash	 	month		-	U1TS1	1L5XX	3.87			 	 	 	-	 	 	 	-
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			LIATOA	LIATEC	4.050.00	225 40	240.20	70.00	70.50						
DARK	FIRED	Termination	-	 	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	 		-	 	-	
DAKKI	IDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	-			+				1	1	 	-	1	 	1	1
	1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85							1		1	
		NRC Dark Fiber - Interoffice Channel	-		UDF, UDFCX	UDF14	20.03	751.34	193.88	356.21	230.11	 		 	 	 	
-	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		551, 551 5X	301 17	 	731.34	195.00	330.21	250.11		<u> </u>	 	1	 	
1	l	Thereof per month - Local Loop		1	UDF, UDFCX	1L5DL	55.04										
	1	NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4	55.04	751.34	193.88	356.21	230.11	1			1	1	
	ı				, 55. 57	, , , , , , ,		701.04	100.00	000.21	200.11	1	1	l .	1	ı	i

CATEGORY RATE ELEMENTS Interim m Zone BCS USOC RATES (\$) Sv. Order Submitted Submitted Submitted Charge - Charge	UNRU	NDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	hit· Δ
ATE ELEMENTS Third Tone CC USC PATE D.	CIADO	.4VLE	NETWORK ELLINERTO - FIORIDA					ı					Svc Order	Svc Order				Incremental
ATE CLEMENTS # 2016 Section Sect																		Charge -
CATEGORY RATE ELEMENTS Max Zone DCS USC RATE (6) Max Zone Max Zone Max Zone Max Zone Max Zone Max Zone																		Manual Svc
Rec	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Proceedings				m						.,,			per Lor	per Lor				Electronic-
Non-recurring Non-recurrin																		Disc Add'l
ACCESS TO NORT SOCIETY Society Society																	Disc 1st	Disc Add I
The content of the								Pac										
BOX Access Ten Digs Contenting, Proc Call BOX Access Ten Digs Contenting, Pro SOX No. Statistimes WO DOX Access Ten Digs Contenting, Pro SOX No. Statistimes WO DOX Access Ten Digs Contenting, Pro SOX No. Statistimes WO DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO DOX Access Ten Digs Contening, Pro SOX No. Statistimes WO DOX Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Access Ten Digs Contening, Content and Digs Content and Access Ten Digs Contening, Content and Digs Content and Dig								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BXX.Access To Digit Screening, Per BXX No. Established WID	8XX AC	CESS 1																
Number Reserved OHD NSPTX						OHD		0.0006252										
DXX. Access Ten Dig Screening, Per SDX No. Essablished With POTS Translations Dx Control C						OUD	NODAY		4.45	0.70								
SOTS Translations	-					OHD	N8R1X		4.15	0.70								
Access from the Secretary Per Service Secretary Area of Services OHD NIFTX 8.78 1.18 5.77 0.79						OHD			0.70	1 10	5 77	0.70						
POTS Translations						טחט			0.70	1.10	5.77	0.70						
BXX Access Ten Dig Screening, Multiple Internation, Multiple Int						OHD	NRFTX		8 78	1 18	5.77	0.70						
Det DOX Number DoX Number DoX Number DoX Nor Nor Nor Nor Nor Nor Nor Nor Nor Nor						OLID	1401 170		0.70	1.10	0.77	0.70						
DIX Access from Dig Screening, Militgles IntelLATA CXIX OHD NOFTAX A 185 2.78						OHD	N8FCX		4.15	2.07								
Routing Pet CORF Requested free DXX No.									0		1					1	İ	l
B3X, Access Ten Digit Screening, Call Handling and Destination Desti		l	Routing Per CXR Requested Per 8XX No.													1		
Pressures ORD NBFDX 4.15 4.15			8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
BXX Access Ten Digit Screening, w/ BFL No. Delivery, per query DX Access Ten Digit Screening, w/ BPL No. Delivery, per DHD			8XX Access Ten Digit Screening, Call Handling and Destination															
SXX Access Far Digit Screening, at POTS No. Delivery, per QHD			Features			OHD	N8FDX		4.15	4.15								
SXX Access Far Digit Screening, at POTS No. Delivery, per QHD		1		1							_					_		
URE NOPOMENT DATA BASE ACCESS (LIDB)						OHD	1	0.0006252			ļ					1		
LINE NORMATION DATA BASE ACCESS (LIDB)																		
LIBB Common Transport Per Obsery						OHD		0.0006252										
LIDB Validation Per Cybery COU	LINE IN	IFORM/				007		0.0000000										
SIGNALING (CCST) SIGNALING (-				-		ļ					
SIGNALING (CES7) Signaling Termination, Per STP Port							NDDDV	0.0136959	EE 12	EE 12	EE 12	EE 12	ļ					
CCS7 Synaling Terrination. Per STP Port UDB PTSX 135.05	SIGNA	ING (C				OQ1, OQU	ININDEX		55.15	33.13	33.13	33.13	1					
CCS7 Signaling Usage, Per TCAP Message UOB 0.0000607	OIGINA	I (0				LIDB	PT8SX	135.05										
CCS7 Signaling Connection, Per link (A link) (Bink) (also known as D link)							1 100%											
CCS7 Signaling Connection, Per link (8 link) (also known as D link) UDB TPP++							TPP++		43.57	43.57	18.31	18.31						
CCST Signaling Usage Peri SUP Message UDB C0000152 CCST Signaling Usage Surrogate, per link per LATA UDB STU56 694.32 CCST Signaling Point Code Peri Peri Mile CCST Signaling Point Code Peri Peri Mile CCST Signaling Point Code Peri Peri Mile CCST Signaling Point Code Peri Peri Mile CCST Signaling Point Code Peri Peri Mile CCST Signaling Point Code Peri Peri Peri Peri Peri Peri Peri Peri																		
CCS7 Signaling Disage Surrogate, per link per LATA			link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
CCST Signaling Point Code, per Originating Point Code UDB CCAPO 46.03																		
Establishment or Change, per STP affected						UDB	STU56	694.32										
E911 SERVICE																		
Local Channel - Dedicated - 2-wt Voice Grade - Zone 1 21,94 265,84 46,97 37,63 4,00		L	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 29.62 265.84 46.97 37.63 4.00	E911 S	ERVICE						24.24		10.00								
Local Channel - Dedicated - 2-wr Voice Grade Per Mile 0.0091																		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.0091	-	<u> </u>			<u> </u>		+		265.84				 			-	-	
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination 25.32 47.35 31.78 18.31 7.03	<u> </u>	 			-		+		205.84	46.97	37.03	4.00	1				1	1
Termination 25.32 47.35 31.78 18.31 7.03	-	 					1	0.0031			t		1			t	1	1
Local Channel - Dedicated - DS1 - Zone 1 35.28 216.65 183.54 21.47 19.05		l						25.32	47.35	31 78	18.31	7 03				1		
Local Channel - Dedicated - DS1 - Zone 2		1		1												1		
Local Channel - Dedicated - DS1 - Zone 3 92.01 216.65 183.54 21.47 19.05 Interoffice Transport - Dedicated - DS1 Per Mile 0.1856 183.54 21.47 19.05 Interoffice Transport - Dedicated - DS1 Per Facility Termination 88.44 105.54 98.47 21.47 19.05 CALLING NAME (CNAM) SERVICE 0.000 25.35 25.35 19.01 19.01 19.01 CNAM For DB Owners - Service Establishment 0QV 25.35 25.35 19.01 19.01 19.01 CNAM For Non DB Owners - Service Provisioning With Point Code 1,592.00 1,177.00 352.36 259.09 CNAM For Non DB Owners - Service Provisioning With Point 0QV 0.001024 1,592.00 0.001024 CNAM for DB Owners, Per Query 0QV 0.001024 1,592.00 0.001024 Selective Routing Per Unique Line Class Code Per Request Per 09.55 93.55 12.71 12.71																1		
Interoffice Transport - Dedicated - DS1 Per Facility Termination							1									1	İ	l
CALLING NAME (CNAM) SERVICE OQV 25.35 25.35 19.01 19.01 CNAM For DB Owners - Service Establishment OQV 25.35 25.35 19.01 19.01 CNAM For DB Owners - Service Provisioning With Point Code Establishment OQV 1,592.00 1,177.00 352.36 259.09 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 1,592.00 1,177.00 352.36 259.09 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 546.51 393.82 358.06 259.09 CNAM for DB Owners, Per Query OQV 0.001024 0.001024 0.001024 CNAM for Non DB Owners, Per Query OQV 0.001024 0.001024 0.001024 SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch 93.55 93.55 12.71 12.71									-				İ					
CALLING NAME (CNAM) SERVICE OQV 25.35 25.35 19.01 19.01 CNAM For DB Owners - Service Establishment OQV 25.35 25.35 19.01 19.01 CNAM For DB Owners - Service Provisioning With Point Code Establishment OQV 1,592.00 1,177.00 352.36 259.09 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 1,592.00 1,177.00 352.36 259.09 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 546.51 393.82 358.06 259.09 CNAM for DB Owners, Per Query OQV 0.001024 0.001024 0.001024 CNAM for Non DB Owners, Per Query OQV 0.001024 0.001024 0.001024 SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch 93.55 93.55 12.71 12.71																		
CNAM For DB Owners - Service Establishment								88.44	105.54	98.47	21.47	19.05						
CNAM For Non DB Owners - Service Establishment	CALLIN	IG NAM																
CNAM For DB Owners - Service Provisioning With Point Code Establishment		ļ					1									ļ		
Establishment		ļ			<u> </u>	υψν	1		25.35	25.35	19.01	19.01				-		
CNAM For Non DB Owners - Service Provisioning With Point OQV S46.51 393.82 358.06 259.09		1				001/			4 500 00	4 477 00	252.00	250.00				I		
Code Establishment		 			-	υψν	+		1,592.00	1,1//.00	352.36	259.09	1			 		
CNAM for DB Owners, Per Query		1				001			546 54	202 02	250.00	250.00				I		
CNAM for Non DB Owners, Per Query	-	1		-			1	0.001024	340.31	393.62	330.06	259.09	}			+	1	1
SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per Switch 93.55 93.55 12.71 12.71	-	 					1				t		1			t	1	1
Selective Routing Per Unique Line Class Code Per Request Per Switch 93.55 93.55 12.71 12.71	SELEC	TIVE P		-			+	0.001024			t		 			t		
Switch 93.55 93.55 12.71 12.71	32220	 									1					1		
		1							93.55	93.55	12.71	12.71				I		
	VIRTUA	AL COLI			†		İ			22.30						t		

ONBONDLE	D NETWORK ELEMENTS - Florida	,										,		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					-		Nonre	urrina	Nonrecurring	Disconnect			220	Rates (\$)		<u></u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				1		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO				OLI OK OLI OD	VETEO	0.0002	11.07	11.07	0.00	0.00						+
111101011201	Physical Collocation-2 Wire Cross Connects (Loop) for Line				1											+
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTI	/E CARRIER ROUTING						*									
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							1
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						1
	Query NRC, per query			SRC		0.0031868										1
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						<u> </u>
		l			1						1			<u> </u>		1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User	1		l	L						1					1
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4609										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,						40.50	40.00								
	Initial Setup	-		CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,439.00	8,439.00								+
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFII		0.04	0.04	10.03	10.03						+
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 1D		0.04	0.04	10.03	10.03						+
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5,		0.01	0.01	10.00	10.00						+
	DN. 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								10.00							1
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Query Charge, Per Query					0.0535927										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription	l		CAM	BAPLS	3.73	0.50	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	 	-	CAIVI	DAFLO	3.13	9.56	9.56	 		-			-	1	+
	Subscription	1		CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	1					1
 	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			O, uvi	טרו טט	4.13	0.04	0.04	0.06	0.00	 				1	+
	Service Subscription	l		CAM	BAPES	0.12	9.56	9.56								
ENHANCED F	XTENDED LINK (EELs)	-		O, u.1	2,11 20	U. 12	5.50	5.50								+
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not ann	oly for UNE con	binations pro	visioned as ' C	Ordinarily Comb	ined' Network	Elements					
	The monthly recurring and the Switch-As-Is Charge and not t															1
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTE	ROFFICE TRANSPO	RT											†
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						1
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						1
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						1

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856										1 '
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNCVX	MQ1 1D1VG	146.77 1.38	101.42 10.07	71.62 7.08	0.00	0.00						
	Voice Grade COCI - Fei World			UNCVA	IDIVG	1.36	10.07	7.00	0.00	0.00						\vdash
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Fook Additional 2 Wise VC Loop (CL 2) in Combination 7-2-2		3	LINOVA	UEAL2	30.87	407.50	60.54	40.70	2.04						Ĭ
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month	-	3	UNCVX UNCVX	1D1VG	1.38	127.59 10.07	7.08	42.79 0.00	2.81 0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-		J	15.10	1.50	10.07	1.00	0.00	0.00						†
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER	ROFFICE TRANSPO	DRT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINGAY		00.44	474.40	100.10	45.04	47.05						ĺ
—	Month 1/0 Channel System in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	88.44 146.77	174.46 101.42	122.46 71.62	45.61	17.95						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						—
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3 Additional Voice Grade COCI in combination - per month		3	UNCVX UNCVX	UEAL4 1D1VG	47.62 1.38	127.59 10.07	7.08	42.79 0.00	2.81 0.00						!
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	1.30	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						ĺ
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
			3													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						\vdash
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility			UNC1X	1L5XX	0.1856										
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ĺ
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						1
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Florida					•							Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1					+	I	Nonrec	urring	Nonrecurring	Disconnect	1	I	220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrequiring Currently Combined Naturals Flomenta Switch As	-			+		FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	LINICOC		0.00	0.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	D51 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month	l	1	UNC1X	1L5XX	0.1856								İ		
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	İ	1		İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1	=:10			2,00	2.00	İ			İ		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	OHODA	ODLOT	22.20	127.00	00.04	72.70	2.01	1					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	ODL04	31.30	127.59	00.54	42.13	2.01		-				
			3	LINCDY	UDL64	55.99	407.50	CO 54	40.70	2.04						
\vdash	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month			LINODY	10100	0.40	40.07	7.00	0.00	0.00						
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	l	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98				l		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				2.20	2.20	2.30	2.30				İ		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				İ		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	İ			İ		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	İ			İ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	T -	-	1					10	Ì	1		1		
	Per Month	l		UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1			0.07					1	1		 		
	month	l		UNC3X	U1TF3	1.071.00	314.45	130.88	38.60	18.23						
	3/1Channel System in combination per month	1	-	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	}	 		 		
	DS1 COCI in combination per month	1	-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	}	 		 		
\vdash		1	1	UNUIA	OCIDI	13.76	10.07	1.08	0.00	0.00	 	 		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	١,	LINGAY	LICLYY	70.74	047.75	404.00	54.44	44.45				l		
\vdash	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1	1				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINGAY	LIGINA	400 = 1	047	404.00	-,	44				l		
\vdash	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	ļ	ļ				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	1		1									l		
	Zone 3	<u> </u>	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		ļ				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	l			1											
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						-
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	KATE EEEMENTO	m	Zone	500	0000			IXATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nicono			B'		l .	000	D-1 (A)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													
	4-WireVG Loop in combination - Zone 1	1	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	47.02	127.39	00.34	42.13	2.01						
]	Month	1	1	UNCVX	1L5XX	0.0091				Ì	İ	1		I	Ì	I
 	month.	 	1	OINCAV	ILOAX	0.0091			1	 	 	 		 	 	
]	Interoffice Transport - 4-wire VG - Dedicated - Facility	1	1	LINOVO	LIATVA	00.50	04.70	F0 F0	50.40	04.50	İ	1		I	Ì	I
	Termination per month		 	UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-		1	0.10071	0	1,011.00	01110	100.00	00.00	10.20						
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EVTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	EDOEE		UNCCC		0.90	0.30	0.90	0.90						
EAIL	CTC 4 Level Lele is combination. The mile non-month	3-1 INT	ERUFF	LINCOV	1L5ND	10.92										
	STS-1 Local Lolp in combination - per mile per month			UNCSX	ILSIND	10.92										
	STS-1 Local Loop in combination - Facility Termination per					400.00										
	month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		1										İ	
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		i				
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1	1		1	1	
 	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	 	1		†	 	1
 	Interoffice Transport - Dedicated - DS1 combination - per mile		Ť		1	.0.02	.200	00.00		2.51	 	1		†	 	1
]	per month	1	1	UNC1X	1L5XX	0.1856				Ì	l	1		I	Ì	
 	Interoffice Transport - Dedicated - DS1 combination - Facility	 	 	CHOIN	ILUAA	0.1000			1	1	1	l		t	1	1
1 1	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		l				
\vdash		-	-	UNC1X	MQ1	146.77	174.46	71.62	40.01	17.95	1			-	 	
\vdash	1/0 Channel System in combination - per month	-	<u> </u>								1	ļ		1		1
 	2-wire ISDN COCI (BRITE) - in combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	ļ	ļ			ļ	
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l .	1					_		l				
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport											l				
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
1 1	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		l				
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month	1	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	İ	1		I	Ì	I
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		l				
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE				0.30	0.30	0.30	0.90	 			t	 	
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1	l		t	1	1
 	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	 		UNC1X UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	-	-		 		
\vdash		 									 	 		 	 	
	First DS1 Loop Combination - Zone 3	1	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	l	l		1		l

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	3/1 Channel System in combination per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						_
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport		_			.=										
	Combination - Zone 3		3	UNC1X	USLXX	178.39 13.76	217.75	121.62	51.44	14.45	<u> </u>		 	1	-	
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	 	-		 		
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXII	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS IN I			LIDI FC	20.20	407.50	CO F.4	40.70	0.04	1			-		<u> </u>
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX UNCDX	UDL56 UDL56	22.20 31.56	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81	1			-		<u> </u>
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	1	-		-		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		3	UNCDX	1L5XX	0.0091	127.59	00.34	42.79	2.01						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				U1TD5		04.70	52.50	50.40	24.52						
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX		18.44	94.70	52.59	50.49	21.53						
EVE	Is Charge	DC INT	FRAFE	UNCDX	UNCCC		8.98	8.98	8.98	8.98	1			-		<u> </u>
<u> </u>	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE 4-wire 64 kbps Lcoal Loop in Combination - Zone 1	PES INT		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		1		0.00	0.30	5.55	2.30			İ	1		1
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81			1			
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
.	First Interoffice Transport - Dedicated - DS1 combination -	1							1	· <u></u>			1	_		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			ļ	1		↓
	Per each DS1 Channelization System Per Month		ļ	UNC1X	MQ1	146.77	101.42	71.62			<u> </u>		ļ			<u> </u>
	Per each Voice Grade COCI - Per Month per month		-	UNCVX	1D1VG	1.38	10.07 199.28	7.08	0.00	0.00	 		 	 		
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	211.19 13.76	199.28 10.07	118.64 7.08	40.34 0.00	39.07 0.00	 		-		-	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			DINOIA	CCIDI	13.76	10.07	1.00	0.00	0.00	1			 	-	+
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
igwdow	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Each Additional Voice Grade COCI in combination - per month		ļ	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00				-		
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856			1							
! 		_			1 1				1							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	nit· Δ
CINDONDE					1						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 MI	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_						40.00							
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
-	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856			1							
 	First Interoffice Transport - Dedicated - DS1 - Facility	1	l -	OI VO I A	1LUAA	0.1000			t					1		
	Termination Per Month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		1		
	Per each 1/0 Channel System in combination Per Month	 	!	UNC1X	MQ1	146.77	101.42	71.62	70.01	17.95						
	Per each Voice Grade COCI in combination - per month	1	1	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	UNCCC		0.00	0.00	0.00	0.00						
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE	UNC1X			8.98	8.98	8.98	8.98						
EXIE	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	Trice	TRANSPORT W/ 3/1	WIUX											
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	<u> </u>	ONODA	ODLOG	22.20	127.00	00.04	42.70	2.01						
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1 -	-		220	0	55.51								
	Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		1		
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month	<u></u>	<u></u>	UNC1X	1L5XX	0.1856			<u> </u>					L		
	First Interoffice Transport - Dedicated - DS1 - combination	1]		
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
\vdash	Per each 1/0 Channel System in combination Per Month	ļ	<u> </u>	UNC1X	MQ1	146.77	101.42	71.62	L					ļ		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	ļ	ļ	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
 	3/1 Channel System in combination per month	!	1	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				 		
	Per each DS1 COCI in combination per month	 	!	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				 		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	+-	OINODA	JULJO	22.20	127.59	60.34	42.79	2.01		 		1		
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		1		1		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	t -			500	.200	33.04	.2.70	2.01						
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		1		
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)	1		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
\vdash	same 3/1 Channel System per month	ļ	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				ļ		
	Each Additional DS1 COCI in the same 3/1 channel system	1		LINGAY	110454	40 =0	40.07	7.00				1		1		
	combination per month	l	1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		l				

LINBUNDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
CIADOIADE		I				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
						D	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -				=		.=									
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
-	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINICDY	1D1DD	2.10	10.07	7.00	0.00	0.00						
	64kbs) 3/1 Channel System in combination per month			UNCDX UNC3X	MQ3	211.19	199.28	7.08 118.64	40.34	39.07						
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	199.28	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCIX	OCIDI	13.76	10.07	7.06	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
 	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	UNCDX	UDL04	22.20	127.39	00.54	42.13	2.01	1					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_	ONODA	ODLOT	01.00	127.00	00.04	72.10	2.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		_													
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1												1		
	Transport - Zone 1	ļ	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	ļ					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	_	LINONY	1141.027	07.40	407.50	00.00	40.70	0.00				1		
—	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	1			-		
	Transport - Zone 3	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	 	3	OINCINA	UILZX	48.62	127.59	00.00	42.79	∠.81	}			1		1
	Mile per month			UNC1X	1L5XX	0.1856										
 	First Interoffice Transport - Dedicated - DS1 combination -	 		501/	120707	0.1000					 			 		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month	1		UNC1X	MQ1	146.77	101.42	71.62	40.01	17.95				1		
				- +				52						1		
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00				1		
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1]		
	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1					40							Ì		
	system combination- per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	1	l				

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	<u> </u>	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN					0.17.77									,
-		First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
<u> </u>	+	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	100.54 178.39	217.75 217.75	121.62 121.62	51.44 51.44	14.45 14.45						
<u> </u>	+	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNU IA	USLAX	178.39	211.15	121.02	51.44	14.45						
		Mile Per Month First Interoffice Transport - Dedicated - DS1 combination - Per Mile Transport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.1856										
		Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-					
-		Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1					
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856	10.07	7.00	0.00	0.00						
		Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSXX	0.1856					-					
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
		Each Additional DS1 COCI in the same 3/1 channel system			O. CO. IX	0	00.11			10.01	11.00						
		combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_	LINGAY	USLXX	70.74	047.75	404.00	54.44	14.45						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		- '	UNC1X	USLAA	70.74	217.75	121.62	51.44	14.45						
		2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :	FRANSPORT												I
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						-
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						-
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										1
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						İ
		Nonrecurring Currently Combined Network Elements Switch -As-					10.44										
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						1
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	1	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						,
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						,
	1	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										ļ
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						i —
ADDIT	IONAL N	ETWORK ELEMENTS		1	0.100/	511000	-	0.90	0.90	5.50	0.90						
<u> </u>		used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is cl	harge does app	oly.									
		used as ordinarily combined network elements in All States, the													1		·
		urring Currently Combined Network Elements "Switch As Is"															
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	•			•									•				

CATEGORY	D NETWORK ELEMENTS - Florida RATE ELEMENTS													ment: 2		bit: A
CATEGORY	RATE ELEMENTS		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY	RATE ELEMENTS										Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
		Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		Disconnect	SOMEC	SOMAN		Rates (\$)	001441	0011411
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						1 '
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	ONCCC		0.30	0.30	0.30	0.30						
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						i .
Option	nal Features & Functions:															L
				U1TD1,												i .
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		OI	Ol	01	Ol						
1 1	01	Ι.		U1TD1,	00005		ΛI									1
\vdash	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		UI	OI	UI	OI						+
1 1	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92S	23.82S	2.07S	0.8S						1
\vdash	Activity - per DO I		\vdash	UNCTX, USL U1TD3, ULDD3,	INRUCU		104.925	23.023	2.013	U.00				1		
1 1	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	08						1
MULT	PLEXERS	<u> </u>		OLO, OITOOX	1411000		210.000	7.070	0.7700	00						—
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per						-	-								
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															1
	month (2.4-64kbs) used for connection to a channelized DS1															ĺ
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															i
\longrightarrow	month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								+
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															i
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						ĺ
 	Voice Grade COCI - DS1 to DS0 Channel System - per month			ОТТОВ	OCTOA	3.00	10.07	7.00	0.00	0.00						
	used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								1
	Voice Grade COCI - DS1 to DS0 Channel System - per month			02,1	15110	1.00	10.01	7.00								
	used for connection to a channelized DS1 Local Channel in the															i .
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						i
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local	l														1
\vdash	Channel in the same SWC as collocation) per month	!	 	U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00				ļ		
\vdash	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per	 		U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
1 1	month (DS1 COCI) used with Local Channel per	1		ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						1
UNBUNDI ED	LOCAL EXCHANGE SWITCHING(PORTS)	 		וממוס	COIDI	13.76	10.07	7.00	0.00	0.00				-		
	nge Ports	1	\vdash		†											
	Although the Port Rate includes all available features in GA, F	KY, LA	& TN. th	ne desired features	will need to b	e ordered usir	ng retail USOC	s	1							
	E VOICE GRADE LINE PORT RATES (RES)	T												1		ſ
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80						ſ
																1
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
1 1		l			l											1
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	<u> </u>	\vdash	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80				ļ		├
	Exchange Ports - 2-Wire VG unbundled Florida area calling with	1		LIEDOD	LIEBAE	4.40	274	2.00	4.00	4.00						1
\longrightarrow	Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Florida Residence Area	 	 	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80				1		
	Calling Plan, without Caller ID capability	l		UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80						1
 	Exchange Ports - 2-Wire VG unbundled Florida extended	1	\vdash	ULFOR	DEPAS	1.40	3.74	3.03	1.88	1.80	1			1		
	dialing port for use with CREX7 and Caller ID	1		UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						1
 	Exchange Ports - 2-Wire VG unbundled Florida extended	1	\vdash		32.711	1.40	5.74	0.00	1.50	1.50				1		<u> </u>
	dialing port for use with CREX7, without Caller ID capability	1		UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
CHECHEL	NETWORK ELEMENTO TIONA										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU						0.00										
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with	1					2.7.1	2.00						İ		
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80						
		1		-	1			2.30	50	30				1		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1			1	0	54	0.00		50				1		1
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI OD	OLI DI	1.40	0.74	0.00	1.00	1.00						
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00						
FEATU				OLI OD	00/100	0.00	0.00	0.00								
ILAIO	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCHA	NGE PORT RATES (DID & PBX)			OLI OD	OLI VI	2.20	0.00	0.00								
LACITA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Vo Line Side Oribunded incoming 1 BX Hunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-DX LD Ferminal 1 ons 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OI	OLI AD	1.40	33.00	10.10	12.55	0.7107						
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.40	33.00	10.10	12.55	0.7107						
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLI OF	OLFAL	1.40	39.00	10.10	12.33	0.7107						
	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187	İ					
 	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		0L1 01	OLI AIVI	1.40	33.00	10.10	12.33	0.7 107	1			1		1
	Discount Room Calling Port	1		UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187	1	1		Ì		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187	1			1		1
	Subsequent Activity	1		UEPSP	USASC	0.00	0.00	0.00	12.33	0.7107						
FEATU		1		OLI OF	USAGO	0.00	0.00	0.00	1		1					
	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	2.26	0.00	0.00	 		1			1		1
	NGE PORT RATES (COIN)	1		OLI OI OLFOL	OLI VI	2.20	0.00	0.00	 		1			1		1
EXCHA	Exchange Ports - Coin Port	1			1	1.40	3.74	3.63	1.88	1.80						
NOTE:	Transmission/usage charges associated with POTS circuit s	witched	IISSOC	will also apply to o	ircuit switchs						ated with 2	wire ISDN -	norts	 		
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	CASS	1
	LOCAL EXCHANGE SWITCHING (PORTS)	a vana	J.E OIII)	ough DEN/NEW	Luaniesa Ke	44691 1 100699.	nates for title	Packer cahani	I WE WILL DE UE	Actionicu via l	ina bolla r'il	i request/	TOW DUSINES	l request P10		1
	NGE PORT RATES	1			1				t					1		
	The Port RATES I Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit annly t	o the embed	led hase in nin	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 +h	ese rates shall	revert to to	riff rates or	a senarate an	reement		
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											rates of	a separate dy	i coment.		
Neque	Exchange Ports - 2-Wire DID Port	T THE	. GIICULI	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26	Joseph Grant Land Communication Communicatio			1		1
	Exchange Ports - 2-Wife DID Fort Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1			02112	0.73	70.41	10.02	71.34	7.20				1		
	capability (E:4/1/2004)	I		UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10	1	1		Ì		
 	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1		UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93				1		
 	All Features Offered	1		UEPTX, UEPSX	UEPVF	2.26	0.00	0.00	21.04	11.93				1		
 	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	 			1		 		
NOTE	Access to B Channel or D Channel Packet capabilities will be	a availa	ale cal						litios will bo de	termined vie 4	he Bons Fir	le Beaucet	New Rusines	Paguact Pra	ress	1
NOTE:	Access to a channel of a channel racket capabilities will be	t availa	ne only	miougii brk/New	DuSIIIESS RE	quest Frocess.	Nates for the	раскет сарарі	iiries wiii ne de	termineu via t	ne buna Fi	ie Request/	NEW DUSINES	s nequest Pro	してるる。	

ATTECOPY PATE LEMENTS 1962 1960 196	UNBUNDI F	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	hit· Δ
ATT ELEMENTS Part Company Comp	SINDOINDLE	- HEIMORK ELLINENTO - FIORIDA					I					Svc Order	Svc Order				Incremental
CATEGORY MARTE LLEMENTS Martin Sept. Martin Sept. Martin Sept. Martin Sept. Martin Sept. Martin Sept. Martin Sept. Martin Sept. Martin Sept.																	
ATTEMPT MATERIAN Market																	
NOTE Account to Substitute Substitut	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part Part	5711 2 55111		m		200				(4)			per LSR	per LSR				
MOTE Account District Dis																	
Company Company Company Company Company Company England Company Company Company England Company Company Company England Company Company Company England Company Comp														1st	Add'l	Disc 1st	Disc Add'l
Company Company Company Company Company Company England Company Company Company England Company Company Company England Company Company Company England Company Comp								Nonrec	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)		
NOTE: Access to 12 Channel or 2 Channel Packet capabilities will be analysis out through BFWhree Journal (NOTE)				1			Rec					SOMEC	SOMAN			SOMAN	SOMAN
Exchange Print - Affire SCRING OF From with Posted CET 11 Cachange Print - Affire SCRING OF From with Posted CET 11 Cachange Print - Affire SCRING OF From with Posted CET 11 Cachange Print - Affire SCRING OF From with Posted CET 11 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect with Posted Cet 12 Physical Galaxiery IDS Concornect Posted Cet	NOTE	Access to B Channel or D Channel Packet canabilities will be	e availa	ole only	through BFR/New	Business Re	quest Process										
Control of Note - Africa (SM CSF For 4th Detailer EF11 Control Con			1	1	timough Dirighton	1		114100 101 1110	pasitot sapaz	1		1	l		Trioqueet :		
Locato Capalities E-47/2004 LOCATO Capalities E-47/2004 LOCATO CAPACITICS																	
Sections Process Coloration		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
Project Citocontext - Sist Cress Connects																	
Virtual colorations - Special Access & RIME, consecuent per DEPEX DEPIX DEPX DEPX DEPX DEPX DEPX DEPX DEPX DEPX DEPX DEPX																	
Design D							-										
Desiration Companies Com					UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
Unbounded Exchange Ports. 4-Wire ISDN DST Port. EST1 Learn Capability. Finds Port Establishment of LLC per LLC	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
State																	
State															1	1	
Onburside Exchange Profits A-Wine SDN SST Port - EST1 Desire Companies - Subsequent Profits Campage Anthony S.					UEPEX	UEP1A	0.00	1,809.00		151.12					1	1	
Locato Capability - Subsequent Portion Changes, Additions, Deletion Portion		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		1				1							
Desisons UPPEX UEP1B 0.00 175.86				1										Ì	I	I	
New or Additional Part Seighborn Numbers Ulbrown Capability 2-wy Telephorn Numbers Ulbrown Capability 2-				1	UEPEX	UEP1B	0.00	175.66						Ì	I	I	
Usebunded Exchange Ports, 4-Wire (SND RS) FORT - E911 USEPEX	New o									<u> </u>							
EST1 profile (Plew or Additional)																	
Unbounded Exhange Ports, 4-Wire SDN DST Port. E911 Locator Capability - Outlier Telephone Numbers, per number in E911 profile (New or Additional) UEPEX UEP1D 0.0669 12.71 12.71		Locator Capability 2-way Telephone Numbers, per number in															
Locatox Capability - Outdial Telephone Numbers, per number in E91 printle [New of Additional] UEPEX UEPID 0.0699 12.71 12.71		E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
Locatox Capability - Outdial Telephone Numbers, per number in E91 printle [New of Additional] UEPEX UEPID 0.0699 12.71 12.71		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
Unbunded Exhange Ports - Affician September Numbers UPPX UP																	
Tolephone Numbers - Inward Data Only Option (New or Additional Journal of Numbers (Customer Testing Purposes)		E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
Additional UEPDX UEPE 0.00 0.5412		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent (New) Inward Tel Numbers (Customer Testing Purposes) UEPEX PR7ZT 0.00 25.42 25.42		Telephone Numbers - Inward Data Only Option [New or															
Inward Tel Numbers (Customer Testing Purposes)					UEPDX	UEP1E	0.00	0.5412									
LOCAL NUMBER PORTABILITY																	
Local Number Portability (1 per port)		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
NTERFACE (Provisioning Only)	LOCA																
Voice/Data					UEPEX UEPDX	LNPCN	1.75										
Digital Data	INTER																
Invard Data																	
New or Additional - Voice/Data 'B' Channel																	
New or Additional - Voice/Data 'B' Channel UEPEX PR7BV 0.00 15.48 New or Additional Digital Data 'B' Channel UEPEX PR7BF 0.00 15.48 New or Additional Inward Data 'B' Channel UEPEX PR7BF 0.00 15.48 New or Additional Inward Data 'B' Channel UEPEX PR7BD 0.00 15.48 New or Additional Useage Sensitive Voice Data 'B' Channel UEPEX PR7BD 0.00 New or Additional Useage Sensitive Digital Data 'B' Channel UEPEX PR7BD 0.00 New or Additional Useage Sensitive Digital Data 'B' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 0.00 0.00 New or Additional PRI 'D' Channel UEPEX PR7BD 0.00 0.00 0.00 0.00 New or Additional PRI 'D' Channel UEPEX U					UEPDX	PR71E	0.00	0.00	0.00								
New or Additional Inward Data "B" Channel UEPEX PR7BF 0.00 15.48	New o																
New or Additional Inward Data 'B' Channel UEPDX PR7BD 0.00 15.48			-	<u> </u>						ļ					-	-	
New or Additional Useage Sensitive Voice Data "B" Channel UEPEX PR78S 0.00	\vdash		-	<u> </u>						[ļ				-	-	
New or Additional Useage Sensitive Digital Data "B" Channel UEPEX PR7BU 0.00			-	<u> </u>				15.48		ļ					-	-	
New or Additional PRI "D" Channel	\vdash		-	<u> </u>						ļ					-	-	
CALL TYPES			1	1				15.10		 	-			1	 	 	
Inward			1	1	UEPEX	PK/EX	0.00	15.48		 	-			1	 	 	
Outward	CALL		1	-	HEDEV HEDDY	DD7C4	0.00	0.00	0.00	 					 	 	
Two-way			1	-						 					 	 	
UNBUNDLED PORT with REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 UEPVR 0.50 0.50 0.50 0.50 0.50 0.50 0.50 0.5			1	 						 					 	 	
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 UEPVR 0.00 UEPVR 0.00 UEPVR USAC2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	LIMBU		,	-	OLFLA	I KICC	0.00	0.00	0.00	 	-			-			
Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.40 3.74 3.63 1.88 1.80	UNBU	NDLED FOR EMILIER REMOTE CALL FORWARDING CAPABILITY	:	-		1				 	-			-			
Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.40 3.74 3.63 1.88 1.80	UNBU		-	1	LIED\/D	LIEBAC	1 40	2 74	3 63	1 00	1 90	1	1		1	1	
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVR USACCC USACCC	 	onbundied Remote Can't ofwarding Service, Area Calling, Res	1	-	OLF VIX	OLINAC	1.40	3.14	3.03	1.08	1.60			-			
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service, IntraLATA - Res UEPVR UERTR 1.40 3.74 3.63 1.88 1.80 Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVR USACCC USACCC		Unbundled Remote Call Forwarding Service Local Colling Res	.1	1	LIEP\/R	LIERLO	1.40	274	3 63	1 90	1.90			Ì	I	I	
Unbundled Remote Call Forwarding Service, IntraLATA - Res UPVR	 		1	 										 	 	 	
Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-sa-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus UPPVR USACC 0.102 0.102 0.102 0.102			1	1											 	 	
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is UEPVR USAC2 0.102 0.102 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus	Non-R		1	1		3=	1.70	5.74	0.00	1.50	1.50			1	t	†	
Switch-as-is UEPVR USAC2 0.102 0.102 Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UEPVR USACC 0.102 0.102 UNBUNDLED REMOTE CALL FORWARDING - Bus	1,0,1-1		1			1				1		1		 	I	I	
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus					UEPVR	USAC2		0.102	0.102					1	I	I	
allowed change (PIC and LPIC) UNBUNDLED REMOTE CALL FORWARDING - Bus UNBUNDLED REMOTE CALL FORWARDING - Bus				 				51.02	5.102	1				1	1	t	
UNBUNDLED REMOTE CALL FORWARDING - Bus				1	UEPVR	USACC		0.102	0,102			1		Ì	I	I	
	UNRU			 		2 37 100		502	0.102	1				1	1	t	
Unbundled Remote Call Forwarding Service, Area Calling - Bus UEPVB UERAC 1.40 3.74 3.63 1.88 1.80				†		1				1				1	1	t	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80	1		Ì	I	I	

LINDII	NDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit. A
UNDU	NDLE	J NETWORK ELEMENTS - FIORIDA	1	1	I	1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted				
														Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	20116	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred		Monroourring	Disconnect		l	000	Rates (\$)		
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIRSt	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Habita diad Barrata Call Farmadia a Cardaa I aaal Callina - Boo			UEPVB	UERLC	4.40	0.74	2.02	4.00	4.00						
-		Unbundled Remote Call Forwarding Service, Local Calling - Bus	1				1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
	Non-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with			l	1	I					1	1				
		allowed change (PIC and LPIC)			UEPVB	USACC	ļ	0.102	0.102				ļ				
UNBUN		OCAL SWITCHING, PORT USAGE				1							<u> </u>				
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0007662										
		End Office Trunk Port - Shared, Per MOU					0.000164										
	Tander	n Switching (Port Usage) (Local or Access Tandem)												-			-
		Tandem Switching Function Per MOU					0.0001319										
		Tandem Trunk Port - Shared, Per MOU					0.000235										
		Tandem Switching Function Per MOU (Melded)					0.000027185										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434										
		Melded Factor: 20.61% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUN	DLED F	ORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC at	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ıs.		
		st and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1						1	<u> </u>				
		ort/Loop Combination Rates															
	U.V.	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
	UNFI	pop Rates					20.00										
-	311L L	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPRX	UEPLX	9.77										
—		2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRX	UEPLX	13.88										
-		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	24.63			1		-	-		1		
-	2-Wire	Voice Grade Line Port Rates (Res)	1	-	OLI IVA	JLI LA	24.03			1		-	-		1		
-		2-Wire voice unbundled port - residence	1	1	UEPRX	UEPRL	1,17	53.31	26.46	27.50	8.37		1		-		
			1	 	UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37				-		
		2-Wire voice unbundled port with Caller ID - res	1	1		UEPRO							-				
<u> </u>		2-Wire voice unbundled port outgoing only - res	-	<u> </u>	UEPRX	UEPKU	1.17	53.31	26.46	27.50	8.37		ļ				
1					UEPRX	HEDAE		50.01	00.40	07.50	0.07						
1		O Miles reside and the district Acres Collins and Collins				UEPAF	1.17	53.31	26.46	27.50	8.37				1		
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			ULFIX												
		2-Wire voice unbundles res, low usage line port with Caller ID			-	-											
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37						
		Wire voice unbundles res, low usage line port with Caller ID (LUM) Wire voice unbundled Florida extended dialing with Caller ID.			-	-		53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPAP	1.17										
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX UEPRX	UEPAP UEPA1	1.17 1.17	53.31	26.46	27.50	8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8	1.17 1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	FEATU	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered			UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9	1.17 1.17 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Florida extended dialing with Caller ID 2-Wire voice unbundled Florida extended dialing port without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability RES All Features Offered			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAP UEPA1 UEPA8 UEPA9 UEPRT	1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37						

UNBUN	DLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fyhi	bit: A
CINDOIN	DLL	NETWORK ELEMENTO TIONAL										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.102	0.102								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.102	0.102								
Α	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
0	FF/ON	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
II.	NTERC	DEFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
U	NE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
L		2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
U	NE LC	pop Rates			LIEBBY	LIEBLY.											
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
-		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	\A/:	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63			-							
	-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						-
					UEPBX	UEPBC	1.17		26.46	27.50	8.37						——
		2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	1	-	UEPBX	UEPBO	1.17	53.31 53.31	26.46	27.50	8.37						
-		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37				-		
-		2-Wire voice unburidled incoming Only Port with Caller ID			ULFBA	OLFBI	1.17	33.31	20.40	21.50	0.37						
		Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37				1		1
-	OCAI	NUMBER PORTABILITY	1		OLI DA	OLI DE	1.17	55.51	20.40	21.30	0.37			 	 		
┝──┞		Local Number Portability (1 per port)	 		UEPBX	LNPCX	0.35			 				 	 		
F	EATU		†			2.1. 5/1	0.00			I				 	I		—
 		All Features Offered	†		UEPBX	UEPVF	2.26	0.00	0.00	I				 	I		—
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			52. DX	CLI VI	2.20	0.00	0.00	<u> </u>				1	<u> </u>		†
 		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1				t				1	†	1	t
1 1		Switch-as-is	1		UEPBX	USAC2		0.102	0.102	I				Ì	I		1
\vdash		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 					502	2.702	t				1	t		
		Switch with change			UEPBX	USACC		0.102	0.102	1					1		1
Α	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00	1					1		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
L l		Premise	<u> </u>		UEPBX	URETL	<u> </u>	8.33	0.83	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	1
	FF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design	<u></u>	1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
II.	NTERC	OFFICE TRANSPORT		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$													

CATEGORY RATE BLEMENTS Inlinif Zone BCS USCC RATES (8) Sec Ontar Sec Ontar Description Charge - Park Charg	IBUNDI FD	NETWORK ELEMENTS - Florida												Δttach	ment: 2	Fyhi	bit: A
ATECORY RATE LEMENTS Interi m	BONDELD	NETWORK ELEMENTO TIONGA										Svc Order	Svc Order			Incremental	
ATECORY RATE ELEMENTS INTERIOR RATE SLEWENTS INTERIOR RATE SLEWENTS REC RATE (I) Rec Rec Rec Rec Rec Rec Rec Re															Charge -	Charge -	Charge -
## ATE CLEMENTS ## ATE CLEMENTS ## AND COME BCS USOC ## ATE 5.00 per LSR per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR Decomposite that it all the per LSR per LSR per LSR Decomposite that it all the per LSR per LSR per LSR Decomposite that it all the per LSR p																Manual Svc	Manual Svc
No. Section	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
18			m						- (17			per LSK	per LOK			Electronic-	Electronic-
Part																	
New Priest Add First Add First Add SOMAN SOM														1St	Add'l	Disc 1st	Disc Add'l
Interesting Temporary - Declarated - 2 Wire Visco Grade - Facility UEPAX UTIVA 25.32 47.35 31.78 UEPAX UTIVA 26.32 47.35 31.78 UEPAX UTIVA 26.32 47.35 31.78 UEPAX UTIVA 26.32 47.35 31.78 UEPAX UTIVA 26.32 47.35 31.78 UEPAX UTIVA 26.32 47.35 31.78 UEPAX UTIVA 26.32 47.35 31.78 UTIVA 26.32 47.35 31.78 UTIVA 26.32 47.35 31.78 UTIVA 26.32 47.35 31.78 UTIVA 26.32 47.35 31.78 UTIVA 26.32 47.35 31.78 UTIVA 26.32							B	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
Termination Depth							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Intereffice Transport - Decisional - 2 Wire Viscos Grader - Per Mile	Ir	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
OF Position Mail 1997 19					UEPBX	U1TV2	25.32	47.35	31.78								i
2-WINE VOICE GRADE LOOP WITH 2-WINE LINE PORT (RES -PEX)	Ir	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
UNE Fort Coop Combination Rates					UEPBX	U1TVM	0.0091	0.00	0.00								<u> </u>
2-Week VS LoopProt Combo-Zone 2																	L
2																	<u> </u>
EVINE VOLOGIFIED COMPOSED STORY 25.00 1 20.00 1 20.00 1 20.00 1 20.00 1 20.00																	<u> </u>
Well-Loop Rates																	1
Avive Notes Grade Loop (St. 1) - Zone 1				3			25.80										1
2-Wire Votes Grade Loop (St. 1) - Zomo 3																	
2-Wire Vote Grade Long (St. 1) - Zone 3 JEPRG UFPX 24.65															ļ		├
2-Wire Volus Grade Line Port Rates (RES - PBX)				_											ļ		
EVEN OF COMPACTABILITY				3	UEPRG	UEPLX	24.63							-	ļ	ļ	+
Res				<u> </u>		+				1	-			!	ļ	1	
LOCAL NUMBER PORTABILITY UPPRO					LIEDDC	LIEDDO	4 47	474.04	400.05	75.00	40.70			I			1
Local Number Portability (1 per port)					UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
FEATURES A I features Offered UEPRG UEPVF 2.26 0.00 0.00					LIEDDO	LNDCD	2.15	0.00	0.00								
All Features Offered UEPRG UEPFG U.					UEPRG	LINECE	3.15	0.00	0.00								
NONECURRING CHARGES (NRCs) - CURRENTLY COMBINED					LIEDDC	LIEDVE	2.26	0.00	0.00					-			
Conversion - Switch-As-18					OLFING	OLFVI	2.20	0.00	0.00								
Conversion - Switch-As-Is UEPRG USAC2 8.45 1.91																	
Conversion - Switch with Change UEPRG USACC S.45 1.91					LIEPRG	LISAC2		8 45	1 91								i
Conversion - Switch with Change					02. 110	00/102		0.10									
ADDITIONAL NRCs					UEPRG	USACC		8 45	1 91								i
Subsequent Activity - Change/Rearrange Multiline Hunt Group PRSX Subsequent Activity - Change/Rearrange Multiline Hunt Group 7.86 7.86					021110	00/100		0.10									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Rate Element, Tag Loop at End User Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPRG URETL 8.33 0.83 Premise UEPRG URETL 8.33 0.83 Premise UEPRG URETL 8.33 0.83 Premise UEPRG URETL 8.33 0.83 Premise UEPRG URETL 8.33 0.83 Premise UEPRG URETL 8.34 OREGINA Premise UEPRG P2JHX 12.24 135.75 82.47 63.53 12.01 OREGINA	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
Caroup	s	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								i
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPRG	P	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															1
Premise								7.86	7.86								i .
OFFION PREMISES EXTENSION CHANNELS	U	Inbundled Miscellaneous Rate Element, Tag Loop at End User															i
Local Channel Voice grade, per termination					UEPRG	URETL		8.33	0.83								1
Local Channel Voice grade, per termination 2 UEPRG P2JHX 17.40 135.75 82.47 63.53 12.01																	1
Local Channel Voice grade, per termination 3 UEPRG P2JHX 30.87 135.75 82.47 63.53 12.01																	
Non-Wire Direct Serve Channel Voice Grade																	
Non-Wire Direct Serve Channel Voice Grade 2 UEPRG SDDZX 18.36 120.38 43.56 95.00 10.54 Non-Wire Direct Serve Channel Voice Grade 3 UEPRG SDDZX 32.58 120.38 43.56 95.00 10.54 Non-Wire Direct Serve Channel Voice Grade 3 UEPRG SDDZX 32.58 120.38 43.56 95.00 10.54 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPRG U1TVZ 25.32 47.35 31.78 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPRG U1TVM 0.0091 0.00 0.00 2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE PORT (BUS - PBX) UNE PORT (BUS - PBX) UNE PORT (Dorp/Port Combo - Zone 1 1 10.94														!	ļ	1	
Non-Wire Direct Serve Channel Voice Grade 3 UEPRG SDD2X 32.58 120.38 43.56 95.00 10.54														!	ļ	1	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPRG														 	 		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				3	ULFRU	SUUZA	32.58	120.38	43.50	95.00	10.54			-	 	-	
Termination						+				1				t	1	1	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPRG U1TVM 0.0091 0.00 0.				1	UEPRG	U1TV2	25 32	47.35	31 78]		1		I			1
Or Fraction Mile UEPRG			1			12	20.02	47.00	01.70			1		I	1		
2-Wire Volce GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Port/Loop Combination Port Combo - Zone 1 1 10.94 2-Wire VG Loop/Port Combo - Zone 2 2 15.05 2-Wire VG Loop/Port Combo - Zone 3 3 25.80 UNE Loop Rates UNE Loop Rates UNE Loop Rate UPPX UEPLX 9.77 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEPPX UEPLX 9.77 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 13.88 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 24.63 2-Wire Voice Grade Line Port Rates (BUS - PBX) UEPLX UEPLX 24.63 2-Wire Voice Grade Loop (SL 1) - Zone 3 UEPPX UEPLX UEPLX 24.63 UEPLX UE					UEPRG	U1TVM	0.0091	0.00	0.00					I			1
UNE Port/Loop Combination Rates					-	1								İ	†		
2-Wire VG Loop/Port Combo - Zone 2 2 15.05 2-Wire VG Loop/Port Combo - Zone 3 3 25.80 25.80																	
2-Wire VG Loop/Port Combo - Zone 3 3 25.80	2	P-Wire VG Loop/Port Combo - Zone 1		1			10.94										[
UNE Loop Rates																	[
2-Wire Voice Grade Loop (SL 1) - Zone 1				3		1	25.80										
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 13.88 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 24.63 2-Wire Voice Grade Line Port Rates (BUS - PBX) UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPPX						 				ļ				ļ	ļ		
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 24.63															ļ		├
2-Wire Voice Grade Line Port Rates (BUS - PBX)															ļ		├
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				3	UEPPX	UEPLX	24.63								ļ		├
	2-Wire Vo	oice Grade Line Port Kates (BUS - PBX)		<u> </u>		+				1	-			!	ļ	1	
	_ _ ₋	ing Side Unbundled Combination 2 Way DDV Trunk Dart Dur			LIEDDY	LIEDDO	4 47	174 04	100.65	75 00	10.70			1			1
I I II in Side Inhundled Outward PRY Trunk Port - Rus I I II IEPPY II IEPPO I 1 17 1 17 10 1 10 0 6 1 7 5 0 0 1 10 7 2 1 1 1		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	-		UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73	1		 	1	1	
Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 1.17 174.81 100.65 75.88 12.73			-									1		 	1	1	
Laine Side Orbundled PBX LD Terminal Ports UEPPX UEPLD 1.17 174.61 100.65 75.88 12.73				1								1	1	 	l .	1	

UNBUN	IDLF	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
3.1201												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGO	PRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXB UEPXC	1.17 1.17	174.81 174.81	100.65	75.88	12.73						
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXC	1.17	174.81	100.65 100.65	75.88 75.88	12.73 12.73						
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFFX	OLFAD	1.17	174.01	100.03	75.00	12.73	1					
		Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
h +		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.17	174.01	100.03	75.00	12.73						
		Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OZ. I X	02.742			100.00	7 0.00	12.10						
		Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73			1	I	1	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								1 2.00	:=::0			İ	İ	İ	
		Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73			1	I	1	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
i i	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	EATU																
		All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
1	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
-		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00	-							
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86								
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User				1		7.00	7.00	-		-			-		
		Premise			UEPPX	URETL		8.33	0.83								
-	DEE/ON	N PREMISES EXTENSION CHANNELS			OLITA	OKETE		0.00	0.00								
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
	NTERO	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	25.32	47.35	31.78								
1 T	_	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile												1	_]	
		or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00	ļ				ļ	ļ	ļ	
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	l I			1											
	JNE PC	ort/Loop Combination Rates		_		1	10.94			-					-		
$\vdash \!$		2-Wire VG Coin Port/Loop Combo – Zone 1		1 2		+				 		-		 	 	 	
\vdash		2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	15.05 25.80			 				-		-	
⊢		pop Rates		3		1	∠5.80			 				1	+	1	
 		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77			 		-		1	+	1	
 		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO	UEPLX	13.88			t				1	t	1	
 		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63			I		<u> </u>		 	I	 	
	2-Wire	Voice Grade Line Ports (COIN)		Ŭ			200			t				1	t	1	
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1				İ				İ	İ	İ	
		900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37			1	I	1	
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking						-	-								
		(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37			<u> </u>	<u></u>		
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(AL, FL)		<u> </u>	UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37			L		L	

JNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEBOO	4.47	50.04	00.40	07.50	0.07						
	900/976, 1+DDD, 011+, and Local (FL, GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCQ	1.17 1.17	53.31 53.31	26.46	27.50	8.37						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	1		UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37				-		
	LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						l
ADD	ITIONAL UNE COIN PORT/LOOP (RC)		1	OLI CO	OLI OIX	1.17	33.31	20.40	21.50	0.57						
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)	1		UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
LOC	AL NUMBER PORTABILITY				011200											
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED														1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1														
	Switch-as-is	<u> </u>		UEPCO	USAC2		0.102	0.102					<u> </u>	<u> </u>		1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPCO	USACC		0.102	0.102								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		<u> </u>	UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			LIEDOO	LIDETI		0.00	0.00								
2 14/1	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELIMER	ODT /	UEPCO	URETL		8.33	0.83								
	Port/Loop Combination Rates	LINE	JORT (KES)	-											
ONL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE	Loop Rates					<u> </u>										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res	ļ		UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2 Mine waite web and ad Florida Assa Collins with College ID			LIEDED	LIEDAE	4.40	474.04	400.05	75.00	40.70						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
	(LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
INTE	ROFFICE TRANSPORT	-		OLI I IX	JLIAI	1.40	177.01	100.03	73.00	12.73	 			 	 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			1									1	1	
	Termination	1		UEPFR	U1TV2	25.32	47.35	31.78						1		1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1										1	
	or Fraction Mile	<u> </u>		UEPFR	1L5XX	0.0091			<u> </u>		<u></u>			<u> </u>	<u> </u>	1
FEA	TURES															
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	ļ						ļ					-		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDED	LIEACO		40.07	0.70							1	1
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	 	UEPFR	USAC2		16.97	3.73	 		 			 	-	
	Combination - Conversion - Switch-With-Change	1	1	UEPFR	USACC		16.97	3.73						I	1	1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 		OLI I IX	00/00		10.37	3.73	1		1		1	t	1	
	End User Premise	1		UEPFR	URETN		11.21	1.10						1		1
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE F	ORT (0						1	1	
	Port/Loop Combination Rates	T	,		1											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.64									1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27							-			

CATEGORY RATE ELEMENTS Index Zone RCS USOC RCS Section Companies Compa	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATTECHNIS Inter Zone BCS USOC RATE (1) EMPT Submit												Svc Order	Svc Order				
CATEGORY RATE R.EMENTS Inter 200 ROS USO RATE (R) Pack RATE (R) Pack ROS Pack Pack ROS Pack																	Charge -
CATEGORY RATE ELEMENTS May Zone BCS USOC RATES (3) prt 1,58 prt 1,58 prt 1,58 color vs. Co	1		Intor:														Manual Svc
Bestroads Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				-				Order vs.
Text			m									po. 20.1	po. 2011				Electronic-
March Marc																	Disc Add'l
MRC MRC																D130 131	DISC Add I
Piet Loop Rises							Por		urring	Nonrecurring	Disconnect						
2-West Votos Clarks Long (EL) - Zene 1							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wine Vision Entails Local (SLD - Zone 2 2 0,6775 0,6572 17,60 1,60 1,60 1,70 1,60 1,60 1,70 1,60 1,70 1,60 1,70 1,60 1,70 1,60 1,70 1,60 1,7	UNE L																
2-Wife Victor Glane Loop (SLG) - Zone 3 0,000																	
2-Wire Vote Gride Line Prof (Elas)																	
2-YMW voice unusurable pot unit Caller & Call & D-Usal UEPPB UEP				3	UEPFB	UECF2	30.87										
2-West vaca unuturalided port with Cultime 1-654-01 - buts	2-Wire		ļ			I											
2-Wire vote unknowled port outgoing only or Will Galer D - Bos UEPPB UEPBC 1.40 77.481 100.955 75.88 12.75				<u> </u>													
2-Wire vote unknowled incoming using port with Collier Dr. Bus. UEPFB UEPST 1,40 774.81 100.65 75.88 12.73			ļ														
COCAL NUMBER PROTEABILITY				<u> </u>													
Intercent Characteristics Intercent Characteristics	1.004				UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						
Intercorper Transport - Ordicated - 2 Wire Voce Grade - Facility UEPFB	LOCA				LIEDED	LNDOV	0.05										
Intendifice Transport - Decidated - 2 Wire Votes Grade - Pacility Termination Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Pac Mile Intendifice Transport - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Pac Mile Intendificated - Decidated - 2 Wire Votes Grade - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Votes - Decidated - 2 Wire Votes Grade - Decidated - Decidated - 2 Wire Votes Grade - Decidated -	INITED		1	 	UEPFB	LINPUX	0.35										
Termination UPPB UTPZ 25.32 47.36 31.78	INTER		1	 													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile UEPFB U.SXX	1				LIEDER	LI1T\/2	25.22	47 2F	21 70]				1	1		1
Factorise UEPF8 USAC 0.000			-		UEFFB	01172	25.32	47.33	31.70								-
REATURES Mil Features Offered UEPFB UEPFF 2.26 0.00 0.00					LIEDED	11 5 7 7	0.0001										
A Features Offered Dept	CEATI		1		UEFFB	ILSAA	0.0091					1					-
NONRECURRING CHARGES (NRICG) - CURRENTLY COMBINED	FEAT		-		LIEDED	LIEDVE	2.26	0.00	0.00								-
2-Wire Loop / Desicated IO Transport / 2 Wire Line Port UEPFB USAC2 16.97 3.73	NONE		1		OLFIB	OLF VI	2.20	0.00	0.00			1					-
Combination - Convention - Switch-asis UEPFB USAC2 16.97 3.73	HOMK			1			1										
2.Wire Loop / Dedicated IO Transport / 2.Wire Line Port ULEPFB USACC 16,97 3,73					LIEDER	LISAC2		16 97	3 73								
Combination - Convestion - Switch with change					OLITO	UUAUZ		10.37	5.75								
Unburdied Miscellaneous Rate Element, Tag Designed Loop at UEPFB URETN 11.21 1.10					LIEPER	LISACC		16 97	3 73								
End User Permise UEPFB URETN 11.10					02.1.5	00,100		10.01	00			1					
2-Wike VOICE LOOP/ ZWIRE VOICE GRADE (O TRANSPORT/ 2-WIKE LINE PORT (*PBX)					LIEPER	URETN		11 21	1 10								
UNE Port/Loop Combination Rates	2-WIR		E LINE I	PORT (O.K.Z.IIV											
2-Wire VG Loop/10 Trapport/Port Combo - Zone 1			Ī														
2-Wire VI Loop/IO Transprit/Port Combo - Zone 2 2 18.80				1			13.64										
UNE Loop Rates				2			18.80										
2-Wire Voice Grade Long (SL2) - Zone 1		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPP UECF2 17.40	UNE L	oop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFP UECF2 30.87		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
2-Wire Voice Grade Line Port Rates (BUS - PBX)		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPFO 1.40 174.81 100.65 75.88 12.73 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPFP UEPFD 1.40 174.81 100.65 75.88 12.73 Line Side Unbundled PBX LD Terminal Ports UEPFP UEPLD 1.40 174.81 100.65 75.88 12.73 Line Side Unbundled PBX LD Terminal Ports UEPFP UEPLD 1.40 174.81 100.65 75.88 12.73 LEPFP UEPKD 1.40 174.81 100.65 75.88 12.73		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPPO 1.40 174.81 100.65 75.88 12.73	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Line Side Unbundled Outward PBX Trunk Port - Bus UEPFP UEPPO 1.40 174.81 100.65 75.88 12.73																	
Line Side Unbundled Incoming PBX Trunk Port - Bus																	
2-Wire Voice Unbundled PBX LD Terminal Ports UEPFP UEPX 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPFP UEPXA 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPFP UEPXC 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPFP UEPXC 1.40 174.81 100.65 75.88 12.73																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPFP UEPXD 1.40 174.81 100.65 75.88 12.73				1										ļ	ļ		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPFP UEPXE 1.40 174.81 100.65 75.88 12.73														ļ	ļ		I
Capable Port	\vdash		1		UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPFP UEPXL 1.40 174.81 100.65 75.88 12.73	1 1													1	1		1
Administrative Calling Port	\vdash		-	<u> </u>	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						├
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPFP UEPXM 1.40 174.81 100.65 75.88 12.73					HEDED	LIEDY"		474.01	400.0=	75.00	10 =0			1	1		1
Room Calling Port	 		1		UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73			 	 		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXO 1.40 174.81 100.65 75.88 12.73	1 1				HEDED	LIEDVAA		474.01	400.0=	75.00	10 =0			1	1		1
Discount Room Calling Port			1	1	UEPFP	UEPXM	1.40	1/4.81	100.65	/5.88	12.73	1		1	1		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.40 174.81 100.65 75.88 12.73				1	HEDED	LIEDYO	1 440	474.04	100.05	75.00	40.70			Ì	Ì		1
LOCAL NUMBER PORTABILITY [Local Number Portability (1 per port) [INTEROFFICE TRANSPORT [Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility]	\vdash		-	<u> </u>													├
Local Number Portability (1 per port)	1.004		1	1	UEPFP	UEPXS	1.40	174.81	100.65	/5.88	12.73	-		-	-		
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	LOCA		1	-	LIEDED	LNDCD	0.45	0.00	0.00			-		 	 		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	INITED		1	 	UEPFP	LINPUP	3.15	0.00	0.00	 				-	-		
	INTER		!	-		+	 			 				-	 		
	1 1	Termination		1	UEPFP	U1TV2	25.32	47.35	31.78]				Ì	Ì		1

UNBUN	DLE	NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhi	hit: A
CIVECIA		HETWORK ELEMENTO TIONGE									Svc Orde	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
			Intori								Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m								po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring Disconne				Rates (\$)		
							1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile														
		or Fraction Mile			UEPFP	1L5XX	0.0091									
F	EATU															
		All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00							
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED								L						
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73	L						
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED			40.07	0.70							
		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73	-						
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	UEPFP	LIDETN		44.04	4.40			I	Ì	Ì		
LINDUND	I ED D	End User Premise ORT/LOOP COMBINATIONS - COST BASED RATES	 	 	UEPFP	URETN	 	11.21	1.10		_	1	-	-		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	L	 		 				 		 				
		rt/Loop Combination Rates	I	-		+	1			 		+	-	-		
- 0	NE PO	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		-	20.95			<u> </u>						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2		1	26.11			+ +		1				
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	39.58			 		1				
 	NF Lo	op Rates		3		1	33.30			 		1				
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24			 		1				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40			+ + + + + + + + + + + + + + + + + + + +	-					
		2-Wire Analog Voice Grade Loop (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87				-	+				
U		rt Rate		Ť	02.17	02001	00.07									
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29		-	+				
N		CURRING CHARGES - CURRENTLY COMBINED					•									
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -								1						
		Switch-as-is			UEPPX	USAC1		7.85	1.87							
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion														
		with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87							
Α		DNAL NRCs														
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26							
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at														
		End User Premise			UEPPX	URETN		11.21	1.10							
T		one Number/Trunk Group Establisment Charges														
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
		DID Numbers, Establish Trunk Group and Provide First Group	1			l						1				
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00	—						
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	—						
\vdash		DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	!	<u> </u>	UEPPX UEPPX	ND5	0.00	0.00	0.00			1	 	 		
 -			1	1		ND6	0.00	0.00	0.00	 		1	1	1		
 		Reserve DID Numbers NUMBER PORTABILITY	 	-	UEPPX	NDV	0.00	0.00	0.00	 		 				
		Local Number Portability (1 per port)	1	1	UEPPX	LNPCP	3.15	0.00	0.00			+				
2.		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT		LINI OF	3.13	0.00	0.00	 	-	1	1	1		
		rt/Loop Combination Rates	5151	<u> </u>		†				 	-	†	 	 		
⊢ ⊢ ⊢	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	 	l		1	+ +				-	1				
		UNE Zone 1	1	1	UEPPB UEPPR	:I	22.63						1	1		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	†	<u> </u>	02.710	1	22.00						1	1		
		UNE Zone 2	1	2	UEPPB UEPPR	1	29.05					1				
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1												
		UNE Zone 3	1	3	UEPPB UEPPR	1	45.84					I	Ì	Ì		
U	NE Lo	op Rates		<u></u>												
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25									
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67									
$\perp \perp \downarrow$		2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB UEPPR	USL2X	38.46									
U		rt Rate	ļ			 										
	01157	Exchange Port - 2-Wire ISDN Line Side Port	ļ		UEPPB UEPPR	UEPPB	7.38	194.52	145.09							
N	UNKE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>		1						1	l	l		

ATTEMPT RATE ELEMENTS RATE SERVICE	NBUNDLE	D NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	ibit: A
Description Displate Content Logs / EVIVE 650N Line Side Port LEPPE LEPP				Zone	В	BCS	usoc						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
More DEPAY Court Gross Loops / ANN BON LINE Side Port LEPPR LEPP								Rec										
Contraction: Conversion Comparison Contraction: Conversion Contract									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL NINCS Debtorated Associations are Element. Tag Designed Loop at UEPPR					l													
Unknowned Microalinovas Name Sciences 1, Tag Designed Lope of End User Uniform U					UEPPB	UEPPR	USACB	0.00	25.22	17.00								
Fert User Premate USPPR	ADDIT																	
Distuncted Miscellinemons Rate Element, Tag Loop at End User UEPPB U					LIEDDD	LIEDDD	LIDETNI		44.04	4.40								
Piperise UsePipe Use					UEPPB	UEPPR	UKETN		11.21	1.10	-							+
COCA NUMBER PORTABILITY UEPPR UEPPR NPCX					LIEDDR	HEDDD	LIDETI		8 33	0.83								
Local Number Proclability (1 per port)	LOCAL				OLFFB	ULFFR	OKLIL		0.33	0.03								
B-CHANNEL MUSER PROFILE ACCESS:	LOUAL				UEPPB	LIFPPR	LNPCX	0.35	0.00	0.00								
CYSCSD (CMSSESSS)	B-CHA				OLITE	OLITIK	LIVI OX	0.00	0.00	0.00								†
CVS (CWSD)	2 5.17				UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1							
CSD											1							
Sec TANNEL AREA PLUS USER PROFILE ACCESS: (ALKYLAMS SC.MS, & TN)											1							
USEP TERMINAL PROFILE USEP USEP USEP USEP USEP USEP USEP USEP	B-CHA		C,MS, &	TN)							1					İ	İ	
New Control	USER	FERMINAL PROFILE																1
All Vertical Features - One per Channel & Liber Profile USPPB USPP,		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
Intercife Channel migrage acch, including first mile and	VERTION	CAL FEATURES																
Interoffice Channel mileage each, industing first mile and tabelines termination UEPPB UEPPR MIGNX 25.3291 47.35 31.78 18.31 7.03		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
Secilities termination UEPPB UEPPB MIGNA 25.3291 47.35 31.78 18.31 7.03	INTER																	
Interoffice Channel mileage each, additional mile																		
A WIRE DSI DIGITAL LOOP WITH 4-WIRE ISBN DSI DIGITAL TRUNK PORT											18.31	7.03						
The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10203 until 4/104. After 4/104 these rates shall revert to tariff rates or a separate commercial agreement.					UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								
Requests for 4-Wire DSI Digital Loop with 4-Wire ISDN DSI Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at Beil South's discretion.																		
UEPPP															nt.			
AW DS1 Dipital Loop-VW ISDN DS1 Dipital Trunk Port - UNE 2			runk Po	ort afte	r the effec	ctive date of	of this amend	ment shall be	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.				
Authority Company Co	UNE P																	
AW DS1 Digital Loop/AW ISDN DS1 Digital Trunk Port - UNE 2 UEPPP 183.28					LIEDDD			450.40										
Zone 2				- 1	UEPPP			153.48			-							
AV DST Digital Loop-VMV ISDN DST Digital Trunk Port - UNE 20				2	LIEDDD			102 20										
Zone 3 JEPPP Z61.12					UEFFF			103.20										
UNE Loop Rates				3	LIEPPP			261 12										
A-Wire DS1 Digital Loop - UNE Zone 1	UNFI				OL: II			201.12										+
A-Wire DST Digital Loop - UNE Zone 2 2 UEPPP USL4P 100.54	0.12 2			1	UEPPP		USL4P	70.74										
A-Wire DST Digital Loop - UNE Zone 3 3 UEPP USL4P 178.38								100.54										
UNE Port Rate																		
NONRECURRING CHARGES - CURRENTLY COMBINED	UNE P																	
NONRECURRING CHARGES - CURRENTLY COMBINED		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	82.74	488.36	276.65	1					İ	İ	
A-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port UEPPP USACP 0.00 84.17 61.38	NONRE	CURRING CHARGES - CURRENTLY COMBINED							_									
ADDITIONAL NRCs		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38								
Inward/two way Tel Nos. (except NC)	ADDIT																	
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)																		
Outward Tel Numbers (All States except NC)					UEPPP		PR7TF		0.5412									
A-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - UEPPP PR7ZT																		
Subsequent Inward Tel Numbers					UEPPP		PR7TO		12.71	12.71								
LOCAL NUMBER PORTABILITY					l==						I			1				
Local Number Portability (1 per port)					UEPPP		PR7ZT		25.42	25.42								
INTERFACE (Provisioning Only)	LOCAL																	
Voice/Data	INITES				UEPPP		LNPCN	1./5			 		1				-	<u> </u>
Digital Data	INTERI				HEDDD		DD71\/	0.00	0.00	0.00	 					-	-	
Inward Data	-										 		1				-	
New or Additional "B" Channel			-								 		 	 			-	
New or Additional - Voice/Data B Channel UEPPP PR7BV 0.00 15.48 Instruction of the property of the	Now or		-		ULFFF		I IVI IE	0.00	0.00	0.00	 		}	 		1	1	
New or Additional - Digital Data B Channel UEPPP PR7BF 0.00 15.48 Image: Control of the properties of	ivew or				LIEDDD		PR7B\/	0.00	15 /10		t		1			1	1	
New or Additional Inward Data B Channel UEPPP PR7BD 0.00 15.48	_										t		 	 				
	_		-								 		 					
CALL TYPES	CALL				J=: 1 1			5.50	10.40		 		1	l			1	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.20.1.222											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	1		Charge -	Charge -	Charge -
		Intori									Elec	1	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 101	1 2.00 / 1.00 /
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								<u> </u>
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	L					L				<u> </u>				
	NE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of t	his amendment sha	II be provide	d pursuant to	a separate agre	ement or tarif	t at BellSouth's	s discretion.						
UNE P	Port/Loop Combination Rates	<u> </u>		LIEBBO		105.00				 			1		1	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC	1	125.69				-	1			-		
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC		155.49			1	 	}		1	 	1	
I INC.	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC	1	233.33				-	1			-		
UNE L		-	1	LIEDDC	LICL DO	70.74										
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPDC UEPDC	USLDC	70.74 100.54					1					
\vdash	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPDC	USLDC	178.38			1	-	-		-	 	-	
LINE E	Port Rate		3	UEPDC	USLDC	170.30										
ONLF	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23				-				
NONE	ECURRING CHARGES - CURRENTLY COMBINED			OLFDC	ODDII	34.53	404.80	209.20			1	1				+
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination										1					
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								i .
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		30.01	40.71								
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								i .
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								1
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								i .
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								ı
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															i
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															i
<u> </u>	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIPOL	AR 8 ZERO SUBSTITUTION	 		LIEDDC	CCOCE	 	0.00;	GEE 00c	1	 	}		1	 	1	
\vdash	B8ZS -Superframe Format	-	-	UEPDC	CCOSF			655.00s			1					
Altern	B8ZS - Extended Superframe Format ate Mark Inversion	 		UEPDC	CCOEF	-	0.00i	655.00s	-				-	-	-	
Aitern	AMI -Superframe Format	 		UEPDC	MCOSF	1	0.00	0.00		1	}		1	1	1	
\vdash	AMI - Extended SuperFrame Format	-		UEPDC	MCOPO	 	0.00	0.00	1	-	-		-	 		
Telon	hone Number/Trunk Group Establisment Charges	-		OLFDO	IVICOPO	 	0.00	0.00	1	-	-			 		
relebi	Telephone Number for 2-Way Trunk Group	 		UEPDC	UDTGX	0.00			1	1	1		1	1	1	
-	Telephone Number for 1-Way Outward Trunk Group	 		UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00				1				1		
	DID Numbers, Establish Trunk Group and Provide First Group					5.50	1			1			1	1	1	<u> </u>
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								1
	DID Numbers for each Group of 20 DID Numbers	l		UEPDC	ND4	0.00				İ			İ	İ	İ	ſ
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPDC	ND5	0.00					Ì					ſ
	Reserve Non-Consecutive DID Nos.	1		UEPDC	ND6	0.00	0.00	0.00			Ì					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								ſ
Dedic:	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS T	runk Port											
l T	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities					1]		1
	Termination)	<u> </u>		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	<u> </u>					
							_	_						Ì		1
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	1LNOA	0.1856	0.00	0.00					<u> </u>		<u> </u>	<u> </u>

IINR	INDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
CITE	JIIDEL				I	1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec				Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Add I	DISC 1St	DISC Add I
							n	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								i
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.1856	0.00	0.00								i .
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															ĺ
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							1
																	i
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								L
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							1
		Central Office Termininating Point			UEPDC	CTG	0.00										L
		DS1 LOOP WITH CHANNELIZATION WITH PORT															
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															1
		system can have up to 24 combinations of rates depending on				1							1	<u> </u>			
		IE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
		sts for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ive dat	e of this amendmen	t shall be pro	ovided pursuar	nt to a separate	agreement or	tariff at BellSo	uth's discreti	on.					
	UNE D	S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3	L,	3	UEPMG	USLDC	178.38	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)		LIEDIAO	VUM24	440.00	0.00	0.00								+
		24 DSO Channel Capacity - 1 per DS1			UEPMG		118.06	0.00	0.00								+
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00								+
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG UEPMG	VUM96 VUM14	472.24 708.36	0.00	0.00								+
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM19	944.48	0.00									
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM2O		0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,180.60 1,416.72	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00								
	-	480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM4O	2,361.20	0.00	0.00						-		
	+	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00			1					—
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00								t
	Non-Pa	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	aliztio					0.00								
		mum System configuration is One (1) DS1, One (1) D4 Channel						ystem				1					
		es of this configuration functioning as one are considered Ad															—
	u.u.u.p.	NRC - Conversion (Currently Combined) with or without	<u> </u>	1	 	l garanen ie											
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24								i
	System	Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat													
		lot Currently Combined) in all states, except in Density Zone 1				1			1	1					1		
	1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	_ · F	1		İ			İ	İ				İ	1		ſ
	1	and Assoc Fea Activation (E:4/1/2004)	l		UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24				I		1
	Bipola	r 8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
	<u></u>	Activity Only	<u> </u>	<u>L</u>	UEPMG	CCOSF	0.00	0.00i	655.00s	<u> </u>		<u></u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
		Clear Channel Capability Format - Extended Superframe -															1
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s								i .
	Alterna	ate Mark Inversion (AMI)															1
		Superframe Format			UEPMG	MCOSF	0.00		0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port											1		
	Exchar	nge Ports				<u> </u>									.		
	1	Line Side Combination Channelized PBX Trunk Port - Business	l		l					Ì					I		1
	<u> </u>	(E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>		ļ		
	1	Line Side Outward Channelized PBX Trunk Port - Business	l			L.===::									I		1
	 	(E:4/1/2004)	ļ	<u> </u>	UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00	ļ					
	1	Line Side Inward Only Channelized PBX Trunk Port without DID	l												I		1
	 	(E:4/1/2004)	<u> </u>	<u> </u>	UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00			1	-		⊢—
1	1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	l		LIEBBY	LIEDDIA	0	0.00	0.00	0.00	0.00				I		1
	F	(E:4/1/2004)	<u> </u>		UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00				-		+
	reature	e Activations - Unbundled Loop Concentration			ĺ			1				1	1	l	1		1

LINIBI		D NETWORK ELEMENTO, EL. : L															
UNBU	INDLE	D NETWORK ELEMENTS - Florida				1									ment: 2		bit: A
														Incremental		Incremental	
												Submitted	Submitted	_	Charge -	Charge -	Charge -
CATE	OBV	RATE ELEMENTS	Interi	Zana	BCS	usoc			DATES (\$)			Elec	-	Manual Svc			Manual Svc
CATE	JUKT	RATE ELEMENTS	m	Zone	всэ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4						1 1130	Addi	11130	Addi	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						1
		Feature (Service) Activation for each Trunk Port Terminated in									0.00						
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						1
	Teleph	one Number/ Group Establishment Charges for DID Service															
	i .	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.26	0.00	0.00								
UNBU	NDLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S														
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State C	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	ed to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Combi	ined Combos. For	Currently Co	mbined Combo	os, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	')														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
		Non-Design		1	UEP91		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design		2	UEP91		15.05										L
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design		3	UEP91		25.80										.
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
		Design		1	UEP91		13.41										.
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	ļ	Design		2	UEP91		18.57			.					.	.	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_						1					1	1	1
<u> </u>	 	Design	ļ	3	UEP91	1	32.04			.				ļ	.	.	
	UNE L	pop Rate															
	 	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
<u> </u>	!	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP91	UECS1	13.88										
<u> </u>	!	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP91	UECS1	24.63										
	ļ	2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP91	UECS2	12.24			.				ļ	.	.	<u> </u>
	ļ	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP91	UECS2	17.40			.				ļ	.	.	<u> </u>
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP91	UECS2	30.87										
<u> </u>	UNE Po		<u> </u>	<u> </u>		1	.			.					-	-	⊢——
<u> </u>	All Sta	tes (Except North Carolina and Sout Carolina)	<u> </u>	<u> </u>	LIEDO4	LIEDY		====			2.5-				-	-	⊢——
<u> </u>	!	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ	<u> </u>	UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						
1	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1											Ì	I	I	1
	<u> </u>	Area	ļ	1	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37						
1	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic						=0 - :				1	1		1		1
<u> </u>	!	Local Area	ļ	<u> </u>	UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						
1	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1											Ì	I	I	1
L	ļ	Note 2, 3 Basic Local Area		ļ	UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81			ļ	.	.	
1	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l	1]								1		1
L	ļ	Term - Basic Local Area	ļ	ļ	UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		l	1				I				Ì	I	I	1
		- Basic Local Area	1		UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						1

LINIDI	INDI EI	NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
ONDO	NULLI	NETWORK ELEMENTS - Florida				1	1					Svc Order	Svc Order	Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec					
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc	Manual Svc		Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							None			. D'			000	D-1 (A)		
							Rec	Nonrec			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Georgia	a and Florida Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	02. 0.	02		100.10	00.10	00.11	10.01						
		Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
—	1	OCIVICE LEITH		-	OFLAI	UEPHZ	1.17	139.49	00.10	65.41	13.81	1	-		-		
I		O Miles Vision Creade Book torreinets 115 Marcellot 115	l	1	LIEDO4	LIEDUO		50.01	00.40	07.50	0.00						1
	ļ	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local S	witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	2.26										
		All Select Features Offered, per port		1	UEP91	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2.26	070.70									
	NARS	All Certifex Control Features Offered, per port		1	OLF91	OLFVC	2.20					1	1				
	INAKS	Habita diad Nationals Assess Desistes Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Combination					0.00		0.00				ļ				<u> </u>
		Unbundled Network Access Register - Indial			UEP91	UAR1X		0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.73										
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
		nnel Bank Feature Activations		1													
	2 . 0	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP91	1PQWS	0.66										
		T catalo 7 bit validit on B 4 chamier bank controx 200p clot		 	OLI 01	11 00110	0.00					1					
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
				1	UEF91	IFQVV6	0.00					ļ					
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center		<u> </u>	UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed		1		1	İ			İ	İ	İ	1	İ	1		
1		changes, per port	l	1	UEP91	USAC2		21.50	8.42		1	Ì		1	1		1
\vdash	1	Conversion of Existing Centrex Common Block		 	UEP91	USACN		5.17	8.32			 	 		1		
-	1	New Centrex Standard Common Block		 	UEP91	M1ACS	0.00	618.82	0.32	1		1	1	1	1		
├	 			 	UEP91	M1ACC	0.00	618.82		-	-	}	 	 	-		
	1	New Centrex Customized Common Block		-								 	 		-		
	1	Secondary Block, per Block		<u> </u>	UEP91	M2CC1	0.00	71.31				1	ļ				
L		NAR Establishment Charge, Per Occasion		 	UEP91	URECA	0.00	66.48									
		CENTREX - 5ESS (Valid in All States)				1]	1]			
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
1		Non-Design	l	1	UEP95	1	10.94				1	Ì		1	1		1

<u>UNBUND</u> LI	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec	curring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
	Non-Design		2	UEP95		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOE		05.00										
LINE	Non-Design Port/Loop Combination Rates (Design)		3	UEP95	-	25.80										+
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															+
	Design		1	UEP95		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		· ·	OL1 30		10.41										1
	Design		2	UEP95		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		32.04			<u> </u>				<u></u>			
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77		-		-						
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88			ļ					ļ		ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24			1				1	 	1	_
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95 UEP95	UECS2 UECS2	17.40 30.87										
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3 Port Rate		3	UEF95	UEC32	30.67										
All St																+
7.11 0.1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEBOE	LIEDVO	4.47	50.04	00.40	07.50	0.07						
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
AI K	Y, LA, MS, SC, & TN Only			OLF 95	OLF 12	1.17	33.31	20.40	21.30	0.37						+
	GA Only															1
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						_]		
	Center)2,3		<u> </u>	UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81				ļ		<u> </u>
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDU:		,									
	Term 2,3	1	!	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81	ļ			 		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	1	 	UEP95 UEP95	UEPH9 UEPH2	1.17	53.31	26.46	27.50	8.37	1		1	1	1	-
Local	Switching	-	†	021 00	JE1 112	1.17	55.51	20.40	21.30	0.37	 			 		
Local	Centrex Intercom Funtionality, per port		 	UEP95	URECS	0.7384										1
Local	Number Portability		i –			,			1				İ		İ	
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35							<u> </u>	İ		
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port		<u> </u>	UEP95	UEPVS	0.00	370.70		ļ					ļ		<u> </u>
1112	All Centrex Control Features Offered, per port		!	UEP95	UEPVC	2.26			ļ				ļ	ļ		
NARS			<u> </u>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			1	 	1	_
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		 	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00		0.00	-		1	1	-	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1	 	UEP95 UEP95	UAROX	0.00	0.00	0.00		0.00	1			 		
Misce	ellaneous Terminations	1	1	0_1 00	5,1107	0.00	0.00	0.00	0.00	0.00			1	1		
	e Trunk Side		†											1		1
	Trunk Side Terminations, each			UEP95	CEND6	8.73			1		İ		i			1

UNBUND	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	ng Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-W	/ire D	Digital (1.544 Megabits)									1						
		DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Inte		ce Channel Mileage - 2-Wire															
	- li	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
		interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
Fea		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 (Chan	nnel Bank Feature Activations															
	F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
		·															1
	F	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	F	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	5	Slot			UEP95	1PQW7	0.66										
	F	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	[Different Wire Center			UEP95	1PQWP	0.66										
	F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	F	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	5	Slot			UEP95	1PQWQ	0.66										
	F	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non	n-Rec	curring Charges (NRC) Associated with UNE-P Centrex															
	1	NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	(Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82]
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82]
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Add	dition	nal Non-Recurring Charges (NRC)]
	ι	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE		rt/Loop Combination Rates (Non-Design)															ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design	ļ	1	UEP9D		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		45.05			1							
		Non-Design	-	2	UEP9D	+	15.05			-	-						↓
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D	1	25.00			I			1		Ì		
LINIT		Non-Design		3	UEP9D		25.80										
UNE		rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	-		+				 	+	-			 		
		2-wire vG Loop/2-wire voice Grade Port (Centrex) Port Combo - Desian	1	1	UEP9D	1	13.41			I			1		Ì		
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	!	- '-	OFLan	+	13.41			 	+				 		┼──
		2-Wire vG Loop/2-Wire voice Grade Port (Centrex)Port Combo - Design		2	UEP9D	1	18.57			I			1		Ì		
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLFBD	+	10.07			1	1				1		+
		Design		3	UEP9D	1	32.04			I			1		Ì		
LIME		op Rate	1	-	021 00	+	32.04			 	+	-			 		
- John		2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	9.77			-	 						
		2-Wire Voice Grade Loop (SL 1) - Zone 1	t	2	UEP9D	UECS1	13.88			 	1		l				1
		2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	24.63			I	1	<u> </u>	 		 		†
		2-Wire Voice Grade Loop (SL 2) - Zone 3	t		UEP9D	UECS2	12.24			 	1		l				
		2-Wire Voice Grade Loop (SL 2) - Zone 1	t	2	UEP9D	UECS2	17.40			 	1		l				
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	30.87			†	1				1		†
UNF		rt Rate		Ť		32002	55.07			t	1				1		
		ATES		†		1				t	1				1		1
					UEP9D		1.17								•		·

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
	2 Wire Vaice Crade Bort (Centrey 900 termination) Book Level						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37						
FL & 0	GA Only			021 00	JL1 12	1.17	30.01	20.40	27.30	0.37						
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		-	UEP9D UEP9D	UEPHC UEPHD	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		-	UEP9D UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37	}					
 	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	-	 	UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37						

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
011201												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1			Order vs.	Order vs.	Order vs.
		·····-	m									per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2 Mire Voice Crade Bort (Centrey / EBS ME312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50		SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4		-							8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3	l		UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		1				
													l				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	l		UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		1				
			-			320	1.17	100.40	00.10	55.71	10.01	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	l		UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
-		2-ville voice Grade Port (Centrex/differ SVVC /EBS-ivi5009)2,3,4	-		UEP9D	UEPHP	1.17	139.49	00.10	05.41	13.01	-					
		2 Mire Vaine Crede Best (Control/differ CMC (EBC E200)2 2 4			LIEDOD	LIEBLIO	4 47	400.40	00.40	05.44	40.04						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81	ļ					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
		16111 2,0			OLI 3D	OLITIZ	1.17	100.40	00.10	00.41	13.01						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
-		2-Wire Voice Grade Port Terminated in on Weganitk of equivalent		-	UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
	lI C			-	OLF3D	ULFTIZ	1.17	33.31	20.40	21.30	0.37						
\vdash	Local S	Control Intercom Funtionality, per part	<u> </u>	-	LIEDOD	LIBECO	0.7004			-		 	-				
		Centrex Intercom Funtionality, per port	 	—	UEP9D	URECS	0.7384			 		1			-		
\vdash	∟ocal N	lumber Portability	<u> </u>		LIEDOD	LNDOO	0.0=					ļ	ļ				
\vdash		Local Number Portability (1 per port)	<u> </u>		UEP9D	LNPCC	0.35					ļ	ļ				
\vdash	Feature		<u> </u>		UEDAD.							ļ	ļ				
		All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
		All Select Features Offered, per port	<u> </u>		UEP9D	UEPVS	0.00	370.70				ļ	ļ				
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26					1	<u> </u>				
]	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscell	aneous Terminations															
		Trunk Side											i				
		Trunk Side Terminations, each			UEP9D	CEND6	8.73			1		1	İ		İ		
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each	1		UEP9D	M1HD1	54.95					1	1				
		DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	15.69				 					
H	Intereff	ice Channel Mileage - 2-Wire	1		OL1 3D	טטוווואו	0.00	13.08		-		 	1		-		
-	teron	Interoffice Channel Facilities Termination	1		UEP9D	M1GBC	25.32					 	-		-		
\vdash			 	 						-		 	-				
\vdash	East	Interoffice Channel mileage, per mile or fraction of mile		 	UEP9D	M1GBM	0.0091			-		 	-				
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e I	-		+				 							
\vdash		nnel Bank Feature Activations	.		LIEDOD	400000	2.22			1		1	ļ				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot	l		UEP9D	1PQWS	0.66					<u> </u>	l		l		

UNBU	NDLF	O NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
2201												Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l m											Electronic-	Electronic-	Electronic-	Electronic-
			l											1st	Add'l	Disc 1st	Disc Add'l
\vdash			 	<u> </u>		1	Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	601111	CONTAN
						+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLFBD	IFQVV	0.00					1					
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 05		0.00										
		Different Wire Center			UEP9D	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
\bigsqcup	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex	ļ												1		
		NRC Conversion Currently Combined Switch-As-Is with allowed	1		LIEDOD	110465		a. =-									
\vdash		changes, per port	<u> </u>		UEP9D	USAC2		21.50	8.42							ļ	
\vdash		Conversion of existing Centrex Common Block, each	<u> </u>		UEP9D	USACN	0.00	5.17	8.32					ļ	-	ļ	ļ
\vdash		New Centrex Standard Common Block	!	 	UEP9D	M1ACS M1ACC	0.00	618.82							 		
\vdash		New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP9D UEP9D	URECA	0.00	618.82 66.48									
\vdash		nal Non-Recurring Charges (NRC)			UEF9D	UKECA	0.00	00.40									
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLI OD	ORLIL		0.00	0.00								
		End Use Premise			UEP9D	URETN		11.21	1.10								
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)							-								
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design		1	UEP9E		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
\perp		Non-Design		2	UEP9E		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		25.00										
\vdash	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	UEP9E	_	25.80					-					
	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+	-					-			-		
		Design		1	UEP9E		13.41										
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	- '-	0_1 0_	1	15.41					<u> </u>		1	I		1
		Design	l	2	UEP9E		18.57								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1									1		
		Design	1	3	UEP9E		32.04										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
igsquare		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24								ļ		
$\vdash \vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ	2	UEP9E	UECS2	17.40										
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 3	<u> </u>	3	UEP9E	UECS2	30.87							ļ	-	ļ	ļ
		ort Rate		-											1		
$\vdash \vdash \vdash$	AL, FL,	KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area	 		UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37	-			 		
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		OLFBE	UEFTA	1.17	JJ.31	20.46	21.50	0.37				+		
1		Area	1		UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37				I		
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		0_1 0_	02.10	1.17	55.51	20.40	21.30	0.37	<u> </u>		1	I		1
		Area	1		UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37				I		
\vdash		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		- "			33.51	25.10	250	0.07				1		
1		Center)2,3 Basic Local Area	1		UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81				I		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			-	1			55.70					İ	1	İ	İ
		Service Term - Basic Local Area	1		UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81				I		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
1		- Basic Local Area	1	1	UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37				I		

UNBU	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Florida																
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3	ļ		UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
1		L	l										1		Ì		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term	ļ		UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local	Switching															
<u> </u>	l	Centrex Intercom Funtionality, per port	<u> </u>	<u> </u>	UEP9E	URECS	0.7384										
-	Local	Number Portability			LIEDOE	LNDOO	0.05										
	F	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature				LIEDOE	LIED\/E	0.00										
-	-	All Standard Features Offered, per port			UEP9E UEP9E	UEPVF	2.26 0.00	070.70									
	-	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9E UEP9E	UEPVS	2.26	370.70									
	NARS	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.20										
	INAKS	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	1	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
-	Miscell	laneous Terminations			OLI 3L	OAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.73										
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOE	4D014/D	0.00										
		Different Wire Center			UEP9E	1PQWP	0.66										
		Easture Activation on D.4 Channel Beats Beingto Line Long Class	l		UEP9E	1PQWV	0.66										
<u> </u>	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	-	<u> </u>	UEF9E	IPQVVV	0.66			1					-	-	
1		Slot	l		UEP9E	1PQWQ	0.66						1		1		
	<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	 	UEP9E	1PQWQ	0.66			1					 		
-	Non-Pr	ecurring Charges (NRC) Associated with UNE-P Centrex	1	1	OLI JL	IFQVA	0.00					1					
\vdash	14011-146	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1		1				1					 		
		changes, per port	l		UEP9E	USAC2		21.50	8.42								
		Conversion of Existing Centrex Common Block, each	1	1	UEP9E	USACN		5.17	8.32								
 	1	New Centrex Standard Common Block	1	1	UEP9E	M1ACS	0.00	618.82	0.02	1		<u> </u>	 		 		
	1	New Centrex Customized Common Block	1	1	UEP9E	M1ACC	0.00	618.82			1				1	1	1
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48							1		
		onal Non-Recurring Charges (NRC)			*												
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise	l		UEP9E	URETL		8.33	0.83				1		Ì		
	•	•	•			-				•		•					

U	IBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C	TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urrina	Nonrecurring	Disconnect		l .	oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
	Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														1	
		2 - Requres Interoffice Channel Mileage															
	Note	3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
	Note	4 - Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in (Seneral Term	ns and Condition	ons.									

UNBUNDLE	D NETWORK ELEMENTS - Georgia			•		1						1 -		ment: 2	Exhi	
													Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KAILO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
L						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "	 Zone" shown in the sections for stand-alone loops or loops as			ination refere to Co		. Decreased III	NIC 7 T-		hiaallu Daawaa		Desimenti	b Cant	Office		Mahaita.	
	www.interconnection.bellsouth.com/become a clec/html/inter				ograpnicany	Deaveraged U	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZOIN	e Designatio	ons by Centi	rai Office, rei	er to internet	website.	
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Comine	LIOILIIL													
	: (1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
elect e	either the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	of the 9 states.															
	: (2) Any element that can be ordered electronically will be bill															
	annot be ordered electronically at present per the LOH, the list			e in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic order	ng capabilities	come on-li	ne for that e	element. Oth	erwise, the ma	anual ordering	g charge,
SOWA	N, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	ensout	n.					I							I	
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
	DATE ADVANCEMENT CHARGE					L										
NOTE	: The Expedite charge will be maintained commensurate with	BellSot	ith's FC	C No.1 Tariff, Section	on 5 as appli	cable.										
				UAL. UEANL. UCL.												
				UEF, UDC, UDF,												
				UEQ, UDL, UENTW,												
				UDN, UEA, UHL,												
				ULC, USL, U1T12,												
				U1T48, U1TD1, U1TD3, U1TDX,												
				U1TO3, U1TS1,												
				U1TVX, UC1BC,												
				UC1BL, UC1CC,												
				UC1CL, UC1DC,												
				UC1DL, UC1EC,												
				UC1EL, UC1FC, UC1FL, UC1GC,												
				UC1GL, UC1HC,												
				UC1HL, UDL12,												
				UDL48, UDLO3,												
				UDLSX, UE3,												
				ULD12, ULD48,												
				ULDD1, ULDD3, ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3, UXTS1, U1TUC,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,												
	Day			U1TUA	SDASP		200.00									
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP				L											
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL UEANL	UEAL2 UEAL2	15.85 31.97	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72	-					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
\vdash	Premise	 	-	UEANL UEANL	URETL URET1		8.33	0.83								
 	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-	-	UEANL	URETA		25.12 13.62	25.12 13.62	1	1	-					
	Loop resumy - Dasie Additional Hall Hour	L	<u> </u>	OLAIL	SILLIA	l	13.02	13.02	l	1	1	ı		1	L	

UNBI	JNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental			
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAIL	JOINT	KATE EEEMENTO	m	20116	500	0000			KATEO (Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					+		Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates (\$)		
				-			Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	OLEO to OLEO Communica Observa Without Outside Dispetch	<u> </u>					FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92								
			-	-	UEANL	UKEWU		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			LIFANII	UEANM		7.00	7.00								
		providing make-up (Engineering Information - E.I.) Manual Order Coordiantion for UVL-SL1s (per loop)	-	-	UEANL UEANL	UEAMC		7.30 18.92	7.30 18.92								
					UEANL	UEAMC		18.92	18.92								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		57.70									
	O MUDE	(per LSR)			UEANL	OCOSL		57.79									
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED		-	LIEO	LIEGOV	44.00	44.00	00.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
-	1	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	 	2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00		ļ		 		
<u> </u>	<u> </u>	2 Wire Unbundled Copper Loop Non-Designed-Zone 3	<u> </u>	3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00				1		-
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		LIBETI		0.00	0.00								1
		Premise			UEQ	URETL		8.33	0.83						ļ		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	1									1				I
	1	Non-Designed (per loop)	ļ	<u> </u>	UEQ	USBMC		18.92	18.92						ļ		
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
UNBU		EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
	UNE Lo	pop Rates for Line Splitting (In Ga. PSC ordered the line spli	tting lo														
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- 1	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- 1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36						1		
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10						İ		İ
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12				İ		İ
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12				1		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79				İ			1		1
		CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO		87.72	36.36						1		t
	2-WIRE	ISDN DIGITAL GRADE LOOP			İ							İ			1		1
	1	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97				İ		İ
		2-Wire ISDN Digital Grade Loop - Zone 2	t	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				1		1
		2-Wire ISDN Digital Grade Loop - Zone Z															
		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				1		

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	ı	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	ı	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1141 0)4/	44.00	44.00	24.55	0.00	0.00						
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						+
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
	facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79	00.00								+
0.1411	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE		UAL	UREWO		44.69	29.29								
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													+
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry	-		UNL	UHLZA	7.00	44.09	31.33	0.00	0.00	1					+
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry	ı	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
			3	UHL	UHL2X	14.48	44.60	31.55	0.00	0.00						
	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	- 1	3	UHL	OCOSL	14.48	44.69 57.79	31.55	0.00	0.00						+
	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UCUSL		57.79									+
	and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						<u> </u>
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		44.69	31.55								
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	ı	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
.	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						↓
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		57.79		1					1	1	+
.	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	Ι.	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry			UIIL	UTL4VV	10.39	44.09	31.05	0.00	0.00						+
	and facility reservation - Zone 2	ı	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	ı	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	L	1	UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		44.69	31.55								↓
4-WI	RE DS1 DIGITAL LOOP		<u> </u>		1101.107		644.0-	=- :-						ļ	ļ	
.———	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	41.02	211.93	72.49	38.24	7.20	-			-	-	+
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	46.41	211.93	72.49	38.24	7.20				1	1	+
\longrightarrow	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX OCOSL	62.03	211.93 57.79	72.49	38.24	7.20	-				-	+
$\!\!\!\!+\!\!\!\!-$	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	-	 	USL	UREWO		100.91	42.97	<u> </u>							+
A_VA/I	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	 	USL	UKEWU		100.91	42.97	-					1	1	+
4-441	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						+
		-		UDL	UDL19	28.36	196.66	37.00	18.82	7.20	1			1	1	+
	4 Wire Unbundled Digital 19.2 Kbps															

	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs.
		m						- (,,			per Lon	per Lor	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL56 OCOSL	38.22	196.66 57.79	37.00	18.82	7.20						+
-+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						+
-+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	28.36	196.66	37.00	18.82	7.20						+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	38.22	196.66	37.00	18.82	7.20				t		†
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2-WIR	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual	Ι.	١			40						1				
	service inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	ı	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual				LIOL DD	00.07	44.00	04.55	0.00	0.00						
	service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCLPB UCLMC	22.07	44.69 18.92	31.55 18.92	0.00	0.00						+
\longrightarrow	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLIVIC		10.92	10.92	-					-		+
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual	·		002	002. 11	12.02		01.00	0.00	0.00						1
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual															1
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		44.69	31.55								
4-WIF	RE COPPER LOOP	- '		UCL	UKEWO		44.09	31.33								+
	4-Wire Copper Loop-Designed including manual service inquiry															+
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															1
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3	ı	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								+
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	ı	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry	'	<u> </u>	UCL	UCL4VV	10.03	44.03	31.33	0.00	0.00				1		+
	and facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry				1											1
	and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00				<u> </u>		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC conversion Charge without outside dispatch	- 1		UCL	UREWO		44.69	31.55						1		
LOOP MODIF	ICATION															-
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		- "	1		5.55	5.50						1		
	less than or equal to 18K ft, per Unbundled Loop	<u> </u>	L	UHL, UCL, UEA	ULM4L		0.00	0.00			<u> </u>	<u> </u>		<u> </u>	<u></u>	
				UAL, UHL, UCL, UEQ, ULS, UEA,										1		
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,			l					1		I		1
	per Unbundled Loop			UEPSB	ULMBT		17.91							1		
SUB-LOOPS					1											1
	oop Distribution															
Sub-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															

LINBUN	IDI EI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: A
ONDON	IDLL	NETWORK ELEMENTS - Georgia				1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.		Order vs.	Order vs.
0711200			m			5555			= (4)			per LSR	per LSK		Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonred	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)	i	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									1
		Sub-Loop - Per Building Equipment Room - CLEC Feeder			02/11/2	00202							1				
		Facility Set-Up			UEANL	USBSC		175.09									1
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up			UEANL	USBSD		51.61									1
		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
		and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						1
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working								-							
		and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						1
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			_												
		Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						1
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -						_									ſ
		Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						1
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															ſ
		Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						1
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						1
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						1
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															ĺ
		Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						l
																	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
						USBMC											1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBR4	7.67	18.92	18.92	0.07	0.04						+
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	7.07	31.07	4.79	2.27	0.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12			1					
		Loop Testing - Basic 13t Hall Hour			UEANL	URETA		13.62	13.62								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01	1					
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3		UCS2X	9.22	28.46	3.85	2.20	0.01		1				
+		Silvandiad Gab Ecop Biodibation	<u> </u>	Ŭ	1	- 302/	ÿ.22	20.40	3.00	2.20	3.01						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		18.92	18.92								1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						ſ
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								1
		Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
U	Inbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								
N	letwor	k Interface Device (NID)			L	<u> </u>											
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.86	20.69								
\vdash		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		56.03	43.86			1					
 		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45								+
LINE SE		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45			<u> </u>		ļ			+
UNE OTI	ı⊨K, P	ROVISIONING ONLY - NO RATE			LIENTON	LINIDDY	2.00	0.00				<u> </u>		ļ			+
\vdash		NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UENTW	UNDBX	0.00	0.00				1					
\vdash		ONT W GIRGUIL ID ESTADIISHITIEHT, PROVISIONING ONLY - INO RATE	-	-	UEANL,UEF,UEQ,U	JEINGE	0.00	0.00				 					
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									1 '
LINE OT	IFR P	ROVISIONING ONLY - NO RATE			LINIVV	CINLCIN	0.00	0.00									
SHE OII	ı_ı, r	NOTICIONING SHET - NO NATE		1	1	1	l l			l		1	1	l	l		

UNBUN	IDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
3501												Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
OAILOG		TOTAL ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							I	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)	I.	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11100	Addi	11100	Auui	COME	COMPAR	COMPAN	COMPAN	COMPAR	COMPAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			05/1,02/1,0/12,020	0.120.1	0.00	0.00									
		rate			UEA,UDN,UCL,UDC	USBEO	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			027,003,0002,000	00B. Q	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -			002	0000.	0.00	0.00									†
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	TY UNBUNDLED LOCAL LOOP			002	OOOLI	0.00	0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				1									1	1	t
		Imonth			UE3	1L5ND	10.97										
 		High Capacity Unbundled Local Loop - DS3 - Facility			020	. 20110	10.01										
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			0_0	OLGI A	200.00	1,700.20	131.30	112.31	75.00		l				
		Imonth			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	10.57										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP M	VKE-II				ODLOX	ODLOT	000.4Z	1,700.20	101.00	112.01	70.00						
LOOF WI	AKL-U	Loop Makeup - Preordering Without Reservation, per working or															
		Ispare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWINLY		13.19	13.19								1
		queried (Manual).			UMK	UMKLP		19.85	19.85								
 		Loop MakeupWith or Without Reservation, per working or			OWIK	OWINE		13.03	13.03								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE SH	APING	S AND LINE SPLITTING			OIVIIC	OWINIVIQ		0.02	0.02								
		1: The Line Sharing monthly recurring rates for all installation	is comr	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	l he hilled as f	ollows:							1
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lumgnt octobe	1 01, 2004 31101	i be billed as i	Ollows.							1
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pp0c	ор Г	. accigned (CC2.12	ľ											
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits installe	ed and inservic	e on or before	October 1, 200	03							
		HARING		1	,,,				.,								
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00				İ	İ	İ .
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															1
		deactivation (per LSOD)	1		ULS	ULSDG		66.34	0.00	51.20	0.00		1				
E	ND US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															1
		Line Sharing - per Line Activation (BST Owned splitter) -				1											1
		OBSOLETE see **NOTE 2	1		ULS	ULSDC	0.61	10.51	7.70	7.00	4.20		1				
		Line Share Service, TRO per line activation, BST owned splitter -				1											1
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)	1		ULS	ULSDT	5.51	10.51	7.70	7.00	4.20		1				
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1	1										1				
		(E:10/2/2005)	1		ULS	ULSDT	8.27	10.51	7.70	7.00	4.20		1				
		Line Sharing - per Subsequent Activity per Line															1
		Rearrangement(BST Owned Splitter	<u></u>		ULS	ULSDS	<u> </u>	36.23	13.23	16.94	1.69	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u></u>
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69				<u></u>	<u></u>	<u></u>
		Line Sharing - per Line Activation (DLEC owned Splitter) -							<u> </u>								
		OBSOLETE see **NOTE 2		l	ULS	ULSCC	0.61	17.82	9.36	8.53	4.30	1	l		l	l	1

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned		1	ULS	ULSCI	5.51	17.82	9.36	8.53	4.30						1
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
	LINE S	PLITTING					_	-									
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
<u> </u>	MAINT	ENANCE		1		+		80.00	55.00	1		<u> </u>		1	1	1	
		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime		-		+		120.00	82.50				-				
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium				-		160.00	110.00			1	-	-	-	-	+
LINBLIN	IDI ED I	DEDICATED TRANSPORT						100.00	110.00			1					1
ONE		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat					40.00			40.50	= 00						
		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Per Mile per month	1		U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVA	ILSAA	0.0057										1
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			01117	0	10.10	10.10	10.10	10.00	0.00						
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	ļ	per month			U1TDX	1L5XX	0.0057					ļ		1	1	1	
l		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			LIATOV	LIATES	7.00	40.40	40.00	10.50				1	1		
	<u> </u>	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00	 	-	 	 	 	
	1	month			U1TD1	1L5XX	0.1154										
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility			01101	120//	0.1134							 	 	 	
	1	Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				-											1
	<u></u>	month	<u> </u>		U1TD3	1L5XX	2.53					<u> </u>		<u> </u>		<u> </u>	
-		Interoffice Channel - Dedicated Transport - DS3 - Facility						_									
	<u> </u>	Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81	ļ		1	1	1	1
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	l											1	1	1	
	 	month	 	1	U1TS1	1L5XX	2.53					<u> </u>	1	1	1	1	
	1	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK	FIBER	TOTTIIII CUOTI	 		01101	01113	330.07	320.47	00.32	00.77	J2.01	1		 	 	 	+
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+								—	—	<u> </u>	†
	1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	<u> </u>	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84					ļ		1	1	1	1
	1	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,745.99	87.54	73.64	18.70	l .	l .	l .	l .	l .	<u> </u>

CATEGORY RATE ELEMENTS Interior m Zone BCS USOC RATES (\$) RATE SUBMITTED RATE SUBMITTED Svc Order Submitted Submitted Charge - Charge Manually per LSR order vs. Electronic- 1st Add RATE SUBMITTED Manually per LSR order vs. Electronic- 1st Add Nonrecurring Disconnect OSS Rates (\$) OSS Rates (\$)	IRLINDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
CATEGORY RATE ELEMENTS Internal manual part Section Sect	PONDE	S NETWORK ELEMENTS - Georgia					ı					Svc Order	Svc Order			Incremental	Incremental
CATEGORY RATE ELEMENTS Intel Some															Charge -	Charge -	Charge -
ATTE ELEMENTS															Manual Svc	Manual Svc	Manual Svc
Recommendation	TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
Text			m						.,,			per Lor	per Lor		Electronic-	Electronic-	Electronic-
BXX ACCESS TEXT DIGHT SCREENING																Disc 1st	Disc Add'l
New Concess First Night Schemeling, Per Call Control																Disc 1st	DISC Add I
Name							Por										
DXX.Access Ton Dig Screening, Reservation Charge Per SXX DR DXX.Access Ton Dig Screening, Reservation Charge Per SXX DR DXX.Access Ton Dig Screening, Per SXX No. Established Width DXX.Access Ton Dig Screening, Per SXX No. Established Width DXX.Access Ton Dig Screening, Per SXX No. Established Width DXX.Access Ton Dig Screening, Dxx.Access Ton Dig Screeni							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SXX.Access Far Digit Screening, Rev BXX No. Established WID OHD Section Triple Streening, Per BXX No. Established WID OHD Section Triple Screening, Per BXX No. Established WID OHD Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF1X Section Streening, Customized Area of Service OHD NSF2X Section Streening, Customized Area of Service OHD	X ACCESS																
Number Researched OHO					OHD		0.0008543										
SXX Access Ten Digit Screening, Per SXX No. Established With OPEN No. Established With OPEN No. Established With OPEN No. Established With OPEN No. Established With OPEN No. Established With OPEN No. Established With OPEN No. Established With OPEN No. Established No. 1					OLID	NODAY		0.50	0.40								
POTS Translations					UHD	N8R1X		2.50	0.43								
SOX_Access Ten Digit Screening, Per BOX No. Established With OHD NBFTX 5.65 0.76 4.24 0.51					OUD			E 65	0.76	4 24	0.51						
POTS Translations					טחט			5.05	0.76	4.24	0.51	1					
BOX Access for Digit Screening, Customized Area of Service Per BX Number BXA, Access for Digit Screening, Michigan InterATA CXP OHO N8FAX 2.93 1.68					OHD	NRETY		5.65	0.76	1 21	0.51						
Per 8XX Number					OTID	1401 170		0.00	0.70	7.27	0.01						
Box Access Fan Digit Screening, Multiple InterdATA CXR Nothing Per CXR Request Per XXX No. No.					OHD	N8FCX		2.50	1 25								
Routing Per CXR Requised Per RXX No. SXA Access Feb Tips Stromenty, Change Per Request OHD N8FXX 2.93 1.08						1.5 5/1	1	2.00	0						1		
SKX Access Fam Digit Screening, Clarage Charge Per Request CHD NSFAX 2.93 0.43		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68						1		
Sext Access Fan Digit Screening, wiff I No. Delivery OHD N8FDX 2.50		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93									
Features OHD N8FDX 2.50		8XX Access Ten Digit Screening, Call Handling and Destination															
BXX Access Ten Digit Screening, wPOTS No. Delivery OHD		Features				N8FDX		2.50									
LINE NFORMATION DATA BASE ACCESS (LIDB)																	
UDB Common Transport Per Ouery					OHD		0.0008543										
LIDB Validation Per Query	IE INFORMA																
IUB Originating Point Code Establishment or Change																	
SIGNALING (CCST) Signaling Connection, Per 56Kbps Facility UDB TPP++ 8.73 34.77 16.91 16						VIDEBY/	0.0266962										
CCS7 Signaling Connection, Per 56Kbps Facility UDB TPP++ B.73 34.77 34.77 16.91 16.91					OQ1, OQU	NRBPX		33.24	33.24	39.35	39.35						
CCSF Signaling Termination, Per STP Port	NALING (C				IDD	TDD	0.70	04.77	24.77	40.04	10.01						
CGST Signaling Usage, Per Call Setup Message								34.77	34.77	16.91	16.91						
CCST Signaling Usage, Per TCAP Message UDB						F 103A											
CCS7 Signaling Connection, Per link (A link) (same as E.3.1)						1											
CCS7 Signaling Connection, Per link (6 link) (same as E.3.1)						TPP++		34.77	34.77	16.91	16.91						
Inix (same as E.3.1)							-	•	• • • • • • • • • • • • • • • • • • • •								
CCS7 Signaling Value Surrogate, per link					UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
CCAPO CCAP		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB		0.0000132										
SERVICE Coal Channel - Dedicated - 2-wr Voice Grade Per Mile Number of the Coal Channel - Dedicated - 2-wr Voice Grade Per Mile Number of the Coal Channel - Dedicated - 2-wr Voice Grade Per Mile Number of the Coal Channel - Dedicated - 2-wr Voice Grade Per Mile Number of the Coal Channel - Dedicated - 2-wr Voice Grade Per Facility Number of the Coal Channel - Dedicated - 2-wr Voice Grade Per Facility Number of the Coal Channel - Dedicated - D		CCS7 Signaling Usage Surrogate, per link			JDB	STU56	907.44										
E911 SERVICE																	
Local Channel - Dedicated - 2-wr Voice Grade 7,74 121.07 53.30 46.40 13.37 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile 0.0057 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination 12.87 48.46 19.48 16.58 5.00 Local Channel - Dedicated - DS1 - Zone 1 18.47 149.46 111.20 40.36 26.12 Local Channel - Dedicated - DS1 - Zone 2 56.30 149.46 111.20 40.36 26.12 Local Channel - Dedicated - DS1 - Zone 3 164.70 149.46 111.20 40.36 26.12 Interoffice Transport - Dedicated - DS1 Per Mile 0.1154 Interoffice Transport - Dedicated - DS1 Per Facility Termination 34.19 111.03 80.28 31.36 21.73 CALLING NAME (CNAM) SERVICE CNAM For DB Owners - Service Establishment OQV 22.90 20.32 CNAM For DB Owners - Service Establishment OQV 22.90 20.32 CNAM For DB Owners - Service Provisioning With Point Code Establishment OQV 331.89 237.45 257.65 184.91 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 CNAM for Non DB Owners OQV		affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	11 SERVICE																
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination 12.87 48.46 19.48 16.58 5.00								121.07	53.30	46.40	13.37						
Termination 12.87 48.46 19.48 16.58 5.00	_			!		1	0.0057			1	-			1	!	1	
Local Channel - Dedicated - DS1 - Zone 1							10.07	40 40	10.40	16.50	F 00				I		
Local Channel - Dedicated - DS1 - Zone 2 56.30 149.46 111.20 40.36 26.12			-	1		+											
Local Channel - Dedicated - DS1 - Zone 3 164.70 149.46 111.20 40.36 26.12 Interoffice Transport - Dedicated - DS1 Per Mile 0.1154 111.03 80.28 31.36 21.73 Interoffice Transport - Dedicated - DS1 Per Facility Termination 34.19 111.03 80.28 31.36 21.73 CALLING NAME (CNAM) SERVICE 0QV 22.90 20.32 CNAM For DB Owners - Service Establishment 0QV 22.90 20.32 CNAM For DB Owners - Service Establishment 0QV 22.90 20.32 CNAM For DB Owners - Service Provisioning With Point Code Establishment 0QV 959.77 709.83 251.47 184.91 CNAM For Non DB Owners - Service Provisioning With Point 0QV 331.89 237.45 257.65 184.91 CNAM for DB Owners, Per Query 0QV 0.0009924 0.0009924 CNAM for Non DB Owners, Per Query 0QV 0.0009924 0.0009924 CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) 0QV CDDCH 595.00 595.00				1		+								-	 	-	
Interoffice Transport - Dedicated - DS1 Per Mile				1		+									t		
Interoffice Transport - Dedicated - DS1 Per Facility Termination 34.19 111.03 80.28 31.36 21.73	1			1		1		170.70	111.20	40.30	20.12				†	1	
CALLING NAME (CNAM) SERVICE OQV 22.90 20.32 CNAM For DB Owners - Service Establishment OQV 22.90 20.32 CNAM For DB Owners - Service Provisioning With Point Code Establishment OQV 959.77 709.83 251.47 184.91 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 331.89 237.45 257.65 184.91 CNAM for DB Owners, Per Query OQV 0.0009924 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 0.0009924 CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) OQV CDDCH 595.00 595.00				1		1	554								1		
CALLING NAME (CNAM) SERVICE OQV 22.90 20.32 CNAM For DB Owners - Service Establishment OQV 22.90 20.32 CNAM For DB Owners - Service Provisioning With Point Code Establishment OQV 959.77 709.83 251.47 184.91 CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 331.89 237.45 257.65 184.91 CNAM for DB Owners, Per Query OQV 0.0009924 0.0009924 CNAM for Non DB Owners, Per Query OQV 0.0009924 0.0009924 CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) OQV CDDCH 595.00 595.00		Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73				I		
CNAM For DB Owners - Service Establishment	LLING NAM	E (CNAM) SERVICE															
CNAM For Non DB Owners - Service Establishment		CNAM For DB Owners - Service Establishment						22.90		20.32							
Establishment		CNAM For Non DB Owners - Service Establishment			OQV			22.90		20.32							
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment				l T													
Code Establishment					OQV	1		959.77	709.83	251.47	184.91				1		
CNAM for DB Owners, Per Query					0011										I		
CNAM for Non DB Owners, Per Query OQV 0.0009924						1	0.0000001	331.89	237.45	257.65	184.91			ļ	-	ļ	
CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) OQV CDDCH 595.00 595.00						1								ļ	-	ļ	
Character Based User Interface (CHUI) OQV CDDCH 595.00 595.00	_				JŲV	1	0.0009924			1	-			1	!	1	
				l .	00V	CDDCH		E0E 00	E0E 00						I		
	LECTIVE D		-		JUV	CDDCH		595.00	595.00					1	 	1	
Selective Routing Per Unique Line Class Code Per Request Per	LEGIIVER					+	 			1					 		
Selective routing Fet Unique Line Class Code Fet Request Fet 102.19 61.15 12.68 6.34								102 19	61 15	12 68	6.34				1		
VIRTUAL COLLOCATION	RTUAL COL		-	1		+	 	102.19	01.13	12.00	0.34				t		

UNBUNDLE	D NETWORK ELEMENTS - Georgia			1	T	1					-	_		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO				UEFSK UEFSB	VEILS	0.0100	0.00	0.00	0.00	0.00					1	
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user		-	SRC SRC	SRCLP	0.0020368	2.06	2.06								
AIN - BELLSO	Query NRC, per query UTH AIN SMS ACCESS SERVICE			SKC		0.0020366									1	
AIN - BEEEGO	AIN SMS Access Service - Service Establishment, Per State,				1											
1 1	Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						1
	· ·				1											
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
\vdash	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0038	40.24	40.24	11.72	11.72					-	
\vdash	AIN SMS Access Service - Storage, Per Offic (100 Kilobytes) AIN SMS Access Service - Session, Per Minute		1			1.81										
	AIN SMS Access Service - Company Performed Session, Per				1	1.01										
	Minute					0.8323										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,236.62	4,236.62								
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
\vdash	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPTI		0.10	0.10	9.10	9.16						
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1	
	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
\vdash	DN, CDP				BAPTC		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
—	AIN Toolkit Service - Query Charge, Per Query				DAFII	0.0271438	33.90	33.90	14.09	14.09						
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.027 1.00									1	
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.04										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			l												1
\vdash	Subscription	<u> </u>	1	CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						ļ
1 1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	6.46	8.98	8.98								1
 	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	-	1	C, uvi	טאו נט	0.40	0.50	0.30							t	
	Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71						1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription	<u> </u>		CAM	BAPES	0.22	8.98	8.98	<u> </u>							
	XTENDED LINK (EELs)							•		•						
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE com	nbinations pro	visioned as 'C	ordinarily Comb	ined' Network	Elements.					
		ha nan	-recurri	ng charges below v	vill apply for I	UNF combination	one provisione	ed as 'Current	Iv Combined' N	etwork Fleme	nts.				l .	1
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	TIE HOIL	4 INITE	DOFFICE TRANSPO	DT		ons provisione		.,	0111011K =101110						
NOTE:	The monthly recurring and the Switch-As-is Charge and not to ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	ED DS	1 INTE	ROFFICE TRANSPO	RT UEAL2	11.57	195.94	36.38	18.42	6.86						

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1		Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04			1	1		—
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC	31.1000	5.70	5.70	6.61	6.61						
FXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FD DS	1 INTER				3.70	3.70	0.01	0.01						
EXTE	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
					UEAL4											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						-
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Additional Voice Grade COCI in combination - per month		Ŭ	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTF	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				5.70	5.70	0.01	0.01	 					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility			UNC1X	1L5XX	0.1154										
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10		10.0-							
+	OCU-DP COCI (data) per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
+	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						

UNBUNDL	ED NETWORK ELEMENTS - Georgia						-		•				Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1				I					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111	10112 =======	m		200	0000			101120 (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	ı	Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		L
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Nonrequiring Currently Combined Network Flomenta Switch As	-				-	FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAV	LINICOC		F 70	F 70	0.04	0.04						1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						├
EXIE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D51 IN	TEROFFICE TRANS	SPORT											├
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
																i
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						L
																1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															ſ
	Per Month	l		UNC1X	1L5XX	0.1154					İ	1		İ		1
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1					1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	İ	İ		İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			CHODA	ODLOT	21.00	100.04	00.00	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						1
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDA	UDL04	20.30	193.94	30.30	10.42	0.00						
			3	LINODY	UDL64	38.22	405.04	00.00	40.40	0.00						i
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination - per month															i
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						├
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						L
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															[
	Per Month			UNC1X	1L5XX	0.1154										i
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			†	20		2.31	2.31	İ	İ		İ		
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				İ		ſ
	First DS1Loop in Combination - Zone 2	1		UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				1		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	İ			İ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1		-					231	2.30	1	1		1		
1 1	Per Month	l		UNC3X	1L5XX	2.53					1					1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1		2.7007		2.00					 	1		 		f
1 1	month	l		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1					1
\vdash	3/1Channel System in combination per month	1		UNC3X	MQ3	121.90	323.31	11.01	49.30	32.00	 	1		 		
\vdash	DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	 	1		 		
\vdash		1		UNUIA	וטוטט	1.35	21.33	2.90	10.86	1.04	-	-		-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINICAY	LICLYY	44.00	200 45	70.44	27.04	0.00	l	1		l		1
\vdash	Zone 1	.	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1	ļ		1		
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l		LINIOAY	1101.307		600 1-				l	1		l		1
\vdash	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	l									l	1		l		1
L	Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86		ļ				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	l									1					1
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					-	1
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						1

UNBUN	NDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
3.1201						1						Svc Order	Svc Order	Incremental		Incremental	
1			l									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		Manual Svc
CATEGO	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)					Manual Svc			
CATEGO	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>										- N	. B'			000	D-1 (A)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0057										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	FXTFN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE					****		0.0.						
H 1		4-WireVG Loop in combination - Zone 1		1 1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
 		4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
-		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						-
				3	UNCVA	UEAL4	30.23	195.94	30.30	10.42	0.00						-
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	l		LINCVY	11.577	0.0057			I			1		I	Ì	
\vdash		Mortus	<u> </u>	<u> </u>	UNCVX	1L5XX	0.0057						ļ			ļ	_
		Interoffice Transport - 4-wire VG - Dedicated - Facility	İ		l	1				1			l				
		Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
1		Nonrecurring Currently Combined Network Elements Switch -As-	l										1				
		Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
		, , ,															
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
h +		Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	2.53	1,200.47	020.04	41.00	20.70						†
 		Interoffice Transport - Dedicated - DS3 - 1 et Mille per Month			ONOON	TESTON	2.55										
		Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
					UNCSA	UTIF3	342.02	323.91	11.01	49.36	32.00						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.70	5.70	0.04	0.04						
├		is Charge	<u> </u>		UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		I											
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	FXTFN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		3.1000		5.70	5.70	0.01	0.01	t	1		†	 	†
 	-AILIN	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	 	 		1	 	
\vdash		First 2-Wire ISDN Loop in Combination - Zone 1	-	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	 	 		-	-	
\vdash			-									1			-	 	
-		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	1			1		
		Interoffice Transport - Dedicated - DS1 combination - per mile	İ							1			l				
		per month		ļ	UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility	İ							1			l				
		Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1	l	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	1	1		I	Ì	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		i –						<u> </u>		1	İ		İ	İ	
		Combination - Zone 2	l	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	1	1		I	Ì	
\vdash		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-			J	20.20	100.04	00.00	10.72	0.00	1			t	 	+
		Combination - Zone 3	l	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	1	1		I	Ì	
\vdash			1	3	OIVOIVA	UILZA	42.17	195.94	30.38	10.42	0.00	+	1		 	 	1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per	İ		LINIONIV	110404	4.00	07.00	0.00	40.00	4.04		l				
\longmapsto		month	<u> </u>	<u> </u>	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		ļ			ļ	_
		Nonrecurring Currently Combined Network Elements Switch -As-	l		l .	1				I		1	1		I	Ì	
igsquare		Is Charge	<u> </u>		UNC1X	UNCCC		5.70	5.70	6.61	6.61	1	ļ		ļ	ļ	ļ
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
\Box		First DS1 Loop Combination - Zone 1	\Box		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86		<u> </u>				
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						

UNBLIND	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
CHOCKDE	LD RETWORK ELLINERTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
G/200		m		200	5555			== (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.53										1
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						i .
	3/1 Channel System in combination per month			UNCSX	MQ3	121.90										
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						1
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						1
	Additional DS1Loop in the same STS-1 Interoffice Transport															1
	Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				<u> </u>	<u></u>	L
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	•														[
	Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						<u> </u>
EXT	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														l
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						l
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						l
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															i .
	Per Mile per month			UNCDX	1L5XX	0.0057										.
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															i .
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						.
	Nonrecurring Currently Combined Network Elements Switch -As-	i														1
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT				24.22	10=01		10.10							
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	-	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	1L5XX	0.0057										i .
-	Per Mile per month			UNCDX	ILDAX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	U1TD6	7.83	66.53	22.64	43.42	27.60						i
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	1	<u> </u>	UNCDA	UTIDO	7.03	66.53	33.61	43.42	27.00						
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						1
EYTE	INDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSD	ORT w		UNCCC		5.70	5.70	10.0	10.0				t	1	
LATE	First 2-wire VG Loop (SL2) in Combination - Zone 1	NAMOF		UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86		 		t		
	First 2-wire VG Loop (SL2) in Combination - Zone 1	 		UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		 		t		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	†		UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86		 		I		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť			55.55	.00.04	55.50	.0. 12	0.30				1		
	Mile	1		UNC1X	1L5XX	0.1154						1		I		1
	First Interoffice Transport - Dedicated - DS1 combination -					511101								İ		
	Facility Termination per month	1	1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		1
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10							1	İ	ſ
	Per each Voice Grade COCI - Per Month per month	1		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						ſ
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		1												I	1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						!
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	1								<u> </u>	1		_		1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1													1		1
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1154								ļ		
	Each Additional DS1 Interoffice Channel Facility Termination in	1		l .	1							1		I		1
	same 3/1 Channel System per month	ļ		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		
	Each Additional DS1 COCI combination per month	<u> </u>	<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04]		1		1

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CABOIADE	The state of the s										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									I M	. D'						
						Rec	Nonrec			g Disconnect	201150	SOMAN		Rates (\$)	001141	001141
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
FXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR				5.70	3.70	0.01	0.01						
LXIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	T	ANOI OILI W/ O/ I MIC	1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per			l										1		
\vdash	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.1154			ļ						ļ	
	First Interoffice Transport - Dedicated - DS1 - Facility	1		UNC1X	U1TF1	04.40	07.70	45.70	43.80	27.97		1				
 	Termination Per Month Per each 1/0 Channel System in combination Per Month	 		UNC1X UNC1X	MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97				 		
—	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				-		
 	3/1 Channel System in combination per month	!	1	UNC3X	MQ3	121.90	۷۱.۵۵	2.90	10.00	1.04				 		
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				†	1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1				7.50	200	2.50		54				1		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86				1		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1										1				
\vdash	Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86				1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINGAY	41.5007							1				
	Channel System per month	ļ	-	UNC1X	1L5XX	0.1154								1		
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1				
	Additional Voice Grade COCI - in combination - per month	1		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				+		
 	Nonrecurring Currently Combined Network Elements Switch -As-		 	0110 1/	טויטו	0.4009	21.33	2.90	10.00	1.04				t		
	Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61		1		I		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF				20								1	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1	<u></u>	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				<u></u>	<u> </u>	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2	ļ	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINORY	1101.50	00.00	405.01	00.00	40.10	0.55				1		
\vdash	Zone 3	!	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				1	-	
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154								1		
 	First Interoffice Transport - Dedicated - DS1 - combination	 	 	OHOIA	ILUM	0.1154			1	1				t		
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		
	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	69.75	86.10	70.70	70.00	21.01				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		LINORY	1101.50	00.55	405.01	00.00	40.10	0.55		1		I		
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				1		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				1		
 	OCU-DP COCI (data) COCI in combination per month (2.4-	 	3	OINODA	ODESO	30.22	190.94	30.38	10.42	0.86				t		
	64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		1				
	Each Additional DS1 Interoffice Channel per mile in same 3/1					0.0000	200	2.00						1		
	Channel System per month	1		UNC1X	1L5XX	0.1154						1				
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system	1										1				
	combination per month	l		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				l		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0112011222											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	•	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	20.30	133.34	30.30	10.42	0.00						
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per								-							
	Mile Per Month	<u></u>	<u>L</u>	UNC1X	1L5XX	0.1154								<u> </u>		
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month	ļ	ļ	UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINODY	10100	0.0000	07.00	0.00	40.00	4.04						
-	64kbs) 3/1 Channel System in combination per month			UNCDX UNC3X	1D1DD MQ3	0.9963 121.90	27.33	2.90	16.86	1.04						
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	7.55	21.00	2.30	10.00	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System								40.00							
-	combination - per month (2.4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TESTA	0.1134										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		4	LINICNIV	1141.00	10.92	105.04	26.20	10 40	6.06						
\vdash	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	+-	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86		-		-		
	Transport - Zone 2	1	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1		1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	† -		1	20.20	.00.04	33.30	.5. /2	0.30				1		
	Transport - Zone 3	<u>L</u>	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	<u> </u>	<u> </u>				
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month	1		UNC1X	1L5XX	0.1154										
1 1	First Interoffice Transport - Dedicated - DS1 combination -	1	1		l							1		1		
	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
\vdash	Per each Channel System 1/0 in combination - per month	1	 	UNC1X	MQ1	69.75	86.10					-		-		
1 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1	1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		1		1		
	3/1 Channel System in combination per month	1	†	UNC3X	MQ3	121.90	27.00	2.50	10.00	1.04				1		
	Per each DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
i	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
1 1 -	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_]		1		
\vdash	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				ļ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
 	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	3	OINGINA	UILZA	42.17	190.94	30.38	10.42	0.86				1		
	system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	1-y	ı	1		120.000	00	200	2.00			1		1	1		

ONBONDE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc	Charge - Manual Svc		Incrementa Charge - Manual Svo
CATEGORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	3/1 Channel System in combination per month		-	UNC3X	MQ3	121.90	81.76	45.73	43.80	21.91					+	
H	Per each DS1 COCI combination per month	1	1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				1	 	
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154	27.00	2.00	10.00	1.04						
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.1154										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		-										1	
i 1	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		0.1000		0.10	00	0.01	0.01						
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCDX	UNCCC	7.00	5.70	5.70	6.61	6.61						
	NETWORK ELEMENTS							5.70	10.0	0.01						
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges d	o not apply, but a	Switch As Is cl	narge does app	oly.									
When Nonre	used as ordinarily combined network elements in All States, ti curring Currently Combined Network Elements "Switch As Is"	he non- Charge	(One	ing charges apply a applies to each con	and the Switch abination)	As Is Charge of	does not.									
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.70	5.70	6.61	6.61						

UNBUND	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit· Δ
SIADOIAD	JEED NETWORK ELLINENTS - Georgia		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge - DS1	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As			UNCIX	UNCCC		5.70	5.70	0.01	0.01						
	Is Charge - DS3	1		UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As	-		ONOOX	011000		0.70	0.70	0.01	0.01						
	Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
Op.	otional Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		OI	OI	01	OI						
		1		U1TD1,]]		
\vdash	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent	1 .		ULDD1, U1TD1,	LIBOG 5							1		1		
\vdash	Activity - per DS1	 	1	UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S				 		
	C-bit Parity Option - Subsequent Activity - per DS3	1 .		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
MI	ULTIPLEXERS	+ '-		UE3, UNU3X	NRCC3		218.745	7.005	0.75915	05						
IWIO	DS1 to DS0 Channel System per month	1		UNC1X	MQ1	69.75	86.10									
—	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		ONOTA	IVIQ I	00.70	00.10									
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	•														
	month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	45.04	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month	-		UTTUB	UCTCA	1.00	15.81	11.39	0.01	0.01						
	used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
—	Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	15170	0.4000	11.50	11.00	0.01	0.01						
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
	DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
	DS1 COCI (used for connection to a channelized DS1 Local	1	1									1				
\vdash	Channel in the same SWC as collocation) per month	1	<u> </u>	U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61						
\vdash	DS1 COCI used with Interoffice Channel per month	 	<u> </u>	U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61				 		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1		ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61		1		1		
LINBUND	month ED LOCAL EXCHANGE SWITCHING(PORTS)	1	 	OLDDI	וטוטט	1.35	15.61	11.39	10.0	10.0		-		-		
	schange Ports	 	 		 				 					 		
	OTE: Although the Port Rate includes all available features in GA,	KY, LA	& TN. tl	he desired features	will need to b	e ordered usin	ng retail USOC	S								
	WIRE VOICE GRADE LINE PORT RATES (RES)	T	1,													
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28						
														1	-	
$\perp \perp \perp$	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	ļ		UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28						
		1										1		1		
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	 	1	UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28				 		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)	1		LIEDOD	UEPAP	1.09	2.42	2.31	4.07	1.28						
\vdash	with Caller ID (LUM) Exchange Ports - 2-Wire Voice Georgia basic dialing port	 	 	UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28				-		
	without Caller ID	1		UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28		1		1		
	2-Wire voice unbundled Georgia basic dialing port for use with	 	1	OLI ON	OLFVVC	1.09	2.42	2.31	1.37	1.20				 		
	Caller ID - res	1		UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28		1		1		
\vdash	2-Wire voice unbundled Georgia basic dialing port - outgoing	†	İ							20						
									1.37							

RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) RATE SUBMENTS RA	<u> JNBUNDLE</u>	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
New Print	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Charge -
Section Sect							Rec										
Cognoting Cogn							nco	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Georgia DEPRIX Service (state Grade Unbandled Port with Caller Di capability) DEPRIX Service DEPRIX		Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
Concepts		Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
Suppose part Activity					LIEPSR	LIEPRII	1.09	2 42	2 31	1 37	1 28						
PETURES UPPN											1.20						1
Particle Post Pos	FEATU				02. 0.1	00/100	0.00	0.00	0.00								
Particle Post Pos	1				UEPSR	UEPVF	0.775	0.00	0.00								
Buse	2-WIRI																
Unbounded port with Califer 644 D- Bus. Enchange Ports - 2-Wire Voor George Business Basic Dialing Port, with Califer Depublishy Port, with Califer Depublishy Enchange Ports - 2-Wire Voor Analog Line Port outgoing only - Bus. Enchange Ports - 2-Wire Voor unbounded incoming only port with Califer D- Bus Enchange Ports - 2-Wire Voor unbounded incoming only port with Califer D- Bus Usepa Us					UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
Port. wift Caller ID cagoability					UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
Exhange Poins - 2-Wire VG unbindied incoming only port with Caller ID - But					UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
Caller (To - Bus Exchange Ports - 2-Wire Voice Georgia Business Dalling Plan UEPSB UEPWD 1.09 2.42 2.31 1.37 1.28					UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
without Caller ID		Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
Capability		without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
FEATURES		Capability									1.28						
All Available Vertical Features UEPSB UEPVF 0.775 0.00					UEPSB	USASC	0.00	0.00	0.00								
EXCHANGE PORT RATES (DIO & PBX)	FEAT				LIEDOD	LIEDVE	0.775	0.00	0.00								<u> </u>
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	EVCU				UEPSB	UEPVF	0.775	0.00	0.00								
2-Wire VG Line Side Unbundled Q-Way PBX Trunk - Bus UEPSP UEPPC 1.09 28.88 13.63 11.48 0.83	LXCII				LIFPSE	UEPRD	1 09	28.88	13 63	11 48	0.83						
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus UEPSP UEPP1 1,09 28,88 13,63 11,48 0.83																	
2-Wire VSC Line Side Unbundled noming PBX Trunk - Bus UEPSP UEPL 1,09 28,88 13,63 11,48 0.83																	
2-Wire Voice Unbundled PEX LD Terminal Ports UEPSP UEPLD 1.09 28.88 13.63 11.48 0.83					UEPSP	UEPP1	1.09			11.48	0.83						
2-Wire Voice Unbundled 2-Way PBX Usage Port UEPSP UEPXA 1.09 28.88 13.63 11.48 0.83		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
2-Wire Voice Unbundled PBX LD Terminal Hotel Ports UEPSP UEPXB 1.09 28.88 13.63 11.48 0.83		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP		1.09	28.88	13.63	11.48	0.83						
2-Wire Voice Unbundled PBX LD DDT Ferminals Port UEPSP UEPXC 1.09 28.88 13.63 11.48 0.83																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard PDT																	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPSP UEPXE 1.09 28.88 13.63 11.48 0.83																	
Capable Port					UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
Administrative Calling Port		Capable Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83						
Room Calling Port		Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83						
Discount Room Calling Port		Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83						
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXS 1.09 28.88 13.63 11.48 0.83	1		l		LIEDSD	LIEDYO	1 00	20 00	12.62	11 10	0.93						
2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk	+		-	†								 			 		
2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk UEPSP UEPWT 1.09 28.88 13.63 11.48 0.83		2-Wire voice unbundled Georgia basic dialing port - 1-Way															
2-Wire voice unbundled Georgia basic dialing port - 2-way PBX UEPSP UEPPQ 1.09 28.88 13.63 11.48 0.83		2-Wire voice unbundled Georgia basic dialing port - 2-Way															
Subsequent Activity		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
FEATURES			1	!						1110	0.00		1		 		†
All Available Vertical Features	FEATU					1 - 2 -	5.20	2.20	2.30	Ì	Ì				Ì		1
Exchange Ports - Coin Port 1.09 2.42 2.31 1.37 1.28					UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
	EXCH																

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	. Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES															
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effecti								iscretion.					
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45						
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
		All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles	l	<u> </u>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	1					1		↓
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	d voice and/or	circuit switch	ed data transn	nission by B-C	hannels assoc	iated with 2	wire ISDN	orts.	L]	
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	lities will be de	etermined via	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)	<u> </u>	<u> </u>						ļ		<u> </u>			ļ		
1		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1	1						I					I	Ì	1
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69						<u> </u>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726										<u> </u>
	Detaile	d E911 with Locator Capability (required with UEPEX port)															<u> </u>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,818.00									<u> </u>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	176.57									
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.50									<u> </u>
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1		HEDEV	DD77T	0.00	04.40	04.40	1					1		1
	1004	Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY	 	-	UEPEX	PR7ZT	0.00	21.43	21.43	 					 		
	LUCAL	Local Number Portability (1 per port)	 	 	UEPEX UEPDX	LNPCN	1.75			 		1			 		
	INTER		 	 	UEPEA UEPUX	LINPUN	1./5			 		1			 		
	INIERI	FACE (Provsioning Only) Voice/Data	 	-	UEPEX	PR71V	0.00	0.00	0.00	 					 		
	-	Voice/Data Digital Data	 	 	UEPEX	PR71V PR71D	0.00	0.00	0.00	 		1			 		
 	-	Inward Data	 	-	UEPDX	PR71E	0.00	0.00	0.00		-	-				 	
 	Now a	Additional Channel	 	-	OLPDA	r'R/TE	0.00	0.00	0.00		-	-				 	
	ivew or	New or Additional - Voice/Data "B" Channel	1	1	UEPEX	PR7BV	0.00	28.71		1		1	1		1		
 	-	New or Additional - Voice/Data B Channel New or Additional - Digital Data "B" Channel	 	-	UEPEX	PR7BF	0.00	28.71			-	-				 	
 	-	New or Additional Inward Data "B" Channel	 	-	UEPDX	PR7BD	0.00	28.71			-	-				 	
	+	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BS	0.00	20.71		1		1	1		1		
-	+	New or Additional Useage Sensitive Voice Data B Channel New or Additional Useage Sensitive Digital Data "B" Channel	1	1	UEPEX	PR7BU	0.00	1		 	1	1	1	1	 	1	
	+	New or Additional PRI "D" Channel	1	1	UEPEX	PR7EX	0.00	28.71		 	1	1	1	1	 	1	
	CALL		 	-	OLFLA	I N/LA	0.00	20.71			-	-				 	
	CALL	Inward	 	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00		-	-		-		 	
	+	Outward	1	1	UEPEX UEPDX	PR7CO	0.00	0.00	0.00	1		1	1		1		
 	-	Two-way	 	-	UEPEX	PR7CC	0.00	0.00	0.00		-	-		-		 	
	HINDHA	ITWO-WAY IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	, 	1	OLFEA	FRICE	0.00	0.00	0.00	1		1	1		1		
		IDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-		1					-	-		-		 	
-	UNDU	Unbundled Remote Call Forwarding Service, Area Calling, Res		1	UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28	 	-	-	-	-	
Щ		Tombundied Nemote Call Forwarding Service, Area Calling, Res	1	1	OLF VIX	ULINAU	1.09	2.42	2.31	1.37	1.28	1		l	1		1

LINIDLINI	NI EI	NETWORK ELEMENTS - Georgia												A44b		Ful:	bit: A
UNDUN	VLEI	O NET WORK ELEMENTS - Georgia	1			1	ı					Cua Ordar	Cvo Ordor	Incremental	ment: 2 Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	ov	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGO	X I	RATE ELEWIENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
 				-				Mana		Managarania.	- Diazanasat			000	D-4 (A)		
				-			Rec	Nonrec			Disconnect	001150	001111		Rates (\$)	001441	0011411
				-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		H-1 II1 D O-II E I' O' 11 O-II' D			LIEDVO	LIEDI O	4.00	0.40	0.04	4.07	4.00						
<u> </u>		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
⊢		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
N	on-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -			LIEDVO	110400		0.04	0.04								
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with			LIEDVO	110400		0.04	0.04								
L		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
U	NBUN	DLED REMOTE CALL FORWARDING - Bus															
		Habitandlad Damata Call Faminasi'i ii Oori'i ii Arii Ooli'i			LIEDVD	LIEDAG	4.00	0.40	0.01	1.0=	4.00				1		1
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28						
		Halandia I Baranta Onli Francis III a di di di di di di di di		1	LIEDVD	LIEDI C							1		I		1
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus		ļ	UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28						
\vdash		Unbundled Remote Call Forwarding Service, InterLATA - Bus		 	UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28				.		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
No.	on-Re	curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
		OCAL SWITCHING, PORT USAGE															
Eı	nd Of	ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0006153										
		End Office Trunk Port - Shared, Per MOU					0.0001226										
Ta	anden	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972										
		Tandem Trunk Port - Shared, Per MOU					0.0001557										
		Tandem Switching Function Per MOU (Melded)					0.000017904										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
		Melded Factor: 18.42% of the Tandem Rate															
C	ommo	on Transport															
		Common Transport - Per Mile, Per MOU		<u> </u>		1	0.0000027								ļ		1
		Common Transport - Facilities Termination Per MOU		<u> </u>		1	0.0001914								ļ		1
		ORT/LOOP COMBINATIONS - COST BASED RATES				1											
		ased Rates are applied where BellSouth is required by FCC ar								L	L	L			ļ		1
		s shall apply to the Unbundled Port/Loop Combination - Cos											L		1		
		ice and Tandem Switching Usage and Common Transport Us															
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos ti	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		<u> </u>													
U		ort/Loop Combination Rates															
igsquare		2-Wire VG Loop/Port Combo - Zone 1		1		 	10.46			ļ					.		
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2		 	15.76			ļ					.		
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3		 	32.56			ļ					.		
U	NE Lo	op Rates		<u> </u>		ļ									ļ		1
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56								ļ		1
igsquare		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86			ļ					.		
igsquare		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66			ļ					.		
2-	Wire	Voice Grade Line Port Rates (Res)		 		 				ļ					.		
		2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28				ļ		1
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundles res, low usage line port with Caller ID		1		1							1		I		1
\perp		(LUM)		<u> </u>	UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28				ļ		
		2-Wire voice unbundled Georgia basic dialing port without Caller															1
		ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28	l .	l		l .		1

UNRIII	NDI F	D NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Exhi	bit: A
5.400	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	S ILL I TORIX ELLINEITTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port for use with															1
		Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - outgoing															1
-		only		<u> </u>	UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						├
		2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	LIEDDT	0.0040	40.05	7.00	4.07	4.00						i .
-		Capability			UEPRX UEPRX	UEPRT UEPRV	0.9019 0.9019	10.05	7.36	1.37 1.37	1.28						
-		2-Wire Voice Grade Unbundled Port without Caller ID, Georgia 2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05 10.05	7.36 7.36	1.37	1.28 1.28						
	FEATU				UEPKX	UEPRU	0.9019	10.05	7.30	1.37	1.28						
		All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00			1					
		NUMBER PORTABILITY		 	OLI IXX	OLF VI	0.775	0.00	0.00	 				 	 		
	LOUAL	Local Number Portability (1 per port)		l	UEPRX	LNPCX	0.35			-							
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		l	SE. 100	2.11 0/1	0.00			-							
 		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			1				I		<u> </u>		 	 		<u> </u>
		Switch-as-is			UEPRX	USAC2		0.10	0.10	I				1	1		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1		20	2.70	1							ſ
		Switch with change			UEPRX	USACC		0.10	0.10								i .
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								1
	OFF/OI	N PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						L
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						<u> </u>
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						<u> </u>
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						L
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEDDV		40.00			40.50							i .
-		Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						+
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								i .
	2 WIDE				UEPKX	UTIVIVI	0.0057	0.00	0.00	-							
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates															
	ONL F	2-Wire VG Loop/Port Combo - Zone 1		1		+	10.46			†							
\vdash		2-Wire VG Loop/Port Combo - Zone 1		2		+	15.76			 				 	 		
		2-Wire VG Loop/Port Combo - Zone 3		3		1	32.56			-							
h +	UNE I	pop Rates		Ť		1	32.00			†				1			
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56			t				1	1		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86			İ				İ	İ		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66			İ				İ	İ		
	2-Wire	Voice Grade Line Port (Bus)				1				1							ſ
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28						ſ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port, without]		1
		Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port for use with		1						1							1
		Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Incoming Only Port without Caller ID			luene.									1	1		1
—		Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						├
-	LOCAL	NUMBER PORTABILITY			HEDDY	LNDCV	0.0-			1							
-	EEAT'	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35			 				 	 		
\vdash	FEATU	All Features Offered		-	UEPBX	UEPVF	0.775	0.00	0.00	 		-		 	 		
\vdash	NONDE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		OLFDA	OLF VF	0.775	0.00	0.00	 		-		1	1		
	MOINTE	-CONNENT CHARGES (NICOS) - CONNENTE I COMIDINED	l	<u> </u>		1				1		1	1	l .			<u> </u>

CATEORY RATE ELEMENTS Initial Zone BCS USOC RATES (9) Section Companies	UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
CATEGORY RATE ELEMENTS Month Done BCS	CHESTINEL											Svc Order	Svc Order				Incremental
CATEGORY NATE SLEWENTS Data D																	Charge -
CATEGORY RATE CLEMENTS Bank Color Co			Intori														Manual Svc
Best company Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Note			m									,	F				Electronic-
Pack Price April Source Sourc															Add'l		Disc Add'l
Section Sect																	
EVEN VISING GOALS LOOP LINE PET CONTINUATOR - CONTINUATION - CON							Rec					201150	001441			001111	001111
SWIT-Mark Control Control List Fire Port Combination - Convenion		2 Wire Voice Crade Lean / Line Bort Combination Conversion						FIrst	Addi	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Week Vision Clarifor Corp. Lipse					LIEPRY	LISAC2		0.10	0.10								
South-with change USPAX					OLI DX	00/102		0.10	0.10								
ADDITIONAL NICE Development Developmen					UEPBX	USACC		0.10	0.10								
Marting Microsoft Miscellaneous Rate Element, Ting Loop at End User USASS USAS	ADDIT																
Unbrunded Microllineous Halls Extension (App Log of End User Uniform Committee U		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
Premise					UEPBX	USAS2		0.00	0.00								
CFFON PREMISS EXTENSION COLANNELS																	
2 Year Availary Siace Grade Externation Log — Non-Seign 1 UPPEX UPPEAN 1051 4002 599 5.81 1.72 1.72 1.72 1.73 1.74 1.75 1.7					UEPBX	URETL		8.33	0.83								
2 Wire Availagy Voso Grade Esteration Logo — Non-Design 2 DEPEX ULPAN 15.65 40.02 599 5.61 1.72	OFF/O		1	4	LIEDBY	LIEAEN	40.54	40.00	0.00	F.04	4 70				1	 	
2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPRX UEARN 31.97 40.02 5.99 5.61 1.72 1			 	7									-			1	1
2 Witer Anually Overse Critical Extension Loop - Design			1									1	-		 	1	1
2 Wire Analog Voice Order Extension Loop - Design 2 UEPEX UEAED 16,96 79,85 24,66 18,92 7,87			 	-											 		
BYTER For Text AND STATE Text AND ST			<u> </u>												1	1	
Interest Interest				3													1
Termination UFPR UTIV2 12.87 48.46 19.48 16.58 5.00	INTER	OFFICE TRANSPORT															
Interfilion Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPBX																	
Dept. Dept					UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
AVAILAGE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
Non-Everlance Combination Rates					UEPBX	U1TVM	0.0057	0.00	0.00								
2-Wire Vol LoopProt Combo - Zone 1																	
2-Wire VS LoopProt Combo - Zone 2 2 15.76	UNE P			1			10.46										
2-Wire Volco Grade Loop (St. 1) - Zone 1																	
Wife Loop Rates																	
2-Wire Voloe Grade Loop (St. 1) - Zone 1	UNE L																
2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEPRG UEPLX 31.66				1	UEPRG	UEPLX	9.56										
2-Wire Volue Grade Line Port Rates (RES - PBX)																	
Part Part				3	UEPRG	UEPLX	31.66										
Res	2-Wire																
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER LOCAL NUMB					LIEDDO	HEDDD	0.0040	40.05	7.00	4.07	4.00						
Liccal Number Portability (1 per port)	LOCAL				UEPRG	UEPRD	0.9019	10.05	7.30	1.37	1.28						
FEATURES	LOCAL				LIEPRG	LNPCP	3 15	0.00	0.00	1					1		
AIL Features Offered	FEATU				OLI IKO	LIVI OI	0.10	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPRG USAC2 0.10					UEPRG	UEPVF	0.775	0.00	0.00								
Conversion - Switch-As-is	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED														İ	
Conversion - Switch with Change									· · · · · · · · · · · · · · · · · · ·							1	
Conversion - Switch with Change			ļ		UEPRG	USAC2		0.10	0.10	ļ					1	ļ	
ADDITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPRG USAS2 0.00 0					LIEDDO	110400		0.40	0.40						1		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPRG USAS2 0.00	ADDIT		1		UEPKG	USACC		0.10	0.10	 					1	 	
Subsequent Activity UEPRG	AUUII		 			+				 	-		-			-	1
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group 6.70 6.70					UEPRG	USAS2	0.00	0.00	0.00						1		
Group			<u> </u>			30.32	0.00	0.00	0.00	1					1	1	
Premise								6.70	6.70	1			1			1	
OFF/ON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPRG P2JHX 11.57 79.85 24.65 18.92 7.87 Local Channel Voice grade, per termination 2 UEPRG P2JHX 16.95 79.85 24.65 18.92 7.87 Local Channel Voice grade, per termination 3 UEPRG P2JHX 33.08 79.85 24.65 18.92 7.87 Local Channel Voice grade, per termination 3 UEPRG P2JHX 33.08 79.85 24.65 18.92 7.87 Local Channel Voice Grade 1 UEPRG SDD2X 12.74 56.92 7.70 4.40 0.02 Local Channel Voice Grade 2 UEPRG SDD2X 19.76 56.92 7.70 4.40 0.02 Local Channel Voice Grade 3 UEPRG SDD2X 37.18 56.92 7.70 4.40 0.02 Local Channel Voice Grade 3 UEPRG SDD2X 37.18 56.92 7.70 4.40 0.02 Local Channel Voice Grade SDD2X S	İ	Unbundled Miscellaneous Rate Element, Tag Loop at End User	l													1	
Local Channel Voice grade, per termination 1 UEPRG P2JHX 11.57 79.85 24.65 18.92 7.87					UEPRG	URETL		8.33	0.83								
Local Channel Voice grade, per termination 2 UEPRG P2JHX 16.95 79.85 24.65 18.92 7.87	OFF/O					<u> </u>									1		
Local Channel Voice grade, per termination 3 UEPRG P2JHX 33.08 79.85 24.65 18.92 7.87	ļ		<u> </u>													ļ	ļ
Non-Wire Direct Serve Channel Voice Grade			 												1		
Non-Wire Direct Serve Channel Voice Grade 2 UEPRG SDD2X 19.76 56.92 7.70 4.40 0.02			 										-			-	1
Non-Wire Direct Serve Channel Voice Grade 3 UEPRG SDD2X 37.18 56.92 7.70 4.40 0.02 INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Interoffice Transport - Dedicated - 2 Wire Voice Grade - Dedicated - 2 Wire Voi	 		1												t	 	
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			1												†	1	1
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	INTER				-				•								1
	İ	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l													1	
		Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00				<u> </u>		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
0.1.2011222											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
o,200		m						= (4)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect		1	220	Rates (\$)		ь
						Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	or Fraction Mile			UEPRG	LIATORA	0.0057	0.00	0.00								
2 14/10				UEPRG	U1TVM	0.0057	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates					10.10										ļ
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										ļ
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28	1	l		Ì		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	0.0010	10.00	7.00	1.07	1.20	1					
	Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	0.3013	10.03	7.50	1.57	1.20						-
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFFA	UEFAL	0.9019	10.05	7.30	1.37	1.20	-					ļ
	Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXIVI	0.9019	10.05	7.30	1.37	1.28						
				LIEDDY	LIEDVO	0.0040	40.05	7.36	1.37	1.28						
	Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05									
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way						40.00	=								
	Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way				1											
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l		l										Ì		
	Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll	l										1				
	Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l									1	İ		Ì		
	DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l							<u> </u>				I			
	Terminal Switchboard Port	<u> </u>	<u></u>	UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard DDD Capable Port	<u> </u>	<u>L</u>	UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way															
	Trunk	l		UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28		1				
LOCA	L NUMBER PORTABILITY						-					İ				
	Local Number Portability (1 per port)		i –	UEPPX	LNPCP	3.15	0.00	0.00	İ		1	İ	İ	İ		
FEAT			İ					2.30	İ				İ	İ		
	All Features Offered		İ	UEPPX	UEPVF	0.775	0.00	0.00	İ				İ	İ		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1		1			2.30			1	1		1		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		Ì	1					1	1		1		1
	Conversion - Switch-As-Is	l		UEPPX	USAC2		0.10	0.10						Ì		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	i e	:			3.10	5.10				1		1		
	Conversion - Switch with Change	l		UEPPX	USACC		0.10	0.10			1	İ		Ì		
ADDIT	TONAL NRCs	l		OLI I A	33,00		0.10	0.10			1	1		1		
MUUII	IOITAL III.U0			l .	1						<u> </u>	1	l	l .		L

UNBUN	DLE	NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						6.70	6.70								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS			ULFFA	UKLIL		0.33	0.03								
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
IN.		FFICE TRANSPORT				1									ļ		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
2.1		or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	т .		UEPPX	UTTVIVI	0.0057	0.00	0.00								
		rt/Loop Combination Rates	1														
Ur		2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	10.46										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.76										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	32.56										
UN		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
2-\		/oice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				_											
		900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEDOO	LIEDOA	0.0040	40.05	7.00	4.07	4.00						
		(GA) 2-Wire Coin 2-Way with Operator Screening and 900/976			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
		Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin 2-Way with Operator Screening and Blocking:			ULFCO	ULFGB	0.9019	10.05	7.30	1.37	1.20						
		900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin Outward with Operator Screening and 011 Blocking					0.00.0										
		(GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28				1		
		2-Wire Coin Outward with Operator Screening and Blocking:				İ											
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Coin Outward Smartline with 900/976 (all states except			LIEBOO	LIEDOS									1		
- -		LA)		ļ	UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28			ļ	ļ		
ΑC		DNAL UNE COIN PORT/LOOP (RC)		<u> </u>	LIEBOO	LIDECII	2.50	0.00	0.00	0.00	0.00			1	 	1	1
- 1.		UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY		<u> </u>	UEPCO	URECU	3.59	0.00	0.00	0.00	0.00	-		-		-	-
LC		Local Number Portability (1 per port)	-		UEPCO	LNPCX	0.35			H		}		1	1	1	
NC		CURRING CHARGES - CURRENTLY COMBINED	<u> </u>		02.1 00	LIVIOA	0.33					 			<u> </u>		+
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1									1		
		Switch-as-is			UEPCO	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -													1		
		Switch with change	L		UEPCO	USACC		0.10	0.10	<u> </u>		<u></u>				<u> </u>	
AE		ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent]		
		Activity		ļ	UEPCO	USAS2		0.00	0.00					ļ	ļ		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		0.00	0.83						1		
		FIGURE		1	RES)	UKEIL		8.33	0.83			<u> </u>					

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										
2-Wii	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res	<u> </u>		UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44				ļ	ļ	1
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundles res, low usage line port with Caller ID	1									<u> </u>			_	_	
	(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without						,			. =				1		
	Caller ID capability - res	<u> </u>		UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44			1	-	-	1
	2-Wire voice unbundled Georgia basic dialing port for use with						400.05									
	Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					40.00	40.40		40.50							
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			l												
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEA	TURES															ļ
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								ļ
LOCA	AL NUMBER PORTABILITY			LIEDED	LNDOV	0.05										ļ
NON	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	110400		7.05	4.00								
	Combination - Conversion - Switch-as-is	-		UEPFR	USAC2		7.85	1.86								ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
		1	-	UEPFR	USACC		7.00	1.00								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	URETN		44.40	1.10								
2 14/1	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E I INE I	ODT (UEPFR	UREIN		11.19	1.10								+
	Port/Loop Combination Rates	LINE	OKI (1	-											+
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		+ +	25.53			1		1			1	1	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2		+ -	30.92			 					 	 	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	 	3		+	47.04			 					 	t	
LINE	Loop Rates		3		+	47.04										
ONE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57			†							
	2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFB	UECF2	16.95			 					 	t	
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFB	UECF2	33.08			-					-	-	
2-Wii	re Voice Grade Line Port (Bus)	 	9	0_110	020,2	33.00			 					 	 	
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44			1	t	t	†
	2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44				 	 	
- I	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44				<u> </u>	<u> </u>	†
	2-Wire voice unbundled incoming only port with Caller ID - Bus	†		UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44				1	1	1
	2-Wire voice unbundled Georgia basic dialing port, without				1				100					İ	İ	1
	Caller ID capability - bus			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44				1	1	
	2-Wire voice unbundled Georgia basic dialing port for use with				1				1				İ	İ	İ	1
	Caller ID - bus	1		UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44				I	I	
LOC	AL NUMBER PORTABILITY	1														
1	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFB				19.48								
1	Termination				U1TV2	12.87	48.46		16.58	5.00						

UNBLINDL	ED NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Fyhi	bit: A
SITESITEE	LE ITET TOTAL ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
1		Intor									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEDED	41.5007	0.0057	0.00	0.00								
FEAT	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FEAT	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		UEPFB	UEFVF	0.775	0.00	0.00								
NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			CLITB	00/102		7.00	1.00								
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.19	1.10								
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (PBX)												
	Port/Loop Combination Rates		<u> </u>		1				j							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53			<u> </u>							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	ļ		UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPLD UEPXA	1.09 1.09	166.05	43.66 43.66	41.89 41.89	15.44 15.44						
	2-Wire Voice Unbundled 2-Way Combination PBX Osage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXA	1.09	166.05 166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	-		UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
 	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFIF	OLFAD	1.09	100.03	43.00	41.09	13.44						
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.03	100.05	43.00	41.03	10.44						
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1					.00.00	.0.50	55					1		
	Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44		1		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1			1			.5.50								İ
	Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44		1		1		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way						_									
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way									·						
$\sqcup \sqcup \sqcup$	Trunk	1		UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
LOCA	L NUMBER PORTABILITY		<u> </u>													
	Local Number Portability (1 per port)	1		UEPFP	LNPCP	3.15	0.00	0.00								
INTER	ROFFICE TRANSPORT	1			1									 		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDED	11471/0	40.07	40.40	40.40	40.50	F 00		1		1		
\vdash	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						
	or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00]			1		1		
EEAT	URES	1	1	ULFFF	ILOAA	0.0057	0.00	0.00			1					
FEAT	All Features Offered	1	 	UEPFP	UEPVF	0.775	0.00	0.00	 					 		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		02111	OLI VI	0.775	0.00	0.00	 					1		1
NOAK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+ +							 		 		
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		 		- 57.102									1		
	Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86]			1		1		
		+	1													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															

UNBUNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	bit: A
0.1.20.1.22.2												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES																
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	(PORT															
UNE F	ort/Loop Combination Rates		L .														<u> </u>
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1				17.05 22.44										\longleftarrow
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3				38.56										\vdash
UNE L	oop Rates						30.30										\vdash
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57								İ		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	-	UECD1	33.08		· · · · · ·								
UNE F	ort Rate	<u> </u>	ļ	HEDEN		LIEDE :	= 40	.=		== -							
NOND	Exchange Ports - 2-Wire DID Port ECURRING CHARGES - CURRENTLY COMBINED	1	<u> </u>	UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27	1					
NONR	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1	1		-						-	-		-		\vdash
	Switch-as-is		1	UEPPX		USAC1		6.66	1.86								1 '
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1						0.00									
	with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								1 '
ADDIT	IONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
7.1	End User Premise			UEPPX		URETN		11.19	1.10								\vdash
I elepi	none Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			ULFFX		INDI	0.00	0.00	0.00						1		
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								1 '
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								L
1.004	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								\vdash
LOCA	L NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INF SIDE	PORT			LINE CE	3.13	0.00	0.00								
	ort/Loop Combination Rates	1	1														·
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		19.44										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		١.												1		1 '
	UNE Zone 2	1	2	UEPPB	UEPPR		24.45					1			1	-	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		38.09								1		1 '
UNE L	oop Rates	+	-	JLI FD	OLFFIX		30.09					-			 		
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USL2X	14.25										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	19.26										<u> </u>
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB	UEPPR	USL2X	32.90										
UNE	ort Rate Exchange Port - 2-Wire ISDN Line Side Port	+	 	UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37						
NONR	ECURRING CHARGES - CURRENTLY COMBINED	+	†	ULFFD	ULFFR	OLFFD	5.19	06.101	141.08	43.08	0.37	 			 		$\vdash \vdash \vdash$
1.5/410	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1		1													
	Combination - Conversion		<u>L</u>	UEPPB	UEPPR	USACB	0.00	42.52	26.99						<u></u>		<u> </u>
ADDIT	IONAL NRCs										_						
1 1	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1	1	LIEBEE	LIEBES	110405											1 '
\vdash	Non Feature/Add Trunk	1	!	UEPPB	UEPPR	USASB		0.00				-			-		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		1	UEPPB	UEPPR	URETN		11.19	1.10								1 '
 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	†	JLI FD	OLITER	OIVETIN		11.19	1.10			 			 		
	Premise		1	UEPPB	UEPPR	URETL		8.33	0.83								1
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:	1	!	HEDDE	LIEDDO	114110.4	0.00	0.00	0.00								 '
	CVS/CSD (DMS/5ESS)	1	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00				l			<u> </u>	

UNB	UNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	oit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted			Charge -	Charge -	Charge -
			1										Elec	Manually			Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	E	3CS	USOC			RATES (\$)				per LSR				
0, 1, 1		10112 22211121110	m		_		5555			= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
			-						Nonre		Monroourrin	g Disconnect	1		000	Rates (\$)		
			-				-	Rec					001450	SOMAN			0011411	001111
-		love (Even)							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN														l
	USER	TERMINAL PROFILE																i
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								í
	VERTIC	CAL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE		1	02	OL. TIX	02	0.170	0.00	0.00			-					
-	INTERN	Interoffice Channel mileage each, including first mile and		1			-											·
						HEDDD	1440110	40.0757	40.40	40.40	40.50	5.00						i
<u> </u>	-	facilities termination	1	1		UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00	1	1	1	1		
	1	Interoffice Channel mileage each, additional mile	1	1	UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00	ļ	ļ	1	ļ				
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			<u> </u>		1	L	l]	l	<u> </u>	l	1		1
		IE-P DS1 combination rates below for in this rate exhibit appl													nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk P	ort afte	r the effe	ctive date of	of this amend	lment shall be	provided pursu	uant to a separ	rate agreement	or tariff at Bel	South's di	scretion.				
	UNE P	ort/Loop Combination Rates																,
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																í
		Zone 1		1	UEPPP			106.15										i
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			111.54										í
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		-	111.54										·
				_														i
		Zone 3		3	UEPPP			127.15										
	UNE L	pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02										ı
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	46.41										l
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	62.03										í
	UNE P	ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						·
	NONRE	CURRING CHARGES - CURRENTLY COMBINED			02		02	00.10	000.10	101112	70.11	21.00						f
-	HOME	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					+						<u> </u>					
					UEPPP		USACP	0.00	100 56	77.07								í
	ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)	-		UEPPP		USACP	0.00	122.56	77.97			ļ					
	ADDITI	ONAL NRCs																
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																ł
		Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																ł
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		10.72									l
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																i
		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43									i
	LOCAL	NUMBER PORTABILITY					İ	İ				İ	İ	İ	İ	1		
	1	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75	1		1	1	1	i	1	1		(
—	INTER	FACE (Provsioning Only)	1	1			 	0					1	 		1		$\overline{}$
-	EN	Voice/Data	+	1	UEPPP		PR71V	0.00	0.00	0.00	1	 	 	 	 	1		
-	-	Digital Data	1	1	UEPPP		PR71D			0.00	-	 	1	 	 	 		
	-		1					0.00	0.00		-		1	1		1		
<u> </u>	4	Inward Data	1	!	UEPPP		PR71E	0.00	0.00	0.00			 					
	New or	Additional "B" Channel					1]	1				1
		New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	13.59									
		New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	13.59				<u></u>					
		New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	13.59									,
	CALL																	i
		Inward			UEPPP		PR7C1	0.00	0.00	0.00			Ì					i
	1	Outward		1	UEPPP		PR7CO	0.00	0.00	0.00	1	1	1	i	1	1		(
	1	Two-way	1	1	UEPPP		PR7CC	0.00	0.00	0.00	<u> </u>		1					
_	Intorce	fice Channel Mileage	1	1	OLFFF		1 1/1/00	0.00	0.00	0.00	1	1	1	 	1	1		
<u> </u>	meror		1	1	UEPPP		di Nid A	24.24	444.00	00.00	24.00	04.70	1	1	1	1		
<u> </u>		Fixed Each Including First Mile	1	1			1LN1A	34.31	111.03	80.28	31.36	21.73	1	.	ļ			
<u> </u>		Each Airline-Fractional Additional Mile	1	!	UEPPP		1LN1B	0.1154					 					
L		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT					1	1]	l]			
		IE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.			
	Reques	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective o	late of	this amer	ndment sha	all be provide	ed pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.						i
		ort/Loop Combination Rates																i
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		İ	82.22					İ			1		í
																i		

UNRUN	NDI FI	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit· Δ
314001	1DEE	7 RET WORK ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
			m			5555			= 0 (4)			per LSR	per LSR	Order vs.	Electronic-		
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										
U	JNE Lo	op Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46.41										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03										
U		ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								1							
$\vdash \bot$		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79	ļ				ļ	ļ		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				l				I				1	1		
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79	.				ļ	ļ		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l	1				I				Ì	Ì		
<u> </u>		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
	ADDITI	ONAL NRCs				1				-							
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO			0.00	0.00								
		Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
-		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEBBO	LIDTTD		40.05	40.05								
-		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	UDTTC		13.95	13.95								
		Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDITC		13.95	13.95	-							
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		13.93	13.93			1					
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
-	RIPOL A	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		15.55	13.33	†							
-	J., OL,	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	392.25s			1					
		te Mark Inversion			02. 50	0002.		0.001	002.200								
i i		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
—		one Number/Trunk Group Establisment Charges						0.00									
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1							
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			1							
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers	<u></u>		UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	Dedica	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digital	Loop	with 4-Wire DDITS T	runk Port				ļ				ļ	ļ		
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1				I				1	1		
\vdash		Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73						
		Interesting Observation Additional Additiona			LIEDDO	4, 5,0				I				1	1		
\vdash		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00	-				 	 		
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41 NO2	0.00	0.00	2.00	1							
\vdash		Termination)	-		UEPDC	1LNO2	0.00	0.00	0.00	 		1		1	1		
		Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDC	11 NOD	0.4454	0.00	0.00	I				1	1		
\vdash		miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.1154	0.00	0.00	 		-		 	 		
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	I				1	1		
\vdash		remination)	-		OLPDO	ILINU3	0.00	0.00	0.00	 		-		1	1		
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00	I				1	1		
-		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	1		1	1				
 		Central Office Termininating Point			UEPDC	CTG	0.00			 				 	 		
-		Some Shoo formining Fort			10-1 00	0.0	0.00		l	1		<u> </u>	1	l	l		

UNBI	JNDLF	O NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Int									Elec			Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		U
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
	Each S	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	Channel	ization	with Port in this rat	e exhibit app	ly to the embe	dded base in r	place as of 10/2	2/03 until 4/1/04	. After 4/1/04 t	these rates	shall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after the															
		S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	46,41	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00								
	UNE D	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	86.06	0.00	0.00	İ	İ			İ	İ	İ	
	1	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00	İ					İ		
	1	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00	İ					İ		
—		192 DS0 Channel Capacity -1 per 8 DS1s		t	UEPMG	VUM19	344.32	0.00	0.00	t					t		
		240 DS0 Channel Capacity - 1 per 10 DS1s		t	UEPMG	VUM2O	430.40	0.00	0.00	t					t		
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1.032.96	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00								
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio					0.00								
		num System configuration is One (1) DS1, One (1) D4 Channe						0.0				1					
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without		1													
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat					0.07			1					
		ot Currently Combined) in all states, except in Density Zone 1				1											
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	J. 10p														
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
	Binolar	8 Zero Substitution			02: 11:0		0.00	0.0.0.	200.01	00.10	0.00						
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0 00i	392.25s								
		Clear Channel Capability Format - Extended Superframe -			OLI INO	00001	0.00	0.001	002.200								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s								
	Δiterna	te Mark Inversion (AMI)			OLI WO	CCCLI	0.00	0.001	002.200			1					
—	Alleilla	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00	 			l	1	 		
-	1	Extended Superframe Format		l	UEPMG	MCOPO	0.00	0.00	0.00	-					-		
	Exchar	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port			5.00	0.00	3.00	†					<u> </u>		
		ge Ports	1			1	1		1	t	1			1	†	1	
	_xonai	Line Side Combination Channelized PBX Trunk Port - Business				1				†					<u> </u>		
1		(E:4/1/2004)		1	UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00		1		I		
\vdash	1	Line Side Outward Channelized PBX Trunk Port - Business		 	J_1 1 /	JLI JA	1.09	0.00	0.00	0.00	0.00				 		
		(E:4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00				1		
-	1	Line Side Inward Only Channelized PBX Trunk Port without DID		1	OLI I X	JLI JA	1.09	0.00	0.00	0.00	0.00	 	-	1	 	1	
		(E:4/1/2004)		1	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00		1		I		
-	1	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		1	OLFFA	OLF IA	1.09	0.00	0.00	0.00	0.00	 	-	1	 	1	
1		(E:4/1/2004)		1	UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00		1		I		
-	Feature	Activations - Unbundled Loop Concentration		1	OLIFA	OLFDIVI	5.50	0.00	0.00	0.00	0.00	-	-	-	-	-	
-	- eature	Feature (Service) Activation for each Line Port Terminated in D4		1		1				1		1			1		
1		Bank		1	UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95		1		I		
	1	Feature (Service) Activation for each Trunk Port Terminated in		 	OLI FX	II Q VVIVI	0.4009	12.90	0.00	1.90	1.95	1			1		
1		D4 Bank		1	UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34		1		I		
-	Telenh	one Number/ Group Establishment Charges for DID Service		1	OLIFA	11.0000	0.4009	30.09	5.10	20.77	5.34	-	-	-	-	-	
	retehn	DID Trunk Termination (1 per Port)		-	UEPPX	NDT	0.00	0.00	0.00	 				-		-	
	+	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		-	UEPPX		0.00	0.00	0.00	 				-		-	
<u> </u>	+	DID Numbers - groups of 20 - Valid all States		-	UEPPX	NDZ ND4	0.00	0.00	0.00	 				-		-	
<u> </u>	1	Non-Consecutive DID Numbers - per number		 	UEPPX	ND5	0.00	0.00	0.00	-		-	-		-		
\vdash	1	Reserve Non-Consecutive DID Numbers - per number		 	UEPPX	ND5 ND6	0.00	0.00	0.00	 					 		
	1	Leselve MOH-COHSecutive DID MUTIDERS	l	1	ULFFA	מחמו	0.00	0.00	0.00	1	l	<u> </u>	l	l	1	l	

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	bit: A
350	10 LL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								ـــــــ
		IRES - Vertical and Optional		<u> </u>													
-	Local	Switching Features Offered with Line Side Ports Only			UEPPX	LIED\ /E	0.775	0.00	0.00								
LIMBIII	NDI ED (All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>	UEPPX	UEPVF	0.775	0.00	0.00			-					
UNBUI		t Based Rates are applied where BellSouth is required by FCC		State (ommission rule to	provide Unb	undled Lecal S	witching or Su	itch Dorte								-
		ures shall apply to the Unbundled Port/Loop Combination - C								l dlad Port sacti	on of this Pate	Evhibit					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ione		
	4 The	first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ned Combos For	Currently Co	mhined Combo	s the nonreci	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections	Additional NE	Cs may
		also and are categorized accordingly.	uncina	0011101	nea combos. To	ourrently oo	mbmed combe	, the nomeon	arring ondriges	Silan be those	racitinea in t	ne monicou	iiiig Guiik	ontry Combin	ou scotions.	-taartional ivi	.oo may
		ket Rates for Unbundled Centrex Port/Loop Combination will	be near	otiated	on an Individual Ca	se Basis. un	til further notic	e.							1		
		CENTREX - 1AESS - (Valid in AL.FL.GA.KY.LA.MS.&TN only		1		1											
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		32.56										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															İ
		Design		1	UEP91		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design Control of the		2	UEP91		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDO4		00.00										
-	LINE L	Design		3	UEP91		33.98										
	UNE LO			1	UEP91	UECS1	9.56										⊢—
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	14.86										
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91	UECS1	31.66					1					
-		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.95										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08										
	UNE P	1 \ /															
		tes (Except North Carolina and Sout Carolina)				1											
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			·												1
<u> </u>	 	Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28				ļ		
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEBOA	LIEDVAA	0.0010	00.5=	00.00	00.00			1		1		1
<u> </u>	├	Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15				 		├
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDO4	LIEDVZ	0.0010	00.07	20.00	20.00	0.15		1		1		1
-	+	Term - Basic Local Area		<u> </u>	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						1
-	+	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 31	OLFIS	0.5019	10.05	1.30	1.37	1.20						
		Basic Local Area			UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						1
	Georgi	a and Florida Only				1	3.5310				20						
	Joongi	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28				1		t
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire						_									
	<u> </u>	Center)2,3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15	<u> </u>	<u> </u>				<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term	1	1	UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15	ĺ	I		I	l	1

IINRI	INDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: A
ONDO	JNDLL					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	JOICI	KATE EEEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+	1	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						+		11100	Auu	11100	Auu	COMILO	COMPAN	COMPAR	COMPAN	COMPAR	COMPAR
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated in 800 Service Term		 	UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local S	Switching			OLI 01	OLITIZ	0.0010	10.00	7.00	1.07	1.20						
	Looui	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
	Local N	Number Portability			OLI 31	OILLOO	0.4257										
	Looui i	Local Number Portability (1 per port)			UEP91	LNPCC	0.35					1					
	Feature				OLI 01	LIVI CC	0.00										
		All Standard Features Offered, per port			UEP91	UEPVF	0.775										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	0.00									
	NARS	r in control r outures entered, per per		1	02. 01	JE: 10	0.00			—		<u> </u>	 	 	 		
-		Unbundled Network Access Register - Combination		 	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		 		-		
	1	Unbundled Network Access Register - Indial		l	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
-	1	Unbundled Network Access Register - Outdial		 	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		 		-		
	Miscell	aneous Terminations			OLI 31	OAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side				+											
-	2-11116	Trunk Side Terminations, each		1	UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
	Interef	fice Channel Mileage - 2-Wire			OLI 31	CLIVAO	3.30	122.20	10.03	34.02	3.43						
	interon	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057	40.40	13.40	10.50	3.00						
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 31	IVITODIVI	0.0057										
		innel Bank Feature Activations	,,,,														
	D4 Cité	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
		reature Activation on B-4 Charmer Bank Centrex Loop Slot			OLI 31	II QWO	0.4003										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI 31	II QWO	0.4003										
		Slot			UEP91	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 31	II QW/	0.4003										
		Different Wire Center			UEP91	1PQWP	0.4689										
		Different Wife Genter			OLI 31	II QWI	0.4003										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
-	1	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLF91	IFQVVV	0.4009					-					
		Slot			UEP91	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
—	Non-Pr	ecurring Charges (NRC) Associated with UNE-P Centrex		1	OLF31	IF QVVA	0.4009			 		 	1	1	1		
-	NOII-RE	Conversion - Currently Combined Switch-As-Is with allowed		1		+						-	-	-	-		
1	1	changes, per port		1	UEP91	USAC2		0.10	0.10	I				Ì	Ì		
-	+	New Centrex Standard Common Block		 	UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92			-	 		
-	1	New Centrex Standard Common Block		1	UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92	1	1				
—	1	Secondary Block, per Block		1	UEP91	M2CC1	0.00	77.10	31.39	40.99	5.92	 	1	1	1		
-	1	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0.00	0.00		1		1	1				
-		onal Non-Recurring Charges (NRC)		 	OLF31	UNLUA	0.00	0.00		 				-	 		
-	Auditio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 		+				 				-	 		
		Premise		1	UEP91	URETL		8.33	0.83	1							
—	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	OLF31	UNLIL		0.33	0.63	 		 	1	1	1		
1		End Use Premise			UEP91	URETN		11.19	1.10	1			1				
-	LINE.D	CENTREX - 5ESS (Valid in All States)		1	021 31	SIVETIM		11.19	1.10	 		+	 	 	 		
—		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		+				 		 	1	1	1		
-		ort/Loop Combination Rates (Non-Design)		 		+				t		1	1	1	1		
-	OIAE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+				 				 	 		
1	1	Non-Design		1	UEP95		10.46			I				Ì	Ì		
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '-	OLI 30	+	10.40			 		 	1	1	1		
		Non-Design		2	UEP95	1	15.76			1			1				
-	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OFL 20	+	15.76			 				-	 		
1	1			3	UEP95		32.56			I				Ì	Ì		
-	LINE D	Non-Design ort/Loop Combination Rates (Design)		3	OLF90	+	32.00			 				-	 		
	JINE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		 		+	-			-		-					
1		Design	1	1	UEP95		12.47			I			l	Ì	Ì		
	1	Dealgit	L	<u> </u>	01130	1	12.4/			1		L	l	1	1		

JNBUNDLE	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Boo	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		17.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		33.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										
UNE P	Port Rate															
All Sta				İ	1								İ	İ	İ	1
1	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28			İ	İ	İ	1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28	İ			İ		
	2-Wire Voice Grade Port (Centrex ede termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	t	1		3.00.0	.0.00			20				1		1
	Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
+	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02. 00	02	0.00.0	02.2.	20.00	20.20	0.10						1
	Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 33	OLI 12	0.3013	02.21	20.30	20.23	3.13						
	- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 33	OLI 13	0.3013	10.03	7.50	1.57	1.20						+
	Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
EI 0 /	GA Only			UEF95	UEPTZ	0.9019	10.05	7.30	1.37	1.20						+
r L & C	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						+
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)				UEPHB	0.9019	10.05	7.36		1.28						
				UEP95			10.05									
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOE	LIEDUM	0.0040	00.07	00.00	00.00	0.45						
	Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
Local	Switching															
	Centrex Intercom Funtionality, per port		<u> </u>	UEP95	URECS	0.4237								ļ		<u> </u>
Local	Number Portability		<u> </u>	l	1											ļ
	Local Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0.35					<u> </u>					<u> </u>
Featu			<u> </u>	l	1											ļ
	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	0.775					<u> </u>					1
	All Select Features Offered, per port		<u> </u>	UEP95	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wire	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0057	•									
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															Ī

UNRI	UNDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
3.45												Svc Order	Svc Order	Incremental		Incremental	Incremental
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec		. Names accombine	. Diazana ast				Detec (ft)		
-	1			-		1	Rec	First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689	11131	Auu	11130	Addi	JOINLO	JOHAN	JONAN	JONIAN	JONIAN	JOWAN
		Podatio Field and St. P. Charmon Bank Control 2005 City			02.00		0.1000			İ					İ		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.4689										
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	1		UEP95	1PQWP	0.4689			1					1	1	
		Different Wire Center			UEP95	TPQWP	0.4689										
1	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689			1							
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop								İ					t		
		Slot			UEP95	1PQWQ	0.4689										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689		•								
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex					ļ										
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110400		0.40	0.40								
-	-	changes, per port New Centrex Standard Common Block	-	-	UEP95 UEP95	USAC2 M1ACS	0.00	0.10 317.90	0.10 37.59	48.99	5.92			-	-	-	-
	+-	New Centrex Standard Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92	 			 		
	1	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	0.00	07.00	40.00	0.32				†	1	1
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
-	LINE D	End Use Premise CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.19	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo					1			†					1		
		ort/Loop Combination Rates (Non-Design)				1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9D		32.56										
	LINE P	ort/Loop Combination Rates (Design)		3	UEF9D		32.36										
	O.V.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
		Design		1	UEP9D		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					ĺ	İ									
	1	Design		2	UEP9D		17.85										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		00.00			1							
	LINE :	Design oop Rate		3	UEP9D	1	33.98			 		 			-		
	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56			 		+					
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66			1							
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95										
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP9D	UECS2	33.08										
-		ort Rate TATES	1	-		-	 			 					1	-	
-	ALL S	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	 	UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28				+		
	1	2-Wire Voice Grade Port (Centrex 900 termination)Basic Local	1		C2. 0D	SEI 171	0.0019	10.00	7.50	1.57	1.20				—		
		Area	l		UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28				1		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	1	Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local					I T										
	-	Area		-	UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
-	1	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		-	OFLAD	UEFIE	0.9019	10.05	7.36	1.37	1.28	-			-		
	1	Area	1		UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28					1	
	1	r				12=: 11	3.0010	10.00	7.50	1.07	1.20	1	1	l	l	ı	

LINBUNDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONBONDEE	D NETWORK ELEMENTS - Georgia										Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	LIED/II	0.0040	40.05	7.00	4.07	4.00						
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 3D	OLITY	0.3013	10.03	7.50	1.07	1.20						
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					0.00.0										
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDYO	0.0040	00.07	00.00	00.00	0.45						
	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEFTF	0.9019	02.21	20.90	20.29	9.15	-					
	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLI OD	OLI I Q	0.5015	02.27	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	0.0040	00.07	20.00	20.20	0.45						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15	-					
	Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 9D	OLF 17	0.9019	02.21	20.90	20.29	9.13						
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15		1		1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			-	1				,							
	Basic Local Area	<u></u>		UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28	<u> </u>	<u> </u>		<u></u>		<u></u>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & G	A Only			LIEBAR	LIEBUT				ļ	ļ				ļ		ļ
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28				ļ		ļ
 	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB UEPHC	0.9019	10.05	7.36	1.37 1.37	1.28 1.28	1			 		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPHC	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28		-		-		-
 	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		\vdash	UEP9D UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28	1	-		1		1
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28			_		_	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28				ļ		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEBLINA	0.00:0	40.00	7.00	4	4.00		1		1		1
 	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28				 		
<u> </u>	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28	<u> </u>	l		l		

UNBI	INDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
3,150		STEETHOM CEELINEITO GEORGIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo	po. zer	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
		OME Visit On It But (On the first I'' On it will be on the						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2,3		1	UEP9D	UEPHIVI	0.9019	82.21	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
		2 VIII VOID GIAGO I GIT (CENTRONGINGI GIVO/EBO I GET/2,0,4			OLI OD	OLI 110	0.0010	02.27	20.00	20.20	0.10						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
		, , , , , , , , , , , , , , , , , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
L	ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2 Mire Voice Crade Port (Centre::/J:# CMC /EDC MESSON 6.4	1		LIEDOD	LIEDUA	0.0040	00.07	20.00	20.00	0.45		1		1		
-	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	 	1	UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15				 		
1		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	1		UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15		1		1		
-	1	2-vviie voice Grade For (Centrex/differ 5000 /EB5-ivi5208)2,3,4	1		OLFAD	UEFRID	0.9019	82.27	∠0.96	20.29	9.15	1	-		1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2 1110 10100 01440 1 011 (001110) 4110 0110 1220 1102 10/2/01			02.03	02.1.0	0.0010	02.27	20.00	20.20	0.10						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local S	Switching			LIEDOD	LIDEOO	0.4007										
-	I cool N	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
-	Local	lumber Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature	/ \ \ \ /			OLI 3D	LIVI CC	0.33										
	routure	All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
<u></u>		aneous Terminations	 			+				1	1				 		
<u> </u>	∠-vvire	Trunk Side Trunk Side Terminations, each	 		UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
-	4-Wire	Digital (1.544 Megabits)	 		OLFBD	CENDO	5.50	122.20	10.03	54.82	3.45				1		
	7	DS1 Circuit Terminations, each	1		UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33				1		
		DS0 Channels Activiated per Channel	1		UEP9D	M1HDO	0.00	13.95	33.30	33.51	2.30				1		
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057		•								
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
<u> </u>	D4 Cha	nnel Bank Feature Activations	<u> </u>	 	LIEDOD	400000	0.4000			ļ					ļ		
-	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
1		Footure Activation on D. A. Channel Book EV line Side I Cl-	1		UEP9D	1PQW6	0.4689						1		1		
-	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	1	OLFAD	IFUVVO	0.4689				1		-		1		
1		Slot	1		UEP9D	1PQW7	0.4689						1		1		
—	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		 	02, 30	11 Q VV /	0.4009			1					 		
1		Different Wire Center	1		UEP9D	1PQWP	0.4689						1		1		
							2200										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9D	1PQWV	0.4689										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.4689										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLF 9D	UKLIL		0.33	0.03								
	End Use Premise			UEP9D	URETN		11.19	1.10								
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN											
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Loc	op and	Port													
	- Requires Specific Customer Premises Equipment			_				•					•			
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.	•								

UNB	JNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			- ""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographicall	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
OPER.		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	fic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	. CLEC may
	elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ering cl	narges, or CLEC may	elect the re	egional service of	ordering charg	je, however, Cl	LEC can not of	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	each of	the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	Illy. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rat	e in this category ref	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	nual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to B					ū				•				•		
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE								0.00							
		The Expedite charge will be maintained commensurate with	BellSou	ıth's F(C No.1 Tariff, Section	on 5 as appl	icable.										
		The Expedite onalige this se maintained commencerate than		1		on o de app.											
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48. ULDD1.												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		LINE E I'V. Ol O' 'Y I' A' II. IIOOO			UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LIMP	I I	Day		!	U1TUB, U1TUA	SDASP	+	200.00	1	 	-	1	-	1	1		
ONBU		EXCHANGE ACCESS LOOP		!		-	+		1	 	-	1	-	1	1		
<u> </u>	2-WIKE	ANALOG VOICE GRADE LOOP			LIFANI	LIEALO	10.50	10.00	20.5-	20.00	7.0-						
<u> </u>	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65	1	1		1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65	1	1		1		
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65	1	-	1	1		
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65		ļ				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			=					1							· '
<u> </u>	1	Premise		1	UEANL	URETL	-	8.33	0.83				ļ	ļ			
<u> </u>	1	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1	-	46.88	46.88				ļ	ļ			
	1	Loop Testing - Basic Additional Half Hour	1	1	UEANL	URETA	1	24.16	24.16	1	ĺ	1	1	l	1		

UNRU	NDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
314100	HULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
					ĺ							Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)	<u> </u>		UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		00.04	00.04								
	2 WIDE	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		23.01	23.01								
	Z-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	+		UEQ	UEQ2X UEQ2X	13.19	44.97	20.89	25.64	6.65			1	t	1	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	- '-			JEGEN	13.13	77.37	20.09	20.04	0.03	<u> </u>		 	I	 	1
		Premise			UEQ	URETL		8.33	0.83					1	I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -						3.55	0.00					1	1	1	
1		Non-Designed (per loop)			UEQ	USBMC		9.00	9.00					1	I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for						5.55	2.30						1		İ
1		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49					1	I	1	
		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			l	1]	_			1	I	1	
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65				-		
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEADO	10.50	40.00	22.57	20.05	7.05			1	I	1	
-		Zone 1	 	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65			 	!	 	1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65			1	I	1	
-	-	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 		ULFOR UEPOB	UEALO	15.34	40.00	22.57	∠0.05	7.05			-		-	
1		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65			1	I	1	
-	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 		OLI OK OLFOD	JEADO	10.04	40.00	22.31	20.03	7.05			 	t	 	
1		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65			1	I	1	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť			311	.5.50	22.07	20.00					1		
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65				1		
UNBUN	DLED E	EXCHANGE ACCESS LOOP		Ť			•	.5.50			.100						
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l											1		1	
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88			<u> </u>	<u></u>	<u> </u>	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							-]	
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		I									1	_]	
		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				1		
<u> </u>		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		23.01									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEADO	10.0-	404.00	04.6=	70.00	44.00				1		
-		Battery Signaling - Zone 1	-	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88			 	 	 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				1		
\vdash	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		OĽA	JEAKZ	17.45	134.89	81.87	73.05	14.88			-		-	
1		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88			1	I	1	
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	33.22	23.01	01.07	13.05	14.00			 	t	 	
-		CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO	-	87.72	36.36			<u> </u>		 	I	 	
-		Loop Tagging - Service Level 2 (SL2)	†		UEA	URETL	-	11.21	1.10			<u> </u>		 	I	 	
	4-WIRE	E ANALOG VOICE GRADE LOOP						1	0					1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (5) Submitted Subm	Charge - C Manual Svc Order vs. Electronic- Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
CATEGORY RATE ELEMENTS Interl m Zone BCS USOC RATES (\$) Submitted Electroper LSR Submitted Electroper LSR Subm	Charge - Charge - Manual Svc Order vs. Order vs. Electronic-Add'l Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Inter Zone BCS USOC RATES (\$) Eice per LSR Der LSR	C Manual Svc Order vs. Electronic-Add'l Disc 1st S Rates (\$)	Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS	Order vs. Electronic- Add'l Electronic- Disc 1st S Rates (\$)	Order vs. Electronic- Disc Add'l
	- Electronic- Add'l Electronic- Disc 1st	Electronic- Disc Add'l
1st	Add'I Disc 1st S Rates (\$)	Disc Add'l
Nonrecurring Nonr	S Rates (\$)	
2-Wire ISON Digital Grade Loop - Zone 1		SOMAN
2-WIRE ISON DOITAL GRADE LOGP	SOMAN SOMAN	SOMAN
2-Wire ISND Digital Grade Loop - Zone 1		
2-Wire SDN Digital Grade Loop - Zone 2		
2-Wine ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 42.87 146.77 95.02 71.38 13.83		
Order Coordination For Specified Conversion Time (per LSR) UDN UREWO 916.3 44.16		
CLEC to CLEC Conversion Charge without outside dispatch UDN UREWO 91.63 44.16		
2-WIRC ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP		
2 Wire Unbundled ADSL Loop including manual service inquiry 1		
A facility reservation - Zone 1		
2 Wire Unbundled ADSL Loop including manual service inquiry 2 UAL		
Stacility reservation - Zone 2 Quality Q		
2 Wire Unbundled ADSL Loop including manual service inquiry		
A facility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR)		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2 2 UAL UAL2W 11.79 121.18 69.00 69.09 11.54		
facility reservation - Zone 2		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 UAL UAL2W 12.87 121.18 69.00 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 23.01 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.20 40.40 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.56 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2X 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 10.61 130.74 78.56 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL UHL2W 10.61 130.74 78.56 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL UHL2W 10.61 130.74 78.56 69.09 11.54		
Facility reservation - Zone 3 3 UAL UAL2W 12.87 121.18 69.00 69.09 11.54		
Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 8.75 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 9.56 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 1 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL UHL2W 10.61 130.74 78.56 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL UHL2W 10.61 130.74 78.56 69.09 11.54		
CLEC to CLEC conversion Charge without outside dispatch UAL UREWO 86.20 40.40		
2-WIRE HIGH BIT RATE DIGITAL SUBŠCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 8.75 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 9.56 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 89.29 69.09 11.54 10.61 151.54 10.61 10.61 10.61 10.61 10.61 10.61 10.61 10.61 10.		
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		
& facility reservation - Zone 1 1 UHL UHL2X 8.75 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 UHL UHL2X 9.56 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 0 Order Coordination for Specified Conversion Time (per LSR) 0 UHL 0 UHL2W 10.61 130.74 78.56 69.09 11.54		
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 130.74 78.56 69.09 11.54 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 3 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL UHL2W 10.61 130.74 78.56 69.09 11.54		
& facility reservation - Zone 2 2 UHL UHL2X 9.56 151.54 89.29 69.09 11.54 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 0 Order Coordination for Specified Conversion Time (per LSR) UHL UHL OCOSL 23.01	 	
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54		
& facility reservation - Zone 3 3 UHL UHL2X 10.61 151.54 89.29 69.09 11.54 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL2W 8.75 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 10.61 130.74 78.56 69.09 11.54 0 Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01 23.01	+ + + + + + + + + + + + + + + + + + + +	
Order Coordination for Specified Conversion Time (per LSR)		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	+ + + + + + + + + + + + + + + + + + + +	
and facility reservation - Zone 1	++	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 UHL UHL2W 9.56 130.74 78.56 69.09 11.54 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 10.61 130.74 78.56 69.09 11.54 0 Order Coordination for Specified Conversion Time (per LSR) UHL UHCSW 10.61 23.01		
and facility reservation - Zone 2 2 UHL	+	
and facility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01		
	1 1	
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.14 40.40		
4-WIRÉ HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		
4 Wire Unbundled HDSL Loop including manual service inquiry		
and facility reservation - Zone 1 1 UHL UHL4X 13.95 185.75 123.50 74.95 14.69		
4-Wire Unbundled HDSL Loop including manual service inquiry		
and facility reservation - Zone 2 I 2 UHL UHL4X 15.68 185.75 123.50 74.95 14.69		
4-Wire Unbundled HDSL Loop including manual service inquiry		
and facility reservation - Zone 3	 	
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 23.01	+	
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 1 UHL UHL4W 13.95 164.95 114.04 77.32 15.80		
and facility reservation - Zone 1 1 URL UHL4W 13.95 164.95 114.04 77.32 15.80 14-Wire Unbundled HDSL Loop without manual service inquiry	+	
and facility reservation - Zone 2 2 UHL UHL4W 15.68 164.95 114.04 77.32 15.80		
and radiuly reservation - 2016 2 OnL OPIL-4W 13.06 104.93 114.04 17.32 13.60 14.95 114.04 17.32 13.60	+ +	
and facility reservation - Zone 3 JHL UHL4W 16.98 164.95 114.04 77.32 15.80		
Included the state of the state	+ + +	
CLEC to CLEC Conversion Charge without outside dispatch	+ + +	
4-WIRE DS1 DIGITAL LOOP		
4-Wire DS1 Digital Loop - Zone 1	† †	
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 114.10 306.69 174.44 65.83 14.55		
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 297.76 306.69 174.44 65.83 14.55		
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 23.01		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	07.50	23.01		=0.04							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64 UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	OCOSL	36.37	157.81 23.01	106.06	78.91	18.66						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								-
3-/8/11	RE Unbundled COPPER LOOP	-	 	ODL	UNLWU		102.13	49.75			-	 	+	 	 	
Z-VVII	2-Wire Unbundled Copper Loop-Designed including manual				+ +		1									
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed including manual		-	002	OOL! D	10.02	140.00	70.70	00.00	11.04						+
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2 Wire Unbundled Copper Loop-Designed including manual		_	002	002. 5		1 10.00		00.00							†
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-WII	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry					40.00	.=		==							
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry		2	1101	1101.40	47.00	170.01	400.00	74.05	44.00						
	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
+	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.10	9.00	9.00	74.95	14.05	1					
-	4-Wire Copper Loop-Designed without manual service inquiry			OCL	OCLIVIC		3.00	3.00								
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry		<u> </u>	002	002	10.02	1.0.02	01.00	7 1.00							
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48								
LOOP MODI	FICATION															
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,			0.01	0.01					1	1	1	
	pair less than or equal to 18k ft, per Unbundled Loop		<u> </u>	UEPSB	ULM2L		9.24	9.24	1				!	!	!	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1	UHL, UCL, UEA	ULM4L		9.24	9.24				1	I	I	I	
	less than or equal to 18K ft, per Unbundled Loop	-	 	UAL, UCL, UEA	ULIVI4L		9.24	9.24	1			-				
			1	UEQ, ULS, UEA,			l					1	I	I	I	
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL. UEPSR.											1	

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1						1	Nonred	rrina	Nonrecurring	Dissennest			220	Rates (\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L	OOPS							FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
OOD-L		op Distribution	1														
	Oub Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1														
		Up	- 1		UEANL	USBSA		207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		12.50	12.50								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder															
		Facility Set-Up	I		UEANL	USBSC		80.87	80.87								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up			UEANL	USBSD		45.04	45.04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90				1		
<u> </u>	 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- ' -	-	OLAINL	UODINZ	0.34	85.03	39.05	59.81	7.90			 		1	1
	1	Zone 2	1	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90			1			
-	 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			O-/ 11 1L	30D14Z	3.00	00.03	33.03	33.01	7.30				t		
1	1	Zone 3	1 1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90			1			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_					=								
		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
		Order Coordination for Unbundled Cub Leans, nor out lean noir			UEANL	USBMC		9.00	9.00								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
		Sub-Loop 2-Wile Intrabuliding Network Cable (INC)	- ' -		OLANL	USBRZ	2.51	00.33	22.30	39.01	7.50						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88				1		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I.	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
-	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	3	UEF	UCS2X	7.06	85.03 85.03	39.05	59.81	7.90			 	1		
<u> </u>	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90			 	 		-
	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00	1				1			
-	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88	1			-		
—	†	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2		UCS4X	8.66	102.31	56.32	65.24	10.88			1	1		
	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	19.40	102.31	56.32	65.24	10.88				1	İ	İ
							_							1			
	<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEF	USBMC		9.00	9.00							<u> </u>	<u> </u>
		Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	46.88								
	ļ	Loop Testing - Basic Additional Half Hour	ļ		UEF	URETA		24.16	24.16	ļ				ļ	ļ		
	Unbun	dled Network Terminating Wire (UNTW)	ļ		LIENTA/	LIENDS											
<u> </u>	Notice	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)	1		UENTW	UENPP	0.53	23.51	23.51	 				 	1		
<u> </u>	Networ	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		73.53	49.47	-					-	-	-
-	 	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	 		UENTW	UND12 UND16		115.96	91.91	t				1	t	1	1
-	1	Network Interface Device (NB) - 1-0 lines Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		8.56	8.56	-		1			-		
—	1	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		8.56	8.56	†		1		1	†	1	1
UNE O	THER, P	ROVISIONING ONLY - NO RATE	1					2.20	2.30	1				İ	1		
	T	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,U												
L	<u> </u>	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE O	THER, P	ROVISIONING ONLY - NO RATE	<u> </u>							l				Ì	l		

UNRUN	IDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	ibit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			HEATICL HOLLIDI	USBFR	0.00	0.00									
-		Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Superfiame Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									+
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	TY UNBUNDLED LOCAL LOOP			OOL	CCCLI	0.00	0.00									+
11101107		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.25									1	
		High Capacity Unbundled Local Loop - DS3 - Facility			-		5:=5									İ	
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per					İ										
		month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP M	AKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or			UIVIN	UIVIKLP	1	24.00	24.00								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SH	ARING	G AND LINE SPLITTING			OWIN	OWINWQ		0.07	0.07								+
		: The Line Sharing monthly recurring rates for all installation	is comp	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	l be billed as f	ollows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
N	NOTE 1	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED				111.004	100.00	070.05	0.00	050.55	0.00						_
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA ULSDB	198.83 49.71	379.05 379.05	0.00	358.55 358.55	0.00						-
		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSDB ULSD8	49.71 16.94	379.05	0.00	357.29	0.00						-
-		Line Sharing Splitter, Fer System, 6 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	ULSDO	10.94	3/1./1	0.00	331.29	0.00						
		deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						
E	END US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			020	OLODO		170.02	0.00	100.40	0.00						
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
1 [Line Share Service, TRO per line activation, BST owned splitter -					Ι Τ									1	
		Central Office Located (50% of UCLND) - please see NOTE 1														1	
$\vdash \vdash$		(E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90	1				 	├
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90					1	
\vdash		Line Sharing - per Subsequent Activity per Line			ULO	OLODI	1.94	31.10	21.28	20.17	9.90						
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43								
\vdash		Line Sharing - per Subsequent Activity per Line					 	02.00	10.70							1	
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43							1	
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74					1	1

ONRO	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned			020	02001	2.00			20.01							1
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
		PLITTING															
	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter	 		UEPSR UEPSB	UREOS UREBP	0.61 0.61	27.00	04.00	21.10	0.07	1		-	1	1	
		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	 		UEPSR UEPSB UEPSR UEPSB	UREBV	0.61	37.02 37.02	21.20 21.20		9.87 9.87	1		-	 	 	+
	MAINT	ENANCE			UEFOR UEFOB	UKEBV	0.01	37.02	21.20	21.10	9.07						+
	WAIN	No Trouble Found - per 1/2 hour increments - Basic				1		80.00	55.00								+
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								+
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								+
UNBUN		DEDICATED TRANSPORT															
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			U1TVX	1L5XX	0.01										_
		- Facility Termination Interoffice Channel - Dedicated Transport - 4- wire voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115										
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						<u> </u>
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0115										<u> </u>
		Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.23										
		Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						-
		month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	4.97										
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.97	225 42	240.24	00.57	07.75						
DARK F	IBER	Termination Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
		Thereof per month - Interoffice Channel	l		UDF, UDFCX	1L5DF	30.74								1	1	
		NRC Dark Fiber - Interoffice Channel	1		UDF, UDFCX	UDF14	30.74	732.53	192.67	377.27	241.67	1		1	 	 	+
		Dark Fiber - Interiorice Chariner Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01	132.33	192.07	311.21	241.07						
		NRC Dark Fiber - Local Loop	-	 	UDF, UDFCX	UDFL4	47.01	732.53	192.67	377.27	241.67			-	-	-	+

CATEGORY RATE ELEMENTS Intelligence Page	IINBIIND) ED	NETWORK ELEMENTS - Kentucky												Attach	mont: 2	Euki	hit: A
APP SAME S	CIADOIAL	, <u>LED</u>	NETWORK ELEMENTS - Rentucky					1					Svc Order	Svc Order				Incremental
CATEGORY RATE ELEMENTS March 2004 RATE 1905		ļ																Charge -
CATEGORY RATE ELEMENTS m 2006 RATE (E) pp 1.50 Code vs. Code		- 1		1														Manual Svc
No. Section	CATEGOR	Y	RATE ELFMENTS		Zone	BCS	USOC			RATES (\$)								
188 Add Direct 189 Direct	CATEGOR	`'	KATE ELEMENTO	m	20116	ВСО	0000			KATEO (ψ)			per LSR	per LSR				Order vs.
Bit																		Electronic-
Company Comp															1st	Add'l	Disc 1st	Disc Add'l
Macros Control Science Control Contr									Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
BOX ACCESS TO PLOTE SCREENING Control Co								Rec					SOMEC	SOMAN			SOMAN	SOMAN
BXX. Access Tem Dig Screening, Recommission Charge Per BXX No.	8XX ACCE	SS TE	EN DIGIT SCREENING															
Number Reserved OHD N001X		8	BXX Access Ten Digit Screening, Per Call			OHD		0.0006478										
DOCK Access Ten Dig Screening, Per SDX No. Established Wind Print Treatellands Dock		8	BXX Access Ten Digit Screening, Reservation Charge Per 8XX															
POTS Translations		١	Number Reserved			OHD	N8R1X		4.14	0.70								
December December		8	BXX Access Ten Digit Screening, Per 8XX No. Established W/O															
DOTS Translations						OHD			8.78	1.18	7.08	0.86						
BXX Access Ton Dig Scorening, Charge Children Front, A Copt Park Ext. Million Pa																		
Per BOX Number Services for Data Services in Multiple InterLATA CRR OHD NBTOX 4.14 2.07						OHD	N8FTX		8.78	1.18	7.08	0.86						
SXX.Access Ten Digit Scienting, Ministry Per Ministry P																		
Routing Per CRR Requisted Per SX No. OPE N8PXX 4.85 0.70						OHD	N8FCX		4.14	2.07	.				ļ	.		
BEX.Access Tan Digit Screening, Carriage Per Requiset OPP NBFX 4.88 0.70		8	BXX Access Ten Digit Screening, Multiple InterLATA CXR															
SOX Access Tea Digit Screening of BFT, No. Delivery,	\vdash										-				 	-	ļ	
Features	\vdash				<u> </u>	OHD	INSFAX		4.85	0.70	!				 	!	1	
BXX Access Fat Digit Screening w PST No. Delivery, OHD 0.0009478						OLID	NOEDY		4.44	4.44								
BOX Access Tan Digit Screening, w POTS No. Delivery,	\vdash			-	 		INSEDX	0.0006470	4.14	4.14	 				-	 		
LINE NORMATION DATA BASE ACCESS (LIDB)					-		+								-	-	-	
LIDB Common Transport Per Cuery	LINE INCO					OHD		0.0000478					1					
LIDB Validation Per Ouery LOB Organistry Perform Code Establishment or Change OQT, OQU NRBPX S512 67.59	LINE IN					OOT	1	0.000023			<u> </u>							
LIDB Originating Point Code Establishment or Change	h																	
SIGNALING (CCS7) Signaling Connection, Per 56 Khops Facility UDB TPP++							NRBPX	0.0101022	55.12		67.59							
CGSF Signaling Connection, Per 168 Köps Facility	SIGNALIN										7.1.00							
CCSF Signaling Termination, Per STP Fort						UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
CCS7 Signaling Connection, Per link (6 link) (also known as D link)						UDB	PT8SX	151.39										
CCSF Signaling Connection, Per Ink (8 Ink), (also known as D ink) UDB TPP++		(CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
Inix UDB TPP++ 20.71		(CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
CCS7 Signaling Usage, Per ISUP Message			CCS7 Signaling Connection, Per link (B link) (also known as D															
CCST Signaling Usage Surrogate, per link per LATA							TPP++		43.56	43.56	22.45	22.45						
CCST Signaling Point Code, per Originating Point Code Establishment or Change, per Styl affected UDB CCAPO 46.02 46.02 56.43 56.43																		
Establishment or Change, per STP affected						UDB	STU56	751.08										
CCS7 Signaling Point Code, per Destination Point Code									40.00		=0.40	=0.40						
Establishment or Change, Per Stp Affeted	ļ				<u> </u>	UDB	CCAPO		46.02	46.02	56.43	56.43						
E911 SERVICE						LIDD	CCADD		40.00	40.00	50.40	50.40						
Local Channel - Dedicated - 2-wr Voice Grade Per Mile	FO44 CED		establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	ESIT SEK		ocal Channel - Dedicated - 2-wr Voice Grade				1	10 57	265 70	46 OC	46.70	4 00				+		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility 29.11 47.34 31.78 22.77 8.75	\vdash						1		200.78	40.90	40.79	4.98			1	t	1	
Termination 29.11 47.34 31.78 22.77 8.75							1	0.0115			 				1	 	-	
Local Channel - Dedicated - DS1 - Zone 1								29.11	47.34	31.78	22.77	8.75			1	I		
Local Channel - Dedicated - DS1 - Zone 2							İ								İ	1		
Local Channel - Dedicated - DS1 - Zone 3 164.50 209.60 176.51 30.21 21.07							İ											
Interoffice Transport - Dedicated - DS1 Per Mile							1											
CALLING NAME (CNAM) SERVICE																		
CALLING NAME (CNAM) SERVICE																		
CNAM For DB Owners - Service Establishment								96.04	105.52	98.46	23.09	20.49						
CNAM For Non DB Owners - Service Establishment	CALLING																	
CNAM For DB Owners - Service Provisioning With Point Code Establishment																		
Establishment						OQV	ļ		25.34	25.34	23.30	23.30			ļ	.		
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 546.40 393.74 438.93 317.61			· · · · · · · · · · · · · · · · · · ·			001/]	4 = 2 . = :			0.= 6:			1	I		
Code Establishment	\vdash				<u> </u>	υψγ	1		1,591.54	1,177.08	431.95	317.61			 	!	1	
CNAM for DB Owners, Per Query						001]	E46 40	202.74	420.00	247.64			1	I		
CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per	\vdash				-		+	0.0010349	046.40	393.74	438.93	317.61	-		 	 		
CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per	\vdash			-			1				 				1	+	1	
Character Based User Interface (CHUI) SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per	\vdash					~ v	1	0.0010340			t				1	t	1	
SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per						OOV	CDDCH]	595 00	595 00	I				1	I		
Selective Routing Per Unique Line Class Code Per Request Per	SELECTIV					~~*	300011		333.00	333.00	I		<u> </u>		 	I		
	7						1				I		<u> </u>		 	I		
1 DANICH			Switch						93.53	93.53	15.58	15.58				1		

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Pi		Submitted	Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					-	Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
VIRTUAL COI	I OCATION						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						ĺ
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				DE 11 0		24.00									ĺ
AIN CELECTI	Splitting VE CARRIER ROUTING			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTI	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
-	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,				04465											
	Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
1	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03					1	1
	AIN SMS Access Service - Port Connection - Day Strated Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User			7.114	O/ WITH		0.04	0.04	10.00	10.00						
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						ĺ
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4608										ĺ
AIN - BELLSO	DUTH AIN TOOLKIT SERVICE					0.4606			1							
AIN BELLEC	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						İ
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.26	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				BAPES	0.11			0.06	0.06						
	Service Subscription EXTENDED LINK (EELs)			CAM	DAFES	0.11	9.56	9.56	 					-	-	
	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurr	ing charges below v	vill apply for	UNE combinati	ons provision	ed as ' Current	ly Combined' N	etwork Eleme	nts.					
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT		1 INTE	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				l		1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.2011.22	learning terms.										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK!	NATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	COMILO	COMPAN	JOINIAN	JOHIAN	COMPAR	JOHIAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
—	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONOVA	OLALZ	33.22	125.22	00.40	33.03	7.04						
	per month			UNC1X	1L5XX	0.19										1
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TEOTO	0.10										
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1 '
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
 	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						
 	Voice Grade COOT-1 et WORLT			ONCVX	IDIVO	0.02	0.71	4.04								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						1
	Lacit Additional 2-Wile VO Loop (OL 2) in Combination - Zone 1	 	- '-	0110 1/	ULALL	12.07	120.22	00.40	33.03	7.04		 		 		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						1 '
 	Lacti Additional 2-Wife VO Loop (OL 2) in Combination - Zone 2			ONCVX	OLALZ	17.43	120.22	00.40	33.03	7.04						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		1				1
—	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.62	6.71	4.84	33.03	7.04						
—	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.02	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1 '
EVTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DO	1 INTE				0.90	0.30	11.17	11.17	-					
LAIL	I	I ED D3	INTE	OFFICE TRANSFO	1						-					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		4	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1 '
-	First 4-Wire Arialog Voice Grade Loop in Combination - Zone 1		-	UNCVA	UEAL4	29.20	123.22	00.40	39.09	7.04	-					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						l '
	First 4-Wire Arialog Voice Grade Loop in Combination - Zone 2	<u> </u>		UNCVA	UEAL4	34.23	123.22	00.40	39.09	7.04						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1 '
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVA	ULAL4	65.00	123.22	00.40	39.09	7.04	-					
	Per Month			UNC1X	1L5XX	0.19										1
-	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIA	ILSAA	0.19					-					
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1 '
	1/0 Channel System in combination Per Month	<u> </u>	-	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
-	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07	-					
-	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	0.02	0.71	4.04			-					
	Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1	<u> </u>	-	UNCVA	UEAL4	29.20	123.22	00.40	39.09	7.04						\vdash
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
-	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	34.23	123.22	00.40	39.09	7.04	-					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
	Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.62	6.71	4.84	39.09	7.04						
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-	 	1	DINOVA	פאומו	0.02	0.71	4.04		-	-	-	-	-		
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
EVTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				0.30	0.30	11.17	11.17						
EVIE	TOTAL THIRE SO REFS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	אוופע	LINDEFICE I KANS	JONI						 	1	1	1		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			Ì	Ì		1 '
\vdash	i not 4-vine outupe Digital Grade Loop in Combination - Zone i	1	-	OINODA	ODESO	21.59	120.22	00.40	39.69	1.04	-	-	-	-		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		1				1
	I list 4-Wile Sortops Digital Grade Loop III Combination - Zone 2			ONODA	ODESO	32.40	125.22	00.40	33.03	7.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84			Ì	Ì		1
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	3	אַנואַנוּט	JDLJO	30.37	123.22	00.48	59.69	1.84	 	1	1	1		 '
	Per Month	1		UNC1X	1L5XX	0.19							Ì	Ì		1 '
\vdash	Interoffice Transport - Dedicated - DS1 - combination Facility	1	1	DINOIA	ILUAA	0.19				-	-	-	-	-		
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1				1
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	1	1	1	1		
\vdash	OCU-DP COCI (data) per month (2.4-64kbs)	 		UNCDX	1D1DD	1.32	6.71	4.84	1.00	1.07	 	1	1	1		
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-		OINCDA	טטוטו	1.32	0.71	4.04	-				-	 		
	Interoffice Transport Combination - Zone 1	1	4	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			Ì	Ì		1
\vdash		 		UNUDA	ODESO	21.59	123.22	00.48	59.69	1.84	-					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		1				1
\vdash	Interoffice Transport Combination - Zone 2	 		UNCDX	UDLS6	32.48	125.22	bU.48	59.69	7.84	-					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	LINICDY	LIDLEC	20.07	405.00	00.40	50.00	7.4	1	İ	Ì	İ		1
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	1	1				j

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Exhi	oit: A
SHOUNDER	- Nemucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	NATE ELEMENTO	m	20116	ВСО	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		
-			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Additional OCU-DP COCI (data) - in combination per month (2.4-						FIISL	Auu i	FIISt	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	64kbs)	1		UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-		 	UNCDA	וטוטט	1.32	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EVTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN				0.90	0.30	11.17	11.17	-					
EXIE	NDED 4-WIRE 64 RBF3 EXTENDED DIGITAL LOOP WITH DEDIN	CATED	DSTIN	TEROFFICE TRAINS	I						1					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	1 list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone 1			UNCDA	UDL04	21.39	123.22	00.40	39.09	7.04	-					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	1 list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone Z			UNCDA	UDL04	32.40	123.22	00.40	39.09	7.04	-					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			Ì	Ì		
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	OINCDA	UDL04	30.37	123.22	60.48	59.69	1.84	-	-	-	-		
	Per Month			UNC1X	1L5XX	0.19			1			1				
\vdash	interoffice Transport - Dedicated - DS1 combination - Facility	 	 	OINCIA	ILOAA	0.19			 							
				LINGAV	LIATEA	70.00	404.04	400.50	50.70	20.20						
\vdash	Termination Per Month 1/0 Channel System in combination Per Month	 	 	UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67	-					
\vdash	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 	 	UNCDX	1D1DD	113.33	6.71	4.84	1.86	1.67	-					
		-	-	UNCDX	טטוטו	1.32	6.71	4.84								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	UDL64	27.50	125.22	60.48	59.69	7.04						
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINODY	1101.04	00.40	405.00	00.40	50.00	7.04						
-	Interoffice Transport Combination - Zone 2	-	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	1101.04	00.07	405.00	00.40	50.00	7.04						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)	-	-	UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		0.00	0.00	44.47	11.17						
EVE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC4	INTER				8.98	8.98	11.17	11.17						
EXIE		בט טפו	INIER			86.47	210.70	114.60	63.96	47.07						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97 17.97						
-	4-Wire DS1 Digital Loop in Combination - Zone 2		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	-					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIA	USLAA	291.70	210.70	114.60	63.96	17.97	-					
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	<u> </u>	UNCIA	ILSAA	0.19										
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-				UNCIA	UTIFT	79.02	101.24	123.33	30.72	22.32	-					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	11.17	11.17			Ì	Ì		
EVTE	IS Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED Des	INTER				8.98	8.98	11.17	11.17						
EVIE	First DS1Loop in Combination - Zone 1	LD D33		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97			-	-		
\vdash	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2	-	2	UNC1X UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			-	 		
	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			-	 		
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	3	OINCIA	USLAA	291.76	210.70	114.00	03.96	17.97	1	1				
	Per Month	1	1	UNC3X	1L5XX	4.09			I				Ì	Ì		
\vdash	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1	OINOSA	ILUAA	4.09					-	-	-	-		
	month	1	1	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39			Ì	Ì		
\vdash	3/1Channel System in combination per month	1	1	UNC3X UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	-	-	-	-		
	DS1 COCI in combination per month	 	1	UNC1X	UC1D1	11.80	6.71	4.84	15.12	5.30	 	1	1	1		
\vdash	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	-	OIVOIA	וטוטט	11.00	0.71	4.64	 				-	 		
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		1				
 	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	- '	ONOIA	USLAA	00.47	210.70	114.00	03.90	17.97	1	1				
	Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			Ì	Ì		
 	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOIA	USLAA	114.10	210.70	114.00	05.90	17.97	1	1	1	1		
	Zone 3	1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			Ì	Ì		
\vdash	Additoinal DS1 COCI in combination per month	1	3	UNC1X	UC1D1	11.80	6.71	4.84	05.90	17.97	-	-	-	-		
\vdash		-	-	OIVOIA	וטוטט	11.00	0.71	4.64	 				-	 		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC3X	UNCCC		8.98	8.98	11.17	11.17			Ì	Ì		
EVTE	_lis Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	L E INTE				8.98	8.98	11.17	11.17			-	 		
EXIE	2-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	-					
\vdash	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2	 		UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	 	-				
	2-vviie vo Loop in combination - Zone Z	<u> </u>		OIAOAV	ULALZ	17.40	120.22	00.48	59.69	1.64	1	1	l	l		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Month Control of the			UNCVX	1L5XX	0.01			1							ļ
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.25										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.19										
	Termination per month 1/0 Channel System in combination - per month			UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67						ļ
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84	1.00	1.07						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3			UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	UC1CA	2.84			59.69	1.64						
	month Nonrecurring Currently Combined Network Elements Switch -As-					2.84	6.71	4.84	44	44.1=						
EXT	IS Charge ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS					8.98	8.98	11.17	11.17						
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						

UNRII	INDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit· Δ
SINBU	HULE	NETWORK ELEMENTS - Remucky				1						Svc Order	Svc Order	Incremental			Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILSAA	4.09			-							
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	2	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport						-									
		Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional DS1Loop in the same STS-1 Interoffice Transport	1				\Box			_				1]		
	ļ	Combination - Zone 3	ļ	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			ļ	ļ		
	<u> </u>	DS1 COCI in combination per month	<u> </u>		UNC1X	UC1D1	11.80	6.71	4.84					ļ	ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
-	EVTEN	Is Charge	DO INT		UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	EXIEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE 4-wire 56 kbps Local Loop in combination - Zone 1	SPS INT		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	ONODA	ODESO	30.37	125.22	00.40	33.03	7.04						
		Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILSAA	0.01										
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEG	17.20	30.03	33.07	30.31	22.72						
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		1		3.50	3.30	1				İ	İ		
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		First Interoffice Transport - Dedicated - DS1 combination - Per	1		l <u>-</u>	I	\neg			_				1	1		
<u> </u>	ļ	Mile	ļ		UNC1X	1L5XX	0.19			ļ				ļ	ļ		
		First Interoffice Transport - Dedicated - DS1 combination -			LINICAY	LIATE 4	70.00	404.01	100 50	50.70	00.00						
<u> </u>	 	Facility Termination per month	 		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	<u> </u>	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month	<u> </u>		UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67			-			
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30				1		
-	 	Per each DS1 COCI in combination per month	 		UNC1X	UC1D1	11.80	6.71	4.84	10.12	5.50			 	 		
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1					50	5.71		1							
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			1	1		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	<u> </u>	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84			<u> </u>	L		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	<u> </u>	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	ļ	Each Additional Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.62	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINIOAN	41.5307				I				1	1		
<u> </u>	 	Channel System per month	 		UNC1X	1L5XX	0.19			1							
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1	Jame or i Onannei Oystein per month	<u> </u>	1	014017	UTILL	19.02	101.24	123.33	30.72	22.32	l	l	1	1		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CHECHEL	Notice Comments Remarks		1								Svc Order	Svc Order	Incremental	Incremental		
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	1	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zork	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXIE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE IR	ANSPORT W/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
h + + -	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	- '	UNCVA	UEAL4	29.20	123.22	00.40	59.09	7.04	1					
	Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
-	First 4-Wire Analog Voice Grade Local Loop in Combination -			ONCVX	OLAL	34.23	120.22	00.40	33.03	7.04	1					
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	_ <u> </u>		J T	33.30	120.22	30.40	55.59	7.04						t
	Mile Per Month			UNC1X	1L5XX	0.19										1
	First Interoffice Transport - Dedicated - DS1 - Facility			-	1	20										
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				41 = 304											
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	70.00	404.04	123.53	56.72	22.32						
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	79.02 0.62	181.24 6.71	4.84	56.72	22.32						
-	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCVA	IDIVG	0.62	0.71	4.04								-
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE				0.30	0.30	11.17	11.17						
- LXIL	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1	THAIRDI ON WOO	I											
	Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.19										<u></u>
	First Interoffice Transport - Dedicated - DS1 - combination						_									1
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
\vdash	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.32	6.71	4.84								
\vdash	3/1 Channel System in combination per month	1	ļ	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	ļ					├
\vdash	Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	11.80	6.71	4.84	ļ		<u> </u>					├
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1,	LINODY	LIDLEC	07.50	405.00	00.40	50.00	7.04						1
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	1	-				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNUDA	UDLS6	32.48	123.22	60.48	59.69	1.84	1	-				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
 	OCU-DP COCI (data) COCI in combination per month (2.4-	1	-	SHODA	30130	30.37	120.22	00.40	39.09	7.04	1					
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1.2.22	02	0.71	0-1								
	Channel System per month			UNC1X	1L5XX	0.19										1
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1		1	50										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
		•			•				•			•				-

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
CADOMBLE	TOTAL ELEMENTO Remarky										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:									Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
						Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	001141	001111
-	Each Additional DS1 COCI in the same 3/1 channel system						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	11.80	0.71	4.04								
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00	0.00								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
\vdash	Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			ļ		ļ	ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINC4V	11.577	0.19			1			1				
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	<u> </u>		UNC1X	1L5XX	0.19			_					 		
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
 	Per each Channel System 1/0 in combination Per Month	 		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67				 		
	Per each OCU-DP COCI (data) in combination - per month (2.4-	1		501/	.7104 1	110.00	31.20	17.74	1.00	1.07			1	†	1	1
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
-	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	טטוטו	1.32	0.71	4.04	-					-		
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.17	120/01	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		 								ļ		ļ	ļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIV	LIALOV	40.44	405.00	CO 10	50.00	7.04				1		
\vdash	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<u> </u>	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				 		
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84				1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 		011011/	JILZA	20.00	120.22	00.40	39.09	7.04				 		
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84				1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		-				22.70	1					1		
	Mile per month			UNC1X	1L5XX	0.19			I			1		I		
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	December 2 with ICDN COOL (DDITE) is a self-institution			LINONY	110404		0.71	4.5.	1			1		1		
 	Per each 2-wire ISDN COCI (BRITE) in combination - per month	 		UNCNX	UC1CA	2.84	6.71	4.84	45.10	F 00				1		
\vdash	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3 UC1D1	158.20 11.80	115.48	56.53	15.12	5.30				 		
 	Per each DS1 COCI in combination per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		UNC1X	ומוטט	11.80	6.71	4.84	 		1	-	1	 	1	1
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	_	0017/	JILEA	10.74	120.22	00.40	33.03	7.04				 		
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		1		1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			-				22.70	1				1		1	1
	Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84								

LINBIII	IDI EI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit: A
ONDO	IDLLI	NETWORK ELEMENTS - Remucky	1				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CAILO	21 1	NATE ELEMENTO	m	20116	500	0000			INATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
 								Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1						FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
		Channel System per month			UNC1X	1L5XX	0.19										
-		Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILJAA	0.19										
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	73.02	101.24	125.55	30.72	22.52						
		combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	11.00	0.71	4.04								
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	VTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	POPT		UNCCC		0.90	0.90	11.17	11.17						
 	_	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	INAN		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				-		
\vdash		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	-		UNC1X UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				-		
\vdash		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-		UNC1X UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				-		
-				3	UNCIX	USLAA	297.76	210.70	114.60	63.96	17.97						
		First Interoffice Transport - Dedicated - DS1 combination - Per	l		LINCAV	11 5 7 7	0.40					1					
\vdash		Mile Per Month	1		UNC1X	1L5XX	0.19						ļ				
		First Interoffice Transport - Dedicated - DS1 combination -	l		LINIOAY		70.00	404.04	100 =0	50 -0	00.00	1					
-		Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Each Additional DS1 Interoffice Channel per mile in same 3/1				1											
		Channel System per month			UNC1X	1L5XX	0.19										
		Each Additional DS1 Interoffice Channel Facility Termination in				1											
		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Each Additional DS1 COCI in the same 3/1 channel system				l											
		combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
1 1		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l]						1				
igsquare		per month			UNCDX	1L5XX	0.01										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	l									1					
		Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-	l									1					
igsquare		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
\Box	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	l]						1				
		per month			UNCDX	1L5XX	0.01										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	l									1					
		Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-	l									1					
		Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
		ETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															
		ised as ordinarily combined network elements in All States, th					As Is Charge of	loes not.									
\Box	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-	l														
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						

CATEGORY RATE ELEMENTS Nater South S	Exhibit: A	Fyh	ment: 2	Attach												NDLED NETWORK ELEMENTS - Kentucky	UNBUNDI F
CATEGORY RATE ELEMENTS Interl Zone BCS USCC RATES (3) USCC RATES (4) USC RATES (5) USC RATES (5) USC RATES (6) USC RATES (7) USC RATES (Svc Order	Svc Order										TOTAL PROPERTY OF THE PROPERTY	S.ADOIADEL
ATTENDED PROPERTY																	
MAIS 19 per Light Delay Conference															Intori		
Bestoning Best					,	per LSR			RATES (\$)			USOC	BCS	Zone		ORY RATE ELEMENTS	CATEGORY
14 A671 Disc 1st		Electronic-			,	,									m		
Note																	
No.									_								
Reservating Controls Control Control Relation Element State As In 1972 11.77 11.	1										Rec						
No. Disprey - 598 H 209 11.77	AN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First							-
National Control Control Network Elements Switch - Ab- 1 (NCC)		İ					44.47	44.47	0.00	0.00		LINICOC	LINCDY				
No. No.		⊢	 				11.17	11.17	8.98	8.98		UNCCC	UNCDX				—
Noncestimp Currently Combined National Seasons As NACSX UNCCC 8.88 8.86 11.17 11.17		İ					11 17	11 17	8 08	8 08		LINICCC	LINC1Y				
In Charge - 1083			+				11.17	11.17	0.30	0.30		ONCCC	ONCIX				
Nonescuring Currently Control Alertonic Extremits Switch App (I) NCSX		İ					11 17	11 17	8 98	8 98		UNCCC	UNC3X				
District Section District Se			1						0.00	0.00		0.1000	0.100/				
Optional Features & Functions: UTTO1, UTTO			ļ				11.17	11.17	8.98	8.98		UNCCC	UNCSX				
Clear Channel Capability Extended Frame Option - per DS1																	Option
Clear Channel Capability Super FrameCotion - per DS1													U1TD1,				
Clarar Channel Capability Super FrameCytion - per DS1							OI	01	OI	OI		CCOEF			I	Clear Channel Capability Extended Frame Option - per DS1	
Clare Channel Capability (SFESP) Cysion - Subsequent I UNDTI, UPID. NRCCC 164.918 23.828 1.968 0.785		1															
Activity - per DS1		<u> </u>					OI	01	OI	OI		CCOSF			I		
Cut of Parity Option - Subsequent Activity - per D83 i US3, UNICX NRCC3 206.708 7.208 68245 08		1					_		_					I			
Cub Raminy Option - Subsequent Activity - per OS3		└					0.78S	1.99S	23.82S	184.91S		NRCCC				Activity - per DS1	<u> </u>
MULTIPLEXERS		1			1							LIDOS:			l .		
DS1 to DS0 Channel System per month							0S	.6924S	7.20S	205.70S		NRCC3	UE3, UNC3X		i		<u> </u>
OCU-PP COCI (data) - OSI to DS0 Channel System - per month (2-44-8tbs) used for a Local Local Channel System - per month (2-44-8tbs) used for a Cocal Local Channel System - per month (2-44-8tbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation UITUB U										== 00	110.00		1000				MULTI
month (24-Ablibs) used for a Local Loop		⊢—					1.67	1.86	14.74	57.26	113.33	MQ1	UNC1X				
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-4-8bts) used for connection to a channelized DS1 U1TUD 1D1DD 1.32 10.07 7.08			ļ						7.00	40.07	4.00	4D4DD	LIDI				
month (2.4-646cb) used for connection to a channelized DS1 U1TUD 1D1DD 1.32 10.07 7.08			+						7.08	10.07	1.32	טטוטו	UDL				
Cocal Channel in the same SWC as collocation		İ															
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			ļ						7.08	10.07	1 32	1D1DD	LITTUD				
month for a Local Loop			+ +						7.00	10.07		.5.55	01102				
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SIVC as collocation			ļ						7.08	10.07	2.84	UC1CA	UDN				
month used for connection to a channelized DS1 Local Channel U1TUB UC1CA 2.84 10.07 7.08																	
Voice Grade CCCI - DSI to DSI Channel System - per month UEA			ļ														
Used for a Local Loop			ļ						7.08	10.07	2.84	UC1CA	U1TUB			in the same SWC as collocation	
Voice Grade COCI - DSI to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																	
USE USE DEST COLOR USE									7.08	10.07	0.6228	1D1VG	UEA				
Same SWC as collocation		İ															
DS3 to DS1 Channel System per month		İ															
STS-1 to DS1 Channel System per month																	
DSI COCI used with Loop per month																	
DST COCI (used for connection to a channelized DST Local Channel in the same SWC as collocation) per month	_		 				5.30	15.12							1		
Channel in the same SWC as collocation) per month		+	┼──┤					1	7.08	10.07	11.80	UCTD1	USL		 		
DS1 COCI used with Interoffice Channel per month DS3 Interface unit (DS1 COCI) used with Local Channel per month DS3 Interface unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 11.80 10.07 7.08 ULDD1 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports Exchange Ports Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan with Oct Caller ID - Res. UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID - Res. UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID - Res. UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LIM) UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LIM) UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13		1	1		1				7.00	10.07	11 90	LIC1D1	1.11Τ1.1Δ		1		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month	+		+											 	 		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)	+		+						1.00	10.07	11.00	COIDI	101101				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WINE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Voice Mentudled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPRR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRR UEPRR UEPRR UEPRR UEPRR 1.49 3.74 3.63 2.23 2.13 UEPSR UEPSR UEPRR UEPRR 1.49 3.74 3.63 2.23 2.13 UEPSR UEPSR UEPRR UEPRR 1.49 3.74 3.63 2.23 2.13 UEPSR UEPSR UEPSR UEPRR UEPRR 1.49 3.74 3.63 2.23 2.13		1			1				7.08	10.07	11.80	UC1D1	ULDD1		1		
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPRC UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPSR UEPRC UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 UEPSR UEPSR UEPRC UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13			1						7.50		50	1			1		UNBUNDLED I
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRL 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPRD 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13 UEPSR UEPAP 3.74 3.63 2.23 2.13			†					1			1	1					
2-WIRE VOICE GRADE LINE PORT RATES (RES)			† †						s	ng retail USOC:	oe ordered usir	will need to	he desired features	& TN, th	KY, LA	NOTE: Although the Port Rate includes all available features in GA	NOTE:
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.																2-WIRE VOICE GRADE LINE PORT RATES (RES)	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.							2.13	2.23	3.63	3.74	1.49	UEPRL	UEPSR			Exchange Ports - 2-Wire Analog Line Port- Res.	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1									1						
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13 UEPAP 1.49 3.74 3.63 2.23 2.13		<u> </u>	<u> </u>				2.13	2.23	3.63	3.74	1.49	UEPRC	UEPSR			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPRM 1.49 3.74 3.63 2.23 2.13 UEPAP 1.49 3.74 3.63 2.23 2.13		1	1		1						1	L	l		1		
dialing parity Port with Caller ID - Res.		├	↓				2.13	2.23	3.63	3.74	1.49	UEPRO	UEPSR	\sqcup	ļ		\vdash
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13 UEPSR UEPAP 1.49 3.74 3.63 2.23 2.13		1	1		1		- · -					LIEDE	LIEDOD		1		
with Caller ID (LUM)		└	┼───┤				2.13	2.23	3.63	3.74	1.49	UEPRM	UEPSR		<u> </u>		\vdash
Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPSR UEPWE 1.49 3.74 3.63 2.23 2.13		1	1		1		0.40	0.00	0.00			LIEDAD	LIEDOD		1		
without Caller ID		⊢	 				2.13	2.23	3.63	3.74	1.49	UEPAP	UEPSK	 	<u> </u>		
		1	1		1		2 12	2 22	3 63	3 74	1 40	LIEDWE	LIEDSD		1		
I I IZ-Wire voice unnungied Low Usage Line Port without Caller II.) I I I I I I I I I I I I I I I I I	+		+		 		2.13	2.23	3.03	3.14	1.49	OLFVVE	OLFOR	1	1	2-Wire voice unbundled Low Usage Line Port without Caller ID	
Capability UEPSR UEPRT 1.49 3.74 3.63 2.23 2.13		1	1				2 12	2 22	3 63	3.74	1 ⊿0	UEPRT	LIFPSR		l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1								1 -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				LIEBOD			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WID	E VOICE GRADE LINE PORT RATES (BUS)			UEFOR	UEFVF	0.00	0.00	0.00			-					
Z-WIK	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with			02. 03	02. 52		0	0.00	2.20	20						
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	·															
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan			l	1		_		_						1	
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	4 40	0.74	0.00	0.00	0.40						
	Capability			UEPSB	UEPBE	1.49 0.00	3.74 0.00	3.63 0.00	2.23	2.13						
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	All Available Vertical Features			LIEDOD	UEPVF	0.00	0.00	0.00								
EVCU	ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Unburidled 2-Way FBX Trunk - Rus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port Without LUD	<u> </u>		UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	<u> </u>		UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89					1	
-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			ULFOF	UEFAJ	1.49	39.05	10.17	15.38	0.89						1
1	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	 		0_1 01	JLI AL	1.73	33.03	10.17	10.00	0.05					 	
	Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89					1	
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						22.00		12.00	2.00						
	Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89					1	
İ	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)															
<u>_</u>	Exchange Ports - Coin Port	ļ			ļ	1.49	3.74	3.63	2.23	2.13					ļ	
	Switching Features offered with Port	I				described 12		1.1-1-1				1051				ļ
	Transmission/usage charges associated with POTS circuit su													Dam	<u> </u>	1
NO LE	Access to B Channel or D Channel Packet capabilities will be Exchange port - 4-wire ISDN trunk port -all available features	availal	oie onl	y tnrougn BFR/New I	business Rec	quest Process.	kates for the	packet capabi	IITIES WIII DE de	termined via t	ne Bona Fid	ie Kequest/l	New Business	Request Pro	cess.	1
	TEXCHANGE DOIL - 4-WIFE ISDIN TRUNK DOIL -All AVAILABLE TEATURES	1	1	1	1						1	l				I
' l					LIEDEY	101 60	100 20	OF 15	61 02	22 67						
IINRIINDI ED	included LOCAL EXCHANGE SWITCHING(PORTS)				UEPEX	101.60	188.36	95.15	61.92	22.67						

ATT ELEMENTS Infert Zone BCS USO	NRUNDI FO	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ACTEGORY RATE ELEMENTS Internal Zoals BCS	1420140	HEI HORN ELLINENTO TREMUCKY										Svc Order	Svc Order				
ATE CATE CATE AND AND AND AND AND AND AND AND AND AND																	
### ATT ELEMENTS ### Bore ### BCS USOC ### ATT ELEMENTS ### BORD OF CORE NO. Discourse																	Charge -
Page	ATECORY	DATE ELEMENTO	Interi	Zono	DCC	HEOC			DATES (\$)								Manual Svc
Second Column Second Colum	ATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR				Order vs.
The Committee The Committe														Electronic-	Electronic-	Electronic-	Electronic-
The DS Front Frent Each Bodies for A Wiles DOTS Trans Fort and 4 Wiles BOTN Fort in this rate collisis gogly to the ambideather bases in price and "First Each Price State of the Collision of														1st	Add'l	Disc 1st	Disc Add'l
The DET First Trade Solicion for Affilia DOTTS Trans Fort and 4 Wilth EDITS Trans Fort EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fort and 4 Wilth EDITS Trans Fo			-					Mana		Managarania	- Di			000	Detec (\$)		
The SST Port cards below for 4 Wint DDTS Trans Port and 4 Wint SDSP Fort in the rate cabbility apply to the embedded base in pices and 19200 until 4/10%. And 4/10% flower travel to rart rates or a separate agreement.							Rec										
Request for 4/Wite DDTS Trust Parts with 4/Win ISBN DST Ports with 6/Win ISBN DST Ports with 10 MPPS 1014			<u> </u>			<u> </u>										SOMAN	SOMAN
Exchange Post - 2077 Fox - 100 Post USPPX US													riff rates or	a separate ag	reement.		
Suchange Perts - DIDIS Port - 4-Wee ISSE Port with DID DEPTS DEP			after the	effecti								iscretion.					
Containing Post 2-29/06 (ISBN Post Character State S					UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
Centurys Points - 2-Wire (EDN) From CRem Rose below.)																	
M Features Officered																	
Cechange Potrs 2-Willin SDN Pour - Channel Profiles DEPPC UEPPC UEPPC										32.83	14.17						
NOTE: Transmission/usage charges associated with POTS circuit whitched usage will also apply to circuit switched voice audior circuit witched potential with a special process. Brown of the packet capabilities with the switched post through Effects (Change Potents A 1978) and the special process. Brown of the packet capabilities with the switched post through Effects (Change Potents A 1978) and the special process. Brown of the packet capabilities with the switched post through the special process. Brown of the packet capabilities with the switched post through the special process. Brown of the packet capabilities with the switched post through the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet capabilities with the special process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet process. Brown of the packet pro																	
ROTE_Access to 8 Channel or D Channel Pecket capabilities will be available only through BFRNere Business Request Process.																	
EXCHANGE PORT ARTS (continued)																	
Exchange Potts - 4-Wire SDN DST Pott will Declare 1911 UPPEX UPPEX 101.60 188.36 85.15 61.92 22.07	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be d	etermined via t	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
Locator Capability (E-M1/2004)																	
Exchange Parts - 4-Wire ISON DST Part (E41/2004)														I			1
Physical Collocation - DSIS Chores Comments UEPEX UEPDX PEIPH 1.48 42.23 31.98 12.81 11.57			<u> </u>				101.60	188.36		61.92		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
Virtual collocation - Special Access & URE, cross-scenare pr		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67						
Virtual collocation - Special Access & URE, cross-scenare pr	i i	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57						
Detailed ESH1 with Locator Capability (required with UEPEX port)	,	Virtual collocation - Special Access & UNE, cross-connect per															
Unbundied Exchange Ports, 4-Wire ISDN DS1 Port - E911 UEPEX UEP18	l li	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
Unbundied Exchange Ports, 4-Wire ISDN DS1 Port - E911 UEPEX UEP18	Detailed	E911 with Locator Capability (required with UEPEX port)															
Locator Capability - Initial Profile Establishment per CLEC per State State																	
State																	
Unbundled Exchange Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery Telephone Numbers - Pruniber in Locator Capability - Eyery -					LIEPEX	UFP1A	0.00	1 811 00		156 69							
Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP18 0.00 175.82		Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911			02. 27.	02	0.00	1,011.00		100.00							
Deletions UEPEX UEPIB 0.00 175.82																	
New or Additional PRI Telephone Numbers					LIEPEX	LIEP1R	0.00	175.82									
Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911 Locator Capability - Zway Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DSI Port - Inward Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DSI Port - Inward Telephone Numbers, per number in E911 profile [New or Additional] Unbundled Exchange Ports, 4-Wire ISDN DSI Port - Inward Telephone Numbers, lower of Additional] Exchange Numbers - Inward Data (Not Port of New or Additional) Exchange Numbers (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers, Number of Additional) Locat Number Ports (Carloon Telephone Numbers, Number of Numbers) Locat Number Ports (Carloon Telephone Numbers, Number of Numbers) Locat Number Ports (Carloon Telephone Numbers, Number of Numbers) Locat Number Ports (Carloon Telephone Numbers, Number of Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers, Number of Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers, Number of Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone Numbers) Locat Number Ports (Carloon Telephone N					OLILA	OLI ID	0.00	173.02									
Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1C 0.07 0.54 UEP1C 0.07 0.54																	
Light pricie New or Additional Light pricie Light pricie Light pricie New or Additional Light pricie																	
Unbundled Exchange Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Outdial Telephone Numbers, per number in UEPEX UEP1D					HEDEV	LIED1C	0.07	0.54									
Locator Capability - Outsida Telephone Numbers, per number in E911 profile Bive or Additional UEPEX UEP1D 0.07 12.71 12.71 Unbundled Exchange Ports. 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option (New or Additional) UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.54 UEPDX UEP1E 0.00 0.55 UEPDX UEP1E 0.00 0.55 UEPEX PR72T 0.00 0.55 UEPEX UEPDX UEP1E 0.00 0.55 UEPEX UEPDX UEP1E 0.00 0.05 UEPEX UEPDX UEP1E 0.00 0.00 0.00 UEPEX UEPDX UEP1E 0.00 0.00 0.00 0.00 UEPEX UEPDX UEP1E 0.00 0.00 0.00 0.00 UEPEX UEPDX UEP1E 0.00 0.00 0.00 0.00 UEP1E 0.00 0.00 0.00 0.00 UEP1E 0.00 0.00 0.					OLFLX	OLFIC	0.07	0.54			-	-	-				
E911 profile [New or Additional]																	
Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option (New or Additional) UEPDX UEP1E					LIEDEV	LIEDAD	0.07	40.74	40.74								
Telephone Numbers - Inward Data Only Option [New or Additional] UEPDX UEP1E 0.00 0.54			-		UEPEX	UEPID	0.07	12.71	12.71								
Additional																	
Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Oustomer Testing Purposes] UEPEX PR7ZT					LIEDDY	LIED4E	0.00	0.54									
Inward Tel Numbers (Customer Testing Purposes) UEPEX PR7ZT 0.00 25.41 25.41					UEPDX	UEP1E	0.00	0.54									
LOCAL NUMBER PORTABILITY UEPEX UEPDX LIPCN 1.75		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
Local Number Portability (1 per port)		inward Tel Numbers [Customer Festing Purposes]	<u> </u>	1	UEPEX	PR/ZT	0.00	25.41	25.41	ļ						ļ	
INTERFACE (Provsioning Only)			ļ			Luncii											
Voice/Data			ļ		UEPEX UEPDX	LNPCN	1.75				.					ļ	1
Digital Data			ļ			<u> </u>											
Inward Data			ļ								.					ļ	1
New or Additional Channel			<u> </u>								ļ		1			ļ	↓
New or Additional - Voice/Data "B" Channel UEPEX PR7BV 0.00 15.48			<u> </u>		UEPDX	PR71E	0.00	0.00	0.00		ļ						↓
New or Additional - Digital Data "B" Channel UEPEX PR7BF 0.00 15.48						1											
New or Additional Inward Data "B" Channel UEPDX PR7BD 0.00 15.48																	
New or Additional Useage Sensitive Voice Data "B" Channel UEPEX PR7BS 0.00 15.48																	
New or Additional Useage Sensitive Digital Data "B" Channel UEPEX PR7BU 0.00 15.48																	
New or Additional PRI "D" Channel																	1
CALL TYPES																	
Inward					UEPEX	PR7EX	0.00	15.48									
Outward	CALL T	YPES															
Two-way		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
Two-way																	
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.49 3.74 3.63							0.00										
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.49 3.74 3.63	UNBUNI	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	/														
Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.49 3.74 3.63																	
					UEPVR	UERAC	1.49	3.74	3.63								
Unbundled Remote Call Forwarding Service, Local Calling - Res UEPVR UERLC 1.49 3.74 3.63		, <u> </u>															
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63		1						1
Unbundled Remote Call Forwarding Service, InterLATA - Res UEPVR UERTE 1.49 3.74 3.63	1 1									Ì	1		1		Ì	1	

UNBUND	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.20.1.2												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								N 1		T 81	. D'			000	D-1 (A)		
-							Rec	Nonrec			Disconnect	001450	001111		Rates (\$)	001141	001111
-		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	First 3.74	Add'I 3.63	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
No		curring			UEFVK	UEKIK	1.49	3.74	3.03								
INC	JII-Ke	Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UN	NBUN	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Ţ]					1		
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63								
\vdash		Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB	UERTR	1.49	3.74	3.63	 	 				 		
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
No		exception Local Calling curring			ULF VD	DERVJ	1.49	3.74	3.03								
- INC		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDL		OCAL SWITCHING, PORT USAGE															
En		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0011971										
		End Office Trunk Port - Shared, Per MOU					0.0002112										
Та		Switching (Port Usage) (Local or Access Tandem)															
-		Tandem Switching Function Per MOU					0.000194										
		Tandem Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU (Melded)					0.0002416 0.000094381										
H		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000094381										
 		Melded Factor: 48.65% of the Tandem Rate					0.000117330										
Co		n Transport															
		Common Transport - Per Mile, Per MOU					0.000003										
		Common Transport - Facilities Termination Per MOU					0.0007466										
UNBUNDL	ED P	ORT/LOOP COMBINATIONS - COST BASED RATES															
		sed Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
		ice and Tandem Switching Usage and Common Transport Us															
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos tl	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	- Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rt/Loop Combination Rates				1									-		
UN		2-Wire VG Loop/Port Combo - Zone 1	-	1			10.79			1	1				1		
+		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		1	15.52								 		
 		2-Wire VG Loop/Port Combo - Zone 3		3		1	31.74								 		
UN		op Rates		_			54			1	1				1		
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			İ	İ				İ		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37			<u> </u>	<u> </u>				İ		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-\		/oice Grade Line Port Rates (Res)															
\vdash		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67				ļ		
\vdash		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
		2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67				 		
	ľ	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67				1		
+-+		parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			ULPRA	UEPKIVI	1.15	21.29	15.49	∠.85	2.07				-		
	ľ	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan			OLI IVA	JE171	1.13	21.23	13.73	2.00	2.07	1			1		
	ļ	without Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
		2-Wire voice unbundled Low Usage Line Port without Caller ID								1	İ				İ		
		Capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67	1			Ì		

LINBUNDU	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ONBONDLI											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Manual Svc	Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		Mana		Name and a committee of	. Diaaaaaa			000	Data= (#)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
LOCA	IL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		1	UEPRX	USAS2	0.00	0.00	0.00				I		Ì		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65	1					
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Besign		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88	1					
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88	1					
-			3	UEPRX	UEAED	33.22	134.89			14.88	-					
INITE	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRA	UEAED	33.22	134.89	81.87	73.65	14.88						
INTE	ROFFICE TRANSPORT										ļ					<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	00.05	00.00	50.07	50.04	00.40						
	Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				l											
	or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
2-Wire	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - bus		1	UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		I		Ì		1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled Kentucky Business Dialing Plan				1							İ		İ		
	without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67						1
	2-Wire voice unbundled Incoming Only Port without Caller ID				1							İ		İ		
	Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67						1
LOCA	L NUMBER PORTABILITY				1	0	220	.0.70	2.30	2.57	1	i		1		
-307	Local Number Portability (1 per port)		t	UEPBX	LNPCX	0.35					†	-		 		—
FFAT	URES		t			3.00					†	-		 		—
	All Features Offered		t	UEPBX	UEPVF	0.00	0.00	0.00			†	-		 		—
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	021 DA	JL: VI	0.00	0.00	0.00			1	ł – – – –		 		
INON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 		+						1	1		-		
	Switch-as-is		1	UEPBX	USAC2		0.10	0.10				I		Ì		1
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI DA	JUNUZ	-	0.10	0.10	-		 	 		 		
				UEPBX	USACC		0.40	0.10						Ì		1
ADDI	Switch with change FIONAL NRCs	-	 	ULPDA	USACC		0.10	0.10			 	-				
ADDI		-	 		+						 	-				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	LICACO		0.00	0.00				1				1 '
	Activity			UEPBX	USAS2		0.00	0.00]		1					

UNRII	NDI F	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
5.400		5 HE HORR ELEMENTO - Nemucky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS		L .	LIEBBY		10.50	10.00		20.05							
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX UEPBX	UEAEN	31.11 12.67	46.66 134.89	22.57 81.87	26.65	7.65 14.88						
		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65 73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
	INTER			3	UEPBX	UEAED	33.22	134.89	81.87	73.00	14.88						
\vdash	INIEK	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 			+				1		-	 		+	1	1
		Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42				1		
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		OLI DA	01172	23.93	90.09	55.67	30.31	22.42	1			1		-
		or Fraction Mile	1		UEPBX	U1TVM	0.0095	0.00	0.00				1		I	1	
	2 WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBA	OTTVIVI	0.0093	0.00	0.00			-			-		
		ort/Loop Combination Rates	 			+				1					t	1	1
\vdash	JINE P	2-Wire VG Loop/Port Combo - Zone 1	 	1		+	10.79			1					 	 	
\vdash		2-Wire VG Loop/Port Combo - Zone 2	 	2		+	15.52			1					t	1	1
		2-Wire VG Loop/Port Combo - Zone 3		3		+	31.74										
-	LINE L	pop Rates		3		+	31.74										
	OIVE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)		Ŭ	OLI IKO	OLI LX	00.00										
	2 11110	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+											
		Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
	LOCAL	NUMBER PORTABILITY			OLI IKO	OLITO	1.10	21.20	10.40	2.00	2.07						
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATU						0.10										
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED						0.00									
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00				1		I	1	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1					-									1
		Group	<u> </u>			<u>. 1 </u>	<u> </u>	7.86	7.86	<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	1		UEPRG	URETL		8.33	0.83				1		I	Ì	
	OFF/O	PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
		Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42				<u> </u>		<u> </u>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.0095	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										

UNRU	NDI FI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit· Δ
CIADO	1DLL	NETWORK ELEMENTO Remadky										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling Port	1		UEPPX	UEPOA								1	I		
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports	 		UEPPX	UEPUA	1.15	21.29	15.49	2.85	2.67			-		-	
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 		UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67			-	-	-	-
\vdash		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67	1	1		1		
\vdash		2-Wire Voice Unbundled PBX 10ii Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port	 		UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67			1	t	1	1
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						
 		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	 		OLI I A	טבו אט	1.13	21.29	15.49	2.05	2.07			 	t		
		Capable Port	1		UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67			1	I		
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			02.17	02.7.2	0	220	10.10	2.00	2.01	1					
		Calling Port without LUD			UEPPX	UEPXF	1.15	21,29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling															
		Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
<u> </u>		NUMBER PORTABILITY					0.45										
L .		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	0.00	0.00	0.00								
$\vdash \vdash \vdash$	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			+ +				1		-		1	+	1	1
		Conversion - Switch-As-Is	1		UEPPX	USAC2		8.45	1.91					1	I		
\vdash		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 		OLI I A	COAOZ		0.40	1.31						-		
		Conversion - Switch with Change	1		UEPPX	USACC		8.45	1.91						1		
	ADDITI	ONAL NRCs	1			-57.00		3.40						1	<u> </u>		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	†			† 1								İ	1		
		Subsequent Activity	1		UEPPX	USAS2	0.00	0.00	0.00					1	I		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1											
		Group	1					7.86	7.86					1	I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEPPX	URETL		8.33	0.83								
	OFF/ON	PREMISES EXTENSION CHANNELS															
$oxed{oxed}$		Local Channel Voice grade, per termination	<u> </u>	1	UEPPX	P2JHX	12.67	134.89	81.87		14.88						
		Local Channel Voice grade, per termination	<u> </u>	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88				1		
		Local Channel Voice grade, per termination	ļ	3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88			ļ	ļ		
\longmapsto		Non-Wire Direct Serve Channel Voice Grade	ļ	1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80						
\vdash		Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80				1		
 		Non-Wire Direct Serve Channel Voice Grade	l	3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00			 	 		
 	INIEK	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l			+				1				 	 		
		Termination	1		UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42				1		
oxdot		TOTTIITIAUUTT	1	<u> </u>	OLFFA	UTIVZ	23.93	90.09	55.67	30.31	22.42	L	l	1	L	l	l

UNBUND	I FD	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fvhi	bit: A
21120110	<u>7</u>	METHORN ELLINERTO Remucky		1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
,																	
L	_						Rec	Nonrec		Nonrecurring					Rates (\$)		
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		r Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								İ
2-W		/OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT .	-	OLFFX	OTTVIVI	0.0093	0.00	0.00			1					
		t/Loop Combination Rates	·	1		+											
		-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
		-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2	-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UN		p Rates															
		-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
		-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
<u> </u>		-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59									ļ	
2-W		oice Grade Line Ports (COIN)				1									1	-	├
		-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		1				1
\vdash		-Wire Coin 2-Way with Operator Screening (AL, KY)		-	UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67				+		
		-Wire Coin 2-Way with Operator Screening (AL, KT) -Wire Coin 2-Way with Operator Screening and Blocking: 011,	<u> </u>		0L1 00	OLFIL	1.15	21.29	13.49	2.00	2.07				 		
		00/976, 1+DDD (AL, KY, LA, MS)		1	UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		1				1
		-Wire Coin 2-Way with Operator Screening and 011 Blocking			02. 00	02.101	0	220		2.00	2.01						
		(Y)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2	-Wire Coin 2-Way with Operator Screening & Blocking:															
	9	00/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2	-Wire Coin Outward without Blocking and without Operator															
		Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
		-Wire Coin Outward with Operator Screening and 011 Blocking															İ
		GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
		-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII	4.45	04.00	45.40	0.05	0.07						
		11, 900/976, 1+DDD (AL, KY, LA, MS) -Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67				-		
		+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						İ
		-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						-
		-Wire Coin Outward Smartline with 900/976 (all states except			02.00	02. 0.0		220	10.10	2.00	2.01						
		A)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
AD	DITIO	NAL UNE COIN PORT/LOOP (RC)															
		INE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LO		NUMBER PORTABILITY															
	Ĺ	ocal Number Portability (1 per port)			UEPCO	LNPCX	0.35	, i							ļ		<u> </u>
NO		URRING CHARGES - CURRENTLY COMBINED				 									1		
		-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	LIEDCO	116460		0.40	0.40				1				1
		Switch-as-is -Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USAC2		0.10	0.10						-	-	
		-wire voice Grade Loop / Line Port Combination - Conversion -		1	UEPCO	USACC		0.10	0.10				1		I		1
ΔD		NAL NRCs			02, 00	20/100		0.10	0.10						-		—
		-Wire Voice Grade Loop/Line Port Combination - Subsequent				1 1	+					1			†	1	†
		ctivity			UEPCO	USAS2		0.00	0.00						1		1
	U	Inbundled Miscellaneous Rate Element, Tag Loop at End User				1		_									
	Р	Premise			UEPCO	URETL		8.33	0.83							<u> </u>	<u> </u>
		OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	RES)												
UN		t/Loop Combination Rates		L .		 	10.5								1		
		-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.90									ļ	├
-		-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	18.68								 		
LINI		-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	34.45						-			1	
UN		-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67					1	-		 	1	
		-Wire Voice Grade Loop (SL2) - Zone 1 -Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFR	UECF2	17.45								 		
		-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	33.22								1		
2-W		oice Grade Line Port Rates (Res)		<u> </u>		1											
		-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
		-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
	2	-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						

UNBLIND	LFD	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
3.120110	Ť	Remarks Remarks										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Kentucky extended local dialing			UEDED	LIEDDM	4.00	400.00	04.44	04.00	0.07						
\vdash		parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
\vdash		2-Wire Voice Unbundled Kentucky Residence Dialing Plan			UEFFR	UEPAP	1.23	120.90	04.11	01.92	9.97						
		without Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
INT		FFICE TRANSPORT			UEFFR	UEPVVE	1.23	120.90	04.11	01.92	9.97	1					
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility								†							
		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02	02	20.00	00.00	00.01	00.01							
		or Fraction Mile	1		UEPFR	1L5XX	0.0095			I			1		I	1	
FE/	ATUR					1	3.0003			1					1	1	
	/	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
LO		NUMBER PORTABILITY															
	l	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u></u>														
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												
UNI		rt/Loop Combination Rates															
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			18.68 34.45			1							
LINI		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	34.45			-							
UNE		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
-		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45					1					
	- 1	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22										
2-W		oice Grade Line Port (Bus)			02.1.2	020.2	00.22										
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice Grade unbundled Kentucky extended local dialing															
	F	parity port with Caller ID - bus	<u></u>		UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Business Dialing Plan															
\bot		without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
Loc		NUMBER PORTABILITY	ļ			1				ļ					1	ļ	
		Local Number Portability (1 per port)	ļ		UEPFB	LNPCX	0.35										
INT		FFICE TRANSPORT	<u> </u>			1				.					-	 	ļ
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDED	LIATI/O	00.05	00.00	50.07	50.01	00.40		1		I	1	
\vdash		Termination	 		UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42	-			 	 	-
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		UEPFB	1L5XX	0.0095			I			1		I	1	
HEE/	ATUR	or Fraction Mile	 		ULFFD	ILOAA	0.0095			 			 			-	
FEF		All Features Offered	1		UEPFB	UEPVF	0.00	0.00	0.00	 		-	 		+	1	1
NO.		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	 		CLID	OLI VI	0.00	0.00	0.00	t					t	1	1
1401		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+				-					-		
		Combination - Conversion - Switch-as-is	l		UEPFB	USAC2		9.03	1.87	1					1		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1					3.55		t					1	1	
		Combination - Conversion - Switch with change	1		UEPFB	USACC		9.03	1.87	I			1		I	1	
		Jnbundled Miscellaneous Rate Element, Tag Designed Loop at								1					1		İ
	E	End User Premise	1		UEPFB	URETN		11.21	1.10	I			1		I	1	
	/IRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	PORT (I	PBX)												
	E Poi	rt/Loop Combination Rates															
	-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										

ATECOPY RATE ELEMENTS USE BCS USOC RATES (B) RATE SCHMINTS RATE ELEMENTS	UNBLINDI	ED NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
ATE DEMONS RATE REMENTS RATE	CABOADE											Svc Order	Svc Order				
## CAPE OF THE PLANT OF THE PLA			1														
## ATE 6 LEMENTS ## 700 BCS 190C FATE 61.0 Free Cotton to the control of																	
No. No. No. No. No. Security S	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
18			m						(7)			per LOR	hei rok				
Note Note																	
Mile First Add SOMAN			<u> </u>													ואני ואני	וסנ Auu T
2006 N. 16.00 10							Boo	Nonred	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
2-View Vol. Loung/D F Tempor/Part Control - 20m2 3 3								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
District Contention of the Content																	
2				3			34.45										
2-70 2-70	UNE																
2-WW vas for face Lore (Pat Fig. 2) - 200 - 20																	
2 A WAY WORD EMPARTMENT OF THE PRINT OF TH																	
Line Side Unbundled Committed 2 Way PBX Trust Pert - Blus UEPPP UEPPR 1.22 146.27 73.05 8.73 1.20	0.140			3	UEPFP	UECF2	33.22										
Une Side Unbursted Column (PSX Trunk Port - Sus UEFFP UEFFX 122 164.27 78.05 78.05 8.73	2-Wir	e voice Grade Line Port Rates (BUS - PBX)				1											
Une Side Unbursted Column (PSX Trunk Port - Sus UEFFP UEFFX 122 164.27 78.05 78.05 8.73		Line Cide Unbundled Combination 2 Way DBY Trunk Bort - Bug			LIEDED	LIEDDO	1 22	164.07	70.65	75.05	0.72						
Use Side Unbroaded Incomoral PEX Trank Port - Seal	-																
Service Voice Unbounded PSX LD Terminal Pot Laugh Pout UPPPP UPPA 1.23 164.27 78.65 75.06 8.73	—																
S.Wine Voice Unbunded Z-Way Combination PSX Usage Port UEPPX 122 164.27 76.65 75.05 8.73			1											 	 		
2-Wire Voter Unbunded PSX Toll Terminal South Ports UEPPP UEPNS 123 164.27 78.65 75.05 8.73			1											 	 		
2-Wire Vace Unbundled PRX LD TOOL Termonals Fort UEPPP UEPPQ 1.23 164.27 78.65 75.05 8.73	 		 											t	 		
S-Wire Vaser Unbundled PRX. DT arminal Switchboard PDI			1											I	1		
2-Wire Votes Unbundled PRXL ID remnal Switchboard IDC UEPFP UEPXE 1.23 164.27 78.65 75.05 8.73			1											1	1		
Capitable Port Capi			†			1	20		. 0.30	. 5.50	5.76			1	1		
2-Vifer Votos Urburded 2-Way PEX Kontucky Room Area UEPFP UEPX 1.23 164.27 78.65 75.05 8.73			1		UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73			I			
Calling Port without LUD UPPP UPPA 1.23 164.27 78.65 75.05 8.73			1											1	İ	İ	l
2-Wire Voice Unbundled PBX Kentucky Premium Calling Port UEPPP UEPX					UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 2-Way PEX Hotel/Hospital Economy UEPFP UEPXL 1.23 164.27 78.65 75.05 8.73		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
Without LUD					UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 2-Wig PBX Hotel-Hospital Economy Administrative Caling Port 1.23 164.27 78.65 75.05 8.73		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
Administrative Calling Port Call					UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled 2-Way PBX Hote/Hospital Concerny Room Calling Port UEPPR UEPWM 1.23 164.27 78.65 75.05 8.73																	
Room Calling Port UEPPM 1.23 164.27 78.65 75.05 8.73					UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
2-Wire Notice Unbundled 1-Way Outgoing PSX Hotel/Hospital UEPFP UEPX0 1.23 164.27 78.65 75.05 8.73																	
Discount Room Calling Port					UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
2-Wire Voice Unbundled A-Way Outgoing PBX Measured Port UEPFP UEPXS 1.23 164.27 78.65 75.05 8.73																	
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB																	
Local Number Portability (1 per port)	1.00/				UEPFP	UEPAS	1.23	164.27	78.00	75.05	8.73						
INTEROFFICE TRANSPORT	LUCA				LIEDED	LNDCD	2 15	0.00	0.00								
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPPP U1TV2 23.95 98.09 53.67 56.31 22.42	INTE				OLFIF	LINFOR	3.13	0.00	0.00								
Termination	1111					+											
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1		UEPFP	U1TV2	23 95	98.09	53.67	56.31	22 42			I			
Or Fraction Mile			1			J	20.00	55.55	55.57	33.31	22.42			1	1		
FEATURES All Features Offered UEPFP UEPVF 0.00			1		UEPFP	1L5XX	0.0095							I			
All Features Offered UEPFP UEPVF 0.00 0.00 0.00 0.00 0.00	FEAT		†				,				1			1	1		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			1		UEPFP	UEPVF	0.00	0.00	0.00		İ			1	İ	İ	İ
Combination - Conversion - Switch-as-is	NONE		<u> </u>														
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 9.03 1.87																	
Combination - Conversion - Switch with change					UEPFP	USAC2		9.03	1.87								
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise																	
End User Premise					UEPFP	USACC		9.03	1.87								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	1 1		1											1			
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 UEPPX UECD1 17.45 UNE Port Rate			ļ		UEPFP	URETN		11.21	1.10					1			
UNE Port/Loop Combination Rates			1			ļ				ļ					ļ		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 21.30 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 26.08 3 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85 3 41.85 3 41.85 3 41.85 41			PORT			1								-	ļ	ļ	ļ
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 26.08 2 - Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85	UNE		1	4		+	04.00			1	ļ			 	 		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 41.85			 			+				1					1		
UNE Loop Rates			1			+				1	ļ			 	 		-
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	LIME		 	3		+	41.85			1					1		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	UNE		 	1	LIEPPX	LIECD1	12.67			1	1			t	1	1	1
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 		 							1	1			t	1	1	1
UNE Port Rate			1							1				I	1		
	UNF		1	Ŭ		32001	00.22			1				I	1		
		Exchange Ports - 2-Wire DID Port	1		UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31			<u> </u>	†		

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
3201													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
1			Intori				1	I					Elec	Manually				Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	В	CS	USOC	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m				1	I							Electronic-		Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							ļ	ļ			I Marian	B'		<u> </u>				
							ļ	Rec	Nonrec		Nonrecurring					Rates (\$)		
	IONIDE	CURRING CHARGES CURRENTLY COMPINED					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	IONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY		110040		7.05	4.07								
—	DDIT	with BellSouth Allowable Changes DNAL NRCs			UEPPX		USA1C		7.85	1.87								
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25						-		
-		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPPA		USAST		32.23	32.23			1			1		
		End User Premise			UEPPX		URETN		11.21	1.10								
		one Number/Trunk Group Establisment Charges			ULFFX		UKLIN		11.21	1.10			1			1		
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00	†					1		
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers. Non- consecutive DID Numbers . Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00	1				İ	1	1	
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00	1				İ	1	1	
L		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
L	JNE Po	rt/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR	!	25.69										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		31.92										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		50.21										
L		op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
				2														
		2-Wire ISDN Digital Grade Loop - UNE Zone 2			UEPPB	UEPPR UEPPR	USL2X	22.33										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USLZX	40.63										
_		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56				-		
		CURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPK	UEPPB	9.59	320.53	209.13	92.19	17.56						
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
-	ADDITIO	ONAL NRCs			02	02	00/102	0.00										
l f		Unbundled Miscellaneous Rate Element, Tag Designed Loop at					1	1			1					1		
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10	I				1		1	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
		Premise			UEPPB	UEPPR	URETL		8.33	0.83	I				1		1	
L	OCAL	NUMBER PORTABILITY							-									
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
E		NEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
E		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)			1				ļ							
\vdash		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00						ļ		
\longmapsto		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00						ļ		
 -	1055	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	.				ļ	_	 	
\vdash		ERMINAL PROFILE			LIEDSS	LIEBBE	1141 8 **				.				ļ	_	 	
—		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 		-		 	 	 	
├		All Vertical Factures One per Channel B Hear Brafile			HEDDD	HEDDE	LIED\#	0.00	0.00	0.00	 		-		 	 	 	
—		All Vertical Features - One per Channel B User Profile PFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	 		-		-	 	-	
- "	NIEKU	Interoffice Channel mileage each, including first mile and					 	 			 					<u> </u>		
		facilities termination			LIEDDD	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
\vdash		Interoffice Channel mileage each, additional mile	-				M1GNC M1GNM	29.12	0.00	0.00	22.11	8.75	-		1	 	1	
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLFFD	JLFFR	IVITGINIVI	0.01	0.00	0.00	 				 	 	 	
		E-P DS1 combination rates below for in this rate exhibit apply			ded hase	in place a	s of 10/2/03 :	until 4/1/04 Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a senara	le commerc	ial agreeme	nt.	 	1	
F	Segues	ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Pr	ort after	r the effec	tive date	of this amend	lment shall be r	rovided nursi	ant to a senai	ate agreement	or tariff at Rel	South's di	scretion.	 I	 	 	
	. - 9400			41161	01160			o	uu purot	u oopai	49.001110111		u		l	1	1	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
											Submitted	Svc Order Submitted	Charge -	Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
					1	B	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)	1	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		381.35										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 2	 	2	UEPPP	USL4P	114.10			ļ		ļ			 	!	
LINES	4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPPP	USL4P	297.76					 			 	 	
UNE P	ort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82	 				 	
NONDI	ECURRING CHARGES - CURRENTLY COMBINED	-		ULFFF	UEFFF	03.59	130.16	302.74	159.48	40.82					+	
NONKI	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port				1											
	Combination - Conversion -Switch-as-is (E:4/1/2004)	l		UEPPP	USACP	0.00	81.70	61.37						1	I	
ADDIT	IONAL NRCs			ULFFF	USACE	0.00	01.70	01.37			1					
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				1						1					
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITT	1 107 11		0.04									+
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI	110/10		12.71	12.71								
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
LOCAL	NUMBER PORTABILITY						-									
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								ĺ
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
CALL					DD=04											
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP UEPPP	PR7CO PR7CC	0.00	0.00	0.00								
Intorof	Two-way fice Channel Mileage			UEPPP	PR/CC	0.00	0.00	0.00								
interoi	Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49	1				-	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23	100.02	30.40	25.03	20.43	1					1
4-WIRI	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLITI	ILIVID	0.23										+
	NE-P DS1 combination rates below for in this rate exhibit apply	v to the	ember	ded base in place a	s of 10/2/03 i	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.		<u> </u>	†
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe											ug. comic		 	I	
	ort/Loop Combination Rates	T	T		1		.,							İ	1	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147.99										1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47										ļ
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10										1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76								ļ	.	ļ
UNE P	ort Rate	ļ		LIEBBO	1						ļ			ļ	ļ	ļ
No.:-	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ļ		UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98	ļ					
NONRI	ECURRING CHARGES - CURRENTLY COMBINED	 			1				ļ		ļ			1	!	├
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								

LINDIA	DI ET	NETWORK ELEMENTS - Kontucky												A441-	manti 2	Et-1	hit. A
ONBON	ULEL	NETWORK ELEMENTS - Kentucky	1	ı			1					Svc Order	Sup Orde-	Attach Incremental	ment: 2	Exhi Incremental	bit: A Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	. ·	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	XI	RATE ELEWIENTS	m	Zone	воз	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect		1	088	Rates (\$)	l	
 				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
-		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination						11130	Auu i	11130	Auu i	JONEC	JONAN	JOHIAN	JOHAN	JOHAN	JOHAN
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
Δ	DDITIO	ONAL NRCs		1	OLI DO	OOAVVB		32.04	40.70								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1													
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	OBTIN		10.00	10.00								
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
-		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel			02. 00	05.15		10.00	10.00								
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	1		1	1	.0.50	.0.00					1	†	1	1
		Activation Per Chan - Inward Trunk with DID	l	1	UEPDC	UDTTD		15.09	15.09			1		Ì	I		Ì
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1	t		1		.0.50	.0.50					1	t		1
		Activation / Chan - 2-Way DID w User Trans	l		UEPDC	UDTTE		15.09	15.09					1	I		1
В		R 8 ZERO SUBSTITUTION	l	†		1		. 2.00						1	t		1
F		B8ZS -Superframe Format	1	t	UEPDC	CCOSF		0.00i	730.00s					1	t		1
		B8ZS - Extended Superframe Format			UEPDC	CCOEF			730.00s	1				İ	1		1
A		te Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Te		one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00								
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00								
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
De	edicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS T	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
		Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25	l	1				-								I	
		miles			UEPDC	1LNOB	0.45	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1	1								1	<u> </u>	<u> </u>	_]
		Termination)		1	UEPDC	1LNO3	0.00	0.00	0.00								ļ
	1		1	1								1	<u> </u>	<u> </u>	_]
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.45	0.00	0.00						1		
		Local Number Portability, per DS0 Activated		<u> </u>	UEPDC	LNPCP	3.15	0.00	0.00						ļ		
oxdot		Central Office Termininating Point		1	UEPDC	CTG	0.00										ļ
		DS1 LOOP WITH CHANNELIZATION WITH PORT				1								ļ	ļ		ļ
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti				1								ļ	ļ		ļ
E	ach Sy	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used	<u> </u>	<u> </u>	L		<u> </u>		<u> </u>	<u> </u>	L	L	<u> </u>	ļ
<u> T </u>	ne UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	nannel	ızation	with Port in this rat	e exhibit app	ly to the embe	dded base in p	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	nese rates	snall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e or this amendment	shall be pro	vided pursuan	τ το a separate	agreement or	tariff at BellSo	utn's discretion	on.					
U		S1 Loop	<u> </u>	<u> </u>	LIEDMO	LICL DO	00.4=	0.00	0.00	-					-	1	
\vdash		4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	86.47	0.00	0.00	-					-	1	
		4-Wire DS1 Loop - UNE Zone 2	1	2	UEPMG	USLDC	114.10	0.00	0.00					-	1		-
—		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00	1				1	 	-	1
U		60 Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>	LIEDMC	\/LIM24	444.40	0.00	0.00	1				 	!	1	
		24 DSO Channel Capacity - 1 per DS1	1	1	UEPMG	VUM24 VUM48	111.16	0.00	0.00					-	1		-
\vdash		48 DSO Channel Capacity - 1 per 2 DS1s	1	1	UEPMG		222.32	0.00	0.00	1				1	 	-	1
\vdash		96 DSO Channel Capacity -1per 4 DS1s	 	-	UEPMG	VUM96	444.64	0.00	0.00	 				 	 	-	
—		144 DS0 Channel Capacity - 1 per 6 DS1s	-	 	UEPMG	VUM14	666.96	0.00	0.00						 		<u> </u>
\vdash		192 DS0 Channel Capacity -1 per 8 DS1s	1	1	UEPMG UEPMG	VUM19 VUM2O	889.28 1.111.60	0.00	0.00	1				1	 	-	1
\vdash		240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s	l	1	UEPMG UEPMG	VUM20 VUM28	1,111.60	0.00	0.00	-			 	 	1		
-		200 DOU Charmer Capacity - 1 per 12 DO IS	l	<u> </u>	ULFIVIG	v ∪ivi∠ŏ	1,333.92	0.00	0.00			<u> </u>	<u> </u>	1	1	l	<u> </u>

UNBUNE	ΣLΕΓ	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
330,112		Tomany										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually			Manual Svc	Manual Svc
CATEGOR	ŀΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F	,	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						ļ	Rec		curring	Nonrecurring					Rates (\$)		
		201 200 01 10 11 10 201						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00								
-		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG	VUM4O VUM57	2,223.20	0.00	0.00								
-		576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,667.84 3,112.48	0.00	0.00	-							
N.		curring Charges (NRC) Associated with 4-Wire DS1 Loop with	- Chann	-1:-4:-					0.00	-							
		num System configuration is One (1) DS1, One (1) D4 Channel						Steili				1					
		es of this configuration functioning as one are considered Ad															
-	ancipie	NRC - Conversion (Currently Combined) with or without	l are		minum system con	I	I										
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
Sv		Additions at End User Locations Where 4-Wire DS1 Loop wit	th Chan	nelizat													
		ot Currently Combined) in all states, except in Density Zone 1				1											
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
Bij		8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
Alt		te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
EX	cnan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)			UEPPX	LIEDOV	4.45	0.00	0.00	0.00	0.00						
		(E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00	-					
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
 		Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.13	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
-		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			02.17.	02	0	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
	Ţ	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –				I	_			_				1			
$oxed{oxed}$		Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00			ļ			
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			LIEDDY	LIEBC:::											
- -		Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00			 	1	1	1
Fe		Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4	1			1	 			 		1		 			
		Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15			1			
\vdash		Feature (Service) Activation for each Trunk Port Terminated in	-	 	ULFFA	I F Q VVIVI	0.02	25.40	13.41	4.17	4.15			1		1	1
		D4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54			1			
Te		one Number/ Group Establishment Charges for DID Service			J A		0.02	70.10	10.00	55.05	11.04			1			
<u> </u>		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	1				1			
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00	1				İ			
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	1						İ	l
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lo		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
Lo		witching Features Offered with Line Side Ports Only				 	ļ			ļ							
LL		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00	1							ļ
		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		L_		1	L	L	L	ļ				ļ			
<u>[1. (</u>	Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State C	ommission rule to	provide Unb	undled Local S	witching or Sv	vitch Ports.	1							l

UNBUN	IDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
		· · · · · · · · · · · · · · ·										Svc Order	Svc Order	Incremental			
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC AUU I
							B	Nonre	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2	. Featu	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sar	me manner as	they are applie	d to the Stand		dled Port section	on of this Rate	Exhibit.					1
3		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
4		first and additional Port nonrecurring charges apply to Not Cu														Additional NR	Cs mav
		Iso and are categorized accordingly.							3 - 3 -				3				
		ket Rates for Unbundled Centrex Port/Loop Combination will	be nead	otiated	on an Individual C	ase Basis, unt	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		1		1		-									1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ĺ														1
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
		Non-Design		1	UEP91		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		· ·	02. 0.		10.70										1
		Non-Design	l	2	UEP91		15.52										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		0_1 01		10.02								 		1
		Non-Design	1	3	UEP91		31.74								I		
<u> </u>	INF Po	ort/Loop Combination Rates (Design)	1		02101	1	31.74			 		-			 		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	ULF91		13.02										
		Design		2	UEP91		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF91	-	10.00					-			-		-
		Design		3	UEP91		34.37										
 -	INELA	pop Rate		3	OLF91	-	34.37					-			-		-
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64					-			-		-
-		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37					-			-		-
-		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP91	UECS1	30.59					-			-		-
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	17.45										
	JNE Po	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
		es (Except North Carolina and Sout Carolina)	-														
		2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
-					UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOA	LIEDVD	4.45	24.20	45.40	2.05	0.07						
-		Area	-		UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			LIEDO4	LIEDVILI	4.45	04.00	45.40	0.05	0.07						
		Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDO4	LIED) (A.A.	4.45	04.00	45.40	0.05	0.07						
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDO4	LIED\/Z	4.45	04.00	45.40	0.05	0.07						
		Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDO4	LIEDVO	4.45	04.00	45.40	0.05	0.07						
		- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67						
, ,		LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		L	l									I		
igwdow		Center)2,3	ļ		UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67						ļ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	1		L	1]	_						
igwdow		Service Term	ļ		UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67						ļ
			1			[I		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67						ļ
		2-Wire Voice Grade Port Terminated on 800 Service Term	ļ		UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67				ļ		ļ
L		witching															ļ
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873										1
L		lumber Portability															ļ
1 1		Local Number Portability (1 per port)	ļ		UEP91	LNPCC	0.35								ļ		<u> </u>
	eature	·•	I	1	1		1					1		1	_	1	1

ACTOORY RATE ELEMENTS Initial Zoon BCS USOC RATES (B) Section Company Compan	UNBUNDI FI	D NETWORK ELEMENTS - Kentucky												Δttach	ment: 2	Fyhi	bit: A
ATE ELEMENTS RATE ELEMENTS RATE SID RATE SI	CHECHELL	NETWORK ELEMENTO Remacky	1									Svc Order	Svc Order				Incremental
ATE ELEMENTS Date D																	Charge -
CATEGORY RAYE ELEMENTS To good Code			l														Manual Svc
Note	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
No. No.		····	m									per LSK	per LSK				Electronic-
All Standard Finance Offices, per port																	
No. Special College Colleg														1st	Addi	Disc 1st	Disc Add'l
No.							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	ı
All Secretar Features Olivers (age and the control C							Rec					SOMEC	SOMAN			SOMAN	SOMAN
All Select Features Cheeses per part UCP91 UCP92 0.00 0		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
All Control Control Postulars Officed, per port DEPS1 DEPS2 DOS								405.66									
NASS Natural National Access Register - Commissions UEPP1 NASC 0.00																	
Unbounded Nationar Accord Register - Conference UPPS	NARS																
Unbounded National Account Register - (Notabil USP91 USP03 USP		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
Wincellanders Across Register - Cultidary Wincellanders Reministers Wincellanders Reministers Wincellanders Wincella					UEP91		0.00	0.00			0.00						
Miscrelineous Terminations																	
Trans Size Terminations, seat	Miscell																
Trans Size Terminations, seat																	
Interesting Channel Millege - 24/fre					UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interestrice Character Facilities Termination - Voice Grade UEP91 MIGGE 29.11					*												
					UEP91	M1GBC	29.11										
Feature Activations (SSS) Centrals Loops on Channellated DSI Service					UEP91										İ	İ	İ
O Channel Bank Feature Activations UEP91 IPOWS 0.62	Feature		e														
Feature Activation of De Charmel Bank Centres Log Sid UEP91 IPQWS 0.62						İ	i								İ	İ	İ
Feature Activation on D-4 Channel Bank FX line Side Loop Stot Peature Activation on D-4 Channel Bank FX Trunk Seds Loop UEP91 IPOW7 0.62					UEP91	1PQWS	0.62										
Feature Activation on D4 Channel Bank FX Trunk Side Loop UEP91 1POW7 0.62																	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1POW7 0.62		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
Stot																	
Feature Architection on D-4 Channel Bank Centries Loop Std					UEP91	1PQW7	0.62										
Different Wise Center		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Bank Private Line Loop Sict UEP91 1PQWV 0.62					UEP91	1PQWP	0.62										
Feature Activation on D-4 Channel Bank Tijle Line/Turk Loop Sid UEP91 1PQWQ 0.62																	
Feature Activation on D-4 Channel Bank Tijle Line/Turk Loop Sid UEP91 1PQWQ 0.62		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
Stot																	
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPOWA 0.62					UEP91	1PQWQ	0.62										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex USAC2 USAC2 USAC2 USAC2 USAC2 USACN		Feature Activation on D-4 Channel Bank WATS Loop Slot															
Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 0.102																	
Conversion of Existing Centrex Common Block																	
Conversion of Esisting Centrex Common Block					UEP91	USAC2		0.102	0.102								
New Centrex Standard Common Block					UEP91												
New Centrex Customized Common Block					UEP91		0.00			111.05	13.27						
Secondary Block, per Block DEP91					UEP91												
NAR Establishment Charge, Per Occasion																	
Additional Non-Recurring Charges (NRC)																	
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise					-	1	3.20	0							İ	İ	İ
Premise						İ	i - 1								İ	İ	İ
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91			1		UEP91	URETL]	8.33	0.83				1		I		
End Use Premise						1									İ		
UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 1 UEP95 10.79			1		UEP91	URETN]	11.21	1.10				1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Design) 1 UEP95 13.82 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 3 UEP95 34.37	UNE-P				-	1	i		0						İ	İ	İ
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP95 10.79 10																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 10.79 10.7						İ	i - 1								İ	İ	İ
Non-Design						İ	i								İ	İ	İ
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP95 15.52			l	1	UEP95		10.79								1		
Non-Design 2 UEP95 15.52						1											
2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design			l	2	UEP95		15.52										
Non-Design 3 UEP95 31.74						1											
UNE Port/Loop Combination Rates (Design)			1	3	UEP95		31.74						1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 13.82	UNE Po	ort/Loop Combination Rates (Design)				1											
Design																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			1	1	UEP95		13.82						1		I		
Design 2 UEP95 18.60						İ									İ	İ	İ
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 3 UEP95 34.37			l	2	UEP95		18.60										
Design 3 UEP95 34.37						1											
UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UECS1 9.64			1	3	UEP95		34.37						1		I		
2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP95 UECS1 9.64	UNE Lo																
				1	UEP95	UECS1	9.64								İ	İ	İ
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2		UECS1	14.37					1	İ		1	İ	İ

ATTECHNIS Martin Company Com	UNBUNDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	hit· Δ
ACTEORY RATE ELEMENTS RATE SELECTION RATE CLEMENTS RATE CLEMEN	ONBONDEE		I									Svc Order	Svc Order				Incremental
## RATE EL MENTS ## RES ## RATE S. PRINTER ## RAT																	
## Zone BCS USD BRATE (F) Description Descriptio																	
Bill	CATEGORY	PATE ELEMENTS	Interi	Zone	RCS	LISOC			PATES (\$)								
Section Sect	CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR				Order vs.
Non-company Non-company																	Electronic-
Section Sect														1st	Add'l	Disc 1st	Disc Add'l
Section Sect								Nonroc	urrina	Monrocurring	Disconnoct	-	l	088	Pates (\$)		
2-Vinit Value Clark Loss (26.1 1-Zenz 3				-			Rec					COMEC	COMAN			COMAN	COMAN
SWIN Vision Close Long (Cl.) - Zener 1		O Wire Veies Conda Lana (CLA) - Zana O	<u> </u>	2	LIEDOE	LIECC4	20.50	FIIST	Addi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
2-Wei Voto Claste Part 2-Zero 3 0.00%			<u> </u>														
2-Wee Votes Conduct Long (ES, 97 - Zeno 3)																	
UPF For Rate																	
A State	L			3	UEP95	UECS2	33.22										
2-Wee Vest Grafe Pert Contrex (1) Secretary (1) Secretar																	
2-Wive Vices Grants Part Curries with Caller Dijlback Local UEP96 UEP79 1.15 21.20 15.40 2.85 2.67	All Sta																
2-We Vice Grafe Part (Centre with Capital D) (September 1) 15 21 20 15 40 2.85 2.67																	
Asset Asse					UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
2-WW Vood Grade Prof Centrac Not and Serving Wile		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Central/2 Statis Local Area VEPPG UEPYM 1.15 21.29 15.40 2.65 2.67					UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		ļ				
2-Wire Votos Grade Port LDRT Sevring Wire Center 23 - 200 UEP96 UEP97 1.15 21.20 15.49 2.85 2.67			1										<u> </u>	<u> </u>	_]	
Service Term - Resist Local Area			<u> </u>	<u></u>	UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67				<u> </u>		
2-Wire Voice Grade Port terminated in on Magalinic or squivalent UEP95 UEPV9 1.15 21.29 15.49 2.85 2.67		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
Beas Local Area UEP95 UEP99 1.15 21.29 15.49 2.85 2.67		Service Term - Basic Local Area	1	1	UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		l	Ì		Ì	
Beas Local Area UEP95 UEP99 1.15 21.29 15.49 2.85 2.67		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
2-Vitre Voce Grade Port Terminated on 800 Service Term					UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		1				
Basic Local Area							- 1						İ				
AL, KY, LA, MS, SC, & TN Only LEPOS UEPOA 1.15 21.29 15.49 2.85 2.67					UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		1				
EVIVEN Votor Grade Port (Centrex 8)	AL. KY																
2-Wire Votoe Grade Port (Centre with Capter) UEP95 UEP08 1.16 2.29 15.49 2.85 2.67	,,		1		HEP95	ΠΕΡΩΔ	1 15	21 29	15.49	2.85	2.67						
2-Wire Voice Grade Port (Centres with Caller (D)1												1					
2.Wire Voice Grade Port (Centers from diff Serving Wire UEP95 UEP04 1.15 21.29 15.49 2.85 2.67												1					
Centerly2,3			 	-	OLI 00	OLI QII	1.10	21.20	10.40	2.00	2.01						
2-Wire Voice Grade Port, Driff Serving Wire Center - 800 Service UEP95 UEP02 1.15 21.29 15.49 2.85 2.67					HED05	HEDOM	1 15	21 20	15.40	2.85	2.67						
Term 2.3					OLI 33	OLI QIVI	1.15	21.23	10.40	2.00	2.01						
2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95					LIEDOE	LIEDO7	1 15	21.20	15 40	2.05	2.67						
Local Switching		16111 2,3			UEF93	UEFQZ	1.15	21.29	15.49	2.00	2.07	-			-		
Local Switching		2 Mira Vaira Canda Bast tarrainatad in an Manalini, an anui relant			LIEDOE	LIEDOO	4.45	04.00	45.40	2.05	0.07						
Local Switching			-														
Centrex Intercom Funtionality, per port					UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.07						
Local Number Portability (1 per port)	Local																
Local Number Portability (1 per port)					UEP95	URECS	0.8873										
Features	Local																
All Selent Features Offered, per port					UEP95	LNPCC	0.35										
All Select Features Offered, per port	Featur																
All Centrex Control Features Offered, per port																	
NARS			<u> </u>					405.66							ļ		
Unbundled Network Access Register - Combination		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
Unbundled Network Access Register - Indial	NARS								-								
Unbundled Network Access Register - Outdial UEP95 UAROX 0.00 0																	
Miscellaneous Terminations 2-Wire Trunk Side 10.51 92.18 15.82 52.16 5.30		Unbundled Network Access Register - Indial															
2-Wire Trunk Side		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
2-Wire Trunk Side	Miscel	laneous Terminations															_
4-Wire Digital (1.544 Megabits)		Trunk Side															
4-Wire Digital (1.544 Megabits)		Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
DS1 Circuit Terminations, each	4-Wire												İ				
DS0 Channels Activated, each UEP95 M1HDO 0.00 15.09					UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.01 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot										1							
Interoffice Channel Facilities Termination UEP95 M1GBC 29.11 Interoffice Channel mileage, per mile or fraction of mile UEP95 M1GBM 0.01 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62	Interof												İ	İ		İ	
Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot			†		UEP95	M1GBC	29.11							1	t	1	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations D4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 D4 Channel Bank FX line Side Loop Slot UEP95 1PQWS 0.62 D5 Channel Bank FX Trunk Side Loop Slot UEP95 1PQWF 0.62 D5 Channel Bank FX Trunk Side Loop Slot UEP95 1PQWF 0.62 D5 Channel Bank FX Trunk Side Loop Slot UEP95 1PQWF 0.62 D5 Channel Bank Centrex Loop Slot UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 D5 Channel Bank Centrex Loop Slot UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1PQWF 0.62 UEP95 1			1									1	i	1	1	1	
D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95 1PQW7 0.62	Featur		e	1			5.51						1	1		1	
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1PQWS 0.62			Ť –											1	t	1	
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1PQW6 0.62 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP95 1PQW7 0.62 Feature Activation on D-4 Channel Bank Centrex Loop Slot				t	UEP95	1PQWS	0.62					-	 	 		 	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	- 13.3.1 Stration on 5 1 Granner Bank Control Loop Glot	 				0.02								 		
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		Feature Activation on D-4 Channel Bank EX line Side Loop Slot	1	1	LIEP95	1POW6	0.62					1	İ	Ì		Ì	
Slot UEP95			 	1	OL1 30	11 04 11 10	0.02			1		1	1	1	1	1	
Feature Activation on D-4 Channel Bank Centrex Loop Slot -			1		LIEP95	1POW7	0.62							Ì	I	Ì	
	\vdash	6.60	1	1	OL1 30	11-001	0.02				-	-	-	-	-	-	
		Different Wire Center			UEP95	1PQWP	0.62										

UNBUN	DLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
3.12311												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect		l .	OSS	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-								11100	Auui	11100	Addi	COME	COMPAN	JOINIAN	COMPAR	COMPAN	COMPAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tivate Line/Trunk Loop			OLF 93	IFQVV	0.02								-		
		Slot			UEP95	1PQWQ	0.62										
		0.00			UEP95	1PQWQ	0.62										
—	lan Da	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP95	IPQWA	0.62										
N	ion-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOF	USAC2		0.400	0.400								
		changes, per port			UEP95			0.102	0.102								
\vdash		Conversion of Existing Centrex Common Block, each	<u> </u>		UEP95	USACN		18.95	8.32		10	ļ	ļ			ļ	
\vdash		New Centrex Standard Common Block	<u> </u>		UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27	ļ	ļ			ļ	
\vdash		New Centrex Customized Common Block	<u> </u>		UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
\Box		NAR Establishment Charge, Per Occasion	ļ		UEP95	URECA	0.00	72.75		.				ļ	.	ļ	
A	dditio	onal Non-Recurring Charges (NRC)	<u> </u>	<u> </u>		1				ļ					1	ļ	
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1							I				Ì	I	Ì	
		Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
2-	-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
U	INE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP9D		10.79										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		15.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		31.74										
U	INE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
		Design		1	UEP9D		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		34.37										
U	INE Lo	pop Rate		Ť													
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9D	UECS1	14.37			 		 	 	†	t	 	
—		2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEP9D	UECS1	30.59			—		 	 	 		 	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1	 	1	UEP9D	UECS2	12.67			 				 	 	 	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2	†	2	UEP9D	UECS2	17.45			t		 	 			-	
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2	 	3	UEP9D	UECS2	33.22			 				 	 	 	
 	NF D	ort Rate	†		JL: 3D	JL002	55.22			t		 	 			-	
		TATES	 			+				 				 	 	 	
 	31	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	-	UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67	1	1		1	1	
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		OLI 3D	OLI IA	1.13	21.29	15.49	2.00	2.07	1	1	1	 	1	
		Area	1		UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67	1	1				
\vdash		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		OFLan	ULFID	1.15	21.29	15.49	2.65	2.07	1	1	1	 	1	
1 1		Area	1	1	UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67	İ	l	Ì		Ì	
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1	 	OLFAD	JEFIC	1.15	21.29	15.49	2.85	2.07				-		
		Area	1		UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67			Ì	I	Ì	
\vdash			1	-	OFLAD	UEPYD	1.15	21.29	15.49	∠.85	2.07	 	 	 	1	 	
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1		LIEDOD	HEDVE		04.00	45.70	0.0-	0.00						
		Area	1		UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67			1	 	1	
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	1		LIEDOD	LIEDYE		04.00	45.40	0.5-	0.00			Ì	I	Ì	
<u> </u>		Area	ļ		UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67	ļ	ļ				
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1											Ì	I	Ì	
\vdash		Area	!		UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1											Ì	I	Ì	
		Area	ļ		UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	1														
		Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67	<u>l</u>	<u>l</u>]	l .]	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	_00	200	0000			1011 = 0 (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	rurring	Nonrecurring	Disconnect		I	oss	Rates (\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local						11100	Addi	11100	Addi	COMILO	COMPAR	OOMAN	COMPAN	COMPAR	COMPAR
	Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 3D	OLITV	1.10	21.23	13.43	2.00	2.07	1					
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI 3D	OLI 13	1.13	21.23	13.43	2.00	2.07						
	Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLFBD	OLFIII	1.13	21.23	13.48	2.03	2.07						
				UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEF9D	UEPTVV	1.15	21.29	15.49	2.00	2.07						
	Basic Local Area			UEP9D	UEPYJ	4.45	24.20	45.40	2.85	2.67						
				UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.07						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDVA	4.45	04.00	45.40	0.05	0.07						
	2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDVO	4.15	24.00	45.40	0.05	0.07						
	Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	(Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67				İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67				İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67				İ	İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67	1					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			-		0	0		_:30		1	1				1
]	Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		1				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67				1	1	1
	2-Wire Voice Grade Port (Centrex/ring Vitg Earlip Indication)					0	220			2.57				1	1	1
]]	2.3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		1				
					7=:	0	220	.0.70	2.30	2.57				1	1	1
]]	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		1				
	(SS				J 40	1.10	21.23	10.70	2.00	2.57	1	1				t
	1	i l	1	UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67	Î.	i		i	l	1

UNR	INDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit: A
CIND	ONDEE											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lust a mi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
-		2-Wile Voice Grade Fort (Certife Adirier SWC /EBS-WS112)2,3,4			OLF 9D	ULFQK	1.13	21.29	13.49	2.00	2.07	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
		2 VIII VOIGE GIAGE I GIT (CENTIEN AINEI GVV 6 / E.S.G. IVIOG 12/2,0,4			OLI OD	OLI QO	1.10	21.25	10.40	2.00	2.07						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		, , , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
					l	I	. 🗆			l	l		1]		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDG 7			.=				1		1		
-	+	Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67				 		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
-		2-Wire Voice Grade Port terminated in on wegalink of equivalent			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67	-					
	I ocal 9	Switching			OLF9D	ULFQZ	1.13	21.29	13.49	2.00	2.07						
	Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
	Local	Number Portability			OLI OD	ORLOG	0.0070										
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Minnel	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations Trunk Side															
	Z-VVIIE	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
	4-Wire	Digital (1.544 Megabits)			OLI OD	OLINDO	10.01	32.10	10.02	02.10	0.00						
	1	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
	1	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09		1230	2.30				İ		
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е			ļ				ļ	ļ				ļ		
	D4 Cha	annel Bank Feature Activations			LIEDOD	400000	0.00								ļ		
-	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62			 	 				 		
		Footure Activation on D.4 Channel Bank EV line City I are City			UEP9D	1PQW6	0.62						1		1		
-	+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	IPUVVO	0.62										
		Slot			UEP9D	1PQW7	0.62						1		1		
\vdash	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-		5_1 0D	11 94777	0.02						 		 		
		Different Wire Center			UEP9D	1PQWP	0.62										
	1				-					Ì	Ì				İ		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						1		1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	<u> </u>	Slot			UEP9D	1PQWQ	0.62				<u> </u>				L		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
1		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	110463											
<u> </u>	1	changes, per port			UEP9D UEP9D	USAC2 USACN		0.102	0.102						 		
1	+	Conversion of existing Centrex Common Block, each New Centrex Standard Common Block			UEP9D UEP9D	M1ACS	0.00	18.95 669.80	8.32 78.32	111.05	13.27	-			 		
		New Centrex Standard Common Block	L		OLLAD	MITACS	0.00	08.600	18.32	111.05	13.27	1	l		l .		

ONRONDI	_ED NETWORK ELEMENTS - Kentucky		,											ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75									<u> </u>
Add	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	UKEIL		0.33	0.63								+
	End Use Premise			UEP9D	URETN		11.21	1.10								
UNF	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLI 3D	OKETIV		11.21	1.10								+
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															+
	Port/Loop Combination Rates (Non-Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-			1											1
	Non-Design \(\)		1	UEP9E		10.79								1		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							-								
	Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				40.00										
	Design Control of the		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE		10.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		18.60										+
	Design		3	UEP9E		34.37										
LINE	Loop Rate	1	3	OLFBL		34.37										+
0.42	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22										1
UNE	Port Rate															
AL,	FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP9E	UEPYH	4 45	04.00	45 40	0.05	2.67				1		
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						+
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1	 	OLI OL	OL: IWI	1.13	21.29	15.49	2.05	2.07	1			 		
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67				1		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:					220	.0.40	2.00	2.07						1
	- Basic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67				1		
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1								<u> </u>			1			1
l	Basic Local Area	<u> </u>	L	UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67	<u> </u>		<u></u>	<u> </u>	<u></u>	
AL,	KY, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49		2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49		2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67				ļ		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEBO		2.2			-						
	Center)2,3	1		UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67	ļ			 		+
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	4 45	21.29	15 40	2.85	2.67						
	Service Terrii	1	<u> </u>	UEP9E	UEPQZ	1.15	∠1.29	15.49	∠.85	2.67	-		-		-	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	.]		UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67				1		
	2-Wire Voice Grade Port terminated in on Negarink or equivalent	1		UEP9E	UEPQ2	1.15	21.29	15.49		2.67	 			 		+
l oc:	al Switching	1		O_1 O_	OL1 42	1.13	21.23	13.43	2.00	2.01	1			 	1	
		+	+	UEP9E	URECS	0.8873			1		 		l	1	l	+
	Centrex Intercom Funtionality, per port					U.001.3										

	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		1	1			De :	Nonrec	urring	Nonrecurring	g Disconnect	 	I	OSS	Rates (\$)	l	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										├
Featur	All Standard Features Offered, per port	1		UEP9E	UEPVF	0.00										
	All Select Features Offered, per port	1		UEP9E	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port	1		UEP9E	UEPVC	0.00	100.00									
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial	ļ		UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						├
Missol	Unbundled Network Access Register - Outdial laneous Terminations	 		UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						\vdash
	Trunk Side	1			-											
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86						.
	DS0 Channel Activated Per Channel	<u> </u>		UEP9E	M1HDO	0.00	15.09									
Interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	1		UEP9E	M1GBC	29.11										
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBM	0.01										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		02. 02		0.01										
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															i .
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0.62										-
	Different Wire Center			UEP9E	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.62										
	Slot			UEP9E	1PQWQ	0.62										ĺ
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWA	0.62										——
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block	1		UEP9E UEP9E	USACN M1ACS	0.00	18.95 669.80	8.32 78.32	111.05	13.27						
 	New Centrex Standard Common Block	1		UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion	1		UEP9E	URECA	0.00	72.75	70.02		10.27						
Addition	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10					_			
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														<u> </u>
UNE P	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	-		1				1		-					
	Non-Design	1	1	UEP93		10.79										İ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP93		31.74										
LINE P	ort/Loop Combination Rates (Design)	1	3	OLF 33	+	31.74			1							
J. T.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	-	1	UEP93	1	13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	1	2	UEP93		18.60										

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Fyhi	bit: A
CHECHEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										i
UNE	Loop Rate		Ŭ	OLI GO		04.07										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										—
h	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37					1					
h	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59					1					
h	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP93	UECS2	33.22										t
LINE	Port Rate		3	OLI 93	02002	33.22										t
	Y, LA, MS, & TN only	 			+ -				1				 	 	 	
Λ£, Γ	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		 		 	-	
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-	OL: 30	JLI IA	1.13	21.23	15.45	2.00	2.07	1	1	1	 		
1	Area	1		UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67			Ì	I	Ì	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	 		OL1 30	OL: 1D	1.13	21.29	10.49	2.05	2.07	 	1	1	 	1	
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67						i
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLF 33	OLFIR	1.10	21.29	15.49	2.65	2.07	 	1	1	 	1	
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800	1	-	UEF93	UEPTIVI	1.15	21.29	15.49	2.00	2.07						
				LIEDOS	LIEDVZ	4.45	04.00	45.40	2.05	0.07						i
	Service Term - Basic Local Area	1	-	UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	UEPY9	4.45	04.00	45.40	2.05	0.07						i
	- Basic Local Area	-		UEP93	UEPT9	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	LIEDVO	4.45	04.00	45.40	2.05	0.07						i
	Basic Local Area	-		UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex)	-		UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOO	LIEDOM	4.45	04.00	45.40	0.05	0.07						i
L	Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															i
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
																i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
Loca	Number Portability															
	Local Number Portability (1 per port)	ļ		UEP93	LNPCC	0.35										
Featu		ļ		115500												├
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port	ļ		UEP93	UEPVC	0.00							ļ	.	ļ	
NARS		<u> </u>	<u> </u>	ļ. <u></u>	1		_		ļ		1			ļ	ļ	
	Unbundled Network Access Register - Combination	ļ		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00			ļ	.	ļ	
	Unbundled Network Access Register - Indial	ļ		UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00			ļ	.	ļ	
	Unbundled Network Access Register - Outdial		<u> </u>	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00				1		
	ellaneous Terminations	ļ											ļ	.	ļ	
2-Wir	e Trunk Side	<u> </u>		L	1									ļ		
	Trunk Side Terminations, each		<u> </u>	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30				1		
4-Wir	e Digital (1.544 Megabits)	ļ			<u> </u>								ļ	.	ļ	
	DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86				1		
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	15.09						ļ	.	ļ	
Interd	ffice Channel Mileage - 2-Wire	<u> </u>		L										ļ		
	Interoffice Channel Facilities Termination	<u> </u>		UEP93	M1GBC	29.11								ļ		
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.01										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e												1		
D4 CI	nannel Bank Feature Activations	<u> </u>												ļ		
<u> </u>	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62										
i l		1	1								1	İ	Ì	I	Ì	1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62										L

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102								
 	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32			1					+
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						1
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									1
Additi	onal Non-Recurring Charges (NRC)															1
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
Note 3	 Installation is combination of Installation charge for SL2 Lo 	op and	Port													
	- Requires Specific Customer Premises Equipment									•			•			
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth ii	n General Terr	ns and Condition	ns.	<u> </u>		•						

UNBU	NDLED	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
															Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	DOC	11000			DATES (A)			Elec		Manual Svc		Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							_	Nonre	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	aged UNE Zone	e Designation	ns by Cent	ral Office, refe	er to internet \	Website:	
ODEDA		www.interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/bellsouth.	connec	tion.ht	m		1	1			T			1	1	1	1
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	o "ototo	onosi	io" OCC charges as	ardered by t	ha Stata Camm	issiens The	DCC abargas a	urrantly cantai	nad in this rat	a avhibit are	the Bellee	uth "regional"	" comitos ordo	ring sharass	CL EC may
		ther the state specific Commission ordered rates for the service															
		the 9 states.	ce orac	illig ci	larges, or occomiay	elect the re	gioriai service i	ordering charg	e, nowever, or	LC can not of	nam a mixture	or the two	egararess i	i ollo nas a	interconnecti	on contract e	stabilished iii
		(2) Any element that can be ordered electronically will be billed	ed acco	rdina	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be ordere	ed electronica	llv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the liste															
	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to Bo	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service															
<u> </u>		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
'		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						1
LINE SE	RVICE	DATE ADVANCEMENT CHARGE				SOMAN		15.20	0.00	15.20	0.00						
		The Expedite charge will be maintained commensurate with E	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as annli	cable.										
		The Exposite onal go will be maintained commenced at a will				o ao app	<u> </u>										İ
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	00.400											
LINBIIN	DI ED E	Day EXCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00									-
		ANALOG VOICE GRADE LOOP											 				-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87								ļ
$\vdash \vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.90	36.54	16.87		-						1
$\vdash \vdash \vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	23.33 48.43	36.54 36.54	16.87 16.87								-
$\vdash \vdash \vdash$		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	OLANL	OLAGE	40.43	30.54	10.07								
'		Premise			UEANL	URETL		8.33	0.83								
							1				i				1		t e
L1		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA		33.17 19.28	33.17 19.28								

UNRU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
214100	HULL	NET WORK ELLWILLING - Louisiana										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISCISE	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
'		Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL		47.50	47.50								
	2 MIDE	(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
\vdash	2-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ	UEQ2X	12.40	35.27	15.60	-							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	14.32	35.27	15.60								
\vdash		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	16.87	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	«	JEGEN	10.07	55.21	13.00	I		<u> </u>		 	I	 	1
1		Premise	1		UEQ	URETL	l	8.33	0.83	I				1	I	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	†		1		İ	2.50	2.00	1					1		
1		Non-Designed (per loop)	1		UEQ	USBMC	l	7.92	7.92	I				1	I	1	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
1 '		BST providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU	l	13.04	13.04	I				1	I	1	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.,	LIEDOD LIEDOD	115 450	40.00	00.54	40.07	0.00	0.00						
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	10.07	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLF SK OLF SB	ULABS	25.55	30.34	10.07	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	02. 0. 02. 02	027120	10.10	00.01		0.00	0.00						
'		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
		XCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	14.93	102.10	65.72						<u> </u>		<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							<u> </u>								
<u> </u>		Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	25.35	102.10	65.72						1		
'		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_	L	1				1					1		
<u> </u>		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	50.46	102.10	65.72								
└		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL		17.56						ļ		ļ	ļ
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEADO	44.00	400.40	05 =0						1		
$\vdash \vdash \vdash$		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.93	102.10	65.72	 				 	 	 	
1 '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	100 10	65.72						1		
$\vdash \vdash \vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		ULA	UEAKZ	∠5.35	102.10	05.72	 				-		-	
1		Battery Signaling - Zone 3	1	3	UEA	UEAR2	50.46	102.10	65.72	I				1	I	1	
\vdash		Order Coordination for Specified Conversion Time (per LSR)	 	3	UEA	OCOSL	30.40	17.56	05.72	t				 	t	 	
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.59	36.30	I		<u> </u>		 	I	 	
		Loop Tagging - Service Level 2 (SL2)	1		UEA	URETL		11.20	1.10	I		<u> </u>		 	I	 	1
\vdash	4-WIRE	E ANALOG VOICE GRADE LOOP	1		1			5	0	1				1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 1	†	1	UEA	UEAL4	30.81	127.40	91.02	1				1	1	1	
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	38.32	127.40	91.02	1	l				1		İ
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								

UNRII	NDI FI	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
5.400		JAN ELEMENTO Eduloidia		1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter.	1		1 1						Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22.09	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 2		_	UDN	U1L2X	35.28	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
-		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	l	UDN	UREWO		91.49	44.09								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
-		2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	12.29	117.00	00.30								
		2 wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2X	14.09	117.08	68.36	I				1	I		
+		2 Wire Unbundled ADSL Loop including manual service inquiry	 		UAL	UALZA	14.09	117.08	00.30	t	1			1	t	1	
		& facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36	I				1	I		
+		Order Coordination for Specified Conversion Time (per LSR)	!	٦	UAL	OCOSL	15.75	17.56	00.30	t				 	t		
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	l		00000		17.00		I		<u> </u>		 	I		
		facility reservaton - Zone 1	1	1	UAL	UAL2W	12.29	92.83	56.02	I				1	I		
		2 Wire Unbundled ADSL Loop without manual service inquiry &						0-100									
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &			-												
		facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	_OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry		_													
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	12.74	125.50	76.77								
		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	12.74	17.56	76.77	-							
		2 Wire Unbundled HDSL Loop without manual service inquiry		-	UNL	UCUSL		17.30				1					
		and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	5.15	101.24	04.40								
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34		<u> </u>			<u> </u>			
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	-00P													
		4 Wire Unbundled HDSL Loop including manual service inquiry	1			1]			
		and facility reservation - Zone 1	ļ	1	UHL	UHL4X	16.24	153.26	104.54	1					1		
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	_	l	[]				I				1	I		
\vdash		and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	16.65	153.26	104.54	-				 	-	ļ	
		4-Wire Unbundled HDSL Loop including manual service inquiry	1	_		1,11,11,452	47.01	450.00	10151	I				1	I		
\vdash		and facility reservation - Zone 3	1	3	UHL UHL	UHL4X	17.34	153.26	104.54	 	ļ	-		 	 		
\vdash		Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry	 	<u> </u>	UTL	OCOSL		17.56		 				-			
		and facility reservation - Zone 1	1	1	UHL	UHL4W	16.24	129.00	92.20						1		
+		4-Wire Unbundled HDSL Loop without manual service inquiry	 	<u> </u>	O. IL	OI IL-IV	10.24	129.00	32.20	t	1			1	t	1	
		and facility reservation - Zone 2	1	2	UHL	UHL4W	16.65	129.00	92.20	I				1	I		
		4-Wire Unbundled HDSL Loop without manual service inquiry	†	_		3	. 0.00	.20.00	32.20	t	1			1	t		
		and facility reservation - Zone 3	1	3	UHL	UHL4W	17.34	129.00	92.20	I				1	I		
		Order Coordination for Specified Conversion Time (per LSR)	1		UHL	OCOSL		17.56		1	İ				1	İ	
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								
		Order Coordination for Specified Conversion Time (per LSR)	1	l	USL	OCOSL		17.56		1			İ		1		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps		_	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL	UDL56	38.92	121.86	85.48								
-	Order Coordination for Specified Conversion Time (per LSR)	1		UDL	OCOSL	00.00	17.56	05.40								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	7	UDL UDL	UDL64 UDL64	30.99 36.78	121.86 121.86	85.48 85.48	 					 		
 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	+	3	UDL	UDL64 UDL64	36.78 38.92	121.86 121.86		-	1	 		-			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	38.92	121.86	85.48	 					 		
 	CLEC to CLEC Conversion Charge without outside dispatch	+	-	UDL	UREWO		17.56	49.67	-	1	 		-			
2 14/1	RE Unbundled COPPER LOOP	<u> </u>		UDL	UKEWU		101.97	49.07								
2-991	2-Wire Unbundled Copper Loop-Designed including manual	1			+						1					
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual	+	- '-	OOL	OCLI D	12.23	110.10	07.40	†		1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
	2 Wire Unbundled Copper Loop-Designed including manual		-	OOL	OOLI D	14.00	110.10	07.40								
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	10.70	7.92	7.92								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry		_			40.00										
	and facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	10.99	139.69	90.96								
-	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		7.92	7.92								
	4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	22.27	115.43	78.63								
 	and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>		UCL	UCL4VV	22.21	115.43	78.63								
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry	+		OOL	OCLAVV	10.55	110.40	70.03	<u> </u>		1					
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								
 	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.55	7.92	7.92								
—	CLEC to CLEC Conversion Charge without outside dispatch	1		002	COLIVIO		7.02	7.02								
	(UCL-Des)			UCL	UREWO		91.92	42.47	1					1		
LOOP MODI		1			1				1				İ	1		
		1		UAL, UHL, UCL,	1				1					1		
				UEQ, ULS, UEA,	1				1					1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	İ				I				Ì	I		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00	1					1		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire					İ										
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,]			
1 1				UEQ, ULS, UEA,	1				I				1	I		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	l				I				1	I		
	per unbundled loop	1		UEPSB	ULMBT		12.15	12.15	1					L		

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	JONI	RATE ELEMENTS	m	ZUITE	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs.	Order vs.
														Electronic- 1st	Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred		Nonrecurring D					Rates (\$)		
OUD I	0000							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L		l pop Distribution															
	Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-								+							
		Up	- 1		UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		10.99	10.99								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.			LIODOO		00.40	00.40								
		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		UEANL	USBSC		86.16	86.16	-							
		Set-Up	1 .		UEANL	USBSD		27.13	27.13								
	1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>					27.10	27.10	 							
		Zone 1	1	1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -							· · · · · · · · · · · · · · · · · · ·								
		Zone 2	I	2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	Ι,	3	UEANL	USBN2	21.45	63.89	30.06								
\vdash	 	ZONG 3	+-	3	OLAINL	OODINZ	21.40	03.09	30.06	 							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						-	-								
		Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
<u> </u>		Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		2010 0		Ü	OL/ WIL	COBIN	10.27	70.70	72.02								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48	17.65								
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL UEANL	USBMC USBR4	6.58	7.92 57.54	7.92 23.71	-							
		Sub-Loop 4-wire intrabuliding Network Cable (INC)	<u>'</u>		UEANL	USBR4	0.58	57.54	23.71	+							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X UCS2X	10.07 12.70	63.89 63.89	30.06 30.06	+							
-	1	2 vviile Sopper Oribunialed Sub-Loop Distribution - 2018 3	- ' -	3	OLI	0032A	12.70	03.09	30.06	 							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS4X	8.03	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	10.71	76.75	42.92								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.08	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	1	Loop Testing - Basic 1st Half Hour	 		UEF	URET1		33.17	33.17	 							
	1	Loop Testing - Basic Additional Half Hour	1		UEF	URETA		19.28	19.28	1							
	Unbun	dled Network Terminating Wire (UNTW)															
	L	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
	Networ	rk Interface Device (NID)	ļ		LIENTA/	LINDAO		40.00	07.00	 							
-	1	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	1		UENTW UENTW	UND12 UND16		42.26 62.86	27.83 48.43	+							
<u> </u>		Network Interface Device (NB) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73	1							
UNE O	THER, P	ROVISIONING ONLY - NO RATE															
	1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		$oxed{oxed}$							
<u> </u>	1	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		 							
1		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE O	THER. P	PROVISIONING ONLY - NO RATE			L141 VV	CIVEOIN	0.00	0.00		 							
3.12	, 1	OHE! HO WILL	1			l							l	l	l		

LINDLI	NDI E	D NETWORK ELEMENTS Lauriniona												A 11 I		F.1.1	
UNBU	NDLE	D NETWORK ELEMENTS - Louisiana		1		1	1					Cur Onden	Cur Ouden		ment: 2	Exhil	
														Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,	l <u></u>											
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				l											
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ļ
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP		<u> </u>													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				l											
		month			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility															l l
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per				l											
		month			UDLSX	1L5ND	10.04										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP N	/IAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															, ,
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
		AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	<u>") </u>											
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING															
\vdash	SPLITT	TERS-CENTRAL OFFICE BASED		<u> </u>		05 .					ļ						
\vdash		Line Sharing Splitter, per System 96 Line Capacity		<u> </u>	ULS	ULSDA	187.17	183.33	0.00		1						
\vdash		Line Sharing Splitter, per System 24 Line Capacity		<u> </u>	ULS	ULSDB	46.79	183.33	0.00		ļ						<u> </u>
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity		<u> </u>	ULS	ULSD8	15.59	183.33	0.00		ļ						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		1		000		00.00	0.00				1		Ì		
\vdash	END :::	deactivation (per LSOD)		1	ULS	ULSDG		83.98	0.00	1	 		ļ		 		
\vdash	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		 							 						
		Line Sharing - per Line Activation (BST Owned splitter) -		1	111.6	III epo	0.04	47.07	40.00				1		Ì		
\vdash		OBSOLETE see **NOTE 2		1	ULS	ULSDC	0.61	17.97	10.29	1	 		ļ		 		
		Line Share Service, TRO per line activation, BST owned splitter -		1									1		Ì		
		Central Office Located (25% of UCLND) - please see NOTE 1		1		LII CDT	0.40	47.0-	10.00				1		Ì		
\vdash		(E:10/2/2003)		1	ULS	ULSDT	3.10	17.97	10.29	1	 		ļ		 		
		Line Share Service, TRO per line activation, BST owned splitter -															l l
		Central Office Located (50% of UCLND) - please see NOTE 1			0	LUODT	0.00	47.07	40.00								l l
\vdash		(E:10/2/2004)		<u> </u>	ULS	ULSDT	6.20	17.97	10.29		1				1		
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1				LII ODT	0.00	47.00	40.00								
 		(E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29		ļ						
		Line Sharing - per Subsequent Activity per Line				LII CDC		45.01	7.5-								I
\vdash		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		15.91	7.95		ļ						-
		Line Sharing - per Subsequent Activity per Line				000											, I
\vdash		Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS		15.91	7.95	-	ļ				ļ		
		Line Sharing - per Line Activation (DLEC owned Splitter) -		1			0.04	47.44	40.04				1		Ì		
		OBSOLETE see **NOTE 2	l	<u> </u>	ULS	ULSCC	0.61	47.44	19.31		l		l				

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana				-	-	-						Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring D					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
, ,		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31								
, ,		Line Share Service, TRO per line activation, CLEC owned															
, ,		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	0.20	47.44	19.31								+
, ,		splitter - Central Office Located (75% of UCLND) - please see															
, ,		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
		PLITTING															
	END US	SER ORDERING-CENTRAL OFFICE BASED															1
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29								1
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
	MAINT	ENANCE		<u> </u>		1											<u> </u>
		No Trouble Found - per 1/2 hour increments - Basic		<u> </u>				80.00	55.00								
\longrightarrow		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium				-		120.00 160.00	82.50 110.00	<u> </u>							+
LINDLIN		DEDICATED TRANSPORT				+		160.00	110.00								+
		DEFICE CHANNEL - DEDICATED TRANSPORT				+				 							+
	IIVI LIXX	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											+
, ,		Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			01117	120701	0.010										<u> </u>
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
1		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
, ,		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.013										
, ,		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	U1TV4	40.04	20.20	20.00								
\longrightarrow		- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile		<u> </u>	UTIVX	01174	19.81	39.36	26.62	-							-
, ,		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	TESTA	0.013										+
, ,		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															1
, ,		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l		=	41 = 20:											
		month			U1TD1	1L5XX	0.2652										
, ,		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		U1TD1	U1TF1	70.47	86.69	79.44	1						1	1
\longrightarrow		Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 	-	ועווט	UTIFT	/0.4/	86.69	79.44	 						 	+
, ,		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	l		U1TD3	1L5XX	6.04										
\longrightarrow		Interoffice Channel - Dedicated Transport - DS3 - Facility	 	 	סווט	ILUAA	0.04			 						 	+
		Termination per month	1		U1TD3	U1TF3	850.45	270.69	158.05	1						1	1
-		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per					333.40	2. 0.00	.00.00	 							
ļ		month	1		U1TS1	1L5XX	6.04			1						1	1
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															1
		Termination	<u> </u>		U1TS1	U1TFS	830.19	270.69	158.05							<u> </u>	<u> </u>
DARK F	IBER								•								
Ţ		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1			1				1						1	
		Thereof per month - Interoffice Channel	<u> </u>	ļ	UDF, UDFCX	1L5DF	25.28	600.0-	100.5	 						ļ	
		NRC Dark Fiber - Interoffice Channel		-	UDF, UDFCX	UDF14		620.60	133.88	 							+
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	1		UDF. UDFCX	1L5DL	52.23			1						1	1
' '																	1

LINIDI	INDI E	D NETWORK ELEMENTO Laudalana															
UNBU	INDLE	D NETWORK ELEMENTS - Louisiana	ı			1	1					Cue Onden	Cora Cardan		ment: 2	Exhi	
													1	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
OA.L		TOTAL ELEMENTO	m	20.10	200	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		2.51	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.77	0.78								
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.77	0.78								
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number	<u> </u>		OHD	N8FCX		2.51	1.26								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FMX		2.93	1.68								
		Routing Per CXR Requested Per 8XX No.			OHD	N8FAX		2.93	0.43								
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			OHD	INSFAX	-	2.93	0.43								
		Features			OHD	N8FDX		2.51									
		realules			טחט	INOFUA		2.31				1					
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			מווט	+	0.0000367					1					
		query			OHD		0.0006387										
LINE	VEORMA	ATION DATA BASE ACCESS (LIDB)			OLID	+	0.0000007										
	I	LIDB Common Transport Per Query			OQT	+	0.0000221										
		LIDB Validation Per Query			OQU		0.0135077										
		LIDB Originating Point Code Establishment or Change			OQT. OQU	NRBPX		33.33									
SIGNA	LING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	15.77	34.50	34.50								
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code															
F044 6	ED)//05	Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
E911 S	ERVICE	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	 			+	18.32	187.51	32.21		1	 			-		
-	 	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	 			+	18.32	187.51	32.21		1	 			-		
	 	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				+	18.32	187.51	32.21		1						
-	†	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	 			+	0.013	107.51	JZ.Z I		1	 			 		
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		+	0.010				1						
	1	Termination				1	22.60	39.36	26.62						1		
	1	Local Channel - Dedicated - DS1 - Zone 1				1	39.18	172.34	149.27		1				1		
	†	Local Channel - Dedicated - DS1 - Zone 2				1	121.58	172.34	149.27		Ì				1		
		Local Channel - Dedicated - DS1 - Zone 3	1				70.02	172.34	149.27			Ì					
	Ì	Interoffice Transport - Dedicated - DS1 Per Mile					0.2652										
L	L	Interoffice Transport - Dedicated - DS1 Per Facility Termination	<u></u>	<u> </u>		1	70.47	86.69	79.44		<u> </u>		L				
CALLI	NG NAM	E (CNAM) SERVICE			-												
		CNAM For DB Owners - Service Establishment			OQV			22.29									
		CNAM For Non DB Owners - Service Establishment			OQV			22.29	·								
1	1	CNAM For DB Owners - Service Provisioning With Point Code	1			1	[]		
<u> </u>	<u> </u>	Establishment	<u> </u>		OQV	1	ļ	962.22	711.64			<u> </u>					
1	1	CNAM For Non DB Owners - Service Provisioning With Point	1	1		1]								Ì		
	ļ	Code Establishment			OQV	\bot		332.43	238.05		<u> </u>						
<u> </u>	!	CNAM for DB Owners, Per Query			OQV		0.0010217				ļ	1					
CE: E:	<u> </u>	CNAM for Non DB Owners, Per Query	<u> </u>		OQV	+	0.0010217				 	<u> </u>			 		
SELEC	TIVE R	JUTING	1				1				1	1	l		1		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
0.1.20												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec		Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Selective Routing Per Unique Line Class Code Per Request Per				1		11130	Auu i	11130	Auu i	JOINEC	JOHAN	JOWAN	JOINAIN	JOHIAN	JONAN
		Switch						82.25	82.25								ı l
VIRTUA	L COLI	LOCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															1
		Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						1
PHYSIC	AL CO	LLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line				5541.0											i l
AINI CE	FCTIV	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SEI	LECTIV	E CARRIER ROUTING		1	LIEDID	SRCEC		100,209.33				-					
-		Regional Service Establishment End Office Establishment			UEBIB UEBIB	SRCEO		164.29	164.29			-					
		Query NRC, per query			UEBIB	SKCLO	0.0030293	104.23	104.25								
AIN - B	ELLSO	JTH AIN SMS ACCESS SERVICE			OLDID	1	0.0000200										
		AIN SMS Access Service - Service Establishment, Per State,				1											
		Initial Setup			A1N	CAMSE		38.30	38.30								i l
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								ł
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
		AIN SMS Access Service - User Identification Codes - Per User															i l
		ID Code			A1N	CAMAU		33.99	33.99								
		AIN SMS Access Service - Security Card, Per User ID Code,			A 4 N I	041400		44.00	44.00								i l
-		Initial or Replacement			A1N	CAMRC	0.0022	41.39	41.39								
-		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute				+	0.5795					-					
		AIN SMS Access Service - Gession, Per Minute AIN SMS Access Service - Company Performed Session, Per				1	0.5795										
		Minute					0.8104										i l
AIN - BI	ELLSO	JTH AIN TOOLKIT SERVICE				1	0.0101										
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		38.30	38.30								i l
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															i l
		DN, Term. Attempt				BAPTT		7.60	7.60								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTD		7.00	7.00								i l
-		DN, Off-Hook Delay				BAPTD		7.60	7.60								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.60	7.60								i l
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF IIVI		7.00	7.00								
		DN, 10-Digit PODP				BAPTO		33.47	33.47								i l
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								Ì					İ		$\overline{}$
		DN, CDP	L			BAPTC		33.47	33.47	<u> </u>		<u> </u>	<u> </u>		<u></u>		<u>. </u>
	•	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Feature Code				BAPTF		33.47	33.47								
		AIN Toolkit Service - Query Charge, Per Query				1	0.0536446										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1	0.000500						1		1		ı l
-		Subscription, Per Node, Per Query				+	0.006569										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										i l
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				+	0.00										
		Subscription			CAM	BAPMS	10.90	7.60	7.60								i l
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service					12.20		50	Ì					İ		$\overline{}$
		Subscription			CAM	BAPLS	2.80	8.41	8.41				1		1		ı l
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	8.20	7.60	7.60						<u> </u>		
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit											1]		,
		Service Subscription			CAM	BAPES	0.09	8.41	8.41								
		(TENDED LINK (EELs)	<u> </u>		Outlieb Act Of		<u> </u>			 		FI			ļ		
		The monthly recurring and non-recurring charges below will															
		The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					UNE COMBINATI	ons provisione	u as current	iy Combined I	erwork Eleme	1110.	 		-		
oxdot		TED 2 THINE YOU'L ORADE EXTENDED LOOF WITH DEDICAL	03		C. I IOL INANGPUI		1			l		1	·		1		

UNBUN	IDLF	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CITECIT	DEL	THE TWORK ELEMENTO LOGISTATIO		l								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
1			1	l -						1 1		1	<u> </u>	<u> </u>	_		1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
			l									1]			1
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26	1					1		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.43	5.43								
E	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	INTE	ROFFICE TRANSPO	DRT											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
				_													
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
				_					4= 00								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5307	0.0050										
-		Per Month		-	UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
-		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97		-							
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	59.97	12.96 4.26	-							-
		Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	IDIVG	0.0497	5.91	4.20	+							-
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONCVX	OLAL	30.01	34.21	45.05								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLAL	30.32	34.21	45.03								
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
 		Additional Voice Grade COCI in combination - per month	1	Ť	UNCVX	1D1VG	0.6497	5.91	4.26	+				1	<u> </u>		†
		Nonrecurring Currently Combined Network Elements Switch -As-	l				2.2.0	2.01	20	1				1	1		
		Is Charge	l		UNC1X	UNCCC		5.43	5.43	1					1		1
E	XTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			İ										
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09	1		1		1	I		1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09	<u>1 </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1</u>
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09					<u> </u>			<u></u>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile									<u> </u>						1
		Per Month			UNC1X	1L5XX	0.2652										<u></u>
	Ī	Interoffice Transport - Dedicated - DS1 - combination Facility	1	l -			Π			1 1		1	<u> </u>	<u> </u>	_		1
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								1
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								1
		OCU-DP COCI (data) per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.38	5.91	4.26	1				ļ	ļ		I
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l			1	[1					1		1
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09	1				ļ	.		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	١.						1		1		Ì	I		1
—		Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	36.78	94.21	45.09								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l		LINODY	LIDI 50	00.00	04.01	45.00				1				1
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	38.92	94.21	45.09								1

UNBLINDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
SINDSINDLE	LE IVOIN LELINEITO - Louisiana		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
		1	1			I					Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES (\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IVATEO (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-	-	Nonrec	urrina	Nonrecurring Di	iooonnoot		l	000	Rates (\$)		
					-	Rec			First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	A 11% 1 0011 DD 0001 (1-1-)				-		First	Add'l	FIRST	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	I	3	UNCDX	UDL64	38.92	94.21	45.09				1				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile											l				
	Per Month	I		UNC1X	1L5XX	0.2652						1				
	interoffice Transport - Dedicated - DS1 combination - Facility	1	1		,	0.2002			 			1		t		
	Termination Per Month	I		UNC1X	U1TF1	70.47	143.58	103.88				1				
 	1/0 Channel System in combination Per Month	!	!	UNC1X	MQ1	105.09	59.97	12.96	 							
 	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 	 	UNCDX	1D1DD	1.38	59.97	4.26	 			l		1	1	1
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	1	OHODA	טטוטו	1.38	0.81	4.20	++			-		-		
			4	LINCDY	UDL64	30.99	94.21	45.09								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_					4= 00								
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	I		UNC1X	U1TF1	70.47	143.58	103.88				1				
	Nonrecurring Currently Combined Network Elements Switch -As-	1	i –		T	1			i i			İ		1	İ	İ
	Is Charge	I		UNC1X	UNCCC		5.43	5.43				1				
FXTF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				3.40	0.40	 			1				
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89	 			l		 		
 	First DS1Loop in Combination - Zone 2	 	2	UNC1X	USLXX	194.96	169.22	100.89	 			l		1	1	1
 	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	 		UNC1X	USLXX	491.94	169.22	100.89	 			l		1	1	1
 	Interoffice Transport - Dedicated - DS3 combination - Per Mile	 	3	014017	JULAN	431.34	103.22	100.09	 			l		1	1	1
	Per Month	l		UNC3X	1L5XX	6.04						l				
\vdash	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	1	OINOOA	ILOAA	6.04			 					-		
		l		LINIOOV	LIATEO	050 :-	000 00	404 10				l				
\vdash	month	!	<u> </u>	UNC3X	U1TF3	850.45	296.68	121.16	-			ļ		-		ļ
\vdash	3/1Channel System in combination per month	!	<u> </u>	UNC3X	MQ3	201.48	107.05	91.25	-			ļ		-		ļ
	DS1 COCI in combination per month	ļ	ļ	UNC1X	UC1D1	11.78	5.91	4.26	\vdash							
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1	<u> </u>	1	UNC1X	USLXX	85.70	169.22	100.89								
	Additional DS1Loop in DS3 Interoffice Transport Combination -	I]						1				
	Zone 2	<u> </u>	2	UNC1X	USLXX	194.96	169.22	100.89								
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1								-]			l	1
	Zone 3	I	3	UNC1X	USLXX	491.94	169.22	100.89				1				
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
	2-WireVG Loop in combination - Zone 1	T		UNCVX	UEAL2	14.93	94.21	45.09								
	2-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL2	25.35	94.21	45.09	 			1			1	1
	2 This to Loop in combination Zone Z	1		J. 15 VA	O L / 1LL	20.00	U-1.Z1	-0.03				L		1	l	l

UNBUNE	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
		, =================================										Svc Order	Svc Order	Incremental		Incremental	
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			Intor									Elec	Manually		Manual Svc		Manual Svo
CATEGOR	RΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>								First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per			LINOVY	41.577	0.042										
		Month Interoffice Transport - 2-wire VG - Dedicated - Facility		1	UNCVX	1L5XX	0.013								-		
		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
+		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNCVA	UTIVZ	22.00	72.00	41.75	+							
		Is Charge	1		UNCVX	UNCCC		5.43	5.43								
FX	TENI	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				3.43	5.45								
<u> </u>		4-WireVG Loop in combination - Zone 1	I	1 1	UNCVX	UEAL4	30.81	94.21	45.09								
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per						V 1									
		Month	1		UNCVX	1L5XX	0.013					1			I	1	
		Interoffice Transport - 4-wire VG - Dedicated - Facility	1			1				† †				İ	1		
		Termination per month	1		UNCVX	U1TV4	19.81	72.60	41.75			1			I	1	
		Nonrecurring Currently Combined Network Elements Switch -As-															
L l		Is Charge	<u>L</u>	1	UNCVX	UNCCC		5.43	5.43	<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
EX	TENE	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.04										
oxdot		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
oxdot		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month		ļ	UNC3X	U1TF3	850.45	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
EV	/TENI	Is Charge	0.4 1117	FDOFF	UNC3X	UNCCC		5.43	5.43								
EX	TENL	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	5-1 INI	EROFF		1L5ND	40.04										
\vdash		STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per			UNCSX	ILOND	10.04			-							
		month			UNCSX	UDLS1	374.56	188.45	125.51								
+		Interoffice Transport - Dedicated - STS-1 combination - per mile	1	1	UNCOX	UDLST	374.56	100.40	125.51	+							
		per month			UNCSX	1L5XX	6.04										
+		Interoffice Transport - Dedicated - STS-1 combination - Facility	1	1	UNCOX	ILJAA	0.04			+							
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-			0.100/1	00	000.10	200.00	.20								
		Is Charge			UNCSX	UNCCC		5.43	5.43						1		
EX		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT		2000		5.40	0.40	† †					1		
	Ī	First 2-Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	22.09	94.21	45.09	1					1	1	Ì
	T	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - per mile						_	-		-]	
		per month	<u></u>	<u> </u>	UNC1X	1L5XX	0.2652							<u></u>	<u></u>	<u> </u>	
		Interoffice Transport - Dedicated - DS1 combination - Facility	1									1]	
oxdot		Termination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	70.47	143.58	103.88								ļ
$\vdash \!$		1/0 Channel System in combination - per month	ļ	ļ	UNC1X	MQ1	105.09	59.97	12.96	.					1	ļ	
$\vdash \vdash$		2-wire ISDN COCI (BRITE) - in combination - per month	ļ	1	UNCNX	UC1CA	2.96	5.91	4.26	 							
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 .	LINIONIN	1141.037						1			I	1	
$\vdash \!$		Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	22.09	94.21	45.09	 				ļ	-	 	
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	_	LINIONIN	1141.037						1			I	1	
$\vdash \vdash$		Combination - Zone 2	 	2	UNCNX	U1L2X	35.28	94.21	45.09	 				-	 	 	1
	ŀ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	3	LINICNIV	1141.09	05.40	04.04	45.00			1			I	1	
$\vdash \vdash$		Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per	 	3	UNCNX	U1L2X	65.18	94.21	45.09	 				-	 	 	1
		month	1		UNCNX	UC1CA	2.96	5.91	4.26			1			I	1	
$\vdash \vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	1	OINGINA	UCTUA	2.90	5.91	4.20	+					+		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge	1		UNC1X	UNCCC		5.43	5.43			1			I	1	
\vdash	TENI	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	-1 INTE				5.45	5.45	+ +					 	 	+
FY		DED THINK DOT DIGITAL EXTENDED LOOK WITH DEDICAL										ļ					
EX		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89	1							

UNBU	NDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit: A
0.400	.1044	J. T. T. J. T. C. L. L. L. L. L. L. L. L. L. L. L. L. L.									Sv	c Order	Svc Order	Incremental		Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			er LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)		P	Jei Lak	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring Disco	nnect			oss	Rates (\$)		
								First	Add'l	First Ac	dd'I S	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
-		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
		3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
		DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport			UNC1X	UC1D1	11.78	5.91	4.26								
		Combination - Zone 1		-1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	USLAA	65.70	109.22	100.89								
		Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport	1			30200	104.00	700.22	100.00						1		
		Combination - Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89						1		
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26						1		
		Nonrecurring Currently Combined Network Elements Switch -As-					1										
		Is Charge			UNCSX	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		ls Charge			UNCDX	UNCCC		5.43	5.43								
	EXIEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT			LIDL C4	20.00	04.04	45.00								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX UNCDX	UDL64 UDL64	30.99 36.78	94.21 94.21	45.09 45.09		-						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09	-							
-		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL04	30.92	34.21	45.09								
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ОПОВА	TEOTO	0.010										
		Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09						<u> </u>		
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		First Interoffice Transport - Dedicated - DS1 combination - Per							·								
		Mile			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -				=.											
		Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
\vdash		Per each DS1 Channelization System Per Month	 		UNC1X	MQ1	105.09	59.97	12.96								
\vdash		Per each Voice Grade COCI - Per Month per month	 		UNCVX	1D1VG	0.6497	5.91	4.26						 		
\vdash		3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-		UNC3X	MQ3 UC1D1	201.48	107.05	91.25						 		
\vdash	-	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	├		UNC1X	ועוטט	11.78	5.91	4.26						-		
		Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	14.93	94.21	45.09						1		
\vdash		Each Additional 2-Wire VG Loop(SL2) in the same DS1	 		OINOVA	JEALE	17.53	34.21	45.05								
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	Ė			20.00	J1	.0.50						1		
		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	50.46	94.21	45.09						1		
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month	<u></u>		UNC1X	1L5XX	0.2652										
	-	Each Additional DS1 Interoffice Channel Facility Termination in												_			_
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		s	ovc Order ubmitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						p.,	Nonrec	urring	Nonrecurring Discor	nnect			oss	Rates (\$)		
						Rec	First	Add'l	First Ad	ld'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge		<u> </u>	UNC1X	UNCCC		5.43	5.43								
EXIE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE IR	ANSPORT W/ 3/1 M	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -		· ·	ONCVX	OLAL4	30.01	34.21	45.05								
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per				I	I □								1		
 	Mile Per Month	1	ļ	UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
 	Per each 1/0 Channel System in combination Per Month	1	-	UNC1X UNC1X	MQ1	105.09	59.97	12.96	 							
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26		-						
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Each Additional DS1 Interoffice Channel per mile in same 3/1		3	UNCVX	ULAL4	00.39	94.21	45.09	 							
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in					00										
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXIE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	PFFICE	TRANSPORT W/ 3/1	I MUX											
	Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		<u> </u>	ONODA	ODESO	30.33	34.21	40.00								
	Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per				41 => 0 :	Ι										
 	Mile Per Month	1	<u> </u>	UNC1X	1L5XX	0.2652								 		
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
 	Per each 1/0 Channel System in combination Per Month	1		UNC1X UNC1X	MQ1	105.09	59.97	12.96	 							
 	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	1		UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25						Ì		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
 	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	LINCDY	LIDLEC	20.70	04.04	45.00								
 	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	2	UNCDX	UDL56	36.78	94.21	45.09						-		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09						1		
	OCU-DP COCI (data) COCI in combination per month (2.4-	1	Ĭ		32200	00.02	J-1.21	70.00						1		
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1					ĺ	İ									
	Channel System per month	1		UNC1X	1L5XX	0.2652								ļ		
	Each Additional DS1 Interoffice Channel Facility Termination in			LINGAY	LIATE 4	70.4-	440.50	100.00								
LL	same 3/1 Channel System per month	1		UNC1X	U1TF1	70.47	143.58	103.88						l		

LINBUNDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
ONBONDE	D NETWORK ELEMENTS - Louisiana					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.		Order vs.	Order vs.
o,		m		200				= (4)			per LSR	per LSR		Order vs.		Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAY	41.577	0.0050										
 	Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -		 	UNC1X	1L5XX	0.2652			 	 	1	-		 		
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
-	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96			1					
	Per each OCU-DP COCI (data) in combination - per month (2.4-			UNCIA	IVIQI	103.09	35.51	12.50			1					
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.1017	00.2.		0.01	20								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						-									
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAY		70.47	440.50	400.00								
-	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	11.70	5.91	4.20				-				
	Is Charge			UNC1X	UNCCC		5.43	5.43								
FXTF	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX	ONOTA	011000		3.43	3.43								
LATE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	, 5/			1	1					1			 		
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09						1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	<u> </u>	2	UNCNX	U1L2X	35.28	94.21	45.09	<u> </u>		<u> </u>	<u></u>		<u> </u>		<u> </u>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination						_									
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per]]		
	Mile per month			UNC1X	1L5XX	0.2652			ļ	ļ				ļ		
	First Interoffice Transport - Dedicated - DS1 combination -			LINGAY		70 :-	440 ===	400.00						1		
	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88		1						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	105.09	59.97	12.96	 	 	1	-		 		
1 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26						1		
 	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25		 	 			 		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26			1	<u> </u>		 		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				30.51	11.70	0.01	7.20			1			 		
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				İ	1		- · · ·	İ	1				İ		l
	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	35.28	94.21	45.09	<u> </u>		<u> </u>	<u></u>		<u> </u>		<u> </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						_									
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09		<u> </u>						<u> </u>

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
220												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
		system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								, '
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month			UNC1X	1L5XX	0.2652										
		Each Additional DS1 Interoffice Channel Facility Termination in															, '
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
		Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	UC1D1	11.78	5.91	4.26								ł '
-		combination per month Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIX	OCIDI	11.78	5.91	4.20								
		Is Charge			UNC1X	UNCCC		5.43	5.43								ł
	EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		0.1000	-	5.75	5.45						1		1
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89								i
	1	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89	i i					1		1
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								í
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.2652										
		First Interoffice Transport - Dedicated - DS1 combination -															ł
		Facility Termination Per Month			UNC1X	U1TF1	70.47 201.48	143.58 107.05	103.88								
		3/1 Channel System in combination per month Per each DS1 COCI combination per month		1	UNC3X UNC1X	MQ3 UC1D1	11.78	5.91	91.25 4.26								
		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCIX	OCIDI	11.70	5.91	4.20	+							
		Channel System per month			UNC1X	1L5XX	0.2652										ł '
		Each Additional DS1 Interoffice Channel Facility Termination in			0.10.17	120/01	0.2002										
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								ł '
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															ł '
		1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2													ł '
-		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	194.96	169.22	100.89								
		la		3	UNC1X	USLXX	491.94	169.22	100.89								ł '
		Nonrecurring Currently Combined Network Elements Switch -As-		3	ONOTA	OOLXX	431.34	103.22	100.03								·
		Is Charge			UNC1X	UNCCC		5.43	5.43								ł
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													i
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								i
		First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09		· · · · · · · · · · · · · · · · · · ·						L
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			LINORY	41.5304											l
	1	per month			UNCDX	1L5XX	0.013										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								ł
-		Nonrecurring Currently Combined Network Elements Switch -As-			OINODA	01100	13.01	12.00	41.75						-		
1		Is Charge			UNCDX	UNCCC	1	5.43	5.43								1
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		1	İ	20	2.10								i
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								i
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09		· · · · · · · · · · · · · · · · · · ·						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								<u> </u>
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			LINORY	41.5304											l '
	1	per month	1		UNCDX	1L5XX	0.013										 '
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								1
	1	Nonrecurring Currently Combined Network Elements Switch -As-	1		סואטטא	סווט	10.01	12.00	41./5	1		1			1		
		Is Charge			UNCDX	UNCCC		5.43	5.43								1
ADDIT	IONAL N	IETWORK ELEMENTS			-	1	İ	20	2.10								i
	When	used as a part of a currently combined facility, the non-recurr															
	When	used as ordinarily combined network elements in All States, t	he non-	recurrii	ng charges apply a	and the Switch			•								
	Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each cor	nbination)		, and the second									

UNBUNDLE	D NETWORK ELEMENTS - Louisiana									<u> </u>				ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonre	curring		ng Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As-			LINORY	1111000		5 40	5.40								ĺ
	Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		5.43	5.43			1					
	Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UNCCC		3.43	5.45		-						
	Is Charge - DS3			UNC3X	UNCCC		5.43	5.43								ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								ĺ
Option	al Features & Functions:															
				U1TD1,	I											1
	Clear Channel Capability Extended Frame Option - per DS1	l l		ULDD1,UNC1X	CCOEF		01	01	Ol	OI	ļ		ļ	ļ		
		l .		U1TD1,	0005-		l.,	l.,					1	1		İ
	Clear Channel Capability Super FrameOption - per DS1		<u> </u>	ULDD1,UNC1X	CCOSF	1	UI	UI	UI	OI	<u> </u>		 	 	-	
	Clear Channel Capability (SF/ESF) Option - Subsequent	١.,		ULDD1, U1TD1,	NRCCC		404.050	00.700	4.070	0.770						ĺ
	Activity - per DS1	<u> </u>	<u> </u>	UNC1X, USL U1TD3, ULDD3,	NRCCC		184.65S	23.79S	1.97S	0.77S		-				
	C-bit Parity Option - Subsequent Activity - per DS3	۱.		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						ĺ
MULTI	PLEXERS			OLO, ONOOX	MICOS		210.700	7.000	.72050	00						
	DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															ĺ
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															ĺ
	month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															ĺ
	in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								ĺ
	Voice Grade COCI - DS1 to DS0 Channel System - per month			ОТТОВ	OCTOA	2.90	0.39	4.30								
	used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								ĺ
	Voice Grade COCI - DS1 to DS0 Channel System - per month					0.0.0										
	used for connection to a channelized DS1 Local Channel in the															ĺ
	same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58								1
	DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	201.48	107.05	91.25					ļ	ļ		
	DS1 COCI used with Loop per month		<u> </u>	USL	UC1D1	11.78	6.39	4.58	1							<u> </u>
1 1	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58					1	1		İ
 	DS1 COCI used with Interoffice Channel per month	-		U1TD1	UC1D1	11.78	6.39	4.58		+						
 	DS3 Interface Unit (DS1 COCI) used with Local Channel per		 	0.101	ומוטט	11.70	0.39	4.30	1	+	<u> </u>	-	 	 		
1 1	month			ULDD1	UC1D1	11.78	6.39	4.58					1	1		1
UNBUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)				1-2		3.00	7.00		1						
Exchai	nge Ports														1	
	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	ne desired features	will need to b	oe ordered usi	ng retail USOC	s								
2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21					ļ	ļ		
	Endough Both OMEN Andrews British City Co.			LIEDOD	UEDE C								1	1		İ
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		-	UEPSR	UEPRC	1.52	2.31	2.21		1						⊢—
	Evolungo Porto - 2 Wiro Apolog Line Port outgoing only - De-			UEPSR	UEPRO	1.52	2.31	2.21					1	1		İ
- 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled LA extended local		-	ULFOR	UEFKU	1.52	2.31	2.21	1	+	 	-	-	-	1	
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21					1	1		i
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus			52. OK	021710	1.02	2.51	2.21								
ı l	with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21					1	1		İ
	Exchange Ports - 2-Wire VG unbundled res, low usage line port									1						
	with Caller ID (LUM)	l	1	UEPSR	UEPAP	1.52	2.31	2.21					Ì	Ì		1

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Subr E per	mitted S	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring Discon					Rates (\$)		
						1100	First	Add'l	First Add	'I SO	MEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.52	2.31	2.21								
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	TURES															
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)															<u> </u>
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.52	2.31	2.21								
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	TURES				-l											
EVO	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXC	HANGE PORT RATES (DID & PBX)			HEDGE	LIEDDD	4.50	20.27	11.10								
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	1.52 1.52	30.37 30.37	14.42 14.42								
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42								
	2-Wire VG Line Side Oriburided Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42								1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42		-						1
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42								1
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPSP	UEPXP	1.52	30.37	14.42								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity			UEPSP UEPSP	UEPXS USASC	1.52 0.00	30.37 0.00	14.42 0.00							-	
FEAT	TURES					0.00	3.30	0.50	 					1		t
· -^.	All Available Vertical Features	1	1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00			-					

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
	···-											Svc Order	Svc Order	Incremental			Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK		Electronic-	Electronic-	Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.52	2.31	2.21								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels assoc	iated with 2	wire ISDN	ports.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process	Rates for the	packet capabi	ilities will be d	etermined via	the Bona Fi	de Request/	New Busines	s Request Pro	cess.	
UNBU	NDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
		INGE PORT RATES															
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effecti	ive date of this ame	ndment shal	l be provided p	ursuant to a se	parate agreen	nent or tariff at	BellSouth's d	iscretion.					
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85	18.20								
1		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		1										_]	
	1	capability (E:4/1/2004)	<u> </u>		UEPDD	UEPDD	68.47	196.18	92.92						ļ		ļ
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46						ļ		
		All Features Offered	<u> </u>		UEPTX, UEPSX	UEPVF	0.00	0.00	0.00						ļ		
	4	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	<u> </u>	<u> </u>	<u> </u>	L	L	ļ	ļ	
	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels assoc	iated with 2	-wire ISDN	ports.	<u> </u>		ļ
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process	Rates for the	packet capab	ilities will be d	etermined via	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<u> </u>	<u> </u>	UEPDX	UEPDX	94.82	197.92	98.62								
<u> </u>	-	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per			HEDEY HEDDY	ONIOAY	4.04	04.00	45.47								
	Dataila	DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
	Detaile	d E911 with Locator Capability (required with UEPEX port)	-	-													
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,792.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLFLX	OLFIA	0.00	1,792.00				1	1				
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	174.03									
	New or	Additional PRI Telephone Numbers			OLI LX	OLI IB	0.00	174.00				1					
	11011 01	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
1		Telephone Numbers - Inward Data Only Option [New or												I		1	1
		Additional]			UEPDX	UEP1E	0.00	0.48									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]													1]]
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35								
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)	ļ		UEPEX UEPDX	LNPCN	1.75				ļ	ļ		ļ	ļ	ļ	ļ
<u> </u>	INTER	FACE (Provsioning Only)	ļ		uenev.	DD=#:	ļ			ļ		ļ			ļ		
		Voice/Data	<u> </u>	<u> </u>	UEPEX	PR71V	0.00	0.00	0.00		ļ			-	 		
		Digital Data	<u> </u>		UEPEX	PR71D	0.00	0.00	0.00		-	<u> </u>		-	_	 	
	Nover	Inward Data	 	<u> </u>	UEPDX	PR71E	0.00	0.00	0.00	1	1	ļ		!	 	 	
	new or	Additional Channel New or Additional - Voice/Data "B" Channel	 	-	UEPEX	PR7BV	0.00	14.11		1	 	 	-	 	 	 	
	+	New or Additional - Voice/Data "B" Channel	 		UEPEX	PR7BF	0.00	14.11			1	 	-	 	 	1	1
	+	New or Additional Inward Data "B" Channel	1	1	UEPDX	PR7BD	0.00	14.11		1	1	1	1	1	1		1
-	+	New or Additional Useage Sensitive Voice Data "B" Channel	1	1	UEPEX	PR7BS	0.00	14.11		1	1	1	1	1	1		1
<u> </u>	+	New or Additional Useage Sensitive Voice Data B Channel	1	 	UEPEX	PR7BU	0.00	14.11		1	 			 	 	 	
-	+	New or Additional PRI "D" Channel	 	1	UEPEX	PR7EX	0.00	14.11			1			-	1		
	CALL 1				51. LX		0.00	1-5.11			1	1		<u> </u>	1		1
	J. (LL)	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00					1	1	1	
	1	Outward	†	 	UEPEX	PR7CO	0.00	0.00	0.00		1			1	1	1	i
	1	Two-way		†	UEPEX	PR7CC	0.00	0.00	0.00	Ì	1			t	1	1	i

LIMBUND	LED	NETWORK ELEMENTS Lawisians															-:4. A
ONBOND	LED	NETWORK ELEMENTS - Louisiana				1	ı					Cup Onder	Cup Cade		ment: 2	Exhil	
	- 1											Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
0475000		DATE EL EMENTO	Interi	-	D00				DATEO (6)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UN		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	l	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
Nor		curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)		<u> </u>	UEPVR	USACC	<u> </u>	0.10	0.10	<u></u>	<u></u>						
UN	BUNI	DLED REMOTE CALL FORWARDING - Bus															
	lu	Unbundled Remote Call Forwarding Service, Area Calling - Bus	<u></u>		UEPVB	UERAC	1.52	2.31	2.21	<u> </u>	<u></u>	<u></u>	<u></u>		<u> </u>		
	一																
	Į	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21	1							
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
Nor		curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLE		OCAL SWITCHING, PORT USAGE															
		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.001868										
-		End Office Trunk Port - Shared, Per MOU					0.00018					1					
Tan		Switching (Port Usage) (Local or Access Tandem)					0.00010					1					
1.4.		Tandem Switching Function Per MOU					0.0001067					1					
		Tandem Trunk Port - Shared, Per MOU					0.000222										
		Tandem Switching Function Per MOU (Melded)					0.000035296										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000073438										
 		Melded Factor: 33.08% of the Tandem Rate		1		 	0.000013430			 					 		
Car		n Transport		1		 				 					 		
COI		Common Transport - Per Mile, Per MOU				1	0.0000032				-	-	-		-		
		Common Transport - Fer Mile, Fer MOO Common Transport - Facilities Termination Per MOU				1	0.0003748			 	1	 	-		 		
LINBUNDU		ORT/LOOP COMBINATIONS - COST BASED RATES				1	0.0003740			 	1	 	-		 		
		sed Rates are applied where BellSouth is required by FCC ar	ad/or St	ate Cc.	nmission rulo to are	ovide Habira	dled Local Suri	tching or Swit	ch Porte	 	1	 	-		 		
		sed Rates are applied where BellSouth is required by FCC are s shall apply to the Unbundled Port/Loop Combination - Cos								ad Port coction	of this Date 5	vhihit			1		
		s snall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us											n Port/I oor	Combination	l		
		t and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	-111011116	a combos. For cur	lenny Combi	neu Combos ti	ie nomecurin	y charges sna	56 (1026 106)	i i i i i i i i i i i i i i i i i i i	omecuning	i - Gurrendy	Combined S	Lections.		
		rt/Loop Combination Rates				1					-	-	-		-		
UNI		2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13			 	1	+	1		 		
\vdash		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2		1	23.75			-		-	-		-		
 		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62			 					 		
				3		 	49.62			 		1	 		1		
UNI		op Rates		4	LIEDDV	LIEDLY	44 77			 					 		
 		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77			 					 		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39			1		1			1		
H		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26			.	ļ				-		
2-W		/oice Grade Line Port Rates (Res)			LIEBBY	LIEDDI	4.00	00.00	40.00	1		1			1		
\vdash		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08	.	ļ				-		
\vdash		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08	.	ļ				-		
\vdash		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08	ļ							
		2-Wire voice Grade unbundled Louisiana extended local dialing								I		1	1				
	- [parity port with Caller ID - res	l		UEPRX	UEPAS	1.36	38.85	19.08	I	l	1	<u> </u>		I .		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
		Intori									Svc Order Submitted Elec	Submitted	Incremental		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Б	Nonrec	urring	Nonrecurring Di	isconnect		l I	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Area Plus Port without Caller			UEPRA	UEPWG	1.36	38.85	19.08								
	ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.36	38.85	19.08								
FEA	TURES															
<u> </u>	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
Loc	AL NUMBER PORTABILITY	<u> </u>	 	UEPRX	LNPCX	0.05										
NON	Local Number Portability (1 per port)	-		UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.10	0.10								
ADD	ITIONAL NRCs			OLFKA	USACC		0.10	0.10								
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPRX UEPRX	UEAED UEAED	14.93 25.35	102.10 102.10	65.72 65.72								
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72								
INTE	ROFFICE TRANSPORT		3	OLITIX	OLALD	30.40	102.10	05.72								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
ļ	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
LINE	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates		3		-	49.62										
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPBX	UEPLX	11.77			 					1		
 	2-Wire Voice Grade Loop (SL1) - Zone 1	 		UEPBX	UEPLX	22.39			 							
	2-Wire Voice Grade Loop (SL1) - Zone 3	1		UEPBX	UEPLX	48.26			 					1		
2-Wi	re Voice Grade Line Port (Bus)		Ŭ		32.21	.5.20										
	2-Wire voice unbundled port without Caller ID - bus	l		UEPBX	UEPBL	1.36	38.85	19.08								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08								
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08								
	2-Wire voice Grade unbundled Louisiana extended local dialing			HEDDY	LIEDAY	4.00	00.0=	10.00								
\vdash	parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	 		UEPBX UEPBX	UEPAX UEPB1	1.36 1.36	38.85 38.85	19.08 19.08	 							
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with	 	 	ULFDA	UEFBI	1.36	38.85	19.08	 					1		
	Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability			UEPBX	UEPBA	1.36	38.85	19.08								
	умитоці Сапет ід Саравініцу	<u> </u>	1	ULFDA	UEFBA	1.36	38.85	19.08	<u> </u>					l		

UNRUNE) Fr	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fvhi	bit: A
3.1D011L	- <u></u> L	THE THORN ELLINER TO LOUISIANA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	₹Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.36	38.85	19.08								
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE	ATU																
		All Features Offered		<u> </u>	UEPBX	UEPVF	0.00	0.00	0.00								
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>		_											
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		0.40	0.40								
		Switch-as-is	-	-	UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	UEPBX	USACC		0.10	0.10	I	I				I	Ì	1
AD	יידוחר	Switch with change DNAL NRCs	-	-	ULPDA	USACC	-	0.10	0.10			-		-		 	
AL		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	├	 		+				-	-	 			 	-	
		2-wire voice Grade Loop/Line Port Combination - Subsequent Activity	1		UEPBX	USAS2		0.00	0.00	I	I				I	1	1
 		Unbundled Miscellaneous Rate Element, Tag Loop at End User	 		OLFDA	JUNUZ		0.00	0.00	+	+	}		1	+	1	
		Premise			UEPBX	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS	 	 	OLI DA	JILIL		0.33	0.03	 	t	1			 	 	
	١,٥١٠	2 Wire Analog Voice Grade Extension Loop – Non-Design	 	1	UEPBX	UEAEN	12.90	36.54	16.87	 	 	1		1	t	1	
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	23.33	36.54	16.87	1	1	1					
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
IN		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
2-V	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UN		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										├
<u> </u>		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-V		/oice Grade Line Port Rates (RES - PBX)	<u> </u>	<u> </u>		+				-	-				-		├
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res	1		LIEDDC	LIEDDO	4.00	00.04	24.00	I	I				I	1	1
H-1-				-	UEPRG	UEPRD	1.36	66.91	31.29	 	 				 		
LU		NUMBER PORTABILITY Local Number Portability (1 per port)	 	-	UEPRG	LNPCP	3.15	0.00	0.00	-	-			-	-	-	
l ce	ATU	Local Number Portability (1 per port)	 	-	ULFRU	LINFOR	3.15	0.00	0.00	-	-			-	-	-	
FE		All Features Offered	1	1	UEPRG	UEPVF	0.00	0.00	0.00	1	1	1	1		1		
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	OLI INO	OLI VI	0.00	0.00	0.00	 	 				 	 	
INC		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	l						-	-				-		
		Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85	1	1				1		1
	-	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	- ** ***				50	t	t	1		1	†	1	t
		Conversion - Switch with Change	1	1	UEPRG	USACC		7.68	1.85	I	I				I	Ì	1 '
AD		DNAL NRCs			-					İ	İ				İ	İ	
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													
		Subsequent Activity	1	1	UEPRG	USAS2	0.00	0.00	0.00	I	I				I	Ì	1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1									İ					
		Group	<u> </u>	<u>L</u>		<u> </u>	<u> </u>	7.11	7.11	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u></u>	<u></u>	UEPRG	URETL		8.33	0.83		<u> </u>						<u> </u>
OF		PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.93	102.10	65.72								
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.35	102.10	65.72								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Subm Ele per	order Svc Orderitted Submitted Manually	r Incremental d Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Discon				Rates (\$)		
	Level Observative's and to analyze 's al'		_	LIEBBO	DO ILIV		First	Add'I	First Add	l'I SON	EC SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	50.46	102.10	65.72				-			
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility											-			
	Termination			UEPRG	U1TV2	22.60	39.36	26.62							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.013	0.00	0.00							
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
UNE P	Port/Loop Combination Rates					40.40									
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13									
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75 49.62									
IINE I	2-Wire VG Loop/Port Combo - Zone 3	1	3		+	49.62			 			+	1		
UNEL	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	11.77			 			+	1		
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEPPX	UEPLX	22.39			1		-	1	1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	48.26			 			+			
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		3	OLITA	OLILX	40.20				_					
2	1000 0000 000 000 000 000	1			1							1			
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX UEPPX	UEPPC UEPPO	1.36 1.36	66.91 66.91	31.29 31.29							
<u> </u>	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			OLITA	OLITI	1.50	00.31	31.23							
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29							
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29		_					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29	1						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port			UEPPX	UEPXK	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
-	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	1.36	66.91	31.29							
	Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			UEPPX	UEPXO	1.36	66.91	31.29							
	Discount Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXP UEPXS	1.36 1.36	66.91 66.91	31.29 31.29							<u> </u>
LOCA	L NUMBER PORTABILITY			OLITA	OLI AO	1.00	00.01	01.20		-					
2007	Local Number Portability (1 per port)	1		UEPPX	LNPCP	3.15	0.00	0.00				1			
FEATU						51.10	2.20	2.30	†			1			
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00							
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.68	1.85							
ADDIT	TONAL NRCs			OLFFA	USAUC		7.08	1.65		-	-	+			
7.5511	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFFA	UUNUZ	0.00									
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User				1		7.11	7.11							
OFF/C	Premise ON PREMISES EXTENSION CHANNELS			UEPPX	URETL		8.33	0.83							
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.93	102.10	65.72							
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72							

UNRII	NDI F	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
CIADO	ITDEL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates (\$)	ı	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT		02.17	0	0.010	0.00	0.00								
		ort/Loop Combination Rates	Ì			+											
	0.1.	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	13.13										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	23.75										
		2-Wire VG Coin Port/Loop Combo – Zone 2	1	3		1	49.62			†	1	1	 	†	†		
	UNF I	pop Rates	1			1	70.02			t		1		1	t	1	
	J	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPCO	UEPLX	11.77			 	<u> </u>	1			 		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1	†	2	UEPCO	UEPLX	22.39			 		 	 		 		
		2-Wire Voice Grade Loop (SL1) - Zone 2	†	3	UEPCO	UEPLX	48.26			 		 	 		 		
\vdash	2-Wire	Voice Grade Line Ports (COIN)	†		02.1 00	OLI LX	70.20			 		 	 		 		
	2-11116	2-Wire Coin 2-Way without Operator Screening and without				+											
		Blocking (AL, KY, LA, MS)	1	1	UEPCO	UEPRF	1.36	38.85	19.08	I				Ì	I		I
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	OLI IXI	1.50	30.03	13.00								
		900/976. 1+DDD (AL. KY. LA. MS)			UEPCO	UEPRA	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCU	UEPKA	1.30	30.03	19.00	-					-		
		(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening & Blocking:		-	UEPCU	UEPRB	1.30	30.03	19.00								
					UEPCO	UEPCD	1.36	38.85	19.08								
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		-	UEPCU	UEPCD	1.30	30.03	19.00								
		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	4.00	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and 011 Blocking		-	UEPCU	UEPRIN	1.36	38.85	19.08								
		(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
		(= 4			UEPCU	UEPLA	1.30	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII	4.00	00.05	40.00								
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO	UEPCN	4.00	00.05	40.00								
		1+DDD, 011+, and Local (AL, KY, LA, MS)					1.36	38.85	19.08								
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08								
		2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08								
	ADDIII	IONAL UNE COIN PORT/LOOP (RC)															
 	1.004	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	-	UEPCO	URECU	1.81	0.00	0.00	0.00	0.00	1		1	 	-	
	LOCAL	NUMBER PORTABILITY	<u> </u>		LIEDOO	LNDOV	0.05				ļ	ļ					
	NONE	Local Number Portability (1 per port)	!	<u> </u>	UEPCO	LNPCX	0.35			.					-	1	├
	NUNRE	ECURRING CHARGES - CURRENTLY COMBINED	!	<u> </u>		+				.					-	1	├
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEBOO	110465				I				Ì	I		I
		Switch-as-is	<u> </u>		UEPCO	USAC2		0.10	0.10		ļ	1	ļ				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEBOO	110466				I				Ì	I		I
 	4 D D : -	Switch with change	<u> </u>		UEPCO	USACC		0.10	0.10		ļ	ļ					
igwdot	ADDIT	IONAL NRCs	!								ļ	1					├
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1							1			1		1		1
		Activity	<u> </u>		UEPCO	USAS2		0.00	0.00		ļ	1	ļ				├
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	LIEBOO	LIDET:				I				Ì	I		I
	0 14/15	Premise	<u> </u>	L COT "	UEPCO	URETL		8.33	0.83		ļ	ļ					
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKT (KES)						ļ	1					├
	UNE P	ort/Loop Combination Rates	<u> </u>	.		-	10 :-				ļ	ļ					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	!	1		+	16.45			.					-	1	⊢
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			51.98			.				ļ	.		1
	UNE L	oop Rates	ļ	L.,		1				.				ļ	.		1
		2-Wire Voice Grade Loop (SL2) - Zone 1	ļ		UEPFR	UECF2	14.93			.				ļ	.		1
		2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFR	UECF2	25.35										
		2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFR	UECF2	50.46			.				ļ	.		1
	2-Wire	Voice Grade Line Port Rates (Res)	ļ			Luene:				.				ļ	.		
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93	l]	l]]	

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
020												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								
		2-Wire voice Grade unbundled Louisiana extended local dialing															í
		parity port with Caller ID - res		<u> </u>	UEPFR	UEPAS	1.52	104.41	67.93								
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res			UEDED	LIEDAG	4.50	404.44	07.00								í
-		(1102)		-	UEPFR	UEPAG	1.52	104.41	67.93								
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93								ł
					UEPFR	UEPAP	1.52	104.41	67.93								
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan without Caller ID	l	1	UEPFR	UEPWG	1.52	104.41	67.93						Ì		1
	INITED	OFFICE TRANSPORT			UEPFK	UEPWG	1.52	104.41	07.93								
\vdash	41 EK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 		+				 					 		
		Termination	l		UEPFR	U1TV2	22.60	39.36	26.62						1		i
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	 	021111	01172	22.00	55.50	20.02	 					 		
		or Fraction Mile	l		UEPFR	1L5XX	0.013										i
	FEATU				OLITIK	120701	0.010										
	· LAIO	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY			02	02. 1.	0.00	0.00	0.00								
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															i
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															i
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								í
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															í
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								í
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															í T
		End User Premise			UEPFR	URETN		11.20	1.10								l
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												<u> </u>
	UNE P	ort/Loop Combination Rates															<u> </u>
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
		pop Rates		L .		115050	1100										
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	0 M:	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
-	z-wire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	-	-	UEPFB	UEPBL	1.52	104.41	67.93	 					-		
<u> </u>		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	!	 	UEPFB UEPFB	UEPBC	1.52	104.41	67.93	 					-		
-		2-Wire voice unbundled port outgoing only - bus	1	1	UEPFB	UEPBO	1.52	104.41	67.93			1	1				
		2-Wire voice Grade unbundled Alabama extended local dialing			22112	02.00	1.02	104.41	01.33	 					 		
		parity port with Caller ID - bus	l		UEPFB	UEPAW											i
		2-Wire voice Grade unbundled Louisiana extended local dialing	1			02.700									1		í
		parity port with Caller ID - bus	l	1	UEPFB	UEPAX	1.52	104.41	67.93						Ì		1
		2-Wire voice unbundled incoming only port with Caller ID - Bus	l	†	UEPFB	UEPB1	1.52	104.41	67.93						1		í
		2-Wire voice unbundled Louisiana Bus Area Calling Port with		1		1				1					İ		i Total
		Caller ID (BUC)	l		UEPFB	UEPAA	1.52	104.41	67.93						1		i
		2-Wire Voice Unbundled Louisiana Business Dialing Plan															1
		without Caller ID	<u> </u>	Ш.	UEPFB	UEPWH	1.52	104.41	67.93	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>
	LOCAL	NUMBER PORTABILITY															<u> </u>
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
	INTER	OFFICE TRANSPORT		<u> </u>													i
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l														i
		Termination			UEPFB	U1TV2	22.60	39.36	26.62								1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	l														i
		or Fraction Mile			UEPFB	1L5XX	0.013										
<u> </u>	FEATU		<u> </u>		LIEDED	LUEDI (E									 		
\vdash		All Features Offered	 	<u> </u>	UEPFB	UEPVF	0.00	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	l	<u> </u>											l		L

CATEGORY RATE ELEMENTS RATE ELEMENT	UNRUN	DI FI	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Exhi	hit: A
CATEGORY PARTE ELEMENTS Decoration D	5.45514	J	THE THORK ELLINEITIO LOGISIANA										Svc Order	Svc Order				Incremental
APPLICATION RATE FLEMENTS Rate Rose Rose RATE (S) Prof. RATE (S) Prof. Rate Rose Ro							1 1											Charge -
CATEGORY RAYE ELEMENTS Max Zone BCG USC RAYES (1) part 15R part 15R Content vs. Co				Inter'														Manual Svc
Description Description	CATEGO	RY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
14 April Discrete Discret				m						.,,			per Loix	per Lor				Electronic-
Nonexemble Non																		
SWILLOW TOTALIST TRUSTED TO STATE THE PAIN SOME																	DISC 1St	DISC Add I
Description Description								Pec										
Combination - Committed - State State								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wite Loop Deficienced ST Transport 2 Way Line Pert USPFR																		
Combestation - Convenience - Seattle with the harge MEPFB USACC B 2.2 1.81						UEPFB	USAC2		8.24	1.81								
Unbloaded Microalisance Rate Element, Top Designed Layer at 1,20 1,10 1																		
First later Persons	-					UEPFB	USACC		8.24	1.81								
2 WINE VOICE LOOP VAINE VOICE GNAME OF TRANSPORT / 2 WINE VOICE (STATE OF THE LINE OF TH						LIEDED	LIDETNI		11 20	1 10								
Description of Combination Relates	2	-WIRE		FINE	OPT (UKLIN	-	11.20	1.10	†							
2-Wine V6 Location Transport Part Centres - Zener 1 1 16.86				LINE	1710	DA)	+	-			†							
2-Wine Vot Control TransportPet Comino - Zone 2 2 2 5.5 5.168					1			16.45										
Declaration Declaration					2						İ							
2-Wine Voca Grade Long (SL2) - Zone 1 1 UEPPP UECP2 14-93																		
2-Wire Vose Grade Lords (SL2) - Zone 3 3_UEPPP UEPS 25.58	U	NE Lo																
2-Wire Voice Grade Land Part Rate (BUS - PRX)					1													
2									_	•								
Line Side Unbumilled Curbination 2-Way PRX Trunk Port - Bus	\coprod				3	UEPFP	UECF2	50.46										
Line Side Unbunded Outward PSX Turk Port - Bus UEPPP UEPPP UEPPP 1.52 132.47 82.14	2.	-Wire	Voice Grade Line Port Rates (BUS - PBX)	ļ							ļ				ļ	ļ		
Line Side Unbundled Outward PRX Turk Port - Bus			December 10 and			LIEDED	LIEDES											
Line Side Unbunded Horoming PRX Trank Port - Biss																		
2-Wire Voice Unbundled 2-Way PEX (Justiens and Calling Port UEPFP UEPL2 1.52 132.47 82.14											1							
Calling Port					<u> </u>	UEPFP	UEPP1	1.52	132.47	82.14			-					
2.Wire Vices Unburdied 2 Way Combination PBX Usage Port UEPFP UEPXA 1.52 132.47 82.14						LIEDED	HEDL 2	1.52	122 47	92.14								
2.Wire Visce Unbunded PXX Tol Terminal Hotel Ports UEPFP UEPXA 1.52 132.47 82.14													1					
2-Wire Voice Unburided PEX LD DOT Emmals Port UEPPP UEPX 1.52 132.47 82.14																		
2-Wire Voice Unbundled PBX LD DDD Terminal Switchboard Port UEPFP UEPXC 1.52 132.47 82.14																		
2-Wire Voice Unbundled PSK LD Terminal Switchboard IDD UEPFP UEPKD 1.52 132.47 82.14																		
Capable Port						UEPFP												
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port UEPX 1.52 132.47 82.14			2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Calling Port						UEPFP	UEPXE	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXL 1.52 132.47 82.14																		
Administrative Calling Port						UEPFP	UEPXK	1.52	132.47	82.14								
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Louisiana Local UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 1.52 132.47 82.14 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPVF 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPVF 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPVF 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 0.00 Recommediated 1-Way Outgoing PBX Measured Port UEPFP UEPXM 0.00 0.00 0.00 0.00																		
Room Calling Port						UEPFP	UEPXL	1.52	132.47	82.14								
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXO 1.52 132.47 82.14						LIEDED	LIEDVA	4.50	100.47	00.44								
Discount Room Calling Port						UEPFP	UEPXM	1.52	132.47	82.14	-							
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port UEPFP UEPXP 1.52 132.47 82.14						LIEDED	LIEDYO	1.52	132 47	82 14	I				1	1		
Discount Calling Port	+			 		OLFIF	ULFAU	1.52	132.47	02.14	 		-		1	1		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPFP UEPXS 1.52 132.47 82.14						UEPFP	UEPXP	1 52	132 47	82 14								
LOCAL NUMBER PORTABILITY											t				1	1		
Local Number Portability (1 per port)	L	OCAL					1											
INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFP U1TV2 22.60 39.36 26.62 Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile FEATURES IAI Features Offered NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81 UEPFP USACC 8.24 1.81				l		UEPFP	LNPCP	3.15	0.00	0.00					1	1		
Termination	II.		OFFICE TRANSPORT															
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFP 1L5XX 0.013																		
Or Fraction Mile UEPFP 1L5XX 0.013						UEPFP	U1TV2	22.60	39.36	26.62								
FEATURES UEPFP UEPVF 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00 0.00 UEPFP UEPVF 0.00 0.00 0.00	1 [1		l	1 7	Ι Τ			_				1	1		
All Features Offered	$\vdash \vdash$			ļ		UEPFP	1L5XX	0.013			ļ				ļ	ļ		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	<u> </u>			 	<u> </u>	LIEDED	LIED) /C	0.00	0.00	0.00	.	-			 	 		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.24 1.81 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT				 	-	UEPFP	UEPVF	0.00	0.00	0.00	 	-	-		 	 		
Combination - Conversion - Switch-as-is	⊢ N	UNKE		 	1		+ -	+			+							
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT						LIEPEP	USAC2		8 24	1 21	1				1	1		
Combination - Conversion - Switch with change UEPFP USACC 8.24 1.81 Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.20 1.10 UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT	+			 		0=111	00,102	+	0.24	1.01	t				 	 		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.10						UEPFP	USACC		8.24	1.81	I				1	1		
End User Premise				1			1				1				İ	Ì		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT			End User Premise			UEPFP	URETN		11.20	1.10	I				1	1		
			PORT/LOOP COMBINATIONS - COST BASED RATES															
UNE Port/Loop Combination Rates				PORT														
	U	NE Po	ort/Loop Combination Rates															

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc			Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	R	cs	USOC			RATES (\$)								
CAIL	JOINT	KATE EEEMENTO	m	20116		-00	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
	1		1				ļ		Nonrec		Managarinia	- Di	ļ		000	Rates (\$)		<u> </u>
								Rec				g Disconnect						
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				33.62										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										
	UNE Lo	pop Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35				Î						
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										
	UNE Po	ort Rate										1						
		Exchange Ports - 2-Wire DID Port	1		UEPPX		UEPD1	8.27	217.95	83.92								
	NONDE	ECURRING CHARGES - CURRENTLY COMBINED	 		OLITA		OLIDI	0.21	217.00	00.02		+	<u> </u>					
	HONKE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	 	1			1				1	1	1	1	1	t	1	
	1		1	1	UEPPX		USAC1		7.10	1.81	Ì		I	l		I	Ì	1
	1	Switch-as-is	 	-	UEFFX		USACT	 	7.10	1.81	 	 	 	 		 	 	1
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDEN		110446	1					1					
	1	with BellSouth Allowable Changes	ļ		UEPPX		USA1C	├	7.10	1.81			ļ	ļ				
	ADDITI	ONAL NRCs										1						
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPX		URETN		11.20	1.10								
	Teleph	one Number/Trunk Group Establisment Charges										Î						
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	+	Reserve Non-Consecutive DID numbers	 		UEPPX		ND6	0.00	0.00	0.00		+	<u> </u>					
	1	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00			1					
	LOCAL	. NUMBER PORTABILITY			OLFFX		NDV	0.00	0.00	0.00		+				-		
			<u> </u>		UEPPX		LNPCP	2.45	0.00	0.00								
		Local Number Portability (1 per port)	NE OID	DODT	UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORI														
	UNE Po	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		27.48										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		40.34										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		70.99										
	UNE Lo	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USI 2X	19.09				1						
	1			<u> </u>		32		.5.05			1	1	1	1		1	1	
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95					1					
	+	2-Wire ISDN Digital Grade Loop - UNE Zone 3	 	3	UEPPB	UEPPR	USL2X	62.60			1	1	1	1	1	t	1	
	LINE D	ort Rate	 		J D	OLITIN	JULEA	02.00			1	1	1	1	1	t	1	
		Exchange Port - 2-Wire ISDN Line Side Port	 	-	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42	 	+	1	 	1	 	 	
			 	 	UEFFB	UEPPR	UEFFB	8.39	184.10	128.42		_	1	-		 		
	NONKE	ECURRING CHARGES - CURRENTLY COMBINED	-				1				1	1	1	1	1	1		+
	1	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1							Ì		I	l		I	Ì	1
	<u> </u>	Combination - Conversion	<u> </u>		UEPPB	UEPPR	USACB	0.00	37.40	26.23		1	ļ			ļ		
	ADDITI	ONAL NRCs										1	Į	ļ				
	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1											<u> </u>			<u> </u>	I
	<u> </u>	End User Premise	<u>L_</u>	<u></u>	UEPPB	UEPPR	URETN	<u> </u>	11.20	1.10	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	1	Premise	1	1	UEPPB	UEPPR	URETL		8.33	0.83	Ì		I	l		I	Ì	1
	LOCAL	NUMBER PORTABILITY											İ					
	1	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			İ					
	B-CHA	NNEL USER PROFILE ACCESS:				32		3.00	3.00	0.00	1	1	1	1		1	1	t
	2 0.17	CVS/CSD (DMS/5ESS)	 	 	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	 	†	 			1	 	
	+	CVS (EWSD)	 	-	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1	1	1	 	1	1	1	
	+		-	-	UEPPB						-	 	1	-	-	-	-	
	D CITE	CSD		TAP	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 	 	 	 		 	 	+
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,IVIS, 8	IN)	LIEDEE	LIEDDD	LIALIOD	2.00	2.22	0.00	 	 	 	 	-	 	 	-
	1	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	<u> </u>	CVS (EWSD)	<u> </u>		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00		1	ļ			ļ		
	1	CSD	1	l	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			1	1	l		1	

VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir. UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2	al Profile (EWSD only) IES reatures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply s DS1 Digital Loop with 4-Wire ISDN DS1 DS1 DIgital T	y to the	embed	UEPPB UEPPB UEPPB UEPPB		USOC U1UMA UEPVF	. Rec 0.00	Nonrec First 0.00	RATES (\$) curring Add'I	Nonrecurring First	g Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$) SOMAN	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'I
USER TERMINAL F USER TERMINAL F USER TERMINAL F USER TERMINAL F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wiri UNE POrt/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	PROFILE al Profile (EWSD only) RES reatures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply b DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	m C PORT	embec	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UMA UEPVF	0.00	0.00	curring Add'I			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add'
USER TERMINAL F USER TERMINAL F USER TERMINAL F VERTICAL FEATUF All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	PROFILE al Profile (EWSD only) RES reatures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply b DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	m C PORT	embec	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UMA UEPVF	0.00	0.00	curring Add'I			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
USER TERMINAL F USER TERMINAL F USER TERMINAL F USER TERMINAL F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir UNE POrt/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	PROFILE al Profile (EWSD only) RES reatures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply b DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	m C PORT	embec	UEPPB UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UMA UEPVF	0.00	0.00	curring Add'I					Electronic- 1st	Electronic- Add'I Rates (\$)	Electronic- Disc 1st	Electronic Disc Add
User Termin VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir. UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	al Profile (EWSD only) IES iestures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	C PORT	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF	0.00	0.00	Add'l			SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add'
User Termin VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir. UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	al Profile (EWSD only) IES iestures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF	0.00	0.00	Add'l			SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add
User Termin VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir. UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	al Profile (EWSD only) IES iestures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF	0.00	0.00	Add'l			SOMEC	SOMAN	oss	Rates (\$)		
User Termin VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	al Profile (EWSD only) IES iestures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF	0.00	0.00	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
User Termin VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	al Profile (EWSD only) IES iestures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF	0.00	0.00		First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
User Termin VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	al Profile (EWSD only) IES iestures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF			0.00								
VERTICAL FEATUR All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wir UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	RES reatures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply be DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB UEPPB	UEPPR UEPPR	UEPVF			0.00								
All Vertical F INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 col Requests for 4-Wir UNE POrt/Loop Col 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	eatures - One per Channel B User Profile NNEL MILEAGE hannel mileage each, including first mile and hination hannel mileage each, additional mile kL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB	UEPPR		0.00										
INTEROFFICE CHA Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 col Requests for 4-Wir UNE Port/Loop Col 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	NNEL MILEAGE hannel mileage each, including first mile and inination hannel mileage each, additional mile NL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB UEPPB	UEPPR		0.00										
Interoffice C facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 cor Requests for 4-Wiri UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	hannel mileage each, including first mile and inination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital Thibination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB		MONO		0.00	0.00								
facilities terr Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 coi Requests for 4-Wir UNE Port/Loop Coi 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	nination hannel mileage each, additional mile AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK hbination rates below for in this rate exhibit apply b DS1 Digital Loop with 4-Wire ISDN DS1 Digital T hbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB													
Interoffice C 4-WIRE DS1 DIGIT/ The UNE-P DS1 coi Requests for 4-Wir UNE Port/Loop Coi 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	hannel mileage each, additional mile IL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply BD31 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	UEPPB		1440110											
4-WIRE DS1 DIGIT/ The UNE-P DS1 col Requests for 4-Wir UNE Port/Loop Col 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	AL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK mbination rates below for in this rate exhibit apply e DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed	ded base	UEPPR	M1GNC	22.613	39.36	26.62								
The UNE-P DS1 cor Requests for 4-Wir UNE Port/Loop Cor 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	mbination rates below for in this rate exhibit apply a DS1 Digital Loop with 4-Wire ISDN DS1 Digital T mbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	y to the	embed			M1GNM	0.013	0.00	0.00								
Requests for 4-Wir UNE Port/Loop Coi 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	e DS1 Digital Loop with 4-Wire ISDN DS1 Digital T nbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
UNÉ Port/Loop Con 4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	nbination Rates ital Loop/4W ISDN DS1 Digital Trunk Port - UNE	runk Po	ort afte											nt.			
4W DS1 Dig Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig	ital Loop/4W ISDN DS1 Digital Trunk Port - UNE			r the effec	tive date o	of this amend	ment shall be p	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's dis	scretion.				
Zone 1 4W DS1 Dig Zone 2 4W DS1 Dig			<u></u>														
4W DS1 Dig Zone 2 4W DS1 Dig	ital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
Zone 2 4W DS1 Dig	ital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP		<u> </u>	180.52									<u> </u>	<u> </u>
4W DS1 Dig																	
			2	UEPPP		<u> </u>	289.78									<u> </u>	<u> </u>
Zone 3	ital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
			3	UEPPP			586.76										
UNE Loop Rates																	
4-Wire DS1	Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70										
	Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96										
4-Wire DS1	Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94										
UNE Port Rate	0 .																
Exchange F	orts - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	94.82	443.08	251.60								
NONRECURRING (HARGES - CURRENTLY COMBINED																
4-Wire DS1	Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	- Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	115.63	76.29								
ADDITIONAL NRCs	,																
4-Wire DS1	Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
Inward/two	vay Tel Nos. (except NC)			UEPPP		PR7TF		0.48									
	Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18								
4-Wire DS1	Loop / 4-Wire ISDN DS1 Digital Trk Port -																
Subsequen ⁴	Inward Tel Numbers			UEPPP		PR7ZT		22.35	22.35								
LOCAL NUMBER P	ORTABILITY																
Local Numb	er Portability (1 per port)			UEPPP		LNPCN	1.75										
INTERFACE (Provs	ioning Only)																
Voice/Data	-			UEPPP		PR71V	0.00	0.00	0.00								
Digital Data				UEPPP		PR71D	0.00	0.00	0.00								
Inward Data				UEPPP		PR71E	0.00	0.00	0.00								
New or Additional	'B" Channel					1											
	tional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.11									
	tional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.11									
	tional Inward Data B Channel			UEPPP		PR7BD	0.00	14.11									
CALL TYPES						1											
Inward				UEPPP		PR7C1	0.00	0.00	0.00								
Outward				UEPPP		PR7CO	0.00	0.00	0.00								
Two-way				UEPPP		PR7CC	0.00	0.00	0.00								
Interoffice Channel	Mileage					1											
	Including First Mile			UEPPP		1LN1A	70.7352	86.69	79.44								
	-Fractional Additional Mile			UEPPP		1LN1B	0.2652										
4-WIRE DS1 DIGITA	AL LOOP WITH 4-WIRE DDITS TRUNK PORT					1											
	mbination rates below for in this rate exhibit apply	y to the	embed	ded base	in place a	s of 10/2/03 u	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	ert to tariff rat	es or a separa	te commerci	al agreeme	nt.	İ	İ	
Requests for 4-Wir	e DS1 Digital Loop with 4-Wire DDITS after the effe	ective d	late of	this amen	dment sha	II be provide	d pursuant to a	separate agre	ement or tarif	at BellSouth's	discretion.				İ	İ	
UNE Port/Loop Cor						1											
	ital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		İ	154.17							İ	İ	İ	
	ital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		İ	263.43							İ	İ	İ	
	ital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1	560.41									<u> </u>	
UNE Loop Rates			T -			1											1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana				1							1 -	Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70										+
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		2	UEPDC UEPDC	USLDC	194.96 491.94										
UNF P	ort Rate		3	OLFDC	USLDC	431.34										
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90								
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															ĺ
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								L
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															ĺ
ADDIT	- Conversion with Change - Trunk (E:4/1/2004) ONAL NRCs			UEPDC	USAWB		125.75	65.08			<u> </u>					
ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+						 					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06								ĺ
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 00	02		1 1.00	11.00								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								ĺ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								L
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTE		44.00	44.00								ĺ
PIPOL	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		14.06	14.06								
BIFOL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF			605.00s								
Alterna	ite Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								L
Teleph	one Number/Trunk Group Establisment Charges			LIEDDO	LIDTOY	0.00										
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								L
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	with 4-Wire DDITS	Frunk Port											
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44								ĺ
	Termination)			OLFDC	ILINOT	70.47	80.09	73.44								H
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.2652	0.00	0.00								i
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	,								0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated			UEPDC UEPDC	1LNOC LNPCP	0.2652	0.00	0.00	0.00		1				-	
-	Central Office Termininating Point			UEPDC UEPDC	CTG	3.15 0.00	0.00	0.00	0.00		 					
4-WIRE	EDS1 LOOP WITH CHANNELIZATION WITH PORT			021 00	510	0.00					 					—
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			1											
Each S	ystem can have up to 24 combinations of rates depending on	type ar	nd num													
	IE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	sts for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ive date	of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discreti	on.					
UNE D	S1 Loop 4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00			 					 '
	H-MILE DO LEOOD - OINE ZOILE I		<u> </u>	ULFIVIG	USLDC	გე.70	0.00	0.00	I		L	i			1	

UNBL	JNDLEI	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
0.150	, ND ELL	THE INDICATE LEGISLATION										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Name	curring	. Names according	g Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00	11130	Auu	OOMILO	JOHAN	JONAN	JONIAN	JOHAN	JOHAN
		4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00								
	UNE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM38 VUM4O	1,557.60	0.00	0.00	-							
		480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,947.00 2.336.40	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								-
	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	eliztio					0.00								-
		num System configuration is One (1) DS1, One (1) D4 Channe						otom									
		es of this configuration functioning as one are considered Ac															
		NRC - Conversion (Currently Combined) with or without			,	1											
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
	System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and	i									
	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00005	0.00	0.00:	005.00								
		Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.001	605.00s								
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
	Alterna	te Mark Inversion (AMI)			OLFIVIG	CCOLI	0.00	0.001	003.005								
	Antoma	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00	1							
	Exchan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
	Exchan	ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
1		Line Side Inward Only Channelized PBX Trunk Port without DID	1		LIEDDY	LIEDAY	4.50	0.00	2.55		0.00		1		1		1
-	-	(E:4/1/2004) 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-		UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00				ļ		
1		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	1		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		1		1		1
-	 	(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	 		OLFFA	OLF DIVI	0.29	0.00	0.00	0.00	0.00				1	1	
1		(AL, KY, LA, MS, & TN)(Conversion from Network Access	1			1				I			1		1		1
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						1
		Unbundled Exchange Ports, 2-Wire Channelized – Combination				1		2.30	2.30	1.50	2.30				1		
		(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1				I			1		1		1
L		Service) (E:4/1/2004)	<u> </u>		UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>		<u> </u>	<u> </u>	1
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –						_						_			
		Louisiana Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00						
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	1										1		1		1
<u> </u>	 	Louisiana Only – Calling Plan (E:4/1/2004)	<u> </u>		UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00				 	ļ	├
<u> </u>	reature	Activations - Unbundled Loop Concentration	 			1				.							
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			LIEDDY	100\\\	0.6407	05.00	12.40	1							1
—	 	Feature (Service) Activation for each Trunk Port Terminated in	├		UEPPX	1PQWM	0.6497	25.36	13.40	-			 		-		
		D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40	1							1
-	Teleph	one Number/ Group Establishment Charges for DID Service	 		OLITA	11 6440	0.0497	70.05	10.40	 			 		 		
	. 5.55/11	DID Trunk Termination (1 per Port)	†		UEPPX	NDT	0.00	0.00	0.00	-			 		 		—
		DID Numbers - groups of 20 - Valid all States	1		UEPPX	ND4	0.00	0.00	0.00	1	1				1		t
					1	, ·- ·	0.50	5.50	0.00	<u> </u>	1				1	l	

UNB	UNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fxhi	bit: A
2.40		State English Constant					1					Svc Order	Svc Order	Incremental		Incremental	
1			1				1						Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
		Office and Tandem Switching Usage and Common Transport															
		first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	os, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curr	ently Combine	ed sections.	Additional NR	RCs may
		ilso and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Non-Design		1	UEP91		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		49.62										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP91		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		2	UEP91		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP91		48.26										
		pop Rate		.													
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	22.39										
<u> </u>	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP91 UEP91	UECS1	48.26 14.93					1		-	1		-
<u> </u>	+	2-Wire Voice Grade Loop (SL 2) - Zone 1	 			UECS2						1		1	 	-	1
<u> </u>	-	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25.35								 		
		2-Wire Voice Grade Loop (SL 2) - Zone 3	 	3	UEP91	UECS2	50.46					1			 		-
	UNE Po	tes (Except North Carolina and Sout Carolina)	 			 	 					1			 		-
		2-Wire Voice Grade Port (Centrex) Basic Local Area	 	-	UEP91	UEPYA	1.36	38.85	19.08			 	-	-			-
-	+	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	 		OFLAI	UEFIA	1.30	30.85	19.08					-	-	-	
1		Area	1		UEP91	UEPYB	1.36	38.85	19.08				1	Ì	I		l
-	+	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	 		OFLAI	JLF (D	1.30	30.65	19.08			1	1	1	 	1	1
		Local Area	1		UEP91	UEPYH	1.36	38.85	19.08					1	I		1
-	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	 		02131	JL: 111	1.30	30.03	19.00			1	1	1	 	1	1
1		Note 2, 3 Basic Local Area	1		UEP91	UEPYM	1.36	104.41	67.93				1	Ì	I		l
—	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		OLI 31	OLFIN	1.30	104.41	07.93	 				 	 		
1		Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93						1		
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	 		02101	JL1 12	1.30	104.41	01.33	 		1		 	 		
		- Basic Local Area	1		UEP91	UEPY9	1.36	38.85	19.08					1	I		1
 	+	2-Wire Voice Grade Port Terminated on 800 Service Term -	 			15=: 10	1.50	55.55	10.00			1			 		
1		Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08						1		
-	AI KY	, LA, MS, & TN Only	1	-	OL1 31	021 12	1.30	30.63	13.00						-		
	, IXI	2-Wire Voice Grade Port (Centrex)	 		UEP91	UEPQA	1.36	38.85	19.08	 		1		 	 		
	1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP91	UEPQB	1.36	38.85	19.08	 		1		 	 		
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1	 		UEP91	UEPQH	1.36	38.85	19.08	 		1		 	 		
-	1	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	†		0_1 01	JE1 3(11	1.30	30.03	13.00			1	1	 	I		
		Center)2,3	1		UEP91	UEPQM	1.36	104.41	67.93				1	Ì			Ì
		···-/-, -, -	·	·	1	J 3(1)	1.00	10-1-71	07.00	l		·	L	l	1	·	·

UNRUM	DI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	hit· Δ
3,120,11		THE THE PERSON AND TH										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor			1						Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m			1								Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							,									-100	
						1	Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates (\$)	001441	001141
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Service Term			UEP91	UEPQZ	1.36	104.41	67.93								
		Service Territ			OLF91	ULFQZ	1.30	104.41	07.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08								
Lo	ocal S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										
Lo		lumber Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fe	eature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00	440.05									
		All Select Features Offered, per port			UEP91 UEP91	UEPVS UEPVC	0.00	412.25									
NI/	ARS	All Centrex Control Features Offered, per port	-		OEFSI	DEFVC	0.00							-	-		
HAY.	-110	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	-		 	 		
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial	1		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00			1	1		
Mi	iscell	aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20								
Int	teroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1											
D4	4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497										
		reature Activation on 0-4 Channel Bank Centrex Loop Slot			UEF91	IFQWS	0.0497										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 0.		0.0.0.										
		Slot			UEP91	1PQW7	0.6497										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.6497										
									· · · · · · · · · · · · · · · · · · ·					1	1		-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497							ļ	ļ		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDO4	4001110	6 6 405							1	1		
\vdash		Slot	1		UEP91 UEP91	1PQWQ 1PQWA	0.6497 0.6497					1		 	 		
NI.	on Pr	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex			UEP91	IPQWA	0.6497							 	ļ		
INC	on-RE	Conversion - Currently Combined Switch-As-Is with allowed	1			+						1	1	1	1		
		changes, per port			UEP91	USAC2		0.10	0.10					1	1		
		Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10					İ	İ		
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40									
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40						İ	İ		
		Secondary Block, per Block			UEP91	M2CC1	0.00	79.31									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93									
Ac	dditic	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEDO4	LIBETI		0.00	0.00					1	1		
\vdash		Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		UEP91	URETL		8.33	0.83			-		-	-		
		End Use Premise			UEP91	URETN		11.20	1.10					1	1		
LIN	NF-P	CENTREX - 5ESS (Valid in All States)			OLF31	OINLIN	+	11.20	1.10					1	1		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+	1							1	1		
		ort/Loop Combination Rates (Non-Design)	1			1								1	1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
		Non-Design		1	UEP95		13.13							<u> </u>	<u> </u>		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							· · · · · · · · · · · · · · · · · · ·					1	1		
		Non-Design		2	UEP95	1	23.75							ļ	ļ		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
		Non-Design		3	UEP95		49.62										

UNRI	JNDI F	D NETWORK ELEMENTS - Louisiana												Δttach	ment: 2	Fyhi	bit: A
3,150	,.1DLL	THE THORK ELEMENTO Education										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter'									Elec	Manually		Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st		DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							rico .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				40.00										
		Design		1	UEP95		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		00.74										
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		26.71										
		Design		3	UEP95		51.82										
-	LINE L	pop Rate		3	OLF 93		31.02					1					
-	OIAL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77					1					
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93			† 1				İ	1	1	1
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
	UNE Po	ort Rate															
	All Stat	tes															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	4.00	20.05	40.00								
-	-	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY9	1.36	38.85	19.08								
		Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
	ΔΙ ΚΥ	, LA, MS, SC, & TN Only			OLF 93	OLF 12	1.30	30.03	19.00								
	AL, IXI	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
L	1	Term 2,3	<u> </u>		UEP95	UEPQZ	1.36	104.41	67.93	<u> </u>		<u> </u>		<u> </u>	<u> </u>		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08						<u> </u>		<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08								
		Switching	ļ			1				ļl					1		
		Centrex Intercom Funtionality, per port	ļ		UEP95	URECS	0.8577			ļ		ļ					
	Local	Number Portability	<u> </u>		LIEDOE	LNDCC	0.05			ļ		<u> </u>		 	-	 	
<u> </u>	Factor	Local Number Portability (1 per port)	 	<u> </u>	UEP95	LNPCC	0.35			 		}		 	!	 	
—	Feature		 	-	LIEDOE	LIEDVE	0.00			 		1		 	 	 	
<u> </u>	+	All Standard Features Offered, per port All Select Features Offered, per port	├	 	UEP95 UEP95	UEPVF UEPVS	0.00	412.25		 		 		-	 	-	-
 	1	All Centrex Control Features Offered, per port	 		UEP95 UEP95	UEPVS	0.00	412.25		 		}		1	+	1	1
-	NARS	y ar Sonaton Contitor i Gatares Onerea, per port	 		OL1 30	JL: VC	0.00			 		1		1	t	1	1
\vdash	1474110	Unbundled Network Access Register - Combination	 		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	 		 	t	 	
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				1		
	1	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00			1	1	1	1
	Miscell	aneous Terminations	1														
		Trunk Side	1							į į							
		Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20								
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92								
	1	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06									
L	Interof	fice Channel Mileage - 2-Wire	ļ		LIEBAS	1,405.5				ļ				ļ	ļ	ļ	ļ
L	1	Interoffice Channel Facilities Termination	1	<u> </u>	UEP95	M1GBC	22.60	39.36	26.62	l			İ]	1]	l

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
3.12311DL											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurrin	g Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013		7144		7.00.	0020					
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	· ·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.6497										
L	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u>L</u>	<u>L</u>	UEP95	1PQWV	0.6497				<u> </u>	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		<u></u>	UEP95	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed		1										-		I	
	changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93									
Addi	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.20	1.10								
	-P CENTREX - DMS100 (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	ļ														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		l												
	Non-Design	ļ	1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		00.75										
	Non-Design		2	UEP9D		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_			40.00										
	Non-Design	1	3	UEP9D	+ +	49.62			1		-			1		
UNE	Port/Loop Combination Rates (Design)	-	<u> </u>		+									-	1	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	UEP9D		16.29						1		I		1
\vdash	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	- '	OFLAD	+	16.29			-	-				 		
			2	UEP9D		26.71								1		
\vdash	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLFSD	+ +	20.71			1		1			1		1
	Design		3	UEP9D	1	51.82						1		I		l
LINE	Loop Rate	!	3	OLFBD	+	31.02			1	 					-	-
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9D	UECS1	11.77			1		1			1		
+-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP9D	UECS1	22.39								 		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP9D	UECS1	48.26								-		
+-	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	1	UEP9D	UECS2	14.93			1	1				 		
 	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	2	UEP9D	UECS2	25.35			1	1		 		t		
\vdash	2-Wire Voice Grade Loop (SL 2) - Zone 2	t	3	UEP9D	UECS2	50.46			<u> </u>	<u> </u>		l		 		
UNF	Port Rate	1	Ť	02	02002	55.45								1		1
	STATES													1		İ
	2-Wire Voice Grade Port (Centrex) Basic Local Area		 	UEP9D	UEPYA	1.36	38.85	19.08						1		1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		†		1 1				Ì					t		i
	Area		1	UEP9D	UEPYB	1.36	38.85	19.08				1		I		l
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1		-	1 1		22.20							1	İ	
	Area			UEP9D	UEPYC	1.36	38.85	19.08						1		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		1				_									
	Area	1	1	UEP9D	UEPYD	1.36	38.85	19.08	1	1	1	ı	l	1	i	

ACTIONNY RATE ELEMENTS Manual 2000 BCS USOC RATES (B) Biochemical Section (Contract Cont	UNBUNDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
### RATE FLEMENTS ### RATE FLE	3 3 11 3 11	Daniel Lander										Svc Order	Svc Order				
## CAPECONY ## RATE ELEMENTS ## 2000 ## 2000 ## 1000												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
1	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR				Order vs.
Note																	Electronic-
Service Close Fort (Curries / ESS-1820(6)) State Local UPPID UPP														1st	Add'l	Disc 1st	Disc Add'l
Service Close Fort (Curries / ESS-1820(6)) State Local UPPID UPP								Nonrec	urring	Nonrecurring	a Disconnect			oss	Rates (\$)		
Anna							Rec					SOMEC	SOMAN			SOMAN	SOMAN
2-We Vision Grade Port Commer. (ESS-RECISS) Basic Local UEPPO UEPT 1.36 38.85 10.08		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
Mail		7 11 0 4			UEP9D	UEPYE	1.36	38.85	19.08								
E-Wile Victor Grade Prott (Centres / EBS-MS03())State Local UEPRO UEPYO 1:36 30.85 19.98					LIEBAB												İ
Amo 2		* **			UEP9D	UEPYF	1.36	38.85	19.08								
2-Vivi Voco Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer / EBS-ABC/08)(3 Basic Losal Anna Nation Grane Pert (Centrer were Centrer Vocal Centrer (Centrer Abby Wag Lump Hudiation))					UFP9D	UEPYG	1.36	38.85	19.08								İ
2-Wire Vote Grade Port (Centrer / EB-KAZ00)3 Basic Local UEPIO UEPVU 1.36 38.65 19.08					02.02	02 0	1100	00.00	10.00								
Average Aver					UEP9D	UEPYT	1.36	38.85	19.08								<u> </u>
2-Wire Votos Grade Prof (Centre / EBS-MSZ16)) - Base Local UEPPO UEPPO 1.36 38.85 19.06																	İ
Avea Control					UEP9D	UEPYU	1.36	38.85	19.08								├
Service Notes Grade Port (Centres with Califor ID) Basic Local Area UEPDD UEPYN 1.36 38.65 19.06		`			UEP9D	UFPY\/	1 36	38 85	19 08	1	1						1
Area		7.100			021 00	JL1 1 V	1.50	30.03	13.00	-	-	1	 		†		F
Area			L		UEP9D	UEPY3	1.36	38.85	19.08	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u>1</u>
SAVIEW Votes Grade Port (Centrovidifier SWD (FBS-M55192.3.4 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 38.85 18.08 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 104.41 67.93 UEP90 UEPYW 1.36 UEP90 UEPYW UEP90 UEPYW 1.36 UEP90 UEPYW 1.36 UEP90 UEPYW UEP90 UEPPYW UEP90 UEPPYW UEP90 UEP90 UEPPYW UEP90 UEPPYW UEP90 UEPPYW UEP90 UEPP																	
Indication() Basic Local Area UEP90 UEPYV 1.36 38.65 19.08					UEP9D	UEPYH	1.36	38.85	19.08								
2-Wire Voice Grade Port (Centrevilleg Wig Lamp Incication)/4 Basic Local Area Lepho UEPyJ 1.36 38.85 19.08					LIEDOD	HEDVW	1 26	20.05	10.00								İ
Basic Local Area UEP9D UEP7 1.36 38.85 19.08					OEF9D	UEPTVV	1.30	30.00	19.06								
2.4/We Voice Grade Port (Centreviller SWC /EBS-MS009)2.3.4 UEP9D UEPYO 1.36 104.41 67.93 UEP9D UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPYO 1.36 UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD UEPPD					UEP9D	UEPYJ	1.36	38.85	19.08								Ĭ
2-Wire Voice Grade Port (Centrevoldifer SWC /EBS-R5E712.3.4 UEP9D UEPY0 1.36 104.41 67.93		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
Basic Local Area UEP90 UEPVP 1.36 104.41 67.93					UEP9D	UEPYM	1.36	104.41	67.93								
Description Description					LIEBAB												İ
Basic Local Area Carrier Vidifer SWC /EBS-5209(2),3,4 Basic Local Area Carrier Vidifer SWC /EBS-MS112)(2,3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS12)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS12)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Carrier Video (Carrier Vidifer SWC /EBS-MS03)(2),3,4 Carrier Video (Ca					UEP9D	UEPYO	1.36	104.41	67.93								
2-Wire Votoe Grade Port Centrex/differ SWC /EBS-M516)2.3.4 UEP9D UEPVQ 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 Basic Local Area UEP9D UEPVR 1.36 104.41 67.93 UEP9D UE					LIEP9D	LIEPYP	1 36	104 41	67 93								İ
Basic Local Area UEPPQ 1.36 104.41 67.93					02.00	02	1.00		01.00	İ	İ				İ		
Basic Local Area UEP9D UEPYR 1.36 104.41 67.93					UEP9D	UEPYQ	1.36	104.41	67.93								İ
2-Wire Voice Grade Port (Centrex/differ SWC/EBS-M6312)2,3,4 UEP9D UEPYS 1,36 104.41 67.93																	
Basic Local Area UEP9D UEPYS 1.36 104.41 67.93					UEP9D	UEPYR	1.36	104.41	67.93								└
2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5008)2,3,4 UEP9D UEP74 1.36 104.41 67.93					LIEDOD	HEDVS	1 26	104.41	67.02								İ
Basic Local Area UEP9D UEP74 1.36 104.41 67.93					OLF9D	OLF 13	1.30	104.41	07.53								
Basic Local Area UEP9D UEP75 1.36 104.41 67.93					UEP9D	UEPY4	1.36	104.41	67.93								ĺ
2-Wire Voice Grade Port (Centrew/differ SWC /EBS-M5216)2,3,4 Basic Local Area		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
Basic Local Area					UEP9D	UEPY5	1.36	104.41	67.93								
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 UEP9D					LIEDOD	LIEDVE	4 30	104.44	67.00	1	1						1
Basic Local Area	 				OFLAD	UEFID	1.36	104.41	67.93	 	 		1		 		
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 UEP9D UEPYZ 1.36 104.41 67.93					UEP9D	UEPY7	1.36	104.41	67.93	1	1						1
Term 2,3																	
Basic Local Area					UEP9D	UEPYZ	1.36	104.41	67.93								
2-Wire Voice Grade Port Terminated on 800 Service Term Basic UEP9D UEPY2 1.36 38.85 19.08					LIEDOD	LIEDVO	4.00	20.25	40.00	1	1						1
Local Area	 				UEP9D	UEPY9	1.36	38.85	19.08	-	-						
AL, KY, LA, MS, SC, & TN Only UEPQD UEPQA 1.36 38.85 19.08 UEPQD UEPQB 1.36 38.85 19.08 UEPQD UEPQB 1.36 38.85 19.08 UEPQD UEPQB UEPQD UEPQD UEP					UEP9D	UEPY2	1.36	38.85	19.08	1	1						
2-Wire Voice Grade Port (Centrex 800 termination)	AL, KY					, <u>-</u>		55.55		1	1						
2-Wire Voice Grade Port (Centrex / EBS-PSET)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5209)4 UEP9D UEPQD 1.36 38.85 19.08																	
2-Wire Voice Grade Port (Centrex / EBS-M5209)4	\vdash									-	 		 		 		
2-Wire Voice Grade Port (Centrex / EBS-M5112)4										 	 	 			 		
2-Wire Voice Grade Port (Centrex / EBS-M5312)4										1	1						
2-Wire Voice Grade Port (Centrex / EBS-M5208)4																	
2-Wire Voice Grade Port (Centrex / EBS-M5216)4											L						
2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEP9D UEPQ3 1.36 38.85 19.08	ļ									 	 	1					<u> </u>
	 									 	 	-			 		
2-Wire Voice Grade Port (Centrex with Caller ID) UEP9D UEPQH 1.36 38.85 19.08	 									 	 	 			 		

LINDIII	NDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit. A
ONBO	NDLL	D NETWORK ELEMENTS - Louisiana										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
071120	•	10112 =======	m		200				= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		2,3			UEP9D	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93					<u> </u>			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								
					LIEDAD				40.00								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
-	Local	Switching			LIEDOD	LIDEOO	0.0577										
-		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
-	Locair	Number Portability			LIEDOD	LNPCC	0.35										
-	Feature	Local Number Portability (1 per port)			UEP9D	LINPUC	0.35										
	reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00					1					
					UEP9D	UEPVS	0.00	412.25									
1		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00	412.25			1	1	-				
\vdash	NARS	All Centres Control realures Orieleu, per port			OLFBD	OLF VC	0.00				1	1		1	1		
h +	ייאווט	Unbundled Network Access Register - Combination		 	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			 	 		
 		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward	 	 	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	 		 	 		
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	1					
	Miscell	aneous Terminations			01.00	5,110,1	0.00	3.00	0.00	0.00	5.00			1			
		Trunk Side												1	1		
	0	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20					1			
	4-Wire	Digital (1.544 Megabits)					5.25		.0.20					1	1		
		DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62		Ì			1	1		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06									
		fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	26.62								
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.013										
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497							<u> </u>			
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9D	1PQW7	0.6497										
1 7		Feature Activation on D-4 Channel Bank Centrex Loop Slot -												<u> </u>]		
		Different Wire Center			UEP9D	1PQWP	0.6497										

UNBUN	IDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CITECIT		THE THORK ELLINEITIO LOGICIANA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									poi Loix	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.6497										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
N	lon-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93									
Α	dditio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use									<u> </u>						
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at									<u> </u>						
		End Use Premise			UEP9D	URETN		11.20	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
U	JNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP9E		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		49.62										
U	JNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design		1	UEP9E		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		51.82										
U	JNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
LL		2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP9E	UECS1	22.39			.				ļ	ļ		
igspace		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26										
igsquare		2-Wire Voice Grade Loop (SL 2) - Zone 1	ļ	1	UEP9E	UECS2	14.93							ļ	ļ		
$\vdash \!$		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46			 							
		ort Rate	<u> </u>			+											
A	L, FL	KY, LA, MS, & TN only			LIEDOE	LIED.		22.2-	10.7-								
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08	 							
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1									1		Ì	Ì		
\vdash		Area			UEP9E	UEPYB	1.36	38.85	19.08	 							
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	LIED. C.											
$\vdash \!$		Area			UEP9E	UEPYH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEDOE	LIEDVAA		404 **	07.00			1		Ì	Ì		
\vdash		Center)2,3 Basic Local Area	<u> </u>		UEP9E	UEPYM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		LIEDOE	LIED C		,				1		Ì	Ì		
$\vdash \vdash$		Service Term - Basic Local Area	<u> </u>		UEP9E	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDYO	1.00	00.0-	10.00								
\vdash		- Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08	 							
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	LIEDY CO											
		Basic Local Area	<u> </u>		UEP9E	UEPY2	1.36	38.85	19.08								
I A	L, KY	, LA, MS, & TN Only	<u> </u>		LIEBOE	LIEBC :		22.2-									
$\vdash \!$		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08								
\vdash		2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP9E	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1	1	<u> </u>	UEP9E	UEPQH	1.36	38.85	19.08			l	l				

UNBII	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
5.150												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							,									-100	
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDOM	4.00	404.44	07.00								
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
		Service Terrii			UEF9E	UEFQZ	1.30	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP9E	UEPQ2	1.36	38.85	19.08								
	Local S	Switching			OLI OL	OLI QZ	1.00	00.00	10.00								
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature	es															
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
	NARS				-												
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00				ļ		
\vdash		aneous Terminations		<u> </u>		1											
<u> </u>	2-Wire	Trunk Side			LIEBOE	OFNIDO	0.00	445.00	10.00						-		
<u> </u>	4 18/:	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20						-		
<u> </u>	4-Wire	Digital (1.544 Megabits)		ļ	LIEDOE	MALIDA	CO 47	400.40	00.00	ļ					!		
		DS1 Circuit Terminations, each DS0 Channel Activated Per Channel		1	UEP9E UEP9E	M1HD1 M1HDO	68.47 0.00	196.18 14.06	92.92						 		
-	Interes	Fice Channel Mileage - 2-Wire			UEF9E	INITIDO	0.00	14.06							+		
	meron	Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.60	39.36	26.62						 		
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBC	0.013	39.30	20.02	 					t		
\vdash	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	 	J_1 J_	.vi i ODIVI	0.013						 		t		
		innel Bank Feature Activations													1		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497										
					*												
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497								1		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot		<u> </u>	UEP9E	1PQW7	0.6497								<u></u>		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -						_									
		Different Wire Center			UEP9E	1PQWP	0.6497										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497								1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1									1		
		Slot			UEP9E	1PQWQ	0.6497										
	Nan B	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497								-		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		 		1	1			ļ					!		
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	LICACO		0.10	0.40				1		I		
\vdash		changes, per port Conversion of Existing Centrex Common Block, each	-	 	UEP9E UEP9E	USAC2 USACN		0.10 36.66	0.10 16.10				 				
		New Centrex Standard Common Block	-	1	UEP9E UEP9E	M1ACS	0.00	680.40	10.10	1			 		+		
		New Centrex Standard Common Block	-	1	UEP9E UEP9E	M1ACC	0.00	680.40		1			-		+		
\vdash		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93		 					t		
	Additio	onal Non-Recurring Charges (NRC)				5.125/1	0.00	70.00					 		I		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use					İ								t		
		Premise			UEP9E	URETL		8.33	0.83						1		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at			-		İ	2.20	2.30						1		
		End Use Premise			UEP9E	URETN		11.20	1.10				1		I		
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -												_			
		Non-Design		1	UEP93		13.13										

UNBUND	LED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
UNDUND		THE TYPICK ELEMENTO EDUIDANA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			111											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			Disconnect				Rates (\$)		
 				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOO		00.75										
-		Non-Design		2	UEP93		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		49.62										
LINI		rt/Loop Combination Rates (Design)		3	UEF93	-	49.02										-
ON		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1						†							
		Design		1	UEP93		16.29										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		i i	OLI 30	+	10.23										
		Design		2	UEP93		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP93		51.82			I			1		I		1
UN	E Lo	op Rate		Ť						1	l			İ	1	İ	
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77			İ					İ		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
UN	E Po	rt Rate															
AL	KY,	LA, MS, & TN only															1
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP93	UEPYB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP93	UEPYH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								
	ŀ	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
ļ		Service Term - Basic Local Area		<u> </u>	UEP93	UEPYZ	1.36	104.41	67.93								
	ŀ	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOO	LIEDVO	4.00	00.05	40.00								
		- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08	-							
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	UEPY2	4.00	20.05	40.00								
		Basic Local Area 2-Wire Voice Grade Port (Centrex)			UEP93 UEP93	UEPQA	1.36 1.36	38.85 38.85	19.08 19.08	-							——
-					UEP93	UEPQB	1.36	38.85	19.08								-
\vdash		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP93	UEPQB	1.36	38.85	19.08	1		1			1		
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OFL 22	ULFUN	1.30	30.03	19.08	 		 	-	1	 	1	
	ľ	Center)2,3			UEP93	UEPQM	1.36	104.41	67.93	I			1		I		1
 		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800	 		S_1 00	JEI WIVI	1.50	104.41	01.33	t			 		t		
		Service Term			UEP93	UEPQZ	1.36	104.41	67.93	I			1		I		1
					00	J W.E	1.00	104.41	07.00	t					1		t
1 1	l	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP93	UEPQ9	1.36	38.85	19.08	I			1		I		1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08	1					1		
Loc		witching								1	l			İ	1	İ	†
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Loc		umber Portability															
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Fea	ture																
		All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14								
		All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14								
NA				<u> </u>						1					1		 '
		Unbundled Network Access Register - Combination		<u> </u>	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00				1		└
\vdash		Unbundled Network Access Register - Indial		<u> </u>	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00				ļ		1
\vdash		Unbundled Network Access Register - Outdial		 	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00				.		
		neous Terminations		 		1				.					.		
2-V		runk Side		<u> </u>	115500	OF LIBO			10								├
—		Trunk Side Terminations, each		<u> </u>	UEP93	CEND6	8.27	115.85	18.20								├
4-V		Digital (1.544 Megabits)		<u> </u>	LIEDOS	MALIDA	00.4=	400.40	20.00	-				1	-	1	
		DS1 Circuit Terminations, each		1	UEP93	M1HD1	68.47	196.18	92.92	1	l	1	l	l	1	l	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
							-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually				Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LON	Electronic-	Electronic-		
																Disc Add'l
													1st	Add'l	Disc 1st	DISC Add'I
						Rec	Nonrec		Nonrecurring	Disconnect		•		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06									
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62								
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.6497										
						0.0.0.										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			02. 00		0.0.01										
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 00		0.0.01										
	NRC Conversion Currently Combined Switch-As-Is with allowed				+											
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40	10.10								
	New Centrex Customized Common Block		-	UEP93	M1ACC	0.00	680.40				<u> </u>					
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93									
	onal Non-Recurring Charges (NRC)			OLI 93	UNLOA	0.00	70.55									
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		 		+		<u> </u>				 	 			 	
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	OL: 30	ONLIL		0.33	0.03			1	1			†	†
	End Use Premise			UEP93	URETN		11.20	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			JE1 33	CINETIN		11.20	1.10	 							†
	- Required For for Centrex Control in TAESS, 3ESS & EWSD				+		-		 							
	- Installation is combination of Installation charge for SL2 Lo	on and	Port		+		<u> </u>				 	 			 	
	- Requires Specific Customer Premises Equipment	op ana	1		+		<u> </u>				 	 			 	
	Rates displaying an "R" in Interim column are interim and sub	Ļ	<u> </u>	1		1									1	

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi										1 -			ment: 2	Exhi	
												1	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc			Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "	_ Zone" shown in the sections for stand-alone loops or loops as			in etien nefere te Ce	b: II.	. Danisana mad III	NIC 7 T-		hiaallu Daawaa	and UNIT 7am	- Danimonti				Mahaita.	
	/www.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaveraged U	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZOIN	e Designatio	ons by Cent	rai Onice, rei	er to internet	website:	
	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	1011.111													
	: (1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges.	CLEC may
elect	either the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not ol	btain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished in
	of the 9 states.															
	: (2) Any element that can be ordered electronically will be bill															
	annot be ordered electronically at present per the LOH, the list AN, will be applied to a CLECs bill when it submits an LSR to B			e in this category ret	lects the ch	arge that would	be billed to a	CLEC once el	ectronic oraer	ing capabilities	s come on-ii	ne for that e	element. Oth	erwise, the m	anuai ordering	g cnarge,
SOWIA	OSS - Electronic Service Order Charge, Per Local Service	ensout	1						l				l		1	
1 1	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - UNE Only				SOMAN		15.75	0.00	1.97	0.00						
	E DATE ADVANCEMENT CHARGE					l										
NOTE	: The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.				-						
				UAL. UEANL. UCL.												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3, U1TDX. U1TO3.												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL, UC1GC, UC1GL.												
				UC1GC, UC1GL, UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1, ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UXTD3, UXTS1, U1TUC, U1TUD,												
	Day			U1TUB, U1TUA	SDASP		200.00									
UNBUNDLED	EXCHANGE ACCESS LOOP		†	5.10D, 5110A	20,101		200.00									
	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25	<u> </u>					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	-		UEANL UEANL	UEAL2 UEAL2	25.68 43.85	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25	-	-		1		
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1			UEANL	UEASL	12.03	37.92	17.55	23.48							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIFANII	LIDET		0.00	0.00								
	Premise Loop Testing - Basic 1st Half Hour	1	1	UEANL UEANL	URETL URET1		8.33 34.36	0.83 34.36						-		
	Loop Tooling - Daoid Tol Hail Houl	<u> </u>	1	OLAINE	OILLI	ı	34.30	34.30	l	1	·	1	l	L	1	

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
	2-WIRE	Unbundled COPPER LOOP			OLANL	OCOSL		10.19	10.19	+							
	_ *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4			UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				1		
		Premise		<u> </u>	UEQ	URETL		8.33	0.83	ļl					ļ		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -		1	LIEO	HODAYO									1		
		Non-Designed (per loop)	1	!	UEQ	USBMC		8.20	8.20	 		1			 		1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36	-		-					-
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42	† †							
UNBUN	DLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	HEDOD HEDOD	LIEADO	10.00	27.00	47.55	22.40	5.05						
		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	OLI GIL OLI OD	OLALO	10.07	07.02	17.00	20.40	0.20						
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			HEDOD HEDOD	UEALS	42.05	27.00	47.55	22.40	5.05						
		Zone 4 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
UNBUN	DLED E	XCHANGE ACCESS LOOP		<u> </u>	02. 0 02. 02	027.00	.0.00	07.02	17.00	20.10	0.20						
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
Ţ		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			l	I T	\exists	. 7		I 7					1		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37			-	 	-	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	3	ULA	UEALZ	21.00	105.96	00.28	52.82	10.37						
		Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37				1		
		Order Coordination for Specified Conversion Time (per LSR)	1	†	UEA	OCOSL	.5 2	18.19	55.20	52.52					1		t
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37			<u> </u>	<u> </u>		<u></u>
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							<u> </u>								
		Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37				ļ		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	UEA	LIEADO	27.55	405.00	20.00	50.00	10.07				1		
		Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	-			-		
	1	2-wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37				1		
l			1		UEA	OCOSL	45.72	18.19	00.20	32.02	10.37			l		l	

UNBL	INDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
- CIVE	/\\D	NETWORK ELEMENTO IMICOICO.PP.										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-		Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
<u> </u>	2-WIRE	ISDN DIGITAL GRADE LOOP	 	-	LIDN	LIALOY	04.01	447.01	70.00	52.82	10.0=			!	 	 	
<u> </u>	 	2-Wire ISDN Digital Grade Loop - Zone 1	 	1 2	UDN UDN	U1L2X U1L2X	21.01	117.61	79.92		10.37			 	 	 	
-	 	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X U1L2X	27.59 37.34	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37			 	 	 	
<u> </u>	 	2-Wire ISDN Digital Grade Loop - Zone 3 2-Wire ISDN Digital Grade Loop - Zone 4	├	4	UDN	U1L2X U1L2X	59.18	117.61	79.92	52.82	10.37				 	-	
	}	Order Coordination For Specified Conversion Time (per LSR)	 	4	UDN	OCOSL	39.18	18.19	19.92	52.62	10.37			 	 	1	
-	1	CLEC to CLEC Conversion Charge without outside dispatch	 		UDN	UREWO		91.46	44.07	t				t	 	1	
	2-WIRE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF		OKLVVO		31.40	44.07						1		
	_ *****	2 Wire Unbundled ADSL Loop including manual service inquiry	AHDEL			_											
		& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry		· ·	O, 12	O/ LEE/				00.00	7.00						
		& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry			_												
		& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		١			40.00		=	=							
	<u> </u>	facility reservaton - Zone 4	<u> </u>	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
-		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19	40.00								
<u> </u>	2-WID5	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDIE	OOB	UAL	UREWO		86.04	40.33	 					 	-	
<u> </u>	Z-WIRE	2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE I	LOUP	-					-				-	-		
		& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93				1	1	
1	†	2 Wire Unbundled HDSL Loop including manual service inquiry	†	<u> </u>	F	J	0.73	120.00	10.02	55.56	7.33	1		I	1	 	
		& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93			1			
		2 Wire Unbundled HDSL Loop including manual service inquiry			1	1		:=::00		22.00				İ	1	İ	
		& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry						-									
		and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93				ļ		
		2 Wire Unbundled HDSL Loop without manual service inquiry								1				1			
	<u> </u>	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93			1	ļ		
		2 Wire Unbundled HDSL Loop without manual service inquiry		١.	l	l		404						1			
	ļ	and facility reservation - Zone 4	ļ	4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93				ļ		
<u> </u>	 	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL		18.19	10.00	1				1	1		
<u> </u>	4 14/155	CLEC to CLEC Conversion Charge without outside dispatch	TID: F	000	UHL	UREWO		85.98	40.33	 				 	 	 	
<u> </u>	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP	 					 				 	 	 	
		and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68			I		1	
	<u> </u>	and racinty reservation - Zone i	L	_ '	IOI IL	UI IL4A	13.78	100.74	100.28	30.72	10.08	1	1	1	1	1	

UNBU	NDI F	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Exhi	nit· Δ
5.450	. IVLL	5 ITET ITORIX ELEMENTO - IMISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates (\$)		
		AME III III III III III III III III III I				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
-		and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	1		UHL	UHL4X	13.43	158.74	108.28	56.72	10.68	-					
		and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
		4-Wire Unbundled HDSL Loop including manual service inquiry		3	OTIL	OTILAX	10.00	130.74	100.20	30.72	10.00						
		and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19	100.20	00.12	10.00						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	l	4-Wire Unbundled HDSL Loop without manual service inquiry	1			1]		
		and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
	1	4-Wire Unbundled HDSL Loop without manual service inquiry	1			1									1		
		and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
—	 	Order Coordination for Specified Conversion Time (per LSR)	!		UHL	OCOSL		18.19	10.00	1	1			-	 		
	4 WIDE	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
	4-WIRE	EDS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						
-		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	129.38	253.93	158.45	46.10	12.07	-					
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45	46.10	12.07						
		4-Wire DS1 Digital Loop - Zone 4	1		USL	USLXX	458.46	253.93	158.45	46.10	12.07						
		Order Coordination for Specified Conversion Time (per LSR)	1		USL	OCOSL	400.40	18.19	100.40	40.10	12.07						
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	34.55	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76 32.25	126.53	88.85	60.68	14.64						
_		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 Order Coordination for Specified Conversion Time (per LSR)		4	UDL UDL	UDL56 OCOSL	32.25	126.53 18.19	88.85	60.68	14.64	-					
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	34.55	126.53	88.85	60.68	14.64						
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3		UDL64	40.76	126.53	88.85	60.68	14.64				1		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	†		UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
	2-WIRE	Unbundled COPPER LOOP							•								
	1	2-Wire Unbundled Copper Loop-Designed including manual	1]]		
	ļ	service inquiry & facility reservation - Zone 1	ļ	1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93				ļ		
	1	2-Wire Unbundled Copper Loop-Designed including manual	1	_		1101 55									1		
-	 	service inquiry & facility reservation - Zone 2	!	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93			1	 		
	l	2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	44 74	100.04	69.87	50.38	7.00						
\vdash	 	service inquiry & facility reservation - Zone 3 2 Wire Unbundled Copper Loop-Designed including manual	 	3	UUL	UCLPB	11.74	120.34	09.87	50.38	7.93				-		
	l	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
—		Order Coordination for Unbundled Copper Loops (per loop)	 	_	UCL	UCLMC	12.03	8.20	8.20	50.56	7.33				 		
	1	2-Wire Unbundled Copper Loop-Designed without manual	1			502.70		0.20	0.20		1				1		
	1	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93				1		
		2-Wire Unbundled Copper Loop-Designed without manual	1														
	l	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
	l	2-Wire Unbundled Copper Loop-Designed without manual	1			1]		
		service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)	l		UCL	UCLMC		8.20	8.20								

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	CLEC to CLEC Conversion Charge without outside dispatch						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UCL-Des)			UCL	UREWO		95.21	42.40								i
4-WI	RE COPPER LOOP			002	UNLLIVE		00.21	12.10								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						i
	4-Wire Copper Loop-Designed including manual service inquiry		Ť		502-10	21.00	100	U-1.22	55.72	10.00						
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								igsquare
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry															
-	and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						i l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	21.00	8.20	8.20	00.72	10.00						
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40								
LOOP MODI	FICATION			UAL. UHL. UCL.												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
-	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS	Loop Distribution															
Jub-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	- 1		UEANL	USBSB		22.77									
	Facility Set-Up	1		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	10.20	8.20	8.20	40.00	0.71						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1													
	Zone 2	<u> </u>	2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35	L	1				

UNRUN	JDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	ibit: A
CIVECIA	IDEL	HETWORK ELEMENTO IMISSISSIPPI		l			1					Svc Order	Svc Order				Incrementa
												1	Submitted				
												1			Charge -	Charge -	Charge -
CATEGO	DPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	JK I	RATE ELEMENTS	m	Zone	B03	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urrina	Monroourrina	Disconnect			000	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Cub Loop Distribution Dor 4 Wire Apolog Voice Crade Loop					-	FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SOWAN	SUMAN
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
						1100140		0.00	0.00								
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC	0.00	8.20	8.20	45.00	0.74						
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
				1													
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair]	UEANL	USBMC		8.20	8.20								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	Ī	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						ĺ
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						1
		·															1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
										-							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
ı	Inbun	dled Network Terminating Wire (UNTW)			02.	OTTE TA		10.01	10.01								
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55									
	Vetwor	k Interface Device (NID)		1	02.1111	02.11.	0.0000	00.00									1
	totti o.	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								-
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
		Network Interface Device Cross Connect - 2 W	-	 	UENTW	UNDC4	 	5.94	5.94					 	 		
LINE OT	HED D	PROVISIONING ONLY - NO RATE		 	OLIVIV	UNDU4		5.94	5.94			1	1	1	1		
ONE OTT	iich, F	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0.00	0.00				1	1	1	1		
-		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00		-	-	 	-	-	-		+
-		OTT IN ORGANIC IN LISTADIISTITICTIL, PROVISIONING OTHY - NO Rate		 	UEANL,UEF,UEQ,U	OLINGE	0.00	0.00				 		 	 		
		Unbundled Contract Name Provisioning Only, No Detr		1	ENTW	LINEON	0.00	0.00									
LINE CT	UED 5	Unbundled Contract Name, Provisioning Only - No Rate		 	CIN I VV	UNECN	0.00	0.00				 			-		├ ──
UNE UII	nek, P	ROVISIONING UNLT - NU KATÉ		1			 					 	 	 	1		
			l	1	HAL HOL HDO HDI						I		l	Ì			
		Habitan Had Contact Name Brooks's Street Color		1	UAL,UCL,UDC,UDL,	LINIEGN	0.00	2.22									
—		Unbundled Contact Name, Provisioning Only - no rate		<u> </u>	UDN,UEA,UHL,ULC	UNECN	0.00	0.00				_	ļ	ļ			.
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	l	1							I		l	Ì			
\vdash		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1													
		rate		<u> </u>	UEA,USL,UCL,UDL	USBFR	0.00	0.00				ļ		ļ	1		ļ
		Unbundled DS1 Loop - Superframe Format Option - no rate		<u> </u>	USL	CCOSF	0.00	0.00				ļ		ļ	1		ļ
		Unbundled DS1 Loop - Expanded Superframe Format option -	1	1										Ì	I		
		no rate		<u> </u>	USL	CCOEF	0.00	0.00							1		ļ
HIGH CA	PACIT	TY UNBUNDLED LOCAL LOOP]													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per							-	<u> </u>						-	1
		month		<u> </u>	UE3	1L5ND	11.20										
		High Capacity Unbundled Local Loop - DS3 - Facility															
L_		Termination per month	<u></u>	<u>L</u>	UE3	UE3PX	326.15	454.13	265.47	123.23	86.19	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
1		month	l	1	UDLSX	1L5ND	11.20				1		I	1	1		

UNBUI	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	ibit: A
0.1.201												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						(+/			per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP N	AKE-U																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
		AND LINE SPLITTING															
	NOTE 1	: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	rom October 02, 200	03 through m	idnight Octobe	r 01, 2004 sha	l be billed as t	follows:							
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLNI)")											
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT	<u> </u>	<u> </u>		1	I								ļ		ļ
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
-		Line Sharing Splitter, Per System, 8 Line Capacity		<u> </u>	ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-								40.00							
-	- 115 116	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		86.98	0.00	49.96	0.00						
	ט טאב		-	-													
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
-		Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	18.62	10.00	10.04	4.93						-
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -			OLO	OLSDI	2.75	10.02	10.00	10.04	4.53						1
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -			CLO	OLOD1	0.01	10.02	10.00	10.04	4.00						
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line			<u></u>		00										
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line				1									İ		
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24						1		
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
		OBSOLETE see **NOTE 2	<u> </u>		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				<u> </u>		
		Line Share Service, TRO per line activation, CLEC owned															
1 1		splitter - Central Office Located (25% of UCLND) - please see	1	1		1						1	1		I		
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						
1 7		Line Share Service, TRO per line activation, CLEC owned	1	1		1						1	1		_		
1 1		splitter - Central Office Located (50% of UCLND) - please see	1	1		I						1	1		I		
		NOTE 1 (E:10/2/2004)	<u> </u>	<u> </u>	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74				ļ		
1 1		Line Share Service, TRO per line activation, CLEC owned	1	1		1						1	1		I		
		splitter - Central Office Located (75% of UCLND) - please see	1	1								1	1		I		
\vdash	INIE O	NOTE 1 (E:10/2/2005)	<u> </u>	<u> </u>	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74				-		├
		PLITTING	 	1		+	1			1	1	ļ	ļ		 		
├	טט טאַ	SER ORDERING-CENTRAL OFFICE BASED	 	<u> </u>	UEPSR UEPSB	LIBEOC	0.61			1	 				!		
├		Line Splitting - per line activation DLEC owned splitter	 	-		UREOS UREBP		10.60	10.00	10.04	4.00				 		-
1		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	├	 	UEPSR UEPSB UEPSR UEPSB	UREBV	0.61 0.61	18.62 18.62	10.66 10.66	10.04 10.04	4.93 4.93	-	 		 		
 		ENANCE	 	-	UEFOR UEFOR	UKEBV	0.61	18.62	10.66	10.04	4.93				-		
\vdash	vi AIN [No Trouble Found - per 1/2 hour increments - Basic	 			+	-	80.00	55.00		1	1	 		 		1
-		No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	1	1		1		120.00	82.50						1		
 		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	 	1		+		160.00	110.00	1	1	-			 		1
		1 Todolo I odna - per 1/2 nodi incientento - Fremidili	1	1		1	i .	100.00	110.00	1	I	l	l		1		1

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		201150	001111		Rates (\$)	001141	001441
LINDLIND	I ED D	EDICATED TRANSPORT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FII																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41 EDE	20.07										
-		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	28.27	642.79	138.67	326.97	203.85	 					
+		Dark Fiber - Interoffice Charmer Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI, ODI OX	ODI 14		042.79	130.07	320.97	203.03						
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						
8XX ACC	ESS T	EN DIGIT SCREENING			OLID		0.000001										
\vdash		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		-	OHD		0.0006216										
		Number Reserved			OHD	N8R1X		2.60	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple Interl ATA CXP.			OHD	N8FCX		2.60	1.30								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD OHD	N8FMX N8FAX		3.04	1.74								
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination						3.04	0.44								
		Features			OHD OHD	N8FDX	0.0000040	2.60									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	<u> </u>		טחט	1	0.0006216			1		1	<u> </u>		<u> </u>		

LINDUND	ED NETWORK ELEMENTS Missississis												A 11 1		F.A.	
ONBOND	LED NETWORK ELEMENTS - Mississippi	1			1	1					00	00		ment: 2		bit: A
													Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006216										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNALING																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
-	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597		0==1	40.50	10.50						
 	CCS7 Signaling Connection, Per link (A link)	 	.	UDB	TPP++	16.55	35.74	35.74	16.53	16.53	-			 		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)	1		UDB	TPP++	16.55	35.74	35.74	16.53	16.53		1		1		
 	CCS7 Signaling Usage, Per ISUP Message	 	1	UDB	177++	0.0000149	35.74	35.74	10.53	10.53		 		-		
 	CCS7 Signaling Usage Surrogate, per link per LATA	 		UDB	STU56	683.55								1		1
 	CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	 		000	31000	000.00						 		 		
	Establishment or Change, per STP affected	1		UDB	CCAPO]	29.18	29.18	35.78	35.78		1		1		
E911 SERVI				022	00/11 0		20.10	20.10	000	00.70						
	Local Channel - Dedicated - 2-wr Voice Grade				1	14.91	194.22	33.36	37.79	3.30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Later William Towns of De Protect DOA Box For Will Town South					57.00	00.70	00.00	40.00	44.00						
CALLING N	Interoffice Transport - Dedicated - DS1 Per Facility Termination AME (CNAM) SERVICE					57.33	89.79	82.28	16.86	14.90						
CALLING N	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23	-					
 	CNAM For Non DB Owners - Service Establishment			OQV	1		23.09	23.09	21.23	21.23						
-	CNAM For DB Owners - Service Provisioning With Point Code			OQV			25.05	25.03	21.20	21.20						
	Establishment			OQV			996.62	737.08	270.49	198.89						
	CNAM For Non DB Owners - Service Provisioning With Point				1		*******									
	Code Establishment			OQV			344.32	246.56	276.85	198.89						
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per	1				[1]		
	Switch	ļ	ļ		1	ļ	85.19	85.19	14.19	14.19				ļ		
VIRTUAL C	DLLOCATION CONTRACTOR OF THE C	<u> </u>			1	ļ										
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1		HEDOD HEDOD	VE41.0	0.0000	40.0-	11.0-				1		1		
BHASICVI	Splitting COLLOCATION	 	1	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45				 		1
FRISICAL	Physical Collocation-2 Wire Cross Connects (Loop) for Line	 			+	 										
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELEC	TIVE CARRIER ROUTING	 		OLI ON OLFOD	I L ILO	0.0200	12.37	11.07	0.04	5.45				<u> </u>		
Jan Selec	Regional Service Establishment	 		SRC	SRCEC	 	101,685.12		8,640.51			 		 		
	End Office Establishment	1		SRC	SRCEO	†	167.49	167.49	1.71	1.71				1		
	Query NRC, per query			SRC	1	0.0030502										l
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE													<u> </u>		
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	<u></u>		A1N	CAMSE		39.67	39.67	40.92	40.92						
	AIN SMS Access Service - Port Connection - Dial/Shared Access	<u> </u>		A1N	CAMDP	ļ	7.87	7.87	9.14	9.14						
	AIN SMS Access Service - Port Connection - ISDN Access	ļ	ļ	A1N	CAM1P	ļ	7.87	7.87	9.14	9.14				ļ		
	AIN SMS Access Service - User Identification Codes - Per User	1]						1		1		
<u> </u>	ID Code		1	A1N	CAMAU	l	35.21	35.21	27.21	27.21		l		l]

UNBL	JNDLEI	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
0												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
		AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per				-	0.5649										
		Minute					0.8393										
AIN - E	BELLSOL	ITH AIN TOOLKIT SERVICE					0.0000										
		AIN Toolkit Service - Service Establishment Charge, Per State,															
		Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54								
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTT		7.0-	7.00	l					1		
	1	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	-		BAPTT	1	7.87	7.87	9.14	9.14	1	1		 		
		AIN TOOIKIT SERVICE - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14						
-		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		J, 11 1D	+	7.07	7.07	3.14	5.14						
		DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, CDP				BAPTC		34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTF		34.67	34.67	44.44	44.44						
		DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPIF	0.0535577	34.67	34.67	14.44	14.44						
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				-	0.0555577										
		Subscription, Per Node, Per Query					0.0063509										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.06										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAW	DAFLO	2.71	0.71	0.71								
		Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription			CAM	BAPES	0.09	8.71	8.71								
ENHA		TENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will															
		The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					UNE COMBINATI	ons provisione	ea as Current	ly Combined' I	vetwork ⊨ieme	nts.					
-	LATEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	 					
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	l –					
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
		First 2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 => 0 :				_							
<u> </u>		per month		<u> </u>	UNC1X	1L5XX	0.1813			.				-	 	-	
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		1/0 Channelization System in combination Per Month	1	 	UNC1X	MQ1	102.85	91.57	62.26	10.87	10.10	-	-		 		
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74	. 5.07	.0.10						
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
				_ ا													
	1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37			ļ	ļ	ļ	
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
-		Lach Additional 2-write vo Loop (SL 2) in Combination - Zone 3		3	OINCVA	UEAL2	21.05	105.96	08.28	5∠.82	10.37	+					
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74	1					Ì		
	-					•						•					

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
57.1. 2 .5.1.1	10112 22211121110	m		200				= (4)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ı	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		I.
			1			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrequiring Currently Combined Naturals Flamenta Switch As				-	-	riist	Auu i	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAV	LINICOC		F C2	F 00	7.00	7.00						
	Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	IED DS	INIE	ROFFICE TRANSPO	KI											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										İ					
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	1	1	-	1						i	1				
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month	 	 	UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10						
			 	UNCVA	IDIVG	0.5757	0.02	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			LINOVA	UEAL4	27.47	400.07	04.50	00.00	14.64						
			1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT											
		Ī			1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	1 110t 4 Wile corresponding to Trade 2009 111 Combination 2010 1		<u> </u>	CHODA	ODLOO	27.44	120.00	00.00	00.00	14.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
\vdash	1 11St 4-Wile Sortops Digital Grade Loop III Combination - Zone 2			UNCDA	ODLSO	34.33	120.55	00.00	00.00	14.04						
	First 4 Wire FCVb Digital Conds I are in Combination 7 and 2		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDLS6	40.76	120.53	88.85	80.08	14.64						
	First A Mires FOlders Birital Ordela Lancia Conditioning 7 and 4			LINODY	LIDI 50	00.05	400.50	00.05	00.00	4404						
\vdash	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	1	LINIOAN	41.5307						İ	1				1
\vdash	Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1813					ļ	ļ				
	Interoffice Transport - Dedicated - DS1 - combination Facility				=						1					
	Termination Per Month	<u> </u>	<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		ļ				
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		<u> </u>		<u></u>		<u></u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												-			
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	l	1				1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1		-					l				
1 1	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		l				
	Additional OCU-DP COCI (data) - in combination per month (2.4-	1	' '		1	32.20	.20.00	55.50	55.50	54	i	1				
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
 	Nonrecurring Currently Combined Network Elements Switch -As-	 	 			1.22	0.02	7.17	0.00	0.00	 					
	Is Charge	1	1	UNC1X	UNCCC		5.63	5.63	7.20	7.20	l	1				
EVTEN	IIS Charge IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			 	5.03	5.03	1.20	1.20	 	1		-		
EVIE	- THIRE OF ROPS EXTENDED DIGITAL LOOP WITH DEDIC	OMIED	DOI IN	LINOFFICE I KANS	JONI	 			-		 	1		1		1
1 1	First 4 Wise CAl/has Digital Conds Lass in Combination 7 4			LINICDY	LIDL C4	07.44	400.50	00.05	00.00	4404		l				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	<u> </u>	1 1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred	urring	Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXT	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER	OFFICE TRANSPO	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45		12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3				70.00	050.00	450.15	40.10	10.00						
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08 129.38	253.93	158.45	46.10	12.07						
	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	 		UNC1X UNC1X	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07	 		-			
 	First DS1Loop in Combination - Zone 3	 		UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1		 			
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		7	UNC3X	1L5XX	4.29	200.00	100.40	40.10	12.01						
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
	3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
EXT	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.00088										1
 	Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.0008										
	Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	02	20.02	10	2	20							
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						i .
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE													
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						ſ
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															ĺ
	Month	<u> </u>		UNCVX	1L5XX	0.00088										.
	Interoffice Transport - 4-wire VG - Dedicated - Facility															1
	Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE		41 ENID	44.00										+
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.20										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						1
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29	454.15	205.47	123.23	00.19						
	Interoffice Transport - Dedicated - DS3 - Per Mile per Month Interoffice Transport - Dedicated - DS3 combination - Facility			UNCSA	ILSAA	4.29										
	Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						ĺ
—	Nonrecurring Currently Combined Network Elements Switch -As-			ONOOX	01110	041.00	200.07	100.70	02.00	00.20						—
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						1
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						i .
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.29										<u> </u>
	Interoffice Transport - Dedicated - STS-1 combination - Facility															i .
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						.
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	LINICOS		5.00	F.00	7.00	7.00		1				1
EVTE	Is Charge	I TDAS	CDODT	UNCSX	UNCCC	 	5.63	5.63	7.20	7.20				1	1	
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1	IKAN	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				-	-	
\vdash	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X U1L2X	27.59	117.61	79.92	52.82	10.37		-		1	1	
	First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3	1	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		-		1	1	
 	First 2-Wire ISDN Loop in Combination - Zone 4	!		UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Interoffice Transport - Dedicated - DS1 combination - per mile	1	_		J	55.15	117.01	10.02	02.02	10.07		 				<u> </u>
	per month	1		UNC1X	1L5XX	0.1813										1
	Interoffice Transport - Dedicated - DS1 combination - Facility	1		-	1									İ	İ	ſ
	Termination per month	1		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				1
	1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														1
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						!
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														1
	Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	L BLOS N												1
\vdash	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37				ļ	ļ	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		LINIONIV	LIALOY	50.40	447.01	70.00	50.00	10.0-		1				1
	Combination - Zone 4	1	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37	l	<u> </u>		l .	l	

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
3.120110											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						i
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						i
FXTE	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	-1 INTE													
	First DS1 Loop Combination - Zone 1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month	1	1	UNCSX	1L5XX	4.29							Ì	I		1
	Interoffice Transport - Dedicated - STS-1 combination - Facility	1			. 20, 0 .	20					1	1	1			
	Termination per month	1	1	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29			Ì	I		1
\vdash	3/1 Channel System in combination per month	 	 	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82				 		t
\vdash	DS1 COCI in combination per month	 	 	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				 		f
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00						
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						i
	Additional DS1Loop in the same STS-1 Interoffice Transport		-	UNCIX	USLAA	79.00	255.95	130.43	40.10	12.07				-		
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						i
	Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIA	USLAA	129.30	255.95	130.43	40.10	12.07						
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	450.45	40.40	12.07						i
			3	UNCIX	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport		4	LINGAV	LICL VV	450.40	252.02	450.45	40.40	40.07						i
-	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						+
-	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						+
	Nonrecurring Currently Combined Network Elements Switch -As-			LINOOV	UNCCC		5.00	5.00	7.00	7.00						i
EVE	Is Charge	DOC INT		UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXIL	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS IN I			LIDLEC	07.44	400.50	00.05	00.00	44.04						+
-	4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						+
	4-wire 56 kbps Local Loop in combination - Zone 2		-	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						+
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						+
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						+
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINODY	41.5007	0.0000										i
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						40.00									i
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						+
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINCDY	LINICCO		5.00	F.00	7.00	7.00			Ì	I		1
	Is Charge	DO 11:-	<u> </u>	UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT			LIDI 64	07.41	400 50	20.05	00.00	1101				-	1	
\vdash	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	!		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64				-	1	
\vdash	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	!	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64				-	1	
\vdash	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	!	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64				-		+
\vdash	4-wire 64 kbps Lcoal Loop in Combination - Zone 4	!	4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						├
1 1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		LINORY	41.5307	0.0000					1	1				1
\vdash	Per Mile per month	!		UNCDX	1L5XX	0.0098										├
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1	l .	I				l !	_	l	l	Ì			1
	Facility Termination per month	ļ		UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l .	l		_	_	_	_	İ	İ	Ì			1
<u> </u>	Is Charge	<u> </u>		UNCDX	UNCCC		5.63	5.63	7.20	7.20			ļ	.		
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP			1				L							
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 1	!	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						├
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
<u> </u>	First 2-wire VG Loop (SL2) in Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37				ļ		
	First 2-wire VG Loop (SL2) in Combination - Zone 4	<u> </u>	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
] [First Interoffice Transport - Dedicated - DS1 combination - Per	1	1										Ì	I		1
	Mile	<u> </u>		UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -	1	1										Ì	I		1
$oxed{oxed}$	Facility Termination per month	ļ		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			ļ			
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
1 1 -	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.5737	6.62	4.74								1

UNBUND	DLED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Boo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	+		UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			0.1017	O L / LLL	200	100.00	00.20	02.02	10.07						
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Each Additional DS1 Interoffice Channel per mile in same 3/1									<u> </u>						
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI combination per month Nonrecurring Currently Combined Network Elements Switch -As		 	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				 	 	
	Is Charge	-		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
FX1	TENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	TEROFE	ICE TR				3.03	3.03	7.20	7.20						
LA.	First 4-Wire Analog Voice Grade Local Loop in Combination -	T	1	I	1											
	Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			1110101		50.00	400.07	04.50	00.00	44.04						
	Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per	+	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - Facility	1		ONOTA	120/01	0.1010										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110101		07.47	400.07	04.50	00.00	44.04						
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	+	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64				1	1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1			J ,	55.25	702.27	5-1.55	55.55	14.04			1	1	1	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64				1	1	
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.1813			ļ							<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in		1	LINGAY	U1TF1	54.70	00.70	00.00	40.00	44.00				1	1	
	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month	1	1	UNC1X UNCVX	1D1VG	51.72 0.5737	89.79 6.62	82.28 4.74	16.86	14.90						
	Nonrecurring Currently Combined Network Elements Switch -As	:-	 	ONCVA	טיוטו	0.5737	0.02	4.74	+ +		1		1	1	1	+
	Is Charge		1	UNC1X	UNCCC		5.63	5.63	7.20	7.20				1	1	
EXT	TENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE			İ	3.33	3.30	7.20	0				Ì	İ	<u> </u>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			l	1]	\exists	. 7							1	1	
	Zone 2	1	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64			ļ	ļ	ļ	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		3	ONODA	ODLOG	40.76	120.33	00.00	00.00	14.04			-		1	+
1	Zone 4	1	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64				1	1	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OATEGORI	NATE ELEMENTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates (\$)	I.	<u> </u>
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	First Interoffice Transport - Dedicated - DS1 combination - Per				+		11131	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	- COMPART
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - combination			OHOTA	120/01	0.1010										
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
 	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	2.02	0.02	7.17	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	- '-	CHODA	30130	21.44	120.55	00.00	00.00	14.04				 		
1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	 	5.10DA	35230	57.55	120.00	00.00	00.00	17.04				 		
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	ONODA	ODLOG	40.70	120.55	00.00	00.00	14.04						
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per month (2.4-		4	UNCDX	UDLSO	32.23	120.55	00.00	00.08	14.04						
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	טטוטו	1.22	0.02	4.74	0.00	0.00	-					
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.1613					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system	<u> </u>	<u> </u>	UNCIA	UTIFT	31.72	09.79	02.20	10.00	14.90						
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	2.02	0.02	4.74	0.00	0.00	-					
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EVTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTED	EEICE				3.03	5.05	7.20	7.20						
LATE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSFORT W/ 3/	I WIOX						1					
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
 	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		 '	ONODA	ODLO4	27.44	120.55	00.03	00.00	14.04						
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	34.33	120.55	00.00	00.00	14.04						
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	ONODA	ODLO4	40.70	120.55	00.00	00.00	14.04						
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
 	First Interoffice Transport - Dedicated - DS1 combination - Per		-	UNCDA	UDL04	32.23	120.55	00.00	00.00	14.04						
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -			OHOTA	120/01	0.1010										
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
\vdash	Per each Channel System 1/0 in combination Per Month	 	l	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
\vdash	Per each OCU-DP COCI (data) in combination - per month (2.4-	 	l	011017	IVIQ I	102.03	31.37	02.34	10.07	10.10						
1	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
 	3/1 Channel System in combination per month	 		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82		 		 		+
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	 	1		30.51	2.02	0.02	7.77	0.00	0.00		l				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>		32237	21.77	120.00	55.55	00.00	1-1.04				1	1	t
1 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		1		Ì		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		 			250	00	22.00	22.00					1		
1 1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		1		Ì		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		Ť		1		.20.00	33.30	55.50					1		1
1	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System				1	02.20	.20.00	33.30	55.50					1	1	t
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	†	 		1		5.02		2.00	2.00				1		
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in					22.10								İ		
																•

UNBUND) Fr	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	nit· Δ
31130110		ALL TOTAL ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 COCI in the same 3/1 channel system															i
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						-
		Nonrecurring Currently Combined Network Elements Switch -As-															i
	/TENI	Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOF	T / 0/	4 841137	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EX		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI W/ 3/	I WUX		-				-							
		Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
-		First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	CHOID	OTLEX	21.01	117.01	70.02	02.02	10.07						<u> </u>
		Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination						_									
<u> </u>		Transport - Zone 3	<u></u>	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	<u> </u>	<u> </u>		<u></u>		<u> </u>
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						ļ
		First Interoffice Transport - Dedicated - DS1 combination - Per															. <u></u>
		Mile per month			UNC1X	1L5XX	0.1813										.
		First Interoffice Transport - Dedicated - DS1 combination -											1		1		ı
		Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each Channel System 1/0 in combination - per month		<u> </u>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						1
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
-		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
 		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00						
		Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															1
		system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAY	41.5307	0.4040										i
-		Channel System per month			UNC1X	1L5XX	0.1813			1							
		Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
		same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	1	 	014017	OTTET	31.72	09.19	02.28	10.00	14.90				 		
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		1		1		İ
		Nonrecurring Currently Combined Network Elements Switch -As-				-0.5.	2.02	3.02		5.00	0.00						
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		1		1		İ
EX	TENI	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT													
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						1
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						ı
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					•	
		First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						-
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month		ļ	UNC1X	1L5XX	0.1813								ļ		
		First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1		1		1
		3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
\vdash		Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74		0.00				1		
		Each Additional DS1 Interoffice Channel per mile in same 3/1			OI TO IX	50151	2.02	0.02	7.74	0.00	0.00						
		Channel System per month			UNC1X	1L5XX	0.1813			1			1		1		ı
		Each Additional DS1 Interoffice Channel Facility Termination in			-					1					1		
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				<u> </u>		ı
	T	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone]		
		1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		l]		ı.

UNRU	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	hit· Δ
CIADO	MULL		1	l	I							Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
																	-
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	3ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														150	Addi	DISC 1St	DISC Add I
	1			1				Nonre	arina	Monroourring	Disconnect		l	000	Rates (\$)		
				1			Rec										
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		5		J	UNCIX	USLAA	200.74	255.95	130.43	40.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	EVTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTEDA	EEICE		0.1000		0.00	0.00	7.20	7.20						
<u> </u>	EVIEN		NIEKU							ļ		.	 	ļ			
	1	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64]			
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		1				
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
—	1	First 4-wire 56 kbps Local Loop in combination - Zone 5	-	4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		l	l			
	 		 	4	OINODA	ODESO	32.25	120.33	00.00	80.08	14.04	-	 	 			
1	1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l	1				1	1		1	1	l	1			
<u> </u>	<u></u>	per month	<u> </u>	<u>L_</u>	UNCDX	1L5XX	0.0098	<u> </u>	L	<u> </u>	<u></u>	<u> </u>	L	L	<u> </u>		
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
				<u> </u>	CNODA	01100	22.02	40.70	21.01	17.20	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	1	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
		per month			UNCDX	1L5XX	0.0098										
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			0.1027	120701	0.0000										
					LINODY	LIATEDO	00.50	40.70	07.57	47.00	7.44						
		Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDIT	IONAL N	IETWORK ELEMENTS			İ												
7.22		used as a part of a currently combined facility, the non-recurr	na cha	race de	not apply but a S	witch Ac Ic c	harao done ani	nlv									
		used as ordinarily combined network elements in All States, the					As is Charge	does not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each comb	oination)											
	1	Nonrecurring Currently Combined Network Elements Switch -As-	l	1					1					1			
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20	ĺ	l				
	†	Nonrecurring Currently Combined Network Elements Switch -As-	-	t		3		0.00	0.00	7.20	7.20	l .	 	 			
l	1		l	1	LINCDY	LINICOO			5.00	7.00	7.00	1	l	1			
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20		ļ				
		Nonrecurring Currently Combined Network Elements Switch -As-						1			1	ĺ	l				
1	1	Is Charge - DS1	l	1	UNC1X	UNCCC		5.63	5.63	7.20	7.20	1	l	1			
	1	Nonrecurring Currently Combined Network Elements Switch -As-						1			1						
1	1	Is Charge - DS3	l	1	UNC3X	UNCCC		5.63	5.63	7.20	7.20	1	l	1			
	-			!	UINCOA	UNCCC		5.03	5.03	1.20	1.20	.					
1	1	Nonrecurring Currently Combined Network Elements Switch -As-	l	1	l	1		1	1		1	I	l	1	1		
	Ь	ls Charge - STS1	<u> </u>	<u></u>	UNCSX	UNCCC		5.63	5.63	7.20	7.20		<u> </u>	<u> </u>			
	Option	al Features & Functions:	l	1					1					1			
					U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	Li		ULDD1,UNC1X	CCOEF		OI	οι	οı	OI	ĺ	l				
-	1	State Statistics Supulsing Extended Frame Option - per DOT	- '-	1		JUUL1		·	<u>.</u>	· ·	·-	1	 	1	-		
1	1	01011-01-110	l .	1	U1TD1,	00005		اما	اما	01	01	1	l	1			
	1	Clear Channel Capability Super FrameOption - per DS1		<u> </u>	ULDD1,UNC1X	CCOSF		01	01	UI	01						
1	1	Clear Channel Capability (SF/ESF) Option - Subsequent	1	1	ULDD1, U1TD1,	1		<u> </u>	1		<u> </u>	1	1	1			
		Activity - per DS1	L		UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S	ĺ	l				
				t	U1TD3, ULDD3,	1											
l	1	C hit Parity Ontion Subsequent Activity, nor DS2		1	UE3, UNC3X	NDCC3		219 725	7 669	72015	0S	1	l	1			
<u> </u>		C-bit Parity Option - Subsequent Activity - per DS3		1	ULO, UNUOX	NRCC3		218.72S	7.66S	.7201S	uo		ļ	ļ			
	MULTI	PLEXERS		<u> </u>		<u> </u>			<u> </u>	<u> </u>							
		DS1 to DS0 Channel System per month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		1				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per					_										
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74		1	ĺ	l				
	1	וווטוונו (ב.ד-טדתטט) עספט וטו מ בטכמו בטטף			ODL	טטוטו	1.22	0.02	4.74	l			l	l .			

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec		curring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.5707	0.00	4 74								
		DS3 to DS1 Channel System per month			UNC3X	MQ3	0.5737 170.63	6.62 179.17	4.74 94.52	24.20	20.00						
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30 34.30	32.82 32.82						
		DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	94.52 4.74	34.30	32.82						+
		DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	UCIDI	12.90	0.02	4.74				1				1
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74			1					
-		DS3 Interface Unit (DS1 COCI) used with Local Channel per			01101	00151	12.00	0.02	7.77								
		month			ULDD1	UC1D1	12.96	6.62	4.74								
UNBUN	DLED L	OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
j	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOC:	s								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
-		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing			ULFSK	ULFAF	1.41	2.39	2.29	1.42	1.33		1				
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
		2-Wire voice unbundled Low Usage Line Port without Caller ID	1	†		02. 110	1.71	2.00	2.23	112	1.55			1	1	1	1
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
		Subsequent Activity		1	UEPSR	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)										ļ					<u> </u>
T		Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1	1	l	L \]]	_	_	
		Bus	ļ	<u> </u>	UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33	ļ		ļ	ļ	ļ	<u> </u>
		Exchange Ports - 2-Wire VG unbundled Line Port with	l	1	LIEDOD	LIEDES								1	I	I	
- I		unbundled port with Caller+E484 ID - Bus.	l	1	UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33	ļ	-	-	1	1	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	l	1	UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33			1	I	I	
ł		Exchange Ports - 2-Wire VG unbundled MS extended local	1	1	OLI OD	OLFBO	1.41	2.39	2.29	1.42	1.33	1	1		1	1	1
		dialing parity Port with Caller ID - Bus.	l	1	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33			1	I	I	
		Exhange Ports - 2-Wire VG unbundled incoming only port with	1	†		02.71	1.71	2.00	2.23	112	1.55			1	1	1	
		Caller ID - Bus	l	1	UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33			1	I	I	
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan		1						1							
		without Caller ID	<u></u>	L	UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33	<u></u>	<u> </u>	<u> </u>	<u> </u>	L	
		2-Wire voice unbundled Incoming Only Port without Caller ID															_
		Capability		<u> </u>	UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33					1	1
		Subsequent Activity		ļ	UEPSB	USASC	0.00	0.00	0.00	ļ					1	1	
!	FEATU		ļ		LIEDOD	LIEDY'S			2	ļ		ļ					
		All Available Vertical Features		1	UEPSB	UEPVF	2.56	0.00	0.00								<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi													ment: 2	Exhi	ibit: A
												Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring			•		Rates (\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCH	ANGE PORT RATES (DID & PBX)				<u> </u>											
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		<u> </u>	UEPSP	UEPPO UEPP1	1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP UEPSP	UEPPT	1.41 1.41	31.45	14.93	14.38	0.92 0.92						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
-	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OL: 01	טבו אט	1.41	31.43	17.53	17.30	0.92						†
	Capable Port		1	UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	0.		1	31.40	00	00	3.02						t
	Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									0.02						
	Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.41	2.39			1.33						
	: Transmission/usage charges associated with POTS circuit sv													L		
	: Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	availal	ole only	/ through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via	he Bona Fid	le Request/	New Business	s Request Pro	cess.	+
	ANGE PORT RATES															
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tal	riff rates or	a senarate ag	reement.		1
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a												a coparate ag			
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						
1	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
	All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transm	nission by B-Ch	nannels assoc	iated with 2-	wire ISDN p	orts.			1
NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via	he Bona Fid	le Request/	New Business	Request Pro	cess.	
EXCH	ANGE PORT RATES (continued)															
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97						
	Virtual Collocation - Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
Detail	ed E911 with Locator Capability (required with UEPEX port)															1
İ	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per															
	State Linburgled Evaluate a Ports of Wire ISDN DS4 Ports F044		ļ	UEPEX	UEP1A	0.00	1,814.00		156.15							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	176.15									
New o	or Additional PRI Telephone Numbers		1		520	5.50	170.10				1	l				

UNBUNDL	ED NETWORK ELEMENTS - Mississippi						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc			Incremental Charge -
			1				Nonred	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)	1	I .
-+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911							7.44		7.44	0020					
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or			LIEDDY	LIEDAE	0.00	0.40									
	Additional]		1	UEPDX	UEP1E	0.00	0.49									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.15	23.15				1	1			
I OC	AL NUMBER PORTABILITY		1	OLI LA	1 (1/2)	0.00	23.13	20.15	1				 	 	 	
- 1-30	Local Number Portability (1 per port)	1		UEPEX UEPDX	LNPCN	1.75			1				†	†	†	
INTE	RFACE (Provsioning Only)													1		
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61									
\longrightarrow	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									
	New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel		1	UEPEX UEPEX	PR7BS PR7BU	0.00	14.61 14.61							-	-	
+-	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61						-	-	-	
CAL	L TYPES		1	OLI LX	TRILA	0.00	14.01									
- OAL	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	Ý														
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33						
				l												
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res		1	UEPVR UEPVR	UERTE	1.41 1.41	2.39	2.29	1.42 1.42	1.33 1.33				-	-	
Non	-Recurring			UEPVR	UERIR	1.41	2.39	2.29	1.42	1.33			-	-	-	
INOII-	Unbundled Remote Call Forwarding Service - Conversion -	1			+						 		 	 	 	+
	Switch-as-is			UEPVR	USAC2		0.0988	0.0988				1	1			
	Unbundled Remote Call Forwarding Service - Conversion with	1														
	allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988					<u> </u>			
UNB	UNDLED REMOTE CALL FORWARDING - Bus						-	•								
				l									1	1		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33			1	1	1	
	III. III. I D. I			LIED) (D	LIEDI O							1				
$-\!+\!-$	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	_	UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33			!	!	!	1
-+	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1	1	UEPVB UEPVB	UERTE UERTR	1.41 1.41	2.39 2.39	2.29 2.29	1.42 1.42	1.33 1.33	-		-	-	-	-
$-\!+\!-$	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	1	-	OLFVD	UERIK	1.41	∠.39	2.29	1.42	1.33	-	-				
	Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33			1	1	1	
Non-	-Recurring	1			1		2.30	2.20		50			1	1	1	
	Unbundled Remote Call Forwarding Service - Conversion -	1			1											
	Switch-as-is			UEPVB	USAC2		0.0988	0.0988				1	I	I	I	
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)	1		UEPVB	USACC		0.0988	0.0988					1	1	1	
	D LOCAL SWITCHING, PORT USAGE	1			1				ļ			ļ		ļ	ļ	
End	Office Switching (Port Usage) End Office Switching Function, Per MOU	1			1	0.0040000							1	1	1	1
			1	1		0.0010269	1		1		1	1	1	•	1	L
	End Office Trunk Port - Shared, Per MOU		+			0.000161										

IINR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
OND	JINDEL	HETWORK ELLINENTO - INISSISSIPPI	1				1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OAIL	00	TATE ELEMENTO	m	20.10	200	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000026										
		Common Transport - Facilities Termination Per MOU					0.0004541										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Us															ļ
		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Cur	rently Comb	ned Combos th	ne nonrecurrin	g charges sha	I be those ider	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ														
	UNE Po	ort/Loop Combination Rates	!			-	10.0-										-
<u> </u>	-	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	12.22 17.13								-		1
-		2-Wire VG Loop/Port Combo - Zone 2		2													
-		2-Wire VG Loop/Port Combo - Zone 3		3			26.26 44.91										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
		pop Rates		4	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)		-	CLITOR	OLI LX	40.00										
	2 *******	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local															
		dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU																
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
		NUMBER PORTABILITY			LIEBBY .												
<u> </u>		Local Number Portability (1 per port)	!		UEPRX	LNPCX	0.35								 		!
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			-									 		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	1		UEPRX	USAC2		0.0988	0.0988				1		1		I
<u> </u>	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 		OLFKA	USAUZ		0.0988	0.0988		-				-		-
1		Switch with change	1		UEPRX	USACC		0.0988	0.0988				1		1		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFKX	USACC		0.0900	0.0900								
		Subsequent Database Update						0.00	0.00								
	ADDITI	ONAL NRCs	1			†		0.00	0.00				 		 		I
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity	1		UEPRX	USAS2	0.00	0.00	0.00								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	1		UEPRX	URETL		8.33	0.83				1		1		1
	OFF/O	PREMISES EXTENSION CHANNELS	<u> </u>														
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25		1				
			+														
		2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
				1	UEPRX UEPRX UEPRX	UEAEN UEAED UEAED	43.85 13.89 18.75	37.92 105.96 105.96	17.55 68.28 68.28	23.48 52.82 52.82	5.25 10.37 10.37						

UNRI	JNDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
3.15		- IIII EEEMENTO IMOOIOOIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									F • · · · · · · · · · · · · · · · · · ·	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100 101	
							Rec	Nonrec			Disconnect				Rates (\$)		
					UEDDV			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	-	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37						
-	INITED	2 Wire Analog Voice Grade Extension Loop – Design OFFICE TRANSPORT		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				-											
		Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	ULFRA	UTIVZ	20.32	40.77	21.51	17.20	7.11						
		or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
	2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLI TOX	O I I VIVI	0.0000	0.00	0.00								
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	1	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	UNE L	oop Rates	<u> </u>		_												
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local			HEDDY	LIEDAY	4.00	40.04	40.04	04.00	0.50						
	-	dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Incoming Only Port without Caller ID		1	ULFBA	OLFWK	1.23	40.31	15.04	24.50	0.36						
		Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
-	LOCAL	NUMBER PORTABILITY			OLI DX	OLI DE	1.20	40.01	10.04	24.00	0.00						
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATL				02. 5%	Liti OX	0.00								1		
		All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-						<u> </u>								
		Switch with change			UEPBX	USACC		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1												1		
<u> </u>	1	Subsequent Database Update	ļ					0.00	0.00						1	ļ	
<u> </u>	ADDIT	IONAL NRCs	1	ļ											-		
1		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1	LIEDDY	110400		0.00	0.00						I	1	
	1	Activity	ļ	-	UEPBX	USAS2		0.00	0.00						1	-	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83						1		
<u> </u>	OEE/O	N PREMISES EXTENSION CHANNELS	 	-	ULF'DA	UKEIL		0.33	0.83	-				-	-	-	-
-	JFF/U	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25	1	1		1		
-	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25				 	 	
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25				 	 	
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	 	4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25				-		
		2 Wire Analog Voice Grade Extension Loop – Design	1	1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37				<u> </u>		
—	1	2 Wire Analog Voice Grade Extension Loop – Design	1	2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37				1	1	
	1	2 Wire Analog Voice Grade Extension Loop – Design	1	3	UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37			İ	1		İ
	1	2 Wire Analog Voice Grade Extension Loop – Design	1	4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37			İ	1		İ
	INTER	OFFICE TRANSPORT						-									1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination	<u></u>		UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11						
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1]	
		or Fraction Mile			UEPBX	U1TVM	0.0088	0.00	0.00								
	2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)													l		l

ONROND	DLED NETWORK ELEMENTS - Mississippi		,	•										ment: 2		ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	E Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										1
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										ĺ
UNI	E Loop Rates															ĺ
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-W	Vire Voice Grade Line Port Rates (RES - PBX)															ĺ
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res		1	UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17				I	I	
LOC	CAL NUMBER PORTABILITY				i i											
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FE#	ATURES															
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								ĺ
NOI	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update						0.00	0.00								
ADI	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	r														
	Premise			UEPRG	URETL		8.33	0.83								
OFF	F/ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination			UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
INT	TEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	9														
	or Fraction Mile			UEPRG	U1TVM	0.0088	0.00	0.00								
2-W	VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX))														1
	E Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										1
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										1
UNI	IE Loop Rates															1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-W	Vire Voice Grade Line Port Rates (BUS - PBX)															1
																1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	3	1	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17				I	I	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17						1
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17						1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	_		UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17	1		i			1

UNRII	INDI F	D NETWORK ELEMENTS - Mississippi												Δttach	ment: 2	Exhil	hit: A
CIADO	HULL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEC	ODV	DATE ELEMENTO	Interi	7	BCS	11000			DATES (#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.00
							Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
<u> </u>		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	ULFFX	ULFAD	1.23	09.37	32.40	37.00	0.17						
		Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
1		Room Calling Port	1	1	UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		I	1	1		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
1		Discount Room Calling Port	1	1	UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		I	1	1		
-		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	1	1	5E. 1 /	SEI AO	1.20	00.01	02.70	57.00	0.17	 					
1		Calling Port	1	1	UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		I	1	1		
├	—	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	-	 	OLIIA	JLI NG	1.23	05.57	32.40	31.00	0.17	1	 	 	-		
					HEDDY	LIEDVD	4.00	00.07	00.40	07.00	0.47						
<u> </u>		Calling Port	<u> </u>	 	UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17	!	.	ļ			
<u> </u>		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<u> </u>	<u> </u>	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		ļ				
<u> </u>		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port	<u> </u>	<u> </u>	UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17	1			1		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU	RES															
		All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	OUNCE		7.50	1.01								
					UEPPX	USACC		7.96	4.04								
		Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Subsequent Database Update		<u> </u>				0.00	0.00								
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
1		Premise	1	1	UEPPX	URETL		8.33	0.83	I		1	l	Ì			
	OFF/O	N PREMISES EXTENSION CHANNELS		1		1		2.20	2.30	İ		1	İ	İ	1		
	2,31	Local Channel Voice grade, per termination	1	1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37	1	i	1	1		
—	-	Local Channel Voice grade, per termination	 	2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37	 		 	1		
-	-	Local Channel Voice grade, per termination	 	3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37	1	 	1	1		
—	-		-		UEPPX	P2JHX	45.72					 	-	-	-		
	INITES	Local Channel Voice grade, per termination	-	4	UEFPA	FZJHX	45.72	105.96	68.28	52.82	10.37	1	1	ļ	-		
-	INTER	DFFICE TRANSPORT	1	1						1		1	1	1	1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						40									
		Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1						I		1	l	Ì			
		or Fraction Mile			UEPPX	U1TVM	0.0088	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
		ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		i	17.13			İ		1	İ	İ	1		
		2-Wire VG Coin Port/Loop Combo – Zone 3	1	3		1	26.26			t		1	1	1	1		
		2-Wire VG Coin Port/Loop Combo – Zone 4	1	4		1	44.91			t		1	1	1	1		
		pop Rates				1	77.01			 		t	 	†	t		
—	3.1L L	2-Wire Voice Grade Loop (SL1) - Zone 1	 	1	UEPCO	UEPLX	10.98			t		1	1	1	1		
-	-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	 	2	UEPCO	UEPLX	15.91			 		 	-		-		
<u> </u>			 							 		1	 	 	1		
<u> </u>		2-Wire Voice Grade Loop (SL1) - Zone 3	-		UEPCO	UEPLX	25.04			1		-	1		-		
		2-Wire Voice Grade Loop (SL1) - Zone 4	<u> </u>	4	UEPCO	UEPLX	43.68						ļ				
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without								1							
	<u></u>	Blocking (AL, KY, LA, MS)	<u></u>	<u></u>	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58	<u> </u>		L			

UNBUND	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
350.45											Svc Order	Svc Order	Incremental		Incremental	Incremental
		l									Submitted	Submitted		Charge -	Charge -	Charge -
			1								Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without															i
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						ł
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						í
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															í
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						í
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															í T
	(AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						ł
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															í T
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						ł
	2-Wire Coin 2-Way with Operator Screening & Blocking:															ı
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,]		1
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator	l]]		
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator															í
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and 011 Blocking															ł
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						Ļ
	2-Wire Coin Outward with Operator Screening and 011															ł
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking:															í
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															í
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,									0.50						í
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except I A)															ł
4.5	ILA) DITIONAL UNE COIN PORT/LOOP (RC)		-	UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADI	UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
100	CAL NUMBER PORTABILITY		<u> </u>	UEPCO	UKECU	4.02	0.00	0.00	0.00	0.00						
100	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					-					
NO	IRECURRING CHARGES - CURRENTLY COMBINED			OLFCO	LINEUX	0.55										
INO	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	 		+					 			 	 		
	Switch-as-is	l	1	UEPCO	USAC2		0.0988	0.0988					Ì	Ì		1
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	 	021 00	30,102		5.0300	0.0300	1	 			 	 		
	Switch with change	l	1	UEPCO	USACC		0.0988	0.0988					Ì	Ì		1
ADI	OITIONAL NRCs	1		00	33.30		5.0000	0.0000		1			1	1		í
1.5	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				† 1					1			İ	1		í
	Activity	l		UEPCO	USAS2		0.00	0.00								í
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	†		1 1		2.20	2.30		1			1	1		ĺ
	Premise	l	1	UEPCO	URETL		8.33	0.83					Ì	Ì		1
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I		1											í
	Port/Loop Combination Rates		<u> </u>		1											ĺ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										ı .
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNI	Loop Rates							-								
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72										
2-W	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70	l .	<u>l</u>]]		

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fxhi	bit: A
0.100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	INCOME ELEMENTO IMICOICOIPPI										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									,	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.441
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port outgoing only - res		<u> </u>	UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice Grade unbundled Mississippi extended local			LIEDED	LIEDAT	4.07	100.05	70.57	54.04	44.70						
-		dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			LIEDED	UEPAP	1.27	100.05	70.57	5404	44.70						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						-
		without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						İ
-	INTER	OFFICE TRANSPORT			OLITIK	OLI W3	1.27	100.55	10.51	54.24	11.70	1					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
		Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFR	1L5XX	0.0088										
	FEATU																
		All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															İ
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	0.14/105	End User Premise		ODT (UEPFR	URETN		11.19	1.10								
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (I	305)												
	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	28.82					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4		+	46.99										
	UNFI	pop Rates		<u> </u>			10.00										
	0.112	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70						
	<u> </u>	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
1	1	2-Wire voice Grade unbundled Mississippi extended local	l			1								1	I		1
<u> </u>	<u> </u>	dialing parity port with Caller ID - bus	<u> </u>		UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70	<u> </u>		 	-	ļ	
<u> </u>	1	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	1	UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70	1		-	1		
1	1	2-Wire Voice Unbundled Mississippi Business Dialing Plan without Caller ID	l		UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70				1		1
	LOCAL	NUMBER PORTABILITY	-	-	UEFFB	UEPVIK	1.27	108.35	70.57	54.24	11.70				 		
	LUCAL	Local Number Portability (1 per port)	-	-	UEPFB	LNPCX	0.35							-	-	-	
-	INTER	OFFICE TRANSPORT	1	1	ULFFB	LINFUX	0.35					1	1		1		
—	MIER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 		+				 				 	 		
1	1	Termination	l		UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11			1	I		1
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			122	20.02	40.11	21.01	17.20	,,,,,	1		 	I		—
1	1	or Fraction Mile	l		UEPFB	1L5XX	0.0088							1	I		1
	FEATU					1	3.0000			1				1	1		
		All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00			İ					
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED						-				İ					
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	<u></u>	Combination - Conversion - Switch-as-is	<u> </u>		UEPFB	USAC2		16.94	3.72	L				<u> </u>	<u> </u>	<u></u>	<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						_									1
L	<u> </u>	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								L
1	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	l]			1
L	<u> </u>	End User Premise	<u> </u>		UEPFB	URETN		11.19	1.10						<u> </u>		

UNBUND	LED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V	VIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE I	PORT (PBX)												
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UN		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
2-V	Vire \	Voice Grade Line Port Rates (BUS - PBX)															
	T			1													
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14		11.29						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14		11.29						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14		11.29						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14		11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
		Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INT		OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						ļ
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.0088										
FE	ATU			<u> </u>	LIEDED	LIED\"	0.50	0.00	2.00					-	 		↓
		All Features Offered		<u> </u>	UEPFP	UEPVF	2.56	0.00	0.00								_
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>		1								-	 		↓
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED			40.01	0 =0				1	I	Ì		
		Combination - Conversion - Switch-as-is		<u> </u>	UEPFP	USAC2		16.94	3.72					-			
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	110400		40.01	3.72					I	Ì		
		Combination - Conversion - Switch with change		!	UEPFP	USACC		16.94	3.72	ļ		1	-	 	1		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			LIEDED	LIDETN		44.40	4.40					I	Ì		
I INIDI INIDI I		End User Premise		<u> </u>	UEPFP	URETN		11.19	1.10					 			
		ORT/LOOP COMBINATIONS - COST BASED RATES	DOD*	!		+				ļ		1	-	 	1		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PURI	 		+				 		-		 	 		-
UN		ort/Loop Combination Rates		4		+	04.00							 			
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	21.32			 		-		 	 		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2		+	26.16							 			
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		3		+	34.98			ļ		1	-	 	1		
J 16.1		op Rates		4		+	53.15			ļ		1		1	 		<u> </u>
UN	E L0	oh vares		1	l .					1		<u> </u>	l	1	1		1

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Evhi	bit: A
CIVE	NULL												Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
			l										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							- (17			per Lon	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)	ı	1
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	27.55										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
	UNE Po	ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX		USAC1		7.35	1.88								
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	<u> </u>	with BellSouth Allowable Changes	<u></u>	<u>L</u>	UEPPX		USA1C		7.35	1.88	<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
-	ADDITI	ONAL NRCs																
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	<u> </u>	End User Premise	<u></u>	<u>L</u>	UEPPX		URETN		11.19	1.10	<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	UNE P	ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 4		4				67.61										
	UNE Lo	pop Rates																
	<u> </u>	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	18.26								ļ		
			1	1										1		I		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										l
	<u> </u>	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<u> </u>	3	UEPPB	UEPPR	USL2X	34.85								ļ		
	L	2-Wire ISDN Digital Grade Loop - UNE Zone 4	ļ	4	UEPPB	UEPPR	USL2X	57.28			ļ					.		
		ort Rate		<u> </u>		LIEDDE	LIEBBB	10.55	100	100	100							
		Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13				-		
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>			ļ											
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1	LIEDDE	HEDDE	110400	0.00	00 =0	07.1-				1		I		
	4000	Combination - Conversion	<u> </u>		UEPPB	UEPPR	USACB	0.00	38.73	27.17	ļ					-		
	ADDITI	ONAL NRCs	<u> </u>	ļ	<u> </u>		1				.					-	1	1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	LIEDDE	LIEDDS	LIDETN		44.5	4.0				1		I		
	<u> </u>	End User Premise	<u> </u>		UEPPB	UEPPR	URETN		11.19	1.10	ļ					-		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	LIECOS	HEDDO	LIDET		0.00	0.00				1		I		
	1004	Premise	 	<u> </u>	UEPPB	UEPPR	URETL		8.33	0.83	1		-	ļ		 	-	-
		NUMBER PORTABILITY	 	<u> </u>	LIEDDE	HEDDS	LNDCV	0.05	0.00	0.00	1		-	ļ		 	-	-
		Local Number Portability (1 per port)	-	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 					 		
	в-СНА	NNEL USER PROFILE ACCESS: ICVS/CSD (DMS/5ESS)	 	<u> </u>	UEPPB	HEDDE	U1UCA	0.00	0.00	0.00	1		-	ļ		 	-	-
	1		 	<u> </u>		UEPPR UEPPR	U1UCA U1UCB	0.00			1		-	ļ		 	-	-
	1	CVS (EWSD)	-	1	UEPPB	UEPPR			0.00	0.00	 					 		
	B CITE	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	C MC ^	TAN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 		-			 	-	 -
	в-СНА		U,IVIS, &	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	 			 				
	1	CVS/CSD (DMS/5ESS) CVS (EWSD)	-	1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	 					 		
	1	CSD (EWSD)	-		UEPPB	UEPPR		0.00	0.00	0.00	 					 		
	1	עטט	<u> </u>	1	UEPPB	UEPPK	UTUUF	0.00	0.00	0.00	l		L	L		1	l	L

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi			1		1						Ι-	1 -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	R TERMINAL PROFILE			LIEDDD	HEDDD	11411544	0.00	0.00	0.00								
VEDT	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
INITE	ROFFICE CHANNEL MILEAGE		-	UEFFB	UEPPR	UEFVF	2.30	0.00	0.00								
INTER	Interoffice Channel mileage each, including first mile and	1	1			1						1					
	facilities termination			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00	17.20	,.,,						1
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITE	OLITIK	WITCHWI	0.0000	0.00	0.00								
	JNE-P DS1 combination rates below for in this rate exhibit appl			ded base	in place a	s of 10/2/03 u	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1																
	Port/Loop Combination Rates	1						- F							İ		1
1 -	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1				1									İ		1
	Zone 1		1	UEPPP		1	155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											Ì			1		1
	Zone 2	<u>L</u>	2	UEPPP		<u> </u>	205.74					<u></u>			<u> </u>		<u></u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																1
	Zone 4		4	UEPPP			534.81										
UNE L	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74										
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46										
UNE	Port Rate						====	450.00									
Nove	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEDDD		LICACD	0.00	440.70	70.04								
ADDI	Combination - Conversion -Switch-as-is (E:4/1/2004) TIONAL NRCs			UEPPP		USACP	0.00	119.76	79.01								<u> </u>
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		-			-											
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	OLFFF		FIXIII		0.49				1					
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI		110710		11.50	11.50								+
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
LOCA	AL NUMBER PORTABILITY																
7,51	Local Number Portability (1 per port)	1	1	UEPPP		LNPCN	1.75										
INTER	RFACE (Provsioning Only)											Ì			1		
	Voice/Data	<u> </u>		UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	14.61									1
	New or Additional - Digital Data B Channel	<u> </u>		UEPPP		PR7BF	0.00	14.61									<u> </u>
	New or Additional Inward Data B Channel	ļ		UEPPP		PR7BD	0.00	14.61							ļ		↓
CALL	TYPES	ļ		HEDDE		DD704	0.00	0.00	0.00							ļ	
	Inward	<u> </u>		UEPPP		PR7C1	0.00	0.00	0.00			<u> </u>				ļ	
	Outward	!	_	UEPPP		PR7CO	0.00	0.00	0.00			}				ļ.	
l=	Two-way	!	1	UEPPP		PR7CC	0.00	0.00	0.00			1					
intero	office Channel Mileage	!	1	UEPPP		11 NI1 A	E7 F2	90.70	00.00	16.00	14.90	1					┼──
	Fixed Each Including First Mile Each Airline-Fractional Additional Mile	 	1	UEPPP		1LN1A 1LN1B	57.53 0.20	89.79	82.28	16.66	14.90	1			-	1	
4-10/10	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	1	ULFFF		ILIVID	0.20					}			1		
	INE-P DS1 combination rates below for in this rate exhibit appl	v to the	embo	lded baco	in place a	s of 10/2/02 :	Intil 4/1/04 Afe	er 4/1/04 these	rates chall ro	ert to tariff rate	es or a senera	te commerc	ial agreeme	nt	-	1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											te commerc	a ayıccılle			+	
	Port/Loop Combination Rates	- COLIVE C	aute OI	a amen	ue 3110	I Se provide	La parsuant to	a separate agre	cindit of tall	at Deliboutii s	, aracretion.					1	
			1	1		1	131.78			!		1				1	1

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually			Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAIL	JOICI	KATE ELEMENTO	m	Zone	ВСО	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							N			B'				D-1 (A)		ļ.
							Rec		curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		182.07										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15										
	UNE L	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										
		4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										
	UNE P	ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
		CURRING CHARGES - CURRENTLY COMBINED	1				32.10	.012	20 10	.20.00		1	1	1	1		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1		1				†	†		 	†	1		1
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41	1		l					
-	1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	-	סבו טט	30/104		130.24	07.41	 	 		 	 	1	1	1
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41	1			1	1			
	+		-		UEPUC	USAWA		130.24	07.41	 	-		1	-	1		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	110 1140		400.01	07	1		l					
		- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
	ADDIT	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 00	05115		11.00	1 1.00								
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
	BIBOI	AR 8 ZERO SUBSTITUTION			OLI DO	ODTIL		14.50	14.50								
-	BIFUL				LIEDDO	CCOSF		0.00:	000 00-								
	1	B8ZS -Superframe Format			UEPDC			0.00i	600.00s								
-	A 14	B8ZS - Extended Superframe Format	-		UEPDC	CCOEF		0.00i	600.00s								
	Alterna	ite Mark Inversion			LIEBBO												
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00								ļ		
		Telephone Number for 1-Way Outward Trunk Group	<u></u>	<u></u>	UEPDC	UDTGY	0.00		<u></u>						<u> </u>		
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00						1		
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop			2.30	2.30	2.30	1			i	1	1		1
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	gu.			1				†	†		 	†	1		1
	1	Termination)	1	1	UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90	1	l	1			1
-	+	TOTTIII GGIOTI)	 	1	סבו טט	(LINO)	31.33	09.79	02.20	10.00	14.30		1	t	1	1	l
1	1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.20	0.00	0.00	I	Ì	1	l	1			1
—	+		 	 	OLFDO	ILINOA	0.20	0.00	0.00	 		-	-	 	1		
1	1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	1	1	UEPDC	1LNO2	0.00	0.00	0.00	I	Ì	1	l	1			1
-	1		1	-	UEPDU	ILNO2	0.00	0.00	0.00	1	-		1	1	1		
1		Interoffice Channel Mileage - Additional rate per mile - 9-25								1		l					
L	1	miles	ļ		UEPDC	1LNOB	0.20	0.00	0.00				ļ		ļ		
	1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1	1						I	Ì	1	l	I			1
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
1	1								1				l			l	l
L	<u> </u>	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>	<u></u>	UEPDC	1LNOC	0.20	0.00	0.00	<u> </u>	<u></u>	<u></u>	<u> </u>	L	<u> </u>	<u> </u>	<u> </u>
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT				1			İ	İ	İ		İ	İ	İ	İ	İ
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			1				1			1	1	1		1
	3,0.011			1					L	L	L	·	L	L	1	L	

UNBUNDI	LED NETWORK ELEMENTS - Mississipp	oi											Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonre	curring	Nonrecurring	g Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Faci	h System can have up to 24 combinations of rat	toe depending on type a	nd num	har of parts used			11130	Auu	11130	Addi	JONEC	JONAN	JONAN	JONAN	JOHAN	JONAN
					40 avdailait ann		ddad baaa in s		100	A After 4/4/04		aladi varrant	4 - 4 - uiff u - 4			
	UNE-P DS1 combination rates below for 4-Wire											snali revert	to tariff rates	or a separate	agreement.	
	uests for 4-Wire DS1 Loop with Channelization	with Port after the effect	ive dat	e of this amendmer	it snall be pro	ovided pursuar	it to a separate	agreement or	tariff at BellSo	utn's discretion	on.					
UNE	E DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
UNE	E DSO Channelization Capacities (D4 Channel B	ank Configurations)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	190.12	0.00	0.00				i				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00		İ						
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	570.36	0.00	0.00	 	 	 	1		 		I
 	192 DS0 Channel Capacity -1 per 8 DS1s		 	UEPMG	VUM19	760.48	0.00	0.00	1	t	1	l		1		1
H	240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM2O	950.60	0.00	0.00		+	 			1		1
	288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28 VUM38	1,140.72	0.00	0.00	-	 	1			 		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG		1,520.96										
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								
Non	n-Recurring Charges (NRC) Associated with 4-W	ire DS1 Loop with Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	/stem									
	linimum System configuration is One (1) DS1, O															
Mul	tiples of this configuration functioning as one a	are considered Add'l afte	r the m	ninimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with o	or without														
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
Svst	tem Additions at End User Locations Where 4-V	Vire DS1 Loop with Char	nelizat	ion with Port Comb	ination Curre	ently Exists and										
	v (Not Currently Combined) in all states, except															
	1 DS1/D4 Channel Bank - Additionally Add NR		1	ì												
	and Assoc Fea Activation (E:4/1/2004)	to for each for		UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
Din	olar 8 Zero Substitution			OLI WO	VOIVID4	0.00	7 10.10	321.33	140.00	17.50						-
Бірс	Clear Channel Capability Format, superframe -	Cubacquent			+											-
		- Subsequent		UEPMG	00005	0.00	0.00:	000 00-								
	Activity Only			UEPING	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended S	Superframe -														
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Alte	ernate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00		0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excl	hange Ports Associated with 4-Wire DS1 Loop v	with Channelization with	Port													
Exc	hange Ports															
	Line Side Combination Channelized PBX Trunl	k Port - Business														
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00	İ	1		Ì		1
	Line Side Outward Channelized PBX Trunk Po	ort - Business	i –	İ	1	120	1	2.30	2.30	1	İ	İ		İ		1
	(E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		l				
	Line Side Inward Only Channelized PBX Trunk	Port without DID	!		52. 5%	1.20	3.50	0.00	0.00	0.00	 			 		t
	(E:4/1/2004)	on williout DID		UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00	I]		1		
	2-Wire Trunk Side Unbundled Channelized DII	D Trunk Port	1	OLI FA	OLFIA	1.23	0.00	0.00	0.00	0.00	 			1		1
	(E:4/1/2004)	D HUIIK FUIL		UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00	I]		1		
 		ad Outdial	1	ULPPA	OEPDIN	7.40	0.00	0.00	0.00	0.00	 	 		 		
	Unbundled Exchange Ports, 2-Wire Channelize			1		1	1			1		l				
	(AL, KY, LA, MS, & TN)(Conversion from Netwo	UIK ACCESS		LIEDDY	LIEBC:						İ	1		Ì		1
	Service) (E:4/1/2004)		1	UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00						.
	Unbundled Exchange Ports, 2-Wire Channelize			İ	1	1	1	Ì	Ì	I	İ	1		Ì		1
	(AL, KY, LA, MS, & TN) (Conversion from Netw	ork Access		İ		1	1			I	I]		1		1
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelize	ed - Outdial-														
	Mississippi Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	İ	1		Ì		1
	Wississippi Offiy - Calling Flair (E.4/1/2004)															
	Unbundled Exchange Ports, 2-Wire Channelize	ed - Two Way -														
		ed - Two Way -		UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00						

	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incrementa
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually	_	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-				
OA.LO	O	NATE ELEMENTO	m		500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4				1		11130	Addi	11100	Auui	COMILO	COMPAR	COMPAN	COMPAR	COMPAN	COMPAR
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
		Feature (Service) Activation for each Trunk Port Terminated in			OLITA	11 Q 11111	0.01	20.00	10.00	4.20	7.20						
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
	Teleph	hone Number/ Group Establishment Charges for DID Service															
	. о.ор.	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local	Number Portability			02.17		0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								1
	FEATI	URES - Vertical and Optional		1		† J.	50	3.30	3.50					1			t
		Switching Features Offered with Line Side Ports Only		1		1								1			t
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
UNBUN	DLFD	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s		02.17	02	2.00	0.00	0.00								
0.120.1		at Based Rates are applied where BellSouth is required by FCC		State (Commission rule to	provide Unb	undled Local S	witching or Sv	itch Ports.								
		tures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					
		I Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Co														Additional NR	RCs may
		also and are categorized accordingly.				· · · · · · · · · · · · · · · · · · ·		,						,			,
		rket Rates for Unbundled Centrex Port/Loop Combination will	he nea	otiated	on an Individual Ca	se Rasis un	til further notic	Δ									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Tilatea	On an marriada oa	T Dusis, un	III TUTTIICI TIOUO										1
		e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		Port/Loop Combination Rates (Non-Design)															
	U	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		 	02. 0.		12.22										
		Non-Design		2	UEP91		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02.0.		0										
		Non-Design															
				3	UEP91		26.26										
				3	UEP91		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		4	UEP91		26.26 44.91										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Port/Loop Combination Rates (Design)															
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 7-ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-			UEP91		44.91										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		4													
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		4	UEP91 UEP91		44.91 15.12										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		4	UEP91		44.91										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		4	UEP91 UEP91 UEP91		44.91 15.12 19.98										
	UNE P	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1 2	UEP91 UEP91		44.91 15.12										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		1 2 3	UEP91 UEP91 UEP91		15.12 19.98 28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1 2	UEP91 UEP91 UEP91		44.91 15.12 19.98										
		2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		1 2 3	UEP91 UEP91 UEP91	UECS1	15.12 19.98 28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design Orot/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Oop Rate		1 2 3 4	UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	15.12 19.98 28.78 46.95										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91		15.12 19.98 28.78 46.95										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		4 1 2 3 4	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	44.91 15.12 19.98 28.78 46.95										
		2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		4 1 2 3 4 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4		1 2 3 4 1 2 3 4	UEP91												
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 0-Oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 1) - Zone 4		4 1 2 3 4 1 2 3 4 1 1 2 3	UEP91												
		2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91												
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91												
	UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91												
	UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91												
	UNE L	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design cop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72	40.31	19.84	24.90	6.58						
	UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72	40.31	19.84	24.90	6.58						
	UNE L	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Loop (SL 3) - Zone 4 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72										

UNR	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fvhi	bit: A
0.40	,14DLE	- INDICIT ELEMENTO - IMIGGIGGIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Int									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Aud I
							Rec	Nonrec	urring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	UEPY2	4.00	40.04	40.04	24.00	0.50						
	A1 1/3/	Basic Local Area , LA, MS, & TN Only			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, K				UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58						
-	1	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP91 UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	-	 		+	1	1
H	+	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58				t	1	1
H	+	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL1 01	טבו עוו	1.23	40.31	15.04	24.30	0.30				t	1	1
	1	Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		1		I		
-	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				J	1.20	100.00	70.07	04.24	11.70	<u> </u>	 		I		
	1	Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		1		I		
	1				-					1	1				1	l	İ
1	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		1		I		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port			UEP91	UEPVF	2.56										
-		All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98									
	NARS	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56										
	NAKS	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	-					
	+	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1					
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	Ianeous Terminations			OLI 01	O/ II (O/)	0.00	0.00	0.00	0.00	0.00						
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	annel Bank Feature Activations				1				ļ	ļ				ļ		
	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
		Factors Astination on D.4 Observal Book EVIII - City Co.			LIEDO4	4001440	0.5-			1	1				1		
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	UEP91	1PQW6	0.57			 	 	1			1		
	1	Slot			UEP91	1PQW7	0.57			1	1		1				
-	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-		OLF31	IF QVVI	0.57			+	+	-	-		+	1	1
		Different Wire Center			UEP91	1PQWP	0.57			1	1				1		
	1	Sincial Trio Conto			021 01	11 92 771	0.57			†	†	1			†	1	1
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57			I	I		1		I		
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			-	1				1	1				1		
	1	Slot			UEP91	1PQWQ	0.57			I	I		1		I		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed												_			
		changes, per port			UEP91	USAC2		0.10	0.10								
	<u> </u>	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								
	 	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32									
	 	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32									
-	-	Secondary Block, per Block		-	UEP91	M2CC1	0.00	77.91		.	.				1		
		NAR Establishment Charge, Per Occasion		<u> </u>	UEP91	URECA	0.00	72.63		l	l	<u> </u>	l		1	l	l

UNBU	NDLF	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
UNDU	IVELL	METHORIC ELEMENTO IMIGOROSIPPI	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									P	p-0.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																-100 101	
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
-		Unbundled Miscellaneous Rate Element, Tag Design Loop at	1		UEF91	UKEIL		0.33	0.63			-			-	-	
		End Use Premise			UEP91	URETN		11.19	1.10								
	UNF-P	CENTREX - 5ESS (Valid in All States)	1		OLI 91	OKETIV		11.13	1.10								
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)													1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP95		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															_
		Non-Design		2	UEP95		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l										1	1	
		Non-Design	ļ	3	UEP95	ļ	26.26							ļ	ļ	ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١										1	I	I	
-	LINES	Non-Design	ļ	4	UEP95	1	44.91								1	1	
	UNE PO	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		4	UEP95		15.12										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	- 1	UEF95	1	15.12					-			-	-	
		Design		2	UEP95		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLI 93		13.30										
		Design		3	UEP95		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
		Design		4	UEP95		46.95										
	UNE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
_		2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4	<u> </u>	3	UEP95 UEP95	UECS2 UECS2	27.55 45.72					-					
	UNE Po		1	4	OLF 93	ULC32	45.72										
	All Stat		 			1				+					t	 	
	Otal	2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58			1	1	1	
		2-Wire Voice Grade Port (Centrex 800 termination)	†		UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58				1	1	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1					- 7-						1
	L	Area	<u> </u>		UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58	<u> </u>		<u> </u>	<u> </u>	<u> </u>	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area	<u> </u>		UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area	ļ		UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70			ļ	1	1	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1					40						1	I	I	
_	 	- Basic Local Area	<u> </u>		UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58			 	-	-	ļ
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1		LIEDOE	LIEDVO	4.00	40.04	40.04	04.00	0.50				1	1	
\vdash	VI KA	Basic Local Area LA, MS, SC, & TN Only	<u> </u>		UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58				-	-	-
1		2-Wire Voice Grade Port (Centrex)	1		UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58	-		1	 	+	1
—		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58			 	 	 	
		2-Wire Voice Grade Port (Centrex vith Caller ID)1	<u> </u>		UEP95	UEPQH	1.23	40.31	19.84		6.58				1	1	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	t				20			230	0.50			1	1	1	
		Center)2,3	1		UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70			1	I	I	
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1														
		Term 2,3	<u></u>		UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70			<u> </u>		<u></u>	
																	_
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58						

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) BCS USOC RATES (\$) Svc Order Submitted Submitted Submitted Elec per LSR Per LSR Order vs. Electronic-late Add'l I	Exhibit: A	Fvi	ment: 2	Attach												LED NETWORK ELEMENTS - Mississippi	UNBUNDI F
CATEGORY RATE ELEMENTS Mind Zone BIGS USOC RATE (S) SALENING Sharington Charges Pet LSR Pet LSR Pet LSR Pet LSR Pet LSR Pet LSR Pet LSR Pet LSR Pet LSR Other to pe					Svc Order	Svc Order											J.123112LL
CATEGORY RATE LEMENTS Inter		Charge -															
ATTERION ATTERIOR ATTERION ATTERION ATTERIOR ATTERIOR ATTERIOR ATTERIOR ATTERIOR ATTERIOR															lutar'		
Rec None-curing None-cur		Order vs.							RATES (\$)			USOC	BCS	Zone		RATE ELEMENTS	CATEGORY
Rac		Electronic-			Pei LOK	Per LOR			,						m		
Fig. 8.0A Ching		Disc 1st															
Fig. 4 Control Fig.	DISC Add I	Disc 1st															
Fig. 64 Acts											Rec						
Coard Switching	OMAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	1100						
Construction Cons																	
Local Number Portability Local Number Portability Local Number Detaility (1 to port) Local Number Detaility (1 to																	Local
Second Number Profitability 1 per port		⊢—									0.7947	URECS	UEP95			Centrex Intercom Funtionality, per port	
Peasure		├	ļ	,													Local
Metal Standard Features Chilered, per port CEP96 UEPV6 2.56		+	 					-			0.35	LNPCC	UEP95				Fastur
Majester Fresture Offered, per port UEPPS UEPYS 0.00 40.4 S8		⊢	 								2.56	LIEDVE	LIEDOE				reatur
MARS		⊢	 							404.09							
NARS		—	-							404.90							
Ultifunded Network Access Register - United UEPPS UARCX 0.00 0		\vdash	+								2.00	OLI VO	OLI 30				NARS
UkP96 UARTX			1				0.00	0.00	0.00	0.00	0.00	UARCX	UEP95	1			IVALO
Ukroundien Merican Access Register - Cutdata																	<u> </u>
Miscellaneous Terminations																	1
2-Wire Trunk Side																	Miscel
A-Wire Digital (1.54 Megabits)	Ĺ															ire Trunk Side	
DST Circuit Terminations, each							3.88	61.77	18.85	120.00	8.25	CEND6	UEP95				
DSS Channels Activated, each UEP95 MHOD 0.00 14.56																	4-Wire
Interoffice Channel Mileage - 24/Irc							2.54	74.86	96.25								
Interoffice Channel Riage, per mile of fraction of mile UEPPS MIGBC 25.52 40.77 27.57 17.26 7.11							•		•	14.56	0.00	M1HDO	UEP95				
Interoffice Channel mileage, per mile of fraction of mile UEP95 MTGBM 0.0098			$oxed{oxed}$														Intero
Feature Activation on D-4 Channel Bank Feature Activation on D-4 Channel Bank Feature Activation on D-4 Channel Bank Fourth Europe Silot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Silot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Silot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Silot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Silot Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Silot Feature Activation on D-4 Channel Bank Private Line Loop Silot Feature Activation on D-4 Channel Bank Private Line Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot Feature Activation on D-4 Channel Bank WATS Loop Silot UEP95 IPOWO 0.57 Non-Recurring Charges (NRC) Associated with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Corriberate with INIE-P Centrex NRC Conversion Currently Centre Silon Centrex NRC Conversion Currently Centre Silon Centrex NRC Conversion Currently Centre Silon Centrex NRC Conversion Currently Centre Silon Centrex NRC Conversion Centre Silon Centrex NRC Conversion Centre Silon Centrex NRC Conversion Centre Silon Centrex NRC Conversion Centre Silon Centrex NRC Conversion Centre Silon Centrex NRC Conver			<u> </u>	ļ!			7.11	17.26	27.57	40.77							
DA Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1POWS 0.57			<u> </u>	, <u> </u>							0.0098	M1GBM	UEP95				
Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP95 1POW6 0.57			<u> </u>	ļ!				ļ				1			e		
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP95 1POW6 0.57								-				4001110	LIEDOF	 			D4 Ch
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95 1PQW7 0.57			 					-			0.57	1PQWS	UEP95			Feature Activation on D-4 Channel Bank Centrex Loop Slot	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP95 1PQW7 0.57		1		, l	1			I			0.57	400000	LIEDOS	I .		Facture Activation on D.4 Observal Book EV line 2011 Law Clark	
Slot								!			0.57	TPQW6	UEP95	 			
Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP95		1		, l	1			I			0.57	1BOW7	LIEDOS	l J.			
Different Wire Center		\vdash	 		 			 			0.57	IFQVV/	OLF90	1	-		
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP95		1		, l	1			I			0.57	1POWP	LIED05	1 .			
Feature Activation on D-4 Channel Bank Tje Line/Trunk Loop UEP95	 		+					t			0.57	IF QVVF	OFL 20	1		Dillorent vville Center	
Feature Activation on D-4 Channel Bank Tje Line/Trunk Loop UEP95		i		, l							0.57	1PQW//	UEP95			Feature Activation on D-4 Channel Bank Private Line Loop Slot	
Slot			+					-			0.07		02.00				
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP95 1POWA 0.57		1]	, l				1			0.57	1PQWQ	UEP95				
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP95 USAC2 0.10								t						1			
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port								1			5.57						Non-R
Changes, per port								1									1
New Centrex Standard Common Block		1		, l	1			I	0.10	0.10			UEP95	1			
New Centrex Standard Common Block	L								16.68	37.97			UEP95			Conversion of Existing Centrex Common Block, each	j
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 72.63 Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP95 URETL 8.33 0.83 Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP95 URETL 8.33 0.83 Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP95 URETN 11.19 1.10 UNE-P CENTREX - DMS100 (Valid in All States) UEP95 URETN 11.19 1.10 UNE-P CENTREX - DMS100 (Valid in All States) UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95 URETN UEP95																	
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP95 URETL 8.33 0.83 UEP95 URETL 11.19 1.10 UNE-P CENTREX - DMS100 (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 12.22 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 17.13							-										
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UNEPS URETL UNEPS URETN 11.19 1.10 UNEPCENTREX - DMS100 (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 12.22 VIEP9D 17.13										72.63	0.00	URECA	UEP95				
Premise			┖					ļ						$oxed{oxed}$			Additi
Unbundled Miscellaneous Rate Element, Tag Design Loop at UEP95		1		, l	1			I				I	l				
End Use Premise			<u> </u>	ļ!				ļ	0.83	8.33		URETL	UEP95				
UNE-P CENTREX - DMS100 (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)		1		, l	1			I				LIDET:	LIEDOS	l I.			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 1 UEP9D 12.22								-	1.10	11.19		UKETN	UEP95	 			
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9D 12.22 Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2 UEP9D 17.13			ļ					!				+		 			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - UEP9D 12.22								 				+		 			
Non-Design		\vdash			 			 			 	+		} 	-		UNE P
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP9D 17.13		1		, l	1			I			12.22		LIEDOD		1		
Non-Design 2 UEP9D 17.13		\vdash			 			 			12.22	+	OFLAD	 	-		
Tren Beagn		1		, l	1			I			17 12		LIEDOD	2			
	 		+					t			17.13	+	OLFBD				
		1		, l	1			I			26.26		UEP9D	3			
1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		+					 			20.20	+	OL1 3D				
Non-Design 4 UEP9D 44.91		1		, l	1			I			44 91		UEP9D	4			

UNBUND	LED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CITECITE	<u></u>	THE THORK ELEMENTO MISSISSIPPI										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_									Disc 1st	Disc Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
L								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNI		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	UEP9D		15.12										
—		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 1	UEP9D	+	15.12			-		-			-		
		Design		2	UEP9D		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02.03		10.00			İ					1		
		Design		3	UEP9D		28.78										
	2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		4	UEP9D		46.95										
UNF		pp Rate															
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9D	UECS1	10.98									ļ	ļ
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2	!	2	UEP9D UEP9D	UECS1	15.91			.	-				1	 	-
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4	1	4	UEP9D UEP9D	UECS1 UECS1	25.04 43.68			-					-		-
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS1	13.89			 		1	-		 	1	1
+		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	18.75			+					t		
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	27.55			1					1	1	
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72										
UNF		rt Rate															
ALI		ATES															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
	_	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.38						
		Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
	-	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			02.03	02	1.20	10.01		2 1.00	0.00						
		Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
	2	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
		Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
\vdash	-	Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIED)/T	4.00	40.04	40.04	04.00	0.50						
\vdash		Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58	-					
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area	1		UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		1			1	
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	 		OL1 3D	02110	1.23	70.31	13.04	24.90	0.36				 		
		Area	1		UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		1			1	
	2	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local														1	
	A	Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			l				·						1		
\vdash		Area	ļ		UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58				1	ļ	
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIED/44	4.00	40.01	10.51	04.65	0.50				1		
\vdash		ndication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	 		UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58	-			 	-	
		2-wire voice Grade Port (Centrexivisg witg Lamp Indication))4 Basic Local Area	1		UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		1			1	
\vdash		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	 		OL1 3D	OL1 10	1.23	70.31	13.04	24.90	0.36				 		
		2,3-Basic Local Area	1		UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		1			1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1				-				1						1
	E	Basic Local Area	<u> </u>		UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1										1				
\vdash		Basic Local Area	ļ		UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70				1		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			LIEDOD	LIEDYO	4.00	400.0-	70.5-	F4.6.	44 ===				1		
\vdash		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	 		UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70	-			 	-	
		2-Wire Voice Grade Port (Centrex/diller SWC /EBS-M5112)2,3,4 Basic Local Area	1		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		1			1	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1		02.00	021 110	1.20	100.00	10.01	07.27	11.70				-		
1 1		Basic Local Area		1	UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		1		I	1	

UNBUND	LEC	NETWORK ELEMENTS - Mississippi													ment: 2	Exhi	ibit: A
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL		LA, MS, SC, & TN Only			OLI OD	OLI 12	1.20	40.01	10.04	24.00	0.00						
		2-Wire Voice Grade Port (Centrex)		L	UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90 24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D UEP9D	UEPQ3 UEPQH	1.23 1.23	40.31 40.31	19.84 19.84	24.90	6.58 6.58						<u> </u>
		2-Wire Voice Grade Port (Centrex With Caller ID/Msg Wtg Lamp			OLF9D	ULFQII	1.23	40.31	13.04	24.90	0.30						
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
- +		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		!	UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						+
		Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
1 4		2-Wire Voice Grade Port Terminated on 800 Service Term witching		 	UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58			1	1		+
LOC		Centrex Intercom Funtionality, per port	l -		UEP9D	URECS	0.7947			1				-	-		+
l or	cal N	umber Portability		 	OL: 3D	CINEOU	0.7347			1							+
		Local Number Portability (1 per port)	-	!	UEP9D	LNPCC	0.35			1		ł – – – –					

CATEGORY MATE ELEMENTS Material Colors C	IINRI	INDI FI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	hit: A
ARTE ELEMENTS Proof of the Core BCS USOC Proof of the Core BCS USOC Proof of the Core BCS USOC Proof of the Core BCS USOC USOC US	OND	NULL		1	l		1						Svc Order	Svc Order				Incremental
ANTE PLEMENTS Dec																		Charge -
## APTE ELEMENTS ## 2006 ## APTE USDC FATE Part Light Order vo. Or				lustani														Manual Svc
Page	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Second S				m									per Lore	per Lore				Electronic-
Part Part																		Disc Add'l
Fauture Fauture Offered per poin CPSO																	D130 131	DISC Add I
Figure F								Rec										
All Source Features Citients, per port				ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
All Select Footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port All Select Footnets Offered per port footnets Offered per port footnets Offered per port footnets Offered per port footnets Offered per port footnets Offered per port footnets Offered per port footnets Offered per port footnets		Feature				LIEBAB		0.50										
Wastern Carbon Features (Offens) per part Wastern Carbon Features (Offens) Wastern Carbon Features (Offens) Wastern Carbon Market (Wastern Carbon Market) Wastern Ca	-								404.00									
NASS									404.98									
Description National Assess Register Communities USPND UNIVEX 0.00 0.		NADS	All Centrex Control Features Offered, per port			UEP9D	UEFVC	2.56								-		
Debugsder Access Register - Chaldrel URPPID UARYX 0.00		IVANO	Unbundled Network Access Register - Combination			LIEP9D	LIARCX	0.00	0.00	0.00	0.00	0.00						
Miscolarison Feminations Miscolarison Femina		1																
Miscolineous Terminations																		
2 NWW Trust Side		Miscell						0.00			0.00							
A Wiles Topical (1.54M Regulation)																		
DST Circuit Terminations, each			Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88						
InterOffice Channel Misego - Channel Service UP90 M190 U506 M190 M190 U506 M190 M190 U506 M190 M190 U506 M190 M190 U506 M190 M190 U506 M190 M190 U506 M190 M190 U506 M190 U506 M190 U506 M190 U506 M190 U506 M190 U506 U5		4-Wire	Digital (1.544 Megabits)															
Interoffice Channel Milesge - 2-Wire										96.25	74.86	2.54						
Intereditic Channel Facilities Termination UEPDD MIGBE 22.52 40.77 27.57 17.26 7.11						UEP9D	M1HDO	0.00	14.56									
Securition Channel mileage, per nie or fraction of mile UEPRO MIGGMM 0.0098		Interoff		1														
Feature Activations (S80) Centres Loops on Channellated DST Service									40.77	27.57	17.26	7.11						
Oct Channel Bank Fasture Activation on D.4 Channel Bank Centrex Loop Stot UEP90 1POWS 0.57						UEP9D	M1GBM	0.0098										
Feature Activation on D4 Channel Bank Centres Loop Stot UEP90 1POW6 0.57				ce														
Feature Activation on D-4 Channel Bank FX Truns Side Loop Side UEP9D		D4 Cha				LIEDOD	400040	0.57										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot UEP9D 1POW7 0.57			Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot UEP9D 1POW7 0.57			Footure Activation on D.4 Channel Bank EV line Side Loop Slat			LIEDOD	1000/6	0.57										
Siot						UEP9D	IFQW6	0.57								-		
Feature Activation on D-4 Channel Bank Centrex Loop Stot UEPBD 1PQWP 0.57						LIEPOD	1POW7	0.57										
Different Wire Center						OLI OD	11 00007	0.07										
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.57						LIEP9D	1POWP	0.57										
Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop UEPBD 1PQWQ 0.57 Stort			Different Will Conto			02. 03		0.01										
Feature Activation on D-4 Channel Bank Tije LinefTrunk Loop UEPBD 1POWO 0.57			Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D IPOWA 0.57																		
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion of userity Combined Switch-As-Is with allowed changes, per port UEPD USAC2 0.10			Slot			UEP9D	1PQWQ	0.57										
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D			Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
Changes, per port		Non-Re																
Conversion of existing Centrex Common Block UEP9D USACN 37.97 16.68																		
New Centrex Standard Common Block																		
New Centrex Customized Common Block		1		1	1					16.68						-		
NAR Establishment Charge, Per Occasion	-	1		1	1						1					!	1	1
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Loop at End Use Pob Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Loop at End Use Pob Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag Design Unbundled Miscellaneous Rate Element, Tag	-	1		1	1						1					!	1	1
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9D URETL B.33 0.83 UEP9D URETN 11.19 1.10 URETN 1	<u> </u>	Additio		1	1	OLFSD	UKECA	0.00	12.03		1			 				
Premise		Auditio			1		1									 	-	-
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 3 UEP9E 17.13 18.10 19.10 19.11 19.11 19.10 19.11 19.11 19.10 19.11 19.11 19.10 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.11 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.12 19.13 19.14 19.14 19.15 19.15 19.16 19.16 19.16 19.17 19.						UEP9D	URETI		8 33	0.83						1		
End Use Premise		1		1	†	021 00	JIL 1L		0.55	0.03	1					†	1	1
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1					UEP9D	URETN		11.19	1.10				1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design 1 UEP9E 12.22		UNE-P				-	1									1		
UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 1 UEP9E 12.22 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 3 UEP9E 17.13 UEP9E 17.13 UEP9E 17.13 UEP9E 4.4.91 UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 1 UEP9E 15.12																		
Non-Design							<u> </u>											
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP9E 17.13 17.13				-					_									
Non-Design 2 UEP9E 17.13					1	UEP9E	1	12.22										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP9E 26.26																1		
Non-Design 3 UEP9E 26.26	<u> </u>			1	2	UEP9E	1	17.13										
2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 4 UEP9E 44.91 UNE Port/Loop Combination Rates (Design) 5 UEP9E 15.12 2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP9E 15.12	1					LIEBOE		00.00						1		I		
Non-Design		<u> </u>		1	3	UEP9E	+	26.26			ļ					-	ļ	ļ
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - 1 UEP9E 15.12				1	4	LIEDOE		44.04						1		I		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP9E 15.12	-	LINE D		1	4	OLFSE	+	44.91			-			-			1	1
Design		JINE PO		_	1		1									 	-	-
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1	UEP9E		15 12						1		I		
		1		1	 		1	10.12			1			 		I		
			Design		2	UEP9E		19.98								1		

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Boo	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Design		4	UEP9E		46.95										
UNE L	oop Rate															1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75					1	Ì	Ì	1	1	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55					1	İ			1	1
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72					 	1	<u> </u>	 		
UNF	Port Rate	-			32332	70.72			1		 	†	 	1	 	
	L, KY, LA, MS, & TN only		-		+ +						 	 	 			
AL, FI	2-Wire Voice Grade Port (Centrex) Basic Local Area	-	 	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58	1	1	1	 	 	
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLF 9L	OLFTA	1.23	40.31	13.04	24.50	0.56						
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		<u> </u>	UEF9E	UEPTB	1.23	40.31	19.04	24.90	0.36						
	Area		<u> </u>	UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						4
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						ĺ
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						ĺ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
	Service Term	1	1	UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70				I	Ì	
											1					1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58	İ	İ	İ	1	İ	1
Local	Switching										İ	İ	İ		İ	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947								t	1	
Local	Number Portability		t			3 0 ./					1	Ì	Ì	1	1	
	Local Number Portability (1 per port)		1	UEP9E	LNPCC	0.35					1	1	1		 	†
Featu			-	J J_		0.00					 	 	 		-	
i catu	All Standard Features Offered, per port	-	 	UEP9E	UEPVF	2.56			1		1	1	1	 	 	
	All Select Features Offered, per port		-	UEP9E	UEPVS	0.00	404.98				 	 	 		-	
+	All Centrex Control Features Offered, per port	-	 	UEP9E	UEPVC	2.56	+04.30		1		1	1	1	 	 	
NARS		-	1	OLI OL	0L1 VO	2.50			1		 	}	}	 	 	
IVARO	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	 	 	 	-	-	+
			 	UEP9E	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	 	-	1		-	
	Unbundled Network Access Register - Indial	-	 		UARTX				0.00	0.00	!	-	-	-		
84:	Unbundled Network Access Register - Outdial		 	UEP9E	UARUX	0.00	0.00	0.00	0.00	0.00	 	-	-	-		
	Ilaneous Terminations		!								1	1	1	1		
2-Wire	Trunk Side		1	LIEDOE	CENDO	0.05	400.00	40.05	04 77	2.22	1	1	1	-		
4 15 5	Trunk Side Terminations, each		<u> </u>	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		1				
4-Wire	e Digital (1.544 Megabits)		ļ	LIEBOE	MALIE	== 1:	600.1-				<u> </u>			-		
	DS1 Circuit Terminations, each		<u> </u>	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		1				
	DS0 Channel Activated Per Channel		ļ	UEP9E	M1HDO	0.00	14.56				ļ					
Intero	ffice Channel Mileage - 2-Wire		<u> </u>	L							ļ			1		ļ
1	Interoffice Channel Facilities Termination		<u> </u>	UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11	<u> </u>	<u> </u>	<u> </u>			<u> </u>

CATEGORY NATE ELEMENTS Name Document	UNBUNDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
ATTEMPT AND LIGHT STATE LEARNESTS BOARD AND LIGHT STATE STAT	SILDSINDEL											Svc Order	Svc Order				Incremental
ACTION RATE ELEMENTS The property of the pro			1														Charge -
March Marc			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									-		Electronic-	Electronic-	Electronic-	Electronic-
Part														1st	Add'l	Disc 1st	Disc Add'l
Part			<u> </u>	<u> </u>			1	Nonroc	urring	Monrocurrin	n Disconnect			220	Pates (\$)		
Interestive Charment intringeng own rinks or function of the Person Lose State			1				Rec					SOMEC	SOMAN			SOMAN	SOMAN
Festure Activations (DSIG Centries Loops on Channelisted DSI Services		Interoffice Channel mileage, per mile or fraction of mile			HEPGE	M1GBM	0.0098	FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
Bit Channel Bank Fedural Activations on D4 Channel Sank D4 C	Featur		ce		OLI OL	WITODW	0.0000										
Feature Activation or D-4 Charmel Blank FX line Side Loop Side Section Charmel Blank FX line Side Loop UEP9E 190WP UEP9E UEP9E 190WP UEP9E UEP9E 190WP UEP9E UEP9E 190WP UEP9E																	
Feature Activation on D-4 Channel Bank PT Trunk Side Loop UEP96 IPOWP 0.57		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
Feature Activation on D-4 Charmel Bank Phomas (See Loop Story College)																	
Sout Feature Activation on D-4 Charmel Bank Centrer Luop Siot UEPBE IPOW/Y 0.57					UEP9E	1PQW6	0.57										
Feature Activation on D-4 Channel Bank Potent Line Loop Site UEP96 PDWV 0.57					LIEDOE	400147	0.57										
Different West Centers Different West Cent		0.00	1		UEP9E	1PQW7	0.57										
Feature Activition on D-4 Charmel Bank Private Line Loop Stot UPP6E 1POWV 0.57					LIEDOE	1DOWD	0.57										
Feature Activation on Det Channel Bank Typ LinePfrunk Loop UEPRE IPOWO 0.57		Director Wile Center	 		OLI JL	II QVVF	0.57			+					 	 	
Feature Activation on Det Channel Bank Typ LinePfrunk Loop UEPRE IPOWO 0.57		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57			1					1	1	
Fouture Activation on D-4 Channel Bank WATS Loop Stot Non-Recurring Charges (RRIC) Associated with LNAP Eventrex Non-Recurring Charges (RRIC) Associated with LNAP Eventrex Non-Recurring Charges (RRIC) Non-Re																	
Non-Recurring Charges (RRC) Associated with UNIX-P Centrex		Slot	<u></u>							<u></u>	<u> </u>				<u></u>	<u></u>	
NRC Conversion of Estating Centres Common Stock, each UEPSE USAC2 0.10 0.10					UEP9E	1PQWA	0.57										
Conversion of Estirating Centrary Common Block, each UEPBE USRCN 37.97 16.68	Non-Re																
Commercial Selecting Common Block, each UEPPS USACN 33.797 16.08					LIEDOE	116460		0.40	0.40	1					1	1	
New Centres Standard Common Block			<u> </u>												-	-	
New Centrac Outsomized Common Block	-		1				0.00		10.00	-					-	-	
NAR Establishment Charge, PRFO Cocasion																	
Additional Non-Recurring Charges (NRC)										İ					İ	İ	
Premise	Additio																
Unbundled Mscellaneous Rate Element, Tag Design Loop at End Use Premise Une Premise Une Premise Une Premise Une Premise Une Premise Une Premise Une Premise Une Premise Une United Uni																	
End Use Premise					UEP9E	URETL		8.33	0.83								
UNEP CENTREX - DOD - Valid in AL, KY, LA, MS, & TN)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	LINE D		1		UEP9E	UREIN		11.19	1.10								
UNE Port/Loop Combination Rates (Non-Design 1 UEP93 12.22			1														
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 1 UEP93 12.22 17.13 1																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP93 17.13																	
Non-Design 2 UEP3 17.13				1	UEP93		12.22										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP93 26.26																	
Non-Design 2 - Wire Voice Grade Port (Centrex) Port Combo - Non-Design 4 - Wire Voice Grade Port (Centrex) Port Combo - Design 4 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 5 - Wire Voice Grade Port (Centrex) Port Combo - Design 6 - Wire Voice Grade Port (Centrex) Port Combo - Design 6 - Wire Voice Grade Loop (St. 1) - Zone 1 1 UEP93 2 - Wire Voice Grade Loop (St. 1) - Zone 2 2 UEP93 2 - Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP93 2 - Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP93 2 - Wire Voice Grade Loop (St. 1) - Zone 4 4 UEP93 4 - Wire Voice Grade Loop (St. 1) - Zone 4 4 UEP93 4 - Wire Voice Grade Loop (St. 2) - Zone 1 1 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 1 1 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 2 2 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Voice Grade Loop (St. 2) - Zone 4 4 UEP93 2 - Wire Vo				2	UEP93		17.13										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design			1	_	LIEDOS		20.00			1			1				
Non-Design 4 UEP93 44.91			 	3	UEP93	+	26.26			_					 	 	
UNE PortLoop Combination Rates (Design) 2-Wire Volce Grade Port (Centrex) Port Combo-Design 1 UEP93 15.12 19.98 2 UEP93 19.98 2 UEP93 19.98 2 UEP93 2 UEP9			1	Δ	UEP93		44 91			1					1	1	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	UNE P		 	-	OL: 30	+	77.51								 	 	
Design			1							1	İ				1	1	
Design 2 UEP93 19.98		Design	<u></u>	1	UEP93	<u> </u>	15.12			<u></u>	<u> </u>				<u></u>	<u></u>	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 3 UEP93 28.78			1		-								1				
Design 3 UEP93 28.78			ļ	2	UEP93	ļ	19.98			ļ	ļ				1	1	
2-Wire Voice Grade Loop (SL 1) - Zone 1		. , ,	1	_	LIEDOS		20.70			1			1		1	1	
Design	\vdash		<u> </u>	3	UEP93	+	28.78			-					-	-	
UNE Loop Rate			1	Δ	UEP93		46 95			1			1		1	1	
2-Wire Voice Grade Loop (SL 1) - Zone 1	UNE L		1	_	00	1	70.00			†	1				†	†	
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP93	1 1 1 1 1 1	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	10.98			1	İ						
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP93 UECS1 25.04		2-Wire Voice Grade Loop (SL 1) - Zone 2				UECS1											
2-Wire Voice Grade Loop (SL 2) - Zone 1		2-Wire Voice Grade Loop (SL 1) - Zone 3															
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP93 UECS2 18.75			 														
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP93 UECS2 27.55 2 - Wire Voice Grade Loop (SL 2) - Zone 4 UEP93 UECS2 45.72 UNE Port Rate	 		1							 					1	1	
2-Wire Voice Grade Loop (SL 2) - Zone 4	\vdash		 							 	-		-				
UNE Port Rate AL, KY, LA, MS, & TN only			 							 					 	 	
AL, KY, LA, MS, & TN only	UNE P		<u> </u>		02.00	32002	70.72			1					1	1	
12-Wire Voice Grade Port (Centrex) Basic Local Area LIFP93 LIFPYA 1.23 40.31 19.84 24.90 6.58			1							1	Ì				1	1	
		2-Wire Voice Grade Port (Centrex) Basic Local Area	<u> </u>		UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58						

UNBU	INDLF	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
		z mioolooippi										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
									_								
							Rec	Nonred		Nonrecurring					Rates (\$)		
	<u> </u>			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOO	LIEDVD	4.00	40.04	40.04	04.00	0.50						
		Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF 93	OLFIII	1.23	40.31	15.04	24.50	0.56	1					
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLI 93	OLI TIVI	1.25	100.55	10.51	34.24	11.70						
		Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 00	022	20	.00.00	10.01	0							
		- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -				<u> </u>	0				0.00						
		Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
		Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	<u> </u>	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching			LIEDOO	LIBEOO	0.7047										
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
	Locair	Number Portability Local Number Portability (1 per port)		<u> </u>	UEP93	LNPCC	0.35					-					
-	Feature				UEP93	LINPCC	0.35			-		-			-		
	reature	All Standard Features Offered, per port			UEP93	UEPVF	2.56					1					
		All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56			†							
	NARS	7 ar control C			02. 00	02. 10	2.00										
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire	Digital (1.544 Megabits)															
	<u> </u>	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
ļ	ļ	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	14.56		ļ					ļ		
	Interof	fice Channel Mileage - 2-Wire	ļ	<u> </u>	LIEBOO	14050					_ ,.				-		
-	 	Interoffice Channel Facilities Termination	l	1	UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11	-			1		
<u> </u>	Footer	Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEP93	M1GBM	0.0098			 		1			1		
-		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e I			1				_		-			 		
	D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP93	1PQWS	0.57								-	-	-
-	 	i eature Activation on 5-4 Chamlet Bank Centrex Loop 510t	 		OLF 30	IFUVVO	0.57			t					t	1	1
1		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	l		UEP93	1PQW6	0.57			I			1		I		
I	†	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		00		0.01			I		<u> </u>	 		I		
1		Slot	l		UEP93	1PQW7	0.57			I			1		I		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1				1					1		
		Different Wire Center	l		UEP93	1PQWP	0.57			I			1		I		
	1																
1		Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP93	1PQWV	0.57			I			1		I		
	1	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	<u> </u>	Slot	<u> </u>		UEP93	1PQWQ	0.57			<u> </u>					<u></u>	<u></u>	<u></u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed	l														
		changes, per port			UEP93	USAC2		0.10	0.10	I .					I.		

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
Addit	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
Note '	I - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
Note:	3 - Installation is combination of Installation charge for SL2 Loc	op and F	Port													
Note 4	1 - Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Tern	ns and Condition	ns.									1

UNBUN	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order				
																	Charge -
												1			Charge -	Charge -	
			Interi	l_					(A)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													-	Electronic-	Electronic-	Electronic-	Electroni
														1st	Add'l	Disc 1st	Disc Add
														151	Add I	DISC ISL	DISC Add
								Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				1				FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SUMAIN	SUMAN	SUMAN	SUMAN
			L.,.	<u> </u>		L	<u> </u>	l	ــــــــــــــــــــــــــــــــــــــ	ļ <u>.</u>	L	<u> </u>	┖		L		
		one" shown in the sections for stand-alone loops or loops as				ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Nebsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
OPERAT	TIONAL	. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
1	NOTE: ((1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	e the BellSo	uth "regional	" service orde	ring charges.	. CLEC ma
		ther the state specific Commission ordered rates for the servi															
		•	ce orae	ing ci	arges, or occornay	elect the re	gioriai service (ordering charg	je, nowever, or	LC can not o	otain a mixture	or the two	regardiess	ii OLLO iias a	inter connecti	on contract e	stabilisticu
		the 9 states.															
		(2) Any element that can be ordered electronically will be billed															
t	that car	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rate	in this category ref	lects the ch	arge that would	l be billed to a	CLEC once el	ectronic order	ing capabilities	s come on-li	ine for that	element. Othe	erwise, the ma	anual ordering	g charge,
		I, will be applied to a CLECs bill when it submits an LSR to B					-				- •				•	^	
		(3) OSS - Manual Service Order Charge, Per Element - UNE On			e annlicable rate olo	ment for CC	MAN charge**										
	OTE.	OSS - Electronic Service Order Charge, Per Local Service	y 🗂	cast st	c applicable late ele	I SCIENCE	man charge			1	}	1	1	 	 		
			l	1								1	1	1	1		
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	1]				
UNE SE	RVICE	DATE ADVANCEMENT CHARGE		1		l							1				
1	NOTE:	The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
		·			· ·	1											
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3. ULD12.												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX.												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
						00400		000.00									
		Day		<u> </u>	U1TUB, U1TUA	SDASP	ļ	200.00			ļ	<u> </u>	ļ				
		XCHANGE ACCESS LOOP															
12		ANALOG VOICE GRADE LOOP		<u> </u>		L			<u> </u>		L	<u> </u>	L				L
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2		UEAL2	21.24	57.99	42.37		1	1	1	26.94	12.76	0.00	0.
										1	}	1	1				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3		UEAL2	33.65	57.99	42.37		ļ		ļ	26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		UEASL	12.11	57.99	42.37]	26.94	12.76	0.00	0.0
T		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.24	57.99	42.37				1	26.94	12.76	0.00	0.
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	33.65	57.99	42.37					26.94	12.76	0.00	0
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-		l		230		i e	1	1	1		1	2.20	
			l	1	LIEANII	LIBETI		0.00	0.00	1		1	1	26.04	10.70	0.00	_
		Premise		<u> </u>	UEANL	URETL	ļ	8.33	0.83		ļ	<u> </u>	ļ	26.94	12.76	0.00	0.
		Loop Testing - Basic 1st Half Hour		<u></u>	UEANL	URET1		76.24	76.24	<u> </u>		<u> </u>	<u></u>	26.94	12.76	0.00	0.
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		39.51	39.51				1	26.94	12.76	0.00	0.0
\rightarrow		CLEC to CLEC Conversion Charge Without Outside Dispatch						22.31			1	1	1		1	2.20	5.,
		(UVL-SL1)		1	UEANL	UREWO		15.76	8.93	ĺ			1	00.04	12.76	0.00	0.0
		IUVL-alu		1	UEANL	IUKEWU	1	15./6	ı ö.93	I	1	1	1	26.94	12./6	0.00	0.

UNB	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		45.04	45.04								
	2 WIDI	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		45.34	45.34				-				
	Z-WIKI	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60			1	-	26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60				1	26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ŭ	024	O L Q L X	27.00	00.27	10.00					20.0 .	.2	0.00	0.00
	1	Premise	l		UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	i	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	1	Non-Designed (per loop)	<u></u>		UEQ	USBMC		61.38	61.38	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>		<u> </u>	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for					_										
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.00
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76	0.00	
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch							= 40						40 =0		
LINIBIL	LIDI ED I	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
ONBO		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP				+						1					<u> </u>
	Z-WIKI	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				+						1	-	-			+
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLALO	12.11	37.99	42.57	0.00	0.00	1		20.34	12.70		
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLABO	12.11	07.00	42.07	0.00	0.00			20.04	12.70		
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRI	E ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	14.97	142.97	106.56					20.94	12.76	0.00	0.00
	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			02/1	027122	20.00	2.07	100.00					20.0 .	12.10	0.00	0.00
	1	Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	i i	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									1
	i	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse													1		
	<u> </u>	Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56	<u> </u>	<u> </u>			26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse]		
	ļ	Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1				40 - 1										
	 	Battery Signaling - Zone 3	ļ	3	UEA	UEAR2	40.81	142.97	106.56	ļ				26.94	12.76	0.00	0.00
	1	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL		45.34	20.00	-	 	<u> </u>	1	20.01	40.70	0.00	0.00
	1	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	 		UEA UEA	UREWO URETL		87.64 11.20	36.33 1.10	1	-	1		26.94 26.94	12.76 12.76	0.00	
	4-WIP	E ANALOG VOICE GRADE LOOP	 		OLA	UKEIL		11.20	1.10	 		1		20.94	12.76	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 1	 	1	UEA	UEAL4	21.32	288.47	237.45	1	1	<u> </u>	-	26.94	12.76	0.00	0.00
	1	4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	36.27	288.47	237.45	1			<u> </u>	26.94	12.76	0.00	0.00
	†	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	56.57	288.47	237.45	İ				26.94	12.76	0.00	
	1	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34							1	5.30	1
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
	2-WIRI	E ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76	0.00	0.00

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnect				Rates (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31				26.94	12.76	0.00	0.00
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31				26.94	12.76	0.00	0.00
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34						40.00		
0.140	CLEC to CLEC Conversion Charge without outside dispatch	DATIBLE	1 000	UDN	UREWO		91.55	44.12				26.94	12.76	0.00	0.0
2-771	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM 2 Wire Unbundled ADSL Loop including manual service inquiry	PATIBLE	LOOP	1						-	-				
	& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry	+	- ' -	UAL	UALZA	11.00	204.71	143.00		1		20.34	12.70	0.00	0.00
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	0.12	O/ ILL/	10.00	20	1.0.00				20.01	.2	0.00	0.00
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
	2 Wire Unbundled ADSL Loop without manual service inquiry &						ĺ								
	facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82				26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &											1	1		
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82		1		26.94	12.76	0.00	0.00
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
0.140	CLEC to CLEC Conversion Charge without outside dispatch	ATIDLE		UAL	UREWO		86.12	40.36				26.94	12.76	0.00	0.00
2-001	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	AIIBLE	LOOP						-	-					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54				26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry	+		OFIL	UTILZX	9.01	204.74	103.54	+		1	20.54	12.70	0.00	0.00
	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54				26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		OTIL	OFFICER	14.07	204.74	103.54		1		20.34	12.70	0.00	0.00
	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34						_		
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05				26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05				26.94	12.76	0.00	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		45.34					20.01	10 =0		
4 1871	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIDLE	000	UHL	UREWO		86.06	40.36		-		26.94	12.76	0.00	0.0
4-901	4 Wire Unbundled HDSL Loop including manual service inquiry	AIIBLE	LUUP							+	-				
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45				26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	<u> </u>	OTIL	OTILHA	10.02	041.00	220.40		1		20.04	12.70	0.00	0.0
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45				26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96				26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry		1			\exists]]		
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				26.94	12.76	0.00	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry			l		07.6.	00465	400.00				00.51	40.70	0.00	
	and facility reservation - Zone 3	1	3	UHL	UHL4W	27.24	264.39	188.96		1	-	26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	1	-	UHL UHL	OCOSL UREWO	+	45.34 86.06	40.36	 	1	-	26.94	12.76	0.00	0.0
4- ₩I	RE DS1 DIGITAL LOOP	+	-	OI IL	OKEWO	+	00.00	40.36		1	-	20.94	12.70	0.00	0.0
4-441	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	47.60	714.84	421.47		1		42.19	12.76	0.00	0.0
 	4-Wire DS1 Digital Loop - Zone 1	1		USL	USLXX	84.36	714.84	421.47		1	<u> </u>	42.19	12.76	0.00	0.0
	4-Wire DS1 Digital Loop - Zone 3	1		USL	USLXX	134.29	714.84	421.47				42.19	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	USL	OCOSL		48.31					1	1	3.50	1
	CLEC to CLEC Conversion Charge without outside dispatch	1		USL	UREWO		100.99	43.00				26.94	12.76	0.00	0.00
4 14/1	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	1							1			İ		1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
						Rec	Nonrec	urring	Nonrecurring Disconne				Rates (\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL UDL	UDL56 OCOSL	67.26	489.04 45.34	337.51		-	1	26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	45.34 489.04	337.51	 	_	-	26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	43.11	489.04	337.51		_	-	26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	67.26	489.04	337.51			1	26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)		- 5	UDL	OCOSL	07.20	45.34	337.31		-		20.34	12.70	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70			1	26.94	12.76	0.00	0.00
2-WIF	RE Unbundled COPPER LOOP				1 1									2.20	2.00
	2-Wire Unbundled Copper Loop-Designed including manual				1										
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed including manual														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75				26.94	12.76	0.00	0.00
	2 Wire Unbundled Copper Loop-Designed including manual														
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual			OCL	OOLI W	22.55	100.55	112.30	 	+	1	20.34	12.70	0.00	0.00
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	0 1.00	61.38	61.38				20.01	12.10	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
4-WIF	RE COPPER LOOP														
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility		_										40.00		
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93				26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL43	40.26	61.38	61.38			1	20.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility			OCL	OCLIVIC		01.50	01.50		-	1				
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2			UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility			002	002	20.01	200.07					20.01	12.10	0.00	0.00
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38	İ						
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44							
LOOP MODIF	CICATION														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Load Coils - 4 Wire														
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24			 	26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
SUB-LOOPS															
Sub-	oop Distribution								i						

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonre			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up			UEANL	USBSA		373.57						26.94	12.76	0.00	0.0
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		33.78						26.94	12.76	0.00	0.0
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			OLANE	OODOD		33.70						20.54	12.70	0.00	0.0
	Facility Set-Up	- 1		UEANL	USBSC		234.76						26.94	12.76	0.00	0.0
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		81.05						26.94	12.76	0.00	0.0
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	I	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.0
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.0
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBINZ	11.93	126.03	54.54		-			26.94	12.76	0.00	0.0
	Zone 3	1	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.0
	23/10 0	·		02, 112	005.12	10.20	120.00	0 1.0 1					20.0 .	.2	0.00	0.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.0
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.0
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	LIFANII	LICDNIA	24.40	450.50	70.00					20.04	40.70	0.00	0.0
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.0
	Cab 2009 2 Trino intrabalianing Florinoite Cable (1170)	·		02,412	OODITE	2.10	111.00	01.20					20.0 .	12.10	0.00	0.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA		76.24 39.51	76.24 39.51			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76	0.00	0.0
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i		UEF	UCS2X	9.70	137.10	60.24					26.94	12.76	0.00	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u>L</u>	UEF	USBMC		61.38	61.38								<u> </u>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38	-	+	<u> </u>	1	26.94	12.76	0.00	0.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour				URET1		76.24	76.24								
- 	Loop Testing - Basic 1st Half Hour		1	UEF	URETA		39.51	39.51		+	 					
Unbun	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	0.0
Networ	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	I			UND12		86.37	56.69					26.94	12.76	0.00	
	Network Interface Device (NID) - 1-6 lines	<u> </u>	!		UND16		127.93	98.21	ļ	1	<u> </u>		26.94	12.76	0.00	
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W		1	UENTW UENTW	UNDC2 UNDC4		11.68 11.68	11.68 11.68		+			26.94	12.76 12.76	0.00	
LINE OTHER D	PROVISIONING ONLY - NO RATE		 	OLIVIVV	UNDC4		80.11	11.08	1	+	1	1	26.94	12.76	0.00	0.0
JAL STREET, F	NID - Dispatch and Service Order for NID installation		 	UENTW	UNDBX	0.00	0.00			+	<u> </u>	1				
 	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00			1						<u> </u>
	,			UEANL,UEF,UEQ,U		2.20	2.30									1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
LINE OTHER E	PROVISIONING ONLY - NO RATE															

LINDI	IINDI E	D NETWORK ELEMENTS - North Carolina												Attack	ment: 2	Exhi	bia. A
UND	UNDLE		1	1			I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -		Charge -
														Manual Svc	Manual Svc	Charge -	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,				Manual Svc
OA!L	00	KATE EEEMERTO	m	20110	500	0000			π. Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										1	1						
					UAL,UCL,UDC,UDL,												ı .
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									ı l
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ı .
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															i
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									i
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									i
		Unbundled DS1 Loop - Expanded Superframe Format option -															ı
		no rate			USL	CCOEF	0.00	0.00									
HIGH	CAPACI	TY UNBUNDLED LOCAL LOOP															
	1	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1		LIEO	1L5ND	10.00						1		1		1
		month			UE3	1L5ND	13.33										
		High Capacity Unbundled Local Loop - DS3 - Facility			UE3	UE3PX	450.00	4 074 00	040.40					50.40	53.48		ı
		Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
		Imonth			UDLSX	1L5ND	13.33										i l
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	ILSIND	13.33										
		Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		ı
LOOP	MAKE-L			1	ODLOX	ODEOT	404.20	1,071.00	040.12					33.40	33.40		
<u> </u>	WARE-C	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility			O.M. C	0		00	00.11					10.00	10.00	10.00	.0.00
		gueried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or			-												
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								ı l
LINE S		AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 sha	ll be billed as t	follows:							i
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND	")											i
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT		<u> </u>		l											
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							——
		HARING															
-	SPLII	FERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity	 	 	ULS	ULSDA	181.18	631.54	0.00	-	1		 	26.94	12.76		
-	+	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	1		ULS	ULSDA	181.18 38.99	631.54	0.00	1	1		-	26.94	12.76		
-	+	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	l		ULS	ULSD8	12.73	424.61	0.00	†	 			26.94	12.76		
\vdash	+	Line Sharing Splitter, Fel System, & Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	 		5_0	32000	12.73	727.01	0.00	 	 		 	20.34	12.70		$\overline{}$
	1	deactivation (per LSOD)	1		ULS	ULSDG		146.32	31.27				1	26.94	12.76		1
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	†						J27	İ	İ			20.04	.2.70		
	1	Line Sharing - per Line Activation (BST Owned splitter) -	1							1	İ						
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		, !
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (25% of UCLND) - please see NOTE 1	1	1													,
	1	(E:10/2/2003)	<u> </u>		ULS	ULSDT	3.49	54.71	28.77								
		Line Share Service, TRO per line activation, BST owned splitter -	-														,
	1	Central Office Located (50% of UCLND) - please see NOTE 1	1		l <u>-</u>	l							1		1		1
		(E:10/2/2004)	ļ	<u> </u>	ULS	ULSDT	6.99	54.71	28.77								
	1	Line Share Service, TRO per line activation, BST owned splitter -	1										1		1		1
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1		LUODT	40.00	-1									1
	1	(E:10/2/2005)	<u> </u>		ULS	ULSDT	10.48	54.71	28.77	-	ļ				 		
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter	1	1	ULS	ULSDS		35.42	16.57					26.94	12.76		í
-	+	Line Sharing - per Subsequent Activity per Line	1	<u> </u>	ULO	ULSDS		35.42	16.57	 	 			∠6.94	12.76		
	1	Rearrangement(DLEC Owned Splitter	1		ULS	ULSCS		35.14	16.29				1	26.94	12.76		1
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	 		010	OLUUU		33.14	10.29	 	 		 	20.34	12.70		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31				1	26.94	12.76		1
	1	1	1	1	ı -		0.01	77.77	10.01	·	1	1	·	20.04	12.70		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec	urring	Nonrecurring Di					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	0.55	47.44	19.31								
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED							•								
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
	BA A 1517	Line Splitting - per line activation BST owned - virtual ENANCE		<u> </u>	UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
	MAINI	No Trouble Found - per 1/2 hour increments - Basic				+		80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium				+		160.00	110.00								
UNBUN	DLED I	DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			LIATION	1L5XX	0.0125										
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0125										
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			011177	OTTIVE	10.00	107.40	02.00					00.07	00.07		
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LUTDY	LIATOR	47.40	407.40	50.50					00.07	00.07		
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	U1TDX	U1TD5	17.40	137.48	52.58	+				38.07	38.07		
		per month		1	U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1	1		.20,51	3.0202			 							
		Termination			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				=											
		Termination		<u> </u>	U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATES	1L5XX	12.98										
		month Interoffice Channel - Dedicated Transport - DS3 - Facility		 	U1TD3	ILDAX	12.98			+							
		Termination per month		1	U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			550	01110	720.00	754.54	0,0.00					31.20	31.20		
		month		1	U1TS1	1L5XX	6.14										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination		<u></u>	U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	LIDE LIDEOV	41.505	07.7										
		Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	1	!	UDF, UDFCX UDF, UDFCX	1L5DF UDF14	27.71	1,807.00	562.96	 		1					1
		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	UDF, UDFCX	ODF 14		1,807.00	56∠.96	+ +							
		Thereof per month - Local Loop			UDF. UDFCX	1L5DL	64.04										
		NRC Dark Fiber - Local Loop	1	1	UDF, UDFCX	UDFL4	07.07	1,347.00	279.87	 							

BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N ILINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU SIGNALING (CCST) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Gonection, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Diage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transpo	USOC N8R1X N8FTX N8FCX N8FMX N8FAX	Rec - 0.0005	Nonrec First 7.05	RATES (\$) urring Add'I	Nonrecurring Disconnec	Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Exhibit Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
BXX ACCESS TEN DIGIT SCREENING BXX Access Ten Digit Screening, Per Call BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Termination, Per STP Port UDBB Till CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Depart Code, per Originating Point Code Establishment or Change, Per STP affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated -	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
BXX ACCESS TEN DIGIT SCREENING BXX Access Ten Digit Screening, Per Call BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Originating Point Code Establishment or Change SIGNALING (CCS7) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Termination, Per STP Port UDBB TI CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Denit Code, per Originating Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Usage Code Cander	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
BXX ACCESS TEN DIGIT SCREENING BXX Access Ten Digit Screening, Per Call BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Validation Per Query CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Termination, Per STP Port UDBB Till CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Termination, Per STP Port UDBB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Depart Code, per Originating Point Code Establishment or Change, Per STP affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 InterOffice Transport - Dedicated -	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic-	Order vs. Electronic-
8XX ACCESS TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved OHD N 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number OHD N 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features AXX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Svalidation Per Cuery LIDB Svalidation Per Cuery ILIDB Validation Per Cuery SIGNALING (CS37) CCS37 Signaling Connection, Per link (A link) CCS37 Signaling Connection, Per link (B link) (also known as D link) IIND CCS37 Signaling Gonnection, Per Ink (B link) (also known as D link) CCS37 Signaling Usage, Per ISUP Message CCS37 Signaling Usage, Per ISUP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per TGAP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SUP Message UDB CCS37 Signaling Usage, Per SU	N8R1X N8FTX N8FCX N8FMX N8FAX		7.05	urring		t		Electronic- 1st OSS	Electronic- Add'I Rates (\$)	Electronic-	Electronic-
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved NHD	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN	1st OSS	Add'I Rates (\$)		
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved NHD	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN	OSS	Rates (\$)	Disc 1st	
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN				Piac Add I
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX		7.05				SOMAN				
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX	0.0005	7.05					SOMAN	SOMAN	SOMAN	SOMAN
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	N8FTX N8FCX N8FMX N8FAX	0.0005									
Number Reserved OHD N	N8FTX N8FCX N8FMX N8FAX				l l						
Number Reserved OHD N	N8FTX N8FCX N8FMX N8FAX										
POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request OHD N 8XX Access Ten Digit Screening, Call Handling and Destination Peatures I Bus Validation Per Query I LIDB Common Transport Per Query I LIDB Originating Point Code Establishment or Change OQT I LIDB Originating Point Code Establishment or Change SIGNALING (CCST) CCST Signaling Connection, Per link (A link) UDB TI CCST Signaling Connection, Per link (B link) (also known as D link) CCST Signaling Usage, Per ISUP Message CCST Signaling Usage, Per TCAP Message CCST Signaling Usage, Per TCAP Message CCST Signaling Usage Surrogate, per link per LATA UDB CCST Signaling Dint Code, per Originating Point Code Establishment or Change, per STP Affected CCST Signaling Point Code, per Destination Point Code Establishment or Change, per STP Affected Establishment or Change, per STP Affected E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N8FCX N8FMX N8FAX		Ī	0.96				26.94			
BXX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features 8XX Access Ten Digit Screening, Call Handling and Destination Features 8XX Access Ten Digit Screening, Call Handling and Destination Per Dug Volume ILIDB Common Transport Per Query 8XX Access Ten Digit Screening, Call Handling and Destination OHD No. 8XX Access Ten Digit Screening, Call Handling and Destination Per LIDB Organizer OHD No. 8XX Access Ten Digit Screening, Call Handling and Destination OHD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 8XX Access Ten Digit Screening, Call Handling and Destination PolD No. 9XX Access Ten Digit Screening, Call Handling and Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Digit Dode, per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCAST Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCAST Signaling Point Code, Per Orginating Point Code Establishment or Change, Per Stp Affected UDB CCAST Signaling Point C	N8FCX N8FMX N8FAX										
POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request OHD N 8XX Access Ten Digit Screening, Change Charge Per Request OHD N 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CS7) CCS7 Signaling Connection, Per link (B link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 5 Interoffice Tra	N8FCX N8FMX N8FAX		23.82	2.73				41.35			
BXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Call Handling and Destination Features CINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per STP affected CCS7 Signaling Done Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport -	N8FCX N8FMX N8FAX										
Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. 9XX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Change Charge Per Coquity BXX Access Ten Digit Screening, Change Per Change BXX Access Ten Digit Screening, Change Per DQU BXIDE CCS7 Signaling Connection, Per link (A link) BXIDE CCS7 Signaling Connection, Per link (A link) BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per ISUP Message BXIDE CCS7 Signaling Usage, Per TCAP Message BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Originating Point Code BXIDE CCS7 Signaling Point Code, per Destination Point Code BXIDE CCS7 Signaling Point Code, per Destination Point Code BXIDE CALLENCY COMPANY STATES ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCESS ACCES ACCESS	N8FMX N8FAX		23.82	2.73				41.35			
BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. BXX Access Ten Digit Screening, Change Charge Per Request BXX Access Ten Digit Screening, Call Handling and Destination Features CHD LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LINDB CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile	N8FMX N8FAX										
Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change SIGNALING (CCST) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) Ink) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISCAP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage, Per STP Affected Establishment or Change, Per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	N8FAX		5.63	2.82							
BXX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features OHD N	N8FAX	Т	\neg			1 -				T	
BXX Access Ten Digit Screening, Call Handling and Destination Features OHD N LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LIDB OTTO UDB TI CCS7 Signaling Termination, Per STP Port UDB P CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected UDB CCS7 Signaling Point Code, per Stp Affected U			6.59	3.77		_					
Features			8.01	0.96				26.94			
LINE INFORMATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) Ink) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Opint Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile			l			1					
LIDB Common Transport Per Query LIDB Validation Per Query LIDB Originating Point Code Establishment or Change OQT, OQU N SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TI CCS7 Signaling Termination, Per STP Port UDB CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signaling Point Code, Per Stp Affected UDB CCS7 Signa	N8FDX		5.63								
LIDB Validation Per Query LUBB Originating Point Code Establishment or Change CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) LIDB Originating Point Code Per link (B link) (also known as D link) LIDB TI CCS7 Signaling Termination, Per STP Port LUDB TI CCS7 Signaling Usage, Per ISUP Message LUDB CCS7 Signaling Usage, Per TCAP Message LUDB LUDB LUDB SS CCS7 Signaling Usage Per TCAP Message LUDB LUDB SS CCS7 Signaling Usage Surrogate, per link per LATA LUDB SS CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected LUDB CS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected LUDB CS9 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected LUDB CCS7 Signaling Point Code, Per Destination Point Code Establishment or Change, Per StP Affected LUDB CCS9 Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 LUCAL Channel - Dedicated - 2-wr Voice Grade - Zone 2 LUCAL Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - DS1 - Zone 1 LUCAL Channel - Dedicated - DS1 - Zone 2 LUCAL Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transpor											
LIDB Originating Point Code Establishment or Change OQT, OQU N		0.00003									
SIGNALING (CCS7) CCS7 Signaling Connection, Per link (A link) UDB TI	IDDD)/	0.0134						20.01	22.21		
CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D link) UDB TI CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S' CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per StP Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	VRBPX		62.26					26.94	26.94		
CCS7 Signaling Connection, Per link (B link) (also known as D link) Ink) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3		10.00						44.0=			
link) CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3	TPP++	18.22	278.02	278.02				41.35	41.35		
CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message UDB CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 -	ГРР++	40.00	278.02	278.02				44.05	41.35		
CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage, Per TCAP Message UDB CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP affected UDB C CSS Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 3 Interoffice Transport	PT8SX	18.22 132.83	278.02	278.02		_		41.35	41.35		
CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Usage Surrogate, per link per LATA UDB S CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected UDB C CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per Stp Affected UDB C CSS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	1007	0.00004			+						
CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per STP affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 1 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 2 Local Channel - Dedicated - DS1 - Zone 1 3 3 1 Interoffice Transport - Dedicated - DS1 - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.00004	1								
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB CE911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 -	STU56	338.98									
Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected UDB C E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	3.000	000.00									
CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Mile Interoffice Transport - Dedicated - DS1 - Per Facility Termination CALLING NAME (CNAM) SERVICE	CCAPO		40.00	40.00				19.99	19.99		
Establishment or Change, Per Stp Affected E911 SERVICE Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 - Zone 3 CALLING NAME (CNAM) SERVICE					•						-
E911 SERVICE	CCAPD		8.00	8.00				19.99	19.99		
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE											
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		11.24	553.80	89.69				42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 1 Local Channel - Dedicated - DS1 - Zone 2 2 Local Channel - Dedicated - DS1 - Zone 3 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		19.91	553.80	89.69				42.17	12.76		
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		31.70	553.80	89.69				42.17	12.76		
Termination		0.0282									
Local Channel - Dedicated - DS1 - Zone 1 1						1					
Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		18.00	137.48	52.58				38.07	38.07		
Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		27.05	534.48	462.69				86.15	1.77		
Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		47.94	534.48	462.69				86.15	1.77		
Interoffice Transport - Dedicated - DS1 Per Facility Termination CALLING NAME (CNAM) SERVICE		76.32	534.48	462.69				86.15	1.77		
CALLING NAME (CNAM) SERVICE		0.5753									
CALLING NAME (CNAM) SERVICE		74 00	217.17	400.75		1		38.07	38.07		
	1	71.29	217.17	163.75		+		38.07	38.07		
			75.62			+					
CNAM For DB Owners - Service Establishment OQV CNAM For Non DB Owners - Service Establishment OQV	+	+	75.62 75.62								
CNAM For Non DB Owners - Service Establishment OQV CNAM For DB Owners - Service Provisioning With Point Code	+	+	10.02								
Establishment (Initial) OQV	l		2,354.00	2,354.00		1					
CNAM For DB Owners - Service Provisioning With Point Code	 	+	2,004.00	2,004.00		+					
Establishment (Subsequent)	l		1,739.00	1,739.00		1					
CNAM For Non DB Owners - Service Provisioning With Point	+	+	.,. 00.00	.,. 00.00		+					
Code Establishment (Initial)			1,072.00	1,072.00		1					
CNAM For Non DB Owners - Service Provisioning With Point		+	.,5.2.00	.,3,2.00		1					-
Code Establishment (Subsequent)			768.44	768.44		1					
CNAM for DB & Non DB Owners, Per Query OQV		0.0009592	. 33. 17	. 00.14		1					
SELECTIVE ROUTING											
Selective Routing Per Unique Line Class Code Per Request Per											
Switch		1	188.59				l	26.94	12.76		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL																├
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		1
PHYSICAL CO				UEFSK UEFSB	VEILS	0.0267	33.90	32.06	0.00	0.00			19.99	19.99		\vdash
I III OIOAL OC	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
AIN SELECTI	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO		347.27									
	Query NRC, per query			SRC		0.0053758										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															├
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
\vdash	initial Getap		-	ATIN.	OAIVIOE		294.11				1				1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		200.83									
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		172.05									
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0791										├
	Minute					2.08										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE					2.00										
AIN BEEEGG	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		290.05									
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF IIVI		12.10									
	DN, 10-Digit PODP				BAPTO		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		149.95									
	AlN Toolkit Service - Query Charge, Per Query					0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.005										
	Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.40										
	Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service														1	[
igwdown	Subscription		<u> </u>	CAM	BAPDS	15.90	71.80								 	\vdash
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.003	47.20								1	1
ENHANCED	Service Subscription XTENDED LINK (EELs)			CAIVI	BAPES	0.003	47.20								-	
	The monthly recurring and non-recurring charges below will	anniv a	nd the	Switch-As-Is Chara	e will not ann	ly for UNE con	nhinations prov	visioned as ' C	rdinarily Comb	nined' Network	Flements				 	
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56	, in the second				38.07	38.07]	

UNBUNDI	LED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					36.07	36.07		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
	Voice Grade COOT-1 et Workti			ONOVA	IDIVO	1.27	15.05	3.30								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38	†							
	Nonrecurring Currently Combined Network Elements Switch -As-							0.4 ==								
EVE	Is Charge	FED DO	4 151777	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXI	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	I ED DS	INIE	ROFFICE TRANSPO	JKI											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	ONOVA	OL71L4	00.07	200.47	201.40					00.01	00.07		
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					00.07	00.07		
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT			•		•						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
											<u> </u>					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06	1			 	30.07	30.07		
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28	†							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
- 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			-							t					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			1		38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1		UNCDX	1D1DD	2.00	15.76	11.28								

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l		
													1st	Addi	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
FXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN													
		1	1													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		ĺ
	That I The Girlspe Bighar Grade 200p in Germanaton 2010 2			0.1027	00201	.0	100.01	007.01					00.07	00.01		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť			320	.00.04	307.01				 	55.07	55.07		
	Per Month	1	1	UNC1X	1L5XX	0.5753					1	1		Ì		1
	interoffice Transport - Dedicated - DS1 combination - Facility	 	1	5.101A	120/00	0.0700						l				
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i
 	1/0 Channel System in combination Per Month	 	 	UNC1X	MQ1	146.69	197.78	140.06	 				30.07	30.07		
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		 	UNCDX	1D1DD	2.00	15.76	11.28						1		
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	 	1	OINODA	טטוטו	2.00	15.76	11.28			-		1	1		
	Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDA	UDL04	25.52	409.04	337.31					36.07	36.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		1
		<u> </u>		UNCDA	UDL64	43.11	409.04	337.31					36.07	30.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3	LINODY	LIBLOA	07.00	400.04	007.54					00.07	00.07		1
	Interoffice Transport Combination - Zone 3	-	3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month			LINODY	40400	0.00	45.70	44.00								ĺ
-	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								└
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAN	1111000		04.75	04.75	00.00	40.00			00.07	00.07		1
EVE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D04	INITED	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE		ED D51	INTER			47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX											└
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		└
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		└
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.500/	0.5750										1
	Per Month	-	-	UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility			11041/	114754	74.00	047.47	100.75					00.07	00.07		ĺ
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ĺ
	Is Charge	ED DC:	INITES	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3				47.00	74404	104 1=					00.00	00.00		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		├
	First DS1Loop in Combination - Zone 2	<u> </u>		UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		⊢
\vdash	First DS1Loop in Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINGOV	41.500/	40.00										1
\vdash	Per Month			UNC3X	1L5XX	12.98										⊢—
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINGOV	114750	700.00	70404	570					00.00	00.00		1
\vdash	month	ļ	<u> </u>	UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		⊢
\vdash	3/1Channel System in combination per month	ļ	<u> </u>	UNC3X	MQ3	233.10	403.97	234.40								⊢
\vdash	DS1 COCI in combination per month	ļ	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								⊢
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	1 .								1	1				1
	Zone 1	ļ	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		⊢—
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_													1
	Zone 2	ļ	2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		⊢—
	Additional DS1Loop in DS3 Interoffice Transport Combination -		l _	l .												1
	Zone 3	ļ	3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Additoinal DS1 COCI in combination per month	<u> </u>	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	l .]					1	1		Ì		1
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1	<u> </u>		UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
1 1	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								1

UNBUN	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CAILGO	JIX 1	NATE ELEMENTO	m	20116	B00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>				-		+		Nonrec		Nonrecurring	Dissennest			000	Rates (\$)		
				-			Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Literatura Transport Control No. De l'arte I Brand's Brand		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.0282										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
E	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	ORT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45								
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		Ŭ	ONOVA	OL/1L4	00.07	200.47	207.40								
		Month	I	1	UNCVX	1L5XX	0.0282					l	l		I	Ì	
 		Interoffice Transport - 4-wire VG - Dedicated - Facility	1	1	0140 4 7	ILUAA	0.0202			-		 	 	1	 	 	
			l		UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
		Termination per month			UNCVX	01174	22.16	106.11	65.95					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1	LINOVA	111000		a. =-				l	l			Ì	
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
I	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.33										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	FXTFN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		011000		21.70	21.70	02.20	10.00			00.07	00.07		
	LXILI	STS-1 Local Lolp in combination - per mile per month	J-1 1141	LICOLI	UNCSX	1L5ND	13.33										
-		STS-1 Local Loop in combination - Facility Termination per		1	ONCOX	TESIND	10.00										
		month			UNCSX	UDLS1	464.26	1,071.00	646.12								
				1	UNCOX	UDLST	404.20	1,07 1.00	040.12								
		Interoffice Transport - Dedicated - STS-1 combination - per mile			LINIOOV	41.5007	0.44										
		per month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		ls Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN														
oxdot		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month	I	1	UNC1X	1L5XX	0.5753					İ	İ		I	Ì	
		Interoffice Transport - Dedicated - DS1 combination - Facility	1				,,,,,,			1		İ	İ	İ	İ	İ	Ì
		Termination per month	l		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
h +		1/0 Channel System in combination - per month	1	1	UNC1X	MQ1	146.69	197.78	140.06					33.07	33.07		1
\vdash		2-wire ISDN COCI (BRITE) - in combination - per month	1	+	UNCNX	UC1CA	3.59	15.76	11.28						1	 	
-		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	 	OINOINA	OUTUA	3.39	15.76	11.20			 	 		1	1	1
			l	1	LINCNIV	1141.00	19.42	225.04	251.24					38.07	38.07		
		Combination - Zone 1	1	1	UNCNX	U1L2X	19.42	325.91	251.31	 		 	 	38.07	38.07	 	1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	I	_	LINCNIV	1141.07	20.00	205.04	054.04			l	l	20.07	20.07	Ì	
├		Combination - Zone 2	!	2	UNCNX	U1L2X	32.88	325.91	251.31	1		1	1	38.07	38.07		1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	I	1 _								l	l			Ì	
 		Combination - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31			ļ	ļ	38.07	38.07		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per	I	1								l	l		I	Ì	
		month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.59	15.76	11.28					<u></u>			<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
1]		Is Charge		1	UNC1X	UNCCC		21.75	21.75	32.28	10.96	İ	İ	38.07	38.07	Ì	
1	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47			İ	İ	38.07	38.07		
		First DS1 Loop Combination - Zone 2	1		UNC1X	USLXX	84.36	714.84	421.47			1	1	38.07	38.07	1	Ì
1 1					UNC1X	USLXX	134.29	714.84	421.47			-		38.07	38.07	1	.

UNBUND	DLED NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional DS1Loop in the same STS-1 Interoffice Transport		_	LINICAY	1101.307	404.00	74404	404 :-					00.07	20.0-		
	Combination - Zone 3	 	3	UNC1X	USLXX	134.29 16.07	714.84	421.47					38.07	38.07		
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		UNC1X	UC1D1	16.07	13.09	9.38	 		1					
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
FYT	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	RPS INT	FROFF		ONCCC		21.75	21.75	32.20	10.90	 		30.07	30.07		
LA.	4-wire 56 kbps Local Loop in combination - Zone 1	1 0 1141		UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
FXT	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	RPS INT	FROFE		ONCCC		21.75	21.75	32.20	10.30			30.07	30.07		†
LX.	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	J. O		UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	TENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -	1							1]			
	Facility Termination per month	<u> </u>		UNC1X	U1TF1	71.29	217.17	163.75			ļ		38.07	38.07		
$oxed{oxed}$	Per each DS1 Channelization System Per Month	ļ		UNC1X	MQ1	146.69	197.78	140.06	ļ				ļ			<u> </u>
\vdash	Per each Voice Grade COCI - Per Month per month	<u> </u>		UNCVX	1D1VG	1.27	13.09	9.38	 				 	ļ		
\vdash	3/1 Channel System in combination per month	-	-	UNC3X	MQ3	233.10	403.97	234.40	 				-			
\vdash	Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	 	-	UNC1X	UC1D1	16.07	13.09	9.38	 		1		 	-		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
igsquare	Each Additional Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1.27	13.09	9.38								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
_	Each Additional DS1 Interoffice Channel Facility Termination in	1		l <u>-</u>	I				1				1			
	same 3/1 Channel System per month		1	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
. 1	Each Additional DS1 COCI combination per month		1	UNC1X	UC1D1	16.07	13.09	9.38					l			<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
FXTE	IN Charge ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	ICE TR				21.75	21.75	32.28	10.96			38.07	38.07		+
LAIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	LINOIT	I I	I												+
	Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAV	41.500	0.5750										
	Mile Per Month First Interoffice Transport - Dedicated - DS1 - Facility	1	!	UNC1X	1L5XX	0.5753			 		1			 		
	Termination Per Month		1	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-+	Per each 1/0 Channel System in combination Per Month		1	UNC1X	MQ1	146.69	197.78	140.06	1				30.07	30.07		
-+	Per each Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1.27	13.09	9.38						1		
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40					1			1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Each Additional DS1 Interoffice Channel per mile in same 3/1		3	UNCVA	ULAL4	30.37	200.47	237.43					36.07	36.07		+
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.17	120701	0.07.00								İ		†
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	PFFICE	TRANSPORT W/ 3/	1 MUX									-		
	Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		-	ONODA	ODLOG	20.02	403.04	337.31					30.07	30.07		+
	Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															1
	Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per				41.500											
	Mile Per Month		ļ	UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
-+	Per each 1/0 Channel System in combination Per Month	1	 	UNC1X	MQ1	146.69	197.78	140.06	1		1		30.07	30.07	1	
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								+
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40						İ		†
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							-								
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINODY	LIDLES											
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	43.11	489.04	337.51	1		1		38.07	38.07	1	+
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) COCI in combination per month (2.4-		-	014007	0000	01.20	+03.04	337.31	+				30.07	30.07		
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28						1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1												1			1
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
1	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75	ļ		1		38.07	38.07		
+-	Each Additional DS1 COCI in the same 3/1 channel system															1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
UND UND I											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
-	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	ODL04	07.20	409.04	337.31					36.07	36.07		
	Mile Per Month	1		UNC1X	1L5XX	0.5753			1			1				
	First Interoffice Transport - Dedicated - DS1 combination -	1			1-2.31	3.0.00			1							
	Facility Termination Per Month	1		UNC1X	U1TF1	71.29	217.17	163.75	1			1	38.07	38.07		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each OCU-DP COCI (data) in combination - per month (2.4-							· · · · · · · · · · · · · · · · · · ·					-			
	64kbs)	ļ		UNCDX	1D1DD	2.00	15.76	11.28	ļ							
	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	233.10	403.97	234.40								
-	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		'	UNCDA	UDL64	25.32	469.04	337.31					30.07	36.07		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.102/1	0520.	10.11	.00.0 .	007.01					00.01	00.07		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	71.29	217.17	103.75					30.07	36.07		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	00.5.	.0.0.	10.00	0.00								
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31	ļ				38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	2	LINONIV	LIALOY	20.00	225.04	054.04	1			1	20.27	20.27		
\vdash	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 	2	UNCNX	U1L2X	32.88	325.91	251.31	_				38.07	38.07		
	Transport - Zone 3	1	3	UNCNX	U1L2X	51.14	325.91	251.31	1			1	38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	3	011011/1	UILEA	31.14	323.31	201.01	+				30.07	30.07		
	Mile per month	1		UNC1X	1L5XX	0.5753			1			1				
	First Interoffice Transport - Dedicated - DS1 combination -	1		-	1	,			1							
	Facility Termination per month	<u></u>		UNC1X	U1TF1	71.29	217.17	163.75	<u></u>				38.07	38.07		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	3.59	15.76	11.28						ļ		
\vdash	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	 		UNC3X UNC1X	MQ3 UC1D1	233.10 16.07	403.97 13.09	234.40 9.38	_							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	-	UNC IA	וטוטט	10.07	13.09	9.38	 		1	-		1		
	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>			2	320.01	2001	1				30.07	33.37		
	Combination - Zone 2	1	2	UNCNX	U1L2X	32.88	325.91	251.31	1			1	38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31	ļ				38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1		LINONIY	110404	0.50	45	44.00	1			1				
	system combination- per month	l .		UNCNX	UC1CA	3.59	15.76	11.28	1		l			l		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EYTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TPANS	PORT		UNCCC		21.75	21.73	32.20	10.90	1		36.07	30.07		1
EXIL	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	INANG		UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
\leftarrow	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07	t	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILJAA	0.5755										
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAN	41.500/	0.5750										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.5753			-							
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Additional DS1 COCI in the same 3/1 channel system				_								00.07	00.07		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38							1	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OOLOV	104.20	714.04	721.47					00.07	00.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			0.1027	120701	0.0202										
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		0.1000		20	20	02.20	.0.00			00.01	00.01		
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility				1											
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	17.40	137.48	52.58			 		38.07	38.07	1	
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NETWORK ELEMENTS		<u> </u>	L												
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	o not apply, but a	Switch As is ch	narge does app	oly.								-	
When	used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is"	ne non- Charge	(One	ing charges apply a applies to each con	and the Switch nbination)	AS IS Charge of	oes not.				 				 	
1 1 1 1 1 1 1 1	Nonrecurring Currently Combined Network Elements Switch -As-		, , , , , ,	UNCVX	UNCCC		21.75	21.75	32.28	10.96				12.76		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec		curring		Disconnect				Rates (\$)		
		h						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
	Option	al Features & Functions:			114704												├
		Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X U1TD1,	CCOEF		OI	OI	OI	OI						
		Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	I		ULDD1,UNC1X ULDD1, U1TD1,	CCOSF		OI	OI	OI	OI						
		Activity - per DS1	- 1		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.76S	23.8S	1.99S	0.78S			26.94	12.76		<u> </u>
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
	MULTI	PLEXERS			LINICAY	MQ1	146.69	407.70	110.00					26.94	40.70		
		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X			197.78	140.06					26.94	12.76		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	טטוטו	2.00	13.09	9.30								
		month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3.59	13.09	9.38								
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation DS3 to DS1 Channel System per month			U1TUC UNC3X	1D1VG MQ3	1.27 233.10	13.09 403.97	9.38 234.40					26.94	12.76		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	233.10	403.97	234.40					26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38					20.94	12.10		
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month		<u> </u>	U1TUA U1TD1	UC1D1 UC1D1	16.07 16.07	13.09 13.09	9.38 9.38	1		ļ					
		DS3 Interface Unit (DS1 COCI) used with Local Channel per				UC1D1											
+		month		-	ULDD1	OCIDI	16.07	13.09	9.38	1				26.94	12.76		
 						1			-	+		1		26.94	12.76		<u> </u>
		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports							1	1							
		Although the Port Rate includes all available features in GA, F	Y, LA	& TN, t	ne desired features	will need to I	e ordered usir	ng retail USOC	s								
-	∠-WIKE	EVOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
		Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability,			UEPSR	UEPRT	2.19	21.60	21.60			1		26.94	12.76		
		North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60								<u> </u>

UNBU	INDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: A
0.120	,,,DEEL	THE THORK ELEMENTO HOLL GUIDING										Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Unbundled Port with Caller ID capability,															
		North Carolina			UEPSR	UEPRY	2.19	21.60	21.60						10 70		
	FEATU	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
-		All Available Vertical Features		<u> </u>	UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
		VOICE GRADE LINE PORT RATES (BUS)			UEPSK	UEPVF	3.40	0.00	0.00					20.94	12.70		
	Z-VVIIVE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	1														
		Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
		•															
	<u> </u>	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	<u></u>		UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
		Exhange Ports - 2-Wire VG unbundled incoming only port with]		-								-
		Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
		2-Wire voice unbundled Incoming Only Port without Caller ID				1											
	1	Capability	ļ		UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
<u> </u>	FFAT.	Subsequent Activity	ļ	<u> </u>	UEPSB	USASC	0.00	0.00	0.00	-							
	FEATU				UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
-		All Available Vertical Features NGE PORT RATES (DID & PBX)		<u> </u>	UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
	EXCHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
		2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	1		UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60	İ				26.94	12.76		
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port		<u> </u>	UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFSF	UEFAL	2.10	21.00	21.00					26.94	12.70		
1		Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 		JL1 01	OLI AW	2.10	21.00	21.00	t		 	 	20.94	12.70		
		Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	†		UEPSP	UEPXS	2.18	21.60	21.60	1	Ì			26.94	12.76		
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
	FEATU	RES															
		All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
	EXCHA	NGE PORT RATES (COIN)							•								
		Exchange Ports - Coin Port	l				2.59	21.60	21.60	l]			26.94	12.76		
		Transmission/usage charges associated with POTS circuit s													L		
LINIDUS		Access to B Channel or D Channel Packet capabilities will be	e availal	ore only	tnrough BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	ne Bona Fid	ie Request/	New Busines:	Request Pro	cess.	
ONBON		OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES	l	 		1	-			 							
-		NGE PORT RATES 1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	the embed	l ded hase in pla	re as of 10/2/0	3 until 4/1/04	After 4/1/04 the	l ese rates shall	revert to ta	riff rates or	l a senarate an	reement		
-		ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											rates of	a separate ay	Coment.		
-	reques	Exchange Ports - 2-Wire DID Port	1	Jineoti	UEPEX	UEPP2	12.36	81.84	81.84	lone or tarm at	Denouni S u	SOFETION.		26.94	12.76		
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1			J	12.50	01.04	01.04	1	1			20.04	12.70		
1		capability (E:4/1/2004)			UEPDD	UEPDD	123.65	116.59	69.92					26.94	12.76		
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	24.50	62.29	62.29					55.30	55.30		
		All Features Offered			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transm	nission by B-Cl	hannels associ	ated with 2	wire ISDN p	oorts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ote only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	ne Bona Fid	e Request/	New Busines:	s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)				1					1	l					

JNBUNDLE	D NETWORK ELEMENTS - North Carolina														ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	во	es	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911																
	Locator Capability (E:4/1/2004)			UEPEX		UEPEX	179.75	241.63	241.63					53.89	53.89		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX		UEPDX	179.75	241.63	241.63					53.89	53.89		
	Physical Collocation - DS1 Cross-Connects			UEPEX (JEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per																
	DS1			UEPEX L	JEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		
Detail	ed E911 with Locator Capability (required with UEPEX port)																
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX		UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX		UEP1B	0.00	174.99						26.94	12.76		
New o	r Additional PRI Telephone Numbers		i –							1							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX		UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX		UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX		UEP1E	0.00	1.17	1.17					26.94	12.76		
LOCA	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes] L NUMBER PORTABILITY			UEPEX		PR7ZT	0.00	56.33	56.33					26.94	12.76		
	Local Number Portability (1 per port)			UEPEX L	JEPDX	LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEPEX		PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data			UEPEX		PR71D	0.00	0.00	0.00					26.94	12.76		
	Inward Data			UEPDX		PR71E	0.00	0.00	0.00					26.94	12.76		
New o	r Additional Channel																
	New or Additional - Voice/Data "B" Channel			UEPEX		PR7BV	0.00	36.92						26.94	12.76		
	New or Additional - Digital Data "B" Channel			UEPEX		PR7BF PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Inward Data "B" Channel New or Additional Useage Sensitive Voice Data "B" Channel			UEPDX UEPEX		PR7BS	0.00	36.92						26.94 26.94	12.76 12.76		
	New or Additional Useage Sensitive Voice Data B Channel			UEPEX		PR7BU	0.00							26.94	12.76		
-	New or Additional PRI "D" Channel			UEPEX		PR7EX	0.00	36.92						26.94	12.76		
CALL	TYPES	-	1	OLI LX			0.00	30.3Z		 				20.04	12.70		
- J	Inward	1	†	UEPEX (JEPDX	PR7C1	0.00	0.00	0.00	1				26.94	12.76		
	Outward		i –	UEPEX		PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way		1	UEPEX		PR7CC	0.00	0.00	0.00					26.94	12.76		
	NDLED FORT with REMOTE CALL FORWARDING CAPABILITY													<u> </u>			
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR		UERAC	2.19	21.60	21.60		•			26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR		UERLC UERTE	2.19 2.19	21.60 21.60	21.60 21.60					26.94 26.94	12.76 12.76		
-+-	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	1	 	UEPVR		UERTR	2.19	21.60	21.60	1		 		26.94	12.76		
Non-P	decurring	 	!	OLI VIX		JEININ	2.19	21.00	21.00	1		 		20.34	12.70		
Non-N	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR		USAC2		2.77	0.40					26.94	12.76		
LINIE	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) NDLED REMOTE CALL FORWARDING - Bus			UEPVR		USACC		2.77	0.40								
UNBU	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB		UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB		UERLC	2.19	21.60	21.60					26.94	12.76		

	LED NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	bit: A
CATEGOR		Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	History Had Broads Oall France Page Occion Land ATA Broad			LIED) (D	LIEDTE		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB UEPVB	UERTE UERTR	2.19 2.19	21.60 21.60	21.60 21.60	-				26.94 26.94	12.76 12.76		
	Unbundled Remote Call Forwarding Service, intraLATA - Bus			UEPVB	UERIK	2.19	21.60	21.00					20.94	12.76		
	Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
No	n-Recurring			-										-		
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with			LIED) /D	110400		0.77	0.40								
LIMPLIND	allowed change (PIC and LPIC) ED LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		2.77	0.40								
	d Office Switching (Port Usage)		1	 	+	 			 							
	End Office Switching Function, Per MOU	1		1	1	0.0015			† †							
	End Office Trunk Port - Shared, Per MOU			İ		0.00023			1							
Tai	ndem Switching (Port Usage) (Local or Access Tandem)					<u> </u>										
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port - Shared, Per MOU			ļ		0.0003			ļ							
	Tandem Switching Function Per MOU (Melded)		1			0.00024618										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00012309										
Co	Melded Factor: 41.03% of the Tandem Rate mmon Transport				-				-							
	Common Transport - Per Mile, Per MOU					0.00001			1							
	Common Transport - Facilities Termination Per MOU					0.00034										
UNBUNDL	ED PORT/LOOP COMBINATIONS - COST BASED RATES					0.00001										
	st Based Rates are applied where BellSouth is required by FCC ar	nd/or St	tate Co	mmission rule to p	rovide Unbur	dled Local Swit	tching or Switch	h Ports.								
	atures shall apply to the Unbundled Port/Loop Combination - Cos		Rate :	section in the same	manner as th	ney are applied t	to the Stand-A	one Unbundl	ad Dart caction	- C (1) 1 - D - C - E	vhihit		1			
	d Office and Tandem Switching Usage and Common Transport Us						all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
	e first and additional Port nonrecurring charges apply to Not Curr						all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)						all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) IE Port/Loop Combination Rates		ombin			ined Combos th	all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1		ombine 1				all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) IE Port/Loop Combination Rates		ombin			ined Combos th	all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates		1 2	ed Combos. For Cu	rrently Comb	13.03 21.33 32.61	all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1		1 2 3 1	ed Combos. For Cu	UEPLX	13.03 21.33 32.61	all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
2-V UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05	all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2 3 1	ed Combos. For Cu	UEPLX	13.03 21.33 32.61	all combination	ons of loop/po	ort network elem	nents except	for UNE Coi					
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	all combinations and a second comments are second comments and a second comment and a second comments are second comments and a second comment and a second comments are second comments and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a	ons of loop/pc g charges sha	ort network elem	nents except	for UNE Coi		Combined se	ections.		
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	all combinations on recurring a nonrecurring and a	ons of loop/pc g charges sha	ort network elem	nents except	for UNE Coi		Combined se	9.45		
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33	all combinations and a second comments are second comments and a second comment and a second comments are second comments and a second comment and a second comments are second comments and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a second comment and a	ons of loop/pc g charges sha	ort network elem	nents except	for UNE Coi		Combined se	ections.		
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 2-Wire voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sres, low usage line port with Caller ID (LUM)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28	all combination of the nonrecurring representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation of the nonrecurrent representation	ens of loop/pc g charges sha 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18	9.45 9.45		
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3 1 1 2	UEPRX	63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45					
UN UN	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28	79.59 79.59	63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18	9.45 9.45 9.45		
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina		1 2 3 1 1 2	UEPRX	63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18	9.45 9.45 9.45					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 3-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina		1 2 3 1 1 2	UEPRX	63.97 63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45 9.45					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina ATURES All Features Offered		1 2 3 1 1 2	UEPRX	63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18	9.45 9.45 9.45					
2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port with Caller ID - Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina ATURES CAL NUMBER PORTABILITY		1 2 3 1 1 2	UEPRX	63.97 63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45 9.45					
2-V UN UN 2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 3-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina ATURES All Features Offered CAL NUMBER PORTABILITY Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX	63.97 63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45 9.45					
2-V UN UN 2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina ATURES All Features Offered CAL NUMBER PORTABILITY Local Number PORTABILITY		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45 9.45		
2-V UN UN 2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Port with Caller ID capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina ATURES All Features Offered CAL NUMBER PORTABILITY Local Number Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1 2 3 1 1 2	UEPRX	63.97 63.97 63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45					
2-V UN UN 2-V	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) E Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port with Caller ID - res 2-Wire voice unbundled Port with Caller ID - Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina 2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina ATURES All Features Offered CAL NUMBER PORTABILITY Local Number PORTABILITY		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPRT UEPRZ UEPRY	13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elem	nents except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45 9.45		

UNBUND	LED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Subm Ele per l	-	d Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring Discon				Rates (\$)		
						1100	First	Add'l	First Add	I'I SOM	EC SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADI	DITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00				40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				l										
051	Premise			UEPRX	URETL		8.33	0.83				26.94	12.76	0.00	0.00
OFI	F/ON PREMISES EXTENSION CHANNELS		1	UEPRX	UEAEN	12.11	57.99	42.37				26.94	12.76	0.00	0.00
	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37				26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	33.65	57.99	42.37				26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAED	14.97	142.97	106.56		-		26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56				26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	40.81	142.97	106.56				26.94	12.76	0.00	
INT	EROFFICE TRANSPORT		Ť			1	2.07	.00.00				25.54	.20	3.50	5.00
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.00	137.48	52.58				38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00							
2-W	VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
UNI	E Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03									
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33									
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61									
UNI	E Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33									
2-W	Vire Voice Grade Line Port (Bus)		-	LIEDDY	UEPBL	0.00	70.50	62.07				40.40	0.45		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBC	2.28 2.28	79.59 79.59	63.97 63.97				40.18 40.18	9.45 9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97			-	40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.28	79.59	63.97				40.18	9.45		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97				40.18	9.45		
LO	CAL NUMBER PORTABILITY							-							
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
FE/	ATURES														
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00				40.18	9.45		
NOI	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2.77	0.40				40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42					10.27			
ADI	DITIONAL NRCs							•							
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00				40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83				26.94	12.76	0.00	0.00
OFF	F/ON PREMISES EXTENSION CHANNELS						3.00	0.00				23.54	.2.70	3.00	3.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37				26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	2	UEPBX	UEAEN	21.24	57.99	42.37				26.94	12.76	0.00	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37				26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56				26.94	12.76	0.00	0.00
	2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	25.93	142.97	106.56				26.94	12.76	0.00	0.00
INT	2 Wire Analog Voice Grade Extension Loop – Design EROFFICE TRANSPORT		3	UEPBX	UEAED	40.81	142.97	106.56				26.94	12.76	0.00	0.00
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	18.00	137.48	52.58				38.07	38.07		

ONRONDI	רדי NE I WORK ELE	EMENTS - North Carolina													ment: 2		ibit: A
CATEGORY	(RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		- Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile				UEPBX	U1TVM	0.0125	0.00	0.00								
		OP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	E Port/Loop Combination																
	2-Wire VG Loop/Port			1			13.03										
	2-Wire VG Loop/Port			2			21.33										
	2-Wire VG Loop/Port	Combo - Zone 3		3			32.61										
UNE	E Loop Rates																
	2-Wire Voice Grade I			1	UEPRG	UEPLX	10.75										
		Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.05			ļ							
	2-Wire Voice Grade I			3	UEPRG	UEPLX	30.33			├						ļ	
2-W	ire Voice Grade Line Po											<u> </u>					ļ
		ed Combination 2-Way PBX Trunk Port -														Ì	
	Res			ļ	UEPRG	UEPRD	2.28	164.57	128.16	├				40.18	9.45		ļ
LOC	CAL NUMBER PORTABI																
	Local Number Portab	bility (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00			<u> </u>					<u> </u>
FEA	ATURES																
	All Features Offered				UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON		S (NRCs) - CURRENTLY COMBINED															
		Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-				UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade I	Loop/ Line Port Combination (PBX) -															
	Conversion - Switch	with Change			UEPRG	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade I	Loop / Line Port Combination - Conversion -															ĺ
	Subsequent Databas	se Update						1.42						10.27			
ADD	DITIONAL NRCs																
	2-Wire Voice Grade I	Loop/ Line Port Combination (PBX) -															ĺ
	Subsequent Activity				UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellar	neous Rate Element, Tag Loop at End User															ĺ
	Premise				UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF	ON PREMISES EXTEN	ISION CHANNELS															ĺ
	Local Channel Voice	grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice	grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice	grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	
	Non-Wire Direct Serv	ve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
		ve Channel Voice Grade		2	UEPRG	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
1		ve Channel Voice Grade		3	UEPRG	SDD2X	36.40	126.03	54.54	1				26.94	12.76	0.00	0.00
INT	EROFFICE TRANSPORT									1							1
	Interoffice Transport	- Dedicated - 2 Wire Voice Grade - Facility															1
I	Termination	<u> </u>		<u>L</u>	UEPRG	U1TV2	18.00	137.48	52.58	<u> </u>		<u> </u>		38.07	38.07	<u> </u>	<u></u>
	Interoffice Transport	- Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile				UEPRG	U1TVM	0.0125	0.00	0.00								
		OP WITH 2-WIRE LINE PORT (BUS - PBX)								1							
	E Port/Loop Combination									1							1
	2-Wire VG Loop/Port	t Combo - Zone 1		1			13.03			1							
	2-Wire VG Loop/Port			2			21.33										
1	2-Wire VG Loop/Port			3			32.61			1							
UNE	E Loop Rates									1							
	2-Wire Voice Grade I	Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.75			İ							
	2-Wire Voice Grade I	Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.05			1							
	2-Wire Voice Grade I			3	UEPPX	UEPLX	30.33			İ							
2-W	ire Voice Grade Line Po									1							
		. ,															1
	Line Side Unbundled	d Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45	Ì	
		d Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16	1				40.18	9.45		1
		d Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		1
		dled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16	1				40.18	9.45		1
		dled 2-Way Combination PBX Usage Port		İ	UEPPX	UEPXA	2.28	164.57	128.16	† †				40.18	9.45	İ	1
		dled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16			1		40.18	9.45		

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurrin	g Disconnect	1	l	oss	Rates (\$)	<u> </u>	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16		7.00	0020		40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16		-	1		40.18	9.45		—
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.70	2.20	101.01	120.10		-	1		10.10	0.10		—
		Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		i .
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
	FEATU																
		All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						1.42						10.27			1
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		i .
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	OFF/OI	N PREMISES EXTENSION CHANNELS															l
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															i .
		Termination			UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		HEDDY	LIATOMA	0.0405	0.00	0.00		1		1				1
-	0 14"5	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>		UEPPX	U1TVM	0.0125	0.00	0.00		+	1	ļ				
			1			+					+	1	ļ				
<u> </u>	UNE P	ort/Loop Combination Rates		4		+	40.00				 						
—	 	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	13.03 21.33				+	-					
	-	2-Wire VG Coin Port/Loop Combo – Zone 2		3		+	32.61				+				-		
-	LINE	pop Rates		3		+	32.01				+				-		
-		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75				+	1					
-	 	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05				1						
-	1	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33				+	 	-				
	2-Wire	Voice Grade Line Ports (COIN)		3	021 00	JLI LX	30.33				†						
		2-Wire Coin 2-Way without Operator Screening and without				+	-				+						
	1	Blocking (NC)	1		UEPCO	UEPND	2.28	79.59	63.97		1		1	40.18	9.45		1
	1	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97		†			40.18	9.45		<u> </u>
 	1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				320	2.20	. 0.00	00.07		<u>† </u>			10	3.40		
	1	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97		1		1	40.18	9.45		1
	1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking									1				50		
	1	(NC)	1		UEPCO	UEPNB	2.28	79.59	63.97		1		1	40.18	9.45		1
		2-Wire Coin 2-Way with Operator Screening: 900 Blocking:					- 1										ſ
	i	900/976, 1+DDD, 011+, and Local (NC, TN)	l	1	UEPCO	UEPCA	2.28	79.59	63.97			1	l	40.18	9.45		1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	0014411		Rates (\$)	001141	001111
	2-Wire Coin Outward with Operator Screening and 011 Blocking						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		ł
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02.112	2.20	7 0.00	00.01					10.10	0.10		1
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except			LIEDOO	UEPCR	2.20	70.50	C2 07					40.40	0.45		i
ADDIT	LA) IONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
LOCA	L NUMBER PORTABILITY													-		
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										1
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1			· · · · · · · · · · · · · · · · · · ·								
	Switch-as-is		<u> </u>	UEPCO	USAC2		2.77	0.40					40.18	9.45		-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDCO	LIEACC		0.77	0.40					40.40	0.45		l
	Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		 	UEPCO	USACC		2.77	0.40			-		40.18	9.45		
	Subsequent Database Update						1.42									ł
ADDIT	IONAL NRCs						1.72									1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															i
	Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		ł
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE L	oop Rates															ī
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81										
2-Wire	Voice Grade Line Port Rates (Res)			LIEDED	LIEDDI	0.40	225.00	225.00					40.40	9.45		
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR UEPFR	UEPRL UEPRC	2.19 2.19	225.00	225.00					40.18 40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID			02	02.70	2.10	220.00	220.00					10.10	0.10		
	(LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		ł
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															ł
	Termination			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0125										ł
FEAT				OLITIK	TESTON	0.0123										
	All Features Offered	1	<u> </u>	UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOCA	NUMBER PORTABILITY															i
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35		•		•						
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				<u> </u>						1					<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	LIEDED	LIEACO		0.00	4.07					40.40	0.45		l
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	UEPFR	USAC2		9.03	1.87			}		40.18	9.45		
	Combination - Conversion - Switch-With-Change		1	UEPFR	USACC		9.03	1.87					40.18	9.45		l
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			JE. 110	20,100		5.05	1.07					40.10	5.45		
	End User Premise		1	UEPFR	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	17.16					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		1	28.12 43.00					ļ					
	z-vviie vo Loop/iO Hanpon/Fort Combo - Zone 3		3	<u> </u>	1	43.00			l .		I					

JNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
						1	Manage		T 81	- B'			1st	Add'l	Disc 1st	Disc Add'l
					+	Rec	Nonred First	urring Add'l	First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
LINE	oop Rates				_		FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SOWAN	SOWAN
ONE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFB	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										+
2-Wire	voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35				ļ						
INTER	OFFICE TRANSPORT			ļ						ļ						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0125										
FEAT																
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (PBX)												
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE L	oop Rates			LIEDED	LIFOFO	44.07										
-	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		1	UEPFP UEPFP	UECF2 UECF2	14.97 25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		2	UEPFP	UECF2	25.93 40.81										-
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)		3	OLFIF	OLCI 2	40.61										
2-44116	Voice Grade Line Fort Nates (BOS - FBX)				+											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00		1			40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45	_	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00		ļ			40.18	9.45		ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00		Ì			40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	18.00	140.00	71.00								

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			١									Elec	Manually		Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		<u> </u>
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						11131	Auu i	11130	Auu	JOHILO	JONAN	JOHIAN	JONAN	JOHAN	JONAN
		or Fraction Mile			UEPFP	1L5XX	0.0125										
	FEATU				OLFIF	ILJAA	0.0123										
		All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
					UEFFF	UEFVF	3.40	0.00	0.00					40.10	9.43		
	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED										1					
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.00	4.07					40.40	0.45		
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change		1	UEPFP	USACC	ļ	9.03	1.87		ļ	1	ļ	40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at											1				
	<u> </u>	End User Premise		ļ	UEPFP	URETN		11.20	1.10		ļ	1		26.94	12.76	0.00	0.00
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES															ļ
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														ļ
	UNE P	ort/Loop Combination Rates			ļ		ļ					<u> </u>					
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		Į	20.97						ļ				
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			27.80										<u> </u>
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37.08										
	UNE L	pop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
	UNE Po	ort Rate															
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1		13.26	8.39					53.89	11.34		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
		with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
	ADDITI	ONAL NRCs													_		
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	Telenh	one Number/Trunk Group Establisment Charges		1	OLI I X	O.L.		11.20						20.01	12.10	0.00	0.00
	reiepii	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group			CELLY	IND I	0.00	0.00	0.00								
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00			1					
-		DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX	ND5	0.00	0.00	0.00	-	 	 	-	-	-		
-		Reserve Non-Consecutive DID numbers		1	UEPPX	ND6	0.00	0.00	0.00	1	}	}	 	 	 		
-		Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00	1	}	}	 	 	 		
-	1.004	. NUMBER PORTABILITY		 	ULFFA	INDA	0.00	0.00	0.00		1	-		-	 		
				1	UEPPX	LNPCP	0.45	0.00	0.00		-	-					
-		Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE CIDE	I BODT		LINEUP	3.15	0.00	0.00		1	1	 	 	 		
<u> </u>			NE SIDE	PUKI	1	-	 				1	1		1	1		
-	UNE PO	ort/Loop Combination Rates	-	1	 	-	 				1	1		1	1		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			LIEDDD LIESS	,]	20.01										
<u> </u>		UNE Zone 1		1	UEPPB UEPPF	4	38.84			1	1	1	1		1		↓
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_			== =										
		UNE Zone 2		2	UEPPB UEPPR	-	50.01				ļ	1					
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			l								l	Ì	Ì		
		UNE Zone 3		3	UEPPB UEPPR	<u> </u>	65.18						ļ				
	UNE L	pop Rates		<u> </u>	L	<u> </u>	ļ							ļ	ļ		<u> </u>
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47										<u> </u>
1													1				
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR		25.64										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	40.81										
		ort Rate							-								
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
		CURRING CHARGES - CURRENTLY COMBINED															

UNBUNDI	LED NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Fyhi	bit: A
5.155115E												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
		Intori										Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	Е	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADD	DITIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
LOC	CAL NUMBER PORTABILITY	<u> </u>		LIEDDD	LIEDDD	LNDOV	0.05	0.00	0.00								
	Local Number Portability (1 per port)	1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CF	CHANNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS/CSD (DMS/SESS) CVS (EWSD)	<u> </u>		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
+-	CSD CSD	1	<u> </u>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	 				-	-		-
R_CL	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS º	. TN\	OLPPD	ULPPK	01000	0.00	0.00	0.00	 				1	1		1
	ER TERMINAL PROFILE	T	1							1							
USE	User Terminal Profile (EWSD only)	+	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 				 	 		
VFR	RTICAL FEATURES	1	†	J 1 D	OLI I IX	STOWA	0.00	0.00	0.00					 	 		1
T VEIX	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE	1															
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
4-WI	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT															
The	UNE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embed	ded base	in place a	s of 10/2/03 u	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall re-	vert to tariff rate	es or a separat	e commerc	ial agreeme	nt.			
	uests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	Trunk Po	ort afte	r the effe	ctive date o	f this amend	ment shall be p	rovided pursu	ant to a separ	ate agreement	or tariff at Bell	South's dis	scretion.				
UNE	E Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
L	Zone 3	1	3	UEPPP			313.15										
UNE	E Loop Rates	 		LIEDDD		LIOL 4D	47.54										
-	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P USL4P	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2			USL4P USL4P	84.27										
LINE	4-Wire DS1 Digital Loop - UNE Zone 3 E Port Rate	1	3	UEPPP		USL4P	134.14			-				-	-		-
UNE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	<u> </u>	UEPPP		UEPPP	179.01	956.47	663.10	-				19.99	19.99		-
NON	NRECURRING CHARGES - CURRENTLY COMBINED	1	!	OLI FF		JEITE	179.01	330.47	003.10	 				15.33	19.39		1
INON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	+	<u> </u>	 		+				 				 	 		
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51								
ADD	DITIONAL NRCs	1		CLITI		23,101	0.00	-01.01	-01.01					1			
1.55	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		1										1			
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG		1.17	1.17								
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent		İ							1				İ	İ		
	Activity Outward tel nos. (NC only)			UEPPP		PR7TP		28.17	28.17								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		56.33	56.33								
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	ERFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
oxdot	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New	v or Additional "B" Channel	ļ	<u> </u>	L		<u> </u>								ļ	ļ		
\vdash	New or Additional - Voice/Data B Channel	<u> </u>	<u> </u>	UEPPP		PR7BV	0.00	36.92						19.99	19.99		
1 1	New or Additional - Digital Data B Channel		1	UEPPP		PR7BF	0.00	36.92						19.99	19.99		ļ
															40.00		
041	New or Additional Inward Data B Channel LL TYPES			UEPPP		PR7BD	0.00	36.92						19.99	19.99		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intan:									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Inward	1		UEPPP	PR7C1	0.00	0.00	0.00	101	7.00.		00				
	Outward	1		UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way	1		UEPPP	PR7CC	0.00	0.00	0.00								1
Interd	office Channel Mileage	1														
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT					0.0.00										
	INE-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base in place a	s of 10/2/03 u	intil 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	tes or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef										1		1			
	Port/Loop Combination Rates	1				. ,	р									
- 10.12	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	1	171.06					l	1	1	1		
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC	1	207.79					l	1	1	1		
+	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	1	257.66							1			<u> </u>
UNF	Loop Rates	1	Ŭ		1	201.00							1			<u> </u>
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	47.54										1
+	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	84.27				<u> </u>	1					l
	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPDC	USLDC	134.14										1
LINE	Port Rate	+		OLI DO	COLDO	104.14					<u> </u>					
OIAL I	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	+		UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED	+		OLI DO	ODDII	120.02	051.45	491.03					13.33	13.33		
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		OLFDC	U3AC4		490.30	490.30								-
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		OLI DO	OOAWA		430.30	430.30								
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
ADDI	TIONAL NRCs	+		OLFDC	USAWB		490.30	490.30								
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	+			+											-
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	+		OLFDC	U3A34		127.03	127.03								-
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	+		OLFDC	ODITA		20.01	20.01								
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
+-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	<u> </u>		UEPDC	UDITE		20.01	20.01								
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	+		UEPDC	UDITO		20.01	20.01					19.99	19.99		-
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
$\longrightarrow \longmapsto$	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	+		OLFDO	טווטט		20.61	20.61	-	 	-		19.99	19.99		-
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81				1				
BIBO	LAR 8 ZERO SUBSTITUTION	1		טבו טט	ODIIL		20.01	20.01	-		1	-	-	-	-	-
ВІРО	B8ZS -Superframe Format	+		UEPDC	CCOSF		0.00i	615.00s	-	 	-		 	 		-
$\longrightarrow \longmapsto$	B8ZS - Extended Superframe Format	+		UEPDC	CCOSF		0.00i	615.00s	-	 	-		-	 		-
Alton	nate Mark Inversion	+		OLFDO	COUEF		0.001	010.008	-	 	-		-	 		-
Aiterr	AMI -Superframe Format	+		UEPDC	MCOSF		0.00	0.00	-	 	-		-	 		-
$\longrightarrow \longmapsto$	AMI - Extended SuperFrame Format	+		UEPDC	MCOPO		0.00	0.00	-	 	-		-	 		-
Talan	hone Number/Trunk Group Establisment Charges	+		OLPDO	IVICOPO		0.00	0.00	-	 	-		 	 		-
i eiep	Telephone Number for 2-Way Trunk Group	+		UEPDC	UDTGX	0.00			-	 	-		19.99	19.99		
	Telephone Number for 2-way Trunk Group Telephone Number for 1-Way Outward Trunk Group	1	—	UEPDC	UDTGX	0.00				-	1		19.99	19.99		
	Telephone Number for 1-way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	1	1	UEPDC	UDTGZ	0.00				-	1		19.99	19.99		
		+	1	ULFDU	UDIGE	0.00				-	 		19.99	19.99		-
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				1				
	DID Numbers DID Numbers for each Group of 20 DID Numbers	+	1	UEPDC	ND4	0.00	0.00	0.00		-	 					-
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number	+		UEPDC	ND4 ND5	0.00			 		 	 	 	 		-
		+		UEPDC			0.00	0.00	 		 	 	 	 		-
	Reserve Non-Consecutive DID Nos.	1		UEPDC	ND6 NDV	0.00	0.00	0.00	1	1	1		1	1	-	1
\longrightarrow																1
	Reserve DID Numbers	4 D:-''	1			0.00	0.00	0.00			1					
Dedic	Reserve DID Numbers ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1 Digital	Loop			0.00	0.00	0.00								

INBIINDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	hit. A
UNBUNDL	LED NET WORK ELEMENTS - NOITH Carollila		1								Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
-	Terrimation)	1	1	OLI DO	TEIVOS	0.00	0.00	0.00	0.00		1					
	Intereffice Channel Mileson Additional arts and will 25 carlles			LIEDDO	41 NOC	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>		UEPDC	1LNOC				0.00		ļ					
	Local Number Portability, per DS0 Activated	<u> </u>		UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point	ļ	 	UEPDC	CTG	0.00					ļ					
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT										Į	<u> </u>]
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending or															
The l	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with (Channel	ization	with Port in this rat	te exhibit app	ly to the embe	edded base in p	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	lests for 4-Wire DS1 Loop with Channelization with Port after th															
	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	1	2	UEPMG	USLDC	84.27	0.00	0.00			-					
	4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	134.14	0.00	0.00			1					
LINE	DSO Channelization Capacities (D4 Channel Bank Configuration		3	UEFIVIG	USLDC	134.14	0.00	0.00			1					
UNE		ins)		UEPMG	VUM24	400.00	0.00	0.00					19.99	40.00		
	24 DSO Channel Capacity - 1 per DS1					123.06	0.00	0.00						19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,230.60	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953,44	0.00	0.00					19.99	19.99		
-	672 DS0 Channel Capacity - 1 per 28 DS1s	1	1	UEPMG	VUM67	3,445.68		0.00			1		19.99	19.99		
Non	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit	h Chan	2011-410					0.00			1		19.99	19.99		
							ystem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe						1		1	1	1	ļ		1		ļ
Multi	iples of this configuration functioning as one are considered A	aa'i afte	r the m	ınımum system con	riguration is	counted.					 					
	NRC - Conversion (Currently Combined) with or without	1	1	l	1	Ì			I		I	1		l		1
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
	em Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ntly Exists an	d				Į	<u> </u>				
New	(Not Currently Combined) in all states, except in Density Zone	1 of Top	8 MSA	's							<u> </u>					<u> </u>
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1													-	
	and Assoc Fea Activation (E:4/1/2004)	1	1	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	1]	19.99	19.99		1
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent	1			İ			İ	İ	İ	İ					i
	Activity Only	1		UEPMG	CCOSF	0.00	0.00i	615.00s	1		1	l				
	Clear Channel Capability Format - Extended Superframe -	1	 		30001	5.50		0.000	 		1	1				1
	Subsequent Activity Only	1	1	UEPMG	CCOEF	0.00	0.00i	615.00s	I	1	1]		1		1
Alton	nate Mark Inversion (AMI)	1	1	OLI IVIO	COOLI	0.00	0.001	010.003	 		1			1		
Aiter	Superframe Format	1	-	UEPMG	MCOSF	0.00	0.00	0.00	 		 			-		
		1	 							ļ	1	 		ļ		
	Extended Superframe Format	1	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00			 	ļ				
	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exch	ange Ports															
T	Line Side Combination Channelized PBX Trunk Port - Business		1					<u> </u>		1		1				1
	(E:4/1/2004)	1	1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00	1]	40.18	9.45]
	Line Side Outward Channelized PBX Trunk Port - Business															
			1		1	1						1	40.40			l
	(E:4/1/2004)			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		

UNBII	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhib	oit: A
5.120	. 10	State EEE METTO HOTH Galomia										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Interi	1								Elec			Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m	1								, <u>-</u>		Electronic-	Electronic-	Electronic-	Electronic-
1				1										1st	Add'l	Disc 1st	Disc Add'l
<u> </u>				<u> </u>						I NI	D'					5 .0.	
<u> </u>	<u> </u>		1	!		1	Rec	Nonrec		Nonrecurring		001:	001		Rates (\$)	001	001
<u> </u>	 	lows To a Citable all 10 to a Final BIR To a Si	1	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (F·4/1/2004)			LIEDDY	LIEDDA	40.00	0.00	0.00	0.00	0.00			40.40	0.45		
\perp	Fasture	(2: 1/1/2001)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
\vdash	reature	e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4				-				-							
		Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
		Feature (Service) Activation for each Trunk Port Terminated in			ULFFX	IF Q VVIVI	0.05	25.21	13.34	4.13	4.12			40.16	5.43		
		ID4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
	Teleph	one Number/ Group Establishment Charges for DID Service			OLITA	11 00110	0.00	77.70	10.00	00.74	111.40			40.10	5.46		
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States		i –	UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability							•		•						•
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional	1														·
		Switching Features Offered with Line Side Ports Only				1											
<u> </u>		All Features Available	<u> </u>	<u> </u>	UEPPX	UEPVF	3.40	0.00	0.00	ļ				40.18	9.45		
		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE		<u>L</u>	<u></u>	<u> </u>											
		Based Rates are applied where BellSouth is required by FCC	; and/or	State 0						<u> </u>		F. 1. 11 11		ļ			
	2. Featu	ures shall apply to the Unbundled Port/Loop Combination - C	Cost Bas										L				
	2. Featu 3. End	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport	Cost Bas Usage	rates in	the Port section o	this rate exh	ibit shall apply	to all combina	ations of loop	port network e	lements excep	t for UNE C				A delitional ND	C
	2. Featu 3. End 4. The f	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C	Cost Bas Usage	rates in	the Port section o	this rate exh	ibit shall apply	to all combina	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly.	Cost Bas Usage urrently	rates in Comb	the Port section o ined Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mark	ures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Calso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	Cost Bas Usage urrently	rates in Comb	the Port section o ined Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	Cost Bas Usage urrently	rates in Comb	the Port section o ined Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P 2-Wire	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Cost Bas Usage urrently	rates in Comb	the Port section o ined Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P 2-Wire	ures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	Cost Bas Usage urrently	rates in Comb	the Port section o ined Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P 2-Wire	ures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	Cost Bas Usage urrently	rates in Comb	the Port section o ined Combos. For	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P 2-Wire	ures shall apply to the Unbundled Port/Loop Combination - Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	Cost Bas Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P 2-Wire	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	Cost Bas Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	this rate exh Currently Co	ibit shall apply mbined Combo	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The tapply a 5. Mari UNE-P 2-Wire	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Very VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	Cost Bas Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Cost Bas Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ton-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	Cost Bas Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Cost Bas Usage urrently	rates in Comb	on an Individual C UEP95 UEP95	this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33 32.61	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Cost Bas Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design tr/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design tr/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	Cost Bas Usage urrently	otiated 1 2 3	n the Port section of ined Combos. For on an Individual Combos UEP95 UEP95 UEP95 UEP95	this rate exh Currently Co	ibit shall apply mbined Combo ill further notic 13.03 21.33 32.61	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not College and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboont-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboont-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Non-Design	Cost Bas Usage urrently	rates in Comb	on an Individual C UEP95 UEP95	this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33 32.61	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fapply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - Coffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Cost Bas Usage urrently	otiated 1 2 3	n the Port section of ined Combos. For on an Individual C UEP95 UEP95 UEP95 UEP95	this rate exh Currently Co	13.03 21.33 32.61 17.25	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The fa apply a 5. Mari UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Cost Bas Usage urrently	otiated 1 2 3	n the Port section of ined Combos. For on an Individual Combos UEP95 UEP95 UEP95 UEP95	this rate exh Currently Co	ibit shall apply mbined Combo ill further notic 13.03 21.33 32.61	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The 1 apply a 5. Mari UNE-P 2-Wire UNE Pc	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Don-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	Cost Bas Usage urrently	otiated 1 2 3 1 2 3	uthe Port section of ined Combos. For on an Individual C UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	f this rate exh Currently Co	13.03 21.33 32.61 17.25 28.21	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The 1 apply a 5. Mari UNE-P 2-Wire UNE Pc	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	Cost Bas Usage urrently	combotiated 1 2 3 1 2 3	on an Individual C UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	f this rate exh Currently Co ase Basis, uni	13.03 21.33 32.61 17.25 28.21 43.09	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	Cost Bas Usage urrently	comb comb	ueps Ueps Ueps Ueps Ueps Ueps Ueps Ueps U	UECS1	13.03 21.33 32.61 17.25 28.21 43.09	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	Cost Bas Usage urrently	comb comb	ueps	Additional NR	Cs may										
	2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboolon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboolosign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboologin 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboologop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	Cost Bas Usage urrently	1	uEP95	Additional NR	Cs may										
	2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P 2-Wire UNE Po	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Featu 3. End 4. The 1 apply a 5. Marl UNE-P UNE PC	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboon-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	Cost Bas Usage urrently	1	uEP95	Additional NR	Cs may										
	2. Feature 3. End 4. The 1 apply a 5. Marlu UNE-PC UNE PC	ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combinates, the nonrect	ations of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - Coffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Combination Rates (Post Port (Centrex)Port Comboort/Loop Centre Vice Grade Loop (Supplemental Port (Centrex)Port Comboort/Loop Centre Vice Grade Loop (Supplemental Port (Centrex)Port Comboort/Loop Rate 2-Wire Voice Grade Loop (Supplemental Port (Post Post Post Post Post Post Post Post	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 11.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	to all combina	ations of loop/	port network e	lements excep	t for UNE C		ently Combine	ed sections.	Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	to all combinates, the nonrecu	ations of loop/ urring charges	port network e	lements excep	t for UNE C		40.18	ed sections.	Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboonononononononononononononononononon	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 11.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	to all combina	ations of loop/	port network e	lements excep	t for UNE C		ently Combine	ed sections.	Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	ro all combina s, the nonrect e.	tions of loop/ urring charges	port network e	lements excep	t for UNE C		40.18 40.18	9.45 9.45	Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - COffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboorNon-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	to all combinates, the nonrecu	ations of loop/ urring charges	port network e	lements excep	t for UNE C		40.18	ed sections.	Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not C also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2 UEPYA UEPYB	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	ro all combina s, the nonrect e.	tions of loop/ urring charges	port network e	lements excep	t for UNE C		40.18 40.18	9.45 9.45	Additional NR	Cs may
	2. Feature 3. End 4. The 1 apply a 5. Mari UNE-PC UNE PC U	ures shall apply to the Unbundled Port/Loop Combination - Colffice and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Centrex)Port Comboort/Loop Combination Rates (Port (Portrex)Port Comboort/Loop Combination Rates (Portrex)Port Comboort/Loop Combination Rates (Portrex)Port Comboort/Loop Combination Rates (Portrex)Port Comboort/Loop Combination Rates (Portrex)Port Comboort/Loop Combination Rates (Portrex)Port Comboort/Loop Combination Rates (Portrex)Port Comboort/Loop Combination Rates (Portrex)Portrex (Portrex)Portr	Cost Bas Usage urrently	otiated 1 2 3 1 1 2 3 1 1 2 3 1 1 2	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYH	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81 2.28 2.28	ro all combinators, the nonrecutes.	63.97	port network e	lements excep	t for UNE C		40.18 40.18	9.45 9.45	Additional NR	Cs may

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
- CHILDRE											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											'	_	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
ļ		<u> </u>				Rec	Nonrec		Nonrecurring					Rates (\$)		
	O Mire Veice Conde Destaurainated in an Manalini, as an similar				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
-	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF 93	OLF19	2.20	19.59	03.97			1		40.16	9.43		-
	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC (OLI SO	OLI 12	2.20	70.00	00.01					40.10	0.40		
1.5	2-Wire Voice Grade Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			_												
	Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		
]		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>		UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Loca	al Switching				1											
-	Centrex Intercom Funtionality, per port	<u> </u>		UEP95	URECS	0.903										
Loca	al Number Portability			UEP95	LNPCC	0.35										
F	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat	All Standard Features Offered, per port		1	UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95 UEP95	UEPVS	0.00	457.83				1	-				
-	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40	457.03				1					
NAR				OLI 33	OLI VO	5.40										
T-G-G-G	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Misc	cellaneous Terminations															
2-W	re Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination	<u> </u>		UEP95	M1GBC	18.00										
F	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										<u> </u>
	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic Channel Bank Feature Activations	je I	 		+						ļ		-			
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	1	UEP95	1PQWS	0.65			1		 		1	1		1
 	- Salars / Journalion on D 4 Chamiler Bank Centrex Loop Stot	 	 	J_1 50	11 9770	0.00					 			 		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.65]					1		
 	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					5.55								1		
1 1	Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1			1				j							
	Different Wire Center	<u></u>		UEP95	1PQWP	0.65							<u></u>			
															_	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
1 1 -	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1			1]		
\vdash	Slot			UEP95	1PQWQ	0.65										<u> </u>
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ	<u> </u>	UEP95	1PQWA	0.65					ļ					
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	 	ļ		1						ļ		1	 		├
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	USAC2		2.77	0.40					40.40	0.45		
\vdash	changes, per port	 		UEP95	M1ACS	0.00	695.11	0.40			 		40.18 40.18	9.45 9.45		
\vdash	New Centrex Standard Common Block New Centrex Customized Common Block			UEP95 UEP95	M1ACS M1ACC	0.00	695.11				<u> </u>		40.18	9.45		
\vdash	NAR Establishment Charge, Per Occasion	 	 	UEP95 UEP95	URECA	0.00	695.11 72.73		 		 		40.18	9.45		
744	itional Non-Recurring Charges (NRC)	 	1	OLF90	URECA	0.00	12.13		1		 		40.18	9.45		
Add	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	 	+		+ -				 		 		1	1		
1 1	Premise	1		UEP95	URETL		8.33	0.83]					Ì		
	p. 10111100	<u> </u>	<u> </u>	J-1 00	OILLIL		0.00	0.00	1		1	I	l	1		

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				I											1
LINIE I	End Use Premise			UEP95	URETN		11.20	1.10								
	P CENTREX - DMS100 (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1														
	Port/Loop Combination Rates (Non-Design)															
O.U.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		13.03										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													1
LINE	Non-Design	1	3	UEP9D		32.61										
UNE	Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<u> </u>														
	Design		1	UEP9D		17.25										, J
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		† ·	02.00		20										
	Design		2	UEP9D		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		43.09										1
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D UEP9D	UECS1 UECS1	19.05 30.33										
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
UNE	Port Rate															
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		İ
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		I
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYW	2.28		63.97					40.18	9.45		
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4						79.59									
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		<u> </u>
	Basic Local Area	<u> </u>		UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		

UNBUNDU	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	hit: A
ONBONDLI			1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
G/11200111		m		200	5555			== (+)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurrin	g Disconnect	1	l	oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4							71441		71441	0020					
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		f '
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			02. 05	02	2.20	101.01	120.10			1		10.10	0.10		f
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															i
	Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		i '
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															i
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															í
	Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16					40.18	9.45		ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4						_									í
	Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16				1	40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		ł
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		ł
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		ł
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															1
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		ł '
NC O	nly															1
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		í T
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97					40.18	9.45		i
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		<u></u>
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		.
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															í
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)							400 :-				1				1
\vdash	2,3			UEP9D	UEPUM	2.28	164.57	128.16		ļ			40.18	9.45		
	O With Vision Conds Bot (Control 1977 - CM) O /FDO DOFFICE :			LIEDOD	LIEBUO	2.00	101 5-	100.10				1	40.40	0.4-		i
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		1	UEP9D	UEPUO	2.28	164.57	128.16		1			40.18	9.45		
	O Miss Veiss Conds Bost (Control/differ CMC /FFO MECOS)			UEP9D	LIEDUD	2.28	404.53	128.16				1	40.18	9.45		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		
	0 M/ 1/ 0 1- D (0 1 / 1// 0)M/O /EDO 5000\0 0 4			LIEDOD	LIEBLIO	0.00	404.57	100.10					40.40	0.45		í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2 Mire Vaine Conda Dark (Contract/differ CIMC (EDC ME442)2 2 4			LIEDOD	LIEDLID	0.00	404.57	400.40					40.40	0.45		í
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1	UEP9D	UEPUR	2.28	164.57	128.16		ļ	-		40.18	9.45		
	2 Wire Voice Crade Bort (Central/Jiffer CWC /EBC MESSON C			LIEDOD	LIEDLIC	0.00	404.57	400.40					40.40	0.45		i
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		1	UEP9D	UEPUS	2.28	164.57	128.16		 			40.18	9.45		
	2 Wire Voice Crade Bort (Centroy/differ SWC /EBC MEGOD) 2.4			UEP9D	UEPU4	2.00	164.57	100 10					40.18	9.45		1
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		1	UEF9D	UEPU4	2.28	164.57	128.16		 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16				1	40.18	9.45		1
 	2-vviile voice Grade Fort (Centrex/differ SVVC /EBS-IVI5208)2,3,4		1	OLFAD	UEPUS	2.28	104.57	1∠8.16		 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16				1	40.18	9.45		1
—	2-vviile voice Grade Fort (Gentiex/diller SVVC /EBS-IVI5216)2,3,4		-	OFLAD	UEPU6	2.28	104.57	128.16		 			40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16				1	40.18	9.45		1
	2 TVIIS VOICE CIAGE I OIL (CEILLENGIIIEI SVVC/LDG-IVIOS10)2,3,4	1	1	0L1 3D	JLI UI	2.20	104.57	120.10	L	J		l	40.10	უ.₩ე		

NRONDLE	D NETWORK ELEMENTS - North Carolina			1	1						T -	_		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	SOMAN	OSS SOMAN	Rates (\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
															İ	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur		 	-	LIEDOD	LIEDVE	2.40								 	!	
	All Standard Features Offered, per port	 	1	UEP9D UEP9D	UEPVF UEPVS	3.40 0.00	457.83						40.18	9.45	-	<u> </u>
	All Select Features Offered, per port All Centrex Control Features Offered, per port	 	1	UEP9D UEP9D	UEPVS	3.40	457.83						40.18	9.45	-	<u> </u>
NARS	All Centrex Control Features Offered, per port		1	UEP9D	UEFVC	3.40									-	
IVAINO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		1
	Unbundled Network Access Register - Inward		1	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Miscel	laneous Terminations											0.00			1	
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	Innel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0.65									-	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	IPQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 9D	IFQWO	0.03										1
	Slot			UEP9D	1PQW7	0.65										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02.02		0.00										+
	Different Wire Center			UEP9D	1PQWP	0.65										
						2.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port		1	UEP9D	USAC2	0.00	2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP9D UEP9D	M1ACS M1ACC	0.00	695.11 695.11						40.18 40.18	9.45 9.45		
	NAR Establishment Charge, Per Occasion		-	UEP9D	URECA	0.00	72.73						40.18	9.45		
Additio	onal Non-Recurring Charges (NRC)	-	1	OFLAD	UKEUA	0.00	12.13						40.18	9.45	 	<u> </u>
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	 			+									 	 	
	Premise	1		UEP9D	URETL		8.33	0.83						1	I	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	<u> </u>	1	1			2.30	2.00						1	1	
	End Use Premise			UEP9D	URETN		11.20	1.10							1	
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1														
		1	1													
	! - Requres Interoffice Channel Mileage		<u> </u>	<u> </u>											<u> </u>	
Note 3	- Requres Interoffice Channel Mileage - Installation is combination of Installation charge for SL2 Lo - Requires Specific Customer Premises Equipment	op and	Port													

UNE	UNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.112	ONDEL	THE THE WATER CONTROL OF THE PARTY OF THE PA										Svc Order Submitted Elec	Submitted	Incremental Charge -		Incremental Charge -	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic-	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
																D130 131	DISC Add I
<u> </u>							Rec	Nonred			g Disconnect				Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		l one" shown in the sections for stand-alone loops or loops as yww.interconnection.bellsouth.com/become a clec/html/inter				eographically	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
OPE		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	1011.111													
		(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by	the State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
	elect e	ther the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	each o	f the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording t	o the SOMEC rate li	sted in this	category. Pleas	e refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	lly. For those	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rate	in this category ref	flects the ch	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual ordering	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to E	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	ıth's FC	C No.1 Tariff, Section	on 5 as appl	icable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD.												
		Day			U1TUB, U1TUA	SDASP		200.00			1				1		
UNB		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32				ļ		
	_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>	1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32				-		
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 	2	UEANL	UEASL UEASL	21.39	37.92 37.92	17.62	23.56	5.32	}			!	1	
	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32	1	-		 		
		Premise			UEANL	URETL		8.33	0.83		1				1		,
-	+	Loop Testing - Basic 1st Half Hour	 	1	UEANL	URET1		34.23	34.23		-				-		
		Loop Testing - Basic Additional Half Hour	1	1	UEANL	URETA		19.90	19.90		1				1		

UNRII	NDI F	D NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: A
ONDO	INDLL											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CAILC	OIL	KATE EEEMENTO	m	Zone	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch						FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	SOWAN	JOWAN	SOWAN	SOWAN
		(UVL-SL1)			UEANL	UREWO		15.81	8.96								
					UEAINL	UKEWU		10.01	0.90								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UEANM		13.47	13.47								
		providing make-up (Engineering Information - E.I.)			UEANL	UEAMC		8.17	8.17			1			+		
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAIVIC		8.17	8.17						-		
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
	2 W/IDE	Unbundled COPPER LOOP	-		UEANL	UCUSL		18.13	18.13								
-	2-WIRE			1	LIFO	LIEONY	12.94	20, 40	40.40	20.00	4.40						
-		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+ +		UEQ	UEQ2X		36.40	16.10	22.66	4.42						
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+		UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42	1		-	1		
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	LIDET		0.00	0.00					l		Ì	1
-		Premise Manual Order Coordination 3 Wire Unbundled Copper Lean	1	<u> </u>	UEQ	URETL		8.33	0.83	1		1	1	1	 	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIEO	1100140	1	0 :-	0 :-						1		1
		Non-Designed (per loop)			UEQ	USBMC		8.17	8.17			1	1		1		+
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ		1	40.1-	40.1-						1		1
		BST providing make-up (Engineering Information - E.I.)				UEQMU		13.47	13.47								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.30	7.45								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
		EXCHANGE ACCESS LOOP	1	<u> </u>	ļ	ļ						<u> </u>			ļ		1
	2-WIRE	ANALOG VOICE GRADE LOOP													ļ		
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					Π							<u> </u>]	1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
		Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61	<u> </u>			ļ		↓
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													1		1
		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	<u> </u>			ļ		↓
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					Π							<u> </u>]	1
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61				1		
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												l		Ì	1
		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1								1		1
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61			ļ	ļ	ļ	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								

UNRI	JNDI F	O NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: A
31400	J.ADEE	NETWORK LEEMENTO - Journ Carollia										Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	0.14/105	CLEC to CLEC Conversion Charge without outside dispatch	A TIBLE		UDN	UREWO		91.82	44.25								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	12.19	120.04	70.56	50.57	7.93						
		& facility reservation - Zone 2	1	2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93				1		
	1	2 Wire Unbundled ADSL Loop including manual service inquiry	 	-	UAL	UALZA	13.71	120.04	10.56	30.37	1.93				 		
		& facility reservation - Zone 3	1	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93				1		
-	1	Order Coordination for Specified Conversion Time (per LSR)	!	-	UAL	OCOSL	17.14	18.13	70.30	50.57	7.33		 		t		
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1			00000		10.10		I			 		I		
1		facility reservaton - Zone 1	1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		1		I		
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	†	<u> </u>			.20	55.51	33 <u>E</u>	55.57	50				1		
1		facility reservaton - Zone 2	1	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		1		I		
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1												1	l	
		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry		_				400 =0	=								
		& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
-		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry		- 1	UHL	UHLZVV	9.58	104.49	06.00	50.37	7.93						
		and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	+	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OFILZVV	10.92	104.43	00.50	30.37	1.53						
1		and facility reservation - Zone 3	1	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		1		I		
-	1	Order Coordination for Specified Conversion Time (per LSR)	†	3	UHL	OCOSL	11.40	18.13	00.30	30.37	1.33		 		t		
	1	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		86.32	40.48	-					-		
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP		3		55.62	.0.40	1					1		
	† · · · ·	4 Wire Unbundled HDSL Loop including manual service inquiry	T							1					1		
1		and facility reservation - Zone 1	1	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		1		I		
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2	1	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		1		I		
		4-Wire Unbundled HDSL Loop including manual service inquiry						_									
		and facility reservation - Zone 3	<u></u>	3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38				<u></u>	<u></u>	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
		4-Wire Unbundled HDSL Loop without manual service inquiry	1														
		and facility reservation - Zone 1	ļ	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry	1														
<u> </u>	ļ	and facility reservation - Zone 2	ļ	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38				1		
1		4-Wire Unbundled HDSL Loop without manual service inquiry	1			[1		I		
		and facility reservation - Zone 3	ļ	3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	1	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UHL	OCOSL		18.13	40.40	-					-	ļ	
-	4 1475	CLEC to CLEC Conversion Charge without outside dispatch	!		UHL	UREWO		86.32	40.48	!					!	1	
—	4-WIRE	DS1 DIGITAL LOOP	1	4	1101	USLXX	79.51	253.03	157.89	44.80	44 70				 		
-	1	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	79.51 136.00	253.03	157.89 157.89	44.80 44.80	11.73 11.73		 				
-	1	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	136.00 229.15	253.03	157.89	44.80	11.73		 				
 	1	Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	OCOSL	229.10	18.13	107.69	44.60	11./3		 		+	1	
	1	order opportunitation for openined Conversion Time (per LSR)	ı	L	UUL	UUUSL		10.13		1		l	l		1	l	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina							-		-			Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			Incremental
I			1								Submitted	Submitted		Charge -	Charge -	Charge -
			1								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13	1							
4-WI	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61			İ	İ	İ	İ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13		1					İ	İ	İ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual	1														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual	1	 													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17		7.00						
	2-Wire Unbundled Copper Loop-Designed without manual	1		002	0020		0.17	0.11			1					
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1	<u> </u>	002	002	10.7 1	0 1.07	00.00	00.07	7.00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch	1		002	0020		0.17	0.11			1					
	(UCL-Des)			UCL	UREWO		94.87	42.57								
4-WI	RE COPPER LOOP	1	1	002	U.V.E.V.O		0 1.07	12.01								
 	4-Wire Copper Loop-Designed including manual service inquiry	1			+						1					
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
 	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>	002	002.0	10.01		00.00	00.12	10.00						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38				1		
	4-Wire Copper Loop-Designed including manual service inquiry	1	<u> </u>		552.70	20.00	144.17	55.56	00.12	10.00			1	t	1	
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC		8.17	8.17	55.12	.0.00				<u> </u>	1	
	4-Wire Copper Loop-Designed without manual service inquiry	1					J	5.17	t	1			1	t	1	
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	 	<u> </u>					010	55.12	.0.00				1	1	1
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38				I	Ì	l
	4-Wire Copper Loop-Designed without manual service inquiry	1	-			20.00		310	55.72	.5.50			1	t	1	
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				I	Ì	l
	Order Coordination for Unbundled Copper Loops (per loop)	1	Ť	UCL	UCLMC	10.04	8.17	8.17		10.00			1	t	1	
	CLEC to CLEC Conversion Charge without outside dispatch	 					5.17	5.17	1					1	1	1
	(UCL-Des)		1	UCL	UREWO		94.87	42.57						I	Ì	l
LOOP MODIF		1					007	.2.57	t	1			1	t	1	
1		 		UAL, UHL, UCL,					1					1	1	1
				UEQ, ULS, UEA,										1		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR,										I	Ì	l
	pair less than or equal to 18k ft, per Unbundled Loop		1	UEPSB	ULM2L		32.46	32.46						I	Ì	l
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	1				50	50				1		1	1	1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46						1		
	The state of the s	†		UAL, UHL, UCL,	1		520	32.10	1					t	1	1
			1	UEQ, ULS, UEA,								1		1		
	T. Control of the con	1	Ì	UEANL, UEPSR.	1					ĺ	ĺ		l	1	l	
	Unbundled Loop Modification Removal of Bridged Tap Removal,															

UNBU'	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
		*										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									Po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO		The state of															
		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		241.42	241.42								
		ОР			ULANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1 .		UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		OLANE	OODOD		22.03	22.03								
		Facility Set-Up	1 1		UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			<u> </u>												
		Set-Up	- 1		UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
L l		Zone 1	L	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71	<u> </u>		<u> </u>			<u> </u>
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1									1					
igsquare		Zone 3	L	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
					=		l										
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
\vdash		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
-		zone 3		3	OLAIVL	CODIV	10.50	75.21	44.23	43.02	3.03						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
		3									-						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	i.	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	9.83	65.94	31.03	45.35	6.71			1	 		1
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71			1	 		1
	Į,	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC	l	8.17	8.17			1			1		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09	 		1	1		1
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09				 		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l i		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
 	ď	11-Fbo: 0.104114100 040 100p Diotribution 2016 0	 			200	12.04	70.21	77.23	-10.0Z	5.55				1		
1	J,	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC	l	8.17	8.17			1			1		1
		Loop Testing - Basic 1st Half Hour	1		UEF	URET1		34.23	34.23					İ			İ
		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
		lled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
		Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines	ļ		UENTW	UND12		43.68	28.79	ļ					ļ		ļ
<u> </u>		Network Interface Device (NID) - 1-6 lines	ļ		UENTW	UND16		64.42	49.53								
<u> </u>		Network Interface Device Cross Connect - 2 W	<u> </u>		UENTW	UNDC2		5.92	5.92					ļ	 		ļ
LINE OF		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE	!		UENTW	UNDC4	+	5.92	5.92	ļ				1	 		
ONE OI		NID - Dispatch and Service Order for NID installation	 		UENTW	UNDBX	0.00	0.00				-			-		-
		UNTW Circuit Id Establishment, Provisioning Only - No Rate	ł		UENTW	UENCE	0.00	0.00						-			1
	- 1													1	•		
		ONTW Circuit id Establishment, Provisioning Only - No Rate					0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									

UNBUI	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
		,										Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per			1150	41 END	40.00						1				
\vdash		month			UE3	1L5ND	12.26								ļ		
		High Capacity Unbundled Local Loop - DS3 - Facility						4=0=0									
\vdash		Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77	1	ļ		-		1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26						1				
		High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	ILSIND	12.20										
		Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP M					UDLSX	UDLST	313.49	452.52	204.55	119.75	03.11						
LOOP IV		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
-		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWNER		24.04	24.04								
		queried (Manual).			UMK	UMKLP		25.49	25.49								
-		Loop MakeupWith or Without Reservation, per working or			OWIT	CIVILLE		20.40	20.40								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SE	ARING	AND LINE SPLITTING			011111			0.0 .	0.01								
		: The Line Sharing monthly recurring rates for all installation	s com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	l be billed as f	ollows:							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co						,									
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND				ľ											
7	NOTE 1	: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
ſ	NOTE 1	: Above will apply to USOCS: ULSDT and ULSCT															
1	*NOTE	2: The Line Sharing monthly recurring rates with USOCs ULS	DC and	ULSC	C applies only to ci	rcuits install	ed and inservic	e on or before	October 1, 200	03							
		HARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						
!		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1				LUODT	0.47	40.55	40.00	40.04	4.00						
		(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93	1					1
		Line Share Service, TRO per line activation, BST owned splitter -	1			l							1				
		Central Office Located (75% of UCLND) - please see NOTE 1				LII CDT	0.74	40.55	40.00	40.04	4.00						
igspace		(E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93	1					1
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21				1				
				-	ULO	ULODO		10.42	8.21			1	-				1
		Line Sharing per Subsequent Activity per Line															
		Line Sharing - per Subsequent Activity per Line Rearrangement (DLEC Owned Splitter)			LILS	LILSCS		16.42	Q 21								
		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCS		16.42	8.21								

UNBU	INDLE	D NETWORK ELEMENTS - South Carolina				_		-		-				Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see					0.47	47.44	40.04	00.07	40.74						
		NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74		-				-
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
	I INF S	SPLITTING			010	02001	5.71	-171-1	10.01	20.07	12.74						
		SER ORDERING-CENTRAL OFFICE BASED				1				1				Ì	Ì		†
	Ī	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61							1	1		
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
LINIDIIN	IDI ED I	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT						160.00	110.00								
UNBUN		OFFICE CHANNEL - DEDICATED TRANSPORT										1					
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										1	-				
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TESTON	0.0107					1					
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	02	200	10.00	2		0.01						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LUTDY	41.5307	0.0407										
		per month			U1TDX	1L5XX	0.0167					1					
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	UIIDA	פעווט	10.70	40.03	21.41	10.77	0.91	<u> </u>	-	 	 		
	1	per month	l	1	U1TDX	1L5XX	0.0167							1	1		
	<u> </u>	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<u> </u>			3.0.07			†				1	1		
		Termination	l		U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility							<u> </u>		<u> </u>						
	ļ	Termination		<u> </u>	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	ļ		ļ	ļ		1
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l	1										1	1		
	 	month		<u> </u>	U1TD3	1L5XX	8.02										
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		1	U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59			1	1		
	 	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	-	1	טווט	UIIFO	000.00	219.31	103.12	60.33	30.59						
	1	month		1	U1TS1	1L5XX	8.02							1	1		
	†	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	!	0.101	TEO//	0.02			t			<u> </u>	 	 		†
		Termination	l		U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
DARK	FIBER	·			-	1 -	,,,,,,,				22.50			Ì	Ì		<u> </u>
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												1	1		
		Thereof per month - Interoffice Channel		<u></u>	UDF, UDFCX	1L5DF	36.41										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l		l	1											
	ļ	Thereof per month - Local Loop	ļ	<u> </u>	UDF, UDFCX	1L5DL	97.65	040 = 1	100 17	047.70	400	ļ					
	1	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11	l		1	1		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ONDONDE	NETWORK ELEMENTO COULT OUTOMA										Svc Order	Svc Order		Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OAT LOOK!	NATE ELEMENTO	m		500	0000			ικι 20 (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1					+	ı	Nonre	rurring	Nonrecurring	Disconnect		I	OSS	Rates (\$)		<u> </u>
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RYY ACCESS	TEN DIGIT SCREENING				+		11130	Auu i	11130	Addi	JOINEO	JOINAIN	JONAN	JOHAN	JOHAN	JOHIAN
UNA ACCESS	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0006673										
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD		0.0000073					1					-
	Number Reserved			OHD	N8R1X		2.59	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	HOICIX		2.00	0.44								
	POTS Translations			OHD			5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			3.93	0.01	4.50	0.54						
	POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOI IX		3.33	0.01	4.50	0.54						
	Per 8XX Number			OHD	N8FCX		2.59	1.30								
				OUD	INOFUA	-	2.59	1.30			1					-
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.	1	1	OHD	N8FMX]	3.03	1.74						Ì		
				OHD		-		0.44								
	8XX Access Ten Digit Screening, Change Charge Per Request		1	טווט	N8FAX	 	3.03	0.44			<u> </u>	1				
	8XX Access Ten Digit Screening, Call Handling and Destination Features		1	OHD	N8FDX		2.59	2.59								
					N8FDX	0.0000070	2.59	2.59								
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD		0.0006673										
LINE NEODI	8XX Access Ten Digit Screening, w/ POTS No. Delivery		<u> </u>	OHD		0.0006673										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		<u> </u>	007		0.0000040										
	LIDB Common Transport Per Query		<u> </u>	OQT		0.0000246										
 	LIDB Validation Per Query		<u> </u>	OQU	LIDDD.	0.0138158			10.10							<u> </u>
0.00.00	LIDB Originating Point Code Establishment or Change		<u> </u>	OQT, OQU	NRBPX		34.40		42.18							
SIGNALING (unn		10.00			10.10	10.10						
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message		<u> </u>	UDB		0.0000692			10.10	10.10						
	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D					40.00										
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message		<u> </u>	UDB	071150	0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA		<u> </u>	UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code				00100											
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code				00100											
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade		<u> </u>			15.33	193.53	33.24	36.72	3.21						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			ĺ		04.00	10.00	07.4-	10.77	00:						
 	Termination		ļ	-	+	24.30	40.63	27.47	16.77	6.91	<u> </u>		1			
	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>			42.62	177.87	154.06	22.24	15.30						
	Local Channel - Dedicated - DS1 - Zone 2		<u> </u>			70.32	177.87	154.06	22.24	15.30						
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
	Later (first Transport Brillian) 2015 5 77 To 1			ĺ												
0411111111111111	Interoffice Transport - Dedicated - DS1 Per Facility Termination		ļ	-	+	77.14	89.47	81.99	16.39	14.48	<u> </u>		1			
CALLING NAI	ME (CNAM) SERVICE		ļ	001/	+	ļ .			2.1-		<u> </u>		1			
	CNAM For DB Owners - Service Establishment		<u> </u>	OQV	4		23.00	23.00	21.15	21.15	ļ	1				.
	CNAM For Non DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15						
	CNAM For DB Owners - Service Provisioning With Point Code	1	1	001/]			222 5-	:-				Ì		
	Establishment		ļ	OQV	+	ļ	993.09	734.47	269.53	198.18	<u> </u>		1			
	CNAM For Non DB Owners - Service Provisioning With Point	1	1	001/]		c -= -		:-				Ì		
	Code Establishment		ļ	OQV			343.09	245.69	275.87	198.18	<u> </u>					ļ
	CNAM for DB Owners, Per Query		ļ	OQV		0.0010433					<u> </u>					ļ
	CNAM for Non DB Owners, Per Query		ļ	OQV		0.0010433					<u> </u>					ļ
SELECTIVE R			ļ			ļ					<u> </u>					
	Selective Routing Per Unique Line Class Code Per Request Per	l	1	İ]								l		
	Switch						84.89	84.89	14.14	14.14	1					ļ
VIRTUAL COL	LOCATION		I	1							1	1	l	i		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			T										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\longrightarrow	Note at Oally and a OME of Oak of the Oak of						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
PHYSICAL COI				UEFOR UEFOD	VEILS	0.0317	12.32	11.03	0.04	5.45					-	
I III OIOAL OOI	Physical Collocation-2 Wire Cross Connects (Loop) for Line															+
	Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85						
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70						
	Query NRC, per query			SRC		0.0035036										<u> </u>
	JTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78						
	AIN CMC Access Consider Book Constanting Biol/Object 1.5			AAN	CAMDP		7.0-	7.0-		0.4.					1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N A1N	CAMDP CAM1P		7.85 7.85	7.85 7.85	9.11 9.11	9.11 9.11						
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITP		7.85	7.85	9.11	9.11					-	
	ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027										
	AIN SMS Access Service - Session, Per Minute					0.7121										
	AIN SMS Access Service - Company Performed Session, Per					0.0004										
AIN DELLEO	Minute JTH AIN TOOLKIT SERVICE					0.8364									-	
	AIN Toolkit Service - Service Establishment Charge, Per State,								-						-	
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78						
	AIN Toolkit Service - Training Session, Per Customer			O/ UVI	BAPVX		4,211.54	4,211.54	0.00	0.00						
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per					†	.,	.,							İ	
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTE		04.54	04.54	44.00	44.00						
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.0558238	34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0336236										+
	All Toolkit Service - SCP Storage Charge, Per SMS Access					0.0069214										
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAIVI	DAPIVIO	11.07	7.00	7.00	5.52	5.52						
	Subscription		1	CAM	BAPLS	3.51	8.68	8.68			1					
	AllN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit								5.52	5.52						
	Service Subscription		<u> </u>	CAM	BAPES	0.12	8.68	8.68								
	TENDED LINK (EELs)			Cuitab As Is Chaus		listan IINE aan	- hin - ti - n - n - n	dalamad aa l C	andin anily Cample	in a all Matrica al	Flamanta					
	The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the															+
	THE MONTHLY RECURRING AND THE SWITCH-AS-IS CHARGE AND HOT IN						ona provisione	o as current	., combined N	CANOIN LIGHTE					t	+
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61					1	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						

NAUNDAY PROPERTY	LINBLINDI E	D NETWORK ELEMENTS - South Carolina												Attach	mont: 2	Evhi	hit: A
ATECHORY RATE LEMENTS BIANT MAY BE ALEMENTS RATE LEMENT	ONBONDLE		1									Svc Order	Svc Order				
## RATE REMEMPS Branch Second Branch Second Branch Second Sec													1				
CATEGORY RATE ELEMENTS Max Zong DCS USDC SATE (5) Per LSR Code vs. Dollar vs. Dol																	
Record R	CATEGORY	DATE EI EMENTS	Interi	Zono	BC6	HEOC			DATES (\$)								
New York New York	CATEGORI	NATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (4)			per LSR	per LSR				
Rec														Electronic-			
New York														1st	Add'l	Disc 1st	Disc Add'l
New York				-				Managa		Name and a second to a	. Diazzanast			000	Detec (t)		
Proceedings Processor Description Processor Description Processor Description Processor Description Processor Description Descriptio							Rec										
Big for morth DOCK 155X 0.27								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interesting France Colorater Col		· ·															
Termination per month					UNC1X	1L5XX	0.27										
150 Chammalastina Statem in continuation for Machina Notice GOUL? He Machina (COUL? He Machina) Notice Goule COUL? He Machina (COUL? He Machina) Seath Additional 2-Wire V Loco (St. 2) in Confidention - Zone 1 1 NACVX																	
Votes Gales COCI - Pt Martin																	
Each Additional 2 Winn VS Loop (SL 2) in Combination - Zone 1					UNC1X		107.57	91.24		10.56							
Each Additional 2 Wine VSL Loop (St. 2) in Combination - Zeros 2		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
Each Additional 2 Wine VSL Loop (St. 2) in Combination - Zeros 2																	
Each Additional 2-Wire Vol Loog (St. 2) in Combination - Zone 3 JUNCYX UEN2 28.46 195.88 68.43 59.05 10.01		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
Each Additional 2-Wire Vol Loog (St. 2) in Combination - Zone 3 JUNCYX UEN2 28.46 195.88 68.43 59.05 10.01																	
Cach Additional 2-Wiler Vol Long (BL 2) in Combination - Zone 3 3 UNCVX UEA2 28.46 105.50 66.43 53.05 10.61		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	1	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61				l		
Vacce Grader COCC For Mount UNCYX DIVIG 0.56 6.59 4.73 0.00 0		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	1		-	T				22.30		İ	1	İ	İ		
Vacce Grader COCC For Mount UNCYX DIVIG 0.56 6.59 4.73 0.00 0		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
Namescuring Currenty Correlated Newton Elements Switch As- INCIX UNCIX UNCIX UNCIX VERALA 32.99 132.38 94.83 59.35 14.61	 		1	Ť								1	1		 		
MCDIX	 		 	 		1.2.70	0.00	0.00	4.70	0.00	0.00	†	1		 		
Extended - Write Voice Grade Loop in Combination - Zone 1					LINICAY	LINICCC		5.61	5.61	7.00	7.00						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 32.69 132.38 94.83 59.35 14.61	EVTEN		TED DO	1 INITE				3.01	3.01	7.00	7.00	1	1				
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.88 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX	EXIEN	T THE VOICE GRADE EXTENDED LOOP WITH DEDICAL	I ED DO	IIIVIE	COFFICE TRANSPO	1							-				
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.88 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX UEAL4 43.39 132.38 94.83 59.35 14.61 UNCVX UEAL4 43.39 UNCVX		First 4 Wire Angles Voice Crade Lean in Combination - Zone 1		4	LINCVV	LIEAL 4	22.50	122.20	04.93	50.25	1161						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEA,4 43.38 132.38 94.83 59.35 14.61		First 4-vviile Arialog voice Grade Loop in Combination - Zorie 1			UNCVA	UEAL4	32.39	132.30	94.03	39.33	14.61	1					
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEA,4 43.38 132.38 94.83 59.35 14.61				_			40.00	400.00									
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LLSXX 0.27		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Per Month UNC1X LLSXX 0.27																	
Per Month				3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
Interoffice Transport - Dedicated - DS1 - Facility Termination Per																	
Month					UNC1X	1L5XX	0.27										
10 Channel System in combination Per Month		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
Visce Grade COCI in combination - per month																	
Additional 4-Wire Analog Voice Grade Loop in same DS1		1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
Interoffice Transport Combination - Zone 1		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
Additional 4-Wire Analog Voice Grade Loop in same DS1 1		Additional 4-Wire Analog Voice Grade Loop in same DS1															
Additional 4-Wire Analog Voice Grade Loop in same DS1 1		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 43.89 132.38 94.83 59.35 14.61																	
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61				2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 43.38 132.38 94.83 59.35 14.61				<u> </u>													
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.56 6.59 4.73 0.00				3	LINC\/X	LIFAL4	43 38	132 38	94.83	59 35	14 61						
Nonrecurring Currently Combined Network Elements Switch -As- In Charge UNC1X UNCCC 5.61 5.61 7.00 7.00																	
INCAT	 		 	 	0.40 47	10140	0.56	0.59	4.13	0.00	0.00	1	1	1	1		
EXTENDED 4-Wire 56KBps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT			1	1	LINC1X	LINCCC		5.61	5.61	7.00	7 00				Ì		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EYTEN		CATED	DS1 IN				5.01	5.01	7.00	7.00	 	 	-	-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61	EVIEN	THINE 30 RDF 3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	DOLIN	ILNOFFICE IRAN	J. UKI						-		-	 		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61		First 4 Wire FCVbpa Digital Crade Lass is Combination 7	1	_	LINCDY	LIDLES	20.00	400.00	00.40	50.05	44.04						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	 	First 4-vvire portups Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDLOB	29.93	126.66	89.12	59.35	14.61	1	1		 		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		First 4 Wins FOWhere Disited Constitution in Constitution 7	1	_	LINCDY	LIDLES	00.00	400.00	00.10	50.05	44.61						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 1/0 Channel System in combination Per Month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81	\vdash	First 4-vvire 56Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.27 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48 1/0 Channel System in combination Per Month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81		First A Wass FOR the Privil Cond. 1	1		LINORY	LIDI ES				== ==					Ì		
Per Month	\vdash		ļ	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48			1														
Termination Per Month			<u> </u>	<u> </u>	UNC1X	1L5XX	0.27										
1/0 Channel System in combination Per Month			1	1		1									l		
OCU-DP COCI (data) per month (2.4-64kbs)			<u> </u>	<u></u>										<u> </u>	L		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 I UNCDX UDL56 29.93 126.66 89.12 59.35 14.61 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 34.74 126.66 89.12 59.35 14.61 Additional GCU-DP COCI (data) - in combination per month (2.4-			$ldsymbol{oxed}$				107.57	91.24	62.71	10.56							
Interoffice Transport Combination - Zone 1		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
Interoffice Transport Combination - Zone 1		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														_	_
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61			1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61				l		
Interoffice Transport Combination - Zone 2						1											
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination per month (2.4-			1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61				l		
Interoffice Transport Combination - Zone 3			1	1		1								İ	İ		
Additional OCU-DP COCI (data) - in combination per month (2.4-			1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
				Ť		1	J T	.20.00	332	55.56		Ì	1		1		
			1	1	UNCDX	1D1DD	1 10	6 50	4 72	0.00	0.00				l		

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				_				
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	That I The Girlspa Bigital Glade 200p in Combination 2010 I		<u> </u>	CHODA	05201	20.00	120.00	00.12	00.00							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	1 list 4-Wire 04Rbps Bigital Orace Loop in Combination - Zone Z			ONODX	ODLOT	33.33	120.00	03.12	33.33	14.01	1	1				
	First 4 Wise CAKhas Digital Conda Lang in Combination 7000 0		3	LINCDY	UDL64	24.74	400.00	00.40	50.05	44.04						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27										
	interoffice Transport - Dedicated - DS1 combination - Facility	l							1		1					
	Termination Per Month	L	L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	1	<u> </u>	<u> </u>	<u> </u>		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													İ		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		· ·	CHODA	05201	20.00	120.00	00.12	00.00							
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
				UNCDA	UDL04	33.33	120.00	05.12	39.33	14.01	ļ					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_				400.00									
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	0.10.17	002701	201.00	200.00	101.00	11.00							
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILJAA	0.21					1	1				
				LINIOAY		04.74	00.47	04.00	40.00	44.40						
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Nonrecurring Currently Combined Network Elements Switch -As-	l			1		_]	_	_	_	1					
	Is Charge	<u> </u>		UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3										1				
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	<u> </u>					
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	1					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month	l	1	UNC3X	1L5XX	6.42			I		Ì		1	1		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per										İ					
	month	İ		UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59	1					
 	3/1Channel System in combination per month	-		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	†	1		 		
 	DS1 COCI in combination per month	 	1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1	1	1	1		
		-	-	OIVOIA	וטוטט	0.04	0.39	4.13	0.00	0.00	}	 	-	-		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ	_ ا	LINICAY	1101.307	20.0-	050.00	457.00	44.00	44 =	1					
\vdash	Zone 1	<u> </u>	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	1	ļ				
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	l _											l		
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73]	1]			
	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ							1		1					
	Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		<u> </u>	<u></u>	L		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-					į i					1					
	Is Charge	İ		UNC3X	UNCCC		5.61	5.61	7.00	7.00	1					
FXTF	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTF			† 1		2.31	1.50	50	Ì	1		1		
	2-WireVG Loop in combination - Zone 1	J. 1712		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	1	1		 		
 	2-WireVG Loop in combination - Zone 1	 	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	 	1	 	 		
\vdash		 	3		UEAL2						 	1	-	 		
<u> </u>	2-WireVG Loop in combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	<u> </u>	1				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	PORT													1
1	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>					ļ
	1/0 Channel System in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				ļ		
	2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	month Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
EXTE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT		-1 INTE	UNC1X ROFFICE TRANSP	UNCCC		5.61	5.61	7.00	7.00						
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73			İ	İ	İ	1
i	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73				1		1
	First DS1 Loop Combination - Zone 3		_	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	1		1		1	+

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport		_	LINIOAY	Horse											
\vdash	Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80 0.00	11.73	1		1	 		├
	DS1 COCI in combination per month Nonrecurring Currently Combined Network Elements Switch -As-		 	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00			-			+
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						-
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0134										
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	BPS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		011000		0.01	0.01	7.00	7.00						1
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -											1				
igsquare	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48			1	ļ		↓
$\vdash \vdash \vdash$	Per each DS1 Channelization System Per Month		ļ	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				ļ		<u> </u>
\vdash	Per each Voice Grade COCI - Per Month per month		-	UNCVX	1D1VG	0.56 144.02	6.59	4.73	0.00 33.33	0.00			 	ļ		
\vdash	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	0.00	31.90 0.00	-	-		-		
 	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			DINOIA	CCIDI	0.04	0.59	4.73	0.00	0.00			 			
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Each Additional Voice Grade COCI in combination - per month		Ť	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOIA	ILUAA	0.27			+ +				†			†
<u> </u>	same 3/1 Channel System per month	<u> </u>	L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u></u>
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						

UNRUNDI	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	nit· Δ
ON BOND	TENTONIA ELEMENTO COULI GUIONIA										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									P	,	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															-100 101	
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X	1111000		5.04	5.04	7.00	7.00						
EVT	Is Charge ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE		UNCCC		5.61	5.61	7.00	7.00						
EAI	First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERC	FFICE	I KANSPORT W/ 3/1	IVIUX											
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OLALT	32.33	132.30	34.03	39.33	14.01						
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month		<u> </u>	UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48]		
	Per each 1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71		9.81						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month	1	<u> </u>	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				 		
.	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		UNCVA	UEAL4	32.39	132.30	94.03	59.55	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	43.03	132.30	34.03	39.33	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.1017	02,12.	10.00	102.00	0 1.00	00.00							
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	LINODY	LIDI FO	00.00	100.00	00.40	50.05	44.04						
	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
			2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
-	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1		UNCDA	UDLS6	33.99	120.00	09.12	59.55	14.01						
	Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	<u> </u>	5.13DA	55200	04.74	120.00	00.12	00.00	14.01						
	Mile Per Month		1	UNC1X	1L5XX	0.27						1		1		
	First Interoffice Transport - Dedicated - DS1 - combination	1	i –		1					İ				İ		
	Facility Termination Per Month		L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u> </u>		<u> </u>		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
\vdash	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				ļ		
\vdash	Per each DS1 COCI in combination per month	1	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDIES	20.00	400.00	00.40	50.65	44.61						
\vdash	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61				 		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		1		1		
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNUDA	ODESO	33.99	120.00	09.12	39.33	14.01				1		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		1		1		
	OCU-DP COCI (data) COCI in combination per month (2.4-	1	۲		132200	04.74	120.00	00.12	00.00	14.01				1		
	64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		1		1		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	i –		1									İ		
l	Channel System per month	1	L	UNC1X	1L5XX	0.27			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u></u>		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u></u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system			l	I											·
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				Ì		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CHECHEL	TENTONIC ELEMENTO GOULT GUIOTING										Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
G/11200111		m		200	0000			= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
 					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 	Nonrecurring Currently Combined Network Elements Switch -As-				-		11130	Auu i	11130	Addi	JOHILO	JOINAN	JONAN	JOHAN	JOHAN	JOHAN
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
FXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.01	0.01	7.00	7.00						
H-1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1			1							1				
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLOT	20.00	120.00	00.12	00.00	14.01		1				
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1
—	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	ONODA	05201	00.00	120.00	00.12	00.00	1 1.01		1				
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1
+	First Interoffice Transport - Dedicated - DS1 combination - Per		_	0110271	02201	0	120.00	002	00.00							
	Mile Per Month			UNC1X	1L5XX	0.27										1
	First Interoffice Transport - Dedicated - DS1 combination -			0.10.1%	120701	0.27										
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						—
	Per each OCU-DP COCI (data) in combination - per month (2.4-	 			1	107.07	J1.24	02.71	10.00	0.01	1					f
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		1				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOTA	00101	0.04	0.00	4.70	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	ONODA	ODLO4	23.33	120.00	03.12	33.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONODA	ODLO4	33.99	120.00	03.12	33.33	14.01	1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	OHODA	ODLOT	04.74	120.00	00.12	00.00	14.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	1.10	0.00	4.70	0.00	0.00		1				
	Channel System per month			UNC1X	1L5XX	0.27										1
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120/01	0.27										—
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	01.71	00.47	01.00	10.00	14.40						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						1
—	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	00.5.	0.0 1	0.00	0	0.00	0.00		1				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX	-	1				1130	50				1		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1 3/			1									1		
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						i .
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															ſ
	Transport - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61				Ì		1
	First Interoffice Transport - Dedicated - DS1 combination - Per															ſ
	Mile per month			UNC1X	1L5XX	0.27										i .
	First Interoffice Transport - Dedicated - DS1 combination -	Ì														ſ
	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						1
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 1	1	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61				Ì		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ſ
	Combination - Zone 2	<u></u>	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	<u> </u>	<u></u>		<u> </u>		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3	<u></u>	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	<u> </u>			L		<u> </u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1			1											1
1 1	system combination- per month	<u> </u>		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	<u> </u>	<u> </u>		<u> </u>		1

UNBI	JNDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring			•		Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =>04											
		Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.27										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system			C. CO IX	0	0	00.11	01.00	.0.00							
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	EVTEN	Is Charge DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANK	CDODT	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IKAN		UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	1	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
\vdash	+	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		٦		55200	201.00	200.00	107.00	44.50	11.75				1		
	<u> </u>	Mile Per Month		L	UNC1X	1L5XX	0.27					<u> </u>	<u> </u>		<u></u>		
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILJAA	0.21										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	455.40	252.02	457.00	44.00	44.70						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNCIX	USLAA	155.43	253.03	157.89	44.80	11.73						
		3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Nonrecurring Currently Combined Network Elements Switch -As-		Ť	O. CO. IX	002,01	201100	200.00	101.00								
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE :	FRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
	+	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		 	OIACDV	ILUAA	0.0134										
		Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	1	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
-	+	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	1	per month			UNCDX	1L5XX	0.0134										
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1		1-2.5	3.0.04										
		Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-									· · · · · ·						
	<u> </u>	Is Charge		ļ	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
ADDIT		ETWORK ELEMENTS		<u> </u>	mat ample to a	Links A. I.		l									
-		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					As is charge o	ioes not.									
		Nonrecurring Currently Combined Network Elements Switch -As-	Jiiaige		Pp55 to cuon com												
1	1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
-			•														

### BCS USOC ### B	UNBII	NDLF	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY RATE ELEMENTS Interest Care BCS USOC PATES (I) Care DCS Care DCS	3.120		THE THE CALL CALCULATION OF THE										Svc Order	Svc Order				Incremental
## PATE IS, DEMONS ## PATE IS, D													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc				Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
Bestronic Bestronic Bestronic Carbon C	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Recommendation Reco				""														Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
Note											T M	. D'			000	D-1 (A)		
Number of Committy Combiner Network Elements Sentin - Net Number of Committy Combiner Network Elements Sentin - Network Planters Sentin - Networ								Rec					COMEC	COMAN			COMAN	COMAN
In Change, Signal staying Countries Countrie			Nonrequiring Currently Combined Network Flomenta Switch Ac				-		FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
Nonexpering Contrary Contrary Revision Exercise Section As Value						LINCDX	LINCCC		5.61	5.61	7.00	7.00						
Is Chaige - Del	-					ONODA	014000		3.01	3.01	7.00	7.00						
National Control Con						UNC1X	UNCCC		5.61	5.61	7.00	7.00						
S. Charger, Display Decided Newton's Enterests Solids Note Note X																		
Scharge - 5781						UNC3X	UNCCC		5.61	5.61	7.00	7.00						
Clear Canner Capability Fatended Frame Option - per D81			Nonrecurring Currently Combined Network Elements Switch -As-															
Otear Chainner Capability Extended Frama Option - per DS1						UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Clear Channel Capability Extended Financia Cyllation - per DBS 1 LUCD LINCHX COCOFF 0 0 0 0 0 0 0 0 0		Option	al Features & Functions:															
Clear Chamiel Capability Super FramicCpton - per DS1 U.D.D.I.MCTX C.COGF O																		
Clear Channel Capability Super FrammoCypton - per DS1 ULDD1.NCTX COOSF 0 0 0 0 0 0 0 0 0			Clear Channel Capability Extended Frame Option - per DS1	l			CCOEF		Ol	Ol	Ol	Ol						
Ciner Charmont Capability (SF-ESF) Option - Subsequent ULIDOT, UTITOT, Anthory per DS1 ULIDOT, ULIDOT, ULIDOT, VIL			Class Channel Canability Consus Franco Cation 1975	Ι.	1		CCCC		o.	OI.		l _{ot}		1		I		
Activity - per DS1	-				 		CCOSF		UI	UI	UI	UI				 		
Co-sP party Option - Subsequent Activity - per DS3					1		NRCCC		185 269	23 865	1 005	0.785		1				
Cold Partin Cyplicino - Subsequent Activity - per DS3 1 UE3, UNCXX NRCC3 219.588 7,898 7,7978 05			Activity - per DOT	- '-	1		INRUCU		103.203	23.003	1.333	0.100				 		
WULTHFLEXERS			C-bit Parity Option - Subsequent Activity - per DS3	l i			NRCC3		219.58S	7.69S	.7370S	08				1		
DS1 to DS0 Channel System per month		MULTI		<u> </u>		020, 01100/	MICOO		210.000	7.000	.70700	00						
COLUPP COCI (data) - DS1 to DS0 Channel System - per UDL						UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-44-bbs) useful for connection to a channelized DS1 to Local Channel in the same SWC as collocation UTU																		
Description Comment						UDL	1D1DD	1.19	6.59	4.73								
Local Channel in the same SWC as collocation			OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
2-wire ISBN COCI (BRITE) - DSI to DSI Channel System - per month for a Local Loop UDN																		
month for a Local Loop Local Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUB U1						U1TUD	1D1DD	1.19	6.59	4.73								
2-wire ISDN COCI (BRTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel U1TUB UC1CA 2.56 6.59 4.73						UDN	UC1CA	2.56	6.59	4.73								
In the same SIVC as collocation																		
Voice Grade COC1 - DS1 to DS0 Channel System - per month UEA						LIATUD	LIC1CA	2.56	6.50	1 72								
Used for a Local Loop	-					01100	OCTOA	2.30	0.59	4.73								
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DSI Local Channel in the same SWC as collocation UNGXX M03						HΕΔ	1D1VG	0.56	6 59	4 73								
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC 1D1VG 0.56 6.59 4.73						0271	.5.10	0.00	0.00	0	1							
Same SWC as collocation UTIUC 101VG 0.56 6.59 4.73																		
STS-1 to DS1 Channel System per month						U1TUC	1D1VG	0.56	6.59	4.73								
DS1 COCI used with Loop per month USL UC1D1 8.64 6.59 4.73																		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month											33.33	31.90						
Channel in the same SWC as collocation) per month						USL	UC1D1	8.64	6.59	4.73								
DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 8.64 6.59 4.73				l							1					1		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month under the control of the control	<u> </u>			<u> </u>	<u> </u>						_					-		
MONTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS	\vdash			l	 	1טווט	UC1D1	8.64	6.59	4.73	 					 		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing partity Port with Caller ID - Res. UEPSR UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 UEPSR UEPRO 1.65 2.38 2.28 1.42 1.33 UEPSR UEPSR UEPAD 1.65 2.38 2.28 1.42 1.33 UEPSR UEPSR UEPAD 1.65 2.38 2.28 1.42 1.33 UEPSR UEPSR UEPAD 1.65 2.38 2.28 1.42 1.33					1	LII DD1	LIC1D1	0 6 4	6 50	4 70	1			1				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRL 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VI unbundled Sc extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPRL 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled Sc extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res. (LWB) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res, (LWB) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33	UNRUM	DIFDI		 	1	OLDD I	OCIDI	0.04	0.59	4.73	 					 		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled Features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG South Carolina Residence Dialing					1		+				+					 		
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY. LA	& TN, t	he desired features	will need to b	e ordered usin	ng retail USOC	s	1	1				1		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.				,,	1,													
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing						UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing			-															
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) With Caller ID (LUM) UEPSR UEPAU 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing				1	1						_]		1		_		
dialing parity Port with Caller ID - Res.	\vdash				<u> </u>	UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing UEPSR UEPAJ 1.65 2.38 2.28 1.42 1.33 UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33				l		LIEDOD										1		
Calling port with Caller ID - Res (LW8)				<u> </u>	<u> </u>	UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33				-		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG South Carolina Residence Dialing				l	1	LIEDOD	LIEDAI	1.05	2.20	2.00	1 40	1 22		1		I		
with Caller ID (LUM) UEPSR UEPAP 1.65 2.38 2.28 1.42 1.33 Exchange Ports - 2-Wire VG South Carolina Residence Dialing Exchange Ports - 2-Wire VG South Carolina Residence Dialing Image: Control of the control of the	\vdash			!	 	UEPSK	UEPAJ	1.65	2.38	2.28	1.42	1.33		 				
Exchange Ports - 2-Wire VG South Carolina Residence Dialing				l		LIEPSR	LIEPAP	1 65	2 20	2 20	1 //2	1 22				1		
					1	021 010	JE1 /1	1.00	2.30	2.20	1.42	1.33				 		
				l	1	UEPSR	UEPWL	1,65	2.38	2.28	1.42	1.33		1		I		

UNBUNI	DLE	O NETWORK ELEMENTS - South Carolina													ment: 2	Exhi	ibit: A
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonre			Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG South Carolina Residence Area Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								<u> </u>
FE	ATU				LIEDOD	LIED) /E	0.04	0.00	0.00								<u> </u>
2.1		All Available Vertical Features		-	UEPSR	UEPVF	3.04	0.00	0.00								ļ
Z-1		VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID -		-													
		Exchange Ports - 2-Wire VI and guille Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33						
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire Voice South Carolina Business Dialing Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire Voice South Carolina Business Area Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FE	ATU	RES															
		All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00								
		All Available Vertical Features				UEPVF	3.04	0.00	0.00								
E)		NGE PORT RATES (DID & PBX)			LIEBOE	LIEDDD	4.05	04.04	44.00	40.07	0.00						
		2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		1	UEPSE UEPSP	UEPRD UEPPC	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90 0.90						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						1
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		ļ	UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 		UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90			-			
		2-Wire Voice Unbundled 1-Way Outgoing Fax Measured Fort 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90						<u> </u>
		Subsequent Activity	!	1	UEPSP	USASC	0.00	0.00	0.00	13.97	0.90	 			-		┼──
FF	ATU		-		ULFOF	USASC	0.00	0.00	0.00								1
- Ire		All Available Vertical Features		1	UEPSP UEPSE	UEPVF	3.04	0.00	0.00	1		1			 		
F)		NGE PORT RATES (COIN)			52. 01 OL1 OL	CLI VI	0.04	0.00	0.00								1
		Exchange Ports - Coin Port				1	1.65	2.38	2.28	1.42	1.33			1			
		witching Features offered with Port				1											
NO	OTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Cl	nannels assoc	iated with 2-	wire ISDN	orts.			

UNBU	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -	Charge -
			Intan:									Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)															
		NGE PORT RATES	DN D						0	A (1 4/4/04 1)		L			l		
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											riff rates or	a separate ag	reement.		
-	Reques	Exchange Ports - 2-Wire DID Port	arter the	еттест	UEPEX	UEPP2	<u>be provided p</u> 8.86	119.57	parate agreen 18.78	60.03	3.77	iscretion.					-
 		Exchange Ports - DITS Port - 4-Wire DS1 Port with DID			OLFLX	ULFFZ	0.00	119.57	10.70	00.03	3.11						
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00		10.10						
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit s	witched	usage						ission by B-Cl	nannels associ	iated with 2	wire ISDN r	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Red	uest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Busines:	Request Pro	cess.	
		NGE PORT RATES (continued)			-			-									
İ		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
L		Locator Capability (E:4/1/2004)	<u></u>		UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10				<u></u>	<u></u>	
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
		Virtual collocation - Special Access & UNE,cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
		d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,808.00		156.43							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,			HEDEV	LIEDAD.	0.00	475.50									
		Deletions Additional PRI Telephone Numbers			UEPEX	UEP1B	0.00	175.53									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0000	0.40	0.40								
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward						_									
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49	0.49								
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]	L	<u> </u>	UEPEX	PR7ZT	0.00	23.07	23.07								
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							<u> </u>			
الـــــــــــــــــــــــــــــــــــــ		ACE (Provsioning Only)															
		Voice/Data	<u> </u>		UEPEX	PR71V	0.00	0.00	0.00								
\longmapsto		Digital Data	ļ		UEPEX	PR71D	0.00	0.00	0.00								
\longmapsto		Inward Data	<u> </u>		UEPDX	PR71E	0.00	0.00	0.00						ļ	ļ	
 		Additional Channel	1	-	UEPEX	PR7BV	0.00	44.50		ļ		-					1
		New or Additional - Voice/Data "B" Channel New or Additional - Digital Data "B" Channel	1	-	UEPEX	PR7BV PR7BF	0.00	14.56 14.56		ļ		-					1
\vdash		New or Additional Inward Data "B" Channel New or Additional Inward Data "B" Channel	 		UEPEX	PR7BD	0.00	14.56					 				
┝─┤		New or Additional Inward Data B Channel New or Additional Useage Sensitive Voice Data "B" Channel	1		UEPEX	PR7BS	0.00	14.30		1		-	 		1	1	-
 		New or Additional Useage Sensitive Voice Data B Channel New or Additional Useage Sensitive Digital Data "B" Channel	 		UEPEX	PR7BU	0.00			1					1	1	-
\vdash		New or Additional PRI "D" Channel	 	1	UEPEX	PR7EX	0.00	14.56		 							1
	CALL T		 	1	OLI LX	1 11/12/	0.00	14.50		 							1
		Inward	1		UEPEX UEPDX	PR7C1	0.00	0.00	0.00			<u> </u>	 			1	<u> </u>
		Outward	1		UEPEX	PR7CO	0.00	0.00	0.00	1							
		Two-way	†		UEPEX	PR7CC	0.00	0.00	0.00	Ì							
-		DLED PORT with REMOTE CALL FORWARDING CAPABILITY	;				2.20	2.30	2.30	İ					İ	İ	
l l																	
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															

JNBUNDLI	ED NETWORK ELEMENTS - South Carolina	· ·			·					·			Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											1	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m			0000			= (4)			perLSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-							Nonred	rurring	Nonrecurring	Disconnect		1	OSS	Rates (\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
							FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Unbundled Remote Cell Ferwarding Conice Legal Celling Rea			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Non F				UEFVK	UEKIK	1.00	2.30	2.20	1.42	1.33						
Non-F	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	INDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						
												l				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u></u>	<u></u>	UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1	<u> </u>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
Non-F	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			02. 10	00/102		0.10	0.10								
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
INBLINDI ED	LOCAL SWITCHING, PORT USAGE			OLI VD	00/100		0.10	0.10								
	Office Switching (Port Usage)															
Liiu	End Office Switching Function, Per MOU					0.0010519										
-	End Office Trunk Port - Shared, Per MOU					0.0002136					1					
Tand	em Switching (Port Usage) (Local or Access Tandem)					0.0002130					1					
Tanut	Tandem Switching Function Per MOU					0.0001634					1					1
	Tandem Trunk Port - Shared, Per MOU					0.0001034										
	Tandem Switching Function Per MOU (Melded)					0.0002863										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749										
	Melded Factor: 30.30% of the Tandem Rate															
Comr	non Transport															
	Common Transport - Per Mile, Per MOU		1		ļ	0.0000045										ļ
	Common Transport - Facilities Termination Per MOU		ļ		ļ	0.0004095					<u> </u>	ļ				
	PORT/LOOP COMBINATIONS - COST BASED RATES	L	<u></u>	L	1						ļ					ļ
	Based Rates are applied where BellSouth is required by FCC ar										1					ļ
	res shall apply to the Unbundled Port/Loop Combination - Cos												l	Ì		ļ
	Office and Tandem Switching Usage and Common Transport Us															
	irst and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	l be those ider	ntified in the N	lonrecurring	- Currently	Combined s	ections.		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE I	Loop Rates										1	İ				1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76					İ	İ	İ	İ		i e
1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38					1	i	1	1		1
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	26.04					1	i	1	1		1
2-Wir	e Voice Grade Line Port Rates (Res)		Ť		32.20	20.04					1		1	1		l
- 77	2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65	1	 	 	 		1
1	2-Wire voice unburidled port with Caller ID - res		1	UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65	1	1		1		1
1	2-Wire voice unbundled port outgoing only - res		1	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65	1	1		1		1
	12-44116 ADICE ALIDALICIES BOLL ORIGINIS OF IS	1		OLFIX	OLFKU	1.13	40.30	19.90	24.98	0.00	 	1	!			
	2 Wire voice Grade unbundled South Carolina extended less!															
	2-Wire voice Grade unbundled South Carolina extended local			LIEDDY	HEDALL	4 40	40.00	40.00	04.00	0.05						
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65						

<u>NBUND</u> L	ED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAD	4.40	07.00	10.70								
	(LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan			UEPRX	UEPAP	1.13	37.93	16.72								
	without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled South Carolina Area Calling Port				1											
	without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Low Usage Line Port without Caller ID				l											
FEAT	Capability FURES			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
FEAT	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00								
LOCA	AL NUMBER PORTABILITY			UEPKA	UEFVF	3.04	0.00	0.00	1							
200/	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		†			5.55								1		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1								1			
	Switch-as-is		<u> </u>	UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			ULFRA	USASZ	0.00	0.00	0.00								
	Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
INITE	2 Wire Analog Voice Grade Extension Loop – Design ROFFICE TRANSPORT		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+											
	Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			021101	02	2	10.00	2		0.01						
	or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
LINE	2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	1	3		+	27.17			-		1			-		-
UNE	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	13.76					1			 		
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	20.38							1	1		†
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04			1					Ì		
2-Wir	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90		6.65						
	2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65						
	dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus		 	UEPBX	UEPAZ UEPB1	1.13	40.30	19.90	24.98	6.65	-		1	-	-	-
	2-Wire voice unbundled South Carolina Bus Area Calling Port		1	OLI DA	OLI DI	1.13	40.30	19.30	24.30	0.00						
	with Caller ID (LMB)		1	UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65				1		
	2-Wire Voice Unbundled South Carolina Business Dialing Plan				1								1			
	without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
1	2-Wire voice unbundled South Carolina Business Area Calling															
	Port without Caller ID Capability		<u> </u>	UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
	Capability															

UNRUM	DI F	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
2142014	<u> </u>	ALL THORIT LELINEITIO GOULT CALOTTIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
0,11200			m		200	5555			== (+)			per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
F	EATU																
		All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00								
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	•														
		Switch with change			UEPBX	USACC		0.10	0.10								
Α	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity		1	UEPBX	USAS2		0.00	0.00					ļ			
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1						1					1		
		Premise		1	UEPBX	URETL		8.33	0.83					ļ			
0	FF/ON	I PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design	<u> </u>	1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32				ļ		
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
II.	ITERC	OFFICE TRANSPORT		<u> </u>													
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDDY	11477.60	04.00	40.00	07.47	40.77	0.04						
		Termination		<u> </u>	UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TVM	0.0407	0.00	0.00								
-	WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<u> </u>		UEPBX	UTIVIVI	0.0167	0.00	0.00								
		ort/Loop Combination Rates				+						-			-		
-	NE PC	2-Wire VG Loop/Port Combo - Zone 1		1		_	14.89										
-		2-Wire VG Loop/Port Combo - Zone 1		2			21.52					1					
-		2-Wire VG Loop/Port Combo - Zone 3		3		+	27.17			<u> </u>							
- 10	NELC	op Rates		3			27.17										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-	Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
L	OCAL	NUMBER PORTABILITY													1	l	İ
		Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00								
F	EATU																
		All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00								
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							-								
		Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -													1		
		Conversion - Switch with Change		<u> </u>	UEPRG	USACC		7.93	1.91	1					1		
Α	DDITI	ONAL NRCs	<u> </u>												1		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1							I				1	I		
\vdash		Subsequent Activity	ļ		UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1							I				1	I		
$\vdash \vdash$		Group	 	<u> </u>		1		7.34	7.34	!				 	!	1	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDO	LIDET!		0.00	0.00	1					1		
<u> </u>	EE/C'	Premise	<u> </u>	<u> </u>	UEPRG	URETL		8.33	0.83	.					-	1	1
0	rr/ON	PREMISES EXTENSION CHANNELS	 	4	LIEDDO	DO ILIV	40.00	105.00	00.40	50.05	40.04	-		-	1		
\vdash		Local Channel Voice grade, per termination	 	1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	-		 	 		-
\vdash		Local Channel Voice grade, per termination	 	2	UEPRG UEPRG	P2JHX P2JHX	23.13 28.46	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61			-	 		
-		Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	28.46 17.74	105.98	62.06	90.70	10.61				 		
\vdash		Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	-	2	UEPRG	SDD2X SDD2X	25.16	65.94	31.03	45.35	6.71			-		-	-
		INOTE TABLE DIRECT DELAC CHAINER VOICE GLAVE	<u> </u>		OLI NO	SDDZA	20.10	05.94	31.03	40.33	0.71	I	i	1	I	l	l

UNRUN	IDI FI	NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	ibit: A
5.1501		July Element of Oddin Odronna										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
l'	NTERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
ı	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
[op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38		-								
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
1				1									<u> </u>	_]	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22						L
$oxed{oxed}$		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l												
<u> </u>		Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
<u> </u>		Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						.
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
<u> </u>		Discount Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						.
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
		2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1	1	LIEDDY	LIEDVE	4.40	00.00	20.50	27.50	0.00			I		Ì	
\vdash	0041	Calling Port NUMBER PORTABILITY	-	-	UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22			 			
├	UCAL	Local Number Portability (1 per port)	 	-	UEPPX	LNPCP	3.15	0.00	0.00	 		-		 	1	 	
 	EATU		 	 	OLFFA	LINECE	3.15	0.00	0.00	<u> </u>					1	-	├ ──
$\vdash \vdash \vdash$		All Features Offered	 		UEPPX	UEPVF	3.04	0.00	0.00	-		-		 		1	
 		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	OLIFA	OLF VI	3.04	0.00	0.00	 				 		 	
 	-OHNE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	 		+				 				t	1	 	
		Conversion - Switch-As-Is	1	1	UEPPX	USAC2		7.93	1.91					I		Ì	
\vdash		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	 	OLI I A	00,102		1.33	1.31	 				t	1	 	
		Conversion - Switch with Change	1	1	UEPPX	USACC		7.93	1.91					I		Ì	
1	DDITI	ONAL NRCs		1		00.00		7.00	1.51					t		1	
t t		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		†		1 1								t		1	
		Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00					I		Ì	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l	1						1				İ		İ	
		Group						7.34	7.34					1			
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1													
		Premise	1	1	UEPPX	URETL		8.33	0.83					I		Ì	
(FF/ON	PREMISES EXTENSION CHANNELS	1														
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
		Non-Wire Direct Serve Channel Voice Grade	т —	3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71				1		

UNBUND	DLED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec		curring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INT	TEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facil Termination	^		UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Nor Fraction Mile	lile		UEPPX	U1TVM	0.0167	0.00	0.00								
2-W	WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN	PORT		OZ. I X	0111111	0.0101	0.00	0.00								1
	NE Port/Loop Combination Rates	1														1
0	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										+
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		-	21.52										+
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		-	27.17										+
LINI	NE Loop Rates				-	27.17										+
0.11	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										+
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38			 				 	 		+
	2-Wire Voice Grade Loop (SL1) - Zone 2	-		UEPCO	UEPLX	26.04			 		1		1	1		+
2-14	Wire Voice Grade Line Ports (COIN)			02.00	JLILA	20.04			t		1		1	1		+
2-71	2-Wire Coin 2-Way without Operator Screening and without	-	+													+
	Blocking (SC) 2-Wire Coin 2-Way without Operator Screening and without Blocking (SC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 0	14		UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
	900/976, 1+DDD (SC)	1,		UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and 011 Blockin (SC)	1		UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						<u> </u>
	2-Wire Coin 2-Way with Operator Screening and 011 Blockin		-	UEPCO	UEFSH	1.13	40.30	19.90	24.90	0.03						+
	with Dialing Parity (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blockin with Dialing Parity (SC) 2-Wire Coin 2-Way with Operator Screening and: 900 Blockin			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
	900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin 2-Way with Operator Screening and, 900 Blocking 900/976, 1+DDD, 011+, and Local (SC)	•		UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						ļ
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DL 011+, Local; Enhanced Call OPT 3YV (SC) 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DL	•		UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	011+, Local; Enhanced Call OPT AP7 (SC)	D,		UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						<u> </u>
	2-Wire Coin Outward without Blocking and without Operator Screening (SC) 2-Wire Coin Outward with Operator Screening and 011 Block	200		UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
	(SC)	ng		UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
	011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward Smartline with 900/976 (all states excep LA)	t		UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
ADI	DDITIONAL UNE COIN PORT/LOOP (RC)		1	LIEBOO	LIBE CO.								ļ	ļ		
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
LO	OCAL NUMBER PORTABILITY		1	l	1				.				ļ	ļ		
	Local Number Portability (1 per port)		1	UEPCO	LNPCX	0.35			.				ļ	ļ		↓
NO	ONRECURRING CHARGES - CURRENTLY COMBINED								.							
	2-Wire Voice Grade Loop / Line Port Combination - Conversi Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversi Switch with change	n -		UEPCO	USACC		0.10	0.10								
ADI	DDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequer Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End U Premise			UEPCO	URETL		8.33	0.83								
	WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-V	IRE LINE	PORT (RES)												
UNI	NE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										

UNBUNDL	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Poo	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.46										
2-Wi	/ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - res		1	UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33			I	Ì	Ì	1
	2-Wire voice unbundled South Carolina Area Calling port with															
	Caller ID - res (LW8)		1	UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33						1
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)		1	UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						1
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan	ı														
	without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
INTE	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02	01112	10.11	10.00	2,,,,,		0.01						
	or Fraction Mile			UEPFR	1L5XX	0.0134										
FFA	ATURES			02	120701	0.0.01										
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
LOC	CAL NUMBER PORTABILITY			OLITIK	OLI VI	0.04	0.00	0.00								
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIK	LIVI OX	0.55										
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFK	USACZ		6.50	1.07	-				-			
				UEPFR	USACC		8.50	1.87								
	Combination - Conversion - Switch-With-Change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFK	USACC		6.50	1.07								
	End User Premise			UEPFR	URETN		11.24	1.10								
0.14/			DODT (UREIN		11.24	1.10								
	/IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE	OKI (BUS)												
UNE	E Port/Loop Combination Rates	-				40.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			29.78							-			
UNE	E Loop Rates	1	.	LIEBER	1,15050	10.55					1					├
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.46										
2-Wi	/ire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus	1	<u> </u>	UEPFB	UEPBL	1.32	108.36	70.71		1.33						
	2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPFB	UEPBC	1.32	108.36	70.71		1.33	<u> </u>		ļ			
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local	1	1		1							1		Ì	Ì	1
	dialing parity port with Caller ID - bus	1		UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33	<u> </u>		ļ			↓
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	<u> </u>	UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled South Carolina Bus Area Calling Port		1		1								I	Ì	Ì	1
	with Caller ID (LMB)			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				ļ		
	2-Wire Voice Unbundled South Carolina Business Dialing Plan										1					
	without Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33						
LOC	CAL NUMBER PORTABILITY							-								
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
1	Termination	1	1	UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91	1	I	1	I	I	1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0134										
FEATU				LIEBER												
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-builth charges - Combination - Company Combined Company Combined Company Combined Company Combined Company Combined Company Combined Company Combined Company Company Combined Company Compan			UEPFB UEPFB	USAC2		8.50 8.50	1.87								
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFB	USACC		6.50	1.07								
	End User Premise			UEPFB	URETN		11.24	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00	•			•						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	23.13										
- 1177	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Cide Hebrardlad Combination C Way DDV True Dark Due			UEPFP	UEPPC	4.00	407.00	00.04	67.00	44.54						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32 1.32	137.32 137.32	83.31 83.31	67.02 67.02	11.51 11.51						-
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-BX LD Ferminal Forts 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1											1		
	Discount Room Calling Port	ļ	<u> </u>	UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	 	UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51	1		-	 		
1.004	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port NUMBER PORTABILITY			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51						
LOCAL	Local Number Portability (1 per port)	 	!	UEPFP	LNPCP	3.15	0.00	0.00	1		1		1	1		
INTER	OFFICE TRANSPORT		1	<u></u>	_141 51	5.15	0.00	0.00	 							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<u> </u>						†					1		
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
FEATU	or Fraction Mile			UEPFP	1L5XX	0.0134										-
	All Features Offered		<u> </u>	UEPFP	UEPVF	3.04	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		8.50	1.87								
	Combination - Conversion - Switch with change			UEPFP	USACC		8.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.24	1.10								
	PORT/LOOP COMBINATIONS - COST BASED RATES	D055	<u> </u>								1					1
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) BCS USOC RATES (\$) Svc Order Submitted Submitted Charge - Manual Svc Order vs. Electronic- 1st Disc 1st Disc 1st Disc Add'l Disc 1st Disc At Submitted Charge - Manual Svc Order vs. Electronic- 2st Disc At Submitted Charge - Manual Svc Order vs. Electronic- 2st Disc At Submitted Charge - Manual Svc Order vs. Electronic- 2st Disc At Submitted Charge - Manual Svc Order vs. Electronic- 2st Electronic- 2st Disc At Submitted Charge - Manual Svc Order vs.	UNRI	NDI FI	NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fvhi	hit: A
ATTECHNIS Bod	0.100	.1066	7 HELLIGING COULT CALCINIA											Svc Order	Svc Order				
## ATT ELEMENTS Marie Both						1													Charge -
## Zone BCS USDC ## LEATHER ## Zone BCS USDC ## LEATHER Outer xs. Doller xs				1															Manual Svc
Bischeroids Bischeroids	CATEG	ORY	RATE ELEMENTS		Zone	I в	CS	usoc			RATES (\$)								
Second Contention Research Second Content	0,1120		10112 =======	m		_					== (+)			per LSR	per LSK				
New Processor New Processo																			
West Person Control Contro																1st	Add'l	Disc 1st	Disc Add'l
Wide performs Continued Files									_ 1	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
UPE Performed Confession Rates									Rec					SOMEC	SOMAN			SOMAN	SOMAN
SWING VICEOUS AND TOTAL PART CORNOR UND ZONE 2 1 22.75 3.		UNE Po	ort/Loop Combination Rates																
Description Comparison Co					1				23.75										
Description Comparison Co			2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
UNIT CLOSP RESES U.S. C. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT - U.S. Extent S. SULT -					3														
2-Wile Analog Vice Grade Load - (SE) - WE Zond 3																			
2-Wine Puter Visco Grade Logo - 1621-WIE Zame 3 3 UEPPX UECC1 2-6.6			2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68										
2-Wine Puter Visco Grade Logo - 1621-WIE Zame 3 3 UEPPX UECC1 2-6.6					2	UEPPX		UECD1	23.13										
Exchange Ports _ 2-Wine DD Port			2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
NONECURRING CHARGES - CURRENTLY COMBINED		UNE Po	ort Rate																
2-Wine Voca Grade Loop / 2-Wine DID Truth Prof. Commission UEPPX USAC1 7.22 1.87			Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
Switch ace UEPPX USACI 7.32 1.87																			
2-Wine Voca Grade Loop 2-Wine DID Trank Per Commonon with BestSouth Allowsobic Changes UEPPX USA1C 7.32 1.87				-															1
With Bell South Aboresize Changes						UEPPX		USAC1		7.32	1.87								
ADDITIONAL NRCS Discharged Archity: Add Trunks, Per Trunk UEPPX USAS1 26.64			2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
E-Wine DIO Subsequent Activity - Add Trunks, Por Trunk UEPPX USAS1 26.94						UEPPX		USA1C		7.32	1.87								
UtDrundled Miscollameous Rate Element, Tag Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Designed Loop at End Loop at E		ADDITI	ONAL NRCs																
End User Premise UEPPX URETN 11.24 1.10			2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
Telephone NumberTrunk Group Establishment Charges UEPPX NOT 0.00			Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
DID Trunk Termination (One Per Port)			End User Premise			UEPPX		URETN		11.24	1.10								
DID Numbers, Establish Trunk Grup and Provide First Group of 20 DID Numbers UEPPX NDZ 0.00		Teleph																	
Ol 20 DID Numbers for each Group of 20 DID Numbers UEPPX NDZ 0.00 0.0						UEPPX		NDT	0.00	0.00	0.00								
Additional DID Numbers for each Group of 20 DID Numbers USEPPX ND4 0.00																			
DID Numbers, Non-consecutive DID Numbers UEPPX NDS 0.00								NDZ	0.00	0.00	0.00								
Reserve Non-Consecutive DID numbers																			
Reserve DID Numbers																			
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTAB																			
Local Number Portability (1 per port)						UEPPX		NDV	0.00	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT UNE POPULOOP Combination Rates		LOCAL																	
UNE Port/Log Combination Rates								LNPCP	3.15	0.00	0.00								
2W ISDN Digital Grade Loop/ZW ISDN Digital Line Side Port - UNE Zone 1				NE SIDE	PORT														
UNE Zone 1		UNE Po																	
ZWISDN Digital Grade Loop/ZWISDN Digital Line Side Port - UNE Zone 2																			
UNE Loop Rates					1	UEPPB	UEPPR		30.86										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3																			
UNE Loop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1 1 UEPPB UEPPR USL2X 21.90 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 33.27 2-Wire ISDN Line Side Port UEPPB UEPPR USL2X 33.27 2-Wire ISDN Line Side Port UEPPB UEPPR UEPPB U					2	UEPPB	UEPPR		38.60										
UNE Loop Rates					_	l													
2-Wire ISDN Digital Grade Loop - UNE Zone 1				ļ	3	UEPPB	UEPPR		44.23										
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 29.64	<u> </u>			<u> </u>	-	LIEDOS	HEDDE	LICLOY	04.00			.					-	1	├
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27	<u> </u>	<u> </u>	z-vvire אוטס טוקוגאו Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	21.90			.					-	1	├
2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 35.27		l	O Mine ICON Digital Conde Lang. LINE 7 C		_	LIEDOS	LIEDDE	LICL OY	20.01			1					1		1
UNE Port Rate	-	<u> </u>		1								 					 		
Exchange Port - 2-Wire ISDN Line Side Port	-			1	3	UEPPB	UEPPR	USLZA	35.27			 					 		
NONRECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion UEPPB UEPPR USACB 0.00 38.59 27.08	<u> </u>			<u> </u>		LIEDDD	HEDDD	LIEDDD	9 Oc	100 51	122 14	100.05	24.27				-	-	
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port UEPPB UEPPR USACB 0.00 38.59 27.08	—			<u> </u>		ULFFD	ULFFR	OLFFD	0.90	16.061	133.14	100.95	21.37						
Combination - Conversion	—	NONKE		<u> </u>				1	-			 							
ADDITIONAL NRCs		1				LIEDDE	LIEDDD	LISACB	0.00	38 50	27.09	I			1		I		1
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	-	ΔΠΠΙΤΙ		1		OLI FD	JLI FIX	JUAUD	0.00	30.39	21.00	 		1	-		 	1	
End User Premise	—			1				 				 					 		
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPPB UEPPR URETL 8.33 0.83	1	1				LIEPPR	LIFPPR	URETN		11 24	1 10	I			1		I		1
Premise		1		1		J 1 D	52.110	3	 	11.27	1.10	t					t	1	t
LOCAL NUMBER PORTABILITY UEPPB UEPPR LNPCX 0.35 0.00 0.00 UEPPB UEPPR LNPCX UEPPB UEPP		l				UEPPB	UEPPR	URETL		8.33	0.83	1					1		1
Local Number Portability (1 per port)		LOCAL		1				† · · · · · · · · · · · · · · · · · · ·	 	0.00	3.30	t					t	1	t
B-CHANNEL USER PROFILE ACCESS:	—	T		1		UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	t					t		
CVS/CSD (DMS/5ESS)		B-CHAI		1				İ				İ					İ	İ	
CVS (EWSD) UEPPB U1UCB 0.00 0.00 0.00 CSD UEPPB U1UCC 0.00 0.00 0.00		1		1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1					1	l	
CSD																			
			CSD																
		B-CHAI		C,MS, &	TN)														

JNBUNDLEI	NETWORK ELEMENTS - South Carolina														ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
-						+	-	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)	L	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	11130	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							1	1
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER 1	ERMINAL PROFILE																1
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	AL FEATURES																1
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTERC	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and							40.00		40							
	facilities termination Interoffice Channel mileage each, additional mile				UEPPR UEPPR	M1GNC M1GNM	24.30 0.0167	40.63 0.00	27.47 0.00	16.77	6.91						
	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	(DODT		UEPPB	UEPPR	IVITGINIVI	0.0167	0.00	0.00								
	E-P DS1 combination rates below for in this rate exhibit appl			dded base	in nlace a	I s of 10/2/03 :	until 4/1/04 Aft	ter 4/1/04 these	rates shall re	vert to tariff rate	es or a senara	te commerci	al agreeme	nt	1	 	
	ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T																
	ort/Loop Combination Rates	I	I	1	otivo dato c	I tillo dillicito	inche shan be i	provided parse	unt to a sepai	die agreement	or turni at Ber	loodii o di	Joretion.				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															1	
	Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			347.84										
	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43										1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89										
	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONKE	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1													-	
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								
	ONAL NRCs			UEFFF		USACE	0.00	119.34	10.13								
ADDITI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																1
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07								
LOCAL	NUMBER PORTABILITY				-			_	•		•						
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
	Voice/Data		<u> </u>	UEPPP		PR71V	0.00	0.00	0.00							ļ	ļ
	Digital Data		ļ	UEPPP		PR71D	0.00	0.00	0.00			1					<u> </u>
News	Inward Data		<u> </u>	UEPPP		PR71E	0.00	0.00	0.00						ļ	-	
new or	Additional "B" Channel New or Additional - Voice/Data B Channel		1	UEPPP		PR7BV	0.00	14.56							 	 	
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel		-	UEPPP		PR7BF	0.00	14.56							-		
+	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	14.56		 		1			1	t	\vdash
CALL T				SLIIF		. 17700	0.00	14.30								-	<u> </u>
	Inward	1		UEPPP		PR7C1	0.00	0.00	0.00						1	†	†
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00						1	1	
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00							1	1
Interoff	ice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
	E-P DS1 combination rates below for in this rate exhibit appl											te commerci	al agreeme	nt.			<u> </u>
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	ate of	this amer	dment sha	all be provide	ed pursuant to	a separate agre	ement or tarif	r at BellSouth's	discretion.				ļ	-	
	ort/Loop Combination Rates		_	LIEDDO		1	140.77								ļ	-	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		1	149.77					1			-	1	
I	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			214.33										1

ACTECORY RATE ELEMENTS Part ISS P	UNBUNDL F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATTERLEMENTS IN ATTERLEMENTS IN A SCALE ALBERTS IN	CHESHOLL											Svc Order	Svc Order				Incremental
RATE ELEMENTS Body	1																Charge -
## 2016 BCG USDC PATE (ALPENTS Dark vs. Docke vs. Do			l														Manual Svc
No. No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
Text			m									per LSK	per LSK				Electronic-
Note																	
Wile Loop Rep South Sout														1st	Add'I	Disc 1st	Disc Add'l
Wile Loop Rep South Sout								Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Bit CEST Depart Legacity DETE Trans Part - LVIII Zero 3 3 UEPPC 350.07 1 UEPPC							Rec					SOMEC	SOMAN			SOMAN	SOMAN
UPS LOOP Rates		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
2-Wise St Digital Loop - LANE Zenn 2	UNE Lo																
4-Wins Dis Digital Losp - LiM- Zeros 3				1	UEPDC	USLDC	90.87										
E-Yest DS Digital Logs - FAMP (E-YEST) 1.50 1.20 1		4-Wire DS1 Digital Loop - UNE Zone 2		2													
UPP POR TABLE UPP PORT TYPE AND TYP																	
Liver DDIS Digital Trans Port (6-410004) USPTC USDTT 08.00 40.500 20.371 117.50 14.20	UNE P			Ť	02. 50	00220	201.00										
NONECURRING CHARGES - CURRENT COMBINED					UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20						
A-Wise DS Digital Last / A-Wise DOTTS Train For Combination UEPDC	NONRE																
Select-As-bit (E-4/1/2004)	-																
A-Wise DST Opial Loop / A-Wise DDTS Trush Port Combination UPPDC USAWA 129.76 67.17					UEPDC	USAC4		129.78	67.17								
- Conversion with DS1 Changas (Ex470004) - GWR DST Stippal Log F4-Wise DSTS Trans Pure Combination - Conversion with Change - Trans (Ex470004) - GWR DST Stippal Log F4-Wise DSTS Trans Pure Combination - Conversion with Change - Trans (Ex470004) - GWR DST Log F4-Wise DSTS Trans Pure Change - Stippal Log F4-Wise DSTS Trans Pure Pure Change - Stippal Log F4-Wise DSTS Truns Pure Pure Change - Stippal Log F4-Wise DSTS Truns Pure Pure Change - Stippal Log F4-Wise DSTS Trun	 								2				İ	İ	1		
4-Wite DST Optal Long / 4-Wite DDTST Trunk Port Combination UEPDC USAWB 129.76 67.17				1	UEPDC	USAWA		129.78	67.17					Ì	I		
Conversion with Change - Trusk E44-12004 UEPDC USAWB 120.78 67.71				1									1	1	1		
Approximation Application]]			1	UEPDC	USAWB		129.78	67.17					Ì	I		
A-Wise DS Logs / 4-Wise DDTS Trusk Port - NRC- UEPDC UDTTA 14.51 14.51 14.51	ADDIT		1		· · ·			.20.70	<u> </u>		1			1	t	1	1
Subsequent Channel Activation Chan - 2-Very Turk	ADDITI																
Service Set Loop / 4-Wine DOTTS Trunk Fort - Subsequent UEPDC UDTTB 14.51					LIEPDC	UDTTA		14 51	14 51								
Channel Activation (Chan - 1-Way) Culvared Trunk UEPDC UDTTC 14.51 14.51	—				02. 50	051111		1	1 1.01			1					
Advisor DST Loop / 4-Wire DDTS Trunk Port - Subsqn Channel LEPDC LOTTC 14.51 14.51 Loop / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Lotto / 4-Wire DDT Trunk Port - Subsqn Chan LePDC Lotto Lotto / 4-Wire DDT Lotto / 4-Wire DD					LIEPDC	UDTTB		14 51	14 51								
Activation/Chain Inward Trunk widou DID					OLI DO	ODITO		14.01	14.01								
4-Wire DST Loop / 4-Wire DDTS Trunk Port - Subspart Chan					LIEDDC	LIDTTC		1/1 51	1/1 51								
Activation Per Chan - Inward Trunk with DID	—				OLI DO	00110		14.01	14.01			1					
4-Wire OST LOOP / 4-Wire DOTIS Trunk Port - Subspirt Chain LIEPDC LIDTE 14.51 14.51					LIEPDC	LIDTTD		14 51	14 51								
Activation / Chan - 2-Way DID wilser Trans					OLI DO	ODITO		14.01	14.01								
BPOLAR 8 ZERO SUBSTITUTION					LIEDDC	LIDTTE		1/1 51	1/1 51								
B825 - Superfame Format	RIPOL				OLI DO	ODITE		14.51	14.51								
Allersade Mark Inversion	Bii 02.				LIEPDC	CCOSE		0 00i	605 00s			1					
Alternate Mark Inversion																	
MAI - Stuended SuperFrame Format UEPDC MCOSF 0.00	Alterna				OLI DO	COOLI		0.001	000.000								
Mill-Extended SuperFrame Format	7.1.01110				LIEPDC	MCOSE		0.00	0.00			1					
Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGX 0.00 UEPDC UDTGY 0.00 UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UEPDC UDTGY 0.00 UDTGY UEPDC UDTGY 0.00 UDTGY UEPDC UDTGY UEPDC UDTGY	—											1					
Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00	Teleph				OLI DO	MOOI O		0.00	0.00								
Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00	10.00				LIEPDC	UDTGX	0.00					1					
Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ 0.00 UDTGZ UEPDC UDTGZ 0.00 UDTGZ 0.00 UDTGZ UEPDC UDTGZ UDTG																	
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers UEPDC NDZ 0.00 0.00 0.00	—											1					
Of 20 DID Numbers UEPDC NDZ 0.00 0	—	DID Numbers Establish Trunk Group and Provide First Group			OLI DO	ODTOL	0.00					1					
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00	1 1			1	LIEPDC	NDZ	0.00	0.00	0.00					Ì	I		
DID Numbers, Non- consecutive DID Numbers , Per Number UEPDC ND5 0.00	 		-	1				0.00	3.00						-		
Reserve Non-Consecutive DID Nos.	 		t	-				0.00	0.00						 		1
Reserve DID Numbers			t	-											 		
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDTS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC ILNOA 0.3415 0.00 0.00 Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC ILNOA 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC ILNOB 0.3415 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.3415 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 INPOP 3.15 0.00 0.00 INPOP 3.15 0.00 0.00 INPOP 3.15 0.00 INPOP 4-WIRE DSI LOOP HITH CHANNELIZATION WITH PORT INPOP 4-WIRE DSI LOOP HITH CHANNELIZATION WITH PORT	 													1	<u> </u>		
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	Dedica		1 Digital	Lloon			0.00	0.00	0.00						 		1
Termination UEPDC	Douloa		. Digital	_00p	11110 000110 1	- Lank I OIL									-		
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC ILNO2 0.00 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC ILNOB 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles (Facilities UEPDC ILNOS 0.3415 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC ILNOC 0.3415 0.00 0.00 INTEROFFICE Termininating Point UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC CTG 0.00 UEPDC UEPDC CTG 0.00 UEPDC OND UEPDC OND UEPDC UEPDC OND UEPDC UEPDC UEPDC OND UEPDC UEPDC UEPDC OND UEPDC UEPDC OND UEPDC UE				1	LIEPDC	1I NO1	77 14	89 47	81 99	16 39	14 48		1		1		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	 	Tommanon,	-	1	02. 00	.21101	77.14	00.47	01.99	10.00	17.40				-		
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	1 1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		1	LIEPDC	11 NOA	0.3415	0.00	0.00					Ì	I		
Termination UEPDC	 		-	1	02.100	ILIVOA	0.5415	0.00	0.00						-		
Interoffice Channel Mileage - Additional rate per mile - 9-25				1	LIEPDC	11 NO2	0.00	0.00	0.00					Ì	I		
miles	 		1	 	02.100		0.00	0.00	0.00	1				 	 		
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNO3 0.00 0.00 0.00 0.00 0.00				1	LIEPDC	11 NOR	0.3415	0.00	0.00					Ì	I		
Termination UEPDC 1LNO3 0.00			t	-	02.100	,00	0.5415	0.00	0.00						 		
Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC LNOC Local Number Portability, per DS0 Activated UEPDC UPPDC UNPCP 3.15 0.00 0.00 Central Office Termininating Point UEPDC CTG UEPDC CTG UEPDC U				1	LIEPDC	11 NO3	0.00	0.00	0.00					Ì	I		
Local Number Portability, per DS0 Activated	 	Tommanon)	1	 	02.100		0.00	0.00	0.00	1				 	 		
Local Number Portability, per DS0 Activated		Interoffice Channel Mileage - Additional rate per mile - 25± miles		1	LIEPDC	1LNOC	0 3415	0.00	0.00					Ì	I		
Central Office Termininating Point UEPDC CTG 0.00	 		1	 						1				 	 		
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	 		1	 				0.00	0.00	1				 	 		
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations	4-WIDE		t	-	02.100	5.5	0.00								 		
			ivations	 		1				1				 	 		
Each System can have up to 24 combinations of rates depending on type and number of ports used					her of norts used	1				1		1	1	1	t	1	1

UNRUN	DLF	O NETWORK ELEMENTS - South Carolina												Δttach	ment: 2	Fyhi	bit: A
3.1DON		7 HELLI ON LEELINER TO - OUUTI CALOTITIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		E-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
		sts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive date	e of this amendmen	t shall be pro	vided pursuar	nt to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
U		S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
U		60 Channelization Capacities (D4 Channel Bank Configuratio	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82.78	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12		0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00								
LL		192 DS0 Channel Capacity -1 per 8 DS1s	ļ		UEPMG	VUM19	662.24	0.00	0.00	ļ				ļ	.	ļ	
		240 DS0 Channel Capacity - 1 per 10 DS1s	ļ		UEPMG	VUM2O	827.80	0.00	0.00	ļ				ļ	.	ļ	
		288 DS0 Channel Capacity - 1 per 12 DS1s	ļ		UEPMG	VUM28	993.36	0.00	0.00	ļ					.		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s	<u> </u>		UEPMG	VUM4O	1,655.60	0.00	0.00			<u> </u>			ļ		
		576 DS0 Channel Capacity -1 per 24 DS1s	ļ		UEPMG	VUM57	1,986.72	0.00	0.00					ļ		ļ	l
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84		0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop wit						/stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
M	ultiple	es of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system cor	figuration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
		Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and	d									
N	ew (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
В	ipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Α		te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00		0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port		1	ļ	.		ļ				ļ	.	ļ	
E	xchan	ge Ports	ļ					.		ļ				ļ	.		
		Line Side Combination Channelized PBX Trunk Port - Business	1	1										Ì	I	Ì	
igsquare		(E:4/1/2004)	ļ		UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00			ļ	.	ļ	
		Line Side Outward Channelized PBX Trunk Port - Business	1												1		
\vdash		(E:4/1/2004)	!		UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00	1					
		Line Side Inward Only Channelized PBX Trunk Port without DID	1	1										Ì	I	Ì	
		(E:4/1/2004)	ļ		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1	1										Ì	I	Ì	
-	الب	(E:4/1/2004)	!		UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00	1					
F	eature	Activations - Unbundled Loop Concentration	 	_				-		ļ					-		
		Feature (Service) Activation for each Line Port Terminated in D4	1	1	HEDDY	4001								Ì	I	Ì	
$\vdash \!$		Bank	 	<u> </u>	UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17				-	1	1
		Feature (Service) Activation for each Trunk Port Terminated in	1		LIEDDY	4001111									1		
		D4 Bank	 	<u> </u>	UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60				-	1	
T		one Number/ Group Establishment Charges for DID Service	!		HEDDY	NDT	0.00	0.00	0.00			1			1		
$\vdash \!$		DID Trunk Termination (1 per Port)	 	<u> </u>	UEPPX	NDT	0.00		0.00	.					-	1	
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<u> </u>		UEPPX	NDZ	0.00		0.00			ļ					
$\vdash \!$		DID Numbers - groups of 20 - Valid all States	 	<u> </u>	UEPPX	ND4	0.00	0.00	0.00	.					-	1	
$\vdash \!$		Non-Consecutive DID Numbers - per number	 	<u> </u>	UEPPX	ND5	0.00	0.00	0.00	.					-	1	
		Reserve Non-Consecutive DID Numbers	 	_	UEPPX	ND6	0.00		0.00	ļ					-		
<u> </u>		Reserve DID Numbers	!		UEPPX	NDV	0.00	0.00	0.00			1					
L		lumber Portability	 		LIEDDY	LNDCS						1	ļ				
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00]	l				l

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										N	. D'			000	D-1 (A)		<u> </u>
						+	Rec	Nonred			g Disconnect	COMEC	COMAN		Rates (\$)	COMAN	COMAN
	EEATII	RES - Vertical and Optional				+	+	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		witching Features Offered with Line Side Ports Only				+											
		All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								+
UNBUNI		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S														
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State C	commission rule to	provide Unb	undled Local Sv	vitching or Sv	vitch Ports.								
:	2. Featu	ires shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
;	3. End (Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	nibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		irst and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ned Combos. For	Currently Co	mbined Combo	s, the nonrect	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NF	Cs may
		Iso and are categorized accordingly.							1	1	,						
		set Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	ise Basis, un	til further notice).									
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-	-					-					-
	UNE FO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					1										
		Non-Design		1	UEP95		14.89										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	00	1											
		Non-Design	l	2	UEP95	1	21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		27.17										
- 1	UNE Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95	ļ	24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	UNITIA	Design		3	UEP95	+	29.59										
		op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76					-					
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										†
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
		rt Rate															
	All Stat																<u> </u>
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	l		LIEDOE	LIEDVII	1 40	40.20	10.00	24.00	6.05						
		Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire	<u> </u>		UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65				-	-	
		2-wire voice Grade Port (Centrex from diff Serving wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94						
-		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI 33	OLF I IVI	1.13	100.30	70.71	34.47	11.94						
		Service Term - Basic Local Area	l		UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent				T				011	54						†
		- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65						
		LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65						<u> </u>
		2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65				ļ		
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65				-	-	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	l		LIEDOE	LIEDONA	440	400.00	70.71	54.47	44.04						
		Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<u> </u>		UEP95	UEPQM	1.13	108.36	/0./1	54.47	11.94				-	-	
		2-wire voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3	l		UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94						
		IOIIII Z ₁ U			OLF 30	ULFUL	1.13	100.36	70.71	54.47	11.94	1			1	1	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65						
			•	1			1.13					1				 	
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65						

UNRI	INDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
0.400		5 112 1 11 5 KIK ELEMENTO - GOULII GAI GIIIIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
	Local N	lumber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
	Feature																
		All Standard Features Offered, per port	1		UEP95	UEPVF	3.04										
		All Select Features Offered, per port	<u> </u>		UEP95	UEPVS	0.00	406.42									
	114 00	All Centrex Control Features Offered, per port	<u> </u>		UEP95	UEPVC	3.04										
-	NARS	Habita diad National Assaul Besietes Combination	1		LIEDOE	HADOV	0.00	0.00	0.00	0.00	0.00						
-		Unbundled Network Access Register - Combination	-		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
<u> </u>		Unbundled Network Access Register - Indial	1	\vdash	UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00				 		
-	Miccell	Unbundled Network Access Register - Outdial aneous Terminations	1		UEF93	UARUX	0.00	0.00	0.00	0.00	0.00				-	-	-
<u> </u>		aneous Terminations Trunk Side	+	 		+				 			 				
		Trunk Side Trunk Side Terminations, each	 	1	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		-		+	1	1
		Digital (1.544 Megabits)	1		ULF 93	CLINDO	0.00	119.57	10.70	00.03	3.77						
-	wile	DS1 Circuit Terminations, each	+		UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47				 		
\vdash	-	DS0 Channels Activated, each	+	\vdash	UEP95	M1HDO	0.00	14.51	50.30	12.13	2.47		 		t		
	Interof	fice Channel Mileage - 2-Wire	+		OLI 33	WITIDO	0.00	14.51		†							
		Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167	40.00	21.41	10.77	0.01						
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	ce		02.00		0.0101										
		nnel Bank Feature Activations	Ī														
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		37.93	16.72								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70									
		New Centrex Customized Common Block	<u> </u>		UEP95	M1ACC	0.00	668.70									
		NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	72.89									
	Additio	onal Non-Recurring Charges (NRC)	1	\vdash		+				 					 		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83	I			1		I		
—	-	Unbundled Miscellaneous Rate Element, Tag Design Loop at	+	 	ULF90	UKEIL		8.33	0.83	 			 				
1		End Use Premise			UEP95	URETN		11.24	1.10	I			1		I		
—	IINF-P	CENTREX - DMS100 (Valid in All States)	1	\vdash	OLF 30	UINLIIN		11.24	1.10	t					t	1	1
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1	-			I			 		I		
-		ort/Loop Combination Rates (Non-Design)	+	\vdash		+				t			 		t		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1	-			I			 		I		
		Non-Design		1	UEP9D		14.89			I			1		I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-					1					1	İ	İ
		Non-Design		2	UEP9D		21.52			1					1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		27.17			I			1		I		
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Design	<u> </u>	1	UEP9D		17.81								<u></u>		<u></u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1														
		Design		2	UEP9D		24.26								<u> </u>		

CATEGORY RATE ELEMENTS Interest Zeros BCS USOC USOC Charge	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATE OLIVENTS RATE FLEMENTS REC Microsofting Management Managem	0.1.2011.222											Svc Order	Svc Order				
## CATE CLEMENTS March 2006 PATES (8) PATES (8) PATES (8) PATES (9) PATES (10) P																	
CATEGORY RATE ELEMENTS Dec BCS USB Color Part Section Color			Intori														
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	-				Order vs.
New York Control (1987) April 1987 Apr			""														Electronic-
Note Control																	Disc Add'l
March Marc																	
Description	ļ						Rec										
Design	ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Comparison Com				_													
2-Wins Vision Claric Long (St. 1) - Zone 1	L			3	UEP9D		29.59										
2-Wine Votes Clarida Long (St. 1) - Zero 2	UNE L			<u> </u>	LIEBAB	115004	10.70										
SWIN Voto Grade Fort (Centers / EBS-MSD(3)) State Local Anse UEPPD UEPVS 1.13 40.00 19.00 24.00 6.65	ļ			1													ļ
2-vivi vivos Grands Long (S. 2) - Zone 1																	
2-Wine Vince Grante Port (Centres / E88-M000) Searc Loral Annual Port Centres / E88-M000) Searc Loral Annual Port				3													
2-Wee Votos Grade Pert (Centres / EBS-MSC10)) 3 0,5590 0,5052 28.66				1													
UEPYC 1.13 4.03 19.30 24.96 6.66																	
ALL STATES	LINE D			3	UEF9D	UECSZ	20.40										
2-Wire Votes Grade Prof (Centrex / EBS-MSD09))Seas Local Area UEP90 UEPVB 1.13 40.30 19.00 24.98 6.65			1		1	+						-	 		1		
2-Wire Votes Grade Port (Centrex / EBS-MS219)3 Basic Local	ALL 3		1	 	LIEP9D	ΠΕΡΥΔ	1 13	40.30	19 90	24 08	6.65				 		
Area	 		1	 	JL: 3D	JEI IA	1.13	+0.30	13.30	24.90	0.03				 		
2-Wire Voice Grade Port Contents / EBS-M6000)Basic Local UEPPD UEPPC 1.13 40.30 19.90 24.98 6.65			1	1	UEP9D	UEPYR	1 13	40.30	19.90	24 98	6.65						
Area	h h				02. 02	02	0	10.00	10.00	21.00	0.00	1					
2-Wire Voice Grade Port (Centrex / EBS-M5509)3 Basic Local					LIEP9D	LIEPYC	1 13	40 30	19.90	24 98	6.65						
April					OLI OD	OLI TO	1.10	40.00	10.00	24.00	0.00						1
2-Wire Voice Grade Port (Centrex / EBS-M6020))3 Basic Local UEP9D UEPYF 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						
Area UEPD UEPY 1.13 40.30 19.00 24.88 6.66		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
2-Wire Vote Grade Port (Centrex / EBS-M5219)3 Basic Local Avea		,			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
Area UEPPO UEPYF 1.13 40.30 19.90 24.98 6.65											0.00						
2-Wire Voice Grade Port (Centrex / EBS-M6312), Basic Local VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY0 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY1 1.13 40.30 19.90 24.98 6.65 Area VEP90 VEPY		` "			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
Area UEP90 UEPYT 1.13 40.30 19.90 24.98 6.65		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
Area					UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M5209)3 Basic Local Area UEPBD UEPV 1.13 40.30 19.90 24.98 6.65 Area 2-Wire Voice Grade Port (Centrex/EBS-M5210)5 Basic Local Area UEPBD UEPV 1.13 40.30 19.90 24.98 6.65 Area 2-Wire Voice Grade Port (Centrex/EBS-M5310)5 Basic Local Area UEPBD UEPV 1.13 40.30 19.90 24.98 6.65 Area 2-Wire Voice Grade Port (Centrex/EBS-M5310)5 Basic Local Area UEPBD UEPV 1.13 40.30 19.90 24.98 6.65 Area 2-Wire Voice Grade Port (Centrex/Ealer ID/Meg Wrg Lamp Indication)) UEPBD UEPV 1.13 40.30 19.90 24.98 6.65 Area 4.72 Are		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
Area		Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/EBS-M6216)3 Basic Local Area UEP9D UEPYV		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
Area		Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local UEP9D UEPY		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
Area CWire Voice Grade Port (Centrex with Caller ID) Basic Local UEP9D UEPYH 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area																	
Area UEPBD UEPYH 1.13 40.30 19.90 24.98 6.65					UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrew/Caller ID/Msg Wig Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65		,															
Indication) 4 Basic Local Area	ļ			<u> </u>	UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						ļ
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65					LIEDOD	LIEDVA	4.40	40.20	40.00	04.00	0.05						
Basic Local Area					UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area UEP9D UEPYM 1.13 108.36 70.71 54.47 11.94					LIEDOD	LIEDVI	1 12	40.20	10.00	24.09	6.65						
2.3-Basic Local Area	 		l		051 30	OLFIJ	1.13	40.30	15.90	24.90	0.65						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY0 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYN 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYN 1.13 108.36 70.71 54.47 1			1		UEP9D	UEPYM	1 13	108 36	70 71	54 47	11 0/		1		1		
Basic Local Area	 		1	1	52. 50	CEI IIVI	1.10	100.00	70.71	54.47	11.54						†
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYP 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M508)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94			1		UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		1		1		1
Basic Local Area			†			1	0			· · · ·					1		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94					UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94						1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 1.194 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 1.194 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
Basic Local Area		Basic Local Area		<u> </u>	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94			1						-]		
Basic Local Area					UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 1.194 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1										1]		
Basic Local Area			ļ	 	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						<u> </u>
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1										1		1		
Basic Local Area			ļ		UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94			1		LIEDOD	LIEDY'S		400.00	70.71				1		1		
Basic Local Area	 		1	1	UEP9D	UEPY5	1.13	108.36	/0./1	54.47	11.94	-			-		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			1		LIEDOD	LIEDVE	1 10	100 20	70.74	EA 47	11.04		1		1		
	\vdash		1	1	OLFBD	UEPTO	1.13	100.30	70.71	54.47	11.94	1					
		Basic Local Area	1	1	UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						

UNBUN	DLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
0.1.2011												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									· ·		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1										
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		A.W. W. O. I. B. B.W.O. I. W. O. I. A. A. A. A. A. A. A. A. A. A. A. A. A.				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.40	400.00	70.74	54.47	44.04						
		Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
-		2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEFT9	1.13	40.30	19.90	24.90	6.03						
		Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
Δ	I KY	LA, MS, SC, & TN Only			OLI 3D	OLI 12	1.10	40.30	19.90	24.30	0.03						
	_,,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65				İ		
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
		Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						400.00									
		2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
		2 Mire Veice Crede Best (Centres)/Hitter CMC (EBC BCET) 2.4			LIEDOD	LIEBOO	4.40	400.00	70.74	54.47	44.04						
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
		2-Wile Voice Grade Fort (Certifex differ SWC /EBS-W5009)2,3,4			OLF9D	ULFQF	1.13	100.30	70.71	34.47	11.54						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
		2-ville voice Glade Fort (Gentlewallier Give /EBG-5203/2,5,4			OLI 3D	OLI QQ	1.13	100.30	70.71	34.47	11.54						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
		2 1110 1000 01440 1 011 (001110) 4110 1 072 0 110 1 12/2/0,1			02. 02	02. Q.X	0	100.00		0							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
						1											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	l		UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94			1	1		
		, , , , , , , , , , , , , , , , , , , ,				1											
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4	l		UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94			1	1		
		,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						
			l]]		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1 7		1 7]]		
		Term 2,3	ļ		UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94			ļ	ļ		
			l											1	1		
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	1	UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65			 	 		
├ ─- ├ .	! ^	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>	 	UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65						
L	ocal S	witching Centrex Intercom Funtionality, per port	 	1	UEP9D	URECS	0.7996					-		 	 		
 	A loop	Lentrex intercom Funtionality, per port	!	1	OLFSD	UKEUS	0.7996							-	-		
	ocai N	Local Number Portability (1 per port)	1	\vdash	UEP9D	LNPCC	0.35					1	1				
E.	eature		1		טבו שט	LINFOO	0.33			 				 	 		
 	Juluit	All Standard Features Offered, per port			UEP9D	UEPVF	3.04							 	 		
		All Select Features Offered, per port	1	1 1	UEP9D	UEPVS	0.00	406.42				<u> </u>		 	 		
		All Centrex Control Features Offered, per port	l		UEP9D	UEPVC	3.04							1	1		
N	ARS				-										İ		
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						

INBUNDLED N	ETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)	L	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscellane	ous Terminations						11130	Auu i	11130	Auu i	OOMILO	JONAN	JONAN	JONAN	JOHAN	JOHIAN
2-Wire Trur																
	nk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						+
	tal (1.544 Megabits)			02. 05	02.120	0.00	110.01	100	00.00	0						
	1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51	00.00	72.70	2						
	Channel Mileage - 2-Wire			02. 05		0.00										
	eroffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	proffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167	10.00	2		0.0.						
	tivations (DS0) Centrex Loops on Channelized DS1 Service	e.		02. 02		0.0101										
	Bank Feature Activations															
	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 9D	IFQW0	0.50										
Slot				UEP9D	1PQW7	0.56										
	ature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF 9D	IFQW7	0.50										
	erent Wire Center			UEP9D	1PQWP	0.56										
Dill	erent whe center			OLI 3D	II QWI	0.50										
Foo	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	ature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLF 9D	IFQVV	0.50										
Slot				UEP9D	1PQWQ	0.56										
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56									-	
	ring Charges (NRC) Associated with UNE-P Centrex			OLF 9D	IFQWA	0.50									-	
	C Conversion Currently Combined Switch-As-Is with allowed															
	inges, per port		l	UEP9D	USAC2		37.93	16.72							1	
	v Centrex Standard Common Block		 	UEP9D	M1ACS	0.00	668.70	10.72							 	
	v Centrex Standard Common Block			UEP9D	M1ACC	0.00	668.70								1	
	R Establishment Charge, Per Occasion		 	UEP9D	URECA	0.00	72.89								 	
	Non-Recurring Charges (NRC)		-	02. 00	5112571	5.50	12.00		+						-	
I Inh	bundled Miscellaneous Rate Element, Tag Loop at End Use					 			+			-		1	—	
	mise		l	UEP9D	URETL		8.33	0.83							1	
	bundled Miscellaneous Rate Element, Tag Design Loop at				3	 	3.30	3.00	+			-		1	—	†
	d Use Premise		l	UEP9D	URETN		11.24	1.10							1	
	quired Port for Centrex Control in 1AESS, 5ESS & EWSD				1			0				i			1	1
	equres Interoffice Channel Mileage														1	1
	stallation is combination of Installation charge for SL2 Lo	op and l	Port									İ			1	
	quires Specific Customer Premises Equipment		<u> </u>									i			1	
	s displaying an "R" in Interim column are interim and sub	iect to r	rate tru	e-un as set forth it	General Tern	ns and Conditio	ns									

		NETWORK ELEMENTO. T															
UNBU	INDLE	D NETWORK ELEMENTS - Tennessee		1		I	1					Cup Ord	Cup Ord		ment: 2 Incremental		bit: A Incremental
														Incremental Charge -			
												Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m		200				= 0 (4)			perLSR	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
																	Disc Add'l
														1st	Add'l	Disc 1st	DISC Add I
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			L.,	l .		L	<u> </u>		<u> </u>	<u> </u>	<u> </u>	L.,.,	L	1.50	L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>	
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deave	raged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Website:	
ODEDA		/ww.interconnection.bellsouth.com/become_a_clec/html/inter . SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nt	m I	1	1		ı	ı		ı	ı	ı	1	1	1
OFLKA		(1) CLEC should contact its contract negotiator if it prefers th	o "etate	enecit	ic" OSS charges as	ordered by t	he State Comm	issions The	OSS charges o	urrently cont	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	CL EC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.	00 0.00	aning or	larges, or occornay	CICOL LIIC IC	gioriai scrvice	oracining onling	c, noncrei, o	LLO dan not d	biam a mixture	or the two	regulatess	ii ollo iido d	microomicon	ion contract c	Stubiloricu II
		(2) Any element that can be ordered electronically will be bill	ed acco	ordina 1	to the SOMEC rate li	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Han	dbook (LOH) to	determine	if a product	can be order	ed electronica	ally. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B													,		gg-,
		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			e applicable rate ele	ment for SC	MAN charge**										
		OSS - Electronic Service Order Charge, Per Local Service					1										
		Request (LSR) - UNE Only		<u> </u>		SOMEC		3.50	0.00	3.50	0.00						
UNE SI		DATE ADVANCEMENT CHARGE		Ļ							1						
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.								1	1	
					UAL, UEANL, UCL, UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
1				1	UXTD3, UXTS1,	1	I								I	I	
l		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	00.00									1	1	
L	IDI ES -	Day		!	U1TUB, U1TUA	SDASP		200.00		ļ	1	<u> </u>	<u> </u>	ļ			
ONBON		EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	1	!			_			-	+	1	1	-	 	 	
 	Z-VVIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41	}	}	20.35	10.54	13.32	13.32
1	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEAL2	17.23	31.99	20.02	10.65		1	1	20.35	10.54	13.32	13.32
-	 	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2			UEANL	UEAL2	22.53	31.99	20.02	10.65			1	20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	13.19	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	17.23	31.99	20.02	10.65				20.35		13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	22.53	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					1		1								
<u> </u>	<u></u>	Premise		L	UEANL	URETL	<u> </u>	8.33	0.83				<u> </u>	20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch													1	1	
		(UVL-SL1)	ı	1	UEANL	UREWO	1	15.80	8.95	1		1	1	20.35	10.54	13.32	13.32

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEO	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.80	28.80								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1				0000											
	o WIDI	(per LSR)			UEANL	OCOSL		34.29	34.29			1					<u> </u>
	2-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41		-	20.35	10.54	13.32	13.3
		2 Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	2	UEQ	UEQ2X	17.23	31.99	20.02		1.41		-	20.35	10.54	13.32	13.3
	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	H		UEQ	UEQ2X	22.53	31.99	20.02		1.41		1	20.35	10.54	13.32	13.3
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLQ	OLQZX	22.55	31.33	20.02	10.03	1.41			20.55	10.54	10.02	10.0
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.3
		Manual Order Coordination 2 Wire Unbundled Copper Loop -				1		3.50	0.50					20.00		.5.52	10.0
		Non-Designed (per loop)	l		UEQ	USBMC		36.52	36.52					1			
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBU		EXCHANGE ACCESS LOOP		<u> </u>													
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	40.40	24.00	20.02	10.05	4 44			20.25	40.54	13.32	40.00
		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	UEPSK UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41		-	20.35	10.54	13.32	13.32
		Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		- ' -	OLF SK OLF SB	ULABO	13.19	31.99	20.02	10.03	1.41			20.33	10.34	13.32	13.32
		Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	02. 0 02. 03	027120	11.20	01.00	20.02	10.00				20.00	10.01	10.02	10.02
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	E ANALOG VOICE GRADE LOOP		<u> </u>													
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	40.50	75.00	40.00	20.70	47.04			20.25	10.54	40.00	40.0
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	UEA	UEALZ	16.56	75.06	48.20	28.70	17.64		-	20.35	10.54	13.32	13.3
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLYKLZ	21.00	70.00	40.20	20.70	17.04			20.00	10.04	10.02	10.0
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	1	Order Coordination for Specified Conversion Time (per LSR)	ļ	ļ	UEA	OCOSL		34.29		 		<u> </u>				10.0-	
	1	CLEC to CLEC Conversion Charge without outside dispatch	 	 	UEA	UREWO		75.06	36.41			ļ		20.35	10.54	13.32	13.3
	4-10/101	Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP	<u> </u>	<u> </u>	UEA	URETL		11.23	1.10	 				20.35	10.54	13.32	13.3
	4-WIRE	4-Wire Analog Voice Grade Loop - Zone 1	<u> </u>	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
		4-Wire Analog Voice Grade Loop - Zone 1	 	2	UEA	UEAL4	32.25	122.76	85.57		39.16	1		20.35	10.54	13.32	13.3
 	1	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	42.17	122.76	85.57		39.16	 		20.35	10.54	13.32	13.3
	1	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL	72.17	34.29	00.07	7 0.00	55.10			20.00	10.04	10.02	10.02
	1	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.3
	2-WIRE	ISDN DIGITAL GRADE LOOP								1				1			
	1	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16	İ	1	20.35	10.54	13.32	13.32

UNBUND	DLEI	NETWORK ELEMENTS - Tennessee										1			ment: 2		ibit: A
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29						20.05	10.51	40.00	10.01
0.1		CLEC to CLEC Conversion Charge without outside dispatch	ATIDLE	1.005	UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-1		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP	1	-											
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	13.02	270.01	234.03	74.54	39.14			20.33	10.54	13.32	13.32
		& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry		-	O/ IL	ONLEA	10.00	270.01	204.00	14.04	00.14			20.00	10.04	10.02	10.02
		& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL	20.00	34.29	2000	7 1.04	00.14			20.00	10.04	.5.02	.5.0
		2 Wire Unbundled ADSL Loop without manual service inquiry &				1				İ				1	1		
		facility reservaton - Zone 1	- 1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.3
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41	<u></u>	<u></u>	20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &														_	
		facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
2-1		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry		_													
		& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop including manual service inquiry					40.50	070.04	004.00	74.54	00.44			00.05	40.54	40.00	40.00
		& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		34.29									
		and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry	-	- '	UNL	UHLZVV	10.63	31.99	20.02	10.05	1.41			20.33	10.54	13.32	13.32
		and facility reservation - Zone 2		2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	14.13	31.33	20.02	10.03	1.41			20.55	10.54	10.02	13.32
		and facility reservation - Zone 3	1	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)	·	Ŭ	UHL	OCOSL	10.00	34.29	20.02	10.00				20.00	10.01	10.02	10.0.
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-V	WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop including manual service inquiry							-]		
		and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop including manual service inquiry				Ι			· <u> </u>				1	_]		
		and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14	ļ		20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29		ļ				ļ	ļ		
		4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.	١		1 1				40			1				
		and facility reservation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		4-Wire Unbundled HDSL Loop without manual service inquiry		2		11111 4147	40.00	24.00	20.00	40.05	4 44		1	20.25	40.54	40.00	40.00
		and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	-		UHL	UHL4W	18.20	31.99	20.02	10.65	1.41	-		20.35	10.54	13.32	13.32
		and facility reservation - Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)	-	J	UHL	OCOSL	23.60	34.29	20.02	10.05	1.41	1		20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch	-		UHL	UREWO		31.99	20.02			1	 	20.35	10.54	13.32	13.32
4-1		DS1 DIGITAL LOOP	<u> </u>			0,		01.00	20.02			1	 	20.00	10.04	10.02	10.02
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	75.40	313.08	219.72		40.45			18.98	8.43	11.95	11.9
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	98.59	313.08	219.72		40.45			18.98	8.43	11.95	11.9
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4.1	MIDE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															1

<u>UNBUND</u> LI	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29	10.00	1				20.0-	10.51	10.00	10.00
0.1405	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82	1				20.35	10.54	13.32	13.32
2-WIR	RE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual				+		 		 		-				 	+
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual		1	UUL	UCLFB	13.19	31.99	20.02	70.01	1.41			∠0.35	10.54	13.32	13.32
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual			UCL	OCLFB	17.23	31.99	20.02	10.05	1.41	1		20.33	10.54	13.32	13.32
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	22.00	36.52	36.52	10.00	1.41			20.00	10.04	10.02	10.02
	2-Wire Unbundled Copper Loop-Designed without manual			002	0020		00.02	00.02								
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								1
	CLEC to CLEC Conversion Charge without outside dispatch															1
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIR	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	ı	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry	_	_													
	and facility reservation - Zone 3	ı	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop-Designed without manual service inquiry	١.,		UCL	UCL4W	24.70	400.70	85.57	76.35	39.16			20.35	10.54	13.32	40.00
	and facility reservation - Zone 1	- 1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry	- '		UCL	UCL4VV	32.23	122.70	65.57	76.33	39.16	1		20.33	10.54	13.32	13.32
	and facility reservation - Zone 3		3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	- '	3	UCL	UCLMC	72.17	36.52	36.52	70.55	33.10			20.55	10.54	10.02	10.02
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		30.32	30.32								+
	(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIF		-		002	OILETTO		01.00	20.02					20.00	10.01	10.02	10.02
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire]	1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
				UAL, UHL, UCL,	1 7		1								1	
				UEQ, ULS, UEA,											1	
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	LUMBT		05.4.	05.44					20.0-	10.51	10.00	10.00
	per unbundled loop			UEPSB	ULMBT		65.44	65.44	1				20.35	10.54	13.32	13.32
SUB-LOOPS																

UNBUND	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exh	ibit: A
											Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
0711200111	10.112	m						(4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							.		T 81	B'						
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						гизс	Auu i	FIISL	Auu i	JOINIEC	JOWIAN	JOWAN	JOWAN	JOWAN	SOWAN
	Up	- 1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			OLANE	ООВОС		313.01	313.01					20.55	10.54	10.02	10.02
	Set-Up	- 1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02,442	CCBIIIC		0 1.20	01.20								
	Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															40.00
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	25/10 0			02, 1112	CCBITT	12.17		70.11	00.00	.0.00			20.00	10.01	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	(e)							-								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEANL UEF	URETA UCS2X	5.16	23.33 110.71	23.33 37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ì		UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF UEF	USBMC	6.52	34.29 117.12	34.29 44.30	99.96	16.98			20.35	10.54	40.00	40.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS4X UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32 13.32	13.32 13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	ļ	UEF	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	 	!	UEF UEF	URET1 URETA		78.92 23.33	78.92 23.33			-	1				
linh	undled Network Terminating Wire (UNTW)	<u> </u>	 	ULF	UKETA		23.33	23.33			-					
0.10	Unbundled Network Terminating Wire (UNTW) per Pair	Т	1	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Netv	work Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		 	UENTW UENTW	UND16 UNDC2	-	129.65 11.11	94.51 11.11	0.6522	0.6522	-		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC4		11.11	11.11			1		20.35	10.54	13.32	13.32
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<u> </u>	<u> </u>	UENTW	UENCE	0.00	0.00				ļ					
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNE OTHER	R, PROVISIONING ONLY - NO RATE		!	F141 AA	CINCOIN	0.00	0.00				1	1				
			1								1					
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate		ļ	UDN,UEA,UHL,ULC	UNECN	0.00	0.00				ļ					
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	1	1	UEA,UDN,UCL,UDC	LIGBEO	0.00	0.00							Ì		

UNBUN	IDLEI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2		ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				HODED	0.00	0.00									
		rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									ļ
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	Y UNBUNDLED LOCAL LOOP						0.00									
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19								1		
		montn High Capacity Unbundled Local Loop - STS-1 - Facility		1	ODLOV	ILOND	9.19					-			-	-	
		Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
N	lote (1): Rates provided in TN for both electronic and manual Loop	Makeu	p are ir								nents from t	he Tenness				
LOOP M																	
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
I INE SH	APING	AND LINE SPLITTING	ĸ		UIVIN	UIVIKIVIQ	-	0.76	0.76			-			-	-	
		: The Line Sharing monthly recurring rates for all installation	ns comi	oleted 1	rom October 02, 200	3 through m	idnight Octob	er 01. 2004 shal	l be billed as f	follows:							
		: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					T Color	1									
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1		ľ											
		: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	cuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING															
	SPLIII	ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			111.0	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDB	25.00	150.00	0.00	0.00	0.00	-		20.35	10.54	13.32	13.32
		Line Sharing Ophitter, per Gystem 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-			OLO	OLODD	23.00	130.00	0.00	0.00	0.00			20.55	10.54	13.32	10.02
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
E	ND US	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1				LII ODT	0.04	40.00	04.00	0.00	0.00						
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						-
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00						
		Line Share Service, TRO per line activation, BST owned splitter -													1		
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)		<u>L</u>	ULS	ULSDT	8.81	40.00	31.39	0.00	0.00			<u> </u>	<u></u>	<u></u>	
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
-		Line Sharing - per Subsequent Activity per Line			111.6	111.000	1	20.00	45.00					20.25	40.54	40.00	40.00
		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -		 	ULS	ULSCS	 	30.00	15.00	1	-			20.35	10.54	13.32	13.32
		OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
 -		Line Share Service, TRO per line activation, CLEC owned			020	02000	5.01	77.77	10.01	0.00	3.00			20.00	10.04	10.02	10.02
		splitter - Central Office Located (25% of UCLND) - please see		1			1										
		NOTE 1 (E:10/2/2003)		<u>L</u>	ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			<u> </u>	<u></u>	<u></u>	
		Line Share Service, TRO per line activation, CLEC owned							· · · · · ·								
		splitter - Central Office Located (50% of UCLND) - please see		1													
		NOTE 1 (E:10/2/2004)	1	1	ULS	ULSCT	5.87	47.44	19.31	0.00	0.00	1	l	l	1	1	1

UNBU	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BEC owned splitter Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79	1	-	20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79		1	20.35	10.54	13.32	13.32
	MAINT	ENANCE			OLI OK OLI OD	OKEDV	0.01	40.30	21.00	33.00	10.73			20.55	10.54	13.32	10.02
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN	DLED D	PEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT						<u> </u>									
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat					40.50										
		Facility Termination		<u> </u>	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1		LIATION	41.577	0.0054										
		Per Mile per month			U1TVX	1L5XX	0.0054										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	24.09	31.01	20.02	30.76	13.07		1	15.06	13.06		
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	TEO/O	0.0174										
		Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0115/	01120	17.00	00.00		27.00	0.01			20.00	21.00		
		per month			U1TDX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.3562										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l												1	1	
		month		<u> </u>	U1TD3	1L5XX	2.34			1		<u> </u>		 	1	1	
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATES	040.00	205.00	470.50	400.04	405.01			20.01	20.01		
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 	-	U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91	 	-	36.84	36.84	 	1
		month	l		U1TS1	1L5XX	2.34								1	1	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	 		0.101	ILOAA	2.34	 		1		 		1	t	t	1
		Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
DARK F	FIBER		1				0-10.00	333.23	170.00	100.04	100.91			00.04	00.04	1	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1			1	1	1						1	1	1	
		Thereof per month - Interoffice Channel	l		UDF, UDFCX	1L5DF	28.74								1	1	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	58.83									<u> </u>	
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
8XX AC	CESS 1	EN DIGIT SCREENING												ļ	ļ	ļ	
		8XX Access Ten Digit Screening, Per Call	ļ		OHD	4	0.0005192					ļ					
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX	l	1	OLID.	NODAY			0 =0					00.00	00.00	40.00	46.00
		Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O	 	 	OHD	N8R1X	 	5.21	0.76	1		 		20.35	20.35	13.28	13.28
		IOAA ACCESS TEH DIQIT SCREENING, PER SAA NO. ESTADIISNED W/O	l	1	OHD			11.47	1.46	7.34	0.7602		1	20.35	20.35	13.28	13.28

UNBUNE	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		AXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4.47	2.24	7.54	0.7002			20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		1	OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
		Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFO		TION DATA BASE ACCESS (LIDB)			0.15	110. 571								20.00	20.00	10.20	10.20
		LIDB Common Transport Per Query			OQT		0.0000354										
		LIDB Validation Per Query			OQU		0.0117403										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		49.03						20.35	20.35	13.28	13.28
SIGNALIN																	
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
		CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		1	UDB UDB	TPP++	0.0000916 17.84	130.84	130.84			1		20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D		1	UDB	IFF++	17.04	130.04	130.04					20.35	20.33	13.32	13.32
		link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment															
		or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING		E (CNAM) SERVICE		1													
		CNAM For DB Owners - Service Establishment			OQV			43.27 43.27									
		CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code			OQV		-	43.27				1	-	-			+
		Establishment			oqv			1,868.00	1,382.00								
		CNAM For Non DB Owners - Service Provisioning With Point			OQV			1,000.00	1,002.00								
		Code Establishment			oqv			645.50	432.23								
	(CNAM for DB Owners, Per Query			OQV		0.0010541										
		CNAM for Non DB Owners, Per Query			OQV		0.0010541										
		CNAM (Non-Databs Owner), NRC, applies when using the															
		Character Based User Interface (CHUI)			OQV	CDDCH								20.35	20.35	13.28	13.28
SELECTIV				1													ļ
		Selective Routing Per Unique Line Class Code Per Request Per Switch						179.60	179.60					20.35	20.35		
VIRTUAL (1	179.00	179.00					20.33	20.33		
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	:	Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSICAL		LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SELEC		CARRIER ROUTING			000	00000		100 000 00						00.05			
		Regional Service Establishment End Office Establishment			SRC SRC	SRCEC SRCEO		190,638.00 317.55	317.55	3.19	3.19			20.35 20.35	20.35	13.28	13.28
		Query NRC, per query			SRC	SKCEU	0.0206047	317.55	317.55	3.19	3.19			20.33	20.33	13.20	13.20
AIN - BELI		TH AIN SMS ACCESS SERVICE			Orto		0.0200047										†
		AIN SMS Access Service - Service Establishment, Per State,					İ							t			
	l	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75	ļ		ļ		20.35	20.35	13.28	13.28
		AIN SMS Access Service - User Identification Codes - Per User			A4NI	CAMAU	1	00.00	00.00					00.05	20.25	13.28	40.00
		ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU	-	96.63	96.63					20.35	20.35	13.28	13.28
	ľ	Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	,	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										1
		AIN SMS Access Service - Session, Per Minute		1			0.0820123										

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per															
AIN DELLEC	Minute DUTH AIN TOOLKIT SERVICE					2.27										
AIN - BELLSU	AIN Toolkit Service - Service Establishment Charge, Per State,				+											
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		7.915.00	7.915.00					20.35	20.35		13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ ii V/		7,010.00	7,010.00					20.00	20.00	10.20	10.20
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query		<u> </u>			0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0054774										
-	Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access		<u> </u>			0.0054774										
	Account, Per 100 Kilobytes					1.50										
-	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.50								-	-	
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAW	DAFIVIO	17.43	33.32	33.32					20.33	20.33	13.20	13.20
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			07411	5, 20	0.1021110	00.20	00.20					20.00	20.00	10.20	10.20
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	XTENDED LINK (EELs)															
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	ge will not app	ply for UNE cor	nbinations pro	visioned as ' C	Ordinarily Comb	oined' Networl	Elements.					
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ions provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	1L5XX	0.0500										
	per month Interoffice Transport - Dedicated - DS1 combination - Facility		<u> </u>	UNC1X	1L5XX	0.3562										
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	1		20.33	21.09		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42	3.04	2.17						
	Voice crade occi i di Montii			ONOVA	15110	0.01	0.70	7.72								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-											1		_	_	
	Is Charge		<u> </u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u> </u>		20.35	21.09	1	
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	LED DS	1 INTE	RUFFICE TRANSPO	ואנ	ļ								-	-	
	First A Wise Analog Vising Cond. Land in Condition 7			LINGVO	lue a	04.70	100 70	05.47	70.01	10.00		1	20.65	04.00	I	
 	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	 	
			1	1					1		1	1	1	1		1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				1											
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination Per Month			UNC1X	MQ1 1D1VG	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI in combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	IDIVG	0.91	5.70	4.42								
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12		30.90			20.35	21.09		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								_
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional OCU-DP COCI (data) - in combination per month (2.4-		Ŭ						72.04	10.00			20.00	21.00		
	64kbs) Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	0.91	5.70	4.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
	interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74						
	OCU-DP COCÍ (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	-		20.35	21.09		
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													131	Auu	Diac 1at	Disc Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	LINICAY	LIATE 4	77.00	474.01	110.10	70.0-	00.00		1	20.0-	04.00		1
\vdash	Termination Per Month	 	<u> </u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EVTE		ED DC2	INTER				52.73	24.62	9.12	9.12			20.35	21.09		-
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT First DS1Loop in Combination - Zone 1	בט ח⊇3 ו	INTER 1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88		 	20.35	21.09		
h +	First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		+
—	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		+
—	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	ONOTA	OOLXX	30.33	220.40	101.74	13.01	24.00			20.55	21.03		
	Per Month			UNC3X	1L5XX	2.34										
h +	Interoffice Transport - Dedicated - DS3 - Facility Termination per			OHOOX	TLOVOX	2.07										
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		ĺ
+	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			00.01	00.01		
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		İ
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
L	Is Charge		<u> </u>	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD				10.50	100 70		70.01							
-	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
—	2-WireVG Loop in combination - Zone 2		3	UNCVX	UEAL2 UEAL2	21.63	108.76	35.47	72.94	10.86						-
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						ļ
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	l	l	UNCVX	1L5XX	0.0174										1
 	Interoffice Transport - 2-wire VG - Dedicated - Facility	 		0140 V	LUAA	0.0174								1		
	Termination per month	1	1	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00		1	20.35	21.09		1
	Nonrecurring Currently Combined Network Elements Switch -As-	1		J. 15 V/	011172	21.75	7 0.00	77.00	55.5 <u>Z</u>	31.00			20.00	21.03		
	Is Charge	1	1	UNCVX	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				52.10	202		2						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86				l		
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility	l														1
	Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	l	l		1					_						1
<u> </u>	Is Charge	<u> </u>		UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		L											
\vdash	DS3 Local Loop in combination - per mile per month	ļ		UNC3X	1L5ND	9.19										
	DC2 Level Leve in combination Fig. 75 - 15 - 15 - 15	1	1	LINGOV	LIEODY	070 4-	0.40.00	100.5=	100 70	45.01		1				1
	DS3 Local Loop in combination - Facility Termination per month	1	<u> </u>	UNC3X	UE3PX	373.47 2.34	240.23	180.87	106.78	45.24						
L	Interoffice Transport - Dedicated - DS3 - Per Mile per month	l	l	UNC3X	1L5XX	2.34					l	l				1

UNBUNDI	DLED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EVT	TENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C-1 INT	EDOEE		UNCCC		52.73	24.02	9.12	9.12			30.04	30.04		+
LA.	STS-1 Local Lolp in combination - per mile per month	J-1 1141	I	UNCSX	1L5ND	9.19										+
	STS-1 Local Loop in combination - Facility Termination per			оноох	TEGINE	0.10										†
	month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
	per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge	1	<u> </u>	UNCSX	UNCCC		52.73	24.62	9.12	9.12	<u> </u>		36.84	36.84		
EXT	TENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	E TRAN	SPORT				_								_	
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility				l											
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						-
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		ļ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	3.24	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge		<u> </u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXT	TENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				F7 70	000.40	404 74	70.07	04.00	ļ		00.05	04.00		
 	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	1		UNC1X UNC1X	USLXX	57.73 75.40	228.40 228.40	161.74 161.74	79.87 79.87	24.88 24.88	-		20.35 20.35	21.09 21.09		+
 	First DS1 Loop Combination - Zone 2 First DS1 Loop Combination - Zone 3	1		UNC1X UNC1X	USLXX	75.40 98.59	228.40	161.74	79.87	24.88	-		20.35	21.09		+
 	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1	3	014017	JULAN	90.39	220.40	101.74	19.01	24.00	1		20.33	21.09		+
	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	2.34										<u> </u>
	Termination per month		1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1 Channel System in combination per month	1	i –	UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77						1
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in the same STS-1 Interoffice Transport						ĺ									
	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	-		20.35	21.09		1
	Combination - Zone 2 Additional DS1Loop in the same STS-1 Interoffice Transport		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		1
	Combination - Zone 3 DS1 COCI in combination per month		3	UNC1X UNC1X	USLXX UC1D1	98.59 17.58	228.40 5.70	161.74 4.42	79.87	24.88			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EXT	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KI	SPS INT	EROFF													1
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174										

UNBUND	LEC	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-			-		21.10										
		ls Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EX.		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT			I											
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						<u> </u>
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEO	21.13	79.03	44.00	03.32	31.00			20.55	21.03		
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EX		DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														1
		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		1
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						ĺ
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.91	5.70	4.42								
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1			0.1017	027.22		100.10	00.11	12.01	10.00			20.00	21.00		1
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1				l		400 =0									
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in															1
	:	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		ls Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EX		DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX					· ·						1
		First 4-Wire Analog Voice Grade Local Loop in Combination -				[<u>.</u>											
		Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		-
		Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per						100.70	55.47	12.04	10.00			20.55	21.09		
		Mile Per Month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	<u> </u>							
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86		-	20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1	1		UNCVX	1	20		33.77	12.01				20.00	255		†

UNBUNE	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CITECITE		THE THORK ELEMENTO TOMOGOGO	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			١									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	70.07	30.90			20.33	21.09		
h		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.91	3.70	4.42								
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FX	TEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				02.70	24.02	0.12	0.12			20.00	21.00		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -				1											
		Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -									· · · · · · · · · · · · · · · · · · ·			-			1
		Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile Per Month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 - combination				=											
		Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
-		Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	80.77 0.91	105.76 5.70	14.48 4.42	3.04	2.74						
-		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	4.42	17.12	6.77			36.84	36.84		
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77			30.64	30.64		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	00151	17.00	0.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,							
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
h		Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	77.00	171.24	113.12	70.07	30.90			20.33	21.09		
		combination per month	l		UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-	1			1	50	30	12								1
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EX	TEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1										1]
\vdash		Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ļ
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	l		LINODY	LIDI G	=										
\vdash		Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	l		UNC1X	1L5XX	0.3562						1				1
+		First Interoffice Transport - Dedicated - DS1 combination -			OINC IA	ILOAA	0.3362						-		1		-
		First Interoffice Transport - Dedicated - DST combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		1
+		Per each Channel System 1/0 in combination Per Month	1		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.33	21.09		
		Per each OCU-DP COCI (data) in combination - per month (2.4-	1			1	00.11	100.70	1-1-10	0.04	2.77		 				
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42				1				1
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		<u> </u>
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									-						
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,11,200,111		m		200				= (4)			per LSR	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1							7144.		7.44				00		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		ł
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_	0.105/1	0520.	10.01	100.10	00.11	12.01	10.00	1		20.00	200		f
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		ł
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								í
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i
	Channel System per month			UNC1X	1L5XX	0.3562										ł
	Each Additional DS1 Interoffice Channel Facility Termination in															í
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		í
	Each Additional DS1 COCI in the same 3/1 channel system															ĺ
	combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42								í
	Nonrecurring Currently Combined Network Elements Switch -As-	-														ĺ
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ł
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													ı .
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															i
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		l
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															i
	Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		l
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															ĺ
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per															í
	Mile per month			UNC1X	1L5XX	0.3562										<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -															í
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
																í
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42						20.01		
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		4	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		í
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		- 1	UNCIX	UILZX	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		í
-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UILZA	29.02	100.70	33.47	12.54	10.00	-		20.33	21.09		
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		í
 	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCINA	UILZA	37.93	100.70	33.47	12.54	10.86			20.33	21.09		
	system combination- per month	1		UNCNX	UC1CA	3.24	5.70	4.42								i
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONON	0010/1	0.24	0.70	7.72								f
	Channel System per month			UNC1X	1L5XX	0.3562										ł
	Each Additional DS1 Interoffice Channel Facility Termination in	†			. 20, 0 .	0.0002										í
	same 3/1 Channel System per month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		í
	Each Additional DS1 COCI in the same 3/1 channel system	1		-	1	50				22.30				50		ĺ
	combination per month	1		UNC1X	UC1D1	17.58	5.70	4.42								í
	Nonrecurring Currently Combined Network Elements Switch -As-	1														í
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		í
EXT	ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														i
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						ı .
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1											-			
	Mile Per Month	<u> </u>		UNC1X	1L5XX	0.3562										<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -	1											-			
	Facility Termination Per Month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		·
	Per each DS1 COCI combination per month	ļ		UNC1X	UC1D1	17.58	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1										1				1
	Channel System per month	1		UNC1X	1L5XX	0.3562						l				1

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														i
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						<u> </u>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
EVTE	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	UTERO		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NIERO			LIDL C4	24.40	400.70	25.47	70.04	40.00						
	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64 UDL64	31.10 40.61	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47		10.86						
	First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		3	UNCDX	1L5XX	0.0174	108.70	35.47	72.94	10.80						
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC	20	52.73	24.62	9.12	9.12			20.35	10.54		
ADDITIONAL	NETWORK ELEMENTS			0110271	0.1000		02.70	202	02	0.12			20.00	10.01		
	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does ap	ply.									ī
When	used as ordinarily combined network elements in All States, th	ne non-	recurri	ng charges apply ar	nd the Switch	As Is Charge	does not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											í .
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Optio	nal Features & Functions:			LIATOA	ļ											-
	Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOEF		Ol	OI	OI	OI						
	Clear Channel Capability Super FrameOption - per DS1	i		U1TD1, ULDD1,UNC1X	CCOSF		Ol	OI	Ol	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.16S	23.85\$	2.03S	0.79S			45.68	1.76		
BALLY T	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os			45.68	1.76		<u> </u>
MULT	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOIA	IVIQI	00.77	105.76	14.48	3.04	2.74			20.33	9.00		
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80		

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		T 0011111
	OCH DD COOL (data) DC4 to DC0 Channel Contains	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															†
	month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		+
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		†
	DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	17.58	6.07	4.66								
INRUNDI F	ED LOCAL EXCHANGE SWITCHING(PORTS)	1		OLDDT	OCIDI	17.56	6.07	4.00								+
	change Ports															
NO	TE: Although the Port Rate includes all available features in GA,	KY, LA	& TN, tl	ne desired features	will need to b	e ordered usir	ng retail USOCs	i								
2-W	/IRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus	-		OLI OIL	OLI AQ	1.03	9.95	3.13	3.00	2.32			20.55	10.54	13.32	1.7
	with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling	1														
	port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling	1		LIEDOD	UEPAL	4.00	9.93	0.40	0.00	2.92			20.35	10.54	40.00	
	port with Caller ID - Res (TACER) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	port with Caller ID - Res (TACSR)	'		UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling	1		02. 0.0	0217411	1.00	0.00	0.10	0.00	2.02			20.00	10.01	10.02	<u> </u>
	port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling	1														
	port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Area Plus	-		UEPSK	UEPWN	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1				50	5.55	00	5.50	2.32			20.00		13.32	<u> </u>
	Capability	1	L	UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92	<u></u>		20.35	10.54	13.32	1.4
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FEA	ATURES				L											
0.11	All Available Vertical Features	 		UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
2-W	/IRE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID -	+	-		1	-										+

UNBU	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	ibit: A
0.150		THE TOTAL CELEMENTO TOTAL COORD										Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC AUU I
							D	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		·															1
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville]		
		& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
		& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN, Business Line Inward,															
		Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Voice Tennessee Business Dialing															
		Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU	-															
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO UEPLD	1.79 1.79	9.93 9.93	9.19	3.66	2.92			20.35	10.54	13.32	
-		2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPSP UEPSP	UEPLD UEPT2		9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	
		2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port		-	UEPOP	UEP12	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port	1	1	UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<u> </u>		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
-	-	2-Wire Voice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-		UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92	-	-	20.35	10.54	13.32	
-		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92	 	 	20.35	10.54	13.32	
-		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92	 	 	20.35	10.54	13.32	
—		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		 	OLI 01	JLI ND	1.19	5.33	5.18	3.00	2.32			20.35	10.34	13.32	1.40
1		Capable Port	1	1	UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	021 01	JLI AL	1.75	3.33	3.13	5.00	2.32			20.33	10.34	10.02	1.70
		Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.70	0.00	0.10	0.00	2.02	1	1	20.00	10.04	10.02	1.40
		Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy			02. 0.	02.7		0.00	0.10	0.00	2.02			20.00	10.01	10.02	
		Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-	1	0	2.30	20	2.30							1
1		Discount Room Calling Port	1	1	UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination,			-	1		5.50	20	2.30					1		1
		Collierville and Memphis Local Calling Plan	1	1	UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination, first trunk,								1	i			1			1
		Collierville and Memphis Local Calling Plan	1	1	UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
		Port	l	1	UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92		1	20.35	10.54	13.32	1.40

		D NETWORK ELEMENTO. T															
UNB	UNDLE	D NETWORK ELEMENTS - Tennessee			ı	1	T								ment: 2	Exhi	
														Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (#)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RAIE ELEMENIS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrecurring		Nonrecurring	Disconnect			220	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ						11130	Auu	11130	Addi	JOHILO	JONAN	JOINAIN	JOHAN	JOHIAN	JOINAIN
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	0.00	2.02			20.35	10.54	13.32	1.40
	FEATU				02. 0.	00/100	0.00	0.00	0.00					20.00		10.02	
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		NGE PORT RATES (COIN)						0.00									
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche						iated with 2	wire ISDN i				
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)		1	l												
		INGE PORT RATES	1	İ	İ	İ	İ			İ				İ	İ		í
		31 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate ad	reement.		í
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effect	ive date of this amer	ndment shall	be provided p	ursuant to a se	parate agreen	ent or tariff at	BellSouth's d	iscretion.		T			i Total
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01		8.47	-		20.35	10.54	13.32	1.40
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		i –		İ								1			í
1	1	capability (E:4/1/2004)	1		UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								·
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage						nission by B-Ch	nannels assoc	iated with 2	wire ISDN r	oorts.			i
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	v through BFR/New	Business Re	auest Process	Rates for the	packet capabi	lities will be de	etermined via	he Bona Fi	de Request/	New Busines	s Request Pro	cess.	i
		NGE PORT RATES (continued)															i
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		·
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								i
		Virtual collocation - Special Access & UNE, cross-connect per															i
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						1
	Detaile	d E911 with Locator Capability (required with UEPEX port)					_	-									i
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															i
		Locator Capability - Initial Profile Establishment per CLEC per															í
		State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						,									i
		Locator Capability - Subsequent Profile Changes, Additions,															1
		Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		1
	New or	Additional PRI Telephone Numbers															í T
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															í
		Locator Capability 2-way Telephone Numbers, per number in															í
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															í T
		Locator Capability - Outdial Telephone Numbers, per number in															1
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		1
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															i
		Telephone Numbers - Inward Data Only Option [New or													1		ł
	1	Additional]	1		UEPDX	UEP1E	0.00	0.94						20.35	10.54		1
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]				1											i
1	1	Inward Tel Numbers [Customer Testing Purposes]	1		UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		1
	LOCAL	NUMBER PORTABILITY															i
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75							20.35	10.54		i
	INTER	FACE (Provsioning Only)				1											í
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					20.35	10.54		í
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00				İ	20.35	10.54		í
	1	Inward Data		İ	UEPDX	PR71E	0.00	0.00	0.00	İ				20.35	10.54		í
	New or	Additional Channel		İ	İ	İ	1			İ				1			í
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.39						20.35	10.54		í
	1	New or Additional - Digital Data "B" Channel		İ	UEPEX	PR7BF	0.00	29.11		İ				20.35	10.54		í
	1	New or Additional Inward Data "B" Channel		İ	UEPDX	PR7BD	0.00	29.39		İ				20.35	10.54		i Total
	1	New or Additional Useage Sensitive Voice Data "B" Channel		İ	UEPEX	PR7BS	0.00	29.39		İ				20.35	10.54		í
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	29.39						20.35	10.54		í

CATEGORY MATE ELEMENTS	IINPI	INDI =	D NETWORK ELEMENTS - Tannassaa												Attach	mont: 2	Euh:	hit: A
ATE SERVETTS AT	ONBL	NULE	D NET WORK ELEWIEN 13 - Tennessee		l		I						Svc Order	Svc Order				
APTECONY PARE ELEMENTS PARE PLANEITY PARE PLANEITY PARE PARE PLANEITY PARE PLANEITY PARE PLANEITY PARE PARE PLANEITY PARE PARE PLANEITY PARE PARE PARE PARE PARE PARE PARE PARE	1																	
CATEGORY SATE BLANKETS SATE E BLANKETS SATE																		
March Marc	CATE	SORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No. or Additive PRITECT Concess PRITECT	1			m	1					- (*/			per Lon	per Lor				
CALL PRICE LIPPEX																	Disc 1st	Disc Add I
New or Additional PSI C Charmel								Rec										
CALL TYPES			Maria A Livina I PRI II PII Oli and			LIEDEY	DDZEV	0.00		Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Parent		CALL			<u> </u>	UEPEX	PR/EX	0.00	29.39					-	20.35	10.54		
Comparing Comp		CALL				LIEPEX LIEPDX	PR7C1	0.00	0.00	0.00								
The part Section Sec																		
DISUNDED FORT WITH REPORT CALL FORWARDING SERVICE - INSIDE SERVICE - INS											İ							
Unbounded Remore Cell Forwarding Serious, 2016 colling. New York Cell Cell Cell Cell Cell Cell Cell Cel		UNBUN		,														
Unbunded Render Call Fovering Services Local Casing Res Local Ca		UNBUN	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
Debugging Render Call Forwarding Service Northwards Service Northwar			Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Debugging Render Call Forwarding Service Northwards Service Northwar																		
Debundled France Call Frowering Service, IntitutATA-169 UEPPR UERTR 1.99 9.93 9.19 3.56 2.92 20.35 10.54 13.32 1.40																		
Non-Recurring																		
Unbundled Remote Call Forwarding Senice - Conversion with UEPVR USACZ 1.03 0.29	-	Non-P				UEPVK	UEKIK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Solith-la-lisa		NOII-RE		1	-		1	1			 		1	1	1	1	1	
Unburnted Remote Call Forwarding Service - Conversion with UEPVR USACC					1	UEPVR	USAC2		1.03	0.29	1				20.35	10.54	13.32	1.40
UBBUNDLE REWOTE CALL FORWARDING - Bus		1		1			30.102	1	1.00	0.20	1				20.00	10.04	10.02	1.40
Unbundled Remote Call Forwarding Service. Asset Calling - Bus UEPVB UERAC 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40			allowed change (PIC and LPIC)		1	UEPVR	USACC		1.03	0.29	1						1	
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERLC 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40		UNBUN	DLED REMOTE CALL FORWARDING - Bus															
Unbundled Remote Call Forwarding Service, Local Calling - Bus UEPVB UERLC 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40																		
Unbunded Remote Call Frowarding Service, InterLATA - Bus UEPVB UERTR 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40			Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Unbunded Remote Call Frowarding Service, InterLATA - Bus UEPVB UERTR 1.89 9.33 9.19 3.66 2.92 20.35 10.54 13.32 1.40																		
Ubbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERV 1.89 9.30 9.19 3.66 2.92 20.35 10.54 13.32 1.40																		
Unbundled Remote Call Forwarding Service Expanded and Experigent Local Calling UEPVB UEPVB UEPVB UEPVB USAC2 1.03 0.29 20.35 10.54 13.32 1.40																		
Exception Local Calling		-			<u> </u>	UEPVB	UERIR	1.89	9.93	9.19	3.00	2.92		-	20.35	10.54	13.32	1.40
Non-Recurring						LIED\/B	HEB\/ I	1 80	0.03	0.10	3.66	2 92			20.35	10.54	13 32	1.40
Unburdled Remote Call Forwarding Service - Conversion - UEPVB USAC2 1.03 0.29		Non-Re				OLI VB	OLIVO	1.03	3.33	3.13	3.00	2.32			20.55	10.54	10.02	1.40
Switch-as-Se											İ							
MURDINDED LOCAL SWITCHING, PORT USAGE						UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
UNBUNDLED LOCAL SWITCHING, PORT USAGE																		
End Office Switching (Port Usage)						UEPVB	USACC		1.03	0.29								
End Office Switching Function Per MOU	UNBU																	
Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Melded Factor: 38,90% of the Tandem Rate Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU Common Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Facilities Termination Per MOU Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per MOU Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Townsort Transport - Per Mou Tow		End Of						0.0000044										
Tandem Switching Function Per MOU		Tondo			<u> </u>			0.0008041						-				
Tandem Switching Function Per MOU (Melded) Melded Factor: 39.0% of the Tandem Rate Common Transport Common Transport - Par Mile, Per MOU Common Transport - Par Mile, Per MOU Common Transport - Fact Mile, Per MOU Common Transport - Fact Mile, Per MOU Common Transport - Fact Mile, Per MOU Common Transport - Factilities Termination Per MOU UNBUNDLED PORTILOP Combination Set Sabs Base Rates Cost Based Rates applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. UNE PortLoop Combination Rates UNE PortLoop Combination Rates UNE Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 2 Wifer VG Loop/Port Combo - Zone 2 3 Wifer VG Loop/Port Combo - Zone 2 4 Wifer VG Loop/Port Combo - Zone 2 4 Wifer VG Loop/Port Combo - Zone 2		ranuei						0.0009778										
Melided Factor: 38,00% of the Tandern Rate		1		1			1				†		1			1	1	
Common Transport - Per Mile, Per MOU Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates UNE Loop/Port Combo - Zone 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1		1				3.222300004			1					1	1	
Common Transport - Facilities Termination Per MOU 0.0003871		Comm	on Transport															
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-Wire VOICE GRADE LOOP WITH 2-Wire LINE PORT (RES) UNE Port/Loop Combination Rates 1												_						
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Tandem Switching Usage arates are they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office and Exhibits. End Office Arate Exhibits. End Office and Exhibits. End Office Arate Exhibits. End Office								0.0003871										
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 1 1 14.18 2-Wire VG Loop/Port Combo - Zone 2 2 2 1 18.01 2-Wire VG Loop/Port Combo - Zone 3 3 23.02 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPRX UEPLX 12.48 2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 16.31 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 16.31 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 17.00 2-Wire Voice Grade Loop (SL1) - Zone 3 1 SUEPRX UEPLX 17.00 2-Wire voice unbundled port vith Caller ID - res UEPRX UEPRX UEPRC 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 1.70 22.14 15.25 8.45 3.91 15.69	UNBU			1/				11.11										
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. UNE Port/Loop Combination Rates UNE Port/Loop Combination Rates	<u> </u>										Dort	of this Date T	Vhihit		-	ļ.	 	
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.	-													n Port/Loo	Combination	ne .	-	
2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	-																1	
UNE Port/Loop Combination Rates				Jy U		Johnson For Gul		Combos t	nomecuilli	5 31141 963 3114	Je troje idel	ca in the N		, Juneilly	John Sineu S		1	
2-Wire VG Loop/Port Combo - Zone 1							1	Ì	1		1						Ì	
2-Wire VG Loop/Port Combo - Zone 3 3 23.02		1			1			14.18								<u> </u>	<u> </u>	
UNE Loop Rates																		
2-Wire Voice Grade Loop (SL1) - Zone 1					3			23.02										
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 16.31		UNE L			<u> </u>	LIEDDY	LIEDLY	10.75										
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 21.32	<u> </u>	<u> </u>									.		1		-	1	 	-
2-Wire Voice Grade Line Port Rates (Res)	-	1							-		-		 		-	-		
2-Wire voice unbundled port - residence	-	2-Wire		1	3	OLFIX	ULFLA	21.32			 		1	-		1	 	
2-Wire voice unbundled port with Caller ID - res UEPRX UEPRC 1.70 22.14 15.25 8.45 3.91 15.69		26		1		UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91	1	15.69		1	1	
						UEPRX	UEPRO	1.70				3.91		15.69				

CATEGORY 2-W diali 2-W lD -	RATE ELEMENTS Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - is (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (IMF2X) Wire voice unbundled Tennessee Area Calling port with Caller - res (IMF2X)	Interi m	Zone	BCS UEPRX UEPRX UEPRX	USOC UEPAQ UEPAH UEPAK	Rec 1.70 1.70	Nonrecurring First 22.14	Add'I 15.25	Nonrecurring First	Add'l	Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Exhil Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W lD- 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W lD- 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
2-W diala 2-W lD- 2-W	Wire voice Grade unbundled Tennessee extended local ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - 6 (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller		Zone	UEPRX UEPRX UEPRX	UEPAQ UEPAH	1.70	First	Add'I	First	Add'l		per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)	m		UEPRX UEPRX	UEPAH	1.70	First		First	Add'l			Electronic- 1st OSS	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN	OSS	Rates (\$)		
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70	First		First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	1.70					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
diali	ling parity port with Caller ID - res Wire voice unbundled Tennessee Area Plus with Caller ID - (c ACT) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX UEPRX	UEPAH	-	22.14	15.25								,
2-W res 2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Plus with Caller ID - (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX UEPRX	UEPAH	-	22.14	15 25								
res 2-W	s (AC7) Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (TMCSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX		1.70		10.20	8.45	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX		1.70	00.44	45.05	0.45	0.04		45.00				í
D - 2-W D -	 res (F2R) Wire voice unbundled Tennessee Area Calling port with Caller res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller res (1MF2X) 				UEPAK		22.14	15.25	8.45	3.91		15.69				
2-W ID - 2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)				UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID - 2-W ID - 2-W ID -	- res (TACER) Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)				1	1.70	22.14	15.25	0.40	3.91		15.69				
2-W ID - 2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (TACSR) Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				í
ID - 2-W ID - 2-W ID -	- res (TACSR) Vire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			OLITAX	OLI AL	1.70	22.14	13.23	0.40	5.51		15.05				
2-W ID - 2-W ID -	Wire voice unbundled Tennessee Area Calling port with Caller - res (1MF2X)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				f
ID - 2-W ID -	- res (1MF2X)			021101	02.7			10.20	0.10	0.01		10.00				
2-W ID -				UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				ł
ID -						-		-								i
2-W	- res (2MR)	<u></u>	<u>L</u>	UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69				<u> </u>
	Vire voice unbundles res, low usage line port with Caller ID															1
(LUI				UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire Voice Unbundled Tennessee Residence Dialing Plan															<u></u>
	hout Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				Ļ
	Vire voice unbundled Tennessee Area Plus Port without															ł
	ller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	Vire voice unbundled Low Usage Line Port without Caller ID					. =-										f
	pability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEATURES				HEDDY	LIEDVE	0.00	0.00	0.00				45.00				
	Features Offered JMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
	cal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	RRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIX	LINFOX	0.33										
	Wire Voice Grade Loop / Line Port Combination - Conversion -															
	itch-as-is			UEPRX	USAC2		1.03	0.29				15.69				ł
2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -															
	ritch with change			UEPRX	USACC		1.03	0.29				15.69				ł
	Vire Voice Grade Loop / Line Port Combination - Conversion -															
Sub	bsequent Database Üpdate						0.76					15.69				ł
ADDITIONA																
	Vire Voice Grade Loop/Line Port Combination - Subsequent															í
	tivity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	bundled Miscellaneous Rate Element, Tag Loop at End User			l	[1
	emise		<u> </u>	UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	REMISES EXTENSION CHANNELS		<u> </u>	HEDDY	LIEAES:			20.5-	10.0-				22.2-		10.0-	
	Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN UEAEN	13.19	31.99 31.99	20.02	10.65	1.41		-	20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Vire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Non-Design	-	3	UEPRX UEPRX	UEAEN	17.23 22.53	31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32	13.32
	Wire Analog Voice Grade Extension Loop – Non-Design Vire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAEN	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design Vire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06 75.06	48.20	28.70	17.64	1	1	20.35	10.54	13.32	13.32
	Vire Analog Voice Grade Extension Loop – Design Vire Analog Voice Grade Extension Loop – Design	-	3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	ICE TRANSPORT		Ť		322	20.20	70.00	70.20	20.70	17.04			20.00	10.04	10.02	10.02
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											i Total
	rmination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						ł
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															i
	Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00	<u> </u>							<u> </u>
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					·										
	Loop Combination Rates															
	Vire VG Loop/Port Combo - Zone 1		1			14.18										
	Vire VG Loop/Port Combo - Zone 2		2		1	18.01										
	Vire VG Loop/Port Combo - Zone 3		3		1	23.02										
UNE Loop I				HEDDY	LIEBLY	10.10	ļ									
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPBX UEPBX	UEPLX	12.48	ļ									
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX UEPLX	16.31 21.32										

UNB	<u>JND</u> LEI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				-
		2-Wire voice Grade unbundled Tennessee extended local			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				İ
		dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
	-	2-Wire voice unburidled Tennessee Bus 2-Way Area Calling			OLFBX	OLFBI	1.70	22.14	13.23	0.45	3.91	1	13.09				-
		Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				İ
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			OLI DX	OLITIO	1.70	22.14	10.20	0.40	0.01		10.00				
		Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			02. 27.	02.7.2	0		10.20	0.10	0.01		10.00				
		Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan															
		without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69		1		1
		Tennessee Inward Collierville and Memphis Local Calling Plan															
		(BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan															
		(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	-															
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	USAC2		4.00	0.29				45.00				
		Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				—
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	+	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLFBX	USACC		1.03	0.29			1	13.09				
		Subsequent Database Update						0.76					15.69				İ
	ADDITI	ONAL NRCs						0.70					10.00				
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User					3.00	0.00									
		Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	OFF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		OFFICE TRANSPORT		ļ		+											
ı		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	LIAT 10	10.50	FF 00	17.00	07.00	0.51				1		1
	1	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51	1	-	-	 		
		or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00						1		1
	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DA	O I I VIVI	0.0174	0.00	0.00			1		1	1		
		ort/Loop Combination Rates				+						 			 		
	SILL I'C	2-Wire VG Loop/Port Combo - Zone 1		1		1	14.18					1	<u> </u>	1	 		—
	1	2-Wire VG Loop/Port Combo - Zone 2		2		+	18.01					1					<u> </u>
		2-Wire VG Loop/Port Combo - Zone 3		3			23.02								1		t
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48								İ		
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31				l			İ			
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
	2-Wiro	Voice Grade Line Port Rates (RES - PBX)										İ					

ATECONY RATE LEMENTS Had one BCS USOC RATES (8) RATE S (8) RATE LEMENTS Had one BCS USOC RATES (9) RATE S (18) RATE LEMENTS RATE LE	INRUNDI F	D NETWORK ELEMENTS - Tennessee												Δttach	ment: 2	Fyhi	bit: A
ATE CLEMENTS AT	DINDONDEL											Svc Order	Svc Order				
RATE BLEMENTS Mary																	
ATTECHNICAL PROPERTY AND AND AND AND AND AND AND AND AND AND																	
No. No.	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
No. Section		1	m									per LSK	per LSK				
Part																	
Digital Companies Companie														1st	Add'I	Disc 1st	DISC Add'I
Digital Companies Companie								Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
With Vision Colonia Continues a Wing PRX Trust Part							Rec		Add'l			SOMEC	SOMAN			SOMAN	SOMAN
Deptid September 1.75 2214 1.25 3.65 3.91 1.56		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
OCAL NUMBER PORTABLE TOP 1999		Res			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
North Number Potentially (per port)	LOCAL	NUMBER PORTABILITY															
Security Security					UEPRG	LNPCP	3.15	0.00	0.00				15.69				
All Features Chemond	FEATL																
NON-INCLUSION CHARGE (APPLICA) - CURRENT V COMBINED					UEPRG	UEPVF	0.00	0.00	0.00				15.69				
2-New Year Grants Loge Line Prof. Commission (PRV) Commission - Section 4 to 1,000 Commission - Section 4 to 1,000 Commission - Section 4 to 1,000 Commission - Section 4 to 1,000 Commission - Section 4 to 1,000 Commission -	NONRI																
Convenior - Select-Arche-Isla 2-View Voice Grades Local Unite Prof Combination (PRV) - UEPRG USACC 1.00 0.20 15.69																	
2-Wire Vaso Grade Loop Line Prot Combination (1987) - Conversion Subsequent Distribution - Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Conversion Subsequent Distribution Subsequent Dis					UEPRG	USAC2		1.03	0.29				15.69				
Convention - Sealarly with Change USACC 1.00 0.20 1.569																	
2-Wise Voice Grade Long / Line Proti Continuation - Conversion - Security Continuation - Conversion - Security Continuation - Conversion - Conversion - Conversion - Continuation - Conversi					UEPRG	USACC		1.03	0.29				15.69				
Subsequent Database Upcale																	
Approximate Neces Comparison Compariso	1		1	1		1		0.76				1	15.69	Ì	I	Ì	1
2-Wire Votos Grade Lope (Line Port Communitor (PSV) - Subsequent Archity - Change Rearrange Mullime Hunt UEPRG USAS2 0.00 0.00 0.00 15.69	ADDIT		1	1		1	1	50		l .	1		.0.00	1	t	1	
Subsequent Analys	1.2211		1	1		1	1			l .	1			1	t	1	
PRX Subsequent Activity - Change Researange Mulkiller Hurt Group (Group Group Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Miscellaneur Bate Ellerient, Tag Loop at End User Linburndied Loop (Canami Visite guide, per termination 1 UEPRG P2.HX 16.56 75.06 48.20 28.70 17.64 23.35 10.54 13.32 13.10.10.10.10.10.10.10.10.10.10.10.10.10.	1		1	1	UEPRG	USAS2	0.00	0.00	0.00			1	15.69	Ì	I	Ì	1
14,64 14,64 15,69	-				OLITIO	00/102	0.00	0.00	0.00				10.00				
UpProfile UpPr								14 64	14 64				15 69				
Premise UPRO URET. 8.33 0.83 20.35 10.54 13.32 13.5								14.04	14.04				10.00				
Control Premistres Extression CHAMPLES					LIEDRG	LIRETI		8 33	0.83					20.35	10.54	13 32	13.32
Local Channel Voice grade, per termination	OFF/O				OLI NO	OINETE		0.00	0.03					20.00	10.54	10.02	10.02
Local Channel Voice grade, per termination 2 UEPRG P2JHX 21.83 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.1	0.170			1	LIEDRG	D2 IHY	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13 32	13.32
State Channel Viole grade, per termination St. UEPRG P2JHx 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.3 NTEROFFICE TRANSPORT We Viole Grade - Facility UEPRG UTIV2 18.58 55.39 17.37 27.96 3.51													-				13.32
Non-Wire Direct Server Channel Voice Grade SW UEPRG SDDZX 10.02 148.84 112.34 73.14 36.65 20.35 10.54 13.32 13.34																	
NTEROFFICE TRANSPORT				_													13.32
InterOffice Transport - Dedicated - 2 Wire Votoe Grade - Facility UEPRG UITV2 18.58 55.9 17.37 27.96 3.51	INTER			SVV	UEPRG	SDDZA	10.02	140.04	112.34	73.14	30.03		-	20.33	10.54	13.32	13.32
Termination UEPRG UTIV2 18.58 55.39 17.37 27.96 3.51	INTER																
Interofice Transport - Dedicated - 2 Vifre Voice Grade - Per Mile or Fraction Mile UEPRG					LIEDDC	1.14T\/2	10 50	55.20	17 27	27.06	2.51						
UPPR UPPR					OLFRG	UTIVZ	10.30	33.38	17.37	27.90	3.31		-		-		
2-Wife Voice Grade Licop (St. 1) - Zone 1					LIEDDC	11471/04	0.0174	0.00	0.00								
UNE Port/Loop Combination Rates	2 WIDI				UEPRG	UTTVIVI	0.0174	0.00	0.00				-		-		
2-Wire VLoop/Port Combo - Zone 1																	
2-Wire VG Loop/Port Combo - Zone 2 2 18.01 23.02 2 24.00 24.00 25.00	ONL			1		+	1/ 10	-					-		-		
2-Wire Voice Grade Loop (St. 1) - Zone 1						+		-					-		-		
UNE Loop Rates						+		-					-		-		
2-Wire Voice Grade Loop (S. 1) - Zone 2 2 UEPPX UEPLX 12.48	LINE		1	3		+	23.02			l .	1	1	 	1	 	1	
2-Wire Voice Grade Loop (St. 1) - Zone 2	UNE L		ł	-1	LIEDDY	LIEDLY	12.40	-		 	-		-	-		-	
2-Wire Voice Grade Line Port Rates (BUS - PBX)			 							 				-		 	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 1.70 22.14 15.25 8.45 3.91 15.69			 							 				-		 	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPC 1.70 22.14 15.25 8.45 3.91 15.69 Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPD 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled DBX LD Terminal Ports UEPPX UEPPD 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port Calling Port Calling Port UEPPX UEPPX UEPPD 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPPX UEPPX UEPPD 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled PBX Toll Terminal Ports UEPPX UEPP	2-14/;=0		1	3	OLIFA	ULFLA	21.32			1		1	1		1		
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 1.70 22.14 15.25 8.45 3.91 15.69	∠-wire	Voice Grade Line Fort Rates (BUS - PBA)	 			+				 				-		 	
Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPO 1.70 22.14 15.25 8.45 3.91 15.69		Line Side Unbundled Combination 2 Way BBY Trusk Bort Bus	1	1	LIEDDY	LIEDDC	1.70	22 44	15.05	0 45	2.04	1	15.60	Ì	I	Ì	1
Line Side Unbundled Incoming PBX Trunk Port - Bus			 											-		 	
2-Wire Voice Unbundled PBX LD Terminal Ports			 											-	-	-	
Calling Port			 											-		 	
Calling Port			 		ULPPA	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69	-		 	
Calling Port	1		1	1	LIEDDY	LIEDTO	1.70	20.44	45.05	0.45	2.04	1	15 60	Ì	I	Ì	1
Calling Port			1	!	ULFFA	UEFIZ	1.70	22.14	15.25	6.45	3.91		15.69		-		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		1	1	LIEDDY	LIEDTO	1.70	20.44	45.05	0.45	2.04	1	15 60	Ì	I	Ì	1
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPXB 1.70 22.14 15.25 8.45 3.91 15.69			1	!											-		
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPX			 											-		 	
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPXD 1.70 22.14 15.25 8.45 3.91 15.69			 											-		 	
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPPX			1	!											-		
Capable Port			 	-	ULFFA	UEFAD	1.70	22.14	15.25	8.45	3.91		15.69		 		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		1	1	LIEDDY	LIEDVE	4 70	00.44	45.05	0.45	2.04	1	45.00	Ì	I	Ì	1
Administrative Calling Port UEPPX UEPXL 1.70 22.14 15.25 8.45 3.91 15.69			 	-	UEPPA	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69		 		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			1		LIEDDY	LIEDVI	1.70	22.44	15.05	0.45	2.04	İ	15.00		1		1
			1	-	UEPPA	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69	1	 	1	
		Room Calling Port	1	1	UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91	1	15.69	Ì	I	Ì	1

UNBUN	IDLEI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
														Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
0711200	•••		m			0000			= (0)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	Disc Add I
							Rec	Nonrecurring			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling			LIEDDY	LIEDVII	4.70	00.44	45.05	0.45	2.04		45.00				
		Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91	1	15.69				
		Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
-		Tennessee PBX 2-Way Combo Each Additional Trunk			ULFFX	OLFAV	1.70	22.14	13.23	0.40	3.91	1	13.09				-
		Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee PBX 2-Way Combo First Trunk Collierville and			OLITA	OLITIO	1.70	22.17	10.20	0.40	0.01		10.00				
		Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
L	OCAL	NUMBER PORTABILITY			02.17	02.7.	0		10.20	0.10	0.01		10.00				
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
F	EATU							0.00									
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.76					15.69				
Α	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.04	4404				45.00				
		Group						14.64	14.64			1	15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
_	EE/ON	N PREMISES EXTENSION CHANNELS			UEFFX	UKEIL		0.33	0.63			1	1	20.33	10.54	13.32	13.32
-	JFF/OI	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64		-	20.35	10.54	13.32	13.32
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
IN	NTERC	OFFICE TRANSPORT		0	02.17	OBBEA	10.02	1 10.0 1	112.01	70.11	00.00			20.00	10.01	10.02	10.02
t t		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								Ì					1		
		Termination	l		UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile	<u> </u>		UEPPX	U1TVM	0.0174	0.00	0.00		<u></u>						
U	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
ļ		2-Wire VG Coin Port/Loop Combo – Zone 3		3		ļ	23.02										
U		pop Rates	ļ	L .	LIEBOO							ļ					
$\vdash \vdash$		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPCO	UEPLX	12.48					ļ					
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2	!	2	UEPCO	UEPLX	16.31					<u> </u>			 		
<u> </u>	Marine 1	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPCO	UEPLX	21.32			-		1			ļ		
2-	-wire	Voice Grade Line Ports (COIN)	 			+				ļ	-	1	-		 		
		2-Wire Coin 2-Way without Operator Screening and without	l		LIEDCO	LIEDTR	1 70	22.44	15.05	0.45	2.04		15.00				
		Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	 		UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91	1	15.69		 		
		900/976, 1+DDD (NC, TN)	l		UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
\vdash		2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		OLFOO	ULFKF	1.70	22.14	15.25	0.45	3.91	}	15.69		1		
		(TN)	1		UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69		1		
		2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	1	 	021 00	OLI IA	1.70	22.14	13.23	0.45	3.91	1	13.09		 		
				1	1						•						1

UNBUND	LEC	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking															
		(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88	22.14	10.20	0.40	5.51		15.69				+
		2-Wire Coin Outward Smartline with 900/976 (all states except			02. 00	02. 01.	1.00						10.00				1
		LA)			UEPCO	UEPCR	1.88						15.69				
AD	DITIO	ONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1.03	0.29				15.69	1			
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPCO	USACC		1.03	0.29			1	15.69		-		+
		Activity	l		UEPCO	USAS2	0.00	0.00	0.00				15.69		1		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			02.1 00	55,152	0.00	0.00	0.00	†		1	13.09	1	†	1	
		Premise			UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
2-W		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (
UN		rt/Loop Combination Rates															1
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UN		op Rates			uenen												
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR UEPFR	UECF2 UECF2	21.63 28.28										+
2-W		/oice Grade Line Port Rates (Res)		3	OLFFR	OLCI 2	20.20					1					+
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				+
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69		1		1
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice Grade unbundled Tennessee extended local															
		dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
		res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				<u> </u>
		2-Wire voice unbundled Tennessee Area Calling port with Caller			LIEDED	LIEDAK	4.00	04.00	57.00	00.00	00.50		45.00				
		ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56	1	15.69		-		+
		2-wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69	1			
		2-Wire voice unbundled Tennessee Area Calling port with Caller				J2.712	1.00	04.00	07.00	02.00	20.00	1	10.00	1	†	1	†
		ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															1
		ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundles res, low usage line port with Caller ID						0.4.00	==								
		(LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				
INT		OFFICE TRANSPORT		 	OLI I IX	OLI WIN	1.09	04.33	51.39	32.30	20.30	<u> </u>	13.09	 	t	1	+
,,,,,,		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility													1		
		Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51			1			1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							·					1		1	
		or Fraction Mile			UEPFR	1L5XX	0.0174										
FE/	ATU				L									ļ	ļ	ļ	<u> </u>
<u> </u>		All Features Offered	ļ	ļ	UEPFR	UEPVF	0.00	0.00	0.00	ļ		<u> </u>	15.69	ļ			
LO		NUMBER PORTABILITY Local Number Portability (1 per port)	 		UEPFR	LNPCX	0.35			1		<u> </u>		 	1	 	+
				1	IULPER	ILINEUX	U.35										1

CATEGORY RATE ELIMENTS BAS USOC PARTES (8) Security Company	UNBUNDI F	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
ATE CLEMENTS North Zone BCS	5.155.15E	TOTAL CONTROL OF TOTAL										Svc Order	Svc Order				Incremental
## BATE BLEMENTS Inferior Zurus Back USOC Facility BATE BLEMENTS Part S Dec Lab Color Co																	Charge -
## APTE GREWITS ## Zone BCS USOC ## APTE GREWITS ## LER put List Order to Destroy Dest																	Manual Svc
Bistantian Bis	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Second Process Proce			m						== (+)			per LSK	per LSK				
Proceedings																	
Section Decision Decision Decision Transport														1st	Add'I	Disc 1st	DISC Add'I
Description							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		ı
Combination - Conversion - Send-rose of Se							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Local Protection of Transport Wire Line Period		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
Combination - Convention - Sentic - Wind - Change UPEPPR USSCC 16,94 3.72 15,99 UPUND - Combination - Change - Ch		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
Disturbed Macelineaux Rate Seneral. Tag Disagned Loop at		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
First later Premise		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
2 2 2 2 2 2 2 2 2 2		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
UNE Force (Sept Composition Rates)						URETN		11.23	1.10					20.35	10.54	13.32	13.32
2-Win Vio Loop Or Transport Print Control - Zone 1 1 1.5.5 2.5	2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (BUS)												
2-YMW VS LearDI Transported Cortino - Zone 3 2 2.52.5 3.917	UNE F	Port/Loop Combination Rates															
Very 100 Very 100		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
UPL Loop Rates		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
2-Wire Yoos Grade Loop (SL) - Zonn 1				3			30.17										
2-Wine Votes Grade Long (SL2) - Zeno 2 2 SPFB USCP2 21.65	UNE L																
2-Wire Vote Grade Line Port (SE2) 2 20:8 3 USPPS UCES2 20:28 5 15:89 2 2 2 2 2 2 2 2 2				1													
2 2																	
2-Wire votes unbundled port willholder 1-54 dat D- bus UEPPB UEP				3	UEPFB	UECF2	28.28										
2-Wire voice unbundled port with Caller F Edit ID - Dus UEPPB UEPPC 1.88 64.99 57.39 32.36 20.56 15.99	2-Wire	e Voice Grade Line Port (Bus)															
2-Wife voice unbundled port outgoing only - bus																	
2-Vivir votor Grade unbundled incoming party port with Callet PD - bus UEPRB UEPAV 1,88 84.99 57.39 32.36 20.56 15.69																	
Seling pathy port with Caller ID - bus UEPFB UEPAU 1,880 84.99 57.39 32.36 20.56 15.69		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire voice unbundled frommission by communication only port with Caller ID - Bus UEPFB UEPB 1.89 64.99 57.39 32.36 20.56 15.69		2-Wire voice Grade unbundled Tennessee extended local															
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling UEPFB UEPAC 1.88 84.99 57.39 32.36 20.56 15.69																	
Port Economy Option (TACC1)		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire voice unbundled Tennessee Bits 2-Way Area Calling		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
Port Standard Option (TACC2)					UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire vote unbundled Tennessee Bus 2-Way Collerville and Memphis Local Calling Part (BLP) UEPFB UEPB UEPWO 1,88 84,99 57,39 32,36 20,56 15,69																	
Memphis Local Calling Port (BZF)					UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
2-Wire Volce Unbundled Transesse Business Dialing Plan UEPFB UEPWO 1.89 84.99 57.39 32.36 20.56 15.69																	
Without Caller ID					UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
Tennessee Inward Collierville and Memphis Local Calling Plan (BUS)																	
GUS UEPB UEPB UEPB UEPB UEPB 1.89 84.99 57.39 32.36 20.56 15.69					UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
Tennessee 2-Way Collien/Wile and Memphis Local Calling Plan (BUS)																	
COLON LOCAL NUMBER PORTABILITY UPFB UPFB LNPCX 0.35 UPFFB UPFB					UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORT (PEX) LOCAL NUMBER PORTABILITY LOCAL NUMBER PORT (PEX) LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LOCAL NUMBER PORT (PEX) LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILI																	
Local Number Portability (1 per port)					UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
INTEROFFICE TRANSPORT	LOCA																
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPFB U1TV2 18.58 55.39 17.37 27.96 3.51	L			 	UEPFB	LNPCX	0.35			.				.	<u> </u>	ļ	
Termination	INTER					1				ļ				ļ	ļ	ļ	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile of Fraction Mile UEPFB UEPFB UEPVF 0.00 0.0					LIEDED				.=		.			I		1	
OF Fraction Mile	\vdash	1 Girmin Gulori		<u> </u>	UE P F B	U11V2	18.58	55.39	17.37	27.96	3.51	1			!		
FEATURES				1	LIEDED	41.5007				1				1			
All Features Offered	—			<u> </u>	UERFR	1L5XX	0.0174			.				-	1		1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEAT			<u> </u>	LIEDED	LIED\"	0.00	2.22	0.00	-			15.00	-	ļ		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFB USAC2 16.94 3.72 15.69				<u> </u>	UERFR	UEPVF	0.00	0.00	0.00	.			15.69	-	1		1
Combination - Conversion - Switch-as-is	NONR			<u> </u>		+				!		}		!	ļ	 	1
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port UEPFB USACC 16.94 3.72 15.69 UID U				1	LIEDED	LICACO		40.01	0 =0	1			45.00	1			
Combination - Conversion - Switch with change			-	1	UERLR	USAC2		16.94	3.72	 		1	15.69	 	 	1	-
Unbundled Miscellaneous Rate Element, Tag Designed Loop at UEPFB URETN 11.23 1.10 20.35 10.54 13.32 13 13 2-WIRE VOICE GADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX) UNE Port/Loop Combination Rates UEPFB URETN 18.45	1 1			1	LIEDED	LICACO		40.04	0.70	I			45.00	I		Ì	
End User Premise	\vdash		-	1	UEPFB	USACC		16.94	3.72	 		1	15.69	 	 	1	-
2-Wire Voice Grade Loop / 2Wire Voice Grade IO TRANSPORT/ 2-Wire Line PORT (PBX) UNE Port/Loop Combination Rates				1	LIEDED	LIDETN		44.00	4.40	1				20.05	40.54	40.00	13.32
UNE Port/Loop Combination Rates	0 14/15		 	OPT "		UKEIN		11.23	1.10	 		1		20.35	10.54	13.32	13.32
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1			LINE	OKI (- DA)	+				 		-			 	 	-
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2 23.52	UNE		-	1		+	10 AE			 		 			1	-	-
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 3 30.17	\vdash					+		ļ		 				-	 	-	-
UNE Loop Rates UNITY 2-Wire Voice Grade Loop (SL2) - Zone 1 1 UEPFP UECF2 16.56 2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 21.63	\vdash					+				 		-			 	 	-
2-Wire Voice Grade Loop (SL2) - Zone 1	I INIT I			3		+	30.17	ļ		 				-	 	-	-
2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFP UECF2 21.63	UNE			1	LIEDED	LIECES	16 56			 		-			 	 	-
										 		1		 	 		
	-	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	3		UECF2	28.28			 		-	 	 	1		

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
<u>_ </u> <u>_</u>	Ŧ											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -			Charge -
															Charge -	Charge -	
CATEGOR	v	RATE ELEMENTS	Interi	7	BCS	usoc			DATES (6)			Elec	-	Manual Svc	Manual Svc		Manual Svo
CATEGOR	T	RATE ELEMENTS	m	Zone	BCS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Б	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Wire V	oice Grade Line Port Rates (BUS - PBX)							71441		7.444.		00				00
2-1	VIIIC V	oice Grade Line i ort reales (BOO - 1 BX)															
	١.	' O' I - II - I - II - I O I ' O W DDV T I D I D I			LIEDED	LIEDDO	4.70	400.40	00.00	40.07	40.54		45.00				
		ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
	L	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
					OLITI	OLI IZ	1.73	100.40	05.00	42.07	10.54		10.00				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDED	LIEDTO	4 ===	400 10	00.00	40.00	40 = 1	1	45.60				
		Calling Port		<u> </u>	UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69		ļ		ļ
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54	1	15.69		1		
	2	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.7.0		100.10	00.00	12.01	10.01		10.00				
					UEPFP	UEPXE	1.79	400.40	00.00	40.07	40.54	1	45.00				
		Capable Port		1	UEPFP	UEPAE	1.79	106.40	63.08	42.67	18.54	1	15.69		 		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	l F	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy								12.01							
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
					UEPFP	UEFAIN	1.79	100.40	03.00	42.07	10.34		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															
	F	Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
					OLFIF	ULFAV	1.75	100.40	03.00	42.07	10.54		13.09				ļ
LO		NUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INT		FFICE TRANSPORT															
	li li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	1	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	li li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFP	1L5XX	0.0174										
CC.	ATUR				OLITI	TLOXX	0.0174										
re/			-	1	LIEDED	LIEDVE	0.00	0.00	0.00				45.00		-		1
		All Features Offered		ļ	UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1						1]]
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										I]		1		
		Combination - Conversion - Switch-as-is	<u></u>	<u>L_</u>	UEPFP	USAC2		16.94	3.72			<u> </u>	15.69		<u> </u>		<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72			I	15.69		1		
		Inbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	i					+		1	12.30		l		1
		End User Premise			UEPFP	URETN		11.23	1.10			1		20.35	10.54	13.32	13.32
LINIDI INID: 1			-	1	ULFFF	OKETN		11.23	1.10					20.35	10.54	13.32	13.32
		ORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>		+ +						-					
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1											
UN		t/Loop Combination Rates															
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38								l		
	2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	24.78										1
LIN		pp Rates	1	Ť		1 1	270	+		1		1			l		1
JIV		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX	UECD1	9.60					-	H		-		1
												1			 		1
1		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09										ļ
		P-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	16.00								1]
UN	E Por	t Rate															
UN	E Por				UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		

NRUNDLE	D NETWORK ELEMENTS - Tennessee		,												ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		<u> </u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
Tolonh	End User Premise one Number/Trunk Group Establisment Charges			UEPPX		URETN		11.23	1.10								
relepii	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								+
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								+
	DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX		ND5	0.00	0.00	0.00								+
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								+
- 	Reserve DID Numbers		1	UEPPX		NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY		l	OLI I X			3.00	3.00	0.00								+
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								+
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NF SIDE	PORT														1
	ort/Loop Combination Rates	1_ 0.5.	1														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			02	02		02.2.										+
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
LINIE B	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
UNE P	ort Rate Exchange Port - 2-Wire ISDN Line Side Port			LIEDDD	UEPPR	LIEDDD	40.07	444.75	110.07	40.00	40.00			40.00	40.00		
NOND			-	UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NONKE	ECURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																+
	Combination - Conversion			UEPPB	LIEDDD	USACB	0.00	117.23	117.23					19.99	19.99		
ADDIT	IONAL NRCs			UEFFB	UEPPK	USACB	0.00	117.23	117.23					19.99	19.99		+
ADDITI	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy -																+
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.23	1.10						1		
_	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEFFB	UEPPR	UKETIN		11.23	1.10								+
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB		U1UCB	0.00	0.00	0.00								
	CSD		<u></u>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	,MS, &	i IN)	LIEDOS	LIEDOS	LIALICE	0.00	0.00	2.00	1				1	 		+
	CVS/CSD (DMS/5ESS)		<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	-				1			+
	CVS (EWSD) CSD		1	UEPPB UEPPB	UEPPR UEPPR	U1UCE U1UCF	0.00	0.00	0.00	1		1		-	1		+
Herb.	TERMINAL PROFILE		 	UEPPB	UEPPK	UTUCF	0.00	0.00	0.00	 		1					+
USER	User Terminal Profile (EWSD only)		 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	-					 		+
\/EDTI	CAL FEATURES			ULFFD	ULFFR	OTOWA	0.00	0.00	0.00	1		1		1	1		+
VERTI	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00			1					+
INTER	OFFICE CHANNEL MILEAGE		1	OLI FD	OLIFER	OLI VI	0.00	0.00	0.00			1		1	1		+
IIV I EK	Interoffice Channel mileage each, including first mile and	-	 				 	 		 					 		+
	facilities termination			UEPPB	LIFPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
	Interoffice Channel mileage each, additional mile		l			M1GNM	0.173	0.00	0.00					13.33	10.99		+
				·	CE: : : \	1 🔾 1 4141	0.170	0.00	0.00	1		1			•		4
4-WIDE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															

LINBUNDU	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
ONBONDLI	I NETWORK ELEMENTS - Tellilessee	1				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
0		m		200				(4)			per LSR	perLSK	Order vs. Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Requ	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	the effective date of	of this amend	ment shall be										
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
UNE I	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
UNE	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDI	TONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			LIEDDO	55707											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
Name	Inward Data			UEPPP	PR71E	0.00	0.00	0.00			1					
New o	r Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39				1		19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00					1		19.99	19.99		
	New or Additional Inward Data B Channel		-	UEPPP	PR7BD	0.00	29.11 29.39						19.99	19.99		
CALL	TYPES			OLFFF	FRIBD	0.00	29.39				1	-	15.55	19.99		
CALL	Inward	 		UEPPP	PR7C1	0.00	0.00	0.00	1	1	 		t	1	1	
 	Outward	1		UEPPP	PR7CO	0.00	0.00	0.00	 	 			 	1		
 	Two-way	1		UEPPP	PR7CC	0.00	0.00	0.00	 	 	1		 	1		
Interc	ffice Channel Mileage	 		02.71		0.00	5.00	0.00	†				-			
	Fixed Each Including First Mile	1		UEPPP	1LN1A	76.1825	145.98	109.85	19.55		1		19.99	19.99		
	Each Airline-Fractional Additional Mile	1		UEPPP	1LN1B	0.3525	145.36	103.03	19.55			<u> </u>	13.35	13.35		
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1		02.71		0.0020			†		1		<u> </u>			
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	ember	ded base in place a	s of 10/2/03 i	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.		1	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff												-			
	Port/Loop Combination Rates	T			1								1			
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC	1	93.28			†				19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
UNE I	oop Rates	Ì														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
UNE	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1													I	
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1]			_			
	- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>		UEPDC	USAWA	l	312.91	312.91	I]			19.99	19.99		

ACCRETION ACCR	UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment· 2	Evhi	bit: A
ACTION OF PAIR ELEMENTS IN THE BOOK STATE (B) Company (Company Company	SHESHEL	D INC. IT CHILL LEGIS - 1 CHILCOSCC										Svc Order	Svc Order				Incremental
ART ELEMENTS Part P	1		1			1											Charge -
## 2000 BCS USC PATE (EMEMPTS Mark Zone BCS USC PATES (ft) part (58) par			l														Manual Svc
March Marc	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
15 April 1972 197			m						- (+)			per Lak	hei rok				Electronic-
Activation Proceedings Activate DOTS Trank Port Combinators Activate DOTS Trank Port Combinators Activate DOTS Trank Port Combinators Activate DOTS Trank Port Science Activate D																	Disc Add'l
APPLICATE DESIGNATION OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF CONTROLL OF THE PART OF THE			<u> </u>			<u> </u>										טוסט ואנ	וסנ Auu I
AVECUATION AVECUATION AVECUATION CONTRACT CON							Boo	Nonrecurring		Nonrecurring	g Disconnect			oss			
Convention with Charger Transf (C-EVICON)							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL NICE																	
A-Vinit DST Lorg / 4-Vinit DST Trush Part - Subsequent UBPDC					UEPDC	USAWB		312.91	312.91					19.99	19.99		
Service Activity Per Services Center USAGE 94.88 04.88	ADDIT																
A Vere IDS Long A Vere DIDIT Annual Content Character Annual C																	
Subsequent Channel Achiester Chan - 2 Way Tunk USPTC USPTA 108 CP	ļ			<u> </u>	UEPDC	USAS4		94.88	94.88								
Average Compared Activation Compared A					LIEDDO	LIDTTA		400.07	400.07					40.00	40.00		
Channel ActiviticsChain - 1-Way Outwood Trank					UEPDC	UDITA		108.67	108.67					19.99	19.99		
Avenue Color Avenue Color Co					LIEDDC	LIDTTB		100.67	100.67					10.00	10.00		
Activation/Chain Invasid Trans World DID USEPIC UDTTC 198.67 188.67 19.99					UEPDC	UDITE		100.07	100.07					19.99	19.99		
### Control of Part No. Wind District Wind Part Subsept Chan UPPDC UDTTD 106.67			l		LIEDDC	LIDTTC		108 67	108 67					10.00	10.00		
Actionion Per Chain - Inward Trunk skills DID Lepton DITS Trunk Prof. Subspirit Chain 1998 1999 1	 		1	 	OLI DO	00110		100.07	100.07	 				15.99	19.99	 	
Alternate Mark Inversion			l		UEPDC	UDTTD		108 67	108 67					19 99	19 99		
BIPCAR SERG SUBSTITUTION			1		02. 00	22112		100.07	100.07	†				10.00	10.00		
BPDCARF SZERO SUBSTITUTION			1		UEPDC	UDTTE		108 67	108 67					19 99	19.99	1	
BRDS: Superfarme Format	BIPOL		1			32		100.07	100.07	1				10.00	15.55	1	
SREZE - Estended Superframe Format					UEPDC	CCOSF		0.00i	590.00s	1				19.99	19.99	1	
Alternate Mark Inversion										1						1	
MAI - Extended SuperFrame Format UEPDC MCOPO 0.00	Alterna																
Telephone Number for 1-Winy Custom Strate (Seepa Without DID UEPDC UDTGX 0.00 19.99		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
Telephone Number for 2-Way Trunk Group		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number for 1-Way Puward Turk Group Without DID UEPDC UDTGZ 0.00 19.99 19	Teleph																
Telephone Number for 1-Way Invented Trunk Group Without DID UEPDC UDTGZ 0.00 19.99																	
DID Numbers for each Group of 20 DID Numbers DEPDC NO4 0.00 19.99 19.99 19.99 NO Numbers (not consecutive DID Numbers), Per Number UEPDC ND5 0.00 0.00 0.00 0.00 NO NO NO NO NO NO NO																	
DID Numbers, Non- consecutive DID Numbers DEPDC NDS 0.00																	
Reserve DNon-Consecutive DID Nos.			ļ					ļ	ļ	ļ						ļ	
Dedicated DSI (Interoffice Channel Mileage) - FXFCO for 4-Wire DSI Digital Loop with 4-Wire DDITS Trunk Port								2.5-						19.99	19.99		
Dedicated DSI (Interoffice Channel Mileage) - EXPECD for 4-Wire DSI Digital Loop with 4-Wire DDITS Trunk Port			ļ	<u> </u>						ļ				-	ļ		
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities UEPDC 1LNO1 75.83 145.98 109.85 19.66 14.99	De "		Dinit-	l l a arr			0.00	0.00	0.00	1	-			!	ļ	 	1
Termination UEPDC	Dedica		i טוgital	Loop	WILIT 4-WIFE DUITS	TUNK PORT			-	1					1	-	
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1LNOA 0.3525 0.00			1		LIEDDC	11 NO1	75 00	145.00	100.95	10.66	14.00			I		1	
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	\vdash	TerriiriauOff)	 	 	OLPDC	ILINOT	/5.83	145.98	109.85	19.06	14.99				1	-	
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		LIEPDC	11 NOA	0.3525	0.00	0.00					I		1	
Termination UEPDC	 		 		021 00	ILINOA	0.3325	0.00	0.00	1				t	1	1	1
Interoffice Channel Mileage - Additional rate per mile - 9-25 UEPDC 1LNOB 0.3525 0.00 0.00 0.0			1		UEPDC	11 NO2	0.00	0.00	0.00					I		1	
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOB 0.3525 0.00 0			1				5.50	0.00	0.00	1				1	1	1	
Interoffice Channel Mileage - Rived rate 25+ miles (Facilities UEPDC 1LNO3 0.00 0.0			1		UEPDC	1LNOB	0.3525	0.00	0.00					I		1	
Termination UEPDC 1LNO3 0.00					-			2.30	1.50	1				1	1	1	
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			1		UEPDC	1LNO3	0.00	0.00	0.00					I		1	
Local Number Portability, per DS0 Activated		·						1		1					1		
Local Number Portability, per DS0 Activated		Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3525	0.00	0.00					I		1	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE DS1 Loop - UNE Zone 1		Local Number Portability, per DS0 Activated					3.15	0.00	0.00								
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tarriff rates or a separate agreement.					UEPDC	CTG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used The UNEP DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE DS1 Loop UNE Zone 1																	
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. UNE DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 2 UEPMG USLDC 57.73 0.00 0.00 0.00 4-Wire DS1 Loop - UNE Zone 2 2 UEPMG USLDC 98.59 0.00 0.00 0.00 1 UNE DS0 Channelization Capacities (D4 Channel Bank Configurations) 24 DS0 Channel Capacity - 1 per DS1 UEPMG VUM24 131.87 0.00 0.00 19.99																	
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. WIND DS1 Loop - UNE Zone 1						1		l	L	L			L	L]	
UNE DS1 Loop													shall revert	to tariff rates	or a separate	agreement.	
4-Wire DS1 Loop - UNE Zone 1			e effect	ive date	e of this amendmen	t shall be pro	vided pursuar	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.			ļ		
A-Wire DS1 Loop - UNE Zone 2 2 UEPMG USLDC 75.40 0.00	UNE D		<u> </u>	<u> </u>	LIEDMO	1101 50	F7	0.00	0.00					-	ļ		
4-Wire DS1 Loop - UNE Zone 3 3 UEPMG USLDC 98.59 0.00	 		1							ļ		-		1	ļ	-	
UNE DSO Channelization Capacities (D4 Channel Bank Configurations) UEPMG VUM24 131.87 0.00 0.00 19.99 19.99			1							ļ		-		1	ļ	-	
24 DSO Channel Capacity - 1 per DS1	TIME D		l	3	UEFIVIG	USLDC	98.59	0.00	0.00	 				-	 		-
48 DSO Channel Capacity - 1 per 2 DS1s	ONE D	24 DSO Channel Capacity - 1 per DS1	13 <i>)</i>	1	LIEDMG	\/LIM24	121 07	0.00	0.00	 				10.00	10.00		-
96 DSO Channel Capacity -1per 4 DS1s UEPMG VUM96 527.48 0.00 0.00 19.99 19.99 144 DSO Channel Capacity - 1 per 6 DS1s UEPMG VUM14 791.42 0.00 0.00 19.99 19.99		48 DSO Channel Capacity - 1 per DS1	1							1		-				1	1
144 DS0 Channel Capacity - 1 per 6 DS1s UEPMG VUM14 791.42 0.00 0.00 19.99 19.99	 		1	 						 						 	
	 		 							1						1	1
1 1 1 1 1 1 1 1 1 1	 	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00	 				19.99	19.99	 	

UNRI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
3,150	,,40LL	THE TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Indan:									Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	<u> </u>	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multipi	es of this configuration functioning as one are considered Ad	ad'i atte	r tne m	inimum system con	riguration is	countea.										
		NRC - Conversion (Currently Combined) with or without			UEPMG		0.00	000.04	45.74					40.00	40.00		
	Custom	BellSouth Allowed Changes	th Chan			USAC4	0.00	303.61	15.74	-				19.99	19.99		
		n Additions at End User Locations Where 4-Wire DS1 Loop wi lot Currently Combined) in all states, except in Density Zone 1				Ination Curre	entiy Exists and	1 		-							
<u> </u>	New (N	of Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	огтор	o WISA		 				 				-		-	
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
-	Pinola	r 8 Zero Substitution			UEPIVIG	VUIVID4	0.00	704.00	441.40	130.30	10.41	1		19.99			
	Біроіаі	Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -			OLI IVIO	00001	0.00	0.001	330.003	<u> </u>							
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
-	Δiterna	te Mark Inversion (AMI)			OLI WO	CCOLI	0.00	0.001	330.003								
	Aitoina	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1					
	Exchar	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	020		0.00	0.00	0.00								
		nge Ports	<u> </u>														
	_xona.	Line Side Combination Channelized PBX Trunk Port - Business								İ					1		
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID															
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
1		Unbundled Exchange Ports, 2-Wire Channelized – Combination				I				I				Ì	I	Ì	
1		(AL, KY, LA, MS, & TN) (Conversion from Network Access			l	1		_	_	I .	_				I _	Ì	
<u> </u>		Service) (E:4/1/2004)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	LIEBCE										1	
<u> </u>	<u> </u>	Tennessee Only – Calling Plan - Regionsery (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03	1	
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -			LIEDDY	LIEBOS	4 70	0.00	0.00	0.00	0.00			20.00	7.00	Ì	
-	Footure	Tennessee Only – Calling Plan - Regionserv (E:4/1/2004) Activations - Unbundled Loop Concentration			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00	-		30.89	7.03	 	
<u> </u>	reature		-			 				 				-		-	
1		Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03	Ì	
-	1	Feature (Service) Activation for each Trunk Port Terminated in			OLFFA	I F CQ VV IVI	2.02	23.94	12.04	3.62	3.60	 	1	30.69	7.03	1	
		D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03	Ì	
-	Telenh	one Number/ Group Establishment Charges for DID Service			0=11 <i>X</i>		2.02	75.07	17.57	54.09	10.37			50.05	7.03	 	
 		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	I		<u> </u>		 	I	 	
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00	t				1	1	1	
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	1				İ	1	1	
—	1	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	t				1	1	1	
	1	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	İ				İ	İ	İ	
	Local N	Number Portability				1		1	1	İ				İ	İ	İ	
	1	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	1					1	İ	
	FEATU	RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	•		•	•	•	•				•		•	•			•	

LINE	DINDI E	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	hit. A
UNE	DUNDLE	D NETWORK ELEMENTS - Termessee					1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
0, 11		10112 ======	m		200	0000			== (+)			per LSR	per LSR	Order vs.	Order vs. Electronic-	Order vs. Electronic-	Order vs.
														Electronic-			Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	l l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNB	UNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3														
	1. Cos	Based Rates are applied where BellSouth is required by FCC	and/or	State C	commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.								
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	ed to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage I	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not Cเ	ırrently	Comb	ned Combos. For (Currently Co	mbined Combo	os, the nonrecu	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections. I	Additional NR	Cs may
		also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1]						1		Ì		
		Non-Design		1	UEP91		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											1		1		
		Non-Design		3	UEP91		23.02										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		3	UEP91		29.98										
	UNE L	oop Rate			LIEBA		10.10										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
-		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
-		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63 28.28										
-	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
	UNE P	orts tes (Except North Carolina and Sout Carolina)															
	All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	_	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	-	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			OLF31	ULFID	1.70	22.14	15.25	0.45	3.91		30.09	1.03	 		
		Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF31	OLFIR	1.70	22.14	15.25	0.40	3.91		30.09	7.03	1		
		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OL1 31	OLI TIVI	1.70	22.14	15.25	0.40	3.91		30.09	7.03	1		
		Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	 	OL1 31	JLI IZ	1.70	22.14	10.20	0.40	3.91		30.09	1.03	 		
		- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	+	2-Wire Voice Grade Port Terminated on 800 Service Term -			021 01	JLI 13	1.70	22.14	10.20	0.43	5.31		30.03	7.03			
		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	AL KY	, LA, MS, & TN Only			0.	J L	1.70	22.17	10.20	5.45	0.91	<u> </u>	30.03	7.55	 		
	, . <u></u> , .(2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	+	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
-	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire			-	1	•			20	2.31			1.50	1		
		Center)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800							.5.20	57.10	3.01		22.50		İ		
		Service Term	1	1	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Ì		
					*												
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Ì		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		
	Local	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
	Local	Number Portability															

CATEGORY	D NETWORK ELEMENTS - Tennessee													ment: 2		
CATEGORY		1									Svc Order	Svc Order	Incremental		Incremental	bit: A Incremental
CATEGORY											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
ļ														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISI	DISC Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
ullet	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
$\vdash \vdash \vdash$	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	llaneous Terminations															
2-Wire	Trunk Side	1	-	LIEDO1	CENA6	8.78	00.44	45.05	0.45	0.01	-	20.00	7.00	 		
Inter-	Trunk Side Terminations, each ffice Channel Mileage - 2-Wire	1	-	UEP91	CEINAb	8.78	22.14	15.25	8.45	3.91	-	30.89	7.03	 		
intero	Interoffice Channel Facilities Termination - Voice Grade	 	 	UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	-		
	Interoffice Channel mileage, per mile or fraction of mile	1	H	UEP91	M1GBC M1GBM	0.0174	22.14	15.25	0.45	3.91	-	30.09	7.03	1	1	
Fastu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OFLAI	IAI I GDIAI	0.0174	+		1				1	1	1	
	annel Bank Feature Activations															
D-7 0	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	r cataro / caration on B i onamior Barit Control 200p Cicl			02. 0.		0.00										
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			<u></u>												
1	Slot			UEP91	1PQW7	0.66										
1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
1	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
1	Conversion - Currently Combined Switch-As-Is with allowed			UEP91	USAC2		4.00	0.29				20.00	7.00			
+-+-	changes, per port New Centrex Standard Common Block			UEP91	M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03 7.03			
+-+-	New Centrex Standard Common Block			UEP91	M1ACC	0.00	658.60					30.89	7.03			-
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55				1	30.89	7.03			
	NAR Establishment Charge, Per Occasion	!		UEP91	URECA	0.00	68.57		 			30.89	7.03	 		
Δdditi	onal Non-Recurring Charges (NRC)	!		OL1 31	JILOA		00.57		 			30.09	7.03	 		
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1					 				<u> </u>		 	 		—
i l	Premise	1		UEP91	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
<u></u>	End Use Premise	<u> </u>		UEP91	URETN		11.23	1.10	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)							<u> </u>								
1 -	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
	Non-Design		1	UEP95		14.18										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1														1
\longleftarrow	Non-Design	ļ	2	UEP95		18.01										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design	 	3	UEP95		23.02	1									├
UNE P	Port/Loop Combination Rates (Design)	1			1		1				-		-	-		
i I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP95		40.00							1	1		1
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	1	UEF85	 	18.26			-							
i I	Design	1	2	UEP95		23.33							1	1		1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†		OL: 33	+ -	23.33	+		 				 	 		
1 1	Design	1	3	UEP95		29.98	l l									1
UNE L	oop Rate	1				20.50							1	1		t
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP95	UECS1	12.48	İ		1				İ	İ	İ	

IINRIINDI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Evhi	bit: A
ONBONDE	LD NETWORK ELEMENTS - Telliessee				1 1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					+		Nonrecurring		Nonrecurring	Disconnect		l	088	Rates (\$)	l	L
-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SUMAN
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP95	UECS1	21.32	-							-		
		1	1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2	21.63										
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	28.28										
LINE	Port Rate		3	UEF93	UEC32	20.20	-							-		
	States				+		-							-		
All S	2-Wire Voice Grade Port (Centrex) Basic Local Area	1	-	UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	1	-	UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-				UEF95	UEFTB	1.70	22.14	15.25	0.45	3.91		30.69	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area	1		UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	I		1
 	2-Wire Voice Grade Port (Centrex from diff Serving Wire	 		OLF 30	ULFIR	1.70	22.14	15.25	0.40	3.91	1	30.09	1.03	 	1	
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03			1
		 		OLF90	UEFTIVI	1.70	22.14	15.25	8.45	3.91		30.89	7.03	 		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1		LIEDOE	LIEDVZ	4.70	00.44	45.05	0.45	2.01	1	20.00	7.00	I		1
	Service Term - Basic Local Area	ļ	-	UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEBOE	LIEDVO		00.41	45.05	0.45	200	1	00.00	7.00	I		1
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	LIEDVO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			i
l	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL,	KY, LA, MS, SC, & TN Only						20.44	45.05	0.45							
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															i
	Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service					. =-										i
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
						. =-										i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
L	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	GA Only															+
Loca	al Switching			LIEBOE	LIDEOO	0.0004										
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Loca	al Number Portability			LIEBOE	LNPCC	0.05										+
F	Local Number Portability (1 per port)	-		UEP95	LNPCC	0.35										+
Feat		 		LIEDOE	LIED) (E	2.00			ļ			00.00	7.00	 	-	
	All Standard Features Offered, per port	<u> </u>		UEP95	UEPVF	0.00	100.70					30.89	7.03	-		+
	All Select Features Offered, per port	<u> </u>		UEP95	UEPVS	0.00	433.78		ļ			30.89	7.03	-	1	
	All Centrex Control Features Offered, per port	<u> </u>		UEP95	UEPVC	0.00			ļ			30.89	7.03	-	1	
NAR		<u> </u>		LIEBOE	HARCY									-	1	
	Unbundled Network Access Register - Combination	<u> </u>		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	-		+
	Unbundled Network Access Register - Indial	ļ		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			├
	Unbundled Network Access Register - Outdial	ļ		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			├
	cellaneous Terminations	ļ			1											├
2-Wi	re Trunk Side			LIEBAE	0515											
	Trunk Side Terminations, each	ļ		UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			├
4-Wi	re Digital (1.544 Megabits)	ļ		LIEBAE	1				ļ							
 -	DS1 Circuit Terminations, each	ļ		UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			├
<u> </u>	DS0 Channels Activated, each	ļ		UEP95	M1HDO	0.00	108.67					30.89	7.03			├
Inter	office Channel Mileage - 2-Wire	ļ		LIEBAE												
	Interoffice Channel Facilities Termination	<u> </u>		UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	-	1	
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP95	M1GBM	0.0174			ļ				ļ	.		
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1											
D4 C	Channel Bank Feature Activations	ļ		LIEBAE	100000											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
		1			1,50,						1		Ì	I		1
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP95	1PQW6	0.66			ļ							⊢—
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										İ	1				1
	Slot			UEP95	1PQW7	0.66						<u>l</u>]	l .		

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Diac 1at	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
		onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use					İ										
		Premise	l		UEP95	URETL		8.33	0.83						1		1
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.23	1.10								
	UNE-P	CENTREX - DMS100 (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		23.02										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		29.98										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
	UNE Po	ort Rate															
	ALL ST																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															1
		Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
		Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	<u> </u>	Area	L	<u> </u>	UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	<u> </u>	<u> </u>	1
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
l		Area	l		UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		1
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
1		Area	1	1	UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03	I	Ì	1
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
L	<u> </u>	Area	<u> </u>	<u>L</u>	UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91	<u></u>	30.89	7.03	<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
Ī	1	Area	l	1	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	1	1

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs.
													1st	Add'I	Disc 1st	Disc Add'
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPTS	1.70	22.14	15.25	0.45	3.91	1	30.69	7.03			+
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															†
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			4
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	UEPYO	1.70	22.14	15.05	8.45	2.04		20.00	7.03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI OD	OLI II	1.70	22.17	10.20	0.40	0.01		00.00	7.00			+
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															1
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4					. =-										
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEFTS	1.70	22.14	15.25	0.40	3.91		30.09	7.03			+
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4									0.0.						1
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		1	UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
ΔΙ . K\	/, LA, MS, SC, & TN Only		<u> </u>	טבו שט	ULFIZ	1.70	22.14	13.23	0.45	3.91	 	30.09	7.03			+
7.2,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		<u> </u>	UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4	 		UEP9D UEP9D	UEPQT UEPQU	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	1	30.89 30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4	1	-	UEP9D UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	1		UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp										İ					
	Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1													
	2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			+
				1	1				1	1	1		ī		1	1

UNBI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
3,450	,,,p_L	THE TOTAL ELEMENTO TOMICOSCO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2 Wile Voice Grade Fort (Gentiewanier GWG/EBG Wigges)2,0,4			OLI OD	OLI Q-	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	 		1			J=. 3(0	1.70	22.17	10.20	0.40	5.91		30.00	7.00			
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4	l		UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91	İ	30.89	7.03			
-	†	2 11.10 10.00 0.1000 1 011 (OCHROX GIROT OTTO / EDO-INDZ 10/2,0,4		-	CL. 0D	321 Q0	1.70	22.17	10.20	0.40	0.91		55.55	7.00	 		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI Q7	1.70	22.14	10.20	0.40	5.51		30.03	7.00			
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		16111 2,3			OLI 3D	OLI QZ	1.70	22.14	13.23	0.43	5.51		30.03	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated in on Meganink of equivalent			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local	Switching			OLF3D	ULFQZ	1.70	22.14	13.23	0.45	3.91		30.09	7.03			
-	LUCAI	Centrex Intercom Funtionality, per port	-		UEP9D	URECS	0.6381										
-	Local	Number Portability	-		OLF3D	UNLUG	0.0361										
	Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
-	Feature				UEF9D	LINFCC	0.33										
	reature	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
-		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
-		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	433.76					30.89	7.03			
-	NARS	All Certifex Control Features Offered, per port			OLF3D	OLFVC	0.00						30.09	7.03			
-	NAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
-		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
<u> </u>		Unbundled Network Access Register - Outdial		-	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
-	Miccol	laneous Terminations			OLF3D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Trunk Side															
	2-wire	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
-	1-Wire	Digital (1.544 Megabits)	1	1	OFLAD	CENDO	0.78	22.14	15.25	0.45	3.91	1	30.89	1.03			
-		DS1 Circuit Terminations, each	-		UEP9D	M1HD1	35.55	75.93	38.15	1	-		30.89	7.03	 		
	 	DS0 Channels Activiated per Channel	-		UEP9D	M1HD0	0.00	108.67	30.15	1	-		30.89	7.03	 		
-	Interes	fice Channel Mileage - 2-Wire	1	1	טבו שט	IVITIDO	0.00	100.07				1	30.09	1.03			
1	meror	Interoffice Channel Facilities Termination	1	1	UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
1	1	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP9D	M1GBC M1GBM	0.0174	22.14	15.25	0.45	3.91	1	30.09	1.03	1		
1	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	1	OLI 3D	IVI I ODIVI	0.0174			1	1	1	1	1	1		
—		annel Bank Feature Activations	ĭ	1		+				1	1	1	1	1	1		
-	D-7 OI16	Feature Activation on D-4 Channel Bank Centrex Loop Slot	l	-	UEP9D	1PQWS	0.66			1			1		1		
-	 	Todata Abuvation on 2-4 Orialine Bank Centrex Loop 5100	1	 	OLI 3D	11 (2770	0.00			1	 			 	 		
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP9D	1PQW6	0.66					1		Ì	Ì		
-	 	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	l	-	021 30		0.00			1			1		1		
1	1	ISlot	l	1	UEP9D	1PQW7	0.66				Ì	1	l	Ì	İ		
-	 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1	 	021 00	11 52 17 1	0.00			1	 			 	 		
	1	Different Wire Center	l		UEP9D	1PQWP	0.66					İ	1				
-	 	Directorit ville Conton	1	 	OLI 3D	// CKAAL	0.00			1	 			 	 		
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	1	UEP9D	1PQWV	0.66					1		Ì	Ì		
-	1	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	1	1	טבו שט	11-0000	0.00				-		-	-	-		
	1	ISlot	l		UEP9D	1PQWQ	0.66					İ	1				
-	 	Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP9D UEP9D	1PQWQ 1PQWA	0.66			1	-			 	 		
	Non D		<u> </u>	!	UEF9D	IPQWA	0.66			-							
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	1	-		-				1	1			1	 		
	1	NRC Conversion Currently Combined Switch-As-Is with allowed	l		UEP9D	USAC2		1.03	0.29			İ	30.89	7.03			
	1	changes, per port	l		UEF9D	USAUZ		1.03	0.29		l	1	30.89	7.03	l		

UNBUND	LED	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
Add		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.23	1.10								
LIMI		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	UKETN		11.23	1.10								
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)		1		-											
0111		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
		Non-Design		1	UEP9E		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	10	+									1
		Non-Design		2	UEP9E		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		23.02										
UNI	E Por	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		18.26										
	2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		29.98										
UNI		op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	16.31										
	- 2	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	- 2	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
1181		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
		rt Rate KY, LA, MS, & TN only															
AL,		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
					UEP9E	UEFTA	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			0_1 0L	02.10	1.70	22.17	10.20	0.43	5.31	1	50.09	7.03			1
		Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire					0		.0.20	5.70	5.51		30.00				
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term -							-								
		Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			
AL,		LA, MS, & TN Only		<u> </u>													
		2-Wire Voice Grade Port (Centrex)		 	UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			ļ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	OLFBE	UEPQIVI	1.70	22.14	15.25	0.45	3.91		30.89	1.03			
		Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2	2-Wire Voice Grade Port Terminated in 61 Megalink of equivalent			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		witching		t			0		.0.20	5. 70	3.31	1	30.00				
Loc	cai Sv	witching															

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Auu	Diac 1at	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature	es .															
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Miscell	aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each	<u></u>	<u></u>	UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174										
	Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		·															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
1		Premise			UEP9E	URETL		8.33	0.83								1
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
1		End Use Premise			UEP9E	URETN		11.23	1.10								1
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Po	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design	<u> </u>	1	UEP93		14.18										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design	<u> </u>	2	UEP93		18.01										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									<u> </u>						1
	<u> </u>	Non-Design	<u></u>	3	UEP93		23.02										<u></u>
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														1
	<u> </u>	Design	<u> </u>	1	UEP93		18.26			<u> </u>					L		<u></u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1									1				1
1		Design		2	UEP93		23.33						l				1

Design UNE Loop Rate 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voi	ice Grade Port (Centrex) Basic Local Area	Interi m	Zone 3	BCS UEP93	USOC	Rec	Management	RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc	Charge -
Design UNE Loop Rate 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voi	ice Grade Loop (SL 1) - Zone 1 ice Grade Loop (SL 1) - Zone 2 ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area	-	1	UEP93		Rec	Managarani:						Electronic- 1st	Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
Design UNE Loop Rate 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voi	ice Grade Loop (SL 1) - Zone 1 ice Grade Loop (SL 1) - Zone 2 ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area	-	1	UEP93		1100	Nonrecurring		Nonrecurring					Rates (\$)		
Design UNE Loop Rate 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 4-Wire Voice 1-Wire Voice 1-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 1-Wire Voi	ice Grade Loop (SL 1) - Zone 1 ice Grade Loop (SL 1) - Zone 2 ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area		1	UEP93			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rate 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Service Term 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Center)2,3 2-Wire Voice Center)2,3 4-Wire Voice Centre/ Inter Centre/ Inter 1-Cocal Number Porta Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	ice Grade Loop (SL 1) - Zone 2 ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area		1	UEP93		i						'			·	
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 3-Wire Voice 4-Wire Voice 4-Wire Voice 5-Wire Voice 4-Wire Voice	ice Grade Loop (SL 1) - Zone 2 ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area			1		29.98	1		ļ		<u> </u>					
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 Bi 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Center)2,1 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 1-Wire Vo	ice Grade Loop (SL 1) - Zone 2 ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area								\perp		<u> </u>					1
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 1	ice Grade Loop (SL 1) - Zone 3 ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area			UEP93	UECS1	12.48					<u> </u>					
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 4-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Porta All Centrex Constant All Centrex Constant All Centrex Constant Unbundled Nunbundl	ice Grade Loop (SL 2) - Zone 1 ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area		2	UEP93	UECS1	16.31			<u> </u>							
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 Bi 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Center)2,3 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 3-Wire Voice 1-Wire Vo	ice Grade Loop (SL 2) - Zone 2 ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area		3	UEP93	UECS1	21.32					ļ					
2-Wire Voice UNE Port Rate AL, KY, LA, MS, & T 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centrex Index Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	ice Grade Loop (SL 2) - Zone 3 & TN only ice Grade Port (Centrex) Basic Local Area		1	UEP93	UECS2	16.56					<u> </u>					
UNE Port Rate AL, KY, LA, MS, & T LA, MS, & T LA, MS, & T LA, MS, & T LA, MS, & T LA, MS, & T LA, MS, & T LA, MS, & T LA, MS, & T LA, Wire Voice Area 2-Wire Voice Center)2,3 B LOCAL 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice Local P LOCAL 2-Wire Voice LOCAL 2-Wire Voice LOCAL 2-Wire Voice LOCAL 2-Wire Voice LOCAL LOCAL 2-Wire Voice LOCAL LOCAL LOCAL SWITCHING LOCAL L	& TN only ice Grade Port (Centrex) Basic Local Area		2	UEP93	UECS2	21.63			<u> </u>							
AL, KY, LA, MS, & T 2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centre/l2,3 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex) Basic Local Area		3	UEP93	UECS2	28.28										
2-Wire Voice 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Porta Local Number Porta All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex) Basic Local Area															
2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Area 2-Wire Voice Center)2,3 Bi 2-Wire Voice Service Term 2-Wire Voice Basic Local A 2-Wire Voice Center)2,3 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Porta All Centrex Content All Centrex Content All Centrex Content All Centrex Content All Centrex Content All Centrex Content All Centrex Content MARS Unbundled N Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side		-	-	LIEDOS	LIEDY			.=			├ ──'				 '	
Area 2-Wire Voice Area 2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice rvice Term 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side				UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	↓ '	30.89	7.03		 '	<u> </u>
2-Wire Voice Area 2-Wire Voice Center)2,3 Bi 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice Local Switching Centre Inter Local Number Porta Local Number Porta All Centrex Coal	ice Grade Port (Centrex 800 termination)Basic Local			LIEBOO	LIED: C			.=			1 '		1 '	, J	1 '	
Area 2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Center)2,3 2-Wire Voice Center)2,3 2-Wire Voice Center)2,3 1-Wire Voice Center)2,3 1-Wire Voice Center)2,3 1-Wire Voice Center)4,3 1-Wire Voice			1	UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91	↓ '	30.89	7.03		 '	<u> </u>
2-Wire Voice Center)2,3 B: 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Centrex C NARS Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex with Caller ID)1Basic Local					ł					'	·	'	ı l	'	
Center)2,3 Bi 2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice er Porta Local Number Porta All Centrex Inter All Centrex C NARS Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side			1	UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91	↓ '	30.89	7.03		 '	
2-Wire Voice Service Term 2-Wire Voice - Basic Local 2-Wire Voice - Basic Local 2-Wire Voice Basic Local 2-Wire Voice - Basic Local 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 1-Wir	ice Grade Port (Centrex from diff Serving Wire					i						'	!		·	
Service Term 2-Wire Voice - Basic Local 2-Wire Voice Basic Local A 2-Wire Voice ta All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			
2-Wire Voice - Basic Local 2-Wire Voice Basic Local A 2-Wire Voice Basic Local A 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Forta All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port, Diff Serving Wire Center - 2,3 - 800					ł					'	·	'	ı l	'	
- Basic Local 2-Wire Voice Basic Local 2-Wire Voice Basic Local A 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	erm - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			
2-Wire Voice Basic Local A 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Porta All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port terminated in on Megalink or equivalen	it				ł					'	·	'	ı l	'	
Basic Local A 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side				UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wire Voice 2-Wire Voice 2-Wire Voice 1-Wir	ice Grade Port Terminated on 800 Service Term -					ĺ					1		1			
2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Porta All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side				UEP93	UEPY2	1.70		15.25		3.91		30.89	7.03			
2-Wire Voice 2-Wire Voice 2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Porta All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex)			UEP93	UEPQA	1.70		15.25		3.91		30.89	7.03			
2-Wire Voice Center)2,3 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70		15.25		3.91		30.89	7.03			
Center)2,3 2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Service Term 2-Wire Voice 2-Wire Voice 12-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port (Centrex from diff Serving Wire					i					,	,			1	
2-Wire Voice 2-Wire Voice 2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91	'	30.89	7.03	ı l	'	
2-Wire Voice 2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port, Diff Serving Wire Center - 2,3 -800					1					,	1	1			
2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	erm			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91	'	30.89	7.03	ı l	'	
2-Wire Voice Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side						1					,	1	1			1
Local Switching Centrex Inter Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port terminated in on Megalink or equivalen	ıt		UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91	'	30.89	7.03	ı l	'	
Centrex Inter Local Number Porta Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		,	
Local Number Porta Local Number Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Siscellaneous Term 2-Wire Trunk Side						i]					
Local Numbe Features All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Wiscellaneous Term 2-Wire Trunk Side	ntercom Funtionality, per port			UEP93	URECS	0.6381					,	1	1			1
All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Unbundled N Unbundled N Unbundled N	ortability					i					,	,			1	
All Standard All Centrex C NARS Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	mber Portability (1 per port)			UEP93	LNPCC	0.35					,	1	1			1
All Centrex C NARS Unbundled N Unbundled N Unbundled N Unbundled S Miscellaneous Term 2-Wire Trunk Side						1					,	1	1			
NARS Unbundled N Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	ard Features Offered, per port			UEP93	UEPVF	0.00]					
Unbundled N Unbundled N Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side	x Control Features Offered, per port			UEP93	UEPVC	0.00					,	1	1			1
Unbundled N Unbundled N Miscellaneous Term 2-Wire Trunk Side						i					,	,			1	
Unbundled N Miscellaneous Term 2-Wire Trunk Side	d Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Miscellaneous Term 2-Wire Trunk Side	d Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	T '	0.00	7.03			
Miscellaneous Term 2-Wire Trunk Side	ed Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	T '	0.00	7.03			
						1					T '					
Trunk Side T	e					1										
	e Terminations, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire Digital (1.544						i										
DS1 Circuit T				UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
				UEP93	M1HDO	0.00	108.67					30.89	7.03			
Interoffice Channel	544 Megabits) uit Terminations, each nnels Activated, Per Channel					ı										
	544 Megabits) uit Terminations, each nnels Activated, Per Channel			UEP93	M1GBC	18.58		15.25	8.45	3.91		30.89	7.03			
Interoffice Ch	544 Megabits) uit Terminations, each nnels Activated, Per Channel nel Mileage - 2-Wire Channel Facilities Termination			UEP93	M1GBM	0.0174										
	544 Megabits) uit Terminations, each nnels Activated, Per Channel nel Mileage - 2-Wire	ice				i										
	544 Megabits) uit Terminations, each nnels Activated, Per Channel nel Mileage - 2-Wire Channel Facilities Termination	100				i										
Feature Activ	544 Megabits) uit Terminations, each nnels Activated, Per Channel nel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile	<u> </u>		UEP93	1PQWS	0.66	1 1								-	
	544 Megabits) ilt Terminations, each nnels Activated, Per Channel nel Mileage - 2-Wire Channel Facilities Termination Channel mileage, per mile or fraction of mile nns (DS0) Centrex Loops on Channelized DS1 Servi					0.00	1									

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditi	ons.	_					-			

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

3.	MISCELLANEOUS	5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	3

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Hotline nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Hotline can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide Hotline with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Hotline and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent Hotline requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Hotline, BellSouth will not assess Hotline additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Hotline nondiscriminatory access to its OSS and the necessary information contained therein in order that Hotline can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Hotline to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Hotline's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Hotline can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces

whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Hotline will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Hotline shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Hotline shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Hotline shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Hotline will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Hotline's access to customer record information. If a BellSouth audit of Hotline's access to customer record information reveals that Hotline is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Hotline may take corrective action, including but not limited to suspending or terminating Hotline's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Hotline electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Hotline will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Hotline electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Hotline will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Hotline agree to adhere to BellSouth's Operational

Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Hotline nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- 2.2 Change Management. BellSouth and Hotline agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Hotline agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Hotline at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders.</u> Orders placed in the hold or pending status by Hotline will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Hotline shall be required to submit a new service request. Incorrect or invalid requests returned to Hotline for correction or clarification will be held for thirty (30) calendar days. If Hotline does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- Single Point of Contact. Hotline will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Hotline to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Hotline and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Hotline to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify

Hotline that such a request has been processed but will not be required to notify Hotline in advance of such processing.

- 3.2.1 Neither BellSouth nor Hotline shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Hotline shall return a FOC to BellSouth within thirty-six (36) hours after Hotline's receipt from BellSouth of a valid LSR.
- 3.2.4 Hotline shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Hotline elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Hotline by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Hotline that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Hotline's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Hotline, which has the billing relationship with that End User, and Hotline may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If Hotline cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of

that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Hotline places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Hotline places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Hotline may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Hotline elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Hotline, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.